

NRA 154th Imperial Meeting

Grand Aggregate (as at Tuesday, 18th July 2023)

		DT	DM	Alex	DC	Times	Wimb	Doyle	Dgall	St. G.	PoW	King's	Lovell	Corp	Total	
1	Mr SM Negus	X	0.0v	49.7v	48.4v	50.6v	49.7v	50.8v	0.0v	49.5v	75.10v	74.10v	0.0v	49.3v	45.5v	538.65v
2	Mr J Corbett	X	0.0v	49.4v	50.4v	49.7v	50.7v	49.6v	0.0v	49.4v	75.9v	74.10v	0.0v	47.2v	45.4v	537.57v
3	Mr JC Jonck	X	0.0v	48.4v	49.4v	49.4v	49.4v	49.7v	0.0v	48.5v	75.11v	75.11v	0.0v	46.3v	47.2v	535.55v
4	Mr MJ Bailey	X	0.0v	49.7v	49.4v	49.2v	50.7v	49.4v	0.0v	48.4v	75.13v	72.3v	0.0v	44.5v	49.7v	534.56v
5	Mr JP Bailey	X	0.0v	49.6v	49.4v	50.7v	50.6v	47.2v	0.0v	49.7v	74.8v	72.8v	0.0v	46.2v	48.5v	534.55v
6	Mr WJD Broad	A	0.0v	48.4v	49.5v	49.3v	50.6v	50.5v	0.0v	50.6v	75.14v	72.6v	0.0v	48.4v	43.2v	534.55v
7	Mr MC Cooper	X	0.0v	48.5v	48.3v	48.4v	49.6v	50.8v	0.0v	46.3v	75.6v	75.7v	0.0v	48.5v	47.2v	534.49v
8	Mr FWA Coetzee	X	0.0v	48.3v	49.6v	49.7v	50.6v	49.7v	0.0v	50.7v	74.10v	74.8v	0.0v	45.4v	45.1v	533.59v
9	Mr A Ringer	X	0.0v	49.3v	49.5v	50.9v	47.4v	48.6v	0.0v	49.7v	73.7v	72.9v	0.0v	50.6v	46.2v	533.58v
10	Mr RW Sandlant	X	0.0v	47.4v	47.4v	48.2v	49.8v	48.4v	0.0v	50.6v	75.11v	73.9v	0.0v	49.6v	46.4v	532.58v
11	Mr PM Patel	X	0.0v	48.4v	50.6v	47.4v	50.6v	50.6v	0.0v	48.3v	74.8v	70.5v	0.0v	48.6v	47.5v	532.53v
12	Mr JEM Bellringer	X	0.0v	44.0v	49.5v	49.5v	50.6v	50.4v	0.0v	49.4v	75.6v	74.8v	0.0v	47.5v	45.3v	532.46v
13	Mrs DE Negus	X	0.0v	49.6v	48.7v	49.6v	49.4v	48.5v	0.0v	49.5v	74.10v	75.12v	0.0v	45.4v	45.3v	531.62v
14	Miss JM Hince	X	0.0v	48.5v	49.6v	48.4v	50.4v	48.6v	0.0v	48.3v	75.13v	71.7v	0.0v	48.5v	46.6v	531.59v
15	Mr PD Sykes	X	0.0v	47.7v	48.3v	48.4v	49.4v	49.6v	0.0v	49.4v	74.9v	73.9v	0.0v	47.3v	47.3v	531.52v
16	Capt RCG Knight	O	0.0v	48.6v	47.3v	50.4v	49.6v	47.3v	0.0v	48.4v	75.8v	71.8v	0.0v	49.4v	47.1v	531.47v
17	Mr MJ Ensor	X	0.0v	48.5v	48.6v	49.4v	49.8v	49.6v	0.0v	49.2v	74.13v	72.6v	0.0v	47.6v	45.3v	530.59v
18	Mr RSF Shouler	X	0.0v	48.4v	50.8v	48.6v	46.3v	50.7v	0.0v	50.8v	74.12v	73.7v	0.0v	46.3v	45.1v	530.59v
19	Mr D Blake	X	0.0v	49.6v	46.3v	49.3v	49.6v	46.4v	0.0v	48.6v	74.11v	72.5v	0.0v	50.5v	47.3v	530.52v
20	Mr CK Kiptarus	A	0.0v	49.4v	48.7v	47.1v	50.9v	50.4v	0.0v	48.3v	72.8v	74.8v	0.0v	48.4v	44.4v	530.52v
21	Mr JC Underwood	X	0.0v	47.1v	49.6v	49.7v	49.4v	50.8v	0.0v	50.4v	73.9v	74.11v	0.0v	45.0v	44.1v	530.51v
22	Mr LS Otundo	O	0.0v	50.7v	47.4v	47.4v	49.3v	49.5v	0.0v	46.4v	75.9v	74.6v	0.0v	47.2v	46.4v	530.48v
23	Mr WCP Richards	A	0.0v	50.5v	47.4v	50.4v	49.5v	49.4v	0.0v	49.4v	73.10v	73.6v	0.0v	49.1v	41.1v	530.44v
24	Mr MRM Millar	X	0.0v	50.8v	47.3v	49.5v	49.5v	48.5v	0.0v	50.10v	74.11v	74.12v	0.0v	46.3v	42.1v	529.63v
25	Mr KWD Ramsey	X	0.0v	48.5v	46.4v	49.5v	49.7v	48.5v	0.0v	48.5v	75.10v	75.11v	0.0v	43.1v	48.6v	529.59v
26	Mr PB Bromley	A	0.0v	50.7v	46.4v	49.5v	49.7v	48.4v	0.0v	50.7v	75.11v	73.8v	0.0v	45.4v	44.2v	529.59v
27	Gp Capt WD Cooper	X	0.0v	49.2v	49.6v	49.6v	49.9v	48.5v	0.0v	49.6v	74.9v	72.6v	0.0v	47.5v	43.3v	529.57v
28	Mr CES Dickenson	X	0.0v	49.5v	47.4v	47.4v	50.7v	47.3v	0.0v	49.7v	74.9v	72.10v	0.0v	48.4v	46.2v	529.55v
29	Mr JD Warburton	X	0.0v	50.6v	47.4v	49.6v	48.5v	49.5v	0.0v	48.4v	74.10v	74.9v	0.0v	47.3v	43.3v	529.55v
30	Mr DR Le Quesne	A	0.0v	49.7v	49.6v	47.4v	50.8v	49.3v	0.0v	45.2v	74.7v	73.7v	0.0v	47.4v	46.3v	529.51v
31	Mr CJ Mitchell	X	0.0v	47.3v	48.4v	49.7v	50.7v	48.5v	0.0v	47.2v	74.7v	74.9v	0.0v	48.5v	44.2v	529.51v
32	Miss LI Brindley	A	0.0v	46.3v	49.4v	49.5v	48.5v	46.4v	0.0v	47.3v	73.9v	74.6v	0.0v	50.6v	47.5v	529.50v
33	Mr LVG OFlynn	X	0.0v	47.6v	49.5v	50.6v	50.7v	49.7v	0.0v	49.4v	73.11v	73.8v	0.0v	47.7v	41.3v	528.64v
34	Mr AD Le Cheminant	A	0.0v	47.4v	47.4v	47.2v	49.7v	47.4v	0.0v	47.6v	75.12v	74.10v	0.0v	48.4v	47.6v	528.59v
35	Mr JR Tuck	X	0.0v	48.3v	47.5v	45.3v	48.6v	47.5v	0.0v	50.8v	74.8v	74.10v	0.0v	47.4v	48.5v	528.57v
36	Mr R Oxford	X	0.0v	46.3v	50.5v	49.6v	50.8v	50.7v	0.0v	47.4v	74.12v	74.7v	0.0v	46.2v	42.3v	528.57v
37	Mr ML Millar	X	0.0v	49.6v	49.6v	44.4v	47.4v	50.4v	0.0v	47.4v	75.9v	74.10v	0.0v	47.5v	46.2v	528.54v
38	Miss AP Good	X	0.0v	49.5v	47.3v	48.7v	50.6v	49.8v	0.0v	49.5v	72.6v	70.7v	0.0v	49.7v	44.3v	527.57v
39	Prof PJ Chapman-Sheath	A	0.0v	49.7v	49.5v	47.3v	48.4v	49.7v	0.0v	48.8v	73.7v	74.10v	0.0v	47.1v	43.5v	527.57v
40	Capt NJ Ball	X	0.0v	48.6v	47.3v	48.4v	48.7v	49.4v	0.0v	47.3v	75.11v	71.4v	0.0v	48.5v	46.7v	527.54v
41	Mr JM Di Bona	X	0.0v	47.3v	49.5v	45.2v	48.3v	49.6v	0.0v	47.4v	75.10v	74.11v	0.0v	45.6v	48.4v	527.54v
42	Mr GE Grosskreutz	A	0.0v	49.4v	49.7v	46.3v	50.5v	46.6v	0.0v	49.5v	74.10v	75.9v	0.0v	45.3v	44.2v	527.54v
43	Mr M Horsnell	X	0.0v	46.3v	50.4v	50.6v	49.5v	48.6v	0.0v	48.6v	73.10v	71.6v	0.0v	48.4v	44.3v	527.53v

44	Mr OEJ Spencer	X	0.0v	49.4v	47.3v	50.7v	50.8v	46.3v	0.0v	50.4v	74.12v	72.7v	0.0v	45.3v	44.2v	527.53v
45	Ms RL Furniss	X	0.0v	50.6v	46.3v	47.3v	48.6v	48.5v	0.0v	50.5v	73.11v	73.5v	0.0v	49.4v	43.1v	527.49v
46	Mr C Fitzpatrick	A	0.0v	47.0v	50.6v	47.3v	49.6v	48.3v	0.0v	47.4v	74.10v	74.9v	0.0v	46.2v	45.4v	527.47v
47	Mr DC Luckman	X	0.0v	50.6v	50.8v	45.4v	50.8v	50.8v	0.0v	47.4v	72.11v	72.10v	0.0v	45.3v	45.2v	526.64v
48	Mr TP Shaw	X	0.0v	47.5v	47.4v	46.2v	50.8v	49.5v	0.0v	50.8v	72.10v	73.8v	0.0v	49.5v	43.2v	526.57v
49	Mr SP Harding	A	0.0v	46.5v	48.6v	47.3v	50.3v	50.7v	0.0v	49.3v	72.7v	75.11v	0.0v	44.2v	45.6v	526.53v
50	Dr JDS Langley	A	0.0v	50.4v	48.4v	48.6v	49.5v	46.3v	0.0v	47.6v	75.9v	71.5v	0.0v	47.5v	45.5v	526.52v
51	Dr GP Nelson	X	0.0v	49.4v	49.9v	49.5v	47.2v	48.5v	0.0v	48.5v	75.11v	70.6v	0.0v	45.2v	46.2v	526.51v
52	Miss KE Milner	A	0.0v	50.5v	47.4v	48.5v	49.7v	48.4v	0.0v	46.3v	75.10v	73.7v	0.0v	45.2v	45.4v	526.51v
53	Miss R L Laird	A	0.0v	49.5v	50.5v	48.4v	49.4v	47.5v	0.0v	48.5v	75.9v	74.9v	0.0v	42.2v	44.1v	526.49v
54	Miss C Halleran	A	0.0v	46.0v	46.2v	50.4v	49.2v	49.6v	0.0v	49.7v	72.7v	70.7v	0.0v	49.5v	46.3v	526.43v
55	Mr PJR Holden	X	0.0v	47.4v	50.7v	48.6v	49.5v	50.9v	0.0v	47.4v	73.9v	72.9v	0.0v	46.3v	43.3v	525.59v
56	Mr MCJ Button	X	0.0v	48.3v	46.5v	44.0v	47.6v	48.6v	0.0v	49.9v	74.7v	73.9v	0.0v	48.5v	48.5v	525.55v
57	Maj AW Gill	A	0.0v	49.6v	48.4v	48.5v	49.3v	48.7v	0.0v	48.6v	73.7v	75.10v	0.0v	45.5v	42.2v	525.55v
58	Miss JH Messer	X	0.0v	46.4v	48.5v	47.3v	50.6v	49.8v	0.0v	46.4v	73.10v	72.4v	0.0v	47.3v	47.7v	525.54v
59	Mr B Bullock	X	0.0v	48.6v	49.5v	48.6v	50.5v	48.7v	0.0v	47.5v	72.7v	71.5v	0.0v	47.3v	45.2v	525.51v
60	Miss KEF Farley	T	0.0v	50.7v	45.3v	49.8v	49.3v	50.6v	0.0v	48.2v	70.7v	74.10v	0.0v	46.3v	44.2v	525.51v
61	Mr DE Nuthall	A	0.0v	47.4v	48.6v	49.7v	49.3v	48.5v	0.0v	48.4v	73.7v	74.7v	0.0v	46.2v	43.2v	525.47v
62	Mr LA Reid	O	0.0v	46.3v	48.6v	49.5v	50.6v	47.2v	0.0v	47.2v	74.7v	71.7v	0.0v	50.7v	43.1v	525.46v
63	Mr AC Morley	A	0.0v	49.4v	47.3v	47.4v	49.3v	48.2v	0.0v	47.3v	75.9v	71.7v	0.0v	47.3v	45.3v	525.41v
64	Mr DA Brewster	X	0.0v	47.5v	49.4v	43.3v	50.7v	49.7v	0.0v	49.5v	71.9v	72.10v	0.0v	49.5v	45.6v	524.61v
65	Maj NT Healy	X	0.0v	47.2v	48.5v	46.2v	49.6v	47.5v	0.0v	50.6v	75.13v	73.9v	0.0v	46.4v	43.3v	524.55v
66	Mr TJD Raincock	X	0.0v	49.6v	46.2v	48.5v	48.4v	48.7v	0.0v	48.5v	73.10v	73.7v	0.0v	44.1v	47.4v	524.51v
67	Mr TS Keen	O	0.0v	49.5v	47.4v	48.5v	47.3v	49.7v	0.0v	48.5v	71.7v	71.7v	0.0v	48.2v	46.4v	524.49v
68	Cpl JH Keates	X	0.0v	49.5v	47.0v	46.3v	49.4v	49.7v	0.0v	49.6v	73.8v	72.6v	0.0v	48.7v	42.3v	524.49v
69	Mr SJV Osmond	X	0.0v	49.4v	46.3v	43.1v	50.6v	50.5v	0.0v	49.7v	74.11v	74.9v	0.0v	43.1v	46.2v	524.49v
70	Mr RM Hatcher	X	0.0v	48.2v	47.3v	46.5v	49.7v	49.6v	0.0v	47.4v	72.7v	73.6v	0.0v	46.3v	47.4v	524.47v
71	Mr JW Alexander	X	0.0v	47.4v	47.5v	46.1v	50.4v	49.6v	0.0v	46.3v	74.8v	71.7v	0.0v	47.4v	47.4v	524.46v
72	Mr JCT Kent	X	0.0v	46.2v	49.6v	50.6v	48.5v	49.5v	0.0v	45.1v	72.5v	75.9v	0.0v	48.3v	42.2v	524.44v
73	Mr SH Wingrove	X	0.0v	48.2v	47.3v	47.3v	48.7v	49.5v	0.0v	47.3v	73.8v	71.6v	0.0v	49.5v	45.1v	524.43v
74	Mr DFP Richards	X	0.0v	50.2v	46.2v	48.3v	48.6v	47.2v	0.0v	48.4v	73.6v	72.5v	0.0v	46.4v	46.4v	524.38v
75	Mr SW Brindley	X	0.0v	49.8v	48.4v	46.5v	48.5v	49.8v	0.0v	48.5v	72.11v	71.6v	0.0v	50.8v	42.4v	523.64v
76	Cdt HA Broadhurst	T	0.0v	45.4v	47.5v	48.6v	49.8v	49.4v	0.0v	49.5v	72.11v	75.11v	0.0v	47.3v	42.1v	523.58v
77	Mr DA Rose	X	0.0v	48.3v	47.4v	47.3v	46.6v	50.7v	0.0v	45.3v	75.10v	73.8v	0.0v	45.3v	47.7v	523.54v
78	Mr TL Bedwell	A	0.0v	45.5v	48.4v	47.2v	49.6v	48.6v	0.0v	46.4v	75.10v	73.10v	0.0v	47.3v	45.3v	523.53v
79	Mr SA Thomas	X	0.0v	50.8v	43.4v	49.6v	49.7v	46.4v	0.0v	47.2v	73.7v	72.7v	0.0v	50.6v	44.1v	523.52v
80	Dr MW Wrigley	O	0.0v	47.2v	49.7v	49.5v	49.6v	49.7v	0.0v	46.2v	74.9v	72.9v	0.0v	46.2v	42.3v	523.52v
81	Mr JGM Webster	X	0.0v	48.6v	46.3v	47.3v	49.5v	49.6v	0.0v	44.4v	73.6v	74.9v	0.0v	47.4v	46.4v	523.50v
82	Mr R Stewart	X	0.0v	48.5v	48.5v	49.7v	48.5v	48.3v	0.0v	47.5v	74.8v	71.7v	0.0v	48.4v	42.0v	523.49v
83	Mr RT MacLeod	X	0.0v	47.3v	48.5v	48.4v	48.3v	45.2v	0.0v	49.5v	72.9v	71.7v	0.0v	46.6v	49.4v	523.48v
84	Mr EWV Feast	O	0.0v	46.2v	48.6v	49.3v	50.7v	48.2v	0.0v	48.7v	75.10v	68.5v	0.0v	47.4v	44.2v	523.48v
85	Mr D Calvert	X	0.0v	49.5v	48.5v	46.4v	44.1v	50.8v	0.0v	47.4v	73.10v	72.6v	0.0v	47.0v	47.4v	523.47v
86	Mr RJ Lygoe	X	0.0v	47.5v	48.4v	47.2v	49.3v	50.7v	0.0v	44.2v	75.8v	74.11v	0.0v	47.2v	42.1v	523.45v
87	Mr AD Hunter	X	0.0v	46.4v	48.4v	50.7v	50.6v	48.5v	0.0v	47.4v	73.3v	72.7v	0.0v	44.2v	45.2v	523.44v
88	Mr ER Welford	X	0.0v	48.4v	49.3v	45.3v	48.5v	46.2v	0.0v	49.2v	73.7v	71.8v	0.0v	48.5v	46.4v	523.43v
89	Mr DR Armstrong	X	0.0v	47.2v	47.1v	48.1v	47.4v	49.6v	0.0v	47.3v	75.9v	74.10v	0.0v	45.3v	44.3v	523.42v
90	Mr CD Heales	A	0.0v	50.6v	48.7v	48.3v	49.9v	48.4v	0.0v	44.2v	75.10v	73.10v	0.0v	48.3v	39.2v	522.56v
91	Mr RE Jackson	X	0.0v	48.5v	48.5v	43.2v	50.6v	47.4v	0.0v	48.3v	74.10v	73.10v	0.0v	44.4v	47.6v	522.55v
92	Mr RB Fitzsimmons	A	0.0v	48.4v	48.4v	48.5v	50.7v	48.4v	0.0v	47.4v	74.12v	70.5v	0.0v	49.6v	40.0v	522.51v
93	Dr JJ Mehta	A	0.0v	49.5v	49.6v	49.6v	46.4v	50.7v	0.0v	48.3v	73.8v	67.5v	0.0v	47.4v	44.2v	522.50v
94	Dr AM Jory	X	0.0v	46.3v	48.3v	46.3v	50.5v	47.3v	0.0v	49.6v	74.9v	72.10v	0.0v	45.3v	45.5v	522.50v
95	Mrs SV Luckman	X	0.0v	47.4v	48.5v	49.5v	48.4v	50.5v	0.0v	49.6v	74.9v	71.6v	0.0v	46.4v	40.2v	522.50v
96	Mr M Raiber	X	0.0v	48.7v	48.4v	48.6v	49.5v	44.2v	0.0v	47.6v	73.11v	73.5v	0.0v	46.2v	46.0v	522.48v
97	Capt M Purdy	X	0.0v	47.5v	48.4v	48.6v	48.4v	50.6v	0.0v	44.2v	74.10v	72.5v	0.0v	47.4v	44.2v	522.48v
98	Dr HA Day	X	0.0v	47.5v	47.2v	48.6v	48.2v	48.3v	0.0v	48.5v	74.12v	71.4v	0.0v	45.2v	46.2v	522.43v
99	Mr ORW Russell	A	0.0v	46.4v	46.4v	47.2v	50.7v	46.3v	0.0v	47.4v	73.9v	72.2v	0.0v	48.5v	47.2v	522.42v
100	Dr JO Ahrens	A	0.0v	45.3v	49.6v	46.4v	48.8v	48.4v	0.0v	48.5v	74.12v	74.10v	0.0v	42.1v	47.4v	521.57v
101	Mr AP Barnes	A	0.0v	47.5v	49.5v	48.7v	48.4v	46.4v	0.0v	47.4v	72.10v	72.7v	0.0v	44.2v	48.4v	521.52v
102	Mrs HA Cook	X	0.0v	48.5v	44.3v	48.6v	48.6v	46.4v	0.0v	47.4v	73.7v	73.5v	0.0v	48.6v	46.4v	521.50v

103	Flt Lt LS Crisp	T	0.0v	48.5v	46.1v	48.5v	45.4v	50.4v	0.0v	47.4v	74.11v	75.8v	0.0v	44.4v	44.3v	521.49v
104	Mr NC Mace	X	0.0v	49.6v	49.6v	47.3v	46.3v	49.4v	0.0v	47.4v	73.9v	71.6v	0.0v	49.3v	41.3v	521.47v
105	Mr JA Watson	A	0.0v	48.4v	47.5v	47.2v	48.4v	49.6v	0.0v	48.5v	72.8v	73.7v	0.0v	49.3v	40.2v	521.46v
106	Mr RJS Curtis	X	0.0v	49.4v	49.6v	48.3v	49.8v	49.5v	0.0v	48.4v	72.4v	74.7v	0.0v	43.3v	40.0v	521.44v
107	Mr AR Radkovskii	A	0.0v	47.3v	48.7v	46.4v	49.2v	49.4v	0.0v	47.3v	68.5v	71.5v	0.0v	49.4v	47.5v	521.42v
108	Miss S Ponter	A	0.0v	45.1v	46.5v	49.5v	50.6v	49.2v	0.0v	48.4v	75.9v	71.6v	0.0v	48.3v	40.1v	521.42v
109	Mr C Koros	T	0.0v	46.2v	48.7v	49.1v	48.5v	49.3v	0.0v	48.6v	74.5v	73.7v	0.0v	44.2v	42.1v	521.39v
110	Mr G Trembath	O	0.0v	49.3v	48.3v	46.0v	48.2v	50.5v	0.0v	46.3v	72.8v	72.6v	0.0v	43.3v	47.3v	521.36v
111	Mr CA Brook	A	0.0v	50.6v	47.6v	47.3v	49.6v	48.4v	0.0v	47.6v	73.10v	71.7v	0.0v	46.3v	42.5v	520.56v
112	Mr ITG Shaw	X	0.0v	49.5v	46.2v	49.5v	49.5v	49.5v	0.0v	48.7v	70.8v	71.10v	0.0v	48.6v	41.1v	520.54v
113	Mr BJ Le Cheminant	X	0.0v	49.7v	50.6v	42.2v	49.7v	47.4v	0.0v	48.4v	75.9v	74.11v	0.0v	45.1v	41.2v	520.53v
114	Mr R Birtwistle	X	0.0v	49.4v	49.8v	47.4v	49.4v	48.3v	0.0v	47.4v	74.10v	72.8v	0.0v	47.5v	38.2v	520.52v
115	L CPL TJ Roberts	A	0.0v	44.4v	48.7v	47.3v	48.3v	48.5v	0.0v	49.7v	74.9v	69.5v	0.0v	46.5v	47.3v	520.51v
116	Lt CE Mawson	O	0.0v	47.5v	49.3v	46.3v	47.6v	49.7v	0.0v	48.4v	74.9v	73.6v	0.0v	46.3v	41.5v	520.51v
117	Dr KA Fleck	A	0.0v	46.3v	49.6v	47.4v	49.5v	48.7v	0.0v	46.4v	73.8v	73.9v	0.0v	47.2v	42.2v	520.50v
118	Sgt GED Hart	X	0.0v	42.2v	48.7v	46.1v	50.4v	50.9v	0.0v	47.4v	75.10v	73.9v	0.0v	45.3v	44.1v	520.50v
119	Mr AM Norman	O	0.0v	46.2v	48.5v	47.4v	48.4v	47.5v	0.0v	50.4v	74.12v	73.9v	0.0v	43.3v	44.2v	520.50v
120	Cdt PEV Osmond	T	0.0v	48.3v	49.7v	48.3v	48.3v	50.3v	0.0v	47.5v	70.8v	72.8v	0.0v	42.3v	46.4v	520.47v
121	Mr AJ Leech	O	0.0v	50.6v	47.2v	46.2v	45.3v	49.4v	0.0v	46.7v	73.4v	67.4v	0.0v	50.7v	47.6v	520.45v
122	Mr NJ Verduyn	X	0.0v	47.4v	46.4v	48.6v	50.4v	46.2v	0.0v	47.4v	72.8v	72.7v	0.0v	48.5v	44.1v	520.45v
123	Mr JA Oakland	A	0.0v	47.3v	47.4v	48.3v	49.5v	48.3v	0.0v	46.5v	74.9v	72.9v	0.0v	46.3v	43.1v	520.45v
124	Mr DG Young	X	0.0v	48.4v	48.2v	44.1v	48.3v	47.5v	0.0v	47.3v	75.7v	72.6v	0.0v	46.2v	45.2v	520.35v
125	Dr AE Bromley	O	0.0v	44.2v	49.5v	47.6v	47.3v	48.4v	0.0v	48.3v	73.7v	73.10v	0.0v	44.5v	46.6v	519.51v
126	Mr AC Haley	X	0.0v	48.6v	45.3v	46.3v	49.6v	50.5v	0.0v	44.4v	75.8v	73.12v	0.0v	42.2v	47.2v	519.51v
127	SSGT RH Kitson	X	0.0v	46.5v	46.4v	48.4v	50.7v	47.6v	0.0v	47.5v	74.8v	74.8v	0.0v	46.3v	41.1v	519.51v
128	Mr JL Brooking	X	0.0v	48.5v	49.5v	46.3v	48.7v	47.4v	0.0v	48.5v	72.8v	68.5v	0.0v	49.3v	44.5v	519.50v
129	Miss AR Southall	A	0.0v	49.7v	46.5v	46.4v	48.4v	50.5v	0.0v	48.6v	71.7v	72.6v	0.0v	43.3v	46.3v	519.50v
130	Mr CP Weeden	X	0.0v	46.3v	48.3v	46.5v	50.7v	50.6v	0.0v	45.2v	74.9v	72.9v	0.0v	45.1v	43.5v	519.50v
131	Mr RM Roberts	X	0.0v	49.6v	46.3v	45.1v	49.7v	50.7v	0.0v	48.3v	73.11v	72.7v	0.0v	47.4v	40.1v	519.50v
132	Miss CA Evans	X	0.0v	46.4v	45.2v	41.2v	50.6v	50.5v	0.0v	48.4v	74.8v	74.9v	0.0v	46.4v	45.5v	519.49v
133	Mr DGM Coleman	X	0.0v	48.5v	49.6v	47.4v	46.5v	49.5v	0.0v	47.2v	74.5v	72.9v	0.0v	45.3v	42.5v	519.49v
134	Mr SF Brewer-Marchant	O	0.0v	46.4v	47.5v	47.3v	48.6v	47.4v	0.0v	50.5v	69.4v	70.5v	0.0v	49.7v	46.5v	519.48v
135	Mr NRJ Brasier	X	0.0v	48.3v	49.5v	47.6v	49.7v	48.4v	0.0v	46.3v	73.9v	72.6v	0.0v	44.2v	43.2v	519.47v
136	Mr H Sanders	A	0.0v	46.1v	47.4v	50.7v	50.6v	47.0v	0.0v	49.6v	73.8v	71.7v	0.0v	44.4v	42.1v	519.44v
137	Mr AW Lothian	X	0.0v	46.1v	47.5v	49.6v	50.7v	48.3v	0.0v	41.3v	74.7v	71.5v	0.0v	46.3v	47.3v	519.43v
138	Mr D Morris	O	0.0v	50.3v	47.2v	49.3v	46.4v	47.4v	0.0v	47.5v	72.7v	71.9v	0.0v	47.4v	43.1v	519.42v
139	Mr JM Taylor	X	0.0v	50.3v	47.3v	47.3v	48.4v	49.5v	0.0v	46.3v	73.9v	70.5v	0.0v	49.4v	40.3v	519.42v
140	Mr AR McLeod	X	0.0v	48.4v	49.6v	47.4v	50.4v	49.5v	0.0v	44.1v	73.5v	73.6v	0.0v	41.1v	45.3v	519.39v
141	Mr JA Bullock	X	0.0v	49.5v	49.5v	40.1v	50.5v	47.7v	0.0v	49.6v	73.13v	70.6v	0.0v	44.0v	47.5v	518.53v
142	Mr D Livermore	X	0.0v	46.3v	44.4v	46.2v	49.5v	49.5v	0.0v	46.3v	74.11v	72.7v	0.0v	49.7v	43.3v	518.50v
143	Mr MI Buchanan	X	0.0v	45.4v	45.3v	45.1v	50.7v	49.5v	0.0v	45.4v	74.7v	74.13v	0.0v	48.4v	43.2v	518.50v
144	Mr KO Pugh	X	0.0v	46.2v	48.5v	44.4v	48.4v	48.5v	0.0v	49.8v	74.8v	70.8v	0.0v	45.3v	46.3v	518.50v
145	Mr PAE Charlton	A	0.0v	48.4v	45.2v	47.7v	49.5v	45.2v	0.0v	46.5v	75.9v	73.8v	0.0v	48.7v	42.0v	518.49v
146	Mr M Bumford	X	0.0v	48.4v	48.5v	43.4v	49.6v	48.4v	0.0v	44.3v	74.10v	73.6v	0.0v	45.2v	46.3v	518.47v
147	Mr HJ Waldern	X	0.0v	47.3v	44.3v	45.7v	50.6v	50.4v	0.0v	49.4v	72.9v	72.7v	0.0v	47.3v	42.1v	518.47v
148	Mr D de Vere	A	0.0v	44.4v	48.5v	44.2v	48.5v	49.3v	0.0v	47.3v	71.8v	73.6v	0.0v	45.4v	49.5v	518.45v
149	Miss AWG Ogilvie	A	0.0v	49.6v	46.3v	50.4v	49.7v	49.3v	0.0v	46.5v	69.5v	75.8v	0.0v	43.2v	42.1v	518.44v
150	Mr TM Stevenson	A	0.0v	48.3v	47.3v	48.6v	50.5v	50.3v	0.0v	46.5v	69.5v	71.7v	0.0v	44.2v	45.1v	518.40v

151	Mr EC Dickson	X	0.0v	50.8v	46.3v	49.4v	49.3v	48.1v	0.0v	47.3v	69.5v	72.2v	0.0v	48.5v	40.2v	518.36v
152	Mr EA Sewell	X	0.0v	47.4v	45.3v	45.1v	48.5v	49.7v	0.0v	49.5v	70.8v	73.11v	0.0v	45.3v	46.5v	517.52v
153	Mr JEK Pepera-Hibbert	X	0.0v	46.4v	49.6v	47.4v	50.5v	48.5v	0.0v	42.2v	67.3v	72.10v	0.0v	50.6v	46.4v	517.49v
154	Mr WF Livesey	X	0.0v	47.5v	48.5v	47.5v	49.6v	49.6v	0.0v	46.4v	74.10v	74.5v	0.0v	41.1v	42.1v	517.48v
155	Mrs SP Thorogood	A	0.0v	49.6v	45.3v	49.6v	48.4v	48.3v	0.0v	47.3v	70.7v	72.9v	0.0v	46.2v	43.4v	517.47v
156	Mr PA Maher	X	0.0v	47.4v	49.4v	49.4v	47.4v	48.6v	0.0v	48.6v	71.9v	68.2v	0.0v	43.3v	47.4v	517.46v
157	Mr C Mallett	X	0.0v	47.4v	43.1v	45.3v	50.4v	49.3v	0.0v	47.6v	73.9v	72.7v	0.0v	45.3v	46.4v	517.44v
158	Mr TP Clarke	A	0.0v	47.7v	45.3v	48.2v	49.6v	48.4v	0.0v	48.5v	74.9v	70.5v	0.0v	45.3v	43.0v	517.44v
159	Mr TM Drysdale	X	0.0v	49.4v	45.4v	45.2v	48.5v	49.5v	0.0v	49.5v	74.10v	71.6v	0.0v	44.2v	43.1v	517.44v
160	Mr SAJ Dowley	A	0.0v	48.3v	48.5v	47.4v	49.4v	48.5v	0.0v	45.1v	73.8v	73.12v	0.0v	43.1v	43.1v	517.44v
161	Mr HJ Golaszewski	X	0.0v	50.6v	48.6v	45.3v	50.4v	46.4v	0.0v	47.2v	75.11v	69.5v	0.0v	45.2v	42.0v	517.43v
162	Mr TS Craig-Fleming	O	0.0v	49.4v	46.6v	46.1v	49.6v	48.0v	0.0v	46.5v	72.7v	72.8v	0.0v	45.2v	44.3v	517.42v
163	Miss AR Xu	T	0.0v	47.5v	46.2v	48.6v	50.6v	49.3v	0.0v	46.5v	74.8v	72.6v	0.0v	44.0v	41.1v	517.42v
164	Mr S Belither	X	0.0v	48.4v	47.5v	46.4v	48.4v	48.4v	0.0v	46.1v	72.6v	72.7v	0.0v	47.3v	43.3v	517.41v
165	Mr RN Stebbings	X	0.0v	48.5v	45.2v	47.2v	48.4v	49.4v	0.0v	46.2v	73.6v	72.7v	0.0v	48.4v	41.2v	517.38v
166	Mr PM Jory	X	0.0v	45.2v	48.5v	48.3v	48.4v	48.2v	0.0v	47.3v	75.10v	71.5v	0.0v	46.1v	41.2v	517.37v
167	Mr JRW Postle	X	0.0v	47.5v	49.5v	44.3v	48.6v	45.5v	0.0v	47.7v	75.11v	73.10v	0.0v	45.3v	43.4v	516.59v
168	Miss A Ross	T	0.0v	46.3v	46.3v	45.4v	48.7v	45.1v	0.0v	50.5v	74.11v	73.10v	0.0v	45.3v	44.4v	516.51v
169	LCpl HG Asquith-Beard	X	0.0v	46.4v	47.2v	49.6v	48.5v	47.6v	0.0v	49.6v	73.9v	73.10v	0.0v	43.1v	41.1v	516.50v
170	Mr RJM Mace	X	0.0v	47.4v	49.6v	48.7v	47.4v	49.4v	0.0v	45.6v	74.10v	72.3v	0.0v	43.1v	42.2v	516.47v
171	Mr ML Cotillard	O	0.0v	48.6v	48.2v	48.5v	46.1v	47.5v	0.0v	47.4v	75.9v	73.10v	0.0v	39.2v	45.3v	516.47v
172	Mr KB Hill	A	0.0v	48.5v	47.4v	47.4v	47.4v	50.5v	0.0v	45.2v	70.4v	70.7v	0.0v	49.6v	43.3v	516.44v
173	Mr A J Haggerty	A	0.0v	46.3v	44.4v	48.5v	47.4v	49.7v	0.0v	47.5v	71.8v	71.3v	0.0v	47.3v	46.1v	516.43v
174	Mr LT Malcic	A	0.0v	47.2v	48.6v	48.5v	46.1v	50.6v	0.0v	49.5v	72.8v	71.5v	0.0v	41.2v	44.3v	516.43v
175	Mr TJ Johnston	A	0.0v	47.2v	48.4v	48.4v	47.6v	49.6v	0.0v	46.4v	72.8v	65.4v	0.0v	49.2v	45.2v	516.42v
176	Mr DH Acton	A	0.0v	46.4v	47.3v	48.3v	47.4v	47.3v	0.0v	49.6v	72.9v	70.5v	0.0v	44.2v	46.3v	516.42v
177	Miss LR Mckerrell	X	0.0v	50.3v	48.5v	45.2v	47.5v	44.1v	0.0v	49.7v	74.9v	72.4v	0.0v	46.4v	41.1v	516.41v
178	Mr B Sampson	A	0.0v	46.1v	46.2v	48.5v	47.5v	46.5v	0.0v	49.4v	72.3v	69.7v	0.0v	46.2v	47.5v	516.39v
179	Miss NI Barnes	T	0.0v	48.4v	44.2v	47.5v	43.3v	48.3v	0.0v	46.3v	74.6v	74.6v	0.0v	47.3v	45.3v	516.38v
180	Mr AJ Todd	O	0.0v	50.5v	48.5v	44.1v	49.3v	47.3v	0.0v	45.1v	74.9v	69.5v	0.0v	47.4v	43.2v	516.38v
181	Mr MR Fugeman	O	0.0v	48.6v	49.5v	45.1v	46.4v	49.3v	0.0v	50.2v	72.6v	72.7v	0.0v	42.3v	43.1v	516.38v
182	Mr FM Mohideen	X	0.0v	49.6v	47.4v	45.1v	48.6v	46.3v	0.0v	44.2v	74.8v	70.6v	0.0v	46.5v	46.4v	515.45v
183	Lt Col RHG Riley	A	0.0v	42.6v	46.3v	47.5v	48.3v	50.6v	0.0v	46.2v	75.9v	72.6v	0.0v	46.3v	43.1v	515.44v
184	Maj JME Cook	X	0.0v	48.5v	48.5v	48.4v	49.4v	45.2v	0.0v	46.3v	72.6v	71.8v	0.0v	43.3v	45.4v	515.44v
185	Mrs PA Purdy	O	0.0v	50.6v	46.2v	46.1v	49.5v	47.5v	0.0v	49.6v	72.5v	68.5v	0.0v	48.5v	40.3v	515.43v
186	Mr RL Eayrs	A	0.0v	49.3v	49.4v	47.5v	49.6v	48.5v	0.0v	47.2v	75.9v	69.5v	0.0v	47.3v	35.1v	515.43v
187	Mr D N Lindsay	O	0.0v	45.2v	48.7v	48.6v	48.4v	48.5v	0.0v	47.2v	70.3v	72.8v	0.0v	45.3v	44.2v	515.42v
188	Mr RS Darwish	T	0.0v	47.3v	47.1v	44.2v	49.5v	48.2v	0.0v	44.2v	74.8v	72.8v	0.0v	45.5v	45.4v	515.40v
189	Dr JS Rennie	O	0.0v	47.3v	45.3v	45.4v	46.3v	48.5v	0.0v	50.3v	75.9v	72.7v	0.0v	46.3v	41.0v	515.40v
190	Dr MR Horrell	A	0.0v	48.3v	47.4v	48.2v	48.3v	48.5v	0.0v	45.2v	70.6v	74.9v	0.0v	48.1v	39.3v	515.38v
191	Mr AM Bullen	O	0.0v	47.5v	46.0v	48.6v	46.4v	50.4v	0.0v	44.2v	73.5v	72.8v	0.0v	45.1v	44.1v	515.36v
192	Mr PJ Westlake	X	0.0v	49.3v	45.1v	47.6v	46.1v	45.3v	0.0v	47.4v	74.8v	69.4v	0.0v	46.3v	47.2v	515.35v
193	Mr JBG Shepherd	X	0.0v	47.3v	46.3v	47.3v	46.3v	47.3v	0.0v	44.2v	74.6v	72.5v	0.0v	44.0v	48.5v	515.33v
194	Mr ANR Walker	X	0.0v	47.3v	47.3v	47.2v	48.5v	48.3v	0.0v	46.1v	75.8v	69.3v	0.0v	47.2v	41.1v	515.31v
195	Mr NNT Kerins	X	0.0v	48.4v	43.2v	46.4v	50.7v	49.5v	0.0v	45.4v	74.10v	72.9v	0.0v	44.2v	43.4v	514.51v
196	Mr JT Kennedy	O	0.0v	47.4v	45.3v	47.2v	50.10v	45.2v	0.0v	49.6v	74.11v	72.8v	0.0v	43.2v	42.2v	514.50v
197	Mr BJ Wood	O	0.0v	47.5v	48.6v	46.2v	45.5v	48.4v	0.0v	47.3v	71.9v	71.7v	0.0v	48.3v	43.3v	514.47v
198	Mr RW Ramage	A	0.0v	49.5v	47.2v	48.3v	49.6v	47.5v	0.0v	45.4v	72.7v	72.6v	0.0v	44.4v	41.4v	514.46v
199	Mr MD Jenvey	A	0.0v	48.4v	45.2v	44.3v	47.5v	50.8v	0.0v	45.2v	72.7v	71.6v	0.0v	47.6v	45.2v	514.45v
200	Mr RJSG Clark	A	0.0v	49.4v	47.4v	46.3v	49.6v	49.4v	0.0v	45.4v	73.7v	72.8v	0.0v	46.3v	38.1v	514.44v
201	Mr SME Hayton	X	0.0v	48.6v	46.2v	45.2v	50.4v	48.5v	0.0v	46.3v	75.9v	69.7v	0.0v	47.2v	40.3v	514.43v
202	Mr RK Edwards	A	0.0v	49.5v	47.2v	47.5v	47.3v	47.3v	0.0v	48.6v	74.9v	72.4v	0.0v	49.5v	34.1v	514.43v
203	Mr LMD Cheek	X	0.0v	48.5v	48.5v	49.5v	46.4v	49.4v	0.0v	49.5v	73.9v	69.4v	0.0v	44.1v	39.1v	514.43v
204	Mr APW Daw	A	0.0v	46.3v	46.3v	47.3v	47.5v	49.5v	0.0v	45.2v	72.6v	70.6v	0.0v	47.3v	45.5v	514.41v
205	Mr JR Allum	O	0.0v	49.3v	42.0v	50.4v	47.7v	45.1v	0.0v	47.4v	75.9v	69.8v	0.0v	45.2v	45.3v	514.41v
206	Miss L Stewart	T	0.0v	50.6v	48.3v	44.3v	49.2v	45.3v	0.0v	45.4v	73.9v	69.4v	0.0v	46.3v	45.2v	514.39v
207	Mr AG McLean	A	0.0v	48.3v	48.4v	49.4v	49.6v	48.4v	0.0v	45.1v	71.6v	67.5v	0.0v	47.4v	42.2v	514.39v
208	Miss KA Hinkly	T	0.0v	49.2v	44.4v	48.5v	48.4v	50.5v	0.0v	44.2v	72.5v	70.7v	0.0v	48.2v	41.2v	514.38v
209	Mr BDW Parsons	O	0.0v	47.3v	45.3v	44.2v	47.3v	49.7v	0.0v	47.1v	72.6v	73.8v	0.0v	45.2v	45.2v	514.37v
210	Miss N Murrin	T	0.0v	48.4v	44.3v	46.4v	49.6v	49.5v	0.0v	44.2v	74.8v	70.7v	0.0v	47.5v	42.1v	513.45v
211	Mr ATB Tompson	O	0.0v	46.2v	47.5v	47.3v	48.5v	47.5v	0.0v	47.6v	72.6v	73.7v	0.0v	42.4v	44.2v	513.45v

212	Mr GV Feast	A	0.0v	49.7v	46.4v	48.3v	49.4v	47.4v	0.0v	47.4v	71.5v	69.7v	0.0v	42.4v	45.2v	513.44v
213	Mr MA Kirkillo-Stacewicz	O	0.0v	47.2v	47.2v	46.5v	49.4v	49.6v	0.0v	44.2v	67.5v	70.7v	0.0v	48.6v	46.4v	513.43v
214	Mr A Eckardt	A	0.0v	49.7v	43.3v	46.6v	49.5v	49.3v	0.0v	49.5v	70.4v	68.4v	0.0v	48.5v	42.0v	513.42v
215	Mr JA Anderson	A	0.0v	46.5v	50.5v	46.2v	50.7v	48.5v	0.0v	46.4v	70.7v	69.2v	0.0v	45.3v	43.2v	513.42v
216	Mr PD Griggs	A	0.0v	50.5v	49.3v	48.4v	50.9v	43.1v	0.0v	45.2v	72.5v	69.6v	0.0v	46.3v	41.3v	513.41v
217	Dr AJ Pilgrim	A	0.0v	47.5v	48.3v	49.5v	46.4v	45.2v	0.0v	47.5v	73.4v	72.9v	0.0v	42.1v	44.2v	513.40v
218	Mr JMA Thompson	X	0.0v	47.4v	45.3v	47.3v	45.2v	49.6v	0.0v	47.5v	72.8v	69.5v	0.0v	46.1v	46.2v	513.39v
219	Mr PS Holmes	A	0.0v	46.4v	49.4v	45.2v	50.6v	49.4v	0.0v	46.3v	67.4v	74.7v	0.0v	44.2v	43.3v	513.39v
220	Mr AS Nanrey	T	0.0v	48.4v	49.6v	46.3v	49.5v	46.4v	0.0v	45.3v	72.6v	71.7v	0.0v	45.1v	42.0v	513.39v
221	Mr JI Thombora	X	0.0v	45.1v	48.5v	46.4v	48.7v	48.5v	0.0v	47.2v	73.6v	73.7v	0.0v	43.2v	42.0v	513.39v
222	Mr RM Culverwell	O	0.0v	49.3v	48.3v	46.5v	46.5v	45.2v	0.0v	46.1v	71.4v	69.7v	0.0v	47.3v	46.5v	513.38v
223	Mr NJ Atkins	O	0.0v	47.2v	46.2v	49.5v	48.4v	47.5v	0.0v	45.4v	71.3v	73.6v	0.0v	42.4v	45.3v	513.38v
224	Mr R Hirst	O	0.0v	47.2v	48.4v	45.2v	48.6v	47.3v	0.0v	49.3v	70.6v	69.5v	0.0v	45.3v	45.3v	513.37v
225	Mr JAMM Ingham	T	0.0v	47.6v	45.2v	47.5v	49.5v	48.4v	0.0v	46.3v	72.3v	73.6v	0.0v	45.1v	41.1v	513.36v
226	Mr K McCamley	X	0.0v	46.3v	49.4v	47.4v	47.4v	49.4v	0.0v	46.4v	67.1v	73.5v	0.0v	45.3v	44.3v	513.35v
227	Mr CN Tremlett	X	0.0v	47.5v	45.3v	47.4v	47.5v	47.4v	0.0v	47.3v	74.8v	71.8v	0.0v	45.2v	42.3v	512.45v
228	Cdt Sgt ASO Stewart	A	0.0v	49.3v	44.2v	41.1v	48.7v	49.3v	0.0v	46.4v	74.11v	72.5v	0.0v	45.4v	44.3v	512.43v
229	Miss E Brindley	O	0.0v	50.7v	49.7v	46.3v	49.3v	48.3v	0.0v	44.2v	69.8v	70.5v	0.0v	47.4v	40.1v	512.43v
230	Mr B Colman-Sadd	A	0.0v	48.4v	47.5v	43.1v	50.5v	47.4v	0.0v	45.3v	69.5v	69.6v	0.0v	47.4v	47.4v	512.41v
231	Mr PHC Costello	X	0.0v	47.2v	48.4v	49.5v	48.5v	48.4v	0.0v	45.3v	66.3v	73.9v	0.0v	45.5v	43.1v	512.41v
232	Mr TM Booth	T	0.0v	47.5v	49.6v	46.2v	49.4v	48.5v	0.0v	43.0v	71.6v	73.9v	0.0v	44.1v	42.3v	512.41v
233	Mr MW Sheridan-Oliver	A	0.0v	46.2v	48.3v	49.7v	46.3v	47.5v	0.0v	47.4v	71.6v	70.6v	0.0v	46.2v	42.2v	512.40v
234	Mrs DA Thompson	O	0.0v	46.2v	50.6v	45.3v	48.4v	49.5v	0.0v	45.0v	73.5v	72.7v	0.0v	46.2v	38.3v	512.37v
235	Mr M Shepherd	X	0.0v	47.5v	46.3v	48.5v	46.5v	46.4v	0.0v	50.6v	71.10v	70.9v	0.0v	44.3v	43.1v	511.51v
236	Mr NBS Logan	X	0.0v	44.1v	49.3v	48.7v	48.6v	45.3v	0.0v	45.3v	72.9v	69.6v	0.0v	48.6v	43.4v	511.48v
237	Mr OJ Hughes	T	0.0v	47.6v	49.7v	46.3v	47.3v	47.2v	0.0v	49.5v	73.11v	70.4v	0.0v	40.4v	43.3v	511.48v
238	Dr BJ Winney	X	0.0v	50.5v	46.4v	42.2v	49.4v	47.5v	0.0v	49.7v	70.8v	68.7v	0.0v	47.2v	43.3v	511.47v
239	Cdt KM Rivoallan	T	0.0v	48.7v	47.1v	45.4v	49.8v	49.3v	0.0v	48.6v	73.5v	71.7v	0.0v	44.2v	37.2v	511.45v
240	Sqn Ldr JM Fitzpatrick	O	0.0v	43.2v	49.6v	45.2v	48.6v	46.5v	0.0v	45.2v	73.7v	68.3v	0.0v	48.5v	46.4v	511.42v
241	Mr CJ Kershaw	X	0.0v	44.1v	47.2v	43.5v	50.7v	49.5v	0.0v	45.3v	73.8v	71.5v	0.0v	44.3v	45.3v	511.42v
242	Mr N Anderson	A	0.0v	47.3v	48.6v	45.3v	48.3v	46.2v	0.0v	46.4v	73.9v	71.8v	0.0v	40.1v	47.2v	511.41v
243	Mr M Horton-Baker	X	0.0v	48.3v	48.5v	47.4v	48.6v	48.3v	0.0v	47.5v	69.3v	71.7v	0.0v	46.3v	39.2v	511.41v
244	Mr CSP Gray	O	0.0v	49.3v	46.2v	45.3v	49.6v	46.4v	0.0v	43.3v	71.7v	73.8v	0.0v	46.3v	43.1v	511.40v
245	Mr MJ Creber	O	0.0v	48.4v	46.5v	48.5v	50.4v	47.4v	0.0v	46.4v	75.7v	62.2v	0.0v	44.3v	45.1v	511.39v
246	Mr S Penrose	X	0.0v	46.5v	47.2v	45.2v	49.4v	47.6v	0.0v	48.2v	72.9v	69.4v	0.0v	50.3v	38.1v	511.38v
247	Mr TJ Bryan	O	0.0v	49.3v	48.3v	46.5v	45.5v	45.3v	0.0v	45.2v	70.5v	71.6v	0.0v	48.3v	44.2v	511.37v
248	Mr DJ Gass	O	0.0v	48.3v	47.3v	46.3v	47.6v	50.2v	0.0v	40.2v	73.6v	70.5v	0.0v	47.4v	43.2v	511.36v
249	Dr HHG Pollock	A	0.0v	48.6v	47.5v	43.2v	48.3v	48.4v	0.0v	46.2v	74.5v	72.4v	0.0v	41.2v	44.2v	511.35v
250	Mr T Smith	A	0.0v	46.4v	49.2v	48.2v	49.2v	48.7v	0.0v	44.3v	73.4v	74.7v	0.0v	45.2v	35.0v	511.33v
251	Ms RA Wiltshire	X	0.0v	50.5v	46.4v	49.6v	48.8v	41.1v	0.0v	46.5v	71.9v	70.5v	0.0v	49.2v	40.1v	510.46v
252	Mr NS Gibbins	X	0.0v	49.7v	48.0v	42.1v	49.7v	49.7v	0.0v	48.5v	74.9v	69.4v	0.0v	44.3v	38.2v	510.45v
253	Mrs M Di Bona	X	0.0v	48.5v	48.5v	43.1v	49.7v	50.7v	0.0v	47.5v	71.6v	68.5v	0.0v	42.1v	44.2v	510.44v
254	Mr MHH John	O	0.0v	43.1v	50.6v	46.6v	49.6v	50.4v	0.0v	46.2v	74.10v	70.3v	0.0v	43.4v	39.2v	510.44v
255	Dr JR Deane	X	0.0v	48.3v	47.2v	45.3v	47.5v	47.6v	0.0v	44.1v	72.8v	69.6v	0.0v	48.5v	43.4v	510.43v
256	Mr M Hartung	X	0.0v	47.6v	49.3v	50.7v	42.2v	47.2v	0.0v	47.5v	73.6v	68.6v	0.0v	43.2v	44.4v	510.43v
257	Mr JD Thorp	O	0.0v	47.4v	47.5v	47.6v	48.5v	45.0v	0.0v	49.6v	66.5v	69.4v	0.0v	49.4v	43.3v	510.42v
258	Mr RR Warren	O	0.0v	48.4v	42.2v	43.3v	47.4v	46.3v	0.0v	46.4v	73.11v	73.8v	0.0v	46.2v	46.1v	510.42v
259	Miss PEH Hobbs	O	0.0v	48.3v	47.6v	45.3v	46.1v	46.3v	0.0v	44.4v	74.9v	69.5v	0.0v	48.6v	43.2v	510.42v
260	Mrs LK Mace	O	0.0v	48.5v	43.3v	47.3v	48.3v	48.6v	0.0v	46.1v	75.11v	69.5v	0.0v	46.3v	40.0v	510.40v
261	Mr MP Blythe	T	0.0v	47.3v	48.5v	48.5v	46.4v	49.5v	0.0v	47.1v	72.6v	70.6v	0.0v	42.3v	41.2v	510.40v
262	Sir Charlie Sykes	A	0.0v	46.4v	45.3v	48.1v	50.9v	45.2v	0.0v	46.1v	72.10v	70.5v	0.0v	41.1v	47.3v	510.39v
263	Ms MM Ngaira	T	0.0v	45.4v	44.1v	47.3v	45.3v	47.4v	0.0v	45.4v	70.9v	72.4v	0.0v	47.4v	48.2v	510.38v
264	Mr HM Wong Shui	X	0.0v	46.1v	46.3v	48.4v	49.2v	49.7v	0.0v	46.2v	66.7v	70.3v	0.0v	48.6v	42.3v	510.38v
265	Mr AC Thomson	X	0.0v	44.3v	45.1v	49.5v	48.2v	47.2v	0.0v	47.4v	73.10v	74.9v	0.0v	45.0v	38.2v	510.38v
266	Mr S Maris	O	0.0v	47.2v	44.3v	46.2v	48.3v	49.3v	0.0v	46.3v	71.6v	69.5v	0.0v	50.5v	40.4v	510.36v
267	Dr CI Johnston	X	0.0v	49.2v	47.5v	46.4v	48.4v	49.4v	0.0v	46.3v	67.5v	71.7v	0.0v	45.2v	42.0v	510.36v
268	Mrs LE Haley	A	0.0v	45.3v	45.7v	47.0v	49.4v	49.7v	0.0v	46.1v	71.4v	71.5v	0.0v	44.3v	43.1v	510.35v
269	Mr IW Robertson	A	0.0v	48.3v	48.3v	49.7v	43.2v	47.4v	0.0v	46.2v	71.5v	64.1v	0.0v	48.4v	46.3v	510.34v
270	Mr R Kloosterman	A	0.0v	47.5v	45.1v	44.1v	46.2v	48.2v	0.0v	48.4v	74.6v	72.9v	0.0v	45.2v	41.2v	510.34v
271	Mr BA Young	O	0.0v	50.7v	48.3v	45.3v	48.2v	49.4v	0.0v	46.2v	70.4v	72.8v	0.0v	41.0v	41.1v	510.34v

272	Mr PJ Temperley	O	0.0v	46.5v	47.5v	48.5v	48.4v	46.6v	0.0v	45.2v	70.4v	70.6v	0.0v	47.5v	42.4v	509.46v
273	Mr TC Cubitt	X	0.0v	45.4v	47.4v	43.2v	49.5v	48.4v	0.0v	45.4v	74.12v	69.5v	0.0v	46.3v	43.3v	509.46v
274	Miss CH Cuming	X	0.0v	49.6v	46.4v	44.3v	50.5v	44.2v	0.0v	47.3v	74.12v	72.6v	0.0v	46.3v	37.1v	509.45v
275	Miss S Hodge	A	0.0v	47.3v	50.8v	47.5v	48.6v	46.3v	0.0v	46.4v	75.8v	67.6v	0.0v	43.1v	40.1v	509.45v
276	Mr JPL Sweet	O	0.0v	46.2v	45.3v	47.3v	46.3v	46.2v	0.0v	45.4v	71.9v	72.9v	0.0v	48.6v	43.3v	509.44v
277	Mr D Clark	A	0.0v	48.5v	45.1v	45.2v	46.3v	49.6v	0.0v	48.6v	70.5v	70.7v	0.0v	46.5v	42.1v	509.41v
278	Miss HD Grindon	O	0.0v	47.4v	49.5v	47.5v	48.6v	47.4v	0.0v	41.1v	73.7v	72.5v	0.0v	43.2v	42.2v	509.41v
279	Mr MJ Barlow	A	0.0v	48.5v	48.5v	47.2v	47.3v	49.7v	0.0v	44.2v	69.6v	74.7v	0.0v	42.3v	41.0v	509.40v
280	Mr JJ Culshaw	T	0.0v	49.2v	46.3v	46.3v	46.6v	50.5v	0.0v	45.4v	72.8v	73.5v	0.0v	43.3v	39.1v	509.40v
281	LCpl GWSW Wood	T	0.0v	47.5v	46.3v	47.4v	45.2v	47.6v	0.0v	47.4v	72.4v	69.4v	0.0v	46.3v	43.4v	509.39v
282	Mr FW Lawry	O	0.0v	47.3v	44.2v	44.4v	48.6v	48.4v	0.0v	48.4v	74.7v	71.7v	0.0v	43.0v	42.0v	509.37v
283	Mr JWE Lothian	O	0.0v	45.3v	47.2v	46.3v	47.1v	42.0v	0.0v	49.6v	72.10v	72.6v	0.0v	44.3v	45.2v	509.36v
284	Mr NS Roberts	O	0.0v	47.4v	42.1v	49.5v	49.5v	49.4v	0.0v	46.2v	68.4v	72.7v	0.0v	47.3v	40.1v	509.36v
285	Mr MW Silver	X	0.0v	46.3v	46.4v	44.2v	46.2v	49.4v	0.0v	47.2v	74.9v	72.7v	0.0v	41.3v	44.0v	509.36v
286	Mr ACJ Van Grondelle	T	0.0v	48.4v	45.1v	48.4v	45.5v	45.4v	0.0v	43.1v	75.9v	72.1v	0.0v	44.4v	44.2v	509.35v
287	Mr RC Celesia	T	0.0v	47.3v	44.2v	46.2v	48.4v	49.6v	0.0v	47.4v	68.4v	73.7v	0.0v	47.3v	40.0v	509.35v
288	Mr P Cann	O	0.0v	45.3v	49.4v	47.5v	44.4v	46.3v	0.0v	48.5v	70.3v	67.1v	0.0v	50.4v	43.1v	509.33v
289	Mr RJ McQuillan	X	0.0v	47.2v	45.3v	47.6v	47.6v	49.3v	0.0v	44.3v	71.5v	69.4v	0.0v	47.6v	42.4v	508.42v
290	Mr HJM Awin	X	0.0v	46.2v	47.3v	45.4v	49.5v	47.5v	0.0v	44.2v	74.12v	68.6v	0.0v	41.1v	47.2v	508.42v
291	Mr SC Postins	X	0.0v	49.6v	46.6v	45.3v	48.6v	47.5v	0.0v	42.0v	74.8v	70.6v	0.0v	43.0v	44.2v	508.42v
292	Mr AJH Fowler	A	0.0v	48.5v	44.1v	42.3v	49.3v	49.6v	0.0v	45.4v	70.4v	73.10v	0.0v	46.4v	42.1v	508.41v
293	Miss TRE White	T	0.0v	49.3v	47.3v	43.2v	48.3v	46.5v	0.0v	44.4v	72.5v	69.5v	0.0v	44.3v	46.3v	508.36v
294	Mr P W Glen	A	0.0v	48.4v	45.3v	47.5v	46.2v	45.2v	0.0v	48.3v	71.9v	68.1v	0.0v	49.4v	41.0v	508.33v
295	Lt Col AM Bell	A	0.0v	47.1v	48.4v	47.3v	47.4v	49.4v	0.0v	43.0v	69.4v	70.6v	0.0v	41.3v	47.4v	508.33v
296	Mr CC McKenzie	T	0.0v	48.2v	47.2v	45.3v	47.5v	47.4v	0.0v	46.1v	68.1v	71.7v	0.0v	47.4v	42.1v	508.30v
297	Mr PJ Bysse	O	0.0v	46.1v	46.4v	47.7v	47.6v	47.5v	0.0v	46.4v	69.5v	69.7v	0.0v	47.4v	43.3v	507.46v
298	Sgt SDJ Glanville	X	0.0v	47.3v	50.6v	42.0v	47.5v	50.6v	0.0v	43.1v	72.10v	67.9v	0.0v	42.1v	47.4v	507.45v
299	Mr D A Smith	O	0.0v	46.3v	48.4v	46.3v	45.2v	49.5v	0.0v	45.3v	72.8v	70.9v	0.0v	47.6v	39.0v	507.43v
300	Mr RW Hallows	X	0.0v	49.6v	48.5v	44.3v	48.4v	49.8v	0.0v	47.2v	70.5v	73.6v	0.0v	43.3v	36.0v	507.42v
301	Miss DJ Armstrong	A	0.0v	47.4v	47.4v	48.6v	48.4v	47.5v	0.0v	44.2v	70.5v	72.7v	0.0v	45.3v	39.1v	507.41v
302	Miss DS Hume	O	0.0v	45.1v	49.4v	47.4v	48.6v	47.4v	0.0v	45.3v	74.8v	63.5v	0.0v	46.2v	43.3v	507.40v
303	Mr RI Coventry	A	0.0v	44.1v	45.1v	46.3v	49.7v	47.6v	0.0v	47.3v	72.8v	72.6v	0.0v	40.2v	45.3v	507.40v
304	Miss SAM Rorison	O	0.0v	47.4v	43.2v	48.5v	47.4v	49.8v	0.0v	46.1v	70.5v	72.9v	0.0v	44.1v	41.0v	507.39v
305	Mr RA Welford	X	0.0v	46.5v	45.3v	44.3v	47.3v	48.6v	0.0v	48.3v	74.7v	70.3v	0.0v	43.2v	42.2v	507.37v
306	Mr SP OBrien	A	0.0v	48.6v	46.2v	45.5v	48.3v	49.5v	0.0v	40.0v	71.6v	72.6v	0.0v	46.1v	42.2v	507.36v
307	Mr D J Curtis	O	0.0v	50.7v	45.2v	44.3v	47.5v	46.0v	0.0v	44.1v	74.10v	70.4v	0.0v	48.3v	39.1v	507.36v
308	2Lt ML Wilkins	O	0.0v	50.4v	47.1v	44.1v	48.4v	46.1v	0.0v	43.2v	73.10v	72.6v	0.0v	41.1v	43.2v	507.32v
309	Mr RA Benest	O	0.0v	47.4v	48.6v	43.2v	48.4v	50.5v	0.0v	46.1v	71.5v	71.2v	0.0v	43.0v	40.1v	507.30v
310	Mr J Pugsley MRCVS	X	0.0v	48.2v	46.1v	47.3v	47.4v	49.5v	0.0v	44.3v	71.4v	70.5v	0.0v	41.1v	44.1v	507.29v
311	Mrs N Rossignol	X	0.0v	49.5v	32.3v	42.3v	44.3v	50.8v	0.0v	49.6v	75.10v	73.11v	0.0v	43.0v	49.3v	506.52v
312	Mr GPC Bramwell	A	0.0v	46.5v	45.3v	46.3v	49.8v	45.1v	0.0v	44.4v	73.11v	69.8v	0.0v	45.1v	44.2v	506.46v
313	Mr EGH Atkins	O	0.0v	44.2v	47.6v	41.1v	46.3v	49.5v	0.0v	48.6v	71.9v	72.6v	0.0v	45.2v	43.3v	506.43v
314	Miss LG Taylor	A	0.0v	47.5v	48.5v	48.5v	46.4v	46.4v	0.0v	44.2v	66.6v	74.7v	0.0v	41.2v	46.3v	506.43v
315	Mr J Scheuerl	T	0.0v	46.5v	47.4v	44.2v	49.6v	50.7v	0.0v	46.3v	72.9v	68.4v	0.0v	40.0v	44.2v	506.42v
316	Mr PJ Johnson	O	0.0v	48.4v	49.3v	48.6v	45.5v	45.2v	0.0v	43.4v	71.4v	68.2v	0.0v	48.5v	41.0v	506.35v
317	Mr A Singh	T	0.0v	44.2v	47.5v	47.4v	44.3v	46.3v	0.0v	45.1v	71.5v	72.5v	0.0v	48.2v	42.1v	506.31v
318	Maj Gen AJW Sturrock	O	0.0v	45.5v	47.4v	48.5v	46.4v	48.5v	0.0v	44.2v	71.9v	71.8v	0.0v	44.1v	41.3v	505.46v
319	Dr AI Ashworth	O	0.0v	45.2v	46.3v	46.3v	50.7v	48.5v	0.0v	45.4v	69.6v	68.5v	0.0v	45.3v	43.7v	505.45v
320	Mr RD Lindsay	O	0.0v	48.4v	45.5v	43.3v	48.8v	47.4v	0.0v	41.2v	72.7v	67.4v	0.0v	50.4v	44.2v	505.43v
321	Mr B Soelzer	T	0.0v	46.3v	45.4v	48.5v	46.3v	46.5v	0.0v	43.2v	72.7v	72.5v	0.0v	43.4v	44.4v	505.42v
322	Mr JRJ Kennedy	O	0.0v	47.3v	42.2v	47.3v	48.4v	47.4v	0.0v	44.3v	74.10v	72.7v	0.0v	42.3v	42.3v	505.42v
323	Mr HB Thomson	A	0.0v	44.2v	49.7v	47.6v	49.5v	49.5v	0.0v	43.2v	71.6v	70.7v	0.0v	42.1v	41.0v	505.41v
324	Mr GA Cann	A	0.0v	49.7v	47.4v	48.2v	47.2v	49.4v	0.0v	45.5v	73.8v	70.8v	0.0v	41.0v	36.1v	505.41v
325	Mr GK Alexander	X	0.0v	46.1v	44.3v	45.4v	45.1v	47.6v	0.0v	45.4v	74.9v	71.6v	0.0v	45.3v	43.3v	505.40v
326	Mr JD Mallabone	T	0.0v	49.7v	46.4v	44.3v	48.5v	40.0v	0.0v	48.6v	74.8v	73.4v	0.0v	39.0v	44.3v	505.40v
327	Mr JC Evans	A	0.0v	45.3v	47.3v	40.2v	46.4v	49.4v	0.0v	47.3v	69.6v	72.7v	0.0v	43.2v	47.5v	505.39v
328	Mr JRL Purdy	O	0.0v	47.4v	48.7v	46.2v	49.5v	48.4v	0.0v	46.3v	73.9v	68.3v	0.0v	36.2v	44.0v	505.39v
329	Cdt LCpl OE Roussel	T	0.0v	49.8v	44.3v	46.4v	48.4v	49.6v	0.0v	46.3v	71.4v	69.2v	0.0v	49.1v	34.2v	505.37v
330	Mr RR Grisenthwaite	A	0.0v	47.5v	46.1v	45.1v	49.6v	47.4v	0.0v	47.6v	68.5v	73.6v	0.0v	40.1v	43.2v	505.37v
331	Mr RDP Knapstein	O	0.0v	45.1v	43.2v	47.3v	46.1v	46.3v	0.0v	45.3v	71.9v	71.5v	0.0v	47.4v	44.3v	505.34v

332	Mr SF Franck	T	0.0v	45.1v	45.2v	46.3v	47.5v	48.2v	0.0v	45.1v	71.7v	68.2v	0.0v	45.1v	45.1v	505.25v
333	Fg Off S Livingston	O	0.0v	47.4v	47.2v	46.6v	50.6v	48.6v	0.0v	43.3v	72.8v	73.9v	0.0v	39.2v	39.0v	504.46v
334	Mr PM Hakim	X	0.0v	49.6v	46.4v	45.2v	48.4v	49.3v	0.0v	43.3v	75.11v	70.8v	0.0v	41.0v	38.1v	504.42v
335	Mr AI Brown	O	0.0v	45.1v	47.3v	47.7v	44.3v	48.2v	0.0v	43.2v	67.7v	73.7v	0.0v	46.5v	44.2v	504.39v
336	Mr DAJ Talbot	A	0.0v	47.4v	48.7v	47.3v	49.4v	49.5v	0.0v	45.2v	71.5v	71.9v	0.0v	40.0v	37.0v	504.39v
337	Mr EN Munro	O	0.0v	45.3v	48.5v	47.3v	46.3v	48.3v	0.0v	46.4v	72.5v	71.7v	0.0v	43.3v	38.2v	504.38v
338	Mr OR Farrell	A	0.0v	47.4v	47.6v	45.3v	45.4v	49.5v	0.0v	47.3v	72.5v	70.3v	0.0v	40.2v	42.2v	504.37v
339	Mr AM Poulton	T	0.0v	42.3v	46.3v	45.4v	47.3v	43.2v	0.0v	47.4v	69.5v	72.5v	0.0v	49.5v	44.2v	504.36v
340	Mr MH Shaw	O	0.0v	45.2v	50.5v	48.6v	46.5v	46.2v	0.0v	43.2v	67.3v	69.6v	0.0v	45.3v	45.2v	504.36v
341	Mr CW Dale	A	0.0v	46.2v	43.0v	49.5v	45.4v	46.4v	0.0v	48.1v	67.6v	69.6v	0.0v	50.5v	41.2v	504.35v
342	Mr PS Gray	O	0.0v	48.5v	42.1v	49.6v	44.2v	47.5v	0.0v	43.2v	70.0v	71.7v	0.0v	44.2v	46.2v	504.32v
343	Mr RA Dix	A	0.0v	45.2v	45.3v	46.2v	49.4v	43.3v	0.0v	49.3v	71.5v	71.3v	0.0v	39.3v	46.1v	504.29v
344	Mr JIB Halahan	O	0.0v	48.4v	47.2v	48.2v	47.5v	47.5v	0.0v	46.2v	71.3v	71.3v	0.0v	46.3v	33.0v	504.29v
345	Mr JRL Burch	A	0.0v	48.5v	48.5v	47.3v	45.3v	45.1v	0.0v	42.2v	69.3v	68.4v	0.0v	46.1v	46.1v	504.28v
346	Mr MJ Whatton	O	0.0v	47.4v	48.1v	47.5v	47.4v	46.2v	0.0v	44.2v	73.4v	68.3v	0.0v	42.2v	42.1v	504.28v
347	Mr MD Joyce	O	0.0v	48.4v	44.2v	44.2v	48.5v	48.4v	0.0v	43.0v	72.6v	70.3v	0.0v	44.0v	43.0v	504.26v
348	Mr RE Ellis	O	0.0v	49.5v	41.2v	47.3v	48.5v	46.5v	0.0v	47.4v	69.8v	73.8v	0.0v	42.0v	41.1v	503.41v
349	Mr SD Shouler	A	0.0v	46.3v	46.2v	47.4v	48.5v	47.4v	0.0v	48.6v	69.3v	68.7v	0.0v	43.3v	41.2v	503.39v
350	Dr G Stewart	X	0.0v	48.3v	44.2v	44.2v	48.4v	47.4v	0.0v	45.3v	71.9v	69.5v	0.0v	44.3v	43.3v	503.38v
351	Cdt LEI Horsman Carpenter	O	0.0v	46.3v	45.3v	44.1v	49.7v	46.4v	0.0v	46.4v	72.6v	70.5v	0.0v	43.3v	42.0v	503.36v
352	Mr JWE Lewis	X	0.0v	47.4v	48.6v	42.1v	46.4v	50.6v	0.0v	42.1v	72.9v	71.3v	0.0v	45.1v	40.0v	503.35v
353	Miss ZKN Moir	T	0.0v	44.0v	48.6v	44.1v	48.4v	48.5v	0.0v	46.6v	70.5v	72.5v	0.0v	44.2v	39.1v	503.35v
354	Mr MH Lane	O	0.0v	46.3v	48.4v	45.3v	44.3v	42.2v	0.0v	47.3v	73.6v	66.5v	0.0v	45.2v	47.2v	503.33v
355	Mr CB Cotillard	O	0.0v	46.0v	48.5v	44.3v	49.6v	41.2v	0.0v	49.2v	71.6v	70.4v	0.0v	39.2v	46.2v	503.32v
356	Capt HCM Bennett	X	0.0v	46.3v	42.2v	41.2v	49.6v	49.3v	0.0v	47.4v	72.4v	72.4v	0.0v	43.3v	42.1v	503.32v
357	Mr WAM Morriss	O	0.0v	50.4v	43.1v	49.7v	46.3v	47.6v	0.0v	44.1v	66.2v	69.2v	0.0v	47.3v	42.2v	503.31v
358	Mr T Bourne	T	0.0v	47.4v	46.3v	46.1v	47.3v	49.2v	0.0v	45.0v	69.3v	72.6v	0.0v	45.3v	37.0v	503.25v
359	Mrs LAE Robinson	A	0.0v	44.3v	43.3v	46.4v	45.2v	50.1v	0.0v	47.2v	74.6v	68.0v	0.0v	43.0v	43.3v	503.24v
360	Cdt T Maxwell Randeria	T	0.0v	46.4v	45.4v	45.4v	47.6v	46.4v	0.0v	48.5v	69.5v	70.6v	0.0v	44.4v	42.3v	502.45v
361	Mr TO Little	X	0.0v	46.3v	47.5v	46.3v	48.6v	46.5v	0.0v	45.3v	74.12v	63.3v	0.0v	44.2v	43.1v	502.43v
362	Mr RF Barrington	O	0.0v	45.2v	43.4v	49.2v	46.7v	50.4v	0.0v	43.3v	69.6v	71.8v	0.0v	46.4v	40.0v	502.40v
363	Mr FWCC Cowling	T	0.0v	47.4v	42.0v	48.6v	48.4v	49.5v	0.0v	47.5v	73.9v	70.4v	0.0v	40.1v	38.1v	502.39v
364	Mr GC Childs	A	0.0v	48.2v	45.3v	44.2v	45.5v	46.2v	0.0v	46.2v	71.11v	70.7v	0.0v	40.2v	47.2v	502.38v
365	Mr D Raiber	O	0.0v	49.7v	42.1v	43.0v	48.5v	48.4v	0.0v	47.5v	70.5v	69.6v	0.0v	44.3v	42.2v	502.38v
366	Flt Lt NP Moxon	O	0.0v	48.3v	46.2v	40.0v	46.3v	50.7v	0.0v	44.4v	66.7v	73.4v	0.0v	44.3v	45.1v	502.34v
367	Mr JN Prout	T	0.0v	45.3v	46.4v	46.2v	49.5v	47.6v	0.0v	41.3v	71.5v	72.4v	0.0v	41.0v	44.2v	502.34v
368	Miss AAW Weinberger	T	0.0v	47.2v	49.3v	45.1v	47.4v	49.5v	0.0v	44.3v	68.5v	72.8v	0.0v	39.0v	42.2v	502.33v
369	Mr PA Hatfield	O	0.0v	50.4v	46.1v	49.5v	48.2v	46.6v	0.0v	46.5v	67.5v	66.6v	0.0v	50.7v	33.2v	501.43v
370	Mr KS Kousetta	O	0.0v	47.5v	44.3v	42.1v	48.4v	45.2v	0.0v	47.3v	73.11v	74.9v	0.0v	39.2v	42.3v	501.43v
371	Mr C Hughes	O	0.0v	45.3v	48.5v	43.2v	40.4v	48.4v	0.0v	45.2v	73.11v	69.4v	0.0v	44.4v	46.3v	501.42v
372	Mr TJ Bullock	X	0.0v	45.3v	44.4v	44.2v	49.5v	48.3v	0.0v	48.5v	71.8v	70.7v	0.0v	41.2v	41.2v	501.41v
373	Mr JN McLaren	X	0.0v	46.4v	46.2v	47.6v	44.3v	50.8v	0.0v	42.1v	72.8v	70.4v	0.0v	46.1v	38.1v	501.38v
374	Mr CRM Asquith	A	0.0v	48.3v	42.3v	45.2v	48.3v	48.6v	0.0v	48.3v	70.8v	67.4v	0.0v	43.2v	42.2v	501.36v
375	Mr WC Cowen	O	0.0v	44.2v	47.5v	47.2v	48.5v	47.3v	0.0v	46.5v	70.4v	69.5v	0.0v	42.3v	41.1v	501.35v
376	Mr MJ Stewart	O	0.0v	48.3v	47.4v	44.3v	46.3v	48.2v	0.0v	46.3v	70.4v	65.5v	0.0v	48.5v	39.1v	501.33v
377	SSGT HD Quilliam	A	0.0v	44.1v	45.3v	49.1v	47.2v	46.1v	0.0v	41.2v	73.11v	72.6v	0.0v	44.3v	40.3v	501.33v
378	Cdt HJ Purslow	O	0.0v	46.3v	46.5v	49.2v	45.4v	48.5v	0.0v	47.3v	69.6v	66.1v	0.0v	44.1v	41.1v	501.31v
379	Ms AJ Carnell	A	0.0v	49.4v	45.2v	39.2v	45.4v	47.2v	0.0v	46.0v	74.10v	67.3v	0.0v	47.2v	42.1v	501.30v
380	Mr AG Harrison	O	0.0v	43.2v	47.3v	45.2v	46.3v	48.3v	0.0v	44.4v	71.6v	70.4v	0.0v	45.1v	42.1v	501.29v
381	Mr TJ Goodger	A	0.0v	47.3v	48.3v	47.4v	47.4v	47.5v	0.0v	46.1v	70.4v	64.1v	0.0v	45.3v	40.1v	501.29v
382	Miss CES Wiltshire	T	0.0v	47.3v	45.1v	48.1v	42.2v	45.2v	0.0v	45.2v	71.5v	69.5v	0.0v	45.3v	44.3v	501.27v
383	Mr CR Vonchek	A	0.0v	43.2v	45.4v	48.5v	47.3v	45.5v	0.0v	47.5v	68.4v	72.10v	0.0v	43.3v	42.3v	500.44v
384	Mr M J Keel	O	0.0v	49.5v	45.4v	49.5v	44.4v	48.6v	0.0v	45.3v	69.6v	68.4v	0.0v	46.4v	37.1v	500.42v
385	Mr EMC Chambers	O	0.0v	49.4v	46.6v	47.3v	46.3v	47.5v	0.0v	31.0v	72.4v	74.8v	0.0v	48.7v	40.1v	500.41v
386	Mr MJ Wilson	A	0.0v	44.1v	46.2v	45.4v	47.4v	44.4v	0.0v	47.4v	70.6v	65.5v	0.0v	48.4v	44.2v	500.36v
387	Cdt GFRW Clarke	O	0.0v	47.4v	46.5v	42.3v	46.2v	48.4v	0.0v	41.3v	71.9v	70.2v	0.0v	44.1v	45.1v	500.34v
388	Miss RE Warden	T	0.0v	50.1v	44.2v	45.4v	46.1v	49.6v	0.0v	47.4v	68.2v	70.9v	0.0v	44.3v	37.1v	500.33v
389	Mr SD Glen	A	0.0v	46.5v	43.1v	46.4v	49.6v	45.2v	0.0v	46.3v	66.1v	67.1v	0.0v	48.5v	44.3v	500.31v
390	Mr LM Peden	A	0.0v	45.1v	43.1v	43.0v	44.2v	49.5v	0.0v	42.3v	69.5v	73.6v	0.0v	48.5v	44.3v	500.31v
391	Ms GL Rantile	A	0.0v	44.2v	49.5v	41.3v	46.3v	47.1v	0.0v	46.3v	70.5v	72.6v	0.0v	45.2v	40.1v	500.31v

392	Mr J Wallace	A	0.0v	43.2v	47.3v	43.4v	47.3v	47.2v	0.0v	44.2v	74.8v	72.4v	0.0v	38.1v	45.2v	500.31v
393	Mr T Snaith	T	0.0v	49.4v	47.1v	47.4v	46.2v	45.4v	0.0v	41.1v	70.6v	70.5v	0.0v	44.0v	41.3v	500.30v
394	Mr JAH Nicholls	O	0.0v	45.3v	46.5v	48.5v	48.4v	47.5v	0.0v	39.4v	72.7v	68.5v	0.0v	44.1v	42.2v	499.41v
395	Cdt Sgt LG Skingley	T	0.0v	46.2v	45.2v	49.5v	49.6v	46.4v	0.0v	45.3v	74.7v	70.7v	0.0v	28.0v	47.4v	499.40v
396	Mr A Sadler	X	0.0v	47.3v	39.3v	46.2v	47.5v	48.5v	0.0v	44.1v	69.4v	72.9v	0.0v	43.2v	44.5v	499.39v
397	Miss JE Ouston	A	0.0v	49.4v	47.4v	43.2v	47.2v	45.5v	0.0v	42.2v	72.6v	72.9v	0.0v	42.2v	40.1v	499.37v
398	Mr D Colegate	T	0.0v	47.3v	45.2v	44.3v	43.3v	48.4v	0.0v	42.2v	68.3v	73.10v	0.0v	46.2v	43.4v	499.36v
399	Mr AF Chidlow	T	0.0v	46.4v	42.1v	47.1v	46.3v	48.2v	0.0v	46.7v	72.6v	66.5v	0.0v	43.2v	43.4v	499.35v
400	Mr DA Roberts	O	0.0v	47.2v	42.1v	47.4v	49.5v	47.3v	0.0v	45.2v	67.5v	73.9v	0.0v	43.2v	39.1v	499.34v
401	Air Cdre JA Ford	O	0.0v	47.4v	47.2v	46.3v	45.0v	47.4v	0.0v	39.0v	70.8v	68.5v	0.0v	45.1v	45.4v	499.31v
402	Mr JM Nippers	O	0.0v	45.2v	45.1v	46.4v	46.1v	46.4v	0.0v	45.2v	70.5v	70.6v	0.0v	43.2v	43.3v	499.30v
403	Mr D Lowe	A	0.0v	49.5v	48.3v	43.1v	48.2v	43.3v	0.0v	45.3v	72.6v	66.3v	0.0v	39.1v	46.3v	499.30v
404	Mr AG Stewart	T	0.0v	43.4v	47.2v	45.2v	48.1v	47.3v	0.0v	44.1v	69.5v	73.6v	0.0v	43.2v	40.0v	499.26v
405	Mr JR Stirland	O	0.0v	48.4v	46.3v	47.3v	41.3v	48.4v	0.0v	44.3v	71.9v	69.2v	0.0v	42.2v	42.2v	498.35v
406	Miss AE Hoile	T	0.0v	45.3v	49.8v	47.5v	43.1v	46.3v	0.0v	44.1v	72.7v	72.5v	0.0v	38.1v	42.0v	498.34v
407	Mr RO Roche	A	0.0v	47.2v	48.4v	45.2v	41.3v	46.1v	0.0v	49.5v	71.7v	62.1v	0.0v	48.4v	41.3v	498.32v
408	Mr LRM Irungu	T	0.0v	45.3v	47.4v	46.4v	42.1v	46.1v	0.0v	49.3v	71.8v	66.4v	0.0v	43.2v	43.1v	498.31v
409	Mr NM Duncan	O	0.0v	47.4v	49.4v	44.3v	44.1v	49.4v	0.0v	41.3v	71.6v	69.3v	0.0v	41.1v	43.2v	498.31v
410	Mr CA Stewart	O	0.0v	47.4v	47.1v	45.1v	46.5v	47.5v	0.0v	43.2v	70.4v	71.5v	0.0v	42.2v	40.0v	498.29v
411	Ms PW Mburu	T	0.0v	47.5v	45.1v	47.2v	45.1v	49.3v	0.0v	42.1v	73.7v	70.6v	0.0v	41.0v	39.2v	498.28v
412	Mr JRW Latimer	T	0.0v	42.0v	47.3v	44.1v	46.5v	45.4v	0.0v	44.3v	68.3v	68.0v	0.0v	46.4v	48.3v	498.26v
413	Mr CP Goad	O	0.0v	48.1v	45.2v	46.3v	49.4v	46.4v	0.0v	43.0v	72.4v	65.2v	0.0v	42.1v	42.1v	498.22v
414	Mr J Meyers	O	0.0v	47.4v	43.2v	47.3v	44.5v	47.2v	0.0v	47.4v	70.7v	71.7v	0.0v	48.5v	33.0v	497.39v
415	Mr CP Maher	X	0.0v	47.5v	48.5v	40.4v	50.6v	48.4v	0.0v	48.5v	71.7v	66.2v	0.0v	39.1v	40.0v	497.39v
416	Mrs CJ Clifford Evans	O	0.0v	47.2v	47.2v	46.3v	39.1v	49.4v	0.0v	44.3v	72.7v	69.3v	0.0v	44.4v	40.6v	497.35v
417	Mr OR Rankin	T	0.0v	46.4v	48.4v	45.4v	46.3v	49.3v	0.0v	45.2v	67.7v	68.5v	0.0v	43.2v	40.1v	497.35v
418	Mr SL Larter-Whitcher	O	0.0v	47.4v	42.1v	44.1v	46.5v	49.2v	0.0v	45.2v	72.7v	73.10v	0.0v	41.2v	38.0v	497.34v
419	Mr FEG Pawlik	T	0.0v	47.4v	42.2v	44.4v	45.3v	47.3v	0.0v	48.2v	70.6v	70.5v	0.0v	41.2v	43.1v	497.32v
420	Mrs SEP Kent	O	0.0v	47.4v	44.4v	46.3v	43.1v	44.2v	0.0v	45.3v	71.6v	68.3v	0.0v	46.1v	43.2v	497.29v
421	Mr AJ Fassilis	O	0.0v	47.4v	44.1v	46.0v	46.5v	46.1v	0.0v	47.1v	67.7v	71.7v	0.0v	42.3v	41.0v	497.29v
422	Mr TR Webster	O	0.0v	46.3v	43.2v	47.5v	46.3v	47.3v	0.0v	47.2v	64.1v	65.1v	0.0v	46.3v	46.5v	497.28v
423	Mr LT Wicker	O	0.0v	46.4v	47.1v	46.3v	45.3v	49.3v	0.0v	45.1v	63.1v	69.4v	0.0v	45.3v	42.2v	497.25v
424	Mr CI Pawlik	O	0.0v	49.5v	47.6v	47.4v	43.2v	47.6v	0.0v	43.1v	73.9v	68.4v	0.0v	38.2v	41.0v	496.39v
425	Miss SJ Dick	O	0.0v	46.2v	45.4v	46.2v	50.7v	47.5v	0.0v	45.4v	68.4v	71.6v	0.0v	32.1v	46.3v	496.38v
426	Mr JRD Clegg	O	0.0v	45.2v	44.4v	46.1v	48.6v	45.0v	0.0v	46.6v	68.7v	62.4v	0.0v	48.3v	44.4v	496.37v
427	Mr GD Palmer	A	0.0v	49.4v	45.5v	47.1v	46.3v	41.3v	0.0v	43.2v	70.7v	66.0v	0.0v	46.4v	43.3v	496.32v
428	Wg Cdr JR Lindsay	O	0.0v	46.2v	46.4v	48.4v	46.3v	42.2v	0.0v	41.1v	72.3v	70.7v	0.0v	44.3v	41.3v	496.32v
429	Mr S Hentschel	T	0.0v	43.2v	45.1v	46.7v	48.5v	48.4v	0.0v	46.3v	69.5v	67.2v	0.0v	45.2v	39.1v	496.32v
430	Mr R Kligge	O	0.0v	44.1v	46.1v	44.1v	45.1v	47.5v	0.0v	42.3v	69.7v	72.6v	0.0v	43.3v	44.3v	496.31v
431	Mr M Reid	O	0.0v	46.1v	47.4v	40.2v	46.5v	46.1v	0.0v	46.4v	73.6v	69.3v	0.0v	40.1v	43.3v	496.30v
432	Mr RR Richards	T	0.0v	47.2v	47.5v	44.1v	45.4v	44.1v	0.0v	46.3v	65.5v	72.5v	0.0v	44.1v	42.1v	496.28v
433	Mr MP Watkins	A	0.0v	43.1v	43.1v	48.4v	46.4v	49.4v	0.0v	44.2v	66.4v	72.4v	0.0v	46.3v	39.1v	496.28v
434	Miss HPC Bramwell	A	0.0v	48.1v	42.2v	44.2v	49.5v	48.3v	0.0v	46.2v	69.4v	67.3v	0.0v	45.4v	38.2v	496.28v
435	Mr OJ Scott	T	0.0v	48.1v	47.3v	44.3v	49.1v	46.3v	0.0v	45.3v	65.5v	70.5v	0.0v	41.2v	41.2v	496.28v
436	Mr AC Barrell	O	0.0v	45.3v	48.5v	45.5v	48.4v	42.2v	0.0v	46.3v	67.4v	67.4v	0.0v	46.4v	41.3v	495.37v
437	Miss GI Williams	T	0.0v	47.2v	44.2v	47.3v	45.5v	44.2v	0.0v	44.4v	68.5v	69.7v	0.0v	43.3v	44.3v	495.36v
438	Miss KEM Harriss	O	0.0v	48.4v	43.2v	47.3v	48.5v	43.2v	0.0v	42.2v	71.7v	68.6v	0.0v	42.2v	43.1v	495.34v
439	Mr M Rewston	O	0.0v	47.3v	47.3v	44.4v	46.5v	45.4v	0.0v	47.3v	67.6v	71.4v	0.0v	38.2v	43.0v	495.34v
440	Mr HD Werner	O	0.0v	48.3v	44.2v	42.2v	48.5v	46.2v	0.0v	44.3v	69.7v	72.8v	0.0v	42.0v	40.1v	495.33v
441	Mr AJ Le Cheminant	O	0.0v	45.3v	47.2v	45.5v	38.0v	48.5v	0.0v	43.2v	68.4v	69.4v	0.0v	46.4v	46.3v	495.32v
442	Mr OM Pryke	T	0.0v	48.3v	45.2v	44.3v	46.2v	45.4v	0.0v	45.3v	69.7v	69.4v	0.0v	39.2v	45.2v	495.32v
443	Mr JE White	O	0.0v	45.3v	47.2v	46.2v	45.5v	46.4v	0.0v	46.2v	69.6v	70.6v	0.0v	38.0v	43.2v	495.32v
444	Mr DK Kirui	O	0.0v	45.2v	43.3v	43.2v	48.4v	45.2v	0.0v	49.2v	71.4v	66.5v	0.0v	47.6v	38.1v	495.31v
445	Mr H Percival	O	0.0v	46.4v	43.2v	47.1v	47.3v	44.2v	0.0v	45.3v	72.7v	72.5v	0.0v	42.1v	37.1v	495.29v
446	Mr TM Green	O	0.0v	44.2v	42.1v	46.4v	45.3v	47.2v	0.0v	47.3v	69.5v	69.5v	0.0v	41.0v	45.3v	495.28v
447	Mr P Wright	O	0.0v	47.4v	48.2v	48.4v	46.4v	40.1v	0.0v	48.3v	68.3v	67.4v	0.0v	47.2v	36.0v	495.27v
448	Mr TS McDowell	O	0.0v	44.1v	47.3v	48.3v	45.1v	49.4v	0.0v	48.3v	63.3v	68.2v	0.0v	46.2v	37.2v	495.24v
449	Mr RG Woodger	X	0.0v	46.3v	45.4v	42.3v	45.2v	47.4v	0.0v	44.3v	72.5v	71.9v	0.0v	40.2v	42.3v	494.38v
450	Miss FE Purdy	O	0.0v	48.4v	45.2v	47.2v	47.6v	43.3v	0.0v	42.2v	75.8v	69.2v	0.0v	37.2v	41.3v	494.34v
451	Miss AK Morriss	X	0.0v	44.4v	42.2v	47.3v	49.5v	46.3v	0.0v	42.0v	71.8v	70.3v	0.0v	41.0v	42.4v	494.32v

452	Mr FC Stewart	O	0.0v	49.4v	48.2v	47.4v	47.6v	46.2v	0.0v	39.2v	72.7v	69.4v	0.0v	42.0v	35.1v	494.32v
453	Mr JA Dallas	O	0.0v	46.4v	45.2v	41.0v	44.1v	47.4v	0.0v	44.4v	69.5v	72.7v	0.0v	43.3v	43.1v	494.31v
454	Miss A Downie	T	0.0v	50.5v	46.4v	45.2v	47.1v	44.2v	0.0v	44.1v	67.5v	66.6v	0.0v	44.2v	41.1v	494.29v
455	Mr RW Mcveigh	A	0.0v	50.5v	46.2v	45.5v	46.4v	42.4v	0.0v	47.4v	73.12v	67.4v	0.0v	38.1v	39.1v	493.42v
456	Mr RJ Cooper	T	0.0v	46.3v	44.4v	44.3v	44.4v	46.3v	0.0v	41.3v	70.6v	68.5v	0.0v	45.1v	45.3v	493.35v
457	Mr ACN Khan	T	0.0v	47.7v	46.2v	48.3v	48.4v	38.2v	0.0v	41.0v	71.7v	68.7v	0.0v	44.1v	42.2v	493.35v
458	Miss AL Gibbs	T	0.0v	44.2v	45.2v	46.2v	46.3v	46.0v	0.0v	46.4v	72.7v	69.8v	0.0v	44.3v	35.0v	493.31v
459	Miss LK Crosby	T	0.0v	43.1v	46.4v	45.1v	47.5v	48.3v	0.0v	44.2v	71.5v	71.5v	0.0v	41.2v	37.3v	493.31v
460	Mr EG Gauvin	X	0.0v	41.1v	43.0v	46.3v	47.5v	47.4v	0.0v	45.1v	73.8v	70.4v	0.0v	40.1v	41.3v	493.30v
461	Cpl OEC Ross	A	0.0v	46.3v	46.5v	45.4v	47.1v	44.3v	0.0v	39.0v	70.8v	68.2v	0.0v	45.3v	43.0v	493.29v
462	Mr PA Goubert	O	0.0v	45.3v	45.3v	45.2v	42.3v	46.1v	0.0v	46.4v	69.6v	68.3v	0.0v	44.2v	43.2v	493.29v
463	Miss L F Yates	T	0.0v	47.2v	44.2v	44.1v	49.5v	45.4v	0.0v	46.5v	70.4v	68.2v	0.0v	39.3v	41.0v	493.28v
464	Mr OJ Frost	O	0.0v	46.3v	47.2v	45.2v	47.2v	47.1v	0.0v	44.2v	69.5v	62.4v	0.0v	48.3v	38.2v	493.26v
465	Mr AF Donald	O	0.0v	46.1v	44.3v	43.1v	48.5v	49.1v	0.0v	46.4v	69.5v	68.5v	0.0v	42.0v	38.1v	493.26v
466	Cdt EM Robinson	T	0.0v	47.4v	46.4v	46.3v	42.1v	44.6v	0.0v	44.2v	68.4v	65.2v	0.0v	46.2v	44.3v	492.31v
467	Mr N Granger	O	0.0v	44.2v	46.2v	45.2v	46.4v	46.6v	0.0v	42.2v	72.5v	69.5v	0.0v	39.0v	43.3v	492.31v
468	Mr CHY Chan	T	0.0v	42.1v	45.3v	44.3v	46.5v	46.1v	0.0v	45.2v	70.6v	68.5v	0.0v	44.2v	42.2v	492.30v
469	Mr LR Coventry	O	0.0v	45.3v	42.2v	45.2v	46.5v	49.4v	0.0v	44.3v	64.3v	69.5v	0.0v	42.1v	46.1v	492.29v
470	Cdt Sgt H Anselm	T	0.0v	40.2v	47.3v	40.1v	48.4v	49.4v	0.0v	43.2v	71.10v	67.3v	0.0v	45.2v	41.1v	491.32v
471	Wg Cdr CM Fopp	O	0.0v	44.1v	46.1v	42.3v	47.4v	47.2v	0.0v	42.2v	72.6v	66.4v	0.0v	46.3v	39.1v	491.27v
472	Mr LC Schwarz	T	0.0v	41.0v	43.2v	45.1v	45.2v	47.3v	0.0v	46.2v	72.8v	66.2v	0.0v	44.2v	42.4v	491.26v
473	Mr B Vary	T	0.0v	49.5v	43.2v	43.1v	46.2v	45.1v	0.0v	43.1v	66.5v	69.9v	0.0v	42.2v	44.5v	490.33v
474	Cpl S G Benson	T	0.0v	47.5v	44.3v	40.2v	46.3v	42.2v	0.0v	46.4v	70.8v	73.3v	0.0v	37.0v	45.2v	490.32v
475	Cpl TA Peters	T	0.0v	46.1v	44.1v	46.4v	46.4v	46.2v	0.0v	44.4v	67.3v	71.8v	0.0v	42.3v	38.1v	490.31v
476	Mr GW Robinson	O	0.0v	45.3v	46.4v	46.3v	45.2v	46.3v	0.0v	45.2v	71.6v	71.6v	0.0v	39.2v	36.0v	490.31v
477	Mr DJ Studholme	T	0.0v	45.1v	46.4v	49.6v	43.3v	46.5v	0.0v	41.1v	66.2v	69.5v	0.0v	44.2v	41.1v	490.30v
478	Mr CM Nunan	O	0.0v	45.4v	41.1v	41.2v	44.2v	49.4v	0.0v	46.1v	72.4v	69.6v	0.0v	46.2v	37.1v	490.27v
479	Mr H P Nippers	O	0.0v	46.4v	44.3v	47.4v	48.3v	46.2v	0.0v	42.2v	67.4v	69.5v	0.0v	43.0v	38.0v	490.27v
480	Mr MR Ebbetts	O	0.0v	44.1v	44.2v	45.2v	42.1v	45.3v	0.0v	46.2v	67.4v	69.5v	0.0v	42.2v	46.3v	490.25v
481	Mr RPF McKenna	T	0.0v	41.1v	46.1v	43.0v	45.3v	45.2v	0.0v	47.5v	68.5v	66.2v	0.0v	46.3v	43.1v	490.23v
482	Mr WA Odhiambo	T	0.0v	47.3v	42.2v	46.4v	47.3v	43.4v	0.0v	45.4v	67.2v	70.8v	0.0v	45.3v	37.0v	489.33v
483	Miss NJ Sales Scott	T	0.0v	45.0v	45.3v	40.1v	43.3v	48.7v	0.0v	36.2v	74.6v	72.5v	0.0v	45.2v	41.2v	489.31v
484	Mr G Stewart	T	0.0v	45.1v	46.4v	45.2v	39.2v	49.6v	0.0v	42.1v	72.7v	70.4v	0.0v	46.4v	35.0v	489.31v
485	Mr P Cutts	O	0.0v	47.4v	43.1v	40.2v	47.5v	47.2v	0.0v	43.1v	71.5v	64.3v	0.0v	45.5v	42.2v	489.30v
486	Mr J Myers	T	0.0v	47.6v	45.3v	40.2v	46.3v	45.3v	0.0v	45.4v	71.3v	69.4v	0.0v	44.2v	37.0v	489.30v
487	Mr DJ Stewart	O	0.0v	45.3v	46.3v	43.2v	45.2v	46.2v	0.0v	48.2v	68.4v	72.7v	0.0v	41.3v	35.0v	489.28v
488	Mr DN Webber	O	0.0v	48.6v	44.1v	46.6v	40.3v	43.2v	0.0v	49.6v	70.4v	64.2v	0.0v	46.4v	38.2v	488.36v
489	Cdt GM Bohn	T	0.0v	45.5v	43.2v	43.3v	46.6v	50.5v	0.0v	38.2v	68.6v	72.3v	0.0v	41.1v	42.3v	488.36v
490	Capt JN Lowe	T	0.0v	48.5v	45.4v	46.5v	42.3v	41.3v	0.0v	44.2v	70.6v	69.5v	0.0v	46.2v	37.0v	488.35v
491	Mr JD Magalhaes	T	0.0v	44.2v	48.2v	43.1v	44.1v	44.3v	0.0v	46.3v	74.7v	66.5v	0.0v	43.3v	36.1v	488.28v
492	Lt Col MD Yates	T	0.0v	48.2v	46.3v	41.1v	45.2v	45.3v	0.0v	43.2v	69.5v	69.5v	0.0v	41.1v	41.3v	488.27v
493	Mr TP Randell	T	0.0v	46.2v	42.2v	45.4v	48.5v	44.3v	0.0v	44.2v	72.5v	71.4v	0.0v	35.0v	41.0v	488.27v
494	Mr PR Tyldesley	O	0.0v	48.1v	40.2v	43.1v	42.1v	49.6v	0.0v	41.0v	70.8v	68.3v	0.0v	46.2v	41.2v	488.26v
495	Miss ICN Cox	O	0.0v	45.1v	43.1v	44.2v	47.4v	44.2v	0.0v	44.2v	68.4v	66.4v	0.0v	41.0v	46.4v	488.24v
496	Mr MR Clewer	O	0.0v	47.5v	46.3v	46.3v	46.3v	38.0v	0.0v	46.2v	68.1v	65.3v	0.0v	47.1v	39.0v	488.21v
497	Mr JM de Bruijn	X	0.0v	43.2v	46.4v	43.2v	45.3v	45.0v	0.0v	44.3v	72.8v	67.5v	0.0v	39.2v	43.3v	487.32v
498	Mr CM Brooks	O	0.0v	48.5v	44.5v	44.4v	44.4v	48.4v	0.0v	43.4v	72.4v	70.2v	0.0v	38.0v	36.0v	487.32v
499	Mr ARN Kinross	O	0.0v	47.2v	45.3v	43.2v	48.3v	48.6v	0.0v	42.2v	68.5v	66.7v	0.0v	41.0v	39.1v	487.31v
500	Mr AP Patel	T	0.0v	47.3v	46.5v	48.4v	43.4v	45.2v	0.0v	46.4v	65.3v	69.5v	0.0v	38.1v	40.0v	487.31v
501	Mr TLW Kidner	X	0.0v	44.3v	44.3v	44.2v	46.3v	48.5v	0.0v	41.0v	67.3v	67.5v	0.0v	40.1v	46.2v	487.27v
502	Mr TAE Dorey	T	0.0v	44.2v	43.2v	37.1v	47.1v	45.2v	0.0v	46.3v	72.9v	68.5v	0.0v	43.0v	42.2v	487.27v
503	Mr R Winney	O	0.0v	42.1v	47.4v	45.2v	44.2v	39.1v	0.0v	46.3v	71.4v	69.5v	0.0v	40.1v	44.2v	487.25v
504	Mr B Whitley	T	0.0v	46.4v	44.1v	44.2v	45.3v	46.4v	0.0v	43.1v	71.3v	71.4v	0.0v	43.2v	34.1v	487.25v
505	Mr J Golling	X	0.0v	46.4v	47.4v	42.4v	46.4v	43.5v	0.0v	40.0v	68.3v	64.2v	0.0v	49.5v	41.2v	486.33v
506	Mr EHB Ervine	T	0.0v	46.3v	44.3v	46.2v	47.2v	39.0v	0.0v	46.4v	72.7v	71.7v	0.0v	37.2v	38.2v	486.32v
507	Cdt K Lynnyk-Ali	T	0.0v	43.2v	45.4v	47.4v	48.3v	48.5v	0.0v	44.1v	68.6v	69.4v	0.0v	37.1v	37.1v	486.31v
508	Mr BN Craig	O	0.0v	40.2v	48.2v	46.2v	44.4v	48.5v	0.0v	42.0v	72.7v	59.2v	0.0v	45.3v	42.1v	486.28v
509	Mr GL Clarke	O	0.0v	41.1v	41.1v	45.2v	48.5v	47.1v	0.0v	41.0v	71.6v	66.3v	0.0v	45.2v	41.4v	486.25v
510	Mr GRP Shapland	O	0.0v	42.0v	38.1v	48.3v	46.4v	47.5v	0.0v	47.2v	71.4v	65.2v	0.0v	42.1v	40.2v	486.24v
511	Miss RMW Weinberger	T	0.0v	43.2v	47.1v	43.1v	44.2v	48.5v	0.0v	37.1v	68.3v	71.2v	0.0v	42.4v	43.2v	486.23v

512	Mr S A Hunting	O	0.0v	47.4v	44.2v	42.2v	48.5v	46.2v	0.0v	46.4v	69.5v	66.3v	0.0v	46.3v	31.1v	485.31v
513	Flt Lt RJ Clegg	T	0.0v	48.5v	41.1v	45.2v	42.2v	46.3v	0.0v	43.5v	70.5v	69.3v	0.0v	40.2v	41.2v	485.30v
514	Mrs T Newbold	O	0.0v	44.1v	50.7v	45.2v	46.5v	43.2v	0.0v	41.1v	69.2v	65.4v	0.0v	43.3v	39.1v	485.28v
515	Mr JH Smith	X	0.0v	46.3v	47.1v	40.0v	41.0v	44.3v	0.0v	46.4v	72.9v	69.6v	0.0v	39.1v	41.1v	485.28v
516	Mr AH Honey	T	0.0v	43.1v	45.3v	42.1v	46.4v	43.3v	0.0v	43.2v	64.2v	70.4v	0.0v	44.2v	45.2v	485.24v
517	Mr N Stebbings	O	0.0v	45.2v	44.2v	48.1v	45.3v	46.2v	0.0v	47.2v	66.2v	66.7v	0.0v	42.1v	36.0v	485.22v
518	Mr M Raps	O	0.0v	47.3v	44.3v	45.2v	45.3v	45.2v	0.0v	35.1v	69.4v	70.4v	0.0v	40.2v	44.2v	484.26v
519	Mr DJH Birrell	O	0.0v	46.5v	46.2v	42.3v	48.3v	43.2v	0.0v	43.0v	72.5v	66.4v	0.0v	36.0v	42.1v	484.25v
520	Ms BM Moore	O	0.0v	48.3v	42.2v	44.1v	46.3v	33.2v	0.0v	46.4v	70.3v	70.3v	0.0v	46.2v	39.1v	484.24v
521	Miss LKJ Leung	T	0.0v	44.1v	41.2v	46.1v	46.4v	44.3v	0.0v	41.2v	67.3v	69.6v	0.0v	46.1v	40.0v	484.23v
522	Mr NR Lewington	T	0.0v	45.3v	45.2v	44.4v	45.6v	44.4v	0.0v	45.5v	61.2v	67.4v	0.0v	43.3v	44.2v	483.35v
523	Cdt LCpl AM Moldoveanu	O	0.0v	46.1v	43.3v	42.1v	47.5v	46.3v	0.0v	41.2v	68.4v	68.3v	0.0v	42.2v	40.3v	483.27v
524	Cdt Sgt JJ Weir	T	0.0v	46.2v	44.1v	44.2v	46.2v	42.1v	0.0v	44.3v	70.3v	71.5v	0.0v	42.3v	34.0v	483.22v
525	Miss MJB Beaton-Jaramillo	X	0.0v	48.3v	44.2v	41.3v	47.4v	44.2v	0.0v	45.5v	74.9v	65.4v	0.0v	47.5v	27.2v	482.39v
526	Dr NAD Pasternak-Albert	T	0.0v	44.1v	43.4v	42.3v	45.5v	45.3v	0.0v	46.3v	74.7v	61.0v	0.0v	43.2v	39.2v	482.30v
527	Mr RF Burden	O	0.0v	46.5v	45.0v	48.2v	46.4v	42.0v	0.0v	44.3v	65.6v	63.2v	0.0v	44.3v	39.1v	482.26v
528	Miss NE Barnes	O	0.0v	44.2v	46.2v	41.2v	42.3v	46.1v	0.0v	46.5v	66.4v	72.4v	0.0v	40.1v	39.2v	482.26v
529	Mr BJ Hunt	A	0.0v	45.0v	46.2v	45.3v	44.2v	45.3v	0.0v	43.3v	67.5v	70.5v	0.0v	38.1v	39.2v	482.26v
530	Mr T Phillimore	T	0.0v	49.8v	41.3v	42.2v	46.5v	46.4v	0.0v	37.0v	70.8v	65.1v	0.0v	47.5v	38.1v	481.37v
531	Dr CW Freeman	O	0.0v	46.4v	47.5v	37.0v	46.2v	42.3v	0.0v	45.2v	66.7v	68.7v	0.0v	42.1v	42.2v	481.33v
532	Mr ACM White	T	0.0v	48.4v	42.1v	42.1v	43.0v	43.0v	0.0v	47.4v	64.6v	67.2v	0.0v	45.1v	40.0v	481.19v
533	Mr AF Jenvey	O	0.0v	45.2v	46.2v	44.3v	44.4v	45.3v	0.0v	44.1v	69.4v	65.5v	0.0v	40.0v	38.2v	480.26v
534	Mr ACG Gauci	T	0.0v	45.2v	43.2v	46.2v	45.3v	44.1v	0.0v	43.0v	68.5v	60.0v	0.0v	43.1v	43.0v	480.16v
535	Mr WP Cubitt	O	0.0v	46.4v	46.2v	46.3v	43.3v	46.3v	0.0v	47.5v	48.5v	71.2v	0.0v	42.2v	44.2v	479.31v
536	Mr J Tsai	T	0.0v	47.6v	43.1v	45.3v	44.2v	46.1v	0.0v	44.2v	72.8v	62.4v	0.0v	46.2v	30.1v	479.30v
537	Mr KG Gladding	O	0.0v	48.5v	44.2v	44.3v	47.5v	43.2v	0.0v	41.1v	64.2v	63.4v	0.0v	42.4v	43.1v	479.29v
538	Mr P Waldron	O	0.0v	44.3v	44.3v	43.2v	47.5v	45.2v	0.0v	45.3v	59.2v	66.1v	0.0v	42.2v	44.1v	479.24v
539	Mr M Liversage	X	0.0v	45.3v	49.5v	48.5v	44.1v	48.6v	0.0v	45.4v	43.9v	72.5v	0.0v	44.5v	40.2v	478.45v
540	Mr BJ Morris	T	0.0v	46.4v	44.2v	43.3v	44.2v	46.2v	0.0v	43.1v	68.6v	71.5v	0.0v	31.1v	42.2v	478.28v
541	Mr DP Chalmers	T	0.0v	46.2v	44.3v	46.2v	43.4v	43.1v	0.0v	48.4v	59.3v	69.5v	0.0v	43.1v	37.2v	478.27v
542	Mr J Shanks	O	0.0v	46.4v	45.2v	43.1v	46.2v	43.2v	0.0v	45.2v	66.4v	65.3v	0.0v	44.3v	35.1v	478.24v
543	Mr J Huber	O	0.0v	49.4v	46.2v	42.1v	47.2v	44.2v	0.0v	37.1v	65.4v	69.4v	0.0v	36.0v	43.2v	478.22v
544	Mr SJ Bissonnette	X	0.0v	49.3v	42.6v	47.2v	47.2v	45.3v	0.0v	47.4v	47.1v	65.5v	0.0v	45.1v	43.4v	477.31v
545	Dr NP Tucker	O	0.0v	47.6v	46.3v	43.1v	44.2v	48.6v	0.0v	40.1v	68.6v	66.3v	0.0v	39.0v	36.3v	477.31v
546	Dr EL Sweet	O	0.0v	38.1v	47.2v	46.2v	46.5v	42.1v	0.0v	45.2v	68.4v	67.3v	0.0v	44.3v	34.1v	477.24v
547	Cdt AMJ Jones	T	0.0v	46.2v	44.3v	43.2v	43.3v	45.2v	0.0v	46.2v	66.3v	68.6v	0.0v	40.1v	35.1v	476.25v
548	Mrs DE Curtis	O	0.0v	41.0v	38.0v	43.1v	47.4v	46.2v	0.0v	42.4v	70.6v	64.1v	0.0v	43.3v	42.2v	476.23v
549	Mr O Polat	T	0.0v	43.1v	45.2v	44.0v	39.1v	46.2v	0.0v	39.0v	67.6v	70.4v	0.0v	45.2v	38.2v	476.20v
550	Miss JL Williams	T	0.0v	45.3v	44.1v	41.1v	43.4v	46.2v	0.0v	48.5v	70.6v	66.6v	0.0v	44.4v	28.0v	475.32v
551	Mr SJ Bates	O	0.0v	43.2v	48.4v	44.5v	44.4v	43.0v	0.0v	44.2v	63.3v	68.5v	0.0v	38.1v	40.2v	475.28v
552	Mr RM Smith	T	0.0v	45.2v	47.4v	43.1v	46.3v	43.2v	0.0v	43.2v	59.2v	71.5v	0.0v	40.0v	38.1v	475.22v
553	Mr DG Couch	O	0.0v	45.4v	44.4v	44.2v	42.1v	42.1v	0.0v	40.1v	69.4v	64.1v	0.0v	48.3v	37.0v	475.21v
554	Mr BD Scott Langley	T	0.0v	40.0v	41.1v	43.2v	45.4v	48.6v	0.0v	37.0v	68.5v	68.1v	0.0v	42.1v	43.0v	475.20v
555	Mr JAM Paton	X	0.0v	48.5v	48.4v	47.5v	49.5v	49.6v	0.0v	46.4v	72.6v	68.6v	0.0v	47.2v	0.0v	474.43v
556	Cdt MS Griesemann	T	0.0v	44.1v	43.2v	46.3v	45.1v	46.3v	0.0v	42.2v	73.8v	67.3v	0.0v	44.3v	24.1v	474.27v
557	Mr GJ Lake Coghlan	T	0.0v	43.0v	46.3v	47.4v	46.6v	45.3v	0.0v	36.0v	56.1v	70.3v	0.0v	41.2v	44.3v	474.25v
558	Mr RK Sheead	O	0.0v	50.2v	42.1v	49.6v	44.3v	39.0v	0.0v	40.3v	66.1v	59.3v	0.0v	44.2v	41.2v	474.23v
559	Mr ML Kirkillo-Stacewicz	O	0.0v	41.0v	47.6v	45.3v	46.4v	48.1v	0.0v	41.5v	60.1v	69.6v	0.0v	45.3v	31.2v	473.31v
560	Ms N Tercjak	T	0.0v	48.5v	42.2v	42.3v	45.3v	44.1v	0.0v	46.5v	66.4v	64.3v	0.0v	36.2v	40.1v	473.29v
561	Mr AC Cui	T	0.0v	46.1v	41.3v	39.1v	44.3v	46.5v	0.0v	43.3v	72.5v	70.4v	0.0v	29.1v	43.2v	473.28v
562	Mr AJT Key	T	0.0v	42.4v	43.1v	38.0v	43.3v	39.2v	0.0v	46.2v	71.6v	70.5v	0.0v	45.3v	36.1v	473.27v
563	Miss SL Josling	T	0.0v	47.4v	36.1v	46.3v	41.1v	48.5v	0.0v	43.2v	70.4v	61.4v	0.0v	37.1v	44.2v	473.27v
564	Dr N Hart	O	0.0v	45.0v	44.3v	47.5v	41.1v	46.4v	0.0v	43.3v	66.5v	59.1v	0.0v	46.3v	36.0v	473.25v
565	Mr LR Hinkly	T	0.0v	42.0v	35.1v	44.3v	46.4v	46.4v	0.0v	44.1v	68.4v	70.5v	0.0v	38.0v	40.1v	473.23v
566	Mr GW Holliday	T	0.0v	46.1v	49.3v	42.2v	50.8v	49.8v	0.0v	50.3v	70.6v	72.6v	0.0v	0.0v	44.4v	472.41v
567	Miss A B Dorey	T	0.0v	42.1v	44.4v	43.0v	49.8v	42.3v	0.0v	39.3v	67.5v	63.4v	0.0v	49.5v	34.0v	472.33v
568	Mr WJM Bacon	T	0.0v	48.4v	46.3v	42.2v	48.2v	44.1v	0.0v	31.0v	65.6v	64.3v	0.0v	44.3v	40.1v	472.25v
569	Mr CK Saina	A	0.0v	48.4v	50.3v	45.3v	42.4v	0.0v	0.0v	47.4v	73.8v	74.11v	0.0v	47.3v	45.3v	471.43v
570	Mr HB Bull	O	0.0v	47.2v	43.2v	33.2v	47.4v	45.3v	0.0v	43.3v	65.3v	70.5v	0.0v	35.2v	43.3v	471.29v
571	Mr OJ Christy	T	0.0v	45.2v	38.3v	38.1v	45.3v	47.3v	0.0v	31.0v	70.6v	70.5v	0.0v	48.4v	39.1v	471.28v

572	Mr EJ Harriss	O	0.0v	44.2v	43.3v	42.2v	43.1v	44.1v	0.0v	42.1v	66.2v	66.9v	0.0v	46.2v	35.1v	471.24v
573	Mr A Wild	T	0.0v	46.2v	44.4v	43.2v	41.2v	42.1v	0.0v	46.2v	66.4v	66.3v	0.0v	35.1v	42.2v	471.23v
574	Mr SE Watson	T	0.0v	40.2v	48.4v	43.2v	47.4v	45.0v	0.0v	44.2v	71.5v	49.7v	0.0v	44.3v	39.1v	470.30v
575	Miss MK Lucas	T	0.0v	43.2v	45.4v	44.3v	45.2v	43.1v	0.0v	45.4v	68.6v	63.4v	0.0v	37.0v	36.1v	469.27v
576	Mr HP Noss	O	0.0v	47.3v	45.2v	46.2v	45.3v	44.1v	0.0v	42.2v	69.5v	61.3v	0.0v	47.3v	23.1v	469.25v
577	Mr J Cheetham	T	0.0v	44.1v	46.6v	44.2v	48.4v	44.3v	0.0v	40.1v	69.4v	62.3v	0.0v	38.0v	34.0v	469.24v
578	Cdt LCpl S Hall	T	0.0v	46.3v	40.2v	42.1v	44.1v	44.1v	0.0v	38.2v	67.6v	66.5v	0.0v	45.4v	35.1v	467.26v
579	Cdt GJ Baker	T	0.0v	44.4v	46.1v	41.1v	47.2v	44.2v	0.0v	41.2v	60.1v	65.4v	0.0v	43.3v	36.0v	467.20v
580	Mr R Bird	O	0.0v	46.2v	49.3v	46.4v	48.6v	42.2v	0.0v	48.4v	72.9v	69.4v	0.0v	46.6v	0.0v	466.40v
581	Mr A Rieger	O	0.0v	47.3v	48.3v	0.0v	48.4v	46.6v	0.0v	48.6v	75.9v	71.5v	0.0v	43.1v	40.1v	466.38v
582	Mr J Nicholas	T	0.0v	47.6v	42.3v	45.1v	46.3v	45.3v	0.0v	42.2v	65.5v	65.3v	0.0v	45.3v	24.0v	466.29v
583	Mr A P Clark	T	0.0v	41.2v	44.2v	39.2v	43.1v	40.2v	0.0v	41.2v	69.5v	63.2v	0.0v	41.0v	45.5v	466.23v
584	Mr D Wild	T	0.0v	42.2v	44.0v	36.0v	47.2v	47.5v	0.0v	36.0v	73.7v	61.2v	0.0v	41.3v	39.1v	466.22v
585	Mr RP Snaith	T	0.0v	46.2v	44.1v	44.0v	46.4v	44.3v	0.0v	43.1v	67.3v	53.3v	0.0v	43.1v	36.2v	466.20v
586	Mr SD Spinney	X	0.0v	45.2v	49.5v	46.4v	46.3v	42.4v	0.0v	45.3v	73.5v	70.3v	0.0v	8.0v	41.4v	465.33v
587	Mr U Soelzer	O	0.0v	48.4v	42.0v	32.1v	42.3v	44.3v	0.0v	41.1v	68.3v	67.3v	0.0v	37.0v	44.4v	465.22v
588	Mr OS Parkins	T	0.0v	41.1v	43.1v	46.3v	44.2v	44.2v	0.0v	34.0v	64.4v	69.3v	0.0v	41.2v	39.0v	465.18v
589	Mr PL Green	T	0.0v	43.1v	41.1v	44.0v	40.0v	41.1v	0.0v	45.3v	65.4v	69.6v	0.0v	38.0v	39.2v	465.18v
590	Mr G Kendall	T	0.0v	45.2v	45.0v	44.2v	45.1v	42.1v	0.0v	38.1v	63.1v	65.1v	0.0v	43.3v	35.1v	465.13v
591	Mr SF Oldridge	T	0.0v	46.3v	45.4v	46.4v	46.4v	0.0v	0.0v	43.2v	73.8v	69.6v	0.0v	47.5v	49.3v	464.39v
592	Cdt Sgt EC Wang	T	0.0v	45.3v	45.2v	30.2v	46.2v	45.4v	0.0v	43.2v	65.2v	65.4v	0.0v	39.1v	41.3v	464.25v
593	Cdt AJD Germain	T	0.0v	45.3v	37.1v	46.2v	42.2v	42.0v	0.0v	43.1v	66.3v	67.6v	0.0v	45.2v	31.0v	464.20v
594	Mr LA Lawrence	T	0.0v	43.1v	45.2v	45.2v	42.1v	42.0v	0.0v	43.3v	62.2v	67.3v	0.0v	38.2v	37.1v	464.17v
595	Mr MHN Palmer	O	0.0v	46.3v	47.5v	48.4v	48.3v	43.4v	0.0v	39.0v	66.2v	65.3v	0.0v	38.2v	23.0v	463.26v
596	Lt Col TH Emck	O	0.0v	47.2v	38.1v	44.3v	43.1v	42.0v	0.0v	43.3v	59.2v	69.5v	0.0v	37.1v	41.3v	463.21v
597	Mr M Saberton	T	0.0v	44.1v	45.2v	43.1v	42.1v	37.0v	0.0v	46.4v	63.4v	64.1v	0.0v	45.4v	33.1v	462.19v
598	Dr G Stevenson	O	0.0v	44.4v	42.1v	37.1v	41.3v	42.2v	0.0v	40.1v	65.4v	64.2v	0.0v	43.4v	41.1v	459.23v
599	Mr PV Viney	T	0.0v	41.1v	40.1v	44.2v	41.2v	47.5v	0.0v	38.0v	59.1v	68.5v	0.0v	37.1v	44.3v	459.21v
600	Mr GR Thomas	O	0.0v	44.2v	47.4v	44.3v	45.2v	46.4v	0.0v	45.5v	67.6v	70.5v	0.0v	42.2v	8.0v	458.33v
601	Mr PG Kelly	O	0.0v	48.7v	46.3v	45.1v	46.2v	46.2v	0.0v	0.0v	70.5v	66.5v	0.0v	46.1v	45.4v	458.30v
602	Cpl L Hetherington	T	0.0v	46.3v	45.2v	38.2v	41.3v	43.0v	0.0v	32.2v	68.6v	63.3v	0.0v	44.2v	38.0v	458.23v
603	Mr CA Shelley	T	0.0v	46.2v	42.0v	43.2v	41.3v	41.3v	0.0v	37.1v	68.4v	63.4v	0.0v	41.0v	35.1v	457.20v
604	Mr CSTJ Marlow	O	0.0v	39.0v	42.2v	45.3v	44.0v	41.0v	0.0v	43.1v	66.3v	68.3v	0.0v	35.0v	34.2v	457.14v
605	Miss RL Millar	T	0.0v	43.0v	42.1v	43.2v	38.0v	42.1v	0.0v	38.0v	64.2v	67.4v	0.0v	44.3v	36.0v	457.13v
606	Mr AJD Saunders	O	0.0v	43.1v	47.3v	43.2v	46.3v	38.0v	0.0v	37.1v	65.2v	65.2v	0.0v	35.2v	37.1v	456.17v
607	Mr SE Cherry	O	0.0v	42.0v	41.2v	47.5v	43.2v	46.0v	0.0v	45.4v	51.1v	59.2v	0.0v	44.2v	37.1v	455.19v
608	Mr Y Sakakibara	X	0.0v	43.3v	42.2v	41.2v	45.4v	40.0v	0.0v	40.3v	66.4v	68.3v	0.0v	35.0v	32.1v	452.22v
609	Miss S Frost	T	0.0v	36.0v	41.1v	41.3v	44.2v	42.1v	0.0v	46.2v	61.2v	62.2v	0.0v	41.2v	38.0v	452.15v
610	Mr S Emongor	T	0.0v	41.1v	44.2v	49.6v	0.0v	46.1v	0.0v	44.2v	70.8v	69.4v	0.0v	45.3v	43.2v	451.29v
611	Miss JS Shen	T	0.0v	44.2v	44.3v	44.3v	43.2v	46.3v	0.0v	30.0v	60.2v	56.1v	0.0v	42.2v	42.1v	451.19v
612	Mr HM Dodds	T	0.0v	44.2v	40.2v	39.0v	39.1v	43.3v	0.0v	40.3v	64.2v	70.4v	0.0v	36.0v	35.0v	450.17v
613	Mr SH Dickson	O	0.0v	46.1v	45.2v	47.5v	0.0v	45.3v	0.0v	47.4v	71.8v	68.6v	0.0v	45.3v	35.1v	449.33v
614	Mr CG Costello	T	0.0v	43.3v	40.3v	31.0v	44.3v	44.3v	0.0v	38.0v	62.3v	71.6v	0.0v	33.0v	43.2v	449.23v
615	Miss CL Wiseman	T	0.0v	45.3v	44.2v	50.7v	42.2v	0.0v	0.0v	45.4v	70.4v	68.5v	0.0v	44.3v	40.1v	448.31v
616	Miss CA Mills	T	0.0v	46.4v	47.3v	43.2v	46.1v	44.3v	0.0v	41.1v	70.7v	67.6v	0.0v	43.2v	0.0v	447.29v
617	Dr T Pantke	O	0.0v	46.4v	45.3v	44.3v	46.4v	45.1v	0.0v	41.3v	68.3v	68.5v	0.0v	0.0v	42.4v	445.30v
618	Miss A Fung	T	0.0v	43.1v	45.2v	42.2v	47.3v	44.3v	0.0v	41.1v	68.5v	69.5v	0.0v	45.4v	0.0v	444.26v
619	Cdt TLM Flanagan	T	0.0v	44.2v	42.2v	33.1v	42.1v	45.3v	0.0v	34.1v	69.6v	70.5v	0.0v	43.1v	22.0v	444.22v
620	Mr A Kauderer	T	0.0v	45.4v	45.4v	36.3v	43.1v	44.2v	0.0v	40.1v	74.11v	67.5v	0.0v	35.7v	14.0v	443.38v
621	Mr H Hamlyn	T	0.0v	46.2v	43.3v	0.0v	43.1v	42.2v	0.0v	44.3v	72.4v	67.2v	0.0v	45.4v	41.2v	443.23v
622	Mr FJA Robson	A	0.0v	42.1v	45.4v	0.0v	47.3v	47.4v	0.0v	45.3v	71.6v	68.7v	0.0v	43.2v	34.2v	442.32v
623	LCpl HABC Cardozo	T	0.0v	37.2v	40.2v	44.2v	45.1v	39.3v	0.0v	40.1v	53.1v	64.3v	0.0v	36.0v	40.3v	438.18v
624	Mr T Ishikawa	T	0.0v	46.2v	39.1v	35.2v	45.2v	42.1v	0.0v	40.0v	57.2v	57.3v	0.0v	42.2v	34.6v	437.21v
625	Mr TFJ McDowell	T	0.0v	42.0v	41.1v	43.1v	40.2v	40.2v	0.0v	46.4v	50.1v	70.2v	0.0v	44.2v	21.0v	437.15v
626	Mr OMJ Taylor	T	0.0v	46.3v	42.1v	46.4v	44.2v	47.3v	0.0v	38.0v	60.1v	67.7v	0.0v	44.2v	0.0v	434.23v
627	Cdt SF Farrow	T	0.0v	41.1v	45.4v	43.1v	45.2v	42.1v	0.0v	35.3v	62.5v	61.3v	0.0v	41.1v	18.1v	433.22v
628	Miss GC McCaig	T	0.0v	44.2v	45.2v	41.2v	41.3v	44.3v	0.0v	10.0v	64.4v	69.6v	0.0v	36.0v	38.2v	432.24v
629	Cpl K Thomas	T	0.0v	45.2v	45.2v	41.2v	43.1v	43.2v	0.0v	34.1v	64.2v	61.1v	0.0v	20.0v	32.1v	428.14v
630	Mr DJ Meakings-Clark	T	0.0v	48.4v	41.0v	47.2v	43.4v	41.3v	0.0v	0.0v	63.3v	65.4v	0.0v	40.3v	39.2v	427.25v
631	Mr W Viney	T	0.0v	45.3v	46.3v	31.1v	37.1v	41.2v	0.0v	36.0v	61.4v	66.4v	0.0v	33.1v	31.0v	427.19v

