

## NRA 154th Imperial Meeting

### Grand Aggregate (as at Wednesday, 19th July 2023)

		DT	DM	Alex	DC	Times	Wimb	Doyle	Dgall	St. G.	PoW	King's	Lovell	Corp	Total
1 Mr SM Negus	X	0.0v	49.7v	48.4v	50.6v	49.7v	50.8v	0.0v	49.5v	75.10v	74.10v	105.10v	49.3v	45.5v	643.75v
2 Mr MJ Bailey	X	0.0v	49.7v	49.4v	49.2v	50.7v	49.4v	0.0v	48.4v	75.13v	72.3v	105.14v	44.5v	49.7v	639.70v
3 Mr JP Bailey	X	0.0v	49.6v	49.4v	50.7v	50.6v	47.2v	0.0v	49.7v	74.8v	72.8v	104.12v	46.2v	48.5v	638.67v
4 Mr JC Jonck	X	0.0v	48.4v	49.4v	49.4v	49.4v	49.7v	0.0v	48.5v	75.11v	75.11v	103.12v	46.3v	47.2v	638.67v
5 Mr WJD Broad	A	0.0v	48.4v	49.5v	49.3v	50.6v	50.5v	0.0v	50.6v	75.14v	72.6v	103.15v	48.4v	43.2v	637.70v
6 Mr MC Cooper	X	0.0v	48.5v	48.3v	48.4v	49.6v	50.8v	0.0v	46.3v	75.6v	75.7v	103.14v	48.5v	47.2v	637.63v
7 Mr J Corbett	X	0.0v	49.4v	50.4v	49.7v	50.7v	49.6v	0.0v	49.4v	75.9v	74.10v	99.9v	47.2v	45.4v	636.66v
8 Mr MJ Ensor	X	0.0v	48.5v	48.6v	49.4v	49.8v	49.6v	0.0v	49.2v	74.13v	72.6v	105.15v	47.6v	45.3v	635.74v
9 Miss JM Hince	X	0.0v	48.5v	49.6v	48.4v	50.4v	48.6v	0.0v	48.3v	75.13v	71.7v	104.12v	48.5v	46.6v	635.71v
10 Mr A Ringer	X	0.0v	49.3v	49.5v	50.9v	47.4v	48.6v	0.0v	49.7v	73.7v	72.9v	102.12v	50.6v	46.2v	635.70v
11 Mr FWA Coetzee	X	0.0v	48.3v	49.6v	49.7v	50.6v	49.7v	0.0v	50.7v	74.10v	74.8v	101.8v	45.4v	45.1v	634.67v
12 Mr DR Le Quesne	A	0.0v	49.7v	49.6v	47.4v	50.8v	49.3v	0.0v	45.2v	74.7v	73.7v	105.15v	47.4v	46.3v	634.66v
13 Mr PM Patel	X	0.0v	48.4v	50.6v	47.4v	50.6v	50.6v	0.0v	48.3v	74.8v	70.5v	102.9v	48.6v	47.5v	634.62v
14 Mr JEM Bellringer	X	0.0v	44.0v	49.5v	49.5v	50.6v	50.4v	0.0v	49.4v	75.6v	74.8v	102.11v	47.5v	45.3v	634.57v
15 Mr MRM Millar	X	0.0v	50.8v	47.3v	49.5v	49.5v	48.5v	0.0v	50.10v	74.11v	74.12v	104.14v	46.3v	42.1v	633.77v
16 Mr RSF Shouler	X	0.0v	48.4v	50.8v	48.6v	46.3v	50.7v	0.0v	50.8v	74.12v	73.7v	103.14v	46.3v	45.1v	633.73v
17 Mrs DE Negus	X	0.0v	49.6v	48.7v	49.6v	49.4v	48.5v	0.0v	49.5v	74.10v	75.12v	102.8v	45.4v	45.3v	633.70v
18 Mr RW Sandlant	X	0.0v	47.4v	47.4v	48.2v	49.8v	48.4v	0.0v	50.6v	75.11v	73.9v	101.10v	49.6v	46.4v	633.68v
19 Mr D Blake	X	0.0v	49.6v	46.3v	49.3v	49.6v	46.4v	0.0v	48.6v	74.11v	72.5v	103.15v	50.5v	47.3v	633.67v
20 Mr PD Sykes	X	0.0v	47.7v	48.3v	48.4v	49.4v	49.6v	0.0v	49.4v	74.9v	73.9v	102.11v	47.3v	47.3v	633.63v
21 Capt RCG Knight	O	0.0v	48.6v	47.3v	50.4v	49.6v	47.3v	0.0v	48.4v	75.8v	71.8v	102.14v	49.4v	47.1v	633.61v
22 Mr KWD Ramsey	X	0.0v	48.5v	46.4v	49.5v	49.7v	48.5v	0.0v	48.5v	75.10v	75.11v	103.10v	43.1v	48.6v	632.69v
23 Mr PB Bromley	A	0.0v	50.7v	46.4v	49.5v	49.7v	48.4v	0.0v	50.7v	75.11v	73.8v	103.10v	45.4v	44.2v	632.69v
24 Mr WCP Richards	A	0.0v	50.5v	47.4v	50.4v	49.5v	49.4v	0.0v	49.4v	73.10v	73.6v	102.11v	49.1v	41.1v	632.55v
25 Mr DC Luckman	X	0.0v	50.6v	50.8v	45.4v	50.8v	50.8v	0.0v	47.4v	72.11v	72.10v	105.16v	45.3v	45.2v	631.80v
26 Mr JM Di Bona	X	0.0v	47.3v	49.5v	45.2v	48.3v	49.6v	0.0v	47.4v	75.10v	74.11v	104.16v	45.6v	48.4v	631.70v
27 Mr JR Tuck	X	0.0v	48.3v	47.5v	45.3v	48.6v	47.5v	0.0v	50.8v	74.8v	74.10v	103.12v	47.4v	48.5v	631.69v
28 Mr CES Dickenson	X	0.0v	49.5v	47.4v	47.4v	50.7v	47.3v	0.0v	49.7v	74.9v	72.10v	102.11v	48.4v	46.2v	631.66v
29 Mr CJ Mitchell	X	0.0v	47.3v	48.4v	49.7v	50.7v	48.5v	0.0v	47.2v	74.7v	74.9v	102.11v	48.5v	44.2v	631.62v
30 Gp Capt WD Cooper	X	0.0v	49.2v	49.6v	49.6v	49.9v	48.5v	0.0v	49.6v	74.9v	72.6v	101.10v	47.5v	43.3v	630.67v
31 Mr JC Underwood	X	0.0v	47.1v	49.6v	49.7v	49.4v	50.8v	0.0v	50.4v	73.9v	74.11v	100.11v	45.0v	44.1v	630.62v
32 Miss C Halleran	A	0.0v	46.0v	46.2v	50.4v	49.2v	49.6v	0.0v	49.7v	72.7v	70.7v	104.14v	49.5v	46.3v	630.57v
33 Mr LVG OFlynn	X	0.0v	47.6v	49.5v	50.6v	50.7v	49.7v	0.0v	49.4v	73.11v	73.8v	101.9v	47.7v	41.3v	629.73v
34 Mr AD Le Cheminant	A	0.0v	47.4v	47.4v	47.2v	49.7v	47.4v	0.0v	47.6v	75.12v	74.10v	101.10v	48.4v	47.6v	629.69v
35 Prof PJ Chapman-Sheath	A	0.0v	49.7v	49.5v	47.3v	48.4v	49.7v	0.0v	48.8v	73.7v	74.10v	102.11v	47.1v	43.5v	629.68v
36 Dr JDS Langley	A	0.0v	50.4v	48.4v	48.6v	49.5v	46.3v	0.0v	47.6v	75.9v	71.5v	103.15v	47.5v	45.5v	629.67v
37 Mr SP Harding	A	0.0v	46.5v	48.6v	47.3v	50.3v	50.7v	0.0v	49.3v	72.7v	75.11v	103.11v	44.2v	45.6v	629.64v
38 Mr LS Otundo	O	0.0v	50.7v	47.4v	47.4v	49.3v	49.5v	0.0v	46.4v	75.9v	74.6v	99.7v	47.2v	46.4v	629.55v
39 Capt NJ Ball	X	0.0v	48.6v	47.3v	48.4v	48.7v	49.4v	0.0v	47.3v	75.11v	71.4v	101.11v	48.5v	46.7v	628.65v
40 Mr ML Millar	X	0.0v	49.6v	49.6v	44.4v	47.4v	50.4v	0.0v	47.4v	75.9v	74.10v	100.11v	47.5v	46.2v	628.65v
41 Mr JD Warburton	X	0.0v	50.6v	47.4v	49.6v	48.5v	49.5v	0.0v	48.4v	74.10v	74.9v	99.10v	47.3v	43.3v	628.65v
42 Dr GP Nelson	X	0.0v	49.4v	49.9v	49.5v	47.2v	48.5v	0.0v	48.5v	75.11v	70.6v	102.12v	45.2v	46.2v	628.63v
43 Mr CK Kiptarus	A	0.0v	49.4v	48.7v	47.1v	50.9v	50.4v	0.0v	48.3v	72.8v	74.8v	98.9v	48.4v	44.4v	628.61v

44	Mr DE Nuthall	A	0.0v	47.4v	48.6v	49.7v	49.3v	48.5v	0.0v	48.4v	73.7v	74.7v	103.14v	46.2v	43.2v	628.61v
45	Mr JW Alexander	X	0.0v	47.4v	47.5v	46.1v	50.4v	49.6v	0.0v	46.3v	74.8v	71.7v	104.14v	47.4v	47.4v	628.60v
46	Miss LI Brindley	A	0.0v	46.3v	49.4v	49.5v	48.5v	46.4v	0.0v	47.3v	73.9v	74.6v	99.9v	50.6v	47.5v	628.59v
47	Mr DA Brewster	X	0.0v	47.5v	49.4v	43.3v	50.7v	49.7v	0.0v	49.5v	71.9v	72.10v	103.12v	49.5v	45.6v	627.73v
48	Mr PJR Holden	X	0.0v	47.4v	50.7v	48.6v	49.5v	50.9v	0.0v	47.4v	73.9v	72.9v	102.11v	46.3v	43.3v	627.70v
49	Mr TP Shaw	X	0.0v	47.5v	47.4v	46.2v	50.8v	49.5v	0.0v	50.8v	72.10v	73.8v	101.12v	49.5v	43.2v	627.69v
50	Mr DA Rose	X	0.0v	48.3v	47.4v	47.3v	46.6v	50.7v	0.0v	45.3v	75.10v	73.8v	104.13v	45.3v	47.7v	627.67v
51	Miss AP Good	X	0.0v	49.5v	47.3v	48.7v	50.6v	49.8v	0.0v	49.5v	72.6v	70.7v	100.8v	49.7v	44.3v	627.65v
52	Mr MCJ Button	X	0.0v	48.3v	46.5v	44.0v	47.6v	48.6v	0.0v	49.9v	74.7v	73.9v	102.9v	48.5v	48.5v	627.64v
53	Miss JH Messer	X	0.0v	46.4v	48.5v	47.3v	50.6v	49.8v	0.0v	46.4v	73.10v	72.4v	102.10v	47.3v	47.7v	627.64v
54	Mr OEJ Spencer	X	0.0v	49.4v	47.3v	50.7v	50.8v	46.3v	0.0v	50.4v	74.12v	72.7v	100.9v	45.3v	44.2v	627.62v
55	Miss KEF Farley	T	0.0v	50.7v	45.3v	49.8v	49.3v	50.6v	0.0v	48.2v	70.7v	74.10v	102.9v	46.3v	44.2v	627.60v
56	Mr RM Hatcher	X	0.0v	48.2v	47.3v	46.5v	49.7v	49.6v	0.0v	47.4v	72.7v	73.6v	103.12v	46.3v	47.4v	627.59v
57	Mr B Bullock	X	0.0v	48.6v	49.5v	48.6v	50.5v	48.7v	0.0v	47.5v	72.7v	71.5v	102.8v	47.3v	45.2v	627.59v
58	Mr SA Thomas	X	0.0v	50.8v	43.4v	49.6v	49.7v	46.4v	0.0v	47.2v	73.7v	72.7v	104.6v	50.6v	44.1v	627.58v
59	Mr C Fitzpatrick	A	0.0v	47.0v	50.6v	47.3v	49.6v	48.3v	0.0v	47.4v	74.10v	74.9v	100.7v	46.2v	45.4v	627.54v
60	Mr TJD Raincock	X	0.0v	49.6v	46.2v	48.5v	48.4v	48.7v	0.0v	48.5v	73.10v	73.7v	102.15v	44.1v	47.4v	626.66v
61	Mr TL Bedwell	A	0.0v	45.5v	48.4v	47.2v	49.6v	48.6v	0.0v	46.4v	75.10v	73.10v	103.11v	47.3v	45.3v	626.64v
62	Mr M Horsnell	X	0.0v	46.3v	50.4v	50.6v	49.5v	48.6v	0.0v	48.6v	73.10v	71.6v	99.10v	48.4v	44.3v	626.63v
63	Mr GE Grosskreutz	A	0.0v	49.4v	49.7v	46.3v	50.5v	46.6v	0.0v	49.5v	74.10v	75.9v	99.7v	45.3v	44.2v	626.61v
64	Ms RL Furniss	X	0.0v	50.6v	46.3v	47.3v	48.6v	48.5v	0.0v	50.5v	73.11v	73.5v	99.9v	49.4v	43.1v	626.58v
65	Mr RJ Lygoe	X	0.0v	47.5v	48.4v	47.2v	49.3v	50.7v	0.0v	44.2v	75.8v	74.11v	103.12v	47.2v	42.1v	626.57v
66	Cpl JH Keates	X	0.0v	49.5v	47.0v	46.3v	49.4v	49.7v	0.0v	49.6v	73.8v	72.6v	102.7v	48.7v	42.3v	626.56v
67	Mr AC Morley	A	0.0v	49.4v	47.3v	47.4v	49.3v	48.2v	0.0v	47.3v	75.9v	71.7v	101.12v	47.3v	45.3v	626.53v
68	Mr R Oxford	X	0.0v	46.3v	50.5v	49.6v	50.8v	50.7v	0.0v	47.4v	74.12v	74.7v	97.8v	46.2v	42.3v	625.65v
69	Dr MW Wrigley	O	0.0v	47.2v	49.7v	49.5v	49.6v	49.7v	0.0v	46.2v	74.9v	72.9v	102.12v	46.2v	42.3v	625.64v
70	Mr JGM Webster	X	0.0v	48.6v	46.3v	47.3v	49.5v	49.6v	0.0v	44.4v	73.6v	74.9v	102.13v	47.4v	46.4v	625.63v
71	Dr AM Jory	X	0.0v	46.3v	48.3v	46.3v	50.5v	47.3v	0.0v	49.6v	74.9v	72.10v	103.10v	45.3v	45.5v	625.60v
72	Miss RL Laird	A	0.0v	49.5v	50.5v	48.4v	49.4v	47.5v	0.0v	48.5v	75.9v	74.9v	99.11v	42.2v	44.1v	625.60v
73	Mrs HA Cook	X	0.0v	48.5v	44.3v	48.6v	48.6v	46.4v	0.0v	47.4v	73.7v	73.5v	104.9v	48.6v	46.4v	625.59v
74	Capt M Purdy	X	0.0v	47.5v	48.4v	48.6v	48.4v	50.6v	0.0v	44.2v	74.10v	72.5v	103.11v	47.4v	44.2v	625.59v
75	Mr LA Reid	O	0.0v	46.3v	48.6v	49.5v	50.6v	47.2v	0.0v	47.2v	74.7v	71.7v	100.10v	50.7v	43.1v	625.56v
76	Mr AD Hunter	X	0.0v	46.4v	48.4v	50.7v	50.6v	48.5v	0.0v	47.4v	73.3v	72.7v	102.12v	44.2v	45.2v	625.56v
77	Mr ORW Russell	A	0.0v	46.4v	46.4v	47.2v	50.7v	46.3v	0.0v	47.4v	73.9v	72.2v	103.11v	48.5v	47.2v	625.53v
78	Mr DR Armstrong	X	0.0v	47.2v	47.1v	48.1v	47.4v	49.6v	0.0v	47.3v	75.9v	74.10v	102.9v	45.3v	44.3v	625.51v
79	Mr CD Heales	A	0.0v	50.6v	48.7v	48.3v	49.9v	48.4v	0.0v	44.2v	75.10v	73.10v	102.13v	48.3v	39.2v	624.69v
80	Maj AW Gill	A	0.0v	49.6v	48.4v	48.5v	49.3v	48.7v	0.0v	48.6v	73.7v	75.10v	99.5v	45.5v	42.2v	624.60v
81	Mr RT MacLeod	X	0.0v	47.3v	48.5v	48.4v	48.3v	45.2v	0.0v	49.5v	72.9v	71.7v	101.11v	46.6v	49.4v	624.59v
82	Mr EWV Feast	O	0.0v	46.2v	48.6v	49.3v	50.7v	48.2v	0.0v	48.7v	75.10v	68.5v	101.10v	47.4v	44.2v	624.58v
83	Mr NC Mace	X	0.0v	49.6v	49.6v	47.3v	46.3v	49.4v	0.0v	47.4v	73.9v	71.6v	103.10v	49.3v	41.3v	624.57v
84	Mr M Raiber	X	0.0v	48.7v	48.4v	48.6v	49.5v	44.2v	0.0v	47.6v	73.11v	73.5v	102.8v	46.2v	46.0v	624.56v
85	Mr TS Keen	O	0.0v	49.5v	47.4v	48.5v	47.3v	49.7v	0.0v	48.5v	71.7v	71.7v	100.6v	48.2v	46.4v	624.55v
86	Mr SJV Osmond	X	0.0v	49.4v	46.3v	43.1v	50.6v	50.5v	0.0v	49.7v	74.11v	74.9v	100.6v	43.1v	46.2v	624.55v
87	Mr RJS Curtis	X	0.0v	49.4v	49.6v	48.3v	49.8v	49.5v	0.0v	48.4v	72.4v	74.7v	103.9v	43.3v	40.0v	624.53v
88	Mr DFP Richards	X	0.0v	50.2v	46.2v	48.3v	48.6v	47.2v	0.0v	48.4v	73.6v	72.5v	100.13v	46.4v	46.4v	624.51v
89	Mr SW Brindley	X	0.0v	49.8v	48.4v	46.5v	48.5v	49.8v	0.0v	48.5v	72.11v	71.6v	100.9v	50.8v	42.4v	623.73v
90	Maj NT Healy	X	0.0v	47.2v	48.5v	46.2v	49.6v	47.5v	0.0v	50.6v	75.13v	73.9v	99.12v	46.4v	43.3v	623.67v
91	L CPL TJ Roberts	A	0.0v	44.4v	48.7v	47.3v	48.3v	48.5v	0.0v	49.7v	74.9v	69.5v	103.15v	46.5v	47.3v	623.66v
92	Mr BJ Le Cheminant	X	0.0v	49.7v	50.6v	42.2v	49.7v	47.4v	0.0v	48.4v	75.9v	74.11v	103.13v	45.1v	41.2v	623.66v
93	Mr AP Barnes	A	0.0v	47.5v	49.5v	48.7v	48.4v	46.4v	0.0v	47.4v	72.10v	72.7v	102.12v	44.2v	48.4v	623.64v
94	Mr AC Haley	X	0.0v	48.6v	45.3v	46.3v	49.6v	50.5v	0.0v	44.4v	75.8v	73.12v	104.13v	42.2v	47.2v	623.64v
95	Mr RM Roberts	X	0.0v	49.6v	46.3v	45.1v	49.7v	50.7v	0.0v	48.3v	73.11v	72.7v	104.12v	47.4v	40.1v	623.62v
96	Mr HJ Waldern	X	0.0v	47.3v	44.3v	48.7v	50.6v	50.4v	0.0v	49.4v	72.9v	72.7v	102.13v	47.3v	42.1v	623.60v
97	Mr RB Fitzsimmons	A	0.0v	48.4v	48.4v	48.5v	50.7v	48.4v	0.0v	47.4v	74.12v	70.5v	101.8v	49.6v	40.0v	623.59v
98	Mr R Stewart	X	0.0v	48.5v	48.5v	49.7v	48.5v	48.3v	0.0v	47.5v	74.8v	71.7v	100.8v	48.4v	42.0v	623.57v
99	Mr NJ Verduyn	X	0.0v	47.4v	46.4v	48.6v	50.4v	46.2v	0.0v	47.4v	72.8v	72.7v	103.10v	48.5v	44.1v	623.55v
100	Flt Lt LS Crisp	T	0.0v	48.5v	46.1v	48.5v	45.4v	50.4v	0.0v	47.4v	74.11v	75.8v	102.6v	44.4v	44.3v	623.55v
101	Mr SH Wingrove	X	0.0v	48.2v	47.3v	47.3v	48.7v	49.5v	0.0v	47.3v	73.8v	71.6v	99.11v	49.5v	45.1v	623.54v
102	Mr ER Welford	X	0.0v	48.4v	49.3v	45.3v	48.5v	46.2v	0.0v	49.2v	73.7v	71.8v	100.5v	48.5v	46.4v	623.48v

103	Dr JO Ahrens	A	0.0v	45.3v	49.6v	46.4v	48.8v	48.4v	0.0v	48.5v	74.12v	74.10v	101.15v	42.1v	47.4v	622.72v
104	Mr ITG Shaw	X	0.0v	49.5v	46.2v	49.5v	49.5v	49.5v	0.0v	48.7v	70.8v	71.10v	102.12v	48.6v	41.1v	622.66v
105	Mr RE Jackson	X	0.0v	48.5v	48.5v	43.2v	50.6v	47.4v	0.0v	48.3v	74.10v	73.10v	100.8v	44.4v	47.6v	622.63v
106	Mr R Birtwistle	X	0.0v	49.4v	49.8v	47.4v	49.4v	48.3v	0.0v	47.4v	74.10v	72.8v	102.9v	47.5v	38.2v	622.61v
107	Miss KE Milner	A	0.0v	50.5v	47.4v	48.5v	49.7v	48.4v	0.0v	46.3v	75.10v	73.7v	96.9v	45.2v	45.4v	622.60v
108	Mr AM Norman	O	0.0v	46.2v	48.5v	47.4v	48.4v	47.5v	0.0v	50.4v	74.12v	73.9v	102.10v	43.3v	44.2v	622.60v
109	Miss AWG Ogilvie	A	0.0v	49.6v	46.3v	50.4v	49.7v	49.3v	0.0v	46.5v	69.5v	75.8v	104.14v	43.2v	42.1v	622.58v
110	Mr D Calvert	X	0.0v	49.5v	48.5v	46.4v	44.1v	50.8v	0.0v	47.4v	73.10v	72.6v	99.10v	47.0v	47.4v	622.57v
111	Mr JCT Kent	X	0.0v	46.2v	49.6v	50.6v	48.5v	49.5v	0.0v	45.1v	72.5v	75.9v	98.9v	48.3v	42.2v	622.53v
112	Dr HA Day	X	0.0v	47.5v	47.2v	48.6v	48.2v	48.3v	0.0v	48.5v	74.12v	71.4v	100.5v	45.2v	46.2v	622.48v
113	Mr EC Dickson	X	0.0v	50.8v	46.3v	49.4v	49.3v	48.1v	0.0v	47.3v	69.5v	72.2v	104.11v	48.5v	40.2v	622.47v
114	Mr DG Young	X	0.0v	48.4v	48.2v	44.1v	48.3v	47.5v	0.0v	47.3v	75.7v	72.6v	102.10v	46.2v	45.2v	622.45v
115	Mr G Trembath	O	0.0v	49.3v	48.3v	46.0v	48.2v	50.5v	0.0v	46.3v	72.8v	72.6v	101.7v	43.3v	47.3v	622.43v
116	Cdt HA Broadhurst	T	0.0v	45.4v	47.5v	48.6v	49.8v	49.4v	0.0v	49.5v	72.11v	75.11v	98.9v	47.3v	42.1v	621.67v
117	Mr EA Sewell	X	0.0v	47.4v	45.3v	45.1v	48.5v	49.7v	0.0v	49.5v	70.8v	73.11v	104.13v	45.3v	46.5v	621.65v
118	Mr MI Buchanan	X	0.0v	45.4v	45.3v	45.1v	50.7v	49.5v	0.0v	45.4v	74.7v	74.13v	103.13v	48.4v	43.2v	621.63v
119	Dr JJ Mehta	A	0.0v	49.5v	49.6v	49.6v	46.4v	50.7v	0.0v	48.3v	73.8v	67.5v	99.11v	47.4v	44.2v	621.61v
120	Dr KA Fleck	A	0.0v	46.3v	49.6v	47.4v	49.5v	48.7v	0.0v	46.4v	73.8v	73.9v	101.11v	47.2v	42.2v	621.61v
121	Sgt GED Hart	X	0.0v	42.2v	48.7v	46.1v	50.4v	50.9v	0.0v	47.4v	75.10v	73.9v	101.9v	45.3v	44.1v	621.59v
122	Mr SF Brewer-Marchant	O	0.0v	46.4v	47.5v	47.3v	48.6v	47.4v	0.0v	50.5v	69.4v	70.5v	102.10v	49.7v	46.5v	621.58v
123	Mr AR Radkovskii	A	0.0v	47.3v	48.7v	46.4v	49.2v	49.4v	0.0v	47.3v	68.5v	71.5v	100.11v	49.4v	47.5v	621.53v
124	Miss S Ponter	A	0.0v	45.1v	46.5v	49.5v	50.6v	49.2v	0.0v	48.4v	75.9v	71.6v	100.10v	48.3v	40.1v	621.52v
125	Mr H Sanders	A	0.0v	46.1v	47.4v	50.7v	50.6v	47.0v	0.0v	49.6v	73.8v	71.7v	102.7v	44.4v	42.1v	621.51v
126	Mr AR McLeod	X	0.0v	48.4v	49.6v	47.4v	50.4v	49.5v	0.0v	44.1v	73.5v	73.6v	102.8v	41.1v	45.3v	621.47v
127	Mr TM Stevenson	A	0.0v	48.3v	47.3v	48.6v	50.5v	50.3v	0.0v	46.5v	69.5v	71.7v	103.6v	44.2v	45.1v	621.46v
128	Mr CA Brook	A	0.0v	50.6v	47.6v	47.3v	49.6v	48.4v	0.0v	47.6v	73.10v	71.7v	100.7v	46.3v	42.5v	620.63v
129	Dr AE Bromley	O	0.0v	44.2v	49.5v	47.6v	47.3v	48.4v	0.0v	48.3v	73.7v	73.10v	101.10v	44.5v	46.6v	620.61v
130	SSGT RH Kitson	X	0.0v	46.5v	46.4v	48.4v	50.7v	47.6v	0.0v	47.5v	74.8v	74.8v	101.10v	46.3v	41.1v	620.61v
131	Mr D Livermore	X	0.0v	46.3v	44.4v	46.2v	49.5v	49.5v	0.0v	46.3v	74.11v	72.7v	102.10v	49.7v	43.3v	620.60v
132	Mr JM Taylor	X	0.0v	50.3v	47.3v	47.3v	48.4v	49.5v	0.0v	46.3v	73.9v	70.5v	101.13v	49.4v	40.3v	620.55v
133	Mr SAJ Dowley	A	0.0v	48.3v	48.5v	47.4v	49.4v	48.5v	0.0v	45.1v	73.8v	73.12v	103.11v	43.1v	43.1v	620.55v
134	Mr AJ Leech	O	0.0v	50.6v	47.2v	46.2v	45.3v	49.4v	0.0v	46.7v	73.4v	67.4v	100.7v	50.7v	47.6v	620.52v
135	Mr JEK Pepera-Hibbert	X	0.0v	46.4v	49.6v	47.4v	50.5v	48.5v	0.0v	42.2v	69.3v	72.10v	100.12v	50.6v	46.4v	619.61v
136	Mr KO Pugh	X	0.0v	46.2v	48.5v	44.4v	48.4v	48.5v	0.0v	49.8v	74.8v	70.8v	101.11v	45.3v	46.3v	619.61v
137	Mr JA Bullock	X	0.0v	49.5v	49.5v	40.1v	50.5v	47.7v	0.0v	49.6v	73.13v	70.6v	101.8v	44.0v	47.5v	619.61v
138	Mr JL Brooking	X	0.0v	48.5v	49.5v	46.3v	48.7v	47.4v	0.0v	48.5v	72.8v	68.5v	100.10v	49.3v	44.5v	619.60v
139	Mr CP Weeden	X	0.0v	46.3v	48.3v	46.5v	50.7v	50.6v	0.0v	45.2v	74.9v	72.9v	100.9v	45.1v	43.5v	619.59v
140	Mr GW Holliday	T	0.0v	46.1v	49.3v	42.2v	50.8v	49.8v	0.0v	50.3v	70.6v	72.6v	102.9v	45.5v	44.4v	619.55v
141	Mr JA Watson	A	0.0v	48.4v	47.5v	47.2v	48.4v	49.6v	0.0v	48.5v	72.8v	73.7v	98.9v	49.3v	40.2v	619.55v
142	Mr D Morris	O	0.0v	50.3v	47.2v	49.3v	46.4v	47.4v	0.0v	47.5v	72.7v	71.9v	100.12v	47.4v	43.1v	619.54v
143	Mr NRJ Brasier	X	0.0v	48.3v	49.5v	47.6v	49.7v	48.4v	0.0v	46.3v	73.9v	72.6v	100.7v	44.2v	43.2v	619.54v
144	Mr HJ Golaszewski	X	0.0v	50.6v	48.6v	45.3v	50.4v	46.4v	0.0v	47.2v	75.11v	69.5v	102.10v	45.2v	42.0v	619.53v
145	Mr S Belither	X	0.0v	48.4v	47.5v	46.4v	48.4v	48.4v	0.0v	46.1v	72.6v	72.7v	102.9v	47.3v	43.3v	619.50v
146	Mr TM Drysdale	X	0.0v	49.4v	45.4v	45.2v	48.5v	49.5v	0.0v	49.5v	74.10v	71.6v	102.6v	44.2v	43.1v	619.50v
147	Mr PM Jory	X	0.0v	45.2v	48.5v	48.3v	48.4v	48.2v	0.0v	47.3v	75.10v	71.5v	102.10v	46.1v	41.2v	619.47v
148	Mr MR Fugeman	O	0.0v	48.6v	49.5v	45.1v	46.4v	49.3v	0.0v	50.2v	72.6v	72.7v	103.8v	42.3v	43.1v	619.46v
149	Lt CE Mawson	O	0.0v	47.5v	49.3v	46.3v	47.6v	49.7v	0.0v	48.4v	74.9v	73.6v	98.13v	46.3v	41.5v	618.64v
150	Mr DGM Coleman	X	0.0v	48.5v	49.6v	47.4v	46.5v	49.5v	0.0v	47.2v	74.5v	72.9v	99.11v	45.3v	42.5v	618.60v



















632	Cdt Cpl DRM Tuke	T	0.0v	42.1v	41.2v	43.2v	40.1v	35.1v	0.0v	37.1v	50.0v	62.1v	87.2v	37.1v	39.1v	513.13v
633	Mr SH Dickson	O	0.0v	46.1v	45.2v	47.5v	0.0v	45.3v	0.0v	47.4v	71.8v	68.6v	63.5v	45.3v	35.1v	512.38v
634	Mr TFJ McDowell	T	0.0v	42.0v	41.1v	43.1v	40.2v	40.2v	0.0v	46.4v	50.1v	70.2v	75.2v	44.2v	21.0v	512.17v
635	Cdt AL Shine	T	0.0v	0.0v	47.3v	46.4v	44.2v	48.4v	0.0v	47.4v	69.6v	70.5v	92.7v	48.3v	0.0v	511.38v
636	Mr T Ishikawa	T	0.0v	46.2v	39.1v	35.2v	45.2v	42.1v	0.0v	40.0v	57.2v	57.3v	72.1v	42.2v	34.6v	509.22v
637	Mr NR Wells	O	0.0v	37.0v	40.1v	47.3v	40.0v	42.1v	0.0v	45.2v	62.2v	65.3v	90.2v	0.0v	41.1v	509.15v
638	Ab Cdt C Sekine	T	0.0v	36.1v	37.0v	41.2v	42.1v	42.1v	0.0v	40.0v	48.0v	58.1v	82.3v	42.2v	41.0v	509.11v
639	Mr S Pasarkar	T	0.0v	46.3v	43.2v	41.1v	50.5v	43.1v	0.0v	42.2v	66.4v	46.1v	91.5v	40.2v	0.0v	508.26v
640	Cdt A Lebedeva	T	0.0v	43.0v	47.3v	44.4v	41.2v	43.0v	0.0v	38.1v	62.1v	65.3v	89.3v	0.0v	34.1v	506.18v
641	Mr MH Shaw	O	0.0v	45.2v	50.5v	48.6v	46.5v	46.2v	0.0v	43.2v	67.3v	69.6v	0.0v	45.3v	45.2v	504.36v
642	Mr P Dawes	O	0.0v	45.1v	48.4v	0.0v	46.3v	46.5v	0.0v	45.3v	69.7v	69.1v	97.10v	36.2v	0.0v	501.36v
643	Mr JV Viney	T	0.0v	39.0v	37.0v	41.2v	40.2v	41.1v	0.0v	33.1v	54.0v	59.1v	82.2v	36.1v	38.1v	500.11v
644	Mr FW Johnston	T	0.0v	42.2v	41.3v	41.0v	37.1v	41.1v	0.0v	0.0v	63.4v	64.4v	93.6v	42.1v	35.0v	499.22v
645	Cpl KS Selvarajah	T	0.0v	37.0v	43.3v	46.3v	35.0v	37.0v	0.0v	41.1v	45.0v	66.5v	83.2v	40.3v	26.0v	499.17v
646	Mr JA Hopkins	T	0.0v	46.3v	47.2v	43.2v	38.0v	41.1v	0.0v	43.2v	0.0v	65.2v	95.5v	38.1v	39.2v	495.20v
647	Mr CJ Watson	X	0.0v	48.5v	48.4v	46.4v	49.6v	47.4v	0.0v	49.6v	0.0v	64.6v	100.6v	0.0v	43.3v	494.44v
648	Mr A Greenlees	T	0.0v	44.2v	46.2v	35.0v	31.0v	33.1v	0.0v	37.1v	51.3v	59.2v	85.3v	35.0v	38.3v	494.17v
649	Mr CSM Tuke	T	0.0v	38.1v	35.0v	44.3v	33.1v	35.1v	0.0v	43.2v	56.2v	60.11v	87.3v	24.0v	37.1v	492.25v
650	Miss LI Hughes	T	0.0v	41.1v	47.4v	37.2v	0.0v	43.2v	0.0v	18.1v	61.1v	61.3v	92.4v	48.2v	42.2v	490.22v
651	Mr MJJ Charlton	O	0.0v	45.4v	49.4v	49.6v	43.1v	0.0v	0.0v	47.6v	0.0v	69.6v	94.1v	45.2v	43.0v	484.30v
652	Mr AJM Lyle	T	0.0v	42.2v	0.0v	41.2v	28.1v	42.4v	0.0v	34.0v	58.2v	58.0v	97.9v	43.2v	38.1v	481.23v
653	Cpl DK Hakim	T	0.0v	45.2v	39.2v	42.2v	39.2v	37.0v	0.0v	18.0v	61.3v	61.1v	74.0v	34.0v	31.0v	481.12v
654	Mr MV Gosling	T	0.0v	26.0v	0.0v	40.1v	42.2v	46.3v	0.0v	36.0v	62.3v	68.3v	86.5v	39.1v	34.1v	479.19v
655	Mr S Hamano	T	0.0v	44.3v	0.0v	43.2v	45.4v	45.1v	0.0v	38.2v	63.3v	62.2v	88.4v	39.0v	0.0v	467.21v
656	Mr B Hirst	T	0.0v	42.3v	41.2v	43.1v	48.2v	0.0v	0.0v	40.3v	53.1v	70.4v	87.3v	0.0v	37.1v	461.20v
657	Mr LJ Jack	T	0.0v	45.3v	0.0v	38.1v	29.0v	46.3v	0.0v	29.1v	52.1v	64.1v	84.4v	28.0v	42.1v	457.15v
658	Mr RP Rosling	O	0.0v	46.2v	40.2v	43.2v	0.0v	44.2v	0.0v	42.0v	64.2v	0.0v	93.1v	41.1v	43.2v	456.14v
659	Mr LS ODonnell-Roberts	T	0.0v	47.2v	32.0v	32.1v	43.3v	35.0v	0.0v	26.0v	55.2v	53.3v	82.3v	43.1v	0.0v	448.15v
660	Cdt M Balrajan	T	0.0v	37.1v	36.1v	31.0v	35.1v	39.1v	0.0v	24.0v	45.1v	48.0v	90.4v	35.0v	24.1v	444.10v
661	Cdt K Sandhu	T	0.0v	34.1v	32.0v	42.1v	34.1v	45.3v	0.0v	32.1v	57.0v	51.1v	90.2v	0.0v	22.0v	439.10v
662	Mr B Cunningham	T	0.0v	39.3v	37.0v	39.2v	36.2v	0.0v	0.0v	40.0v	60.4v	41.0v	73.0v	41.3v	31.2v	437.16v
663	Miss IG McAree	T	0.0v	39.0v	36.0v	31.0v	29.0v	38.0v	0.0v	35.1v	39.0v	62.3v	57.0v	25.1v	42.3v	433.8v
664	Mr RAH Vary	A	0.0v	46.6v	0.0v	49.6v	47.4v	46.5v	0.0v	46.3v	72.5v	67.3v	0.0v	49.4v	0.0v	422.36v
665	Dr AJ Browne	T	0.0v	41.1v	40.0v	30.1v	30.2v	28.3v	0.0v	24.1v	47.1v	55.0v	80.2v	29.0v	18.0v	422.11v
666	Cdt GLG Griffiths	T	0.0v	34.2v	28.0v	39.0v	34.1v	37.1v	0.0v	30.3v	46.0v	45.2v	74.1v	19.1v	29.1v	415.12v
667	Sgt AL Lerwill	T	0.0v	24.0v	35.0v	38.0v	27.0v	14.0v	0.0v	30.2v	53.0v	60.3v	71.1v	26.2v	37.2v	415.10v
668	Cdt RJH Piper	T	0.0v	44.3v	0.0v	41.1v	46.4v	43.3v	0.0v	35.0v	0.0v	62.0v	94.7v	0.0v	40.4v	405.22v
669	Mr JJ Parsons	A	0.0v	50.6v	47.2v	0.0v	0.0v	48.3v	0.0v	46.4v	71.6v	72.8v	67.8v	0.0v	0.0v	401.37v
670	Ms RJ Lusty	O	0.0v	46.3v	47.3v	48.4v	46.5v	0.0v	0.0v	43.0v	0.0v	27.3v	101.6v	0.0v	40.2v	398.26v
671	Miss AR Munday	T	0.0v	43.1v	44.3v	34.0v	42.2v	0.0v	0.0v	38.2v	0.0v	65.2v	83.2v	0.0v	41.1v	390.13v
672	Mr JD Dixon	T	0.0v	0.0v	43.2v	0.0v	0.0v	45.3v	0.0v	43.1v	64.3v	62.4v	94.5v	36.1v	0.0v	387.19v
673	Cdt MGLC Gordon-Le Clerc	T	0.0v	44.3v	42.2v	37.1v	49.6v	41.1v	0.0v	42.1v	64.3v	64.4v	0.0v	0.0v	0.0v	383.21v
674	Mr HS Jones	T	0.0v	37.2v	34.0v	0.0v	29.1v	27.2v	0.0v	30.0v	37.0v	57.2v	61.0v	30.0v	24.1v	366.8v
675	Mr MK Townsend	O	0.0v	48.3v	45.3v	43.4v	41.3v	0.0v	0.0v	41.1v	0.0v	0.0v	56.0v	45.2v	42.1v	361.17v
676	Mr RA Dyball	A	0.0v	0.0v	46.1v	0.0v	0.0v	46.4v	0.0v	49.7v	74.11v	0.0v	101.9v	43.3v	0.0v	359.35v
677	Mr MR Frost	O	0.0v	0.0v	0.0v	0.0v	0.0v	48.4v	0.0v	47.5v	72.4v	0.0v	100.9v	48.6v	0.0v	315.28v
678	Mr B G Harrigan	O	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	35.1v	0.0v	0.0v	0.0v	0.0v	0.0v	35.1v
679	Mr C Herter	O	0.0v	4.0v	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	5.0v	0.0v	0.0v	9.0v