

NRA 152nd Imperial Meeting

Grand Aggregate (as at Sunday, 18th July 2021)

		DT	DM	Alex	DC	Times	Wimb	Doyle	Dgall	St. G.	PoW	Lovell	Corp	Total
1	Mr DC Luckman	X	75.8v	75.7v	50.9v	50.8v	0.0v	0.0v	50.7v	50.4v	0.0v	0.0v	0.0v	350.43v
2	Mr PM Patel	X	75.13v	75.12v	50.8v	50.9v	0.0v	0.0v	50.8v	49.9v	0.0v	0.0v	0.0v	349.59v
3	Mr DGM Coleman	X	75.10v	75.10v	50.7v	49.4v	0.0v	0.0v	50.4v	50.1v	0.0v	0.0v	0.0v	349.36v
4	Mr CJ Mitchell	X	75.11v	74.9v	50.8v	49.6v	0.0v	0.0v	50.9v	50.7v	0.0v	0.0v	0.0v	348.50v
5	Mr RSF Shouler	X	75.9v	75.8v	49.9v	49.8v	0.0v	0.0v	50.8v	50.7v	0.0v	0.0v	0.0v	348.49v
6	Mr AC Haley	X	74.11v	75.11v	49.5v	50.7v	0.0v	0.0v	50.9v	50.5v	0.0v	0.0v	0.0v	348.48v
7	Mr PD Sykes	X	75.5v	75.12v	49.6v	50.6v	0.0v	0.0v	50.9v	49.8v	0.0v	0.0v	0.0v	348.46v
8	Dr GCD Barnett	X	74.7v	75.11v	49.7v	50.6v	0.0v	0.0v	50.7v	50.8v	0.0v	0.0v	0.0v	348.46v
9	Mr TJD Raincock	X	75.9v	75.10v	49.7v	49.5v	0.0v	0.0v	50.6v	50.9v	0.0v	0.0v	0.0v	348.46v
10	Mr CE Dart	X	75.9v	75.10v	50.7v	49.5v	0.0v	0.0v	49.6v	50.7v	0.0v	0.0v	0.0v	348.44v
11	Cpl J Keates	A	75.12v	75.8v	50.6v	49.4v	0.0v	0.0v	50.5v	49.7v	0.0v	0.0v	0.0v	348.42v
12	Mr NJ Ball	A	75.9v	75.11v	50.7v	49.6v	0.0v	0.0v	48.4v	50.6v	0.0v	0.0v	0.0v	347.43v
13	LCpl JRL Burch	O	73.5v	74.9v	50.4v	50.6v	0.0v	0.0v	50.6v	50.9v	0.0v	0.0v	0.0v	347.39v
14	Mr TM Drysdale	X	74.10v	74.12v	50.8v	49.6v	0.0v	0.0v	49.7v	50.8v	0.0v	0.0v	0.0v	346.51v
15	Maj J Cload	A	75.8v	75.11v	49.7v	48.7v	0.0v	0.0v	50.9v	49.6v	0.0v	0.0v	0.0v	346.48v
16	Mr C Mallett	A	74.10v	75.10v	50.4v	48.8v	0.0v	0.0v	50.6v	49.7v	0.0v	0.0v	0.0v	346.45v
17	Mr JC Underwood	X	75.10v	74.9v	50.8v	50.8v	0.0v	0.0v	47.5v	50.3v	0.0v	0.0v	0.0v	346.43v
18	Mr TP Shaw	O	74.8v	75.12v	50.8v	49.7v	0.0v	0.0v	47.5v	50.8v	0.0v	0.0v	0.0v	345.48v
19	Mr THD Dodds	X	75.10v	75.10v	50.7v	46.5v	0.0v	0.0v	49.6v	50.8v	0.0v	0.0v	0.0v	345.46v
20	Mr EC Dickson	A	75.8v	72.8v	50.6v	48.8v	0.0v	0.0v	50.7v	50.8v	0.0v	0.0v	0.0v	345.45v
21	Mr RJS Curtis	X	75.10v	75.11v	49.9v	50.8v	0.0v	0.0v	47.2v	49.4v	0.0v	0.0v	0.0v	345.44v
22	Mr MJ Ensor	X	75.8v	74.10v	50.6v	48.6v	0.0v	0.0v	48.7v	50.6v	0.0v	0.0v	0.0v	345.43v
23	Mr RCT Jeens	X	74.7v	75.11v	49.5v	50.8v	0.0v	0.0v	48.6v	49.5v	0.0v	0.0v	0.0v	345.42v
24	Mr KWD Ramsey	X	74.12v	75.10v	50.6v	49.4v	0.0v	0.0v	47.3v	50.7v	0.0v	0.0v	0.0v	345.42v
25	Miss A Ogilvie	O	73.7v	75.11v	50.5v	50.8v	0.0v	0.0v	48.5v	49.5v	0.0v	0.0v	0.0v	345.41v
26	Mr ML Millar	A	74.8v	75.8v	50.8v	49.6v	0.0v	0.0v	48.2v	49.9v	0.0v	0.0v	0.0v	345.41v
27	Mr CN Tremlett	X	75.9v	72.9v	50.6v	50.6v	0.0v	0.0v	49.4v	49.6v	0.0v	0.0v	0.0v	345.40v
28	Dr PR Wheeler	X	74.9v	75.7v	49.6v	49.5v	0.0v	0.0v	48.4v	50.6v	0.0v	0.0v	0.0v	345.37v
29	Mr TO Little	A	75.10v	73.8v	50.7v	48.2v	0.0v	0.0v	49.3v	50.6v	0.0v	0.0v	0.0v	345.36v
30	Mr MJ Barlow	A	73.7v	74.9v	50.7v	49.7v	0.0v	0.0v	49.8v	49.7v	0.0v	0.0v	0.0v	344.45v
31	Mr RM Roberts	X	74.11v	73.8v	49.5v	50.8v	0.0v	0.0v	49.6v	49.6v	0.0v	0.0v	0.0v	344.44v
32	Mr RL Eayrs	O	73.10v	75.11v	49.8v	50.5v	0.0v	0.0v	48.4v	49.6v	0.0v	0.0v	0.0v	344.44v
33	Flt Lt D Calvert RAFVR	X	74.9v	74.9v	50.9v	49.7v	0.0v	0.0v	48.6v	49.4v	0.0v	0.0v	0.0v	344.44v
34	Mr HJM Awin	X	74.10v	74.9v	50.6v	48.4v	0.0v	0.0v	49.8v	49.7v	0.0v	0.0v	0.0v	344.44v
35	Mr JF Lawrie	X	75.9v	73.9v	49.6v	48.5v	0.0v	0.0v	49.7v	50.8v	0.0v	0.0v	0.0v	344.44v
36	Miss CA Evans	X	75.10v	75.11v	50.8v	49.5v	0.0v	0.0v	48.4v	47.5v	0.0v	0.0v	0.0v	344.43v
37	Mr DA Rose	A	75.13v	75.7v	49.7v	50.7v	0.0v	0.0v	48.4v	47.4v	0.0v	0.0v	0.0v	344.42v
38	Mr RJH Birtwistle	X	75.9v	75.9v	50.6v	47.6v	0.0v	0.0v	47.5v	50.7v	0.0v	0.0v	0.0v	344.42v
39	Ms RL Furniss	X	74.11v	73.5v	50.9v	50.7v	0.0v	0.0v	48.4v	49.5v	0.0v	0.0v	0.0v	344.41v
40	Maj AR McLeod	X	74.10v	74.11v	49.5v	50.5v	0.0v	0.0v	48.4v	49.5v	0.0v	0.0v	0.0v	344.40v
41	Mr JEK Pepera-Hibbert	X	74.6v	74.8v	50.7v	50.6v	0.0v	0.0v	48.4v	48.6v	0.0v	0.0v	0.0v	344.37v
42	Mr WCP Richards	X	73.8v	74.8v	50.4v	49.5v	0.0v	0.0v	48.5v	50.7v	0.0v	0.0v	0.0v	344.37v
43	Mr HAD Howard	A	73.5v	74.10v	49.4v	49.5v	0.0v	0.0v	49.4v	50.8v	0.0v	0.0v	0.0v	344.36v

44 Mr JRW Postle	A	75.7v	74.7v	50.4v	50.6v	0.0v	0.0v	48.5v	47.5v	0.0v	0.0v	0.0v	0.0v	344.34v
45 Cdt SJ Hodge	A	75.7v	74.7v	49.3v	49.7v	0.0v	0.0v	48.3v	49.4v	0.0v	0.0v	0.0v	0.0v	344.31v
46 Mr ANR Walker	X	72.9v	74.12v	50.5v	48.7v	0.0v	0.0v	49.5v	50.8v	0.0v	0.0v	0.0v	0.0v	343.46v
47 Mr HJ Golaszewski	X	73.9v	73.8v	50.9v	48.3v	0.0v	0.0v	50.9v	49.5v	0.0v	0.0v	0.0v	0.0v	343.43v
48 Mr M G Whicher	X	74.5v	75.11v	50.9v	47.6v	0.0v	0.0v	48.5v	49.2v	0.0v	0.0v	0.0v	0.0v	343.38v
49 Mr J Wallace	A	74.13v	74.5v	48.5v	49.5v	0.0v	0.0v	49.4v	49.6v	0.0v	0.0v	0.0v	0.0v	343.38v
50 Mr PD Griggs	X	73.11v	74.4v	48.4v	50.7v	0.0v	0.0v	48.7v	50.5v	0.0v	0.0v	0.0v	0.0v	343.38v
51 Mr M Bumford	O	74.9v	75.11v	50.7v	47.1v	0.0v	0.0v	48.6v	49.5v	0.0v	0.0v	0.0v	0.0v	343.39v
52 Mr KO Pugh	X	74.7v	71.9v	50.4v	48.6v	0.0v	0.0v	50.8v	50.6v	0.0v	0.0v	0.0v	0.0v	343.40v
53 Mr PJ Chapman-Sheath	A	73.9v	74.5v	50.7v	49.7v	0.0v	0.0v	49.7v	48.5v	0.0v	0.0v	0.0v	0.0v	343.40v
54 Mr DR Armstrong	X	74.11v	71.7v	50.6v	49.6v	0.0v	0.0v	50.6v	49.4v	0.0v	0.0v	0.0v	0.0v	343.40v
55 Mr ITG Shaw	A	74.9v	73.9v	49.7v	49.4v	0.0v	0.0v	49.7v	49.6v	0.0v	0.0v	0.0v	0.0v	343.42v
56 Mr NC Mace	X	75.10v	73.11v	50.7v	49.6v	0.0v	0.0v	46.4v	50.5v	0.0v	0.0v	0.0v	0.0v	343.43v
57 Dr JR Deane	X	72.7v	73.9v	49.6v	50.6v	0.0v	0.0v	49.5v	50.4v	0.0v	0.0v	0.0v	0.0v	343.37v
58 Mr SL Cleveland	O	75.8v	74.11v	50.5v	50.4v	0.0v	0.0v	46.3v	48.5v	0.0v	0.0v	0.0v	0.0v	343.36v
59 Dr CD Haley	X	75.7v	74.3v	50.6v	49.6v	0.0v	0.0v	46.6v	49.6v	0.0v	0.0v	0.0v	0.0v	343.34v
60 Maj JME Cook	X	74.7v	73.5v	49.4v	49.6v	0.0v	0.0v	49.4v	49.7v	0.0v	0.0v	0.0v	0.0v	343.33v
61 Mr CJ Watson	X	70.11v	75.12v	50.8v	48.6v	0.0v	0.0v	50.7v	49.5v	0.0v	0.0v	0.0v	0.0v	342.49v
62 Capt MJ Purdy	X	73.10v	73.12v	49.5v	49.4v	0.0v	0.0v	49.7v	49.6v	0.0v	0.0v	0.0v	0.0v	342.44v
63 Miss LG Taylor	A	74.9v	72.9v	49.8v	49.5v	0.0v	0.0v	49.5v	49.7v	0.0v	0.0v	0.0v	0.0v	342.43v
64 Mr NJ Verduyn	X	75.9v	74.10v	50.7v	48.6v	0.0v	0.0v	47.5v	48.6v	0.0v	0.0v	0.0v	0.0v	342.43v
65 Mr ORW Russell	X	74.11v	73.9v	47.5v	49.5v	0.0v	0.0v	49.4v	50.8v	0.0v	0.0v	0.0v	0.0v	342.42v
66 Mr D Clark	A	72.4v	74.10v	49.5v	49.8v	0.0v	0.0v	49.7v	49.6v	0.0v	0.0v	0.0v	0.0v	342.40v
67 Mr PJR Holden	X	73.10v	75.10v	49.2v	48.5v	0.0v	0.0v	47.3v	50.8v	0.0v	0.0v	0.0v	0.0v	342.38v
68 Dr G Stewart	A	72.7v	73.4v	48.5v	50.7v	0.0v	0.0v	49.6v	50.8v	0.0v	0.0v	0.0v	0.0v	342.37v
69 Mr ERT Jeens	X	74.7v	72.6v	49.5v	50.6v	0.0v	0.0v	49.6v	48.7v	0.0v	0.0v	0.0v	0.0v	342.37v
70 Mr PB Bromley	A	73.7v	71.6v	50.7v	50.8v	0.0v	0.0v	49.3v	49.6v	0.0v	0.0v	0.0v	0.0v	342.37v
71 Mr PM Jory	X	74.10v	73.7v	49.5v	49.2v	0.0v	0.0v	47.7v	50.6v	0.0v	0.0v	0.0v	0.0v	342.37v
72 Mr MC Cooper	X	74.9v	75.9v	50.6v	47.4v	0.0v	0.0v	46.3v	50.6v	0.0v	0.0v	0.0v	0.0v	342.37v
73 Mr J Pugsley MRCVS	X	74.5v	73.8v	50.7v	48.6v	0.0v	0.0v	47.4v	50.6v	0.0v	0.0v	0.0v	0.0v	342.36v
74 Mr BJ Le Cheminant	A	72.7v	73.8v	49.6v	50.4v	0.0v	0.0v	48.4v	50.6v	0.0v	0.0v	0.0v	0.0v	342.35v
75 Mr TL Bedwell	A	73.7v	72.5v	49.6v	49.5v	0.0v	0.0v	50.7v	49.4v	0.0v	0.0v	0.0v	0.0v	342.34v
76 Mr ND Stangroom	A	73.6v	73.8v	50.8v	47.2v	0.0v	0.0v	49.3v	50.7v	0.0v	0.0v	0.0v	0.0v	342.34v
77 Mr RC Oxford	X	75.5v	74.10v	49.3v	50.4v	0.0v	0.0v	47.6v	47.4v	0.0v	0.0v	0.0v	0.0v	342.32v
78 Mr AJH Fowler	A	74.8v	73.7v	50.4v	49.2v	0.0v	0.0v	47.7v	49.4v	0.0v	0.0v	0.0v	0.0v	342.32v
79 Mr MRM Millar	X	73.8v	74.11v	50.10v	50.5v	0.0v	0.0v	47.4v	47.4v	0.0v	0.0v	0.0v	0.0v	341.42v
80 Mr MW Silver	X	71.8v	73.10v	50.4v	50.6v	0.0v	0.0v	47.5v	50.8v	0.0v	0.0v	0.0v	0.0v	341.41v
81 Miss AJ Clarke	X	71.8v	74.9v	50.9v	47.3v	0.0v	0.0v	49.6v	50.6v	0.0v	0.0v	0.0v	0.0v	341.41v
82 Dr HA Day	X	75.10v	73.9v	50.6v	48.4v	0.0v	0.0v	45.4v	50.8v	0.0v	0.0v	0.0v	0.0v	341.41v
83 Mr D Blake	A	75.11v	75.8v	49.4v	47.6v	0.0v	0.0v	45.5v	50.7v	0.0v	0.0v	0.0v	0.0v	341.41v
84 Mr OEJ Spencer	X	75.7v	72.6v	49.7v	48.5v	0.0v	0.0v	49.7v	48.8v	0.0v	0.0v	0.0v	0.0v	341.40v
85 Maj NT Healy	X	73.10v	73.8v	50.7v	46.3v	0.0v	0.0v	49.4v	50.8v	0.0v	0.0v	0.0v	0.0v	341.40v
86 Dr CI Johnston	A	75.12v	71.4v	48.6v	49.6v	0.0v	0.0v	50.4v	48.6v	0.0v	0.0v	0.0v	0.0v	341.38v
87 Mr NRJ Brasier	O	74.11v	75.12v	46.4v	49.6v	0.0v	0.0v	48.2v	49.3v	0.0v	0.0v	0.0v	0.0v	341.38v
88 Mr PM Hakim	X	75.11v	75.10v	49.2v	49.7v	0.0v	0.0v	46.4v	47.4v	0.0v	0.0v	0.0v	0.0v	341.38v
89 Mr LVG O'Flynn	A	73.8v	74.9v	50.5v	45.3v	0.0v	0.0v	50.6v	49.6v	0.0v	0.0v	0.0v	0.0v	341.37v
90 WO1 JR Davies	X	75.8v	72.8v	49.8v	46.3v	0.0v	0.0v	49.4v	50.6v	0.0v	0.0v	0.0v	0.0v	341.37v
91 Mr EB Robinson	T	73.9v	74.11v	48.4v	49.4v	0.0v	0.0v	48.2v	49.6v	0.0v	0.0v	0.0v	0.0v	341.36v
92 Mr RW Shaw	X	73.8v	74.9v	49.3v	49.5v	0.0v	0.0v	47.6v	49.5v	0.0v	0.0v	0.0v	0.0v	341.36v
93 Mr I Davison	A	74.9v	73.6v	50.6v	48.3v	0.0v	0.0v	46.4v	50.7v	0.0v	0.0v	0.0v	0.0v	341.35v
94 Cdt TC Cubitt	A	75.11v	74.8v	50.8v	48.3v	0.0v	0.0v	46.1v	48.4v	0.0v	0.0v	0.0v	0.0v	341.35v
95 Mr DAJ Talbot	A	73.7v	75.8v	49.5v	50.6v	0.0v	0.0v	48.5v	46.2v	0.0v	0.0v	0.0v	0.0v	341.33v
96 LCpl TJ Roberts	O	71.7v	75.8v	48.5v	49.3v	0.0v	0.0v	49.6v	49.4v	0.0v	0.0v	0.0v	0.0v	341.33v
97 Mr TLW Kidner	O	71.5v	74.9v	50.6v	50.5v	0.0v	0.0v	47.4v	49.4v	0.0v	0.0v	0.0v	0.0v	341.33v
98 Mr JA Bullock	O	74.9v	73.7v	50.5v	49.5v	0.0v	0.0v	47.4v	48.3v	0.0v	0.0v	0.0v	0.0v	341.33v
99 Mr RA Welford	A	74.7v	72.9v	48.3v	50.4v	0.0v	0.0v	48.3v	49.6v	0.0v	0.0v	0.0v	0.0v	341.32v
100 Mr GD Palmer	O	74.6v	72.6v	49.6v	49.4v	0.0v	0.0v	47.4v	50.6v	0.0v	0.0v	0.0v	0.0v	341.32v
101 Mr D Young	X	70.2v	75.8v	49.6v	49.5v	0.0v	0.0v	49.3v	49.6v	0.0v	0.0v	0.0v	0.0v	341.30v
102 Mr A Ringer	X	72.9v	74.10v	48.8v	46.3v	0.0v	0.0v	50.8v	50.6v	0.0v	0.0v	0.0v	0.0v	340.44v

103 Mr JEM Bellringer	A	70.4v	73.9v	50.6v	50.8v	0.0v	0.0v	50.8v	47.6v	0.0v	0.0v	0.0v	0.0v	340.41v
104 Air Cdre JAF Ford	X	71.6v	72.8v	49.7v	49.7v	0.0v	0.0v	49.7v	50.6v	0.0v	0.0v	0.0v	0.0v	340.41v
105 Mr M Horton-Baker	X	72.7v	74.8v	49.9v	47.4v	0.0v	0.0v	50.6v	48.6v	0.0v	0.0v	0.0v	0.0v	340.40v
106 Mr BP Creane	X	73.7v	73.10v	50.6v	49.5v	0.0v	0.0v	45.3v	50.8v	0.0v	0.0v	0.0v	0.0v	340.39v
107 Mr ER Welford	A	73.11v	71.6v	49.4v	50.7v	0.0v	0.0v	49.6v	48.4v	0.0v	0.0v	0.0v	0.0v	340.38v
108 Mr NBS Logan	X	74.11v	73.8v	49.6v	48.5v	0.0v	0.0v	49.6v	47.2v	0.0v	0.0v	0.0v	0.0v	340.38v
109 Mr AC Morley	O	71.7v	74.9v	50.5v	48.5v	0.0v	0.0v	49.5v	48.5v	0.0v	0.0v	0.0v	0.0v	340.36v
110 Mr CP Weeden	X	71.7v	75.7v	49.5v	46.1v	0.0v	0.0v	50.7v	49.9v	0.0v	0.0v	0.0v	0.0v	340.36v
111 Mr MP Watkins	A	71.7v	75.9v	50.9v	47.2v	0.0v	0.0v	48.2v	49.7v	0.0v	0.0v	0.0v	0.0v	340.36v
112 Mr DA Richardson	X	75.5v	73.10v	50.6v	46.6v	0.0v	0.0v	48.4v	48.5v	0.0v	0.0v	0.0v	0.0v	340.36v
113 Mr PM de Voil	X	74.6v	73.9v	50.6v	49.6v	0.0v	0.0v	48.4v	46.4v	0.0v	0.0v	0.0v	0.0v	340.35v
114 Mr JD Warburton	X	73.7v	72.8v	49.6v	47.4v	0.0v	0.0v	50.6v	49.4v	0.0v	0.0v	0.0v	0.0v	340.35v
115 SSGT RH Kitson	X	74.7v	75.10v	50.7v	49.5v	0.0v	0.0v	44.2v	48.4v	0.0v	0.0v	0.0v	0.0v	340.35v
116 Mr GED Hart	O	71.6v	72.8v	49.5v	49.3v	0.0v	0.0v	50.7v	49.5v	0.0v	0.0v	0.0v	0.0v	340.34v
117 Mr GK Alexander	X	73.5v	72.8v	49.3v	49.6v	0.0v	0.0v	47.5v	50.7v	0.0v	0.0v	0.0v	0.0v	340.34v
118 Mr AM Sadler	X	74.8v	74.8v	49.6v	46.2v	0.0v	0.0v	47.5v	50.5v	0.0v	0.0v	0.0v	0.0v	340.34v
119 Mr OR Farrell	O	72.3v	75.10v	50.7v	47.3v	0.0v	0.0v	50.5v	46.5v	0.0v	0.0v	0.0v	0.0v	340.33v
120 Mr AE Bromley	A	73.8v	73.8v	49.5v	49.6v	0.0v	0.0v	50.3v	46.2v	0.0v	0.0v	0.0v	0.0v	340.32v
121 Mr CES Dickenson	A	73.4v	74.7v	49.6v	49.6v	0.0v	0.0v	49.6v	46.3v	0.0v	0.0v	0.0v	0.0v	340.32v
122 Mr RJSG Clark	A	74.7v	74.10v	48.2v	48.5v	0.0v	0.0v	48.4v	48.4v	0.0v	0.0v	0.0v	0.0v	340.32v
123 Mr JA Anderson	O	74.6v	74.11v	49.5v	49.5v	0.0v	0.0v	47.3v	47.2v	0.0v	0.0v	0.0v	0.0v	340.32v
124 Mr TM Stevenson	O	73.6v	72.6v	49.3v	47.3v	0.0v	0.0v	50.9v	49.4v	0.0v	0.0v	0.0v	0.0v	340.31v
125 Mr AF Donald	O	71.3v	72.3v	48.7v	50.5v	0.0v	0.0v	49.6v	50.6v	0.0v	0.0v	0.0v	0.0v	340.30v
126 Dr SYM Moazzam Ali	A	74.9v	72.5v	50.5v	47.4v	0.0v	0.0v	49.2v	48.5v	0.0v	0.0v	0.0v	0.0v	340.30v
127 Mr HJ Waldern	O	71.6v	73.12v	49.7v	48.5v	0.0v	0.0v	50.7v	48.7v	0.0v	0.0v	0.0v	0.0v	339.44v
128 Miss AP Good	A	73.10v	75.11v	50.6v	46.4v	0.0v	0.0v	48.6v	47.7v	0.0v	0.0v	0.0v	0.0v	339.44v
129 Miss JM Hince	X	73.10v	74.12v	49.7v	46.4v	0.0v	0.0v	48.3v	49.8v	0.0v	0.0v	0.0v	0.0v	339.44v
130 Mr SAJ Dowley	A	72.9v	72.8v	49.6v	47.5v	0.0v	0.0v	50.8v	49.7v	0.0v	0.0v	0.0v	0.0v	339.43v
131 Mr RA Dix	O	73.11v	70.8v	50.5v	49.7v	0.0v	0.0v	48.4v	49.8v	0.0v	0.0v	0.0v	0.0v	339.43v
132 Miss CH Cuming	X	73.10v	71.7v	50.10v	49.4v	0.0v	0.0v	48.5v	48.5v	0.0v	0.0v	0.0v	0.0v	339.41v
133 Mr JWE Lewis	X	71.7v	72.7v	50.9v	48.4v	0.0v	0.0v	49.5v	49.8v	0.0v	0.0v	0.0v	0.0v	339.40v
134 Cdt AJ Todd	O	72.10v	74.7v	49.7v	48.4v	0.0v	0.0v	48.6v	48.6v	0.0v	0.0v	0.0v	0.0v	339.40v
135 Dr AM Jory	A	72.11v	73.7v	48.5v	50.5v	0.0v	0.0v	47.4v	49.7v	0.0v	0.0v	0.0v	0.0v	339.39v
136 Miss HA Pugsley	X	72.8v	75.8v	49.8v	49.6v	0.0v	0.0v	46.4v	48.5v	0.0v	0.0v	0.0v	0.0v	339.39v
137 Mr AW Hellings	X	74.10v	73.10v	45.3v	49.5v	0.0v	0.0v	49.5v	49.5v	0.0v	0.0v	0.0v	0.0v	339.38v
138 Lt Col RHG Riley	X	71.8v	73.7v	50.6v	49.6v	0.0v	0.0v	47.7v	49.4v	0.0v	0.0v	0.0v	0.0v	339.38v
139 Mr MDE Larcombe	O	73.10v	72.7v	50.7v	48.5v	0.0v	0.0v	46.3v	50.6v	0.0v	0.0v	0.0v	0.0v	339.38v
140 Mr DR Le Quesne	X	73.9v	74.9v	50.7v	49.4v	0.0v	0.0v	46.1v	47.6v	0.0v	0.0v	0.0v	0.0v	339.36v
141 Mr CD Heales	O	69.3v	75.11v	49.5v	47.3v	0.0v	0.0v	50.7v	49.6v	0.0v	0.0v	0.0v	0.0v	339.35v
142 Mr GW Morgan	A	74.8v	74.8v	47.3v	49.5v	0.0v	0.0v	48.4v	47.2v	0.0v	0.0v	0.0v	0.0v	339.30v
143 Mr JPL Sweet	A	75.8v	70.4v	50.6v	46.4v	0.0v	0.0v	48.3v	50.6v	0.0v	0.0v	0.0v	0.0v	339.31v
144 Mr GPC Bramwell	T	72.7v	73.4v	50.4v	48.6v	0.0v	0.0v	47.5v	49.5v	0.0v	0.0v	0.0v	0.0v	339.31v
145 Mr JGM Webster	A	74.7v	73.9v	48.5v	50.6v	0.0v	0.0v	45.2v	49.3v	0.0v	0.0v	0.0v	0.0v	339.32v
146 Mr RM Hatcher	A	71.7v	72.5v	50.7v	49.4v	0.0v	0.0v	47.3v	50.6v	0.0v	0.0v	0.0v	0.0v	339.32v
147 Mr DJ Gass	X	71.6v	73.5v	49.5v	48.2v	0.0v	0.0v	49.7v	49.7v	0.0v	0.0v	0.0v	0.0v	339.32v
148 Mr JCT Kent	A	73.9v	72.7v	49.3v	49.5v	0.0v	0.0v	49.5v	47.5v	0.0v	0.0v	0.0v	0.0v	339.34v
149 Mr ATB Tompson	A	71.5v	72.7v	48.6v	50.6v	0.0v	0.0v	49.6v	49.4v	0.0v	0.0v	0.0v	0.0v	339.34v
150 Mr AC Thomson	A	72.5v	73.7v	50.6v	46.4v	0.0v	0.0v	49.7v	49.6v	0.0v	0.0v	0.0v	0.0v	339.35v

151 Dr JDS Langley	X	73.4v	73.7v	49.5v	49.6v	0.0v	0.0v	46.3v	49.5v	0.0v	0.0v	0.0v	0.0v	339.30v
152 Mr SP Harding	O	72.5v	74.11v	49.4v	47.6v	0.0v	0.0v	48.2v	49.1v	0.0v	0.0v	0.0v	0.0v	339.29v
153 Mr JRC Stanford-Beale	O	72.2v	74.8v	48.4v	49.1v	0.0v	0.0v	47.3v	49.4v	0.0v	0.0v	0.0v	0.0v	339.22v
154 Mr D Lowe	A	73.8v	72.7v	50.8v	47.5v	0.0v	0.0v	48.8v	48.3v	0.0v	0.0v	0.0v	0.0v	338.39v
155 Mr R Stewart	O	72.9v	73.9v	48.6v	46.3v	0.0v	0.0v	50.6v	49.5v	0.0v	0.0v	0.0v	0.0v	338.38v
156 Miss HPC Bramwell	A	73.9v	74.8v	49.5v	48.4v	0.0v	0.0v	46.5v	48.7v	0.0v	0.0v	0.0v	0.0v	338.38v
157 Miss S Ponter	A	75.10v	74.9v	49.6v	48.5v	0.0v	0.0v	43.1v	49.7v	0.0v	0.0v	0.0v	0.0v	338.38v
158 Mr SNS Penrose	X	73.8v	72.5v	47.5v	50.6v	0.0v	0.0v	47.5v	49.8v	0.0v	0.0v	0.0v	0.0v	338.37v
159 Ms RA Wiltshire	X	73.9v	72.6v	50.8v	49.6v	0.0v	0.0v	45.3v	49.5v	0.0v	0.0v	0.0v	0.0v	338.37v
160 Mr RN Stebbings	X	73.6v	74.7v	50.7v	48.7v	0.0v	0.0v	45.3v	48.7v	0.0v	0.0v	0.0v	0.0v	338.37v
161 Mr RW Hallows	X	72.6v	73.10v	48.7v	48.3v	0.0v	0.0v	49.7v	48.3v	0.0v	0.0v	0.0v	0.0v	338.36v
162 Mr SA Thomas	X	70.4v	75.7v	50.6v	48.7v	0.0v	0.0v	47.5v	48.7v	0.0v	0.0v	0.0v	0.0v	338.36v
163 Miss KA Fleck	O	72.7v	70.8v	50.7v	49.5v	0.0v	0.0v	49.5v	48.3v	0.0v	0.0v	0.0v	0.0v	338.35v
164 Mr N Cole-Hawkins	A	72.5v	74.9v	49.7v	47.6v	0.0v	0.0v	48.5v	48.3v	0.0v	0.0v	0.0v	0.0v	338.35v
165 Mr JWE Lothian	O	73.6v	71.6v	49.6v	46.3v	0.0v	0.0v	49.6v	50.8v	0.0v	0.0v	0.0v	0.0v	338.35v
166 Miss D Armstrong	O	74.10v	73.9v	49.7v	47.3v	0.0v	0.0v	45.4v	50.2v	0.0v	0.0v	0.0v	0.0v	338.35v
167 Mr JA Oakland	T	75.9v	73.8v	46.2v	47.5v	0.0v	0.0v	50.7v	47.3v	0.0v	0.0v	0.0v	0.0v	338.34v
168 Mr G Trembath	A	73.8v	74.8v	49.3v	49.7v	0.0v	0.0v	46.6v	47.2v	0.0v	0.0v	0.0v	0.0v	338.34v
169 Miss C Halleran	A	71.7v	75.8v	49.3v	47.4v	0.0v	0.0v	48.7v	48.5v	0.0v	0.0v	0.0v	0.0v	338.34v
170 Mr RE Ellis	O	73.9v	73.8v	49.6v	50.3v	0.0v	0.0v	44.2v	49.6v	0.0v	0.0v	0.0v	0.0v	338.34v
171 Mr NP Moxon	O	74.7v	72.9v	49.3v	49.5v	0.0v	0.0v	47.4v	47.5v	0.0v	0.0v	0.0v	0.0v	338.33v
172 Mr OM Hudson	O	72.7v	73.8v	49.6v	49.4v	0.0v	0.0v	47.2v	48.6v	0.0v	0.0v	0.0v	0.0v	338.33v
173 Mr JC Evans	X	72.5v	75.12v	47.2v	49.7v	0.0v	0.0v	47.4v	48.2v	0.0v	0.0v	0.0v	0.0v	338.32v
174 Mr M Liversage	X	74.9v	71.6v	48.5v	47.4v	0.0v	0.0v	49.3v	49.5v	0.0v	0.0v	0.0v	0.0v	338.32v
175 Mr NM Duncan	O	73.9v	72.9v	47.3v	49.4v	0.0v	0.0v	48.2v	49.4v	0.0v	0.0v	0.0v	0.0v	338.31v
176 Miss JH Messer	X	73.6v	72.6v	50.7v	47.3v	0.0v	0.0v	46.3v	50.6v	0.0v	0.0v	0.0v	0.0v	338.31v
177 Brig AJW Sturrock	O	72.5v	71.7v	50.5v	49.5v	0.0v	0.0v	49.6v	47.2v	0.0v	0.0v	0.0v	0.0v	338.30v
178 Mrs EG Charlton	A	74.7v	72.9v	48.3v	47.3v	0.0v	0.0v	49.3v	48.5v	0.0v	0.0v	0.0v	0.0v	338.30v
179 Mr CW Dale	T	72.7v	72.4v	49.5v	48.4v	0.0v	0.0v	47.2v	50.7v	0.0v	0.0v	0.0v	0.0v	338.29v
180 Mr EWV Feast	A	71.3v	72.4v	50.6v	49.5v	0.0v	0.0v	48.6v	48.4v	0.0v	0.0v	0.0v	0.0v	338.28v
181 Mr P Dawes	O	72.8v	75.9v	46.2v	48.2v	0.0v	0.0v	49.4v	48.2v	0.0v	0.0v	0.0v	0.0v	338.27v
182 Miss LR McKerrell	A	71.7v	73.7v	50.6v	47.2v	0.0v	0.0v	49.2v	48.3v	0.0v	0.0v	0.0v	0.0v	338.27v
183 Mr SJV Osmond	X	75.10v	74.11v	50.8v	47.4v	0.0v	0.0v	41.1v	50.8v	0.0v	0.0v	0.0v	0.0v	337.42v
184 Mr BZ Danziger	X	72.5v	72.9v	49.6v	45.6v	0.0v	0.0v	49.6v	50.8v	0.0v	0.0v	0.0v	0.0v	337.40v
185 Mr JA Watson	X	73.11v	73.8v	48.7v	46.3v	0.0v	0.0v	49.4v	48.6v	0.0v	0.0v	0.0v	0.0v	337.39v
186 Mr JM Taylor	X	74.8v	74.11v	47.6v	43.2v	0.0v	0.0v	50.7v	49.4v	0.0v	0.0v	0.0v	0.0v	337.38v
187 Maj AG McLean	A	69.5v	71.4v	49.7v	50.7v	0.0v	0.0v	49.7v	49.5v	0.0v	0.0v	0.0v	0.0v	337.35v
188 Mr KB Hill	X	73.8v	73.5v	48.6v	48.7v	0.0v	0.0v	48.5v	47.4v	0.0v	0.0v	0.0v	0.0v	337.35v
189 Mrs L Healy	O	71.9v	74.9v	48.5v	50.8v	0.0v	0.0v	46.1v	48.3v	0.0v	0.0v	0.0v	0.0v	337.35v
190 Miss DS Hume	O	71.5v	72.8v	49.7v	48.5v	0.0v	0.0v	47.4v	50.5v	0.0v	0.0v	0.0v	0.0v	337.34v
191 Mr MR Horrell	X	73.8v	74.8v	48.5v	46.3v	0.0v	0.0v	48.4v	48.6v	0.0v	0.0v	0.0v	0.0v	337.34v
192 Wg Cdr CM Fopp	O	67.3v	73.11v	49.2v	49.5v	0.0v	0.0v	49.4v	50.8v	0.0v	0.0v	0.0v	0.0v	337.33v
193 Mrs T Newbold	O	69.6v	73.9v	50.3v	49.3v	0.0v	0.0v	48.6v	48.6v	0.0v	0.0v	0.0v	0.0v	337.33v
194 Miss KE Pope	O	72.6v	73.8v	49.5v	50.7v	0.0v	0.0v	45.2v	48.5v	0.0v	0.0v	0.0v	0.0v	337.33v
195 Mr TEB Smith	T	74.9v	74.10v	45.3v	47.3v	0.0v	0.0v	48.2v	49.6v	0.0v	0.0v	0.0v	0.0v	337.33v
196 Miss RL Laird	X	73.7v	73.3v	49.7v	48.5v	0.0v	0.0v	46.5v	48.6v	0.0v	0.0v	0.0v	0.0v	337.33v
197 Mr JA Lindsay III	A	73.6v	73.7v	47.4v	49.8v	0.0v	0.0v	49.5v	46.2v	0.0v	0.0v	0.0v	0.0v	337.32v
198 Miss KE Milner	O	75.9v	71.6v	48.6v	45.3v	0.0v	0.0v	48.2v	50.6v	0.0v	0.0v	0.0v	0.0v	337.32v
199 Mrs SP Thorogood	X	75.9v	74.9v	47.5v	45.2v	0.0v	0.0v	47.3v	49.4v	0.0v	0.0v	0.0v	0.0v	337.32v
200 Mr PS Holmes	A	70.7v	72.3v	49.8v	48.6v	0.0v	0.0v	49.3v	49.4v	0.0v	0.0v	0.0v	0.0v	337.31v
201 Mr BMA Stevens	X	73.4v	70.7v	49.7v	48.5v	0.0v	0.0v	47.1v	50.5v	0.0v	0.0v	0.0v	0.0v	337.29v
202 Mr LA Reid	O	69.3v	73.8v	49.5v	49.2v	0.0v	0.0v	48.6v	49.4v	0.0v	0.0v	0.0v	0.0v	337.28v
203 Mr RAV Hebblethwaite	A	72.5v	72.6v	50.6v	48.6v	0.0v	0.0v	47.2v	48.3v	0.0v	0.0v	0.0v	0.0v	337.28v
204 Mr PHC Costello	O	71.4v	72.5v	49.5v	48.4v	0.0v	0.0v	49.2v	48.5v	0.0v	0.0v	0.0v	0.0v	337.25v
205 Mr JR Tuck	X	70.8v	74.10v	50.7v	48.6v	0.0v	0.0v	49.7v	45.3v	0.0v	0.0v	0.0v	0.0v	336.41v
206 Mr AD Le Cheminant	X	68.5v	72.8v	49.9v	49.7v	0.0v	0.0v	48.6v	50.3v	0.0v	0.0v	0.0v	0.0v	336.38v
207 Wg Cdr CJ Hockley OBE	O	72.8v	74.11v	46.4v	49.6v	0.0v	0.0v	48.5v	47.4v	0.0v	0.0v	0.0v	0.0v	336.38v
208 Mr TJ Johnston	A	73.8v	71.7v	50.9v	49.7v	0.0v	0.0v	47.5v	46.2v	0.0v	0.0v	0.0v	0.0v	336.38v
209 Mr CA Skellett	O	72.6v	73.9v	48.8v	45.2v	0.0v	0.0v	49.6v	49.5v	0.0v	0.0v	0.0v	0.0v	336.36v
210 Mr C Fitzpatrick	X	75.11v	72.8v	48.4v	42.3v	0.0v	0.0v	49.5v	50.5v	0.0v	0.0v	0.0v	0.0v	336.36v
211 Mr SP OBrien	A	73.7v	73.9v	48.6v	45.3v	0.0v	0.0v	49.6v	48.4v	0.0v	0.0v	0.0v	0.0v	336.35v

212 Mr RBC Baker	O	73.9v	72.6v	49.5v	49.7v	0.0v	0.0v	46.3v	47.4v	0.0v	0.0v	0.0v	0.0v	336.34v
213 Mr MR Fugeman	A	74.8v	71.7v	47.6v	50.5v	0.0v	0.0v	44.3v	50.5v	0.0v	0.0v	0.0v	0.0v	336.34v
214 Mrs LE Haley	X	73.11v	73.7v	47.4v	49.5v	0.0v	0.0v	45.3v	49.4v	0.0v	0.0v	0.0v	0.0v	336.34v
215 Mr RR Grisenthwaite	A	71.7v	70.8v	49.4v	48.4v	0.0v	0.0v	49.5v	49.5v	0.0v	0.0v	0.0v	0.0v	336.33v
216 Mr SJ Comins	O	74.7v	72.7v	47.5v	46.3v	0.0v	0.0v	50.6v	47.5v	0.0v	0.0v	0.0v	0.0v	336.33v
217 Miss K Kapustina	O	69.8v	74.8v	49.7v	49.5v	0.0v	0.0v	46.3v	49.2v	0.0v	0.0v	0.0v	0.0v	336.33v
218 Mr R Hirst	O	72.6v	71.6v	49.7v	48.3v	0.0v	0.0v	46.4v	50.7v	0.0v	0.0v	0.0v	0.0v	336.33v
219 Sgt SDJ Glanville	X	73.13v	71.9v	50.3v	49.2v	0.0v	0.0v	44.2v	49.4v	0.0v	0.0v	0.0v	0.0v	336.33v
220 Mr AJ Haggerty	X	73.9v	71.4v	48.6v	49.6v	0.0v	0.0v	46.5v	49.2v	0.0v	0.0v	0.0v	0.0v	336.32v
221 Mr K McCamley	X	71.7v	74.8v	50.6v	48.3v	0.0v	0.0v	44.2v	49.6v	0.0v	0.0v	0.0v	0.0v	336.32v
222 Dr GP Nelson	X	73.6v	68.5v	50.6v	49.4v	0.0v	0.0v	48.7v	48.3v	0.0v	0.0v	0.0v	0.0v	336.31v
223 Mr DN Webber	O	68.5v	72.7v	49.5v	49.2v	0.0v	0.0v	48.6v	50.6v	0.0v	0.0v	0.0v	0.0v	336.31v
224 Mr JMA Thompson	X	72.10v	72.6v	49.4v	48.4v	0.0v	0.0v	48.3v	47.4v	0.0v	0.0v	0.0v	0.0v	336.31v
225 Mr RI Coventry	A	72.5v	73.6v	48.6v	49.7v	0.0v	0.0v	45.2v	49.4v	0.0v	0.0v	0.0v	0.0v	336.30v
226 Mr RJ Quy	O	74.7v	74.8v	47.2v	47.6v	0.0v	0.0v	46.4v	48.3v	0.0v	0.0v	0.0v	0.0v	336.30v
227 Mr SW Maris	O	75.9v	73.9v	47.3v	47.3v	0.0v	0.0v	45.2v	49.4v	0.0v	0.0v	0.0v	0.0v	336.30v
228 Mr CP Goad	O	72.8v	72.4v	49.4v	50.4v	0.0v	0.0v	44.1v	49.6v	0.0v	0.0v	0.0v	0.0v	336.27v
229 Miss KS Nichols	T	73.9v	71.10v	49.7v	48.2v	0.0v	0.0v	49.4v	45.4v	0.0v	0.0v	0.0v	0.0v	335.36v
230 Mr MCJ Button	X	72.7v	72.11v	49.5v	47.4v	0.0v	0.0v	45.3v	50.5v	0.0v	0.0v	0.0v	0.0v	335.35v
231 Mr MD Joyce	O	73.6v	73.11v	46.4v	49.7v	0.0v	0.0v	50.5v	44.1v	0.0v	0.0v	0.0v	0.0v	335.34v
232 Mr DE Nuthall	A	73.7v	69.6v	49.7v	49.7v	0.0v	0.0v	46.2v	49.5v	0.0v	0.0v	0.0v	0.0v	335.34v
233 Cdt R Roche	T	73.8v	70.7v	50.8v	48.5v	0.0v	0.0v	44.2v	50.4v	0.0v	0.0v	0.0v	0.0v	335.34v
234 Mr TJ Bullock	X	74.7v	73.6v	49.8v	47.6v	0.0v	0.0v	44.2v	48.4v	0.0v	0.0v	0.0v	0.0v	335.33v
235 Mr WF Livesey	A	72.6v	72.6v	50.4v	50.7v	0.0v	0.0v	44.4v	47.5v	0.0v	0.0v	0.0v	0.0v	335.32v
236 Mr EA Sewell	X	73.4v	74.10v	48.7v	47.3v	0.0v	0.0v	44.4v	49.4v	0.0v	0.0v	0.0v	0.0v	335.32v
237 Mr APW Daw	A	71.7v	73.7v	48.4v	45.1v	0.0v	0.0v	49.9v	49.3v	0.0v	0.0v	0.0v	0.0v	335.31v
238 Mr JRJ Hinde	X	71.8v	73.2v	49.7v	47.3v	0.0v	0.0v	46.5v	49.6v	0.0v	0.0v	0.0v	0.0v	335.31v
239 Mr K Crabtree	A	75.9v	74.8v	47.1v	44.3v	0.0v	0.0v	46.3v	49.7v	0.0v	0.0v	0.0v	0.0v	335.31v
240 Cdt A Pike	T	72.8v	72.5v	47.6v	49.7v	0.0v	0.0v	46.2v	49.2v	0.0v	0.0v	0.0v	0.0v	335.30v
241 Mr MA Kirkillo-Stacewicz	X	69.5v	72.8v	49.4v	50.7v	0.0v	0.0v	49.3v	46.2v	0.0v	0.0v	0.0v	0.0v	335.29v
242 Mr KR Trowbridge	O	72.5v	73.7v	48.5v	48.4v	0.0v	0.0v	48.6v	46.2v	0.0v	0.0v	0.0v	0.0v	335.29v
243 Lt Col WDH Burden	A	73.7v	73.7v	47.3v	47.3v	0.0v	0.0v	46.2v	49.7v	0.0v	0.0v	0.0v	0.0v	335.29v
244 Mr AR Radkovskii	A	74.8v	73.8v	49.7v	46.1v	0.0v	0.0v	47.2v	46.3v	0.0v	0.0v	0.0v	0.0v	335.29v
245 Mr NE Harvey	O	68.6v	71.5v	49.5v	49.2v	0.0v	0.0v	49.5v	49.5v	0.0v	0.0v	0.0v	0.0v	335.28v
246 Cdt BJ Hunt	T	72.5v	73.7v	47.1v	48.3v	0.0v	0.0v	47.6v	48.5v	0.0v	0.0v	0.0v	0.0v	335.27v
247 Mr GW Robinson	O	72.8v	73.5v	48.3v	47.5v	0.0v	0.0v	47.0v	48.5v	0.0v	0.0v	0.0v	0.0v	335.26v
248 Mr SER Cherry	A	73.7v	74.3v	48.3v	44.1v	0.0v	0.0v	48.4v	48.4v	0.0v	0.0v	0.0v	0.0v	335.22v
249 Mrs LK Mace	A	72.6v	74.8v	47.4v	48.3v	0.0v	0.0v	48.7v	45.5v	0.0v	0.0v	0.0v	0.0v	334.33v
250 Mr MH Shaw	O	71.7v	73.8v	47.4v	48.7v	0.0v	0.0v	48.3v	47.4v	0.0v	0.0v	0.0v	0.0v	334.33v
251 Mr AF Aspin	O	73.10v	70.6v	48.4v	49.5v	0.0v	0.0v	46.5v	48.3v	0.0v	0.0v	0.0v	0.0v	334.33v
252 Mr IDC Brechin	A	71.7v	73.8v	48.5v	46.4v	0.0v	0.0v	48.4v	48.5v	0.0v	0.0v	0.0v	0.0v	334.33v
253 Mr JL Brooking	X	73.9v	74.8v	47.5v	48.5v	0.0v	0.0v	45.3v	47.3v	0.0v	0.0v	0.0v	0.0v	334.33v
254 Mr DN Lindsay	A	74.8v	73.8v	49.5v	47.7v	0.0v	0.0v	44.2v	47.3v	0.0v	0.0v	0.0v	0.0v	334.33v
255 Mr RG Woodger	A	72.6v	70.9v	50.6v	49.4v	0.0v	0.0v	44.3v	49.4v	0.0v	0.0v	0.0v	0.0v	334.32v
256 Wg Cdr CR Smith	O	66.4v	75.9v	49.4v	49.5v	0.0v	0.0v	47.5v	48.4v	0.0v	0.0v	0.0v	0.0v	334.31v
257 Mr BN Craig	O	72.8v	74.8v	48.6v	48.5v	0.0v	0.0v	44.1v	48.3v	0.0v	0.0v	0.0v	0.0v	334.31v
258 Mr JBG Shepherd	X	74.10v	72.7v	49.3v	45.4v	0.0v	0.0v	45.2v	49.5v	0.0v	0.0v	0.0v	0.0v	334.31v
259 Mr JW Alexander	X	72.6v	74.9v	49.3v	48.4v	0.0v	0.0v	42.2v	49.7v	0.0v	0.0v	0.0v	0.0v	334.31v
260 Cdt FJA Robson	T	74.9v	69.2v	48.6v	46.5v	0.0v	0.0v	48.4v	49.4v	0.0v	0.0v	0.0v	0.0v	334.30v
261 Dr BJ Winney	A	74.8v	71.5v	49.3v	47.7v	0.0v	0.0v	46.3v	47.4v	0.0v	0.0v	0.0v	0.0v	334.30v
262 Dr T Keen	X	71.6v	70.5v	50.8v	47.2v	0.0v	0.0v	48.4v	48.4v	0.0v	0.0v	0.0v	0.0v	334.29v
263 Pte HG Asquith-Beard	O	74.8v	71.4v	48.7v	50.4v	0.0v	0.0v	44.2v	47.4v	0.0v	0.0v	0.0v	0.0v	334.29v
264 Miss AJ Carnell	O	72.8v	73.6v	48.3v	46.3v	0.0v	0.0v	48.3v	47.6v	0.0v	0.0v	0.0v	0.0v	334.29v
265 Mr ES Compton	X	72.5v	73.6v	47.4v	43.4v	0.0v	0.0v	50.4v	49.6v	0.0v	0.0v	0.0v	0.0v	334.29v
266 Mr ML Cotillard	O	73.7v	74.8v	48.3v	47.4v	0.0v	0.0v	44.2v	48.5v	0.0v	0.0v	0.0v	0.0v	334.29v
267 Dr MW Wrigley	O	75.9v	69.5v	48.5v	48.3v	0.0v	0.0v	47.3v	47.3v	0.0v	0.0v	0.0v	0.0v	334.28v
268 Mr GA Cann	A	72.4v	71.4v	50.8v	48.4v	0.0v	0.0v	45.3v	48.5v	0.0v	0.0v	0.0v	0.0v	334.28v
269 Miss FE Purdy	O	72.6v	74.6v	50.4v	46.2v	0.0v	0.0v	47.6v	45.3v	0.0v	0.0v	0.0v	0.0v	334.27v
270 Mr C Asquith	X	74.7v	69.5v	48.6v	47.3v	0.0v	0.0v	48.3v	48.2v	0.0v	0.0v	0.0v	0.0v	334.26v
271 Mr CA Stewart	A	74.7v	71.5v	46.3v	49.3v	0.0v	0.0v	45.3v	49.5v	0.0v	0.0v	0.0v	0.0v	334.26v

272 Cdt W Williamson	T	71.6v	69.5v	48.2v	49.4v	0.0v	0.0v	48.4v	49.3v	0.0v	0.0v	0.0v	0.0v	334.24v
273 Maj AW Gill	X	74.10v	73.8v	47.3v	47.4v	0.0v	0.0v	46.6v	46.4v	0.0v	0.0v	0.0v	0.0v	333.35v
274 Mr RJR Mott	A	71.9v	74.8v	48.6v	46.3v	0.0v	0.0v	46.4v	48.4v	0.0v	0.0v	0.0v	0.0v	333.34v
275 Miss KG Hines	T	74.10v	71.8v	47.4v	47.3v	0.0v	0.0v	47.4v	47.3v	0.0v	0.0v	0.0v	0.0v	333.32v
276 Cdt T Mulholland	T	75.9v	71.4v	47.4v	45.4v	0.0v	0.0v	46.4v	49.7v	0.0v	0.0v	0.0v	0.0v	333.32v
277 Mr RAH Vary	A	75.9v	66.4v	47.3v	47.4v	0.0v	0.0v	49.5v	49.6v	0.0v	0.0v	0.0v	0.0v	333.31v
278 Mr AD Partridge	O	69.6v	75.10v	49.7v	45.1v	0.0v	0.0v	47.3v	48.3v	0.0v	0.0v	0.0v	0.0v	333.30v
279 Mr S Belither	X	67.5v	70.3v	50.6v	48.4v	0.0v	0.0v	49.7v	49.4v	0.0v	0.0v	0.0v	0.0v	333.29v
280 Mr R Sampson	O	73.7v	68.5v	47.2v	47.5v	0.0v	0.0v	49.3v	49.7v	0.0v	0.0v	0.0v	0.0v	333.29v
281 Dr M Schwarz	A	72.2v	72.9v	50.5v	41.2v	0.0v	0.0v	49.6v	49.5v	0.0v	0.0v	0.0v	0.0v	333.29v
282 Mr AJ Le Cheminant	O	69.5v	72.5v	48.5v	48.4v	0.0v	0.0v	47.4v	49.5v	0.0v	0.0v	0.0v	0.0v	333.28v
283 Mr MJ Creber	O	70.4v	71.4v	47.4v	48.5v	0.0v	0.0v	50.5v	47.5v	0.0v	0.0v	0.0v	0.0v	333.27v
284 Mr DH Allen	O	71.8v	71.5v	46.1v	48.2v	0.0v	0.0v	48.5v	49.6v	0.0v	0.0v	0.0v	0.0v	333.27v
285 Mr RF Barrington	O	71.4v	71.5v	49.3v	47.5v	0.0v	0.0v	48.6v	47.4v	0.0v	0.0v	0.0v	0.0v	333.27v
286 Mr M Rewston	A	71.4v	68.5v	50.6v	48.5v	0.0v	0.0v	47.3v	49.4v	0.0v	0.0v	0.0v	0.0v	333.27v
287 Mr IW Robertson	O	71.5v	73.3v	49.6v	48.3v	0.0v	0.0v	45.5v	47.5v	0.0v	0.0v	0.0v	0.0v	333.27v
288 Mr JA Haward	A	71.4v	72.6v	47.4v	46.3v	0.0v	0.0v	47.3v	50.7v	0.0v	0.0v	0.0v	0.0v	333.27v
289 Miss K Lindsay	O	72.5v	69.4v	50.7v	48.3v	0.0v	0.0v	47.4v	47.3v	0.0v	0.0v	0.0v	0.0v	333.26v
290 Cdt MJ Keel	O	70.5v	71.4v	50.6v	49.5v	0.0v	0.0v	45.2v	48.4v	0.0v	0.0v	0.0v	0.0v	333.26v
291 Mr A Lothian	O	73.7v	72.6v	49.5v	45.2v	0.0v	0.0v	49.2v	45.3v	0.0v	0.0v	0.0v	0.0v	333.25v
292 Mr RA Jobson	O	72.5v	71.4v	48.5v	48.6v	0.0v	0.0v	47.2v	47.1v	0.0v	0.0v	0.0v	0.0v	333.23v
293 Cdt RJ Mace	T	73.5v	71.5v	50.4v	45.3v	0.0v	0.0v	46.4v	48.2v	0.0v	0.0v	0.0v	0.0v	333.23v
294 Mr HD Quilliam	O	69.4v	70.4v	50.5v	48.2v	0.0v	0.0v	49.3v	47.4v	0.0v	0.0v	0.0v	0.0v	333.22v
295 Mr MHN Palmer	X	72.11v	74.9v	48.7v	47.4v	0.0v	0.0v	48.5v	43.3v	0.0v	0.0v	0.0v	0.0v	332.39v
296 Mr SME Hayton	X	71.9v	72.10v	44.4v	49.5v	0.0v	0.0v	46.4v	50.7v	0.0v	0.0v	0.0v	0.0v	332.39v
297 Mr JD Thorp	O	70.6v	72.7v	48.6v	47.5v	0.0v	0.0v	46.5v	49.7v	0.0v	0.0v	0.0v	0.0v	332.36v
298 Capt JJ Jalili	O	71.6v	69.7v	49.6v	49.3v	0.0v	0.0v	47.6v	47.6v	0.0v	0.0v	0.0v	0.0v	332.34v
299 Mr MJJ Charlton	O	70.5v	72.8v	47.7v	48.6v	0.0v	0.0v	49.4v	46.2v	0.0v	0.0v	0.0v	0.0v	332.32v
300 Mr JRJ Kennedy	O	66.6v	74.8v	49.4v	49.5v	0.0v	0.0v	46.5v	48.4v	0.0v	0.0v	0.0v	0.0v	332.32v
301 Cdt J Beddoe	T	71.6v	69.4v	48.2v	47.6v	0.0v	0.0v	48.7v	49.6v	0.0v	0.0v	0.0v	0.0v	332.31v
302 Mr T Smith	X	73.7v	73.9v	49.4v	46.6v	0.0v	0.0v	44.3v	47.2v	0.0v	0.0v	0.0v	0.0v	332.31v
303 Cdt Cpl TRE White	T	68.4v	71.2v	50.6v	49.7v	0.0v	0.0v	48.8v	46.3v	0.0v	0.0v	0.0v	0.0v	332.30v
304 Miss CS Chan	O	71.6v	73.5v	45.2v	48.7v	0.0v	0.0v	45.3v	50.7v	0.0v	0.0v	0.0v	0.0v	332.30v
305 Mr BDW Parsons	A	72.7v	73.5v	48.6v	48.5v	0.0v	0.0v	45.2v	46.4v	0.0v	0.0v	0.0v	0.0v	332.29v
306 Mr DH Acton	O	70.6v	73.8v	45.2v	47.4v	0.0v	0.0v	49.4v	48.4v	0.0v	0.0v	0.0v	0.0v	332.28v
307 Mr Al Lawrie	O	69.3v	73.9v	48.6v	48.3v	0.0v	0.0v	47.3v	47.4v	0.0v	0.0v	0.0v	0.0v	332.28v
308 Mr R Edwards	O	71.8v	72.7v	46.4v	49.3v	0.0v	0.0v	46.2v	48.4v	0.0v	0.0v	0.0v	0.0v	332.28v
309 Mr NJ Atkins	A	72.6v	71.3v	50.8v	46.2v	0.0v	0.0v	47.4v	46.5v	0.0v	0.0v	0.0v	0.0v	332.28v
310 Cdt HB Thomson	T	71.5v	73.10v	47.2v	46.3v	0.0v	0.0v	47.3v	48.5v	0.0v	0.0v	0.0v	0.0v	332.28v
311 Mr DFP Richards	O	73.7v	71.2v	44.6v	49.4v	0.0v	0.0v	49.6v	46.2v	0.0v	0.0v	0.0v	0.0v	332.27v
312 Mr MR Clewer	O	71.7v	70.4v	47.5v	49.3v	0.0v	0.0v	48.3v	47.4v	0.0v	0.0v	0.0v	0.0v	332.26v
313 Cdt NR Shutt	T	73.8v	70.4v	46.4v	49.2v	0.0v	0.0v	46.2v	48.6v	0.0v	0.0v	0.0v	0.0v	332.26v
314 Mr CAD Flanagan	O	72.7v	73.5v	48.4v	49.2v	0.0v	0.0v	45.5v	45.3v	0.0v	0.0v	0.0v	0.0v	332.26v
315 Mr JT Kennedy	O	70.6v	75.6v	45.2v	43.3v	0.0v	0.0v	49.3v	50.6v	0.0v	0.0v	0.0v	0.0v	332.26v
316 Miss KJA Johnson	T	71.5v	71.6v	48.3v	49.7v	0.0v	0.0v	46.2v	47.2v	0.0v	0.0v	0.0v	0.0v	332.25v
317 Mr DA Roberts	O	71.5v	71.6v	49.2v	46.3v	0.0v	0.0v	49.4v	46.4v	0.0v	0.0v	0.0v	0.0v	332.24v
318 Mr PW Glen	A	70.1v	74.7v	44.2v	50.5v	0.0v	0.0v	46.2v	48.6v	0.0v	0.0v	0.0v	0.0v	332.23v
319 Mr RA Webb	O	73.10v	66.6v	49.7v	49.3v	0.0v	0.0v	46.3v	48.5v	0.0v	0.0v	0.0v	0.0v	331.34v
320 Dr J St J Mehta	X	72.10v	74.7v	49.3v	44.3v	0.0v	0.0v	45.5v	47.5v	0.0v	0.0v	0.0v	0.0v	331.33v
321 Cdt R Tiffin	T	71.8v	71.5v	47.5v	48.5v	0.0v	0.0v	47.5v	47.4v	0.0v	0.0v	0.0v	0.0v	331.32v
322 Mrs MM Norman	O	72.8v	73.10v	49.7v	44.2v	0.0v	0.0v	46.1v	47.4v	0.0v	0.0v	0.0v	0.0v	331.32v
323 Mr W Mulholland	O	72.6v	72.6v	48.7v	45.5v	0.0v	0.0v	50.4v	44.2v	0.0v	0.0v	0.0v	0.0v	331.30v
324 Mr JR Stirland	O	72.6v	73.6v	48.6v	46.5v	0.0v	0.0v	45.2v	47.5v	0.0v	0.0v	0.0v	0.0v	331.30v
325 Mr RW Ramage	O	74.8v	73.7v	47.5v	48.3v	0.0v	0.0v	44.2v	45.4v	0.0v	0.0v	0.0v	0.0v	331.29v
326 Mr RB Fitzsimmons	O	73.7v	72.10v	45.2v	47.3v	0.0v	0.0v	47.3v	47.3v	0.0v	0.0v	0.0v	0.0v	331.28v
327 Mr MJS Gerhardt	T	73.7v	71.4v	50.5v	47.5v	0.0v	0.0v	42.1v	48.6v	0.0v	0.0v	0.0v	0.0v	331.28v
328 Miss BR Fraser-Burn	O	69.5v	73.6v	46.2v	48.6v	0.0v	0.0v	46.2v	49.4v	0.0v	0.0v	0.0v	0.0v	331.25v
329 Mr G Marples	O	72.6v	70.6v	49.3v	47.3v	0.0v	0.0v	46.3v	47.1v	0.0v	0.0v	0.0v	0.0v	331.22v
330 Mr RA Dyball	O	73.7v	74.10v	48.6v	46.5v	0.0v	0.0v	46.4v	43.4v	0.0v	0.0v	0.0v	0.0v	330.36v
331 Mr DAF Parkinson	O	70.5v	69.8v	48.4v	49.7v	0.0v	0.0v	46.4v	48.4v	0.0v	0.0v	0.0v	0.0v	330.32v

332 Mr PS Gray	O	71.5v	72.7v	49.6v	47.5v	0.0v	0.0v	47.7v	44.2v	0.0v	0.0v	0.0v	0.0v	330.32v
333 Mr PG Cann	O	74.7v	71.8v	47.3v	42.2v	0.0v	0.0v	49.6v	47.6v	0.0v	0.0v	0.0v	0.0v	330.32v
334 Mr TO Fermor	O	70.8v	69.5v	47.5v	50.4v	0.0v	0.0v	48.3v	46.6v	0.0v	0.0v	0.0v	0.0v	330.31v
335 Mr ASOS Stewart	T	74.8v	73.7v	48.8v	48.4v	0.0v	0.0v	38.0v	49.4v	0.0v	0.0v	0.0v	0.0v	330.31v
336 Cdt K Butler	T	70.6v	71.6v	47.3v	49.4v	0.0v	0.0v	44.3v	49.8v	0.0v	0.0v	0.0v	0.0v	330.30v
337 Cdt MG Woodcock	O	73.11v	74.8v	49.5v	47.4v	0.0v	0.0v	46.2v	41.0v	0.0v	0.0v	0.0v	0.0v	330.30v
338 Mr G Sarin	O	69.3v	69.6v	48.6v	46.2v	0.0v	0.0v	50.6v	48.6v	0.0v	0.0v	0.0v	0.0v	330.29v
339 Cdt R Morin	T	70.2v	72.8v	48.4v	46.4v	0.0v	0.0v	46.3v	48.6v	0.0v	0.0v	0.0v	0.0v	330.27v
340 Miss AK Morriss	O	71.5v	67.5v	47.2v	50.6v	0.0v	0.0v	48.5v	47.3v	0.0v	0.0v	0.0v	0.0v	330.26v
341 Miss PA Evans	O	68.4v	69.4v	50.7v	49.5v	0.0v	0.0v	47.3v	47.2v	0.0v	0.0v	0.0v	0.0v	330.25v
342 Lt Col CST Lehmann	O	71.6v	70.6v	48.3v	48.4v	0.0v	0.0v	45.2v	48.4v	0.0v	0.0v	0.0v	0.0v	330.25v
343 Mr N Anderson	O	71.5v	69.4v	49.5v	46.5v	0.0v	0.0v	46.2v	49.4v	0.0v	0.0v	0.0v	0.0v	330.25v
344 Mr GV Feast	A	73.3v	68.1v	48.5v	46.3v	0.0v	0.0v	48.7v	47.5v	0.0v	0.0v	0.0v	0.0v	330.24v
345 Mr RR Warren	O	71.4v	71.7v	49.5v	44.2v	0.0v	0.0v	47.0v	48.5v	0.0v	0.0v	0.0v	0.0v	330.23v
346 Cdt F Lawry	T	72.9v	74.13v	47.5v	45.2v	0.0v	0.0v	44.2v	47.5v	0.0v	0.0v	0.0v	0.0v	329.36v
347 Mr SR Sharma	A	73.8v	73.9v	49.6v	48.4v	0.0v	0.0v	38.3v	48.2v	0.0v	0.0v	0.0v	0.0v	329.32v
348 Cdt HM McCaig	T	72.9v	72.9v	44.2v	47.4v	0.0v	0.0v	46.2v	48.4v	0.0v	0.0v	0.0v	0.0v	329.30v
349 Mr TJ Bryan	A	68.5v	72.8v	48.4v	45.4v	0.0v	0.0v	47.5v	49.3v	0.0v	0.0v	0.0v	0.0v	329.29v
350 Mr MD Jenvey	O	72.8v	71.3v	49.5v	47.6v	0.0v	0.0v	44.3v	46.4v	0.0v	0.0v	0.0v	0.0v	329.29v
351 Mr ARN Kinross	O	69.7v	72.5v	48.6v	46.3v	0.0v	0.0v	47.6v	47.1v	0.0v	0.0v	0.0v	0.0v	329.28v
352 Miss T Myagkova	O	71.7v	69.4v	47.5v	47.2v	0.0v	0.0v	47.3v	48.6v	0.0v	0.0v	0.0v	0.0v	329.27v
353 Mr LMD Cheek	X	72.7v	71.5v	49.4v	47.3v	0.0v	0.0v	43.3v	47.4v	0.0v	0.0v	0.0v	0.0v	329.26v
354 Cdt E Chambers	T	68.2v	71.6v	49.3v	50.4v	0.0v	0.0v	45.5v	46.5v	0.0v	0.0v	0.0v	0.0v	329.25v
355 Wg Cdr JR Lindsay	O	73.6v	70.3v	47.5v	47.5v	0.0v	0.0v	45.2v	47.4v	0.0v	0.0v	0.0v	0.0v	329.25v
356 Mr DJ Curtis	A	69.6v	71.2v	47.5v	44.3v	0.0v	0.0v	48.4v	50.5v	0.0v	0.0v	0.0v	0.0v	329.25v
357 Mr SD Glen	A	70.4v	69.4v	47.3v	48.5v	0.0v	0.0v	45.3v	50.5v	0.0v	0.0v	0.0v	0.0v	329.24v
358 Mr JM Baldwin	O	72.7v	74.5v	47.3v	46.2v	0.0v	0.0v	45.3v	45.4v	0.0v	0.0v	0.0v	0.0v	329.24v
359 Mr JRD Clegg	O	72.2v	70.4v	47.2v	48.3v	0.0v	0.0v	46.3v	46.3v	0.0v	0.0v	0.0v	0.0v	329.17v
360 Cdt CAJ Crosby	A	69.4v	68.7v	47.4v	46.4v	0.0v	0.0v	48.5v	50.6v	0.0v	0.0v	0.0v	0.0v	328.30v
361 Miss SJ Dick	O	69.5v	72.9v	47.5v	46.2v	0.0v	0.0v	47.5v	47.3v	0.0v	0.0v	0.0v	0.0v	328.29v
362 Mr GC Childs	A	72.6v	71.6v	48.3v	41.2v	0.0v	0.0v	48.6v	48.6v	0.0v	0.0v	0.0v	0.0v	328.29v
363 Mr R le R Bird	O	70.4v	71.6v	47.6v	45.3v	0.0v	0.0v	47.4v	48.5v	0.0v	0.0v	0.0v	0.0v	328.28v
364 Cdt JC Duffy	T	74.8v	73.8v	45.3v	44.3v	0.0v	0.0v	44.1v	48.5v	0.0v	0.0v	0.0v	0.0v	328.28v
365 Mr P Waldron	O	70.4v	72.8v	46.2v	45.4v	0.0v	0.0v	47.4v	48.5v	0.0v	0.0v	0.0v	0.0v	328.27v
366 Mr EN Munro	O	72.9v	73.3v	46.4v	46.3v	0.0v	0.0v	45.3v	46.5v	0.0v	0.0v	0.0v	0.0v	328.27v
367 Mr LM Peden	A	71.5v	70.6v	46.3v	44.3v	0.0v	0.0v	48.4v	49.5v	0.0v	0.0v	0.0v	0.0v	328.26v
368 Cdt OJ Hughes	T	70.6v	69.5v	50.6v	45.2v	0.0v	0.0v	45.3v	49.4v	0.0v	0.0v	0.0v	0.0v	328.26v
369 Mr JAMM Ingham	T	72.7v	71.7v	48.6v	45.1v	0.0v	0.0v	44.1v	48.4v	0.0v	0.0v	0.0v	0.0v	328.26v
370 Mrs HV Golaszewski	A	71.5v	71.8v	48.4v	46.3v	0.0v	0.0v	44.2v	48.3v	0.0v	0.0v	0.0v	0.0v	328.25v
371 Cdt Sgt TR Jones	O	71.6v	73.6v	46.4v	47.3v	0.0v	0.0v	48.3v	43.2v	0.0v	0.0v	0.0v	0.0v	328.24v
372 Mr MF Jordan	O	72.5v	68.3v	48.5v	49.6v	0.0v	0.0v	44.2v	47.3v	0.0v	0.0v	0.0v	0.0v	328.24v
373 Mr J Halahan	O	74.4v	70.6v	46.4v	46.3v	0.0v	0.0v	44.4v	48.2v	0.0v	0.0v	0.0v	0.0v	328.23v
374 Dr N Hart	O	71.2v	70.5v	47.3v	44.2v	0.0v	0.0v	49.7v	47.2v	0.0v	0.0v	0.0v	0.0v	328.21v
375 Mr CB Cotillard	O	69.3v	71.3v	47.2v	47.5v	0.0v	0.0v	47.3v	47.4v	0.0v	0.0v	0.0v	0.0v	328.20v
376 Dr T Pantke	T	73.7v	69.3v	47.3v	47.3v	0.0v	0.0v	46.2v	46.2v	0.0v	0.0v	0.0v	0.0v	328.20v
377 Dr Al Ashworth	O	68.1v	71.7v	47.4v	46.3v	0.0v	0.0v	48.1v	48.3v	0.0v	0.0v	0.0v	0.0v	328.19v
378 Mr SE Young	O	67.3v	72.5v	49.7v	48.4v	0.0v	0.0v	47.5v	44.3v	0.0v	0.0v	0.0v	0.0v	327.27v
379 Mr TP Clarke	O	71.6v	67.2v	47.4v	48.5v	0.0v	0.0v	46.3v	48.6v	0.0v	0.0v	0.0v	0.0v	327.26v
380 Mr TM Booth	T	71.5v	70.5v	49.4v	47.4v	0.0v	0.0v	46.6v	44.2v	0.0v	0.0v	0.0v	0.0v	327.26v
381 Mr D Couch	O	72.8v	69.3v	49.7v	49.4v	0.0v	0.0v	43.1v	45.3v	0.0v	0.0v	0.0v	0.0v	327.26v
382 Mr Al Brown	O	72.6v	72.4v	48.7v	46.5v	0.0v	0.0v	44.3v	45.1v	0.0v	0.0v	0.0v	0.0v	327.26v
383 Mr TS Craig-Fleming	O	68.6v	70.4v	48.1v	50.5v	0.0v	0.0v	42.3v	49.5v	0.0v	0.0v	0.0v	0.0v	327.24v
384 Mr AG Lloyd	A	71.6v	71.8v	49.3v	48.4v	0.0v	0.0v	44.2v	44.1v	0.0v	0.0v	0.0v	0.0v	327.24v
385 Cdt G Clarke	T	70.4v	71.5v	47.3v	48.5v	0.0v	0.0v	45.2v	46.4v	0.0v	0.0v	0.0v	0.0v	327.23v
386 Cdt HJ Purslow	T	70.5v	72.7v	47.3v	49.3v	0.0v	0.0v	45.2v	44.2v	0.0v	0.0v	0.0v	0.0v	327.22v
387 Mr TS McDowell	O	68.5v	71.5v	47.4v	49.5v	0.0v	0.0v	46.1v	46.1v	0.0v	0.0v	0.0v	0.0v	327.21v
388 Mr LT Wicker	O	72.7v	70.4v	46.1v	45.3v	0.0v	0.0v	46.4v	48.2v	0.0v	0.0v	0.0v	0.0v	327.21v
389 Mr BV Cambray	O	69.5v	70.4v	48.3v	43.2v	0.0v	0.0v	48.2v	49.5v	0.0v	0.0v	0.0v	0.0v	327.21v
390 Mr JAH Nicholls	O	67.4v	68.2v	48.4v	47.1v	0.0v	0.0v	49.5v	48.4v	0.0v	0.0v	0.0v	0.0v	327.20v
391 Mr JR Purdy	O	70.6v	66.1v	49.2v	47.3v	0.0v	0.0v	45.2v	50.4v	0.0v	0.0v	0.0v	0.0v	327.18v

392 Mr RK Sheead	A	67.4v	74.8v	42.3v	47.3v	0.0v	0.0v	50.8v	46.5v	0.0v	0.0v	0.0v	0.0v	326.31v
393 Mr NNT Kerins	A	75.9v	74.9v	47.5v	38.1v	0.0v	0.0v	48.4v	44.3v	0.0v	0.0v	0.0v	0.0v	326.31v
394 Mr GJ Lake Coghlan	T	73.9v	68.5v	47.3v	46.2v	0.0v	0.0v	48.7v	44.4v	0.0v	0.0v	0.0v	0.0v	326.30v
395 Mr RM Smith	T	71.5v	70.5v	48.8v	45.3v	0.0v	0.0v	45.4v	47.3v	0.0v	0.0v	0.0v	0.0v	326.28v
396 Mr EGH Atkins	A	68.4v	70.7v	46.3v	46.5v	0.0v	0.0v	49.6v	47.2v	0.0v	0.0v	0.0v	0.0v	326.27v
397 Mr LR Coventry	O	69.2v	69.3v	49.5v	48.6v	0.0v	0.0v	44.4v	47.4v	0.0v	0.0v	0.0v	0.0v	326.24v
398 Mr PG Kelly	O	67.4v	70.4v	48.3v	45.2v	0.0v	0.0v	49.5v	47.3v	0.0v	0.0v	0.0v	0.0v	326.21v
399 Cdt S Rorison	T	73.8v	70.5v	46.1v	45.2v	0.0v	0.0v	46.3v	46.2v	0.0v	0.0v	0.0v	0.0v	326.21v
400 Mr PJ Bysshe	O	68.1v	71.7v	42.0v	50.7v	0.0v	0.0v	48.2v	47.3v	0.0v	0.0v	0.0v	0.0v	326.20v
401 Mr RW McVeigh	O	69.4v	72.4v	48.4v	39.1v	0.0v	0.0v	49.3v	49.4v	0.0v	0.0v	0.0v	0.0v	326.20v
402 Mr JC Hilton-Johnson	O	73.5v	68.2v	48.4v	47.3v	0.0v	0.0v	45.4v	45.1v	0.0v	0.0v	0.0v	0.0v	326.19v
403 Miss NI Murrin	T	70.5v	75.6v	46.0v	46.3v	0.0v	0.0v	40.1v	49.4v	0.0v	0.0v	0.0v	0.0v	326.19v
404 Mr AG Harrison	O	67.2v	72.8v	48.8v	48.5v	0.0v	0.0v	45.2v	45.5v	0.0v	0.0v	0.0v	0.0v	325.30v
405 Wg Cdr MJ Gregory	O	66.4v	70.5v	45.4v	48.6v	0.0v	0.0v	48.5v	48.5v	0.0v	0.0v	0.0v	0.0v	325.29v
406 Mr GW Yates	O	70.5v	71.7v	46.4v	48.3v	0.0v	0.0v	47.3v	43.4v	0.0v	0.0v	0.0v	0.0v	325.26v
407 Mrs KM Stebbings	A	74.9v	72.6v	49.5v	42.1v	0.0v	0.0v	43.2v	45.3v	0.0v	0.0v	0.0v	0.0v	325.26v
408 Mr AW Davies	O	72.5v	71.6v	46.3v	48.3v	0.0v	0.0v	44.3v	44.4v	0.0v	0.0v	0.0v	0.0v	325.24v
409 Mr DW Campbell	T	70.5v	69.6v	46.3v	47.3v	0.0v	0.0v	44.2v	49.5v	0.0v	0.0v	0.0v	0.0v	325.24v
410 Mr SH Dickson	O	68.2v	72.6v	46.3v	47.5v	0.0v	0.0v	46.2v	46.3v	0.0v	0.0v	0.0v	0.0v	325.21v
411 Mr JE White	O	68.3v	70.7v	46.3v	45.1v	0.0v	0.0v	48.5v	48.2v	0.0v	0.0v	0.0v	0.0v	325.21v
412 Cdt KE Farley	T	68.3v	72.4v	46.1v	48.5v	0.0v	0.0v	47.4v	44.3v	0.0v	0.0v	0.0v	0.0v	325.20v
413 Mr C Brooks	O	67.5v	71.6v	48.5v	48.7v	0.0v	0.0v	46.4v	44.4v	0.0v	0.0v	0.0v	0.0v	324.31v
414 Mr JJ Parsons	A	69.8v	68.3v	48.6v	44.3v	0.0v	0.0v	48.5v	47.6v	0.0v	0.0v	0.0v	0.0v	324.31v
415 Mr AM Norman	O	66.4v	73.7v	47.5v	47.5v	0.0v	0.0v	45.1v	46.6v	0.0v	0.0v	0.0v	0.0v	324.28v
416 Cdt A Hazelton	T	73.5v	73.5v	45.3v	49.8v	0.0v	0.0v	45.3v	39.2v	0.0v	0.0v	0.0v	0.0v	324.26v
417 Mr TJ Goodger	O	73.7v	71.7v	43.1v	46.4v	0.0v	0.0v	46.5v	45.2v	0.0v	0.0v	0.0v	0.0v	324.26v
418 Mr AJ Leech	A	71.7v	70.5v	50.7v	45.3v	0.0v	0.0v	45.0v	43.3v	0.0v	0.0v	0.0v	0.0v	324.25v
419 Mr EHB Ervine	T	70.6v	68.1v	46.4v	43.1v	0.0v	0.0v	48.4v	49.8v	0.0v	0.0v	0.0v	0.0v	324.24v
420 Miss JE Ouston	X	71.5v	72.6v	45.4v	44.2v	0.0v	0.0v	44.2v	48.5v	0.0v	0.0v	0.0v	0.0v	324.24v
421 Cdt I Hunt	T	67.4v	71.3v	45.2v	45.4v	0.0v	0.0v	46.2v	50.3v	0.0v	0.0v	0.0v	0.0v	324.18v
422 Mr GRP Shapland	O	69.6v	67.7v	49.5v	49.4v	0.0v	0.0v	48.6v	41.1v	0.0v	0.0v	0.0v	0.0v	323.29v
423 Mr JF Hollingdale	O	72.5v	69.7v	47.2v	41.4v	0.0v	0.0v	47.3v	47.5v	0.0v	0.0v	0.0v	0.0v	323.26v
424 Mr RA Benest	O	74.9v	66.6v	47.2v	42.2v	0.0v	0.0v	44.2v	50.5v	0.0v	0.0v	0.0v	0.0v	323.26v
425 Cdt J Caldwell	T	73.7v	71.6v	48.3v	42.3v	0.0v	0.0v	42.2v	47.4v	0.0v	0.0v	0.0v	0.0v	323.25v
426 Mr PJ Temperley	O	72.6v	66.3v	45.4v	46.3v	0.0v	0.0v	46.1v	48.5v	0.0v	0.0v	0.0v	0.0v	323.22v
427 Ms S Cheslyn-Curtis	O	67.7v	71.1v	47.3v	46.3v	0.0v	0.0v	45.2v	47.2v	0.0v	0.0v	0.0v	0.0v	323.18v
428 Cdt O Ross	T	66.5v	71.8v	49.5v	45.2v	0.0v	0.0v	42.3v	49.4v	0.0v	0.0v	0.0v	0.0v	322.27v
429 Cdt T Peters	T	70.6v	68.3v	46.5v	47.4v	0.0v	0.0v	42.2v	49.5v	0.0v	0.0v	0.0v	0.0v	322.25v
430 Cdt AR Le Quesne	T	69.5v	71.6v	44.0v	49.6v	0.0v	0.0v	42.2v	47.5v	0.0v	0.0v	0.0v	0.0v	322.24v
431 Cdt AL Gibbs	T	69.5v	67.6v	45.2v	46.3v	0.0v	0.0v	45.2v	50.5v	0.0v	0.0v	0.0v	0.0v	322.23v
432 Miss K Harriss	T	66.4v	74.7v	45.1v	46.3v	0.0v	0.0v	45.3v	46.4v	0.0v	0.0v	0.0v	0.0v	322.22v
433 Cdt TT Tancred	O	68.3v	70.5v	47.4v	43.2v	0.0v	0.0v	48.4v	46.3v	0.0v	0.0v	0.0v	0.0v	322.21v
434 Mr CR Vonchek	T	70.3v	70.9v	46.2v	45.1v	0.0v	0.0v	46.3v	45.3v	0.0v	0.0v	0.0v	0.0v	322.21v
435 Mr ML Kirkillo-Stacewicz	O	69.2v	70.5v	48.2v	47.3v	0.0v	0.0v	41.4v	47.5v	0.0v	0.0v	0.0v	0.0v	322.21v
436 Mr GL Clarke	O	68.4v	71.4v	46.5v	48.4v	0.0v	0.0v	43.0v	46.3v	0.0v	0.0v	0.0v	0.0v	322.20v
437 Mr WR Steward	O	68.2v	72.5v	47.5v	44.2v	0.0v	0.0v	44.1v	47.3v	0.0v	0.0v	0.0v	0.0v	322.18v
438 Mr G Baylis	O	67.4v	72.9v	48.5v	46.2v	0.0v	0.0v	39.3v	49.7v	0.0v	0.0v	0.0v	0.0v	321.30v
439 Mr GR Thomas	O	71.8v	70.9v	44.1v	47.4v	0.0v	0.0v	43.1v	46.6v	0.0v	0.0v	0.0v	0.0v	321.29v
440 Mr KW Genders	O	68.5v	70.7v	47.4v	47.5v	0.0v	0.0v	46.3v	43.2v	0.0v	0.0v	0.0v	0.0v	321.26v
441 Mr R Winney	O	69.4v	70.6v	49.3v	42.2v	0.0v	0.0v	43.6v	48.5v	0.0v	0.0v	0.0v	0.0v	321.26v
442 Mr H Percival	O	71.6v	69.7v	47.4v	44.3v	0.0v	0.0v	48.2v	42.3v	0.0v	0.0v	0.0v	0.0v	321.25v
443 Air Cdre OMJ Taylor	T	74.9v	73.5v	42.4v	39.3v	0.0v	0.0v	47.0v	46.4v	0.0v	0.0v	0.0v	0.0v	321.25v
444 Cdt AM Poulton	T	68.6v	67.3v	44.3v	46.2v	0.0v	0.0v	49.6v	47.3v	0.0v	0.0v	0.0v	0.0v	321.23v
445 Cdt T Phillimore	T	67.3v	70.9v	46.1v	44.2v	0.0v	0.0v	49.6v	45.2v	0.0v	0.0v	0.0v	0.0v	321.23v
446 Mr ARP Harrison	T	72.5v	68.4v	44.4v	47.2v	0.0v	0.0v	44.2v	46.5v	0.0v	0.0v	0.0v	0.0v	321.22v
447 Cdt FCS Stewart	T	65.3v	71.4v	48.4v	44.2v	0.0v	0.0v	46.3v	47.6v	0.0v	0.0v	0.0v	0.0v	321.22v
448 Mrs RM Merridew	O	70.3v	67.0v	49.5v	46.3v	0.0v	0.0v	43.0v	46.6v	0.0v	0.0v	0.0v	0.0v	321.17v
449 Mr JA Dallas	O	72.4v	64.1v	47.4v	48.4v	0.0v	0.0v	45.0v	45.3v	0.0v	0.0v	0.0v	0.0v	321.16v
450 Mr DA Smith	O	69.6v	73.9v	39.4v	48.6v	0.0v	0.0v	44.3v	47.2v	0.0v	0.0v	0.0v	0.0v	320.30v
451 Miss NE Barnes	O	69.6v	67.4v	48.7v	47.4v	0.0v	0.0v	43.0v	46.6v	0.0v	0.0v	0.0v	0.0v	320.27v

452 Mr TR Webster	O	68.5v	72.7v	42.1v	48.6v	0.0v	0.0v	45.4v	45.3v	0.0v	0.0v	0.0v	0.0v	320.26v
453 Dr JS Rennie	A	67.5v	71.4v	48.5v	41.4v	0.0v	0.0v	46.5v	47.3v	0.0v	0.0v	0.0v	0.0v	320.26v
454 Mr AC Barrell	O	67.3v	71.5v	49.6v	46.3v	0.0v	0.0v	40.1v	47.5v	0.0v	0.0v	0.0v	0.0v	320.23v
455 Mr SJ Bates	O	69.5v	69.6v	44.3v	48.1v	0.0v	0.0v	44.1v	46.6v	0.0v	0.0v	0.0v	0.0v	320.22v
456 Mr NC Granger	O	70.5v	67.4v	47.3v	45.4v	0.0v	0.0v	42.0v	49.6v	0.0v	0.0v	0.0v	0.0v	320.22v
457 Mr BAM Hebblethwaite	O	69.5v	68.4v	44.1v	48.4v	0.0v	0.0v	44.2v	47.3v	0.0v	0.0v	0.0v	0.0v	320.19v
458 Mr BJ Tinegate-Smith	O	71.7v	68.2v	48.6v	46.0v	0.0v	0.0v	44.2v	43.2v	0.0v	0.0v	0.0v	0.0v	320.19v
459 F/O RJ Clegg	T	68.5v	72.6v	46.2v	45.2v	0.0v	0.0v	44.1v	45.2v	0.0v	0.0v	0.0v	0.0v	320.18v
460 Mr AA Singh	T	68.4v	67.1v	46.5v	45.2v	0.0v	0.0v	46.0v	48.3v	0.0v	0.0v	0.0v	0.0v	320.15v
461 Mr AP Clark	T	70.8v	69.6v	44.1v	48.6v	0.0v	0.0v	44.3v	44.0v	0.0v	0.0v	0.0v	0.0v	319.24v
462 Mr DTA Cobb	O	70.6v	69.5v	41.2v	49.5v	0.0v	0.0v	43.2v	47.4v	0.0v	0.0v	0.0v	0.0v	319.24v
463 Miss CM Jones	O	70.8v	64.3v	47.2v	48.4v	0.0v	0.0v	42.4v	48.3v	0.0v	0.0v	0.0v	0.0v	319.24v
464 Cdt AS Shine	T	69.5v	67.4v	49.4v	41.1v	0.0v	0.0v	45.4v	48.5v	0.0v	0.0v	0.0v	0.0v	319.23v
465 Cdt EJ Skelhorn	T	70.5v	71.6v	45.4v	45.3v	0.0v	0.0v	42.2v	46.2v	0.0v	0.0v	0.0v	0.0v	319.22v
466 Mr AG Stewart	T	69.5v	68.3v	43.3v	48.5v	0.0v	0.0v	44.1v	47.3v	0.0v	0.0v	0.0v	0.0v	319.20v
467 Dr G Stevenson	O	69.3v	68.4v	45.2v	48.3v	0.0v	0.0v	46.2v	43.2v	0.0v	0.0v	0.0v	0.0v	319.16v
468 Mr CI Pawlik	O	70.7v	67.3v	47.5v	43.4v	0.0v	0.0v	45.4v	46.2v	0.0v	0.0v	0.0v	0.0v	318.25v
469 Cdt LI Stewart	T	73.7v	69.5v	43.2v	45.2v	0.0v	0.0v	42.3v	46.3v	0.0v	0.0v	0.0v	0.0v	318.22v
470 Mr JM Nippers	O	66.2v	70.5v	48.4v	41.4v	0.0v	0.0v	44.2v	49.5v	0.0v	0.0v	0.0v	0.0v	318.22v
471 Mr WB Ross	O	68.5v	68.3v	44.2v	46.0v	0.0v	0.0v	46.4v	46.4v	0.0v	0.0v	0.0v	0.0v	318.18v
472 Mr K Kousetta	T	66.3v	69.4v	49.3v	38.2v	0.0v	0.0v	49.3v	47.3v	0.0v	0.0v	0.0v	0.0v	318.18v
473 Mr JS Ritchie	O	68.3v	66.3v	47.3v	48.4v	0.0v	0.0v	45.1v	44.3v	0.0v	0.0v	0.0v	0.0v	318.17v
474 Dr CW Freeman	O	71.4v	69.2v	44.2v	45.2v	0.0v	0.0v	45.2v	44.2v	0.0v	0.0v	0.0v	0.0v	318.14v
475 Mr PB Cutts	O	64.3v	70.8v	49.5v	49.6v	0.0v	0.0v	39.3v	46.3v	0.0v	0.0v	0.0v	0.0v	317.28v
476 Mr RM Culverwell	O	70.3v	71.8v	36.1v	45.2v	0.0v	0.0v	47.4v	48.3v	0.0v	0.0v	0.0v	0.0v	317.21v
477 Mr IR Reeves	O	69.4v	66.3v	47.4v	45.1v	0.0v	0.0v	48.3v	42.1v	0.0v	0.0v	0.0v	0.0v	317.16v
478 Mr BJW Wardell	T	66.3v	71.4v	47.3v	45.3v	0.0v	0.0v	44.1v	44.2v	0.0v	0.0v	0.0v	0.0v	317.16v
479 Mr BJ Page	O	72.5v	67.3v	47.1v	45.4v	0.0v	0.0v	42.2v	44.1v	0.0v	0.0v	0.0v	0.0v	317.16v
480 Mr NS Roberts	O	70.4v	68.4v	47.5v	40.2v	0.0v	0.0v	43.2v	48.6v	0.0v	0.0v	0.0v	0.0v	316.23v
481 Mr PR Thompson	O	67.5v	71.2v	48.5v	41.1v	0.0v	0.0v	46.4v	43.5v	0.0v	0.0v	0.0v	0.0v	316.22v
482 Mr HM Marden	T	63.2v	71.6v	47.2v	44.0v	0.0v	0.0v	43.0v	48.5v	0.0v	0.0v	0.0v	0.0v	316.15v
483 Mr NJ Burnip	O	70.6v	68.2v	45.4v	48.3v	0.0v	0.0v	44.2v	40.1v	0.0v	0.0v	0.0v	0.0v	315.18v
484 Mr SA Stanley	T	64.3v	65.3v	47.5v	45.3v	0.0v	0.0v	45.1v	49.3v	0.0v	0.0v	0.0v	0.0v	315.18v
485 Miss H Grindon	T	71.3v	70.4v	39.1v	47.3v	0.0v	0.0v	44.1v	44.2v	0.0v	0.0v	0.0v	0.0v	315.14v
486 Mr RJA Ritchie	O	67.2v	67.2v	45.3v	44.4v	0.0v	0.0v	45.1v	47.2v	0.0v	0.0v	0.0v	0.0v	315.14v
487 Cdt L Eadon	T	69.4v	67.1v	46.1v	42.1v	0.0v	0.0v	43.2v	48.3v	0.0v	0.0v	0.0v	0.0v	315.12v
488 Mr RPM McKenna	T	68.5v	71.3v	47.1v	41.2v	0.0v	0.0v	44.0v	44.1v	0.0v	0.0v	0.0v	0.0v	315.12v
489 Miss M Beaton-Jaramillo	T	70.7v	69.3v	45.4v	40.5v	0.0v	0.0v	44.2v	46.4v	0.0v	0.0v	0.0v	0.0v	314.25v
490 Mr RJ Cooper	T	69.7v	67.4v	45.4v	46.3v	0.0v	0.0v	45.2v	42.2v	0.0v	0.0v	0.0v	0.0v	314.22v
491 Air Cdre ANC Bramwell	T	68.6v	69.3v	44.1v	43.3v	0.0v	0.0v	44.3v	46.3v	0.0v	0.0v	0.0v	0.0v	314.19v
492 Dr ITR Jobling	A	71.6v	68.3v	47.4v	48.3v	0.0v	0.0v	45.4v	34.0v	0.0v	0.0v	0.0v	0.0v	313.20v
493 Cdt RSM CP Philp	T	65.3v	71.4v	44.2v	45.3v	0.0v	0.0v	41.3v	47.4v	0.0v	0.0v	0.0v	0.0v	313.19v
494 Mr GA Barton-Wood	T	64.2v	70.5v	46.2v	47.4v	0.0v	0.0v	37.2v	49.4v	0.0v	0.0v	0.0v	0.0v	313.19v
495 Mr K Gladding	O	69.5v	70.3v	46.4v	34.1v	0.0v	0.0v	48.5v	45.4v	0.0v	0.0v	0.0v	0.0v	312.22v
496 Mr JA Zerby	A	67.4v	71.4v	39.1v	46.4v	0.0v	0.0v	42.2v	47.4v	0.0v	0.0v	0.0v	0.0v	312.19v
497 Miss ICN Cox	T	69.2v	69.3v	44.3v	46.2v	0.0v	0.0v	39.0v	45.2v	0.0v	0.0v	0.0v	0.0v	312.12v
498 Mr AJ Grainger	T	67.4v	70.5v	42.2v	45.1v	0.0v	0.0v	43.3v	44.3v	0.0v	0.0v	0.0v	0.0v	311.18v
499 Mr DR Colegate	T	69.3v	68.5v	43.2v	45.2v	0.0v	0.0v	42.3v	44.3v	0.0v	0.0v	0.0v	0.0v	311.18v
500 Cdt A Ganesan	T	61.0v	69.5v	45.3v	44.2v	0.0v	0.0v	47.1v	45.5v	0.0v	0.0v	0.0v	0.0v	311.16v
501 Mr KMS Wong	T	69.2v	66.1v	44.2v	46.4v	0.0v	0.0v	43.1v	43.3v	0.0v	0.0v	0.0v	0.0v	311.13v
502 Mr DJ Studholme	T	60.4v	68.5v	46.4v	47.4v	0.0v	0.0v	43.2v	46.3v	0.0v	0.0v	0.0v	0.0v	310.22v
503 Mr CR Aitken	O	72.7v	61.0v	47.3v	39.3v	0.0v	0.0v	42.2v	49.7v	0.0v	0.0v	0.0v	0.0v	310.22v
504 Mr NR Wells	T	69.6v	66.4v	38.1v	46.5v	0.0v	0.0v	45.2v	46.2v	0.0v	0.0v	0.0v	0.0v	310.20v
505 Cdt J Cheetham	T	68.5v	64.5v	44.3v	43.1v	0.0v	0.0v	49.4v	42.1v	0.0v	0.0v	0.0v	0.0v	310.19v
506 Mr MK Townsend	O	66.3v	63.2v	42.2v	47.5v	0.0v	0.0v	48.2v	44.3v	0.0v	0.0v	0.0v	0.0v	310.17v
507 Mr AJD Saunders	O	70.4v	66.5v	45.1v	42.3v	0.0v	0.0v	47.3v	40.0v	0.0v	0.0v	0.0v	0.0v	310.16v
508 Mr HP Nippers	T	67.2v	69.4v	47.1v	40.3v	0.0v	0.0v	43.3v	44.3v	0.0v	0.0v	0.0v	0.0v	310.16v
509 Mr GW Wood	T	67.2v	68.3v	40.1v	44.2v	0.0v	0.0v	45.4v	46.2v	0.0v	0.0v	0.0v	0.0v	310.14v
510 Cdt J Orr	T	71.7v	68.5v	48.5v	41.1v	0.0v	0.0v	47.5v	34.2v	0.0v	0.0v	0.0v	0.0v	309.25v
511 Cdt Cpl P Wilkinson	T	66.2v	71.7v	44.4v	40.4v	0.0v	0.0v	44.4v	44.3v	0.0v	0.0v	0.0v	0.0v	309.24v

512 Mr A Honey	T	68.6v	69.4v	44.4v	47.6v	0.0v	0.0v	40.0v	41.0v	0.0v	0.0v	0.0v	0.0v	309.20v
513 Miss J Hamon	T	66.1v	65.1v	47.4v	37.1v	0.0v	0.0v	47.2v	47.3v	0.0v	0.0v	0.0v	0.0v	309.12v
514 Mr N Stebbings	O	68.4v	70.5v	44.2v	39.4v	0.0v	0.0v	49.2v	38.1v	0.0v	0.0v	0.0v	0.0v	308.18v
515 Miss SM Frost	T	64.4v	67.5v	44.2v	44.2v	0.0v	0.0v	44.2v	45.2v	0.0v	0.0v	0.0v	0.0v	308.17v
516 Mr EJT Quayle	T	71.3v	70.5v	48.2v	46.2v	0.0v	0.0v	41.2v	31.0v	0.0v	0.0v	0.0v	0.0v	307.14v
517 Cdt GM Bohn	T	65.4v	70.3v	39.3v	45.2v	0.0v	0.0v	40.2v	47.5v	0.0v	0.0v	0.0v	0.0v	306.19v
518 Mr FEG Pawlik	T	70.5v	69.6v	46.2v	31.1v	0.0v	0.0v	42.2v	47.6v	0.0v	0.0v	0.0v	0.0v	305.22v
519 Mr CSJ Marlow	O	61.1v	67.3v	45.4v	45.4v	0.0v	0.0v	41.2v	46.3v	0.0v	0.0v	0.0v	0.0v	305.17v
520 Cdt R Piper	T	69.3v	64.2v	43.3v	47.2v	0.0v	0.0v	46.4v	36.1v	0.0v	0.0v	0.0v	0.0v	305.15v
521 LCpl OJ Christy	T	66.2v	65.3v	46.3v	43.3v	0.0v	0.0v	42.2v	43.2v	0.0v	0.0v	0.0v	0.0v	305.15v
522 Mr LG Skingley	T	70.7v	67.4v	38.0v	44.2v	0.0v	0.0v	41.1v	44.3v	0.0v	0.0v	0.0v	0.0v	304.17v
523 Mr ED Chapman-Sheath	T	66.4v	70.5v	41.1v	39.2v	0.0v	0.0v	45.2v	43.1v	0.0v	0.0v	0.0v	0.0v	304.15v
524 Cdt O Frost	T	68.2v	65.2v	47.4v	36.1v	0.0v	0.0v	47.3v	41.1v	0.0v	0.0v	0.0v	0.0v	304.13v
525 Mr TM Green	O	71.5v	70.5v	47.4v	20.1v	0.0v	0.0v	46.2v	49.3v	0.0v	0.0v	0.0v	0.0v	303.20v
526 Miss KA Hinkly	T	70.8v	66.3v	44.3v	39.1v	0.0v	0.0v	41.2v	43.2v	0.0v	0.0v	0.0v	0.0v	303.19v
527 Mr CHS Burden	T	68.3v	64.2v	43.1v	40.0v	0.0v	0.0v	42.2v	46.1v	0.0v	0.0v	0.0v	0.0v	303.9v
528 Miss GI Williams	T	66.2v	68.2v	42.1v	41.1v	0.0v	0.0v	40.1v	44.1v	0.0v	0.0v	0.0v	0.0v	301.8v
529 Mr MW Sheridan-Oliver	T	66.1v	66.2v	44.1v	39.1v	0.0v	0.0v	42.1v	44.1v	0.0v	0.0v	0.0v	0.0v	301.7v
530 Mr A Moldoveanu	T	63.0v	67.1v	42.1v	44.2v	0.0v	0.0v	45.2v	40.0v	0.0v	0.0v	0.0v	0.0v	301.6v
531 Mr J Kahtava	T	72.6v	69.3v	46.5v	30.2v	0.0v	0.0v	38.1v	44.3v	0.0v	0.0v	0.0v	0.0v	299.20v
532 Miss P Hobbs	T	73.6v	69.2v	46.4v	36.1v	0.0v	0.0v	35.1v	40.1v	0.0v	0.0v	0.0v	0.0v	299.15v
533 Mr MJ Stewart	T	65.4v	69.5v	43.2v	38.2v	0.0v	0.0v	39.3v	44.2v	0.0v	0.0v	0.0v	0.0v	298.18v
534 Mr JA Tunsley	T	68.5v	61.0v	39.1v	45.3v	0.0v	0.0v	40.0v	44.4v	0.0v	0.0v	0.0v	0.0v	297.13v
535 Miss S Bladon	T	61.2v	67.4v	44.0v	43.2v	0.0v	0.0v	37.1v	45.3v	0.0v	0.0v	0.0v	0.0v	297.12v
536 Mr EJ Harriss	T	66.5v	66.5v	42.1v	42.1v	0.0v	0.0v	37.1v	42.4v	0.0v	0.0v	0.0v	0.0v	295.17v
537 Mr PJ Holden	O	69.5v	48.2v	47.2v	39.3v	0.0v	0.0v	42.3v	47.6v	0.0v	0.0v	0.0v	0.0v	292.21v
538 Cdt OW Rankin	T	62.5v	66.1v	37.0v	43.2v	0.0v	0.0v	38.1v	46.3v	0.0v	0.0v	0.0v	0.0v	292.12v
539 Mr LR Hinkly	T	65.3v	65.1v	42.2v	34.1v	0.0v	0.0v	45.3v	41.1v	0.0v	0.0v	0.0v	0.0v	292.11v
540 Miss CES Wiltshire	T	61.2v	65.2v	38.1v	43.1v	0.0v	0.0v	42.2v	43.1v	0.0v	0.0v	0.0v	0.0v	292.9v
541 Mr WR Hinton	O	68.4v	64.1v	43.1v	37.0v	0.0v	0.0v	37.1v	42.3v	0.0v	0.0v	0.0v	0.0v	291.10v
542 Mr TW Le Huray	T	68.3v	64.2v	44.3v	38.2v	0.0v	0.0v	37.0v	39.2v	0.0v	0.0v	0.0v	0.0v	290.12v
543 Cdt JJ Weir	T	71.7v	53.4v	44.4v	45.6v	0.0v	0.0v	35.0v	41.2v	0.0v	0.0v	0.0v	0.0v	289.23v
544 Cdt C Alvarez	T	62.1v	69.7v	40.0v	41.2v	0.0v	0.0v	34.1v	42.3v	0.0v	0.0v	0.0v	0.0v	288.14v
545 LCpl ACJ Van Grondelle	T	65.2v	59.1v	42.1v	42.3v	0.0v	0.0v	40.0v	40.1v	0.0v	0.0v	0.0v	0.0v	288.8v
546 Mr ACM White	T	64.3v	69.5v	35.0v	37.3v	0.0v	0.0v	36.1v	45.3v	0.0v	0.0v	0.0v	0.0v	286.15v
547 Mr JW Jenkins	O	71.8v	69.7v	46.5v	0.0v	0.0v	0.0v	49.5v	47.3v	0.0v	0.0v	0.0v	0.0v	282.28v
548 Mrs J Kirkby	T	64.3v	63.2v	43.1v	44.3v	0.0v	0.0v	18.0v	47.5v	0.0v	0.0v	0.0v	0.0v	279.14v
549 Mr TAN Dowd	O	68.3v	69.7v	49.4v	48.5v	0.0v	0.0v	0.0v	44.1v	0.0v	0.0v	0.0v	0.0v	278.20v
550 Cdt B Farr	T	65.5v	66.4v	42.3v	33.3v	0.0v	0.0v	36.1v	36.0v	0.0v	0.0v	0.0v	0.0v	278.16v
551 Cdt A Key	T	60.1v	62.3v	39.3v	34.1v	0.0v	0.0v	43.3v	40.2v	0.0v	0.0v	0.0v	0.0v	278.13v
552 Mr TAE Dorey	T	63.2v	56.2v	42.0v	44.3v	0.0v	0.0v	28.1v	44.1v	0.0v	0.0v	0.0v	0.0v	277.9v
553 Cdt HA Broadhurst	T	65.2v	56.0v	36.0v	41.1v	0.0v	0.0v	39.1v	40.1v	0.0v	0.0v	0.0v	0.0v	277.5v
554 Mr AP Barnes	A	69.6v	64.2v	48.6v	0.0v	0.0v	0.0v	47.4v	43.3v	0.0v	0.0v	0.0v	0.0v	271.21v
555 Cdt S Kasica	T	57.1v	62.3v	43.2v	45.1v	0.0v	0.0v	32.2v	32.0v	0.0v	0.0v	0.0v	0.0v	271.9v
556 Cdt LEI Horsman Carpenter	T	59.3v	56.0v	41.4v	40.3v	0.0v	0.0v	42.2v	32.0v	0.0v	0.0v	0.0v	0.0v	270.12v
557 Mr AJ Browne	O	53.0v	67.5v	42.2v	41.0v	0.0v	0.0v	38.1v	22.1v	0.0v	0.0v	0.0v	0.0v	263.9v
558 Mr PD Pelly	O	60.1v	59.2v	39.1v	24.0v	0.0v	0.0v	43.1v	38.1v	0.0v	0.0v	0.0v	0.0v	263.6v
559 Mr VT Jensen	T	55.0v	57.1v	31.0v	39.2v	0.0v	0.0v	39.2v	37.0v	0.0v	0.0v	0.0v	0.0v	258.5v
560 Mr I Brown	O	72.4v	0.0v	45.3v	49.5v	0.0v	0.0v	43.4v	47.2v	0.0v	0.0v	0.0v	0.0v	256.18v
561 Mr MJ Whatton	O	72.3v	0.0v	50.9v	45.2v	0.0v	0.0v	43.2v	46.1v	0.0v	0.0v	0.0v	0.0v	256.17v
562 Mr JJ Dixon	T	67.5v	67.3v	42.2v	31.3v	0.0v	0.0v	0.0v	47.1v	0.0v	0.0v	0.0v	0.0v	254.14v
563 Mrs SEP Kent	O	68.4v	0.0v	48.2v	46.4v	0.0v	0.0v	44.1v	45.2v	0.0v	0.0v	0.0v	0.0v	251.13v
564 Cdt B Williams	T	57.1v	67.6v	44.3v	35.1v	0.0v	0.0v	0.0v	44.2v	0.0v	0.0v	0.0v	0.0v	247.13v
565 Mr R Turner	T	64.2v	64.4v	44.2v	0.0v	0.0v	0.0v	42.0v	33.1v	0.0v	0.0v	0.0v	0.0v	247.9v
566 Mr MJ Dowe	T	66.2v	69.3v	48.6v	0.0v	0.0v	0.0v	46.2v	13.0v	0.0v	0.0v	0.0v	0.0v	242.13v
567 Mr OJ Scott	T	62.2v	64.2v	44.1v	39.0v	0.0v	0.0v	0.0v	32.1v	0.0v	0.0v	0.0v	0.0v	241.6v
568 Mr TDB Hebblethwaite	T	54.1v	49.0v	39.1v	29.0v	0.0v	0.0v	30.1v	37.0v	0.0v	0.0v	0.0v	0.0v	238.3v
569 Cdt JS Clark	T	56.0v	57.0v	36.0v	31.2v	0.0v	0.0v	28.0v	25.0v	0.0v	0.0v	0.0v	0.0v	233.2v
570 Mr JA Hopkins	T	67.4v	0.0v	44.1v	41.2v	0.0v	0.0v	43.1v	36.1v	0.0v	0.0v	0.0v	0.0v	231.9v
571 Miss BRD Digance	T	67.6v	62.2v	43.3v	0.0v	0.0v	0.0v	25.1v	29.1v	0.0v	0.0v	0.0v	0.0v	226.13v

