

NRA 152nd Imperial Meeting

Grand Aggregate (as at Monday, 19th July 2021)

		DT	DM	Alex	DC	Times	Wimb	Doyle	Dgall	St. G.	PoW	Lovell	Corp	Total
1	Mr PM Patel	X	75.13v	75.12v	50.8v	50.9v	50.7v	75.12v	50.8v	49.9v	0.0v	0.0v	0.0v	49.6v 523.84v
2	Mr DC Luckman	X	75.8v	75.7v	50.9v	50.8v	50.8v	75.9v	50.7v	50.4v	0.0v	0.0v	0.0v	47.5v 522.65v
3	Mr CJ Mitchell	X	75.11v	74.9v	50.8v	49.6v	49.6v	74.13v	50.9v	50.7v	0.0v	0.0v	0.0v	49.6v 520.75v
4	Mr AC Haley	X	74.11v	75.11v	49.5v	50.7v	50.9v	74.11v	50.9v	50.5v	0.0v	0.0v	0.0v	48.7v 520.75v
5	Mr NJ Ball	A	75.9v	75.11v	50.7v	49.6v	50.8v	74.8v	48.4v	50.6v	0.0v	0.0v	0.0v	49.3v 520.62v
6	Mr TM Drysdale	X	74.10v	74.12v	50.8v	49.6v	50.2v	73.8v	49.7v	50.8v	0.0v	0.0v	0.0v	50.6v 519.67v
7	Mr PD Sykes	X	75.5v	75.12v	49.6v	50.6v	49.5v	74.10v	50.9v	49.8v	0.0v	0.0v	0.0v	48.3v 519.64v
8	Cpl J Keates	A	75.12v	75.8v	50.6v	49.4v	50.7v	75.10v	50.5v	49.7v	0.0v	0.0v	0.0v	46.4v 519.63v
9	Mr MJ Ensor	X	75.8v	74.10v	50.6v	48.6v	50.6v	75.8v	48.7v	50.6v	0.0v	0.0v	0.0v	49.5v 519.62v
10	Mr RSF Shouler	X	75.9v	75.8v	49.9v	49.8v	48.7v	75.14v	50.8v	50.7v	0.0v	0.0v	0.0v	47.6v 518.76v
11	Mr THD Dodds	X	75.10v	75.10v	50.7v	46.5v	50.7v	74.10v	49.6v	50.8v	0.0v	0.0v	0.0v	49.4v 518.67v
12	Mr JC Underwood	X	75.10v	74.9v	50.8v	50.8v	49.7v	75.14v	47.5v	50.3v	0.0v	0.0v	0.0v	47.4v 517.68v
13	Maj J Cload	A	75.8v	75.11v	49.7v	48.7v	50.3v	74.10v	50.9v	49.6v	0.0v	0.0v	0.0v	47.6v 517.67v
14	Dr GCD Barnett	X	74.7v	75.11v	49.7v	50.6v	50.7v	72.11v	50.7v	50.8v	0.0v	0.0v	0.0v	47.3v 517.67v
15	Mr CE Dart	X	75.9v	75.10v	50.7v	49.5v	50.7v	74.10v	49.6v	50.7v	0.0v	0.0v	0.0v	45.4v 517.65v
16	Mr JRW Postle	A	75.7v	74.7v	50.4v	50.6v	50.6v	74.11v	48.5v	47.5v	0.0v	0.0v	0.0v	49.5v 517.56v
17	Ms RL Furniss	X	74.11v	73.5v	50.9v	50.7v	49.9v	74.10v	48.4v	49.5v	0.0v	0.0v	0.0v	49.9v 516.69v
18	Mr NC Mace	X	75.10v	73.11v	50.7v	49.6v	50.8v	73.8v	46.4v	50.5v	0.0v	0.0v	0.0v	50.7v 516.66v
19	Mr KO Pugh	X	74.7v	71.9v	50.4v	48.6v	49.7v	74.10v	50.8v	50.6v	0.0v	0.0v	0.0v	50.8v 516.65v
20	Mr CN Tremlett	X	75.9v	72.9v	50.6v	50.6v	50.6v	75.13v	49.4v	49.6v	0.0v	0.0v	0.0v	46.4v 516.63v
21	Mr TJD Raincock	X	75.9v	75.10v	49.7v	49.5v	47.3v	73.9v	50.6v	50.9v	0.0v	0.0v	0.0v	48.4v 516.62v
22	Mr DA Rose	A	75.13v	75.7v	49.7v	50.7v	49.4v	74.8v	48.4v	47.4v	0.0v	0.0v	0.0v	49.7v 516.61v
23	Mr M G Whicher	X	74.5v	75.11v	50.9v	47.6v	48.5v	75.9v	48.5v	49.2v	0.0v	0.0v	0.0v	50.6v 516.58v
24	Maj NT Healy	X	73.10v	73.8v	50.7v	46.3v	50.6v	75.8v	49.4v	50.8v	0.0v	0.0v	0.0v	50.2v 516.56v
25	Mr DGM Coleman	X	75.10v	75.10v	50.7v	49.4v	50.6v	74.10v	50.4v	50.1v	0.0v	0.0v	0.0v	43.3v 516.55v
26	Capt MJ Purdy	X	73.10v	73.12v	49.5v	49.4v	49.6v	75.10v	49.7v	49.6v	0.0v	0.0v	0.0v	49.5v 515.65v
27	Mr KWD Ramsey	X	74.12v	75.10v	50.6v	49.4v	47.3v	75.12v	47.3v	50.7v	0.0v	0.0v	0.0v	48.7v 515.64v
28	Mr TP Shaw	O	74.8v	75.12v	50.8v	49.7v	49.6v	72.6v	47.5v	50.8v	0.0v	0.0v	0.0v	49.2v 515.62v
29	Mr ML Millar	A	74.8v	75.8v	50.8v	49.6v	49.7v	74.11v	48.2v	49.9v	0.0v	0.0v	0.0v	47.3v 515.62v
30	Mr PJR Holden	X	73.10v	75.10v	49.2v	48.5v	50.5v	74.6v	47.3v	50.8v	0.0v	0.0v	0.0v	49.4v 515.53v
31	Mr ANR Walker	X	72.9v	74.12v	50.5v	48.7v	49.3v	75.12v	49.5v	50.8v	0.0v	0.0v	0.0v	47.6v 514.67v
32	Mr RL Eayrs	O	73.10v	75.11v	49.8v	50.5v	48.5v	73.10v	48.4v	49.6v	0.0v	0.0v	0.0v	49.7v 514.66v
33	Mr ERT Jeens	X	74.7v	72.6v	49.5v	50.6v	50.7v	74.13v	49.6v	48.7v	0.0v	0.0v	0.0v	48.7v 514.64v
34	Mr HJ Golaszewski	X	73.9v	73.8v	50.9v	48.3v	49.4v	73.10v	50.9v	49.5v	0.0v	0.0v	0.0v	49.5v 514.62v
35	Mr M Bumford	O	74.9v	75.11v	50.7v	47.1v	50.7v	73.8v	48.6v	49.5v	0.0v	0.0v	0.0v	48.7v 514.61v
36	Mr RJS Curtis	X	75.10v	75.11v	49.9v	50.8v	48.4v	74.8v	47.2v	49.4v	0.0v	0.0v	0.0v	47.4v 514.60v
37	Miss CA Evans	X	75.10v	75.11v	50.8v	49.5v	50.7v	73.7v	48.4v	47.5v	0.0v	0.0v	0.0v	47.3v 514.60v
38	Mr JD Warburton	X	73.7v	72.8v	49.6v	47.4v	50.10v	74.8v	50.6v	49.4v	0.0v	0.0v	0.0v	50.5v 514.58v
39	Mr PM Jory	X	74.10v	73.7v	49.5v	49.2v	48.6v	74.7v	47.7v	50.6v	0.0v	0.0v	0.0v	50.7v 514.57v
40	Mr HAD Howard	A	73.5v	74.10v	49.4v	49.5v	49.5v	71.5v	49.4v	50.8v	0.0v	0.0v	0.0v	50.5v 514.51v
41	Mr TO Little	A	75.10v	73.8v	50.7v	48.2v	49.4v	74.6v	49.3v	50.6v	0.0v	0.0v	0.0v	46.0v 514.46v
42	Miss JM Hince	X	73.10v	74.12v	49.7v	46.4v	50.7v	74.10v	48.3v	49.8v	0.0v	0.0v	0.0v	50.7v 513.68v
43	Flt Lt D Calvert RAFVR	X	74.9v	74.9v	50.9v	49.7v	49.6v	75.14v	48.6v	49.4v	0.0v	0.0v	0.0v	45.3v 513.67v

44 Mr OEJ Spencer	X	75.7v	72.6v	49.7v	48.5v	50.6v	72.6v	49.7v	48.8v	0.0v	0.0v	0.0v	50.4v	513.56v
45 Mr RC Oxford	X	75.5v	74.10v	49.3v	50.4v	48.5v	74.9v	47.6v	47.4v	0.0v	0.0v	0.0v	49.2v	513.48v
46 Mr C Mallett	A	74.10v	75.10v	50.4v	48.8v	48.6v	74.10v	50.6v	49.7v	0.0v	0.0v	0.0v	44.3v	512.64v
47 Mr MJ Barlow	A	73.7v	74.9v	50.7v	49.7v	49.6v	70.9v	49.8v	49.7v	0.0v	0.0v	0.0v	49.2v	512.62v
48 Mr NJ Verduyn	X	75.9v	74.10v	50.7v	48.6v	50.7v	72.7v	47.5v	48.6v	0.0v	0.0v	0.0v	47.4v	511.61v
49 Mr CJ Watson	X	70.11v	75.12v	50.8v	48.6v	50.6v	72.6v	50.7v	49.5v	0.0v	0.0v	0.0v	47.6v	511.67v
50 Mr JEK Pepera-Hibbert	X	74.6v	74.8v	50.7v	50.6v	50.5v	74.8v	48.4v	48.6v	0.0v	0.0v	0.0v	44.2v	512.52v
51 Dr JR Deane	X	72.7v	73.9v	49.6v	50.6v	50.5v	74.11v	49.5v	50.4v	0.0v	0.0v	0.0v	45.1v	512.54v
52 Miss AJ Clarke	X	71.8v	74.9v	50.9v	47.3v	49.3v	74.8v	49.6v	50.6v	0.0v	0.0v	0.0v	48.4v	512.56v
53 Mr RJH Birtwistle	X	75.9v	75.9v	50.6v	47.6v	49.5v	72.7v	47.5v	50.7v	0.0v	0.0v	0.0v	47.3v	512.57v
54 Mr NRJ Brasier	A	74.11v	75.12v	46.4v	49.6v	50.9v	73.6v	48.2v	49.3v	0.0v	0.0v	0.0v	48.7v	512.60v
55 Mr JEM Bellringer	A	70.4v	73.9v	50.6v	50.8v	50.8v	75.10v	50.8v	47.6v	0.0v	0.0v	0.0v	47.2v	512.61v
56 Mr RM Roberts	X	74.11v	73.8v	49.5v	50.8v	49.6v	70.4v	49.6v	49.6v	0.0v	0.0v	0.0v	49.7v	512.61v
57 Mr HJM Awin	X	74.10v	74.9v	50.6v	48.4v	50.6v	72.8v	49.8v	49.7v	0.0v	0.0v	0.0v	45.2v	511.60v
58 Mr EC Dickson	A	75.8v	72.8v	50.6v	48.8v	49.2v	73.12v	50.7v	50.8v	0.0v	0.0v	0.0v	44.1v	511.60v
59 Mr HJ Waldern	O	71.6v	73.12v	49.7v	48.5v	50.2v	75.11v	50.7v	48.7v	0.0v	0.0v	0.0v	47.1v	511.58v
60 Maj AR McLeod	X	74.10v	74.11v	49.5v	50.5v	50.7v	73.6v	48.4v	49.5v	0.0v	0.0v	0.0v	44.5v	511.58v
61 Mr TL Bedwell	A	73.7v	72.5v	49.6v	49.5v	47.5v	74.9v	50.7v	49.4v	0.0v	0.0v	0.0v	48.4v	511.52v
62 Mr GD Palmer	O	74.6v	72.6v	49.6v	49.4v	49.6v	74.9v	47.4v	50.6v	0.0v	0.0v	0.0v	47.5v	511.52v
63 Mr N Cole-Hawkins	A	72.5v	74.9v	49.7v	47.6v	50.3v	73.6v	48.5v	48.3v	0.0v	0.0v	0.0v	50.7v	511.51v
64 Mr RA Welford	A	74.7v	72.9v	48.3v	50.4v	48.4v	74.7v	48.3v	49.6v	0.0v	0.0v	0.0v	48.4v	511.47v
65 Mr ITG Shaw	A	74.9v	73.9v	49.7v	49.4v	47.6v	72.10v	49.7v	49.6v	0.0v	0.0v	0.0v	48.5v	510.63v
66 Dr CI Johnston	A	75.12v	71.4v	48.6v	49.6v	50.7v	74.10v	50.4v	48.6v	0.0v	0.0v	0.0v	45.7v	510.62v
67 Mr RCT Jeens	X	74.7v	75.11v	49.5v	50.8v	47.4v	74.9v	48.6v	49.5v	0.0v	0.0v	0.0v	44.4v	510.59v
68 Mr J Pugsley MRCVS	X	74.5v	73.8v	50.7v	48.6v	50.8v	74.12v	47.4v	50.6v	0.0v	0.0v	0.0v	44.2v	510.58v
69 Mr DR Armstrong	X	74.11v	71.7v	50.6v	49.6v	50.6v	74.8v	50.6v	49.4v	0.0v	0.0v	0.0v	43.4v	510.58v
70 Mr CD Heales	O	69.3v	75.11v	49.5v	47.3v	50.6v	72.10v	50.7v	49.6v	0.0v	0.0v	0.0v	49.6v	510.57v
71 Mr CP Weeden	X	71.7v	75.7v	49.5v	46.1v	50.6v	75.10v	50.7v	49.9v	0.0v	0.0v	0.0v	45.1v	510.53v
72 Mr RM Hatcher	A	71.7v	72.5v	50.7v	49.4v	49.4v	75.13v	47.3v	50.6v	0.0v	0.0v	0.0v	47.1v	510.50v
73 Mr WF Livesey	A	72.6v	72.6v	50.4v	50.7v	50.5v	75.7v	44.4v	47.5v	0.0v	0.0v	0.0v	50.4v	510.48v
74 Mr BMA Stevens	X	73.4v	70.7v	49.7v	48.5v	50.6v	74.7v	47.1v	50.5v	0.0v	0.0v	0.0v	49.5v	510.47v
75 Mr ER Welford	A	73.11v	71.6v	49.4v	50.7v	46.2v	74.12v	49.6v	48.4v	0.0v	0.0v	0.0v	49.9v	509.61v
76 Miss CH Cuming	X	73.10v	71.7v	50.10v	49.4v	49.7v	74.7v	48.5v	48.5v	0.0v	0.0v	0.0v	47.3v	509.58v
77 Mr M Horton-Baker	X	72.7v	74.8v	49.9v	47.4v	49.6v	73.6v	50.6v	48.6v	0.0v	0.0v	0.0v	47.5v	509.57v
78 Mr D Lowe	A	73.8v	72.7v	50.8v	47.5v	50.6v	71.6v	48.8v	48.3v	0.0v	0.0v	0.0v	50.5v	509.56v
79 Mr LVG O'Flynn	A	73.8v	74.9v	50.5v	45.3v	50.9v	73.8v	50.6v	49.6v	0.0v	0.0v	0.0v	45.2v	509.56v
80 Mr WCP Richards	X	73.8v	74.8v	50.4v	49.5v	49.5v	71.7v	48.5v	50.7v	0.0v	0.0v	0.0v	45.4v	509.53v
81 Mr PB Bromley	A	73.7v	71.6v	50.7v	50.8v	47.4v	71.5v	49.3v	49.6v	0.0v	0.0v	0.0v	49.6v	509.52v
82 Mr GPC Bramwell	T	72.7v	73.4v	50.4v	48.6v	49.5v	73.9v	47.5v	49.5v	0.0v	0.0v	0.0v	48.7v	509.52v
83 Mr SL Cleveland	O	75.8v	74.11v	50.5v	50.4v	48.5v	73.9v	46.3v	48.5v	0.0v	0.0v	0.0v	45.2v	509.52v
84 Mr D Young	X	70.2v	75.8v	49.6v	49.5v	50.5v	72.9v	49.3v	49.6v	0.0v	0.0v	0.0v	46.4v	509.48v
85 Mr AC Thomson	A	72.5v	73.7v	50.6v	46.4v	48.4v	74.4v	49.7v	49.6v	0.0v	0.0v	0.0v	48.4v	509.47v
86 LCpl TJ Roberts	O	71.7v	75.8v	48.5v	49.3v	48.3v	73.6v	49.6v	49.4v	0.0v	0.0v	0.0v	47.4v	509.46v
87 Dr SYM Ali	A	74.9v	72.5v	50.5v	47.4v	49.3v	75.9v	49.2v	48.5v	0.0v	0.0v	0.0v	45.2v	509.44v
88 Mr ORW Russell	X	74.11v	73.9v	47.5v	49.5v	48.5v	74.9v	49.4v	50.8v	0.0v	0.0v	0.0v	44.3v	508.59v
89 Mr CA Skellett	O	72.6v	73.9v	48.8v	45.2v	50.6v	73.8v	49.6v	49.5v	0.0v	0.0v	0.0v	49.7v	508.57v
90 Dr HA Day	X	75.10v	73.9v	50.6v	48.4v	50.6v	73.5v	45.4v	50.8v	0.0v	0.0v	0.0v	44.4v	508.56v
91 Mr JMA Thompson	X	72.10v	72.6v	49.4v	48.4v	48.6v	74.10v	48.3v	47.4v	0.0v	0.0v	0.0v	50.6v	508.53v
92 Mr AW Hellings	X	74.10v	73.10v	45.3v	49.5v	50.5v	72.6v	49.5v	49.5v	0.0v	0.0v	0.0v	47.4v	508.53v
93 Mr R Stewart	O	72.9v	73.9v	48.6v	46.3v	49.5v	72.6v	50.6v	49.5v	0.0v	0.0v	0.0v	49.3v	508.52v
94 Miss C Halleran	A	71.7v	75.8v	49.3v	47.4v	49.6v	71.5v	48.7v	48.5v	0.0v	0.0v	0.0v	50.6v	508.51v
95 Mr BJ Le Cheminant	A	72.7v	73.8v	49.6v	50.4v	49.7v	72.6v	48.4v	50.6v	0.0v	0.0v	0.0v	45.3v	508.51v
96 Dr GP Nelson	X	73.6v	68.5v	50.6v	49.4v	50.6v	74.8v	48.7v	48.3v	0.0v	0.0v	0.0v	48.5v	508.50v
97 Mr DA Richardson	X	75.5v	73.10v	50.6v	46.6v	49.5v	72.6v	48.4v	48.5v	0.0v	0.0v	0.0v	47.2v	508.49v
98 Mr CES Dickenson	A	73.4v	74.7v	49.6v	49.6v	48.3v	75.13v	49.6v	46.3v	0.0v	0.0v	0.0v	45.1v	508.49v
99 Mr TM Stevenson	O	73.6v	72.6v	49.3v	47.3v	48.5v	73.9v	50.9v	49.4v	0.0v	0.0v	0.0v	47.3v	508.48v
100 Dr CD Haley	X	75.7v	74.3v	50.6v	49.6v	49.5v	73.7v	46.6v	49.6v	0.0v	0.0v	0.0v	43.2v	508.48v
101 Mr PHC Costello	O	71.4v	74.7v	49.5v	48.4v	49.7v	72.6v	49.2v	48.5v	0.0v	0.0v	0.0v	48.4v	508.44v
102 Mr JA Anderson	O	74.6v	74.11v	49.5v	49.5v	48.4v	73.4v	47.3v	47.2v	0.0v	0.0v	0.0v	47.3v	508.43v

103 Miss JH Messer	X	73.6v	72.6v	50.7v	47.3v	48.5v	74.3v	46.3v	50.6v	0.0v	0.0v	0.0v	48.2v	508.41v
104 Mr A Ringer	X	72.9v	74.10v	48.8v	46.3v	47.7v	74.10v	50.8v	50.6v	0.0v	0.0v	0.0v	46.4v	507.65v
105 Mr SAJ Dowley	A	72.9v	72.8v	49.6v	47.5v	50.7v	73.10v	50.8v	49.7v	0.0v	0.0v	0.0v	45.4v	507.64v
106 Dr AM Jory	A	72.11v	73.7v	48.5v	50.5v	48.6v	73.11v	47.4v	49.7v	0.0v	0.0v	0.0v	47.5v	507.61v
107 Miss LG Taylor	A	74.9v	72.9v	49.8v	49.5v	48.3v	69.7v	49.5v	49.7v	0.0v	0.0v	0.0v	48.4v	507.57v
108 Mr SA Thomas	X	70.4v	75.7v	50.6v	48.7v	48.6v	74.10v	47.5v	48.7v	0.0v	0.0v	0.0v	47.4v	507.56v
109 Cdt TC Cubitt	A	75.11v	74.8v	50.8v	48.3v	47.4v	75.13v	46.1v	48.4v	0.0v	0.0v	0.0v	44.4v	507.56v
110 Mr JWE Lewis	X	71.7v	72.7v	50.9v	48.4v	50.7v	75.7v	49.5v	49.8v	0.0v	0.0v	0.0v	43.2v	507.56v
111 WO1 JR Davies	X	75.8v	72.8v	49.8v	46.3v	49.7v	68.4v	49.4v	50.6v	0.0v	0.0v	0.0v	49.6v	507.54v
112 Mr MC Cooper	X	74.9v	75.9v	50.6v	47.4v	48.6v	74.8v	46.3v	50.6v	0.0v	0.0v	0.0v	43.2v	507.53v
113 Mr SNS Penrose	X	73.8v	72.5v	47.5v	50.6v	49.7v	73.5v	47.5v	49.8v	0.0v	0.0v	0.0v	47.3v	507.52v
114 Mr PM de Voil	X	74.6v	73.9v	50.6v	49.6v	48.6v	72.6v	48.4v	46.4v	0.0v	0.0v	0.0v	47.4v	507.51v
115 Mr JC Evans	X	72.5v	75.12v	47.2v	49.7v	47.4v	72.8v	47.4v	48.2v	0.0v	0.0v	0.0v	50.6v	507.50v
116 Mr OR Farrell	O	72.3v	75.10v	50.7v	47.3v	49.6v	72.8v	50.5v	46.5v	0.0v	0.0v	0.0v	46.3v	507.50v
117 Mr JA Bullock	O	74.9v	73.7v	50.5v	49.5v	46.3v	71.7v	47.4v	48.3v	0.0v	0.0v	0.0v	49.5v	507.48v
118 Miss KA Fleck	O	72.7v	70.8v	50.7v	49.5v	49.4v	71.7v	49.5v	48.3v	0.0v	0.0v	0.0v	49.2v	507.48v
119 Mr MDE Larcombe	O	73.10v	72.7v	50.7v	48.5v	49.4v	72.4v	46.3v	50.6v	0.0v	0.0v	0.0v	47.2v	507.48v
120 Mr TLW Kidner	O	71.5v	74.9v	50.6v	50.5v	47.6v	70.3v	47.4v	49.4v	0.0v	0.0v	0.0v	49.4v	507.46v
121 Mr PS Holmes	A	70.7v	72.3v	49.8v	48.6v	49.3v	73.6v	49.3v	49.4v	0.0v	0.0v	0.0v	48.5v	507.45v
122 Miss LR McKerrell	A	74.7v	73.7v	50.6v	47.2v	49.3v	69.3v	49.2v	48.3v	0.0v	0.0v	0.0v	48.4v	507.37v
123 Mr MRM Millar	X	73.8v	74.11v	50.10v	50.5v	49.8v	69.8v	47.4v	47.4v	0.0v	0.0v	0.0v	47.2v	506.60v
124 Mr D Clark	A	72.4v	74.10v	49.5v	49.8v	47.5v	75.11v	49.7v	49.6v	0.0v	0.0v	0.0v	42.2v	506.58v
125 Lt Col RHG Riley	X	71.8v	73.7v	50.6v	49.6v	45.4v	73.7v	47.7v	49.4v	0.0v	0.0v	0.0v	49.5v	506.54v
126 Mr JA Oakland	T	75.9v	73.8v	46.2v	47.5v	48.6v	73.6v	50.7v	47.3v	0.0v	0.0v	0.0v	47.7v	506.53v
127 Dr G Stewart	A	72.7v	73.4v	48.5v	50.7v	48.6v	70.7v	49.6v	50.8v	0.0v	0.0v	0.0v	46.3v	506.53v
128 Mr ND Stangroom	A	73.6v	73.8v	50.8v	47.2v	49.6v	75.12v	49.3v	50.7v	0.0v	0.0v	0.0v	40.1v	506.53v
129 Mr AM Sadler	X	74.8v	74.8v	49.6v	46.2v	49.4v	70.6v	47.5v	50.5v	0.0v	0.0v	0.0v	47.5v	506.49v
130 Mr AE Bromley	A	73.8v	73.8v	49.5v	49.6v	48.4v	72.9v	50.3v	46.2v	0.0v	0.0v	0.0v	46.3v	506.48v
131 LCpl JRL Burch	O	73.5v	74.9v	50.4v	50.6v	48.2v	69.6v	50.6v	50.9v	0.0v	0.0v	0.0v	42.1v	506.48v
132 Mr DJ Gass	X	71.6v	73.5v	49.5v	48.2v	49.5v	71.5v	49.7v	49.7v	0.0v	0.0v	0.0v	47.5v	506.47v
133 Cdt SJ Hodge	A	75.7v	74.7v	49.3v	49.7v	48.4v	72.9v	48.3v	49.4v	0.0v	0.0v	0.0v	42.2v	506.46v
134 Mrs EG Charlton	A	74.7v	72.9v	48.3v	47.3v	48.6v	73.7v	49.3v	48.5v	0.0v	0.0v	0.0v	47.2v	506.45v
135 Mr JPL Sweet	A	75.8v	70.4v	50.6v	46.4v	46.3v	73.7v	48.3v	50.6v	0.0v	0.0v	0.0v	48.3v	506.44v
136 Mr PD Griggs	X	73.11v	74.4v	48.4v	50.7v	48.6v	68.9v	48.7v	50.5v	0.0v	0.0v	0.0v	46.3v	505.56v
137 Mr RN Stebbings	X	73.6v	74.7v	50.7v	48.7v	49.5v	75.10v	45.3v	48.7v	0.0v	0.0v	0.0v	43.3v	505.55v
138 Mr NBS Logan	X	74.11v	73.8v	49.6v	48.5v	48.2v	75.11v	49.6v	47.2v	0.0v	0.0v	0.0v	42.4v	505.55v
139 Mr JM Taylor	X	74.8v	74.11v	47.6v	43.2v	49.4v	71.6v	50.7v	49.4v	0.0v	0.0v	0.0v	48.6v	505.54v
140 Mr AC Morley	O	71.7v	74.9v	50.5v	48.5v	49.5v	69.8v	49.5v	48.5v	0.0v	0.0v	0.0v	47.5v	505.54v
141 Mr D Blake	A	75.11v	75.8v	49.4v	47.6v	48.4v	70.6v	45.5v	50.7v	0.0v	0.0v	0.0v	46.3v	505.54v
142 Mr GW Morgan	A	74.8v	74.8v	47.3v	49.5v	48.6v	72.6v	48.4v	47.2v	0.0v	0.0v	0.0v	46.5v	505.47v
143 Wg Cdr CM Fopp	O	67.3v	73.11v	49.2v	49.5v	49.5v	70.3v	49.4v	50.8v	0.0v	0.0v	0.0v	49.6v	505.47v
144 Mr EB Robinson	T	73.9v	74.11v	48.4v	49.4v	46.2v	71.8v	48.2v	49.6v	0.0v	0.0v	0.0v	47.3v	505.49v
145 Mr DAJ Talbot	A	73.7v	75.8v	49.5v	50.6v	48.5v	71.7v	48.5v	46.2v	0.0v	0.0v	0.0v	45.5v	505.50v
146 Mr RE Ellis	O	73.9v	73.8v	49.6v	50.3v	47.4v	72.8v	44.2v	49.6v	0.0v	0.0v	0.0v	48.6v	505.52v
147 SSGT RH Kitson	X	74.7v	75.10v	50.7v	49.5v	49.6v	73.10v	44.2v	48.4v	0.0v	0.0v	0.0v	43.2v	505.53v
148 Mrs L Healy	O	71.9v	74.9v	48.5v	50.8v	49.5v	73.10v	46.1v	48.3v	0.0v	0.0v	0.0v	46.3v	505.53v
149 Mr PJ Chapman-Sheath	A	73.9v	74.5v	50.7v	49.7v	49.4v	72.8v	49.7v	48.5v	0.0v	0.0v	0.0v	41.2v	505.54v
150 Mr PM Hakim	X	75.11v	75.10v	49.2v	49.7v	49.7v	73.8v	46.4v	47.4v	0.0v	0.0v	0.0v	42.1v	505.54v

151 Mr NE Harvey	O	68.6v	71.5v	49.5v	49.2v	49.5v	72.10v	49.5v	49.5v	0.0v	0.0v	0.0v	49.3v	505.46v
152 Mr AF Donald	O	71.3v	72.3v	48.7v	50.5v	47.5v	73.8v	49.6v	50.6v	0.0v	0.0v	0.0v	45.3v	505.46v
153 Mr EWV Feast	A	71.3v	72.4v	50.6v	49.5v	49.4v	71.9v	48.6v	48.4v	0.0v	0.0v	0.0v	47.3v	505.44v
154 Mr GED Hart	O	71.6v	72.8v	49.5v	49.3v	50.2v	72.7v	50.7v	49.5v	0.0v	0.0v	0.0v	43.1v	505.44v
155 Mr MW Silver	X	71.8v	73.10v	50.4v	50.6v	47.4v	75.11v	47.5v	50.8v	0.0v	0.0v	0.0v	41.4v	504.60v
156 Miss A Ogilvie	O	73.7v	75.11v	50.5v	50.8v	48.4v	73.10v	48.5v	49.5v	0.0v	0.0v	0.0v	38.3v	504.58v
157 Mr JF Lawrie	X	75.9v	73.9v	49.6v	48.5v	48.4v	73.8v	49.7v	50.8v	0.0v	0.0v	0.0v	39.1v	504.57v
158 Sgt SDJ Glanville	X	73.13v	71.9v	50.3v	49.2v	50.7v	74.12v	44.2v	49.4v	0.0v	0.0v	0.0v	44.4v	504.56v
159 Mr MCJ Button	X	72.7v	72.11v	49.5v	47.4v	49.6v	71.7v	45.3v	50.5v	0.0v	0.0v	0.0v	49.6v	504.54v
160 Mr JA Watson	X	73.11v	73.8v	48.7v	46.3v	48.3v	73.8v	49.4v	48.6v	0.0v	0.0v	0.0v	46.2v	504.52v
161 Mr JCT Kent	A	73.9v	72.7v	49.3v	49.5v	48.5v	72.9v	49.5v	47.5v	0.0v	0.0v	0.0v	45.4v	504.52v
162 Mrs T Newbold	O	69.6v	73.9v	50.3v	49.3v	49.6v	74.8v	48.6v	48.6v	0.0v	0.0v	0.0v	44.4v	504.51v
163 Mr BP Creane	X	73.7v	73.10v	50.6v	49.5v	49.7v	73.5v	45.3v	50.8v	0.0v	0.0v	0.0v	42.0v	504.51v
164 Mr KB Hill	X	73.8v	73.5v	48.6v	48.7v	46.3v	73.10v	48.5v	47.4v	0.0v	0.0v	0.0v	48.2v	504.50v
165 Mr MP Watkins	A	71.7v	75.9v	50.9v	47.2v	47.5v	70.5v	48.2v	49.7v	0.0v	0.0v	0.0v	47.3v	504.49v
166 Dr JDS Langley	X	73.4v	73.7v	49.5v	49.6v	46.2v	70.8v	46.3v	49.5v	0.0v	0.0v	0.0v	49.8v	504.48v
167 Miss KE Pope	O	72.6v	73.8v	49.5v	50.7v	48.6v	70.5v	45.2v	48.5v	0.0v	0.0v	0.0v	49.4v	504.48v
168 Mr SW Maris	O	75.9v	73.9v	47.3v	47.3v	49.5v	74.5v	45.2v	49.4v	0.0v	0.0v	0.0v	45.1v	504.41v
169 Mr TJ Johnston	A	73.8v	71.7v	50.9v	49.7v	50.5v	71.9v	47.5v	46.2v	0.0v	0.0v	0.0v	46.4v	503.56v
170 Air Cdre JAF Ford	X	71.6v	72.8v	49.7v	49.7v	48.5v	74.7v	49.7v	50.6v	0.0v	0.0v	0.0v	41.2v	503.55v
171 Miss HA Pugsley	X	72.8v	75.8v	49.8v	49.6v	49.4v	73.8v	46.4v	48.5v	0.0v	0.0v	0.0v	42.1v	503.52v
172 Mr TJ Bullock	X	74.7v	73.6v	49.8v	47.6v	50.8v	70.4v	44.2v	48.4v	0.0v	0.0v	0.0v	48.5v	503.50v
173 Mr C Fitzpatrick	X	75.11v	72.8v	48.4v	42.3v	48.5v	72.7v	49.5v	50.5v	0.0v	0.0v	0.0v	47.2v	503.50v
174 Ms RA Wiltshire	X	73.9v	72.6v	50.8v	49.6v	48.5v	71.7v	45.3v	49.5v	0.0v	0.0v	0.0v	46.1v	503.50v
175 Dr PR Wheeler	X	74.9v	75.7v	49.6v	49.5v	49.5v	64.6v	48.4v	50.6v	0.0v	0.0v	0.0v	45.2v	503.50v
176 Mr JA Lindsay III	A	73.6v	73.7v	47.4v	49.8v	47.6v	73.8v	49.5v	46.2v	0.0v	0.0v	0.0v	46.3v	503.49v
177 Lt Col WDH Burden	A	73.7v	73.7v	47.3v	47.3v	48.6v	74.11v	46.2v	49.7v	0.0v	0.0v	0.0v	46.3v	503.49v
178 Mr JGM Webster	A	74.7v	73.9v	48.5v	50.6v	49.5v	68.8v	45.2v	49.3v	0.0v	0.0v	0.0v	47.2v	503.47v
179 Mr BN Craig	O	72.8v	74.8v	48.6v	48.5v	47.4v	72.5v	44.1v	48.3v	0.0v	0.0v	0.0v	50.6v	503.46v
180 Mr S Belither	X	67.5v	70.3v	50.6v	48.4v	50.5v	71.7v	49.7v	49.4v	0.0v	0.0v	0.0v	49.5v	503.46v
181 Maj JME Cook	X	74.7v	73.5v	49.4v	49.6v	49.8v	71.3v	49.4v	49.7v	0.0v	0.0v	0.0v	40.1v	503.45v
182 Mr DE Nuthall	A	73.7v	69.6v	49.7v	49.7v	50.3v	72.2v	46.2v	49.5v	0.0v	0.0v	0.0v	46.4v	503.43v
183 Mr RF Barrington	O	71.4v	71.5v	49.3v	47.5v	47.5v	74.6v	48.6v	47.4v	0.0v	0.0v	0.0v	49.2v	503.40v
184 Mr CW Dale	T	72.7v	72.4v	49.5v	48.4v	49.5v	74.6v	47.2v	50.7v	0.0v	0.0v	0.0v	42.0v	503.40v
185 Miss AP Good	A	73.10v	75.11v	50.6v	46.4v	48.6v	72.5v	48.6v	47.7v	0.0v	0.0v	0.0v	43.1v	502.56v
186 Mr AD Le Cheminant	X	68.5v	72.8v	49.9v	49.7v	47.3v	73.9v	48.6v	50.3v	0.0v	0.0v	0.0v	46.4v	502.54v
187 Cdt AJ Todd	O	72.10v	74.7v	49.7v	48.4v	47.3v	71.8v	48.6v	48.6v	0.0v	0.0v	0.0v	45.3v	502.54v
188 Mr SJV Osmond	X	75.10v	74.11v	50.8v	47.4v	49.4v	71.6v	41.1v	50.8v	0.0v	0.0v	0.0v	45.2v	502.54v
189 Mr AJH Fowler	A	74.8v	73.7v	50.4v	49.2v	48.4v	65.10v	47.7v	49.4v	0.0v	0.0v	0.0v	47.5v	502.51v
190 Mr J Wallace	A	74.13v	74.5v	48.5v	49.5v	46.1v	71.9v	49.4v	49.6v	0.0v	0.0v	0.0v	42.2v	502.50v
191 Mr KR Trowbridge	O	72.5v	73.7v	48.5v	48.4v	45.4v	75.9v	48.6v	46.2v	0.0v	0.0v	0.0v	47.7v	502.49v
192 Mr K McCamley	X	71.7v	74.8v	50.6v	48.3v	48.8v	72.6v	44.2v	49.6v	0.0v	0.0v	0.0v	46.3v	502.49v
193 Mr GK Alexander	X	73.5v	72.8v	49.3v	49.6v	46.3v	71.8v	47.5v	50.7v	0.0v	0.0v	0.0v	45.4v	502.49v
194 Cdt R Roche	T	73.8v	70.7v	50.8v	48.5v	49.6v	73.5v	44.2v	50.4v	0.0v	0.0v	0.0v	45.4v	502.49v
195 Mr JW Alexander	X	72.6v	74.9v	49.3v	48.4v	50.4v	75.8v	42.2v	49.7v	0.0v	0.0v	0.0v	43.5v	502.48v
196 Mr NM Duncan	O	73.9v	72.9v	47.3v	49.4v	44.2v	72.7v	48.2v	49.4v	0.0v	0.0v	0.0v	48.6v	502.46v
197 Mr SP O'Brien	A	73.7v	73.9v	48.6v	45.3v	49.5v	72.3v	49.6v	48.4v	0.0v	0.0v	0.0v	45.2v	502.45v
198 Mr MH Shaw	O	71.7v	73.8v	47.4v	48.7v	48.4v	72.5v	48.3v	47.4v	0.0v	0.0v	0.0v	48.2v	502.44v
199 Mr APW Daw	A	71.7v	73.7v	48.4v	45.1v	49.6v	72.6v	49.9v	49.3v	0.0v	0.0v	0.0v	46.1v	502.44v
200 Mr C Asquith	X	74.7v	69.5v	48.6v	47.3v	47.3v	75.10v	48.3v	48.2v	0.0v	0.0v	0.0v	46.4v	502.43v
201 Mr M Liversage	X	74.9v	71.6v	48.5v	47.4v	45.1v	75.9v	49.3v	49.5v	0.0v	0.0v	0.0v	44.1v	502.43v
202 Mr CA Stewart	A	74.7v	71.5v	46.3v	49.3v	49.4v	72.9v	45.3v	49.5v	0.0v	0.0v	0.0v	47.3v	502.42v
203 Mr AJ Haggerty	X	73.9v	71.4v	48.6v	49.6v	48.4v	72.3v	46.5v	49.2v	0.0v	0.0v	0.0v	46.2v	502.41v
204 Mr JRC Stanford-Beale	O	72.2v	74.8v	48.4v	49.1v	45.3v	72.5v	47.3v	49.4v	0.0v	0.0v	0.0v	46.5v	502.35v
205 Mr BZ Danziger	X	72.5v	72.9v	49.6v	45.6v	49.5v	71.7v	49.6v	50.8v	0.0v	0.0v	0.0v	44.4v	501.56v
206 Mr RA Dix	O	73.11v	70.8v	50.5v	49.7v	50.5v	73.7v	48.4v	49.8v	0.0v	0.0v	0.0v	39.1v	501.56v
207 Maj AG McLean	A	69.5v	71.4v	49.7v	50.7v	46.3v	73.10v	49.7v	49.5v	0.0v	0.0v	0.0v	45.3v	501.51v
208 Mr MR Horrell	X	73.8v	74.8v	48.5v	46.3v	49.5v	72.8v	48.4v	48.6v	0.0v	0.0v	0.0v	43.3v	501.50v
209 Miss D Armstrong	O	74.10v	73.9v	49.7v	47.3v	49.6v	71.6v	45.4v	50.2v	0.0v	0.0v	0.0v	43.3v	501.50v
210 Mr JL Brooking	X	73.9v	74.8v	47.5v	48.5v	49.3v	70.6v	45.3v	47.3v	0.0v	0.0v	0.0v	48.7v	501.49v
211 Cdt HB Thomson	T	71.5v	73.10v	47.2v	46.3v	48.5v	75.9v	47.3v	48.5v	0.0v	0.0v	0.0v	46.4v	501.46v

212 Miss KE Milner	O	75.9v	71.6v	48.6v	45.3v	47.5v	72.8v	48.2v	50.6v	0.0v	0.0v	0.0v	45.1v	501.46v
213 Mr EA Sewell	X	73.4v	74.10v	48.7v	47.3v	47.3v	70.4v	44.4v	49.4v	0.0v	0.0v	0.0v	49.6v	501.45v
214 Mr R Hirst	O	72.6v	71.6v	49.7v	48.3v	48.5v	69.3v	46.4v	50.7v	0.0v	0.0v	0.0v	48.4v	501.45v
215 Wg Cdr CR Smith	O	66.4v	75.9v	49.4v	49.5v	49.2v	73.8v	47.5v	48.4v	0.0v	0.0v	0.0v	45.4v	501.45v
216 Mr RAV Hebblethwaite	A	72.5v	72.6v	50.6v	48.6v	46.5v	75.10v	47.2v	48.3v	0.0v	0.0v	0.0v	43.2v	501.45v
217 Cdt FJA Robson	T	74.9v	69.2v	48.6v	46.5v	46.4v	72.5v	48.4v	49.4v	0.0v	0.0v	0.0v	49.5v	501.44v
218 Brig AJW Sturrock	O	72.5v	71.7v	50.5v	49.5v	49.6v	67.5v	49.6v	47.2v	0.0v	0.0v	0.0v	47.2v	501.43v
219 Mr LA Reid	O	69.3v	73.8v	49.5v	49.2v	47.5v	70.6v	48.6v	49.4v	0.0v	0.0v	0.0v	47.2v	501.41v
220 Mr RA Webb	O	73.10v	66.6v	49.7v	49.3v	49.6v	72.8v	46.3v	48.5v	0.0v	0.0v	0.0v	48.4v	500.52v
221 Mr JWE Lothian	O	73.6v	71.6v	49.6v	46.3v	45.2v	70.7v	49.6v	50.8v	0.0v	0.0v	0.0v	47.3v	500.47v
222 Mr G Trembath	A	73.8v	74.8v	49.3v	49.7v	47.4v	70.5v	46.6v	47.2v	0.0v	0.0v	0.0v	45.4v	500.47v
223 Mr MJJ Charlton	O	70.5v	72.8v	47.7v	48.6v	48.3v	71.6v	49.4v	46.2v	0.0v	0.0v	0.0v	49.5v	500.46v
224 Mr MR Fugeman	A	74.8v	71.7v	47.6v	50.5v	48.3v	69.4v	44.3v	50.5v	0.0v	0.0v	0.0v	47.4v	500.45v
225 Mr T Smith	X	73.7v	73.9v	49.4v	46.6v	48.5v	73.7v	44.3v	47.2v	0.0v	0.0v	0.0v	47.2v	500.45v
226 Miss S Ponter	A	75.10v	74.9v	49.6v	48.5v	49.3v	69.1v	43.1v	49.7v	0.0v	0.0v	0.0v	44.3v	500.45v
227 Mr RAH Vary	A	75.9v	66.4v	47.3v	47.4v	50.5v	73.7v	49.5v	49.6v	0.0v	0.0v	0.0v	44.1v	500.44v
228 Mrs SP Thorogood	X	75.9v	74.9v	47.5v	45.2v	50.6v	69.4v	47.3v	49.4v	0.0v	0.0v	0.0v	44.0v	500.42v
229 Pte HG Asquith-Beard	O	74.8v	71.4v	48.7v	50.4v	48.4v	71.6v	44.2v	47.4v	0.0v	0.0v	0.0v	47.2v	500.41v
230 Mr RI Coventry	A	72.5v	73.6v	48.6v	49.7v	46.2v	72.5v	45.2v	49.4v	0.0v	0.0v	0.0v	46.4v	500.41v
231 Mr ES Compton	X	72.5v	73.6v	47.4v	43.4v	46.2v	72.6v	50.4v	49.6v	0.0v	0.0v	0.0v	48.3v	500.40v
232 Cdt MJ Keel	O	70.5v	71.4v	50.6v	49.5v	44.4v	72.5v	48.2v	48.4v	0.0v	0.0v	0.0v	48.4v	500.39v
233 Mr P Dawes	O	72.8v	75.9v	46.2v	48.2v	47.5v	71.5v	49.4v	48.2v	0.0v	0.0v	0.0v	44.1v	500.38v
234 Mr IW Robertson	O	71.5v	73.3v	49.6v	48.3v	48.4v	71.5v	45.5v	47.5v	0.0v	0.0v	0.0v	48.0v	500.36v
235 Maj AW Gill	X	74.10v	73.8v	47.3v	47.4v	49.5v	71.10v	46.6v	46.4v	0.0v	0.0v	0.0v	46.2v	499.52v
236 Mr MD Joyce	O	73.6v	73.11v	46.4v	49.7v	46.5v	74.10v	50.5v	44.1v	0.0v	0.0v	0.0v	44.3v	499.52v
237 Miss DS Hume	O	71.5v	72.8v	49.7v	48.5v	47.5v	72.8v	47.4v	50.5v	0.0v	0.0v	0.0v	43.2v	499.49v
238 Mr ATB Tompson	A	71.5v	72.7v	48.6v	50.6v	48.3v	70.7v	49.6v	49.4v	0.0v	0.0v	0.0v	42.3v	499.47v
239 Mr AF Aspin	O	73.10v	70.6v	48.4v	49.5v	48.5v	70.4v	46.5v	48.3v	0.0v	0.0v	0.0v	47.4v	499.46v
240 Mr LMD Cheek	X	72.7v	71.5v	49.4v	47.3v	50.6v	73.11v	43.3v	47.4v	0.0v	0.0v	0.0v	47.3v	499.46v
241 Mr JRJ Hinde	X	71.8v	73.2v	49.7v	47.3v	47.6v	74.7v	46.5v	49.6v	0.0v	0.0v	0.0v	43.2v	499.46v
242 Mr AR Radkovskii	A	74.8v	73.8v	49.7v	46.1v	48.5v	72.7v	47.2v	46.3v	0.0v	0.0v	0.0v	44.3v	499.44v
243 Mr SJ Comins	O	74.7v	72.7v	47.5v	46.3v	47.4v	72.6v	50.6v	47.5v	0.0v	0.0v	0.0v	44.1v	499.44v
244 Mr MA Kirkillo-Stacewicz	X	69.5v	72.8v	49.4v	50.7v	49.5v	69.5v	49.3v	46.2v	0.0v	0.0v	0.0v	46.3v	499.42v
245 Mr RJSG Clark	A	74.7v	74.10v	48.2v	48.5v	47.4v	69.5v	48.4v	48.4v	0.0v	0.0v	0.0v	43.1v	499.42v
246 Miss FE Purdy	O	72.6v	74.6v	50.4v	46.2v	48.4v	71.8v	47.6v	45.3v	0.0v	0.0v	0.0v	46.1v	499.40v
247 Mr SP Harding	O	72.5v	74.11v	49.4v	47.6v	49.4v	68.4v	48.2v	49.1v	0.0v	0.0v	0.0v	43.3v	499.40v
248 Mr JD Thorp	O	70.6v	72.7v	48.6v	47.5v	49.5v	73.8v	46.5v	49.7v	0.0v	0.0v	0.0v	44.1v	498.50v
249 Miss KS Nichols	T	73.9v	71.10v	49.7v	48.2v	48.5v	71.7v	49.4v	45.4v	0.0v	0.0v	0.0v	44.1v	498.49v
250 Mrs MM Norman	O	72.8v	73.10v	49.7v	44.2v	47.4v	72.7v	46.1v	47.4v	0.0v	0.0v	0.0v	48.5v	498.48v
251 Miss HPC Bramwell	A	73.9v	74.8v	49.5v	48.4v	45.1v	70.6v	46.5v	48.7v	0.0v	0.0v	0.0v	45.3v	498.48v
252 Mr RW Hallows	X	72.6v	73.10v	48.7v	48.3v	46.4v	70.4v	49.7v	48.3v	0.0v	0.0v	0.0v	44.4v	498.48v
253 Mr DR Le Quesne	X	73.9v	74.9v	50.7v	49.4v	46.5v	74.6v	46.1v	47.6v	0.0v	0.0v	0.0v	39.1v	498.48v
254 Cdt MG Woodcock	O	73.11v	74.8v	49.5v	47.4v	50.5v	70.8v	46.2v	41.0v	0.0v	0.0v	0.0v	48.2v	498.45v
255 Miss AK Morriss	O	71.5v	67.5v	47.2v	50.6v	48.4v	71.9v	48.5v	47.3v	0.0v	0.0v	0.0v	49.5v	498.44v
256 Mr RW Ramage	O	74.8v	73.7v	47.5v	48.3v	48.6v	72.5v	44.2v	45.4v	0.0v	0.0v	0.0v	47.4v	498.44v
257 Mr R Sampson	O	73.7v	68.5v	47.2v	47.5v	47.4v	71.5v	49.3v	49.7v	0.0v	0.0v	0.0v	47.2v	498.40v
258 Dr BJ Winney	A	74.8v	71.5v	49.3v	47.7v	48.4v	73.6v	46.3v	47.4v	0.0v	0.0v	0.0v	43.0v	498.40v
259 Dr MW Wrigley	O	75.9v	69.5v	48.5v	48.3v	47.5v	69.3v	47.3v	47.3v	0.0v	0.0v	0.0v	48.2v	498.38v
260 Mr CP Goad	O	72.8v	72.4v	49.4v	50.4v	49.5v	69.4v	44.1v	49.6v	0.0v	0.0v	0.0v	44.2v	498.38v
261 Mr I Davison	A	74.9v	73.6v	50.6v	48.3v	46.6v	70.7v	46.4v	50.7v	0.0v	0.0v	0.0v	40.1v	497.49v
262 Wg Cdr CJ Hockley OBE	O	72.8v	74.11v	46.4v	49.6v	47.5v	72.3v	48.5v	47.4v	0.0v	0.0v	0.0v	42.2v	497.48v
263 Mrs LE Haley	X	73.11v	73.7v	47.4v	49.5v	48.5v	68.4v	45.3v	49.4v	0.0v	0.0v	0.0v	45.4v	497.47v
264 Mr DN Webber	O	68.5v	72.7v	49.5v	49.2v	44.2v	71.8v	48.6v	50.6v	0.0v	0.0v	0.0v	46.5v	497.46v
265 Mr IDC Brechin	A	71.7v	73.8v	48.5v	46.4v	45.3v	73.9v	48.4v	48.5v	0.0v	0.0v	0.0v	45.1v	497.46v
266 Mr NP Moxon	O	74.7v	72.9v	49.3v	49.5v	42.4v	73.6v	47.4v	47.5v	0.0v	0.0v	0.0v	44.3v	497.46v
267 Mr BDW Parsons	A	72.7v	73.5v	48.6v	48.5v	50.4v	73.10v	45.2v	46.4v	0.0v	0.0v	0.0v	42.3v	497.46v
268 Miss RL Laird	X	73.7v	73.3v	49.7v	48.5v	47.5v	75.8v	46.5v	48.6v	0.0v	0.0v	0.0v	38.0v	497.46v
269 Mr TP Clarke	O	71.6v	67.2v	47.4v	48.5v	49.6v	72.9v	46.3v	48.6v	0.0v	0.0v	0.0v	49.4v	497.45v
270 Mrs LK Mace	A	72.6v	74.8v	47.4v	48.3v	47.5v	71.5v	48.7v	45.5v	0.0v	0.0v	0.0v	45.2v	497.45v
271 Mr RR Grisenthwaite	A	71.7v	70.8v	49.4v	48.4v	47.3v	71.6v	49.5v	49.5v	0.0v	0.0v	0.0v	43.3v	497.45v

272 Miss T Myagkova	O	71.7v	69.4v	47.5v	47.2v	48.4v	74.10v	47.3v	48.6v	0.0v	0.0v	0.0v	46.3v	497.44v
273 Dr M Schwarz	A	72.2v	72.9v	50.5v	41.2v	47.5v	73.6v	49.6v	49.5v	0.0v	0.0v	0.0v	44.4v	497.44v
274 Mr RG Woodger	A	72.6v	70.9v	50.6v	49.4v	46.2v	71.6v	44.3v	49.4v	0.0v	0.0v	0.0v	46.2v	497.42v
275 Mr GW Robinson	O	72.8v	73.5v	48.3v	47.5v	44.3v	73.7v	47.0v	48.5v	0.0v	0.0v	0.0v	45.3v	497.39v
276 Mr DA Roberts	O	71.5v	71.6v	49.2v	46.3v	45.2v	73.8v	49.4v	46.4v	0.0v	0.0v	0.0v	47.4v	497.38v
277 Mr M Rewston	A	71.4v	68.5v	50.6v	48.5v	48.4v	70.5v	47.3v	49.4v	0.0v	0.0v	0.0v	46.2v	497.38v
278 Miss K Lindsay	O	72.5v	69.4v	50.7v	48.3v	48.3v	73.7v	47.4v	47.3v	0.0v	0.0v	0.0v	43.1v	497.37v
279 Mr RJR Mott	A	71.9v	74.8v	48.6v	46.3v	45.4v	75.6v	46.4v	48.4v	0.0v	0.0v	0.0v	43.1v	496.45v
280 Mr W Mulholland	O	72.6v	72.6v	48.7v	45.5v	48.5v	69.5v	50.4v	44.2v	0.0v	0.0v	0.0v	48.4v	496.44v
281 Mr PG Cann	O	74.7v	71.8v	47.3v	42.2v	48.4v	70.6v	49.6v	47.6v	0.0v	0.0v	0.0v	48.2v	496.44v
282 Cdt T Mulholland	T	75.9v	71.4v	47.4v	45.4v	47.2v	70.5v	46.4v	49.7v	0.0v	0.0v	0.0v	46.4v	496.43v
283 Miss KG Hines	T	74.10v	71.8v	47.4v	47.3v	47.1v	70.7v	47.4v	47.3v	0.0v	0.0v	0.0v	46.3v	496.43v
284 Mr GA Cann	A	72.4v	71.4v	50.8v	48.4v	47.6v	72.7v	45.3v	48.5v	0.0v	0.0v	0.0v	43.1v	496.42v
285 Dr T Keen	X	71.6v	70.5v	50.8v	47.2v	49.4v	71.6v	48.4v	48.4v	0.0v	0.0v	0.0v	42.1v	496.40v
286 Mr RW Shaw	X	73.8v	74.9v	49.3v	49.5v	48.6v	68.7v	47.6v	49.5v	0.0v	0.0v	0.0v	38.1v	495.50v
287 Mr DN Lindsay	A	74.8v	73.8v	49.5v	47.7v	48.4v	71.8v	44.2v	47.3v	0.0v	0.0v	0.0v	42.2v	495.47v
288 Mr JR Stirland	O	72.6v	73.6v	48.6v	46.5v	46.3v	75.10v	45.2v	47.5v	0.0v	0.0v	0.0v	43.3v	495.46v
289 Mr DJ Curtis	A	69.6v	71.2v	47.5v	44.3v	49.5v	70.9v	48.4v	50.5v	0.0v	0.0v	0.0v	47.5v	495.44v
290 Miss AJ Carnell	O	72.8v	73.6v	48.3v	46.3v	47.4v	71.8v	48.3v	47.6v	0.0v	0.0v	0.0v	43.3v	495.44v
291 Mr K Crabtree	A	75.9v	74.8v	47.1v	44.3v	50.5v	66.4v	46.3v	49.7v	0.0v	0.0v	0.0v	44.2v	495.42v
292 Mr RB Fitzsimmons	O	73.7v	72.10v	45.2v	47.3v	48.5v	72.7v	47.3v	47.3v	0.0v	0.0v	0.0v	44.1v	495.41v
293 Mr DFP Richards	O	73.7v	71.2v	44.6v	49.4v	45.3v	71.5v	49.6v	46.2v	0.0v	0.0v	0.0v	47.5v	495.40v
294 Cdt A Pike	T	72.8v	72.5v	47.6v	49.7v	47.4v	69.5v	46.2v	49.2v	0.0v	0.0v	0.0v	44.0v	495.39v
295 Cdt RJ Mace	T	73.5v	71.5v	50.4v	45.3v	47.3v	71.4v	46.4v	48.2v	0.0v	0.0v	0.0v	44.2v	495.32v
296 Mr G Sarin	O	69.3v	69.6v	48.6v	46.2v	46.4v	73.9v	50.6v	48.6v	0.0v	0.0v	0.0v	45.3v	494.45v
297 Mr RBC Baker	O	73.9v	72.6v	49.5v	49.7v	46.2v	68.7v	46.3v	47.4v	0.0v	0.0v	0.0v	44.2v	494.45v
298 Dr J St J Mehta	X	72.10v	74.7v	49.3v	44.3v	47.3v	74.7v	45.5v	47.5v	0.0v	0.0v	0.0v	42.2v	494.45v
299 Mr PS Gray	O	71.5v	72.7v	49.6v	47.5v	46.2v	72.5v	47.7v	44.2v	0.0v	0.0v	0.0v	46.4v	494.43v
300 Miss SJ Dick	O	69.5v	72.9v	47.5v	46.2v	50.4v	73.7v	47.5v	47.3v	0.0v	0.0v	0.0v	43.3v	494.43v
301 Mr NJ Atkins	A	72.6v	71.3v	50.8v	46.2v	49.5v	69.6v	47.4v	46.5v	0.0v	0.0v	0.0v	44.3v	494.42v
302 Mr TJ Bryan	A	68.5v	72.8v	48.4v	45.4v	50.5v	70.4v	47.5v	49.3v	0.0v	0.0v	0.0v	45.3v	494.41v
303 Mr N Anderson	O	71.5v	69.4v	49.5v	46.5v	48.5v	72.8v	46.2v	49.4v	0.0v	0.0v	0.0v	44.3v	494.41v
304 Mrs HV Golaszewski	A	71.5v	71.8v	48.4v	46.3v	47.5v	72.8v	44.2v	48.3v	0.0v	0.0v	0.0v	47.2v	494.40v
305 Mr JT Kennedy	O	70.6v	75.6v	45.2v	43.3v	47.2v	70.5v	49.3v	50.6v	0.0v	0.0v	0.0v	45.4v	494.37v
306 Cdt W Williamson	T	71.6v	69.5v	48.2v	49.4v	47.4v	70.6v	48.4v	49.3v	0.0v	0.0v	0.0v	43.2v	494.36v
307 Mr JR Tuck	X	70.8v	74.10v	50.7v	48.6v	48.4v	71.5v	49.7v	45.3v	0.0v	0.0v	0.0v	38.1v	493.51v
308 Cdt HM McCaig	T	72.9v	72.9v	44.2v	47.4v	50.7v	72.7v	46.2v	48.4v	0.0v	0.0v	0.0v	42.2v	493.46v
309 Mr MJS Gerhardt	T	73.7v	71.4v	50.5v	47.5v	49.6v	71.8v	42.1v	48.6v	0.0v	0.0v	0.0v	42.3v	493.45v
310 Capt JJ Jalili	O	71.6v	69.7v	49.6v	49.3v	47.4v	70.3v	47.6v	47.6v	0.0v	0.0v	0.0v	44.3v	493.44v
311 Cdt CAJ Crosby	A	69.4v	68.7v	47.4v	46.4v	48.6v	73.6v	48.5v	50.6v	0.0v	0.0v	0.0v	44.2v	493.44v
312 Mr NNT Kerins	A	75.9v	74.9v	47.5v	38.1v	50.3v	71.7v	48.4v	44.3v	0.0v	0.0v	0.0v	46.2v	493.43v
313 Mr DAF Parkinson	O	70.5v	69.8v	48.4v	49.7v	48.3v	71.4v	46.4v	48.4v	0.0v	0.0v	0.0v	44.4v	493.43v
314 Mr EGH Atkins	A	68.4v	70.7v	46.3v	46.5v	47.1v	73.11v	49.6v	47.2v	0.0v	0.0v	0.0v	47.3v	493.42v
315 Mr TEB Smith	T	74.9v	74.10v	45.3v	47.3v	46.3v	69.5v	48.2v	49.6v	0.0v	0.0v	0.0v	41.1v	493.42v
316 Mr AD Partridge	O	69.6v	75.10v	49.7v	45.1v	47.3v	67.3v	47.3v	48.3v	0.0v	0.0v	0.0v	46.3v	493.39v
317 Dr N Hart	O	71.2v	70.5v	47.3v	44.2v	46.5v	73.7v	49.7v	47.2v	0.0v	0.0v	0.0v	46.5v	493.38v
318 Mr AG Lloyd	A	71.6v	71.8v	49.3v	48.4v	47.3v	73.7v	44.2v	44.1v	0.0v	0.0v	0.0v	46.4v	493.38v
319 Mr ARN Kinross	O	69.7v	72.5v	48.6v	46.3v	50.4v	71.3v	47.6v	47.1v	0.0v	0.0v	0.0v	43.3v	493.38v
320 Mr MJ Creber	O	70.4v	71.4v	47.4v	48.5v	46.5v	72.4v	50.5v	47.5v	0.0v	0.0v	0.0v	42.2v	493.38v
321 Mr TS McDowell	O	68.5v	71.5v	47.4v	49.5v	45.3v	74.4v	46.1v	46.1v	0.0v	0.0v	0.0v	47.4v	493.32v
322 Mr RA Jobson	O	72.5v	71.4v	48.5v	48.6v	46.4v	68.3v	47.2v	47.1v	0.0v	0.0v	0.0v	46.2v	493.32v
323 Mr RA Dyball	O	73.7v	74.10v	48.6v	46.5v	48.3v	73.11v	46.4v	43.4v	0.0v	0.0v	0.0v	41.2v	492.52v
324 Mr RK Sheeead	A	67.4v	74.8v	42.3v	47.3v	48.4v	72.6v	50.8v	46.5v	0.0v	0.0v	0.0v	46.4v	492.45v
325 Mr ASOS Stewart	T	74.8v	73.7v	48.8v	48.4v	48.6v	68.5v	38.0v	49.4v	0.0v	0.0v	0.0v	46.3v	492.45v
326 Cdt R Morin	T	70.2v	72.8v	48.4v	46.4v	45.4v	72.8v	46.3v	48.6v	0.0v	0.0v	0.0v	45.4v	492.43v
327 Mr DH Acton	O	70.6v	73.8v	45.2v	47.4v	46.4v	72.8v	49.4v	48.4v	0.0v	0.0v	0.0v	42.2v	492.42v
328 Cdt JC Duffy	T	74.8v	73.8v	45.3v	44.3v	49.5v	70.5v	44.1v	48.5v	0.0v	0.0v	0.0v	45.3v	492.41v
329 Mr A Lothian	O	73.7v	72.6v	49.5v	45.2v	37.1v	73.7v	49.2v	45.3v	0.0v	0.0v	0.0v	49.6v	492.39v
330 Mr LT Wicker	O	72.7v	70.4v	46.1v	45.3v	49.8v	70.4v	46.4v	48.2v	0.0v	0.0v	0.0v	46.4v	492.37v
331 Mr PG Kelly	O	67.4v	70.4v	48.3v	45.2v	48.3v	72.7v	49.5v	47.3v	0.0v	0.0v	0.0v	46.5v	492.36v

332 Mr SME Hayton	X	71.9v	72.10v	44.4v	49.5v	46.4v	71.6v	46.4v	50.7v	0.0v	0.0v	0.0v	42.1v	491.50v
333 Mr SR Sharma	A	73.8v	73.9v	49.6v	48.4v	47.3v	75.12v	38.3v	48.2v	0.0v	0.0v	0.0v	40.2v	491.49v
334 Mr JBG Shepherd	X	74.10v	72.7v	49.3v	45.4v	49.5v	72.7v	45.2v	49.5v	0.0v	0.0v	0.0v	36.0v	491.43v
335 Mr LM Peden	A	71.5v	70.6v	46.3v	44.3v	47.4v	70.6v	48.4v	49.5v	0.0v	0.0v	0.0v	46.5v	491.41v
336 Cdt NR Shutt	T	73.8v	70.4v	46.4v	49.2v	45.3v	69.5v	46.2v	48.6v	0.0v	0.0v	0.0v	45.5v	491.39v
337 Miss PA Evans	O	68.4v	69.4v	50.7v	49.5v	47.5v	73.7v	47.3v	47.2v	0.0v	0.0v	0.0v	41.2v	491.39v
338 Mr SD Glen	A	70.4v	69.4v	47.3v	48.5v	47.3v	72.5v	45.3v	50.5v	0.0v	0.0v	0.0v	43.3v	491.35v
339 Mr CB Cotillard	O	69.3v	71.3v	47.2v	47.5v	46.5v	68.6v	47.3v	47.4v	0.0v	0.0v	0.0v	49.3v	491.34v
340 Mr HD Quilliam	O	69.4v	70.4v	50.5v	48.2v	46.2v	72.5v	49.3v	47.4v	0.0v	0.0v	0.0v	40.3v	491.32v
341 Mr JR Purdy	O	70.6v	66.1v	49.2v	47.3v	50.3v	70.6v	45.2v	50.4v	0.0v	0.0v	0.0v	44.1v	491.28v
342 Mr JRD Clegg	O	72.2v	70.4v	47.2v	48.3v	48.3v	68.3v	46.3v	46.3v	0.0v	0.0v	0.0v	46.2v	491.25v
343 Cdt F Lawry	T	72.9v	74.13v	47.5v	45.2v	45.4v	70.7v	44.2v	47.5v	0.0v	0.0v	0.0v	46.3v	490.50v
344 Mr MHN Palmer	X	72.11v	74.9v	48.7v	47.4v	46.5v	70.2v	48.5v	43.3v	0.0v	0.0v	0.0v	42.1v	490.47v
345 Mr C Brooks	O	67.5v	71.6v	48.5v	48.7v	48.3v	71.7v	46.4v	44.4v	0.0v	0.0v	0.0v	47.2v	490.43v
346 Miss KJA Johnson	T	71.5v	71.6v	48.3v	49.7v	44.3v	72.10v	46.2v	47.2v	0.0v	0.0v	0.0v	42.1v	490.39v
347 Mr MR Clewer	O	71.7v	70.4v	47.5v	49.3v	46.4v	65.5v	48.3v	47.4v	0.0v	0.0v	0.0v	47.3v	490.38v
348 Mr MF Jordan	O	72.5v	68.3v	48.5v	49.6v	48.3v	71.6v	44.2v	47.3v	0.0v	0.0v	0.0v	43.1v	490.34v
349 Mr Al Brown	O	72.6v	72.4v	48.7v	46.5v	49.5v	64.6v	44.3v	45.1v	0.0v	0.0v	0.0v	49.7v	489.44v
350 Mr AW Davies	O	72.5v	71.6v	46.3v	48.3v	49.7v	68.7v	44.3v	44.4v	0.0v	0.0v	0.0v	47.4v	489.42v
351 Miss K Kapustina	O	69.8v	74.8v	49.7v	49.5v	46.2v	68.5v	46.3v	49.2v	0.0v	0.0v	0.0v	39.2v	489.42v
352 Mr Al Lawrie	O	69.3v	73.9v	48.6v	48.3v	47.3v	72.8v	47.3v	47.4v	0.0v	0.0v	0.0v	38.0v	489.39v
353 Mrs KM Stebbings	A	74.9v	72.6v	49.5v	42.1v	48.4v	72.6v	43.2v	45.3v	0.0v	0.0v	0.0v	44.2v	489.38v
354 Mr RR Warren	O	71.4v	71.7v	49.5v	44.2v	49.6v	67.7v	47.0v	48.5v	0.0v	0.0v	0.0v	43.2v	489.38v
355 Mr MD Jenvey	O	72.8v	71.3v	49.5v	47.6v	49.1v	71.5v	44.3v	46.4v	0.0v	0.0v	0.0v	40.3v	489.38v
356 Miss BR Fraser-Burn	O	69.5v	73.6v	46.2v	48.6v	48.4v	71.3v	46.2v	49.4v	0.0v	0.0v	0.0v	39.2v	489.34v
357 Dr Al Ashworth	O	68.1v	71.7v	47.4v	46.3v	43.0v	71.5v	48.1v	48.3v	0.0v	0.0v	0.0v	47.5v	489.29v
358 Mr GC Childs	A	72.6v	71.6v	48.3v	41.2v	47.4v	72.9v	48.6v	48.6v	0.0v	0.0v	0.0v	41.2v	488.44v
359 Mr JRJ Kennedy	O	66.6v	74.8v	49.4v	49.5v	48.5v	68.5v	46.5v	48.4v	0.0v	0.0v	0.0v	40.2v	488.44v
360 Cdt R Tiffin	T	71.8v	71.5v	47.5v	48.5v	48.5v	72.6v	47.5v	47.4v	0.0v	0.0v	0.0v	37.1v	488.44v
361 Cdt Cpl TRE White	T	68.4v	71.2v	50.6v	49.7v	47.4v	66.5v	48.8v	46.3v	0.0v	0.0v	0.0v	43.2v	488.41v
362 Mr CAD Flanagan	O	72.7v	73.5v	48.4v	49.2v	45.3v	69.6v	45.5v	45.3v	0.0v	0.0v	0.0v	42.4v	488.39v
363 Mr SE Young	O	67.3v	72.5v	49.7v	48.4v	49.5v	70.4v	47.5v	44.3v	0.0v	0.0v	0.0v	42.2v	488.38v
364 Mr R le R Bird	O	70.4v	71.6v	47.6v	45.3v	49.4v	70.5v	47.4v	48.5v	0.0v	0.0v	0.0v	41.1v	488.38v
365 Mr EHB Ervine	T	70.6v	68.1v	46.4v	43.1v	46.1v	73.10v	48.4v	49.8v	0.0v	0.0v	0.0v	45.2v	488.37v
366 Mr JA Haward	A	71.4v	72.6v	47.4v	46.3v	48.4v	66.4v	47.3v	50.7v	0.0v	0.0v	0.0v	41.1v	488.36v
367 Mr LR Coventry	O	69.2v	69.3v	49.5v	48.6v	48.2v	69.4v	44.4v	47.4v	0.0v	0.0v	0.0v	45.4v	488.34v
368 Mr RW McVeigh	O	69.4v	72.4v	48.4v	39.1v	49.5v	68.5v	49.3v	49.4v	0.0v	0.0v	0.0v	45.2v	488.32v
369 Mr BV Cambray	O	69.5v	70.4v	48.3v	43.2v	47.2v	72.4v	48.2v	49.5v	0.0v	0.0v	0.0v	42.1v	488.28v
370 Mr TO Fermor	O	70.8v	69.5v	47.5v	50.4v	46.2v	70.6v	48.3v	46.6v	0.0v	0.0v	0.0v	41.2v	487.41v
371 Mr ML Cotillard	O	73.7v	74.8v	48.3v	47.4v	48.5v	61.3v	44.2v	48.5v	0.0v	0.0v	0.0v	44.3v	487.40v
372 Mr TS Craig-Fleming	O	68.6v	70.4v	48.1v	50.5v	46.3v	70.6v	42.3v	49.5v	0.0v	0.0v	0.0v	44.4v	487.37v
373 Cdt OJ Hughes	T	70.6v	69.5v	50.6v	45.2v	47.3v	70.6v	45.3v	49.4v	0.0v	0.0v	0.0v	42.2v	487.37v
374 Mr P Waldron	O	70.4v	72.8v	46.2v	45.4v	44.1v	71.7v	47.4v	48.5v	0.0v	0.0v	0.0v	44.1v	487.36v
375 Mr DH Allen	O	71.8v	71.5v	46.1v	48.2v	47.3v	65.1v	48.5v	49.6v	0.0v	0.0v	0.0v	42.3v	487.34v
376 Mr PW Glen	A	70.1v	74.7v	44.2v	50.5v	46.4v	66.4v	46.2v	48.6v	0.0v	0.0v	0.0v	43.2v	487.33v
377 Cdt S Rorison	T	73.8v	70.5v	46.1v	45.2v	48.4v	72.6v	46.3v	46.2v	0.0v	0.0v	0.0v	41.1v	487.32v
378 Mr JAH Nicholls	O	67.4v	68.2v	48.4v	47.1v	45.3v	68.3v	49.5v	48.4v	0.0v	0.0v	0.0v	47.3v	487.29v
379 Cdt A Hazelton	T	73.5v	73.5v	45.3v	49.8v	48.3v	65.3v	45.3v	39.2v	0.0v	0.0v	0.0v	49.7v	486.39v
380 Cdt T Phillimore	T	67.3v	70.9v	46.1v	44.2v	46.4v	71.8v	49.6v	45.2v	0.0v	0.0v	0.0v	48.4v	486.39v
381 Mr RA Benest	O	74.9v	66.6v	47.2v	42.2v	48.4v	68.4v	44.2v	50.5v	0.0v	0.0v	0.0v	47.4v	486.38v
382 Cdt BJ Hunt	T	72.5v	73.7v	47.1v	48.3v	46.4v	63.4v	47.6v	48.5v	0.0v	0.0v	0.0v	42.2v	486.37v
383 Cdt FCS Stewart	T	65.3v	71.4v	48.4v	44.2v	47.1v	71.8v	46.3v	47.6v	0.0v	0.0v	0.0v	47.5v	486.36v
384 Mr JM Baldwin	O	72.7v	74.5v	47.3v	46.2v	48.6v	65.2v	45.3v	45.4v	0.0v	0.0v	0.0v	44.3v	486.35v
385 Mr J Halahan	O	74.4v	70.6v	46.4v	46.3v	47.4v	71.7v	44.4v	48.2v	0.0v	0.0v	0.0v	40.1v	486.35v
386 Mr GV Feast	A	73.3v	68.1v	48.5v	46.3v	44.2v	69.6v	48.7v	47.5v	0.0v	0.0v	0.0v	43.2v	486.34v
387 Ms S Cheslyn-Curtis	O	67.7v	71.1v	47.3v	46.3v	46.4v	71.3v	45.2v	47.2v	0.0v	0.0v	0.0v	46.5v	486.30v
388 Cdt E Chambers	T	68.2v	71.6v	49.3v	50.4v	47.0v	70.3v	45.5v	46.5v	0.0v	0.0v	0.0v	40.2v	486.30v
389 Mr GRP Shapland	O	69.6v	67.7v	49.5v	49.4v	46.3v	70.5v	48.6v	41.1v	0.0v	0.0v	0.0v	46.5v	485.42v
390 Mr AJ Leech	A	71.7v	70.5v	50.7v	45.3v	44.4v	72.8v	45.0v	43.3v	0.0v	0.0v	0.0v	45.3v	485.40v
391 Mr AJ Le Cheminant	O	69.5v	72.5v	48.5v	48.4v	45.3v	65.2v	47.4v	49.5v	0.0v	0.0v	0.0v	42.4v	485.37v

392 Mr RM Smith	T	71.5v	70.5v	48.8v	45.3v	44.1v	69.6v	45.4v	47.3v	0.0v	0.0v	0.0v	46.1v	485.36v
393 Mr D Couch	O	72.8v	69.3v	49.7v	49.4v	47.4v	71.4v	43.1v	45.3v	0.0v	0.0v	0.0v	40.2v	485.36v
394 Mr SER Cherry	A	73.7v	74.3v	48.3v	44.1v	44.2v	75.7v	48.4v	48.4v	0.0v	0.0v	0.0v	31.0v	485.31v
395 Mr JAMM Ingham	T	72.7v	71.7v	48.6v	45.1v	46.0v	67.2v	44.1v	48.4v	0.0v	0.0v	0.0v	44.2v	485.30v
396 Mr SH Dickson	O	68.2v	72.6v	46.3v	47.5v	47.3v	71.5v	46.2v	46.3v	0.0v	0.0v	0.0v	42.1v	485.30v
397 Mr JE White	O	68.3v	70.7v	46.3v	45.1v	46.2v	69.3v	48.5v	48.2v	0.0v	0.0v	0.0v	45.1v	485.27v
398 Cdt K Butler	T	70.6v	71.6v	47.3v	49.4v	47.2v	69.5v	44.3v	49.8v	0.0v	0.0v	0.0v	38.3v	484.40v
399 Mr TJ Goodger	O	73.7v	71.7v	43.1v	46.4v	47.3v	71.8v	46.5v	45.2v	0.0v	0.0v	0.0v	42.1v	484.38v
400 Cdt Sgt TR Jones	O	71.6v	73.6v	46.4v	47.3v	47.4v	67.6v	48.3v	43.2v	0.0v	0.0v	0.0v	42.2v	484.36v
401 Wg Cdr JR Lindsay	O	73.6v	70.3v	47.5v	47.5v	44.1v	71.5v	45.2v	47.4v	0.0v	0.0v	0.0v	40.1v	484.32v
402 Cdt TT Tancred	O	68.3v	70.5v	47.4v	43.2v	47.3v	70.5v	48.4v	46.3v	0.0v	0.0v	0.0v	45.2v	484.31v
403 Mr PJ Bysshe	O	68.1v	71.7v	42.0v	50.7v	47.3v	72.7v	48.2v	47.3v	0.0v	0.0v	0.0v	39.1v	484.31v
404 Mr AG Harrison	O	67.2v	72.8v	48.8v	48.5v	48.2v	68.5v	45.2v	45.5v	0.0v	0.0v	0.0v	42.3v	483.40v
405 Cdt J Beddoe	T	71.6v	69.4v	48.2v	47.6v	46.5v	64.2v	48.7v	49.6v	0.0v	0.0v	0.0v	41.2v	483.40v
406 Mr EN Munro	O	72.9v	73.3v	46.4v	46.3v	48.4v	69.5v	45.3v	46.5v	0.0v	0.0v	0.0v	38.2v	483.38v
407 Mr DW Campbell	T	70.5v	69.6v	46.3v	47.3v	47.1v	63.1v	44.2v	49.5v	0.0v	0.0v	0.0v	48.5v	483.31v
408 Mr G Marples	O	72.6v	70.6v	49.3v	47.3v	46.4v	66.5v	46.3v	47.1v	0.0v	0.0v	0.0v	40.0v	483.31v
409 Dr T Pantke	T	73.7v	69.3v	47.3v	47.3v	45.2v	69.5v	46.2v	46.2v	0.0v	0.0v	0.0v	41.3v	483.30v
410 Mr H Percival	O	71.6v	69.7v	47.4v	44.3v	47.6v	69.8v	48.2v	42.3v	0.0v	0.0v	0.0v	45.2v	482.41v
411 Dr JS Rennie	A	67.5v	71.4v	48.5v	41.4v	49.4v	74.10v	46.5v	47.3v	0.0v	0.0v	0.0v	39.1v	482.41v
412 Mr GW Yates	O	70.5v	71.7v	46.4v	48.3v	45.4v	68.5v	47.3v	43.4v	0.0v	0.0v	0.0v	44.2v	482.37v
413 Mr ARP Harrison	T	72.5v	68.4v	44.4v	47.2v	47.4v	68.6v	44.2v	46.5v	0.0v	0.0v	0.0v	46.4v	482.36v
414 Lt Col CST Lehmann	O	71.6v	70.6v	48.3v	48.4v	46.3v	67.3v	45.2v	48.4v	0.0v	0.0v	0.0v	39.1v	482.32v
415 F/O RJ Clegg	T	68.5v	72.6v	46.2v	45.2v	46.3v	70.7v	44.1v	45.2v	0.0v	0.0v	0.0v	46.3v	482.31v
416 Miss JE Ouston	X	71.5v	72.6v	45.4v	44.2v	48.3v	71.3v	44.2v	48.5v	0.0v	0.0v	0.0v	39.1v	482.31v
417 Mr WR Steward	O	68.2v	72.5v	47.5v	44.2v	47.3v	70.5v	44.1v	47.3v	0.0v	0.0v	0.0v	43.1v	482.27v
418 Mr JS Ritchie	O	68.3v	66.3v	47.3v	48.4v	50.5v	66.6v	45.1v	44.3v	0.0v	0.0v	0.0v	47.4v	481.32v
419 Cdt AM Poulton	T	68.6v	67.3v	44.3v	46.2v	45.1v	72.6v	49.6v	47.3v	0.0v	0.0v	0.0v	43.2v	481.32v
420 Mr PJ Temperley	O	72.6v	66.3v	45.4v	46.3v	47.3v	66.4v	46.1v	48.5v	0.0v	0.0v	0.0v	45.2v	481.31v
421 Mr BAM Hebblethwaite	O	69.5v	68.4v	44.1v	48.4v	46.2v	71.6v	44.2v	47.3v	0.0v	0.0v	0.0v	44.2v	481.29v
422 Mr GR Thomas	O	71.8v	70.9v	44.1v	47.4v	44.4v	72.5v	43.1v	46.6v	0.0v	0.0v	0.0v	43.2v	480.40v
423 Mr DA Smith	O	69.6v	73.9v	39.4v	48.6v	46.3v	72.6v	44.3v	47.2v	0.0v	0.0v	0.0v	42.0v	480.39v
424 Wg Cdr MJ Gregory	O	66.4v	70.5v	45.4v	48.6v	47.3v	65.3v	48.5v	48.5v	0.0v	0.0v	0.0v	43.2v	480.37v
425 Mr R Winney	O	69.4v	70.6v	49.3v	42.2v	46.3v	70.6v	43.6v	48.5v	0.0v	0.0v	0.0v	43.2v	480.37v
426 Mr DTA Cobb	O	70.6v	69.5v	41.2v	49.5v	44.2v	72.7v	43.2v	47.4v	0.0v	0.0v	0.0v	45.3v	480.36v
427 Air Cdre OMJ Taylor	T	74.9v	73.5v	42.4v	39.3v	45.5v	69.2v	47.0v	46.4v	0.0v	0.0v	0.0v	45.2v	480.34v
428 Miss NE Barnes	O	69.6v	67.4v	48.7v	47.4v	46.4v	69.2v	43.0v	46.6v	0.0v	0.0v	0.0v	45.1v	480.34v
429 Cdt AL Gibbs	T	69.5v	67.6v	45.2v	46.3v	40.0v	70.6v	45.2v	50.5v	0.0v	0.0v	0.0v	48.4v	480.33v
430 Mr AC Barrell	O	67.3v	71.5v	49.6v	46.3v	46.3v	69.3v	40.1v	47.5v	0.0v	0.0v	0.0v	45.2v	480.31v
431 Mr ML Kirkillo-Stacewicz	O	69.2v	70.5v	48.2v	47.3v	44.1v	69.5v	41.4v	47.5v	0.0v	0.0v	0.0v	45.1v	480.28v
432 Mr JC Hilton-Johnson	O	73.5v	68.2v	48.4v	47.3v	44.1v	69.5v	45.4v	45.1v	0.0v	0.0v	0.0v	41.3v	480.28v
433 Mr TR Webster	O	68.5v	72.7v	42.1v	48.6v	46.4v	70.7v	45.4v	45.3v	0.0v	0.0v	0.0v	43.1v	479.38v
434 Mr SJ Bates	O	69.5v	69.6v	44.3v	48.1v	46.3v	65.1v	44.1v	46.6v	0.0v	0.0v	0.0v	48.6v	479.32v
435 Mr GL Clarke	O	68.4v	71.4v	46.5v	48.4v	45.2v	68.4v	43.0v	46.3v	0.0v	0.0v	0.0v	44.4v	479.30v
436 Mr JA Dallas	O	72.4v	64.1v	47.4v	48.4v	45.1v	71.4v	45.0v	45.3v	0.0v	0.0v	0.0v	42.1v	479.22v
437 Mr AM Norman	O	66.4v	73.7v	47.5v	47.5v	43.2v	67.4v	45.1v	46.6v	0.0v	0.0v	0.0v	44.2v	478.36v
438 Cdt HJ Purslow	T	70.5v	72.7v	47.3v	49.3v	41.3v	71.8v	45.2v	44.2v	0.0v	0.0v	0.0v	39.2v	478.35v
439 Mr BJ Page	O	72.5v	67.3v	47.1v	45.4v	47.1v	70.6v	42.2v	44.1v	0.0v	0.0v	0.0v	44.5v	478.28v
440 Mr PB Cutts	O	64.3v	70.8v	49.5v	49.6v	48.4v	71.4v	39.3v	46.3v	0.0v	0.0v	0.0v	41.1v	477.37v
441 Miss M Beaton-Jaramillo	T	70.7v	69.3v	45.4v	46.5v	49.7v	72.4v	44.2v	46.4v	0.0v	0.0v	0.0v	36.1v	477.37v
442 Cdt O Ross	T	66.5v	71.8v	49.5v	45.2v	45.2v	72.5v	42.3v	49.4v	0.0v	0.0v	0.0v	38.1v	477.35v
443 Mr JM Nippers	O	66.2v	70.5v	48.4v	41.4v	48.5v	69.5v	44.2v	49.5v	0.0v	0.0v	0.0v	42.1v	477.33v
444 Cdt AR Le Quesne	T	69.5v	71.6v	44.0v	49.6v	43.1v	71.5v	42.2v	47.5v	0.0v	0.0v	0.0v	41.1v	477.31v
445 Mr IR Reeves	O	69.4v	66.3v	47.4v	45.1v	47.4v	68.3v	48.3v	42.1v	0.0v	0.0v	0.0v	45.4v	477.27v
446 Mr AP Clark	T	70.8v	69.6v	44.1v	48.6v	42.1v	70.6v	44.3v	44.0v	0.0v	0.0v	0.0v	45.4v	476.35v
447 Mr NC Granger	O	70.5v	67.4v	47.3v	45.4v	47.4v	64.3v	42.0v	49.6v	0.0v	0.0v	0.0v	45.2v	476.31v
448 Mr TM Booth	T	71.5v	70.5v	49.4v	47.4v	38.1v	71.3v	46.6v	44.2v	0.0v	0.0v	0.0v	40.1v	476.31v
449 Mr WB Ross	O	68.5v	68.3v	44.2v	46.0v	45.5v	71.5v	46.4v	46.4v	0.0v	0.0v	0.0v	42.0v	476.28v
450 Dr CW Freeman	O	71.4v	69.2v	44.2v	45.2v	45.5v	65.1v	45.2v	44.2v	0.0v	0.0v	0.0v	48.5v	476.25v
451 Cdt I Hunt	T	67.4v	71.3v	45.2v	45.4v	47.3v	67.3v	46.2v	50.3v	0.0v	0.0v	0.0v	38.1v	476.25v

452 Mrs RM Merridew	O	70.3v	67.0v	49.5v	46.3v	44.1v	69.4v	43.0v	46.6v	0.0v	0.0v	0.0v	42.2v	476.24v
453 Mr AA Singh	T	68.4v	67.1v	46.5v	45.2v	47.0v	66.4v	46.0v	48.3v	0.0v	0.0v	0.0v	43.3v	476.22v
454 Mr KW Genders	O	68.5v	70.7v	47.4v	47.5v	44.4v	70.7v	46.3v	43.2v	0.0v	0.0v	0.0v	40.3v	475.40v
455 Mr CI Pawlik	O	70.7v	67.3v	47.5v	43.4v	41.1v	70.5v	45.4v	46.2v	0.0v	0.0v	0.0v	46.4v	475.35v
456 Cdt J Orr	T	71.7v	68.5v	48.5v	41.1v	42.1v	73.7v	47.5v	34.2v	0.0v	0.0v	0.0v	50.6v	474.39v
457 Mr GJ Lake Coghlan	T	73.9v	68.5v	47.3v	46.2v	42.2v	61.1v	48.7v	44.4v	0.0v	0.0v	0.0v	45.2v	474.35v
458 Cdt T Peters	T	70.6v	68.3v	46.5v	47.4v	45.4v	65.5v	42.2v	49.5v	0.0v	0.0v	0.0v	42.1v	474.35v
459 Mr RM Culverwell	O	70.3v	71.8v	36.1v	45.2v	45.5v	68.5v	47.4v	48.3v	0.0v	0.0v	0.0v	44.3v	474.34v
460 Cdt AS Shine	T	69.5v	67.4v	49.4v	41.1v	47.4v	70.6v	45.4v	48.5v	0.0v	0.0v	0.0v	38.1v	474.34v
461 Cdt KE Farley	T	68.3v	72.4v	46.1v	48.5v	45.5v	61.2v	47.4v	44.3v	0.0v	0.0v	0.0v	43.2v	474.29v
462 Mr NS Roberts	O	70.4v	68.4v	47.5v	40.2v	46.2v	71.5v	43.2v	48.6v	0.0v	0.0v	0.0v	40.3v	473.33v
463 Cdt LI Stewart	T	73.7v	69.5v	43.2v	45.2v	47.3v	64.3v	42.3v	46.3v	0.0v	0.0v	0.0v	44.2v	473.30v
464 Miss NI Murrin	T	70.5v	75.6v	46.0v	46.3v	43.3v	67.3v	40.1v	49.4v	0.0v	0.0v	0.0v	37.2v	473.27v
465 Mr AJD Saunders	O	70.4v	66.5v	45.1v	42.3v	47.3v	70.6v	47.3v	40.0v	0.0v	0.0v	0.0v	45.2v	472.27v
466 Mr SA Stanley	T	64.3v	65.3v	47.5v	45.3v	45.2v	67.6v	45.1v	49.3v	0.0v	0.0v	0.0v	45.1v	472.27v
467 Mr AJ Grainger	T	67.4v	70.5v	42.2v	45.1v	48.4v	69.4v	43.3v	44.3v	0.0v	0.0v	0.0v	44.1v	472.27v
468 Mr HM Marden	T	63.2v	71.6v	47.2v	44.0v	49.4v	69.4v	43.0v	48.5v	0.0v	0.0v	0.0v	38.0v	472.23v
469 Mr RPM McKenna	T	68.5v	71.3v	47.1v	41.2v	45.4v	68.5v	44.0v	44.1v	0.0v	0.0v	0.0v	43.2v	471.23v
470 Mr AG Stewart	T	69.5v	68.3v	43.3v	48.5v	49.3v	65.5v	44.1v	47.3v	0.0v	0.0v	0.0v	37.0v	470.28v
471 Mr CR Vonchek	T	70.3v	70.9v	46.2v	45.1v	43.2v	61.3v	46.3v	45.3v	0.0v	0.0v	0.0v	44.1v	470.27v
472 Mr K Kousetta	T	66.3v	69.4v	49.3v	38.2v	41.1v	69.5v	49.3v	47.3v	0.0v	0.0v	0.0v	42.2v	470.26v
473 Miss CM Jones	O	70.8v	64.3v	47.2v	48.4v	43.3v	61.2v	42.4v	48.3v	0.0v	0.0v	0.0v	46.0v	469.29v
474 Mr RJ Cooper	T	69.7v	67.4v	45.4v	46.3v	46.4v	66.1v	45.2v	42.2v	0.0v	0.0v	0.0v	43.2v	469.29v
475 Mr GA Barton-Wood	T	64.2v	70.5v	46.2v	47.4v	45.4v	71.6v	37.2v	49.4v	0.0v	0.0v	0.0v	40.0v	469.29v
476 Mr RJA Ritchie	O	67.2v	67.2v	45.3v	44.4v	43.2v	70.4v	45.1v	47.2v	0.0v	0.0v	0.0v	41.2v	469.22v
477 Cdt J Caldwell	T	73.7v	71.6v	48.3v	42.3v	50.9v	51.8v	42.2v	47.4v	0.0v	0.0v	0.0v	44.3v	468.45v
478 Cdt Cpl P Wilkinson	T	66.2v	71.7v	44.4v	40.4v	48.4v	65.4v	44.4v	44.3v	0.0v	0.0v	0.0v	46.2v	468.34v
479 Cdt RSM CP Philp	T	65.3v	71.4v	44.2v	45.3v	42.3v	72.6v	41.3v	47.4v	0.0v	0.0v	0.0v	41.2v	468.30v
480 Mr DR Colegate	T	69.3v	68.5v	43.2v	45.2v	46.2v	66.0v	42.3v	44.3v	0.0v	0.0v	0.0v	45.1v	468.21v
481 Cdt L Eadon	T	69.4v	67.1v	46.1v	42.1v	47.1v	69.5v	43.2v	48.3v	0.0v	0.0v	0.0v	37.2v	468.20v
482 Cdt J Cheetham	T	68.5v	64.5v	44.3v	43.1v	47.4v	68.6v	49.4v	42.1v	0.0v	0.0v	0.0v	42.3v	467.32v
483 Dr G Stevenson	O	69.3v	68.4v	45.2v	48.3v	44.2v	67.5v	46.2v	43.2v	0.0v	0.0v	0.0v	37.0v	467.23v
484 Mr NJ Burnip	O	70.6v	68.2v	45.4v	48.3v	45.2v	65.3v	44.2v	40.1v	0.0v	0.0v	0.0v	41.1v	466.24v
485 Miss ICN Cox	T	69.2v	69.3v	44.3v	46.2v	49.7v	64.3v	39.0v	45.2v	0.0v	0.0v	0.0v	41.1v	466.23v
486 Miss H Grindon	T	71.3v	70.4v	39.1v	47.3v	47.5v	63.1v	44.1v	44.2v	0.0v	0.0v	0.0v	41.0v	466.20v
487 Mr CR Aitken	O	72.7v	61.0v	47.3v	39.3v	47.4v	66.2v	42.2v	49.7v	0.0v	0.0v	0.0v	42.2v	465.30v
488 Air Cdre ANC Bramwell	T	68.6v	69.3v	44.1v	43.3v	43.1v	69.3v	44.3v	46.3v	0.0v	0.0v	0.0v	39.2v	465.25v
489 Mr BJW Wardell	T	66.3v	71.4v	47.3v	45.3v	49.5v	62.2v	44.1v	44.2v	0.0v	0.0v	0.0v	37.0v	465.23v
490 Mr KMS Wong	T	69.2v	66.1v	44.2v	46.4v	42.0v	68.4v	43.1v	43.3v	0.0v	0.0v	0.0v	44.2v	465.19v
491 Cdt EJ Skelhorn	T	70.5v	71.6v	45.4v	45.3v	44.5v	56.4v	42.2v	46.2v	0.0v	0.0v	0.0v	44.2v	463.33v
492 Mr NR Wells	T	69.6v	66.4v	38.1v	46.5v	47.2v	63.5v	45.2v	46.2v	0.0v	0.0v	0.0v	43.2v	463.29v
493 Cdt A Ganesan	T	61.0v	69.5v	45.3v	44.2v	46.4v	67.5v	47.1v	45.5v	0.0v	0.0v	0.0v	39.2v	463.27v
494 Mr HP Nippers	T	67.2v	69.4v	47.1v	40.3v	43.2v	69.7v	43.3v	44.3v	0.0v	0.0v	0.0v	41.1v	463.26v
495 Cdt G Clarke	T	70.4v	71.5v	47.3v	48.5v	42.1v	66.6v	45.2v	46.4v	0.0v	0.0v	0.0v	27.0v	462.30v
496 Mr GW Wood	T	67.2v	68.3v	40.1v	44.2v	45.5v	68.4v	45.4v	46.2v	0.0v	0.0v	0.0v	39.2v	462.25v
497 Mr K Gladding	O	69.5v	70.3v	46.4v	34.1v	44.3v	63.1v	48.5v	45.4v	0.0v	0.0v	0.0v	42.0v	461.26v
498 Cdt GM Bohn	T	65.4v	70.3v	39.3v	45.2v	45.3v	66.4v	40.2v	47.5v	0.0v	0.0v	0.0v	43.2v	460.28v
499 Miss J Hamon	T	66.1v	65.1v	47.4v	37.1v	42.3v	64.2v	47.2v	47.3v	0.0v	0.0v	0.0v	45.4v	460.21v
500 Mr FEG Pawlik	T	70.5v	69.6v	46.2v	31.1v	47.4v	72.7v	42.2v	47.6v	0.0v	0.0v	0.0v	35.0v	459.33v
501 Mr N Stebbings	O	68.4v	70.5v	44.2v	39.4v	40.1v	68.3v	49.2v	38.1v	0.0v	0.0v	0.0v	42.3v	458.25v
502 Mr MK Townsend	O	66.3v	63.2v	42.2v	47.5v	42.1v	59.3v	48.2v	44.3v	0.0v	0.0v	0.0v	47.2v	458.23v
503 Mr A Moldoveanu	T	63.0v	67.1v	42.1v	44.2v	39.3v	70.7v	45.2v	40.0v	0.0v	0.0v	0.0v	48.3v	458.19v
504 Miss K Harriss	T	66.4v	74.7v	45.1v	46.3v	43.2v	65.5v	45.3v	46.4v	0.0v	0.0v	0.0v	27.0v	457.29v
505 Miss GI Williams	T	66.2v	68.2v	42.1v	41.1v	43.1v	68.7v	40.1v	44.1v	0.0v	0.0v	0.0v	45.0v	457.16v
506 Mr A Honey	T	68.6v	69.4v	44.4v	47.6v	38.1v	68.3v	40.0v	41.0v	0.0v	0.0v	0.0v	41.1v	456.25v
507 Cdt O Frost	T	68.2v	65.2v	47.4v	36.1v	45.2v	67.3v	47.3v	41.1v	0.0v	0.0v	0.0v	40.0v	456.18v
508 Mr J Kahtava	T	72.6v	69.3v	46.5v	30.2v	47.2v	67.7v	38.1v	44.3v	0.0v	0.0v	0.0v	42.2v	455.31v
509 Mr JA Zerby	A	67.4v	71.4v	39.1v	46.4v	39.1v	64.4v	42.2v	47.4v	0.0v	0.0v	0.0v	40.0v	455.24v
510 Mr TM Green	O	71.5v	70.5v	47.4v	20.1v	46.4v	70.7v	46.2v	49.3v	0.0v	0.0v	0.0v	34.3v	453.34v
511 Mr LG Skingley	T	70.7v	67.4v	38.0v	44.2v	46.2v	61.2v	41.1v	44.3v	0.0v	0.0v	0.0v	42.2v	453.23v

512 Mr RJ Quy	O	74.7v	74.8v	47.2v	47.6v	0.0v	70.7v	46.4v	48.3v	0.0v	0.0v	0.0v	45.4v	451.41v
513 Miss KA Hinkly	T	70.8v	66.3v	44.3v	39.1v	44.1v	61.0v	41.2v	43.2v	0.0v	0.0v	0.0v	43.2v	451.22v
514 Mr R Edwards	O	71.8v	72.7v	46.4v	49.3v	0.0v	71.7v	46.2v	48.4v	0.0v	0.0v	0.0v	45.3v	448.38v
515 Mr MW Sheridan-Oliver	T	66.1v	66.2v	44.1v	39.1v	42.1v	61.2v	42.1v	44.1v	0.0v	0.0v	0.0v	42.1v	446.11v
516 Mr DJ Studholme	T	60.4v	68.5v	46.4v	47.4v	42.3v	54.4v	43.2v	46.3v	0.0v	0.0v	0.0v	38.0v	444.29v
517 Mr EJ Harriss	T	66.5v	66.5v	42.1v	42.1v	39.0v	72.6v	37.1v	42.4v	0.0v	0.0v	0.0v	38.1v	444.24v
518 Mr CSJ Marlow	O	61.1v	67.3v	45.4v	45.4v	46.2v	66.2v	41.2v	46.3v	0.0v	0.0v	0.0v	26.0v	443.21v
519 Cdt R Piper	T	69.3v	64.2v	43.3v	47.2v	32.0v	69.3v	46.4v	36.1v	0.0v	0.0v	0.0v	37.1v	443.19v
520 Mr TAN Dowd	O	68.3v	69.7v	49.4v	48.5v	48.4v	71.7v	0.0v	44.1v	0.0v	0.0v	0.0v	45.6v	442.37v
521 Mr LR Hinkly	T	65.3v	65.1v	42.2v	34.1v	46.2v	71.6v	45.3v	41.1v	0.0v	0.0v	0.0v	33.1v	442.20v
522 Mr MJ Dowe	T	66.2v	69.3v	48.6v	46.5v	45.5v	68.3v	46.2v	13.0v	0.0v	0.0v	0.0v	38.3v	439.29v
523 Miss P Hobbs	T	73.6v	69.2v	46.4v	36.1v	44.2v	56.0v	35.1v	40.1v	0.0v	0.0v	0.0v	40.1v	439.18v
524 Miss CES Wiltshire	T	61.2v	65.2v	38.1v	43.1v	43.3v	64.2v	42.2v	43.1v	0.0v	0.0v	0.0v	40.3v	439.17v
525 Mr G Baylis	O	67.4v	72.9v	48.5v	46.2v	45.4v	72.8v	39.3v	49.7v	0.0v	0.0v	0.0v	0.0v	438.42v
526 Mr AP Barnes	A	69.6v	64.2v	48.6v	0.0v	49.6v	73.7v	47.4v	43.3v	0.0v	0.0v	0.0v	45.4v	438.38v
527 Mr BJ Tinegate-Smith	O	71.7v	68.2v	48.6v	46.0v	49.6v	68.4v	44.2v	43.2v	0.0v	0.0v	0.0v	0.0v	437.29v
528 LCpl OJ Christy	T	66.2v	65.3v	46.3v	43.3v	43.1v	61.5v	42.2v	43.2v	0.0v	0.0v	0.0v	28.0v	437.21v
529 Mr CHS Burden	T	68.3v	64.2v	43.1v	40.0v	36.2v	54.2v	42.2v	46.1v	0.0v	0.0v	0.0v	43.2v	436.15v
530 Cdt JJ Weir	T	71.7v	53.4v	44.4v	45.6v	44.4v	66.4v	35.0v	41.2v	0.0v	0.0v	0.0v	36.1v	435.32v
531 Mr JA Tunsley	T	68.5v	61.0v	39.1v	45.3v	39.0v	57.1v	40.0v	44.4v	0.0v	0.0v	0.0v	42.4v	435.18v
532 Cdt C Alvarez	T	62.1v	69.7v	40.0v	41.2v	42.1v	68.5v	34.1v	42.3v	0.0v	0.0v	0.0v	36.0v	434.20v
533 Mr MJ Stewart	T	65.4v	69.5v	43.2v	38.2v	42.1v	65.4v	39.3v	44.2v	0.0v	0.0v	0.0v	28.1v	433.24v
534 Mr EJT Quayle	T	71.3v	70.5v	48.2v	46.2v	42.2v	47.1v	41.2v	31.0v	0.0v	0.0v	0.0v	37.1v	433.18v
535 LCpl ACJ Van Grondelle	T	65.2v	59.1v	42.1v	42.3v	43.2v	62.4v	40.0v	40.1v	0.0v	0.0v	0.0v	40.3v	433.17v
536 Mr TW Le Huray	T	68.3v	64.2v	44.3v	38.2v	41.0v	61.1v	37.0v	39.2v	0.0v	0.0v	0.0v	41.2v	433.15v
537 Cdt HA Broadhurst	T	65.2v	56.0v	36.0v	41.1v	45.2v	66.4v	39.1v	40.1v	0.0v	0.0v	0.0v	44.2v	432.13v
538 Mr ED Chapman-Sheath	T	66.4v	70.5v	41.1v	39.2v	39.2v	60.1v	45.2v	43.1v	0.0v	0.0v	0.0v	26.1v	429.19v
539 Miss SM Frost	T	64.4v	67.5v	44.2v	44.2v	47.4v	62.0v	44.2v	45.2v	0.0v	0.0v	0.0v	11.0v	428.21v
540 Mrs J Kirkby	T	64.3v	63.2v	43.1v	44.3v	45.1v	66.1v	18.0v	47.5v	0.0v	0.0v	0.0v	38.1v	428.17v
541 Mr ACM White	T	64.3v	69.5v	35.0v	37.3v	38.0v	61.1v	36.1v	45.3v	0.0v	0.0v	0.0v	41.3v	426.19v
542 Miss S Bladon	T	61.2v	67.4v	44.0v	43.2v	44.2v	61.1v	37.1v	45.3v	0.0v	0.0v	0.0v	24.0v	426.15v
543 Dr ITR Jobling	A	71.6v	68.3v	47.4v	48.3v	43.2v	69.5v	45.4v	34.0v	0.0v	0.0v	0.0v	0.0v	425.27v
544 Miss CS Chan	O	71.6v	73.5v	45.2v	48.7v	47.3v	0.0v	45.3v	50.7v	0.0v	0.0v	0.0v	42.1v	421.34v
545 Cdt LEI Horsman Carpenter	T	59.3v	56.0v	41.4v	40.3v	45.3v	65.2v	42.2v	32.0v	0.0v	0.0v	0.0v	41.0v	421.17v
546 Mr I Brown	O	72.4v	0.0v	45.3v	49.5v	47.4v	69.8v	43.4v	47.2v	0.0v	0.0v	0.0v	44.3v	416.33v
547 Mr PJ Holden	O	69.5v	48.2v	47.2v	39.3v	36.0v	56.1v	42.3v	47.6v	0.0v	0.0v	0.0v	32.0v	416.22v
548 Cdt OW Rankin	T	62.5v	66.1v	37.0v	43.2v	46.4v	56.0v	38.1v	46.3v	0.0v	0.0v	0.0v	21.0v	415.16v
549 Mrs SEP Kent	O	68.4v	0.0v	48.2v	46.4v	46.4v	73.6v	44.1v	45.2v	0.0v	0.0v	0.0v	43.3v	413.26v
550 Cdt A Key	T	60.1v	62.3v	39.3v	34.1v	40.1v	55.2v	43.3v	40.2v	0.0v	0.0v	0.0v	34.1v	407.17v
551 Cdt B Farr	T	65.5v	66.4v	42.3v	33.3v	37.0v	57.1v	36.1v	36.0v	0.0v	0.0v	0.0v	33.2v	405.19v
552 Mr PD Pelly	O	60.1v	59.2v	39.1v	24.0v	40.0v	70.6v	43.1v	38.1v	0.0v	0.0v	0.0v	31.1v	404.13v
553 Mr TAE Dorey	T	63.2v	56.2v	42.0v	44.3v	36.0v	52.1v	28.1v	44.1v	0.0v	0.0v	0.0v	39.1v	404.11v
554 Cdt S Kasica	T	57.1v	62.3v	43.2v	45.1v	40.1v	61.1v	32.2v	32.0v	0.0v	0.0v	0.0v	32.0v	404.11v
555 Mr R Turner	T	64.2v	64.4v	44.2v	0.0v	44.2v	64.2v	42.0v	33.1v	0.0v	0.0v	0.0v	38.1v	393.14v
556 Cdt B Williams	T	57.1v	67.6v	44.3v	35.1v	41.0v	61.1v	0.0v	44.2v	0.0v	0.0v	0.0v	43.3v	392.17v
557 Mr OM Hudson	O	72.7v	73.8v	49.6v	49.4v	50.7v	0.0v	47.2v	48.6v	0.0v	0.0v	0.0v	0.0v	388.40v
558 Mr OJ Scott	T	62.2v	64.2v	44.1v	39.0v	38.1v	64.4v	0.0v	32.1v	0.0v	0.0v	0.0v	40.0v	383.11v
559 Mr JJ Dixon	T	67.5v	67.3v	42.2v	31.3v	44.4v	56.1v	0.0v	47.1v	0.0v	0.0v	0.0v	24.1v	378.20v
560 Mr JW Jenkins	O	71.8v	69.7v	46.5v	0.0v	48.3v	0.0v	49.5v	47.3v	0.0v	0.0v	0.0v	46.4v	376.35v
561 Mr JJ Parsons	A	69.8v	68.3v	48.6v	44.3v	47.4v	0.0v	48.5v	47.6v	0.0v	0.0v	0.0v	0.0v	371.35v
562 Miss BRD Digance	T	67.6v	62.2v	43.3v	0.0v	37.1v	60.1v	25.1v	29.1v	0.0v	0.0v	0.0v	38.0v	361.15v
563 Mr AJ Browne	T	53.0v	67.5v	42.2v	41.0v	35.1v	53.0v	38.1v	22.1v	0.0v	0.0v	0.0v	10.0v	361.10v
564 Cdt JS Clark	T	56.0v	57.0v	36.0v	31.2v	38.0v	53.1v	28.0v	25.0v	0.0v	0.0v	0.0v	32.0v	356.3v
565 Mr MJ Whatton	O	72.3v	0.0v	50.9v	45.2v	48.7v	0.0v	43.2v	46.1v	0.0v	0.0v	0.0v	46.3v	350.27v
566 Mr TDB Hebblethwaite	T	54.1v	49.0v	39.1v	29.0v	31.1v	50.2v	30.1v	37.0v	0.0v	0.0v	0.0v	24.1v	343.7v
567 Mr JF Hollingdale	O	72.5v	69.7v	47.2v	41.4v	0.0v	0.0v	47.3v	47.5v	0.0v	0.0v	0.0v	0.0v	323.26v
568 Mr D Epton	O	0.0v	72.3v	45.1v	44.3v	43.1v	73.7v	0.0v	0.0v	0.0v	0.0v	0.0v	40.1v	317.16v
569 Ms IJE Logan	T	0.0v	69.2v	50.4v	45.3v	0.0v	65.3v	0.0v	48.5v	0.0v	0.0v	0.0v	39.1v	316.18v
570 Mr PR Tyldesley	O	61.1v	0.0v	0.0v	47.4v	42.2v	60.2v	44.4v	45.1v	0.0v	0.0v	0.0v	0.0v	299.14v
571 Mr WR Hinton	O	68.4v	64.1v	43.1v	37.0v	0.0v	0.0v	37.1v	42.3v	0.0v	0.0v	0.0v	0.0v	291.10v

572 Miss EN Smith	T	68.4v	0.0v	0.0v	39.1v	36.1v	60.3v	40.1v	44.2v	0.0v	0.0v	0.0v	0.0v	287.12v
573 Mr VT Jensen	T	55.0v	57.1v	31.0v	39.2v	0.0v	0.0v	39.2v	37.0v	0.0v	0.0v	0.0v	0.0v	258.5v
574 Mr MF Martel	O	74.7v	0.0v	44.1v	0.0v	0.0v	0.0v	45.1v	50.2v	0.0v	0.0v	0.0v	44.0v	257.11v
575 Mr JN Campbell	O	69.4v	0.0v	0.0v	0.0v	49.3v	0.0v	42.3v	46.2v	0.0v	0.0v	0.0v	47.7v	253.19v
576 Mr JA Hopkins	T	67.4v	0.0v	44.1v	41.2v	0.0v	0.0v	43.1v	36.1v	0.0v	0.0v	0.0v	0.0v	231.9v
577 Mr DF Nesbitt	O	64.1v	0.0v	0.0v	39.1v	38.1v	0.0v	43.0v	47.2v	0.0v	0.0v	0.0v	0.0v	231.5v
578 Dr JC Jobling	O	62.1v	0.0v	0.0v	41.0v	0.0v	0.0v	45.2v	39.1v	0.0v	0.0v	0.0v	0.0v	187.4v
579 Mr MR Endres	T	0.0v	0.0v	41.0v	0.0v	42.2v	63.2v	0.0v	0.0v	0.0v	0.0v	0.0v	40.4v	186.8v
580 Mr TG Rylands	A	73.8v	0.0v	0.0v	0.0v	0.0v	0.0v	48.8v	48.4v	0.0v	0.0v	0.0v	0.0v	169.20v
581 Mr NW Penn	O	0.0v	0.0v	46.2v	40.0v	1.0v	0.0v	41.2v	0.0v	0.0v	0.0v	0.0v	16.0v	144.4v
582 Mr BC Robinson	T	70.4v	0.0v	0.0v	0.0v	0.0v	0.0v	45.3v	0.0v	0.0v	0.0v	0.0v	0.0v	115.7v
583 Mr C Waldron	O	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	45.3v	43.2v	0.0v	0.0v	0.0v	0.0v	88.5v
584 Cdt JD Magalhaes	T	0.0v	46.5v	0.0v	0.0v	0.0v	0.0v	46.5v						