

# HM The Queen's Platinum Jubilee Imperial Meeting

## Grand Aggregate

		DT	DM	Alex	DC	Times	Wimb	Doyle	Dgall	St. G.	PoW	Lovell	Corp	Total	
1	Mr FWA Coetzee	A	75.13v	75.10v	49.5v	34.4v	50.7v	35.4v	50.9v	50.5v	0.0v	0.0v	0.0v	49.6v	467.63v
2	Mr DC Luckman	X	75.12v	74.11v	50.8v	33.1v	50.8v	35.5v	50.6v	49.8v	0.0v	0.0v	0.0v	48.5v	464.64v
3	Mr J Corbett	X	74.11v	75.10v	49.3v	33.2v	50.7v	35.3v	50.7v	48.6v	0.0v	0.0v	0.0v	50.6v	464.55v
4	Mr PM Patel	X	74.8v	75.9v	49.8v	35.5v	50.4v	35.5v	48.4v	50.8v	0.0v	0.0v	0.0v	48.2v	464.53v
5	Dr GCD Barnett	X	75.7v	73.9v	50.5v	34.5v	50.7v	35.6v	48.5v	50.8v	0.0v	0.0v	0.0v	47.2v	462.54v
6	Mr CJ Mitchell	X	74.10v	74.6v	50.9v	35.5v	48.6v	34.5v	49.7v	50.9v	0.0v	0.0v	0.0v	47.3v	461.60v
7	Ms RL Furniss	X	74.9v	74.5v	50.9v	33.2v	48.7v	34.4v	50.7v	50.7v	0.0v	0.0v	0.0v	48.5v	461.55v
8	Miss CH Cuming	X	70.5v	75.12v	49.4v	35.4v	50.6v	35.6v	50.6v	50.6v	0.0v	0.0v	0.0v	47.4v	461.53v
9	Mr MJ Ensor	X	73.6v	74.9v	50.6v	34.4v	48.3v	35.6v	49.7v	49.6v	0.0v	0.0v	0.0v	49.3v	461.50v
10	Mrs N Rossignol	X	75.8v	74.8v	48.4v	35.4v	50.9v	35.4v	48.4v	49.5v	0.0v	0.0v	0.0v	47.3v	461.49v
11	Mr A Ringer	X	74.7v	73.8v	50.6v	35.4v	50.6v	34.1v	50.8v	50.5v	0.0v	0.0v	0.0v	45.1v	461.46v
12	Capt NJ Ball	X	74.11v	74.10v	49.9v	33.3v	49.6v	34.5v	48.2v	49.6v	0.0v	0.0v	0.0v	50.8v	460.60v
13	Dr GP Nelson	X	74.8v	73.8v	50.7v	35.6v	49.5v	34.6v	50.6v	48.5v	0.0v	0.0v	0.0v	47.3v	460.54v
14	Mr MC Cooper	X	75.5v	73.5v	49.4v	34.2v	49.2v	35.4v	48.6v	50.7v	0.0v	0.0v	0.0v	47.2v	460.37v
15	Miss CA Evans	X	74.8v	74.12v	48.5v	34.6v	50.8v	34.5v	50.7v	50.7v	0.0v	0.0v	0.0v	45.5v	459.63v
16	Mr JC Jonck	X	74.7v	74.12v	50.6v	33.4v	48.6v	34.5v	48.7v	50.8v	0.0v	0.0v	0.0v	48.5v	459.60v
17	Mr JEM Bellringer	A	73.6v	75.12v	48.7v	33.4v	50.6v	34.5v	50.8v	50.5v	0.0v	0.0v	0.0v	46.5v	459.58v
18	Mr THD Dodds	X	75.11v	75.13v	49.7v	31.2v	49.4v	34.4v	47.2v	50.7v	0.0v	0.0v	0.0v	49.7v	459.57v
19	Mr R Birtwistle	X	74.7v	75.11v	50.6v	34.6v	49.5v	35.3v	47.6v	48.6v	0.0v	0.0v	0.0v	47.5v	459.55v
20	Mr RSF Shouler	X	75.7v	73.8v	48.7v	35.6v	49.8v	34.2v	49.7v	48.4v	0.0v	0.0v	0.0v	48.5v	459.54v
21	Mr TJD Raincock	X	73.9v	75.11v	49.6v	35.4v	49.7v	34.4v	48.3v	49.7v	0.0v	0.0v	0.0v	47.3v	459.54v
22	Mr SM Negus	X	75.8v	74.11v	48.5v	35.4v	48.6v	35.4v	47.4v	50.6v	0.0v	0.0v	0.0v	47.4v	459.52v
23	Mr JRW Postle	X	74.8v	71.7v	49.7v	35.5v	49.4v	33.3v	49.3v	50.7v	0.0v	0.0v	0.0v	49.6v	459.50v
24	Miss JM Hince	X	74.11v	72.9v	48.4v	34.4v	49.5v	35.2v	49.5v	50.6v	0.0v	0.0v	0.0v	48.3v	459.49v
25	Mr AC Haley	X	74.10v	73.8v	49.8v	35.5v	50.7v	34.3v	50.6v	47.5v	0.0v	0.0v	0.0v	46.3v	458.55v
26	Mr CJ Watson	X	74.9v	71.9v	50.3v	34.3v	48.3v	35.6v	49.5v	50.8v	0.0v	0.0v	0.0v	47.5v	458.51v
27	Mr TM Drysdale	X	72.5v	72.10v	48.5v	35.6v	49.5v	35.6v	50.5v	48.6v	0.0v	0.0v	0.0v	49.2v	458.50v
28	Mr ES Compton	X	75.9v	74.9v	47.1v	34.6v	48.4v	35.4v	50.8v	49.4v	0.0v	0.0v	0.0v	46.4v	458.49v
29	Dr AM Jory	X	74.8v	75.11v	49.4v	33.3v	49.3v	33.2v	49.5v	50.8v	0.0v	0.0v	0.0v	46.4v	458.48v
30	Mr DR Armstrong	X	73.8v	73.7v	50.5v	34.1v	48.6v	32.2v	50.4v	50.6v	0.0v	0.0v	0.0v	48.5v	458.44v
31	Mr JCT Kent	X	73.3v	72.8v	49.3v	35.5v	48.4v	33.4v	49.6v	50.6v	0.0v	0.0v	0.0v	49.4v	458.43v
32	Mrs HA Cook	X	74.9v	75.13v	48.5v	32.3v	49.7v	34.4v	49.3v	49.9v	0.0v	0.0v	0.0v	47.2v	457.55v
33	Mr MI Buchanan	X	75.10v	73.12v	49.8v	33.3v	48.3v	34.4v	49.6v	49.6v	0.0v	0.0v	0.0v	47.2v	457.54v
34	Mr CES Dickenson	A	75.7v	72.10v	49.7v	34.2v	50.9v	35.4v	45.2v	50.7v	0.0v	0.0v	0.0v	47.5v	457.53v
35	Mr M Button	X	74.8v	74.13v	47.5v	31.3v	49.5v	35.4v	50.5v	50.7v	0.0v	0.0v	0.0v	47.3v	457.53v
36	Mr EC Dickson	X	75.10v	74.10v	48.4v	35.5v	48.5v	34.4v	49.4v	48.6v	0.0v	0.0v	0.0v	46.1v	457.49v
37	Mr CK Kiptarus	A	73.8v	74.10v	50.5v	34.3v	50.8v	34.4v	49.2v	49.5v	0.0v	0.0v	0.0v	44.4v	457.49v
38	Dr KA Fleck MRCVS	A	74.8v	73.7v	47.5v	35.1v	49.8v	34.4v	48.5v	49.7v	0.0v	0.0v	0.0v	48.3v	457.48v
39	Mr JR Tuck	X	74.11v	73.7v	50.5v	32.2v	49.6v	35.4v	47.3v	50.4v	0.0v	0.0v	0.0v	47.5v	457.47v
40	Mr ANR Walker	X	75.9v	74.8v	48.3v	34.4v	50.8v	32.2v	47.4v	48.3v	0.0v	0.0v	0.0v	49.3v	457.44v
41	Mr ER Welford	X	73.10v	71.4v	49.2v	35.4v	49.4v	35.3v	49.5v	49.5v	0.0v	0.0v	0.0v	47.4v	457.41v
42	Mr TP Shaw	X	71.9v	73.12v	49.5v	34.4v	47.4v	34.4v	49.3v	50.8v	0.0v	0.0v	0.0v	49.6v	456.55v
43	LCpl HG Asquith-Beard	A	74.11v	74.11v	45.3v	34.5v	48.3v	34.3v	50.6v	48.4v	0.0v	0.0v	0.0v	49.5v	456.51v

44	Miss AP Good	A	73.8v	71.6v	50.6v	35.6v	50.5v	33.3v	50.8v	49.5v	0.0v	0.0v	0.0v	45.4v	456.51v
45	Mr SME Hayton	X	73.7v	72.7v	49.2v	34.5v	49.7v	33.3v	49.6v	50.9v	0.0v	0.0v	0.0v	47.3v	456.49v
46	Mr RC Oxford	X	75.10v	74.11v	50.4v	34.4v	50.4v	34.3v	48.6v	47.3v	0.0v	0.0v	0.0v	44.3v	456.48v
47	Mr TO Little	A	74.9v	72.7v	50.5v	35.3v	49.6v	33.3v	49.4v	50.6v	0.0v	0.0v	0.0v	44.3v	456.46v
48	Miss JH Messer	X	72.3v	74.7v	48.5v	34.5v	47.6v	35.5v	50.7v	49.5v	0.0v	0.0v	0.0v	47.2v	456.45v
49	Miss LR McKerrell	A	73.7v	73.5v	50.5v	35.2v	49.6v	35.4v	47.3v	50.7v	0.0v	0.0v	0.0v	44.2v	456.41v
50	Mr PH Costello	A	72.8v	73.9v	49.7v	34.3v	48.7v	33.3v	47.4v	49.8v	0.0v	0.0v	0.0v	50.8v	455.57v
51	Mr JW Alexander	X	74.14v	74.9v	49.5v	34.6v	48.6v	34.5v	46.3v	49.5v	0.0v	0.0v	0.0v	47.4v	455.57v
52	Mr M Bumford	X	73.11v	73.10v	49.5v	32.4v	48.6v	35.4v	48.5v	48.5v	0.0v	0.0v	0.0v	49.4v	455.54v
53	Mr PM Jory	X	73.9v	73.7v	49.5v	34.5v	49.5v	35.4v	50.5v	49.7v	0.0v	0.0v	0.0v	43.2v	455.49v
54	Mr AWC Lothian	O	72.5v	74.7v	49.5v	35.4v	50.9v	35.4v	44.2v	48.5v	0.0v	0.0v	0.0v	48.3v	455.44v
55	Maj NT Healy	X	74.12v	73.8v	49.7v	34.4v	50.8v	33.3v	49.5v	48.5v	0.0v	0.0v	0.0v	44.3v	454.55v
56	Maj AR McLeod	X	74.8v	72.7v	46.5v	34.5v	50.8v	33.3v	49.5v	48.7v	0.0v	0.0v	0.0v	48.5v	454.53v
57	Mr D Blake	A	73.10v	71.6v	50.7v	35.5v	50.5v	35.2v	49.6v	49.8v	0.0v	0.0v	0.0v	42.2v	454.51v
58	Mr DA Rose	X	71.6v	74.10v	50.8v	34.3v	47.6v	33.3v	48.5v	50.5v	0.0v	0.0v	0.0v	47.4v	454.50v
59	Mr JBG Shepherd	X	74.9v	70.6v	48.3v	35.4v	48.4v	34.5v	50.7v	49.8v	0.0v	0.0v	0.0v	46.4v	454.50v
60	Mr PB Bromley	A	74.7v	73.7v	49.3v	34.5v	49.5v	32.2v	47.4v	48.6v	0.0v	0.0v	0.0v	48.5v	454.44v
61	Mr ITG Shaw	X	73.9v	70.5v	49.4v	35.3v	49.7v	34.4v	50.5v	49.5v	0.0v	0.0v	0.0v	45.2v	454.44v
62	Mr SNS Penrose	X	73.7v	72.6v	50.6v	34.5v	48.6v	35.3v	46.3v	47.5v	0.0v	0.0v	0.0v	49.2v	454.43v
63	Dr MJ Schwarz	A	69.4v	73.8v	48.4v	34.4v	49.4v	35.3v	48.6v	49.5v	0.0v	0.0v	0.0v	49.4v	454.42v
64	Cdt LCpl MW Sheridan-Oliver	T	72.5v	72.8v	49.5v	34.3v	49.3v	34.4v	46.3v	50.3v	0.0v	0.0v	0.0v	48.1v	454.35v
65	Mr BZ Danziger	X	74.9v	72.11v	49.8v	34.5v	49.8v	35.3v	45.3v	49.8v	0.0v	0.0v	0.0v	46.1v	453.56v
66	Mr JA Watson	X	75.9v	75.11v	44.5v	35.5v	49.9v	34.4v	46.3v	50.5v	0.0v	0.0v	0.0v	45.4v	453.55v
67	Mr MG Whicher	X	74.12v	73.7v	48.6v	35.4v	50.6v	35.4v	46.3v	49.4v	0.0v	0.0v	0.0v	43.5v	453.51v
68	Mr LVGO OFlynn	A	73.8v	74.6v	45.5v	32.3v	49.5v	35.4v	48.6v	48.6v	0.0v	0.0v	0.0v	49.5v	453.48v
69	Mr SJV Osmond	X	73.6v	74.11v	47.4v	34.4v	49.6v	34.3v	48.2v	48.7v	0.0v	0.0v	0.0v	46.5v	453.48v
70	Mr JC Underwood	X	73.8v	71.8v	46.2v	33.2v	49.6v	35.6v	49.4v	48.4v	0.0v	0.0v	0.0v	49.6v	453.46v
71	Miss CE Choquette	A	74.8v	73.10v	47.6v	35.2v	49.5v	32.2v	49.4v	47.4v	0.0v	0.0v	0.0v	47.5v	453.46v
72	Mr RM Roberts	X	73.6v	72.10v	49.7v	35.3v	50.8v	31.2v	50.4v	50.5v	0.0v	0.0v	0.0v	43.1v	453.46v
73	Mr DE Nuthall	A	74.9v	73.5v	49.8v	35.5v	50.6v	35.3v	47.1v	45.5v	0.0v	0.0v	0.0v	45.3v	453.45v
74	Mr R Stewart	X	74.9v	72.6v	48.5v	34.2v	49.8v	35.4v	47.5v	48.3v	0.0v	0.0v	0.0v	46.2v	453.44v
75	Mr DFP Richards	O	73.8v	74.7v	49.5v	34.3v	48.1v	34.4v	47.5v	47.4v	0.0v	0.0v	0.0v	47.3v	453.40v
76	Mr TC Cubitt	X	73.10v	74.13v	50.6v	34.1v	45.3v	33.4v	48.4v	50.6v	0.0v	0.0v	0.0v	45.4v	452.51v
77	Mr M Liversage	X	73.9v	73.5v	49.6v	33.1v	47.7v	35.5v	48.5v	46.5v	0.0v	0.0v	0.0v	48.3v	452.46v
78	Dr R Kloosterman	O	71.7v	73.9v	50.5v	35.7v	49.4v	34.3v	48.2v	48.5v	0.0v	0.0v	0.0v	44.3v	452.45v
79	Maj AW Gill	X	75.8v	74.7v	48.7v	33.1v	47.3v	33.3v	46.4v	49.8v	0.0v	0.0v	0.0v	47.1v	452.42v
80	Mr K Crabtree	A	73.4v	70.8v	47.3v	34.4v	48.4v	35.2v	48.4v	48.6v	0.0v	0.0v	0.0v	49.4v	452.39v
81	Dr JO Ahrens	X	75.9v	74.10v	49.5v	34.4v	50.8v	30.4v	46.4v	49.9v	0.0v	0.0v	0.0v	44.3v	451.56v
82	Mr MW Silver	X	72.8v	74.9v	48.3v	31.2v	50.6v	35.5v	47.6v	48.7v	0.0v	0.0v	0.0v	46.4v	451.50v
83	Mr CN Tremlett	X	74.9v	71.8v	46.2v	34.3v	50.9v	32.3v	47.3v	50.7v	0.0v	0.0v	0.0v	47.5v	451.49v
84	Mr RW Sandlant	A	71.8v	73.10v	47.4v	34.3v	47.2v	35.5v	48.3v	49.6v	0.0v	0.0v	0.0v	47.6v	451.47v
85	Mr LA Reid	O	72.5v	73.10v	48.4v	35.5v	45.5v	35.4v	50.6v	47.5v	0.0v	0.0v	0.0v	46.3v	451.47v
86	Mr DA Richardson	X	74.11v	74.10v	49.4v	32.2v	49.8v	33.2v	49.6v	48.2v	0.0v	0.0v	0.0v	43.2v	451.47v
87	Mr GV Feast	O	72.9v	73.9v	49.5v	32.2v	48.2v	34.2v	49.6v	50.6v	0.0v	0.0v	0.0v	44.5v	451.46v
88	Mr JAM Paton	X	73.8v	74.11v	48.4v	35.3v	50.5v	34.2v	43.1v	50.9v	0.0v	0.0v	0.0v	44.3v	451.46v
89	Mr JC Evans	X	72.8v	75.9v	46.3v	34.4v	46.2v	34.5v	50.5v	49.3v	0.0v	0.0v	0.0v	45.5v	451.44v
90	Mr D Clark	A	74.7v	74.10v	46.3v	33.5v	49.3v	34.3v	46.4v	47.5v	0.0v	0.0v	0.0v	48.3v	451.43v
91	Miss D Brais	O	73.9v	71.8v	49.4v	30.1v	49.4v	34.2v	48.7v	50.4v	0.0v	0.0v	0.0v	47.4v	451.43v
92	Mr TD Dalin	T	72.5v	71.5v	49.7v	35.6v	49.5v	34.4v	48.4v	47.4v	0.0v	0.0v	0.0v	46.3v	451.43v
93	Mr HJW Waldern	X	74.7v	73.6v	48.3v	31.3v	49.5v	34.3v	48.4v	48.5v	0.0v	0.0v	0.0v	46.4v	451.40v
94	Mr GE Grosskreutz	A	73.6v	70.4v	50.5v	33.1v	47.5v	35.2v	48.4v	49.4v	0.0v	0.0v	0.0v	46.4v	451.35v
95	Mr NRJ Brasier	X	72.5v	72.7v	48.8v	34.4v	50.6v	35.4v	45.3v	46.4v	0.0v	0.0v	0.0v	48.8v	450.49v
96	Mr WCP Richards	X	73.9v	73.6v	48.7v	33.3v	49.7v	32.3v	49.6v	48.6v	0.0v	0.0v	0.0v	45.2v	450.49v
97	Mr RJSG Clark	A	73.9v	71.8v	49.7v	33.2v	49.5v	33.4v	50.5v	47.6v	0.0v	0.0v	0.0v	45.2v	450.48v
98	Mr S Belither	X	72.8v	73.7v	50.6v	34.2v	49.6v	34.4v	47.4v	49.5v	0.0v	0.0v	0.0v	42.4v	450.46v
99	Dr AE Bromley	A	73.5v	74.10v	49.4v	33.3v	48.6v	33.3v	49.7v	50.4v	0.0v	0.0v	0.0v	41.2v	450.44v
100	Mr OEJ Spencer	X	74.7v	73.9v	49.6v	35.4v	45.3v	35.3v	50.5v	49.7v	0.0v	0.0v	0.0v	40.0v	450.44v
101	Dr IT Matsumoto	O	74.5v	70.7v	49.3v	34.4v	47.4v	34.4v	48.6v	49.6v	0.0v	0.0v	0.0v	45.4v	450.43v
102	Mr C Fitzpatrick	X	72.6v	72.6v	49.6v	35.6v	49.5v	34.2v	47.4v	50.5v	0.0v	0.0v	0.0v	42.2v	450.42v

103	Mr CP Weeden	X	73.7v	72.6v	48.6v	34.5v	48.4v	35.4v	46.3v	50.4v	0.0v	0.0v	0.0v	44.2v	450.41v
104	Mr PM Hakim	X	74.11v	73.6v	46.4v	33.2v	46.2v	34.2v	48.5v	50.5v	0.0v	0.0v	0.0v	46.3v	450.40v
105	Mr T Smith	A	73.6v	73.11v	47.5v	34.3v	49.5v	35.3v	48.5v	48.1v	0.0v	0.0v	0.0v	43.1v	450.40v
106	Dr JDS Langley	X	73.4v	72.7v	45.3v	34.1v	50.7v	35.5v	47.5v	48.4v	0.0v	0.0v	0.0v	46.3v	450.39v
107	Miss C Halleran	A	71.7v	71.7v	48.5v	35.2v	49.5v	35.3v	49.3v	47.3v	0.0v	0.0v	0.0v	45.4v	450.39v
108	Mr NC Mace	X	74.9v	74.5v	48.7v	33.1v	47.3v	33.2v	49.6v	48.2v	0.0v	0.0v	0.0v	44.4v	450.39v
109	Mr NJ Verduyn	X	71.5v	73.8v	49.4v	33.2v	50.6v	34.4v	47.2v	47.3v	0.0v	0.0v	0.0v	46.2v	450.36v
110	Cdt HJ Purslow	T	72.6v	72.5v	47.3v	35.4v	48.1v	33.2v	47.4v	50.6v	0.0v	0.0v	0.0v	46.3v	450.34v
111	Mr HJM Awin	X	74.5v	74.5v	49.6v	34.2v	49.7v	33.2v	45.3v	49.3v	0.0v	0.0v	0.0v	43.1v	450.34v
112	Mr PD Sykes	X	71.5v	73.11v	49.7v	33.4v	48.7v	35.6v	47.4v	46.5v	0.0v	0.0v	0.0v	47.5v	449.54v
113	Mr JD Warburton	X	74.10v	71.8v	48.5v	34.5v	49.6v	35.5v	45.3v	48.4v	0.0v	0.0v	0.0v	45.4v	449.50v
114	Mr AI Brown	O	72.7v	69.8v	48.4v	34.5v	48.6v	32.3v	48.6v	49.5v	0.0v	0.0v	0.0v	49.5v	449.49v
115	Mr ML Millar	X	72.6v	72.9v	46.2v	34.4v	48.7v	35.7v	47.4v	50.5v	0.0v	0.0v	0.0v	45.3v	449.47v
116	Mr CR Vonchek	T	72.7v	71.9v	49.6v	34.4v	48.4v	34.4v	47.5v	47.4v	0.0v	0.0v	0.0v	47.3v	449.46v
117	Dr CI Johnston	A	71.6v	72.7v	48.3v	34.4v	50.7v	34.6v	46.3v	49.6v	0.0v	0.0v	0.0v	45.4v	449.46v
118	Mr RAH Vary	X	74.9v	71.8v	47.2v	34.5v	49.6v	35.1v	47.2v	50.8v	0.0v	0.0v	0.0v	42.2v	449.43v
119	Mr SA Thomas	X	68.5v	73.10v	47.2v	32.2v	48.6v	35.3v	49.5v	48.4v	0.0v	0.0v	0.0v	49.5v	449.42v
120	Mr MR Fugeman	O	72.7v	71.5v	48.5v	34.0v	48.6v	34.3v	47.3v	48.5v	0.0v	0.0v	0.0v	47.6v	449.40v
121	Mr D de Vere	A	73.5v	73.7v	48.8v	31.0v	50.5v	33.4v	46.4v	49.4v	0.0v	0.0v	0.0v	46.2v	449.39v
122	Mr B Colman-Sadd	O	75.11v	72.5v	47.2v	33.4v	47.4v	35.4v	48.3v	47.1v	0.0v	0.0v	0.0v	45.4v	449.38v
123	Mr J Brooking	A	70.8v	72.8v	46.2v	33.2v	48.4v	34.1v	49.5v	50.3v	0.0v	0.0v	0.0v	47.4v	449.37v
124	Mr DR Le Quesne	X	73.7v	71.7v	46.1v	33.2v	50.2v	34.2v	48.4v	47.7v	0.0v	0.0v	0.0v	47.4v	449.36v
125	Mr JA Anderson	A	71.6v	75.6v	50.4v	33.1v	48.5v	35.4v	45.2v	47.3v	0.0v	0.0v	0.0v	45.2v	449.33v
126	Mr FM Mohideen	X	73.6v	74.9v	50.4v	33.1v	49.5v	33.1v	45.2v	48.4v	0.0v	0.0v	0.0v	44.0v	449.32v
127	Mrs SP Thorogood	A	73.7v	74.11v	49.3v	35.5v	48.7v	33.2v	48.5v	50.8v	0.0v	0.0v	0.0v	38.2v	448.50v
128	Mr TS Craig-Fleming	O	74.7v	73.10v	47.5v	33.1v	46.5v	34.4v	45.4v	47.5v	0.0v	0.0v	0.0v	49.7v	448.48v
129	Mr JEK Pepera-Hibbert	X	74.8v	72.8v	48.5v	31.3v	48.3v	35.3v	50.7v	45.6v	0.0v	0.0v	0.0v	45.3v	448.46v
130	Mr ND Stangroom	A	72.8v	72.8v	44.3v	32.2v	49.5v	32.2v	48.4v	50.7v	0.0v	0.0v	0.0v	49.5v	448.44v
131	Mr JGM Webster	A	72.8v	72.6v	50.5v	35.6v	49.8v	34.4v	47.2v	48.5v	0.0v	0.0v	0.0v	41.0v	448.44v
132	Mr SD Shouler	A	74.7v	70.9v	50.5v	33.3v	48.5v	35.2v	45.2v	48.5v	0.0v	0.0v	0.0v	45.5v	448.43v
133	Mr JMA Thompson	X	71.2v	73.8v	46.3v	34.5v	48.6v	33.3v	47.5v	48.5v	0.0v	0.0v	0.0v	48.5v	448.42v
134	Dr HHGP Pollock	X	73.7v	72.8v	48.5v	34.2v	48.6v	33.3v	49.4v	46.3v	0.0v	0.0v	0.0v	45.4v	448.42v
135	Mr CD Heales	A	70.7v	74.7v	47.5v	35.2v	49.6v	34.3v	48.4v	47.2v	0.0v	0.0v	0.0v	44.3v	448.39v
136	Cdt JRL Burch	A	72.4v	71.6v	47.3v	35.6v	46.4v	35.2v	49.8v	47.1v	0.0v	0.0v	0.0v	46.4v	448.38v
137	Mr RAV Hebblethwaite	A	70.3v	71.6v	49.7v	35.2v	50.7v	34.3v	44.2v	50.4v	0.0v	0.0v	0.0v	45.3v	448.37v
138	Mr PS Holmes	A	72.7v	72.6v	48.5v	35.3v	47.4v	35.2v	46.1v	50.6v	0.0v	0.0v	0.0v	43.1v	448.35v
139	Mr D Lowe	A	71.4v	74.8v	48.2v	32.4v	49.5v	34.2v	47.5v	48.3v	0.0v	0.0v	0.0v	45.1v	448.34v
140	Mr EA Sewell	X	73.10v	72.7v	47.4v	34.4v	49.8v	33.2v	47.4v	47.6v	0.0v	0.0v	0.0v	45.3v	447.48v
141	Mr NE Harvey	O	73.8v	73.8v	48.3v	30.1v	47.5v	33.4v	49.6v	46.4v	0.0v	0.0v	0.0v	48.5v	447.44v
142	Mr RW Hallows	X	70.8v	73.6v	48.5v	32.2v	48.5v	34.3v	46.5v	49.4v	0.0v	0.0v	0.0v	47.6v	447.44v
143	Mr A Eckhardt	T	71.7v	75.9v	44.1v	35.3v	48.7v	34.5v	48.6v	47.4v	0.0v	0.0v	0.0v	45.2v	447.44v
144	Mr E Gauvin	A	70.4v	75.12v	49.6v	33.4v	49.6v	34.1v	45.4v	47.3v	0.0v	0.0v	0.0v	45.2v	447.42v
145	Mr H Sanders	A	74.8v	71.7v	46.4v	33.2v	49.4v	34.4v	47.5v	49.8v	0.0v	0.0v	0.0v	44.0v	447.42v
146	Mr LS Otundo	O	71.6v	72.8v	49.6v	35.5v	48.4v	34.5v	49.4v	48.2v	0.0v	0.0v	0.0v	41.2v	447.42v
147	Mr LMD Cheek	X	71.5v	73.9v	49.4v	33.3v	46.3v	32.2v	46.5v	49.8v	0.0v	0.0v	0.0v	48.1v	447.40v
148	Sqn Ldr ME Fray	O	72.7v	73.8v	47.3v	33.2v	48.7v	33.2v	49.4v	46.4v	0.0v	0.0v	0.0v	46.3v	447.40v
149	Mr RL Eayrs	A	72.8v	72.7v	48.4v	29.1v	49.6v	35.2v	46.4v	50.6v	0.0v	0.0v	0.0v	46.2v	447.40v
150	LCpl TJR Roberts	A	74.7v	69.7v	48.4v	33.3v	48.4v	33.4v	46.1v	48.3v	0.0v	0.0v	0.0v	48.6v	447.39v

151	Mr BP Creane	X	74.7v	71.8v	48.4v	33.3v	47.5v	35.3v	50.4v	44.3v	0.0v	0.0v	0.0v	45.2v	447.39v
152	Mr L Malcic	A	72.10v	72.2v	47.4v	34.3v	50.7v	33.4v	45.4v	50.3v	0.0v	0.0v	0.0v	44.2v	447.39v
153	L Cpl ASO Stewart	O	71.4v	72.11v	47.3v	33.3v	46.3v	34.3v	48.2v	49.6v	0.0v	0.0v	0.0v	47.3v	447.38v
154	Mr GK Alexander	X	71.7v	71.8v	49.7v	35.3v	46.4v	33.2v	48.2v	47.3v	0.0v	0.0v	0.0v	47.1v	447.37v
155	Mr CB Cotillard	O	71.2v	69.5v	48.7v	33.3v	49.7v	34.1v	48.5v	49.5v	0.0v	0.0v	0.0v	46.2v	447.37v
156	Miss KJA Johnson	T	71.7v	71.9v	47.5v	35.2v	49.2v	35.3v	48.2v	46.5v	0.0v	0.0v	0.0v	45.1v	447.36v
157	Mr SAJ Dowley	A	71.3v	71.8v	46.4v	35.4v	49.4v	31.2v	49.3v	49.5v	0.0v	0.0v	0.0v	46.2v	447.35v
158	Mr J Pugsley MRCVS	X	69.4v	70.4v	49.5v	35.4v	47.3v	34.2v	48.3v	47.3v	0.0v	0.0v	0.0v	48.4v	447.32v
159	Mr M Horton-Baker	X	69.3v	71.5v	48.3v	34.4v	48.4v	35.3v	49.3v	46.3v	0.0v	0.0v	0.0v	47.4v	447.32v
160	Mr ORW Russell	X	71.5v	75.4v	49.3v	33.4v	50.6v	34.4v	47.2v	46.3v	0.0v	0.0v	0.0v	42.0v	447.31v
161	Wg Cdr D Calvert	X	74.6v	74.10v	50.5v	35.7v	49.6v	34.4v	50.6v	47.4v	0.0v	0.0v	0.0v	33.2v	446.50v
162	Mr S Hunt	O	70.8v	74.10v	48.5v	32.4v	49.6v	35.5v	46.4v	49.3v	0.0v	0.0v	0.0v	43.4v	446.49v
163	Mr HJ Golaszewski	X	71.9v	75.12v	48.7v	31.0v	49.8v	35.6v	44.1v	50.5v	0.0v	0.0v	0.0v	43.1v	446.49v
164	Mr PA Maher	X	71.6v	73.5v	45.3v	33.4v	45.0v	34.6v	49.7v	48.6v	0.0v	0.0v	0.0v	48.6v	446.43v
165	Capt HCM Bennett	A	72.7v	71.5v	49.4v	35.5v	49.6v	34.6v	48.3v	45.3v	0.0v	0.0v	0.0v	43.3v	446.42v
166	Mr GC Childs	A	70.4v	69.5v	50.5v	32.3v	47.6v	34.4v	47.5v	49.6v	0.0v	0.0v	0.0v	48.3v	446.41v
167	Mr PM de Voil	A	71.5v	71.7v	49.8v	31.1v	50.7v	33.4v	47.2v	49.3v	0.0v	0.0v	0.0v	45.4v	446.41v
168	Mr RR Tiffin	T	74.8v	72.9v	44.3v	32.3v	48.5v	34.4v	50.3v	47.4v	0.0v	0.0v	0.0v	45.2v	446.41v
169	Mr KB Hill	A	69.3v	72.6v	44.3v	34.3v	49.7v	35.5v	48.3v	48.4v	0.0v	0.0v	0.0v	47.4v	446.38v
170	Mr MJ Barlow	A	71.8v	72.6v	45.1v	35.2v	46.5v	34.3v	48.5v	49.5v	0.0v	0.0v	0.0v	46.3v	446.38v
171	Lt Col AM Bell	X	70.6v	74.6v	50.4v	34.4v	50.9v	34.3v	42.1v	46.2v	0.0v	0.0v	0.0v	46.3v	446.38v
172	Mr JWE Lewis	X	71.9v	68.3v	49.4v	35.5v	48.0v	34.4v	49.4v	45.3v	0.0v	0.0v	0.0v	47.5v	446.37v
173	Mrs LE Haley	A	73.5v	71.5v	48.4v	34.3v	47.5v	33.4v	47.4v	48.3v	0.0v	0.0v	0.0v	45.4v	446.37v
174	Mr JJ Parsons	A	73.3v	73.10v	46.6v	32.1v	49.7v	35.3v	45.2v	50.1v	0.0v	0.0v	0.0v	43.4v	446.37v
175	Miss HPC Bramwell	A	70.7v	71.3v	47.2v	34.4v	49.4v	33.4v	47.4v	49.3v	0.0v	0.0v	0.0v	46.5v	446.36v
176	Mr GD Palmer	A	74.5v	73.7v	47.5v	34.3v	50.6v	32.1v	46.3v	48.3v	0.0v	0.0v	0.0v	42.2v	446.35v
177	Mr MD Jenvey	O	74.7v	73.9v	49.7v	34.6v	50.7v	33.1v	43.4v	50.7v	0.0v	0.0v	0.0v	39.0v	445.48v
178	Cdt FJA Robson	A	71.9v	72.7v	49.4v	34.6v	49.5v	34.4v	43.3v	49.6v	0.0v	0.0v	0.0v	44.3v	445.47v
179	Mr WH Putter	O	70.6v	70.8v	48.5v	34.3v	49.6v	34.4v	49.5v	50.7v	0.0v	0.0v	0.0v	41.3v	445.47v
180	Miss RL Laird	X	73.10v	71.7v	46.3v	33.2v	48.7v	34.3v	48.4v	49.6v	0.0v	0.0v	0.0v	43.4v	445.46v
181	Mr CK Saina	A	71.8v	73.8v	45.3v	33.4v	49.5v	33.4v	50.5v	45.3v	0.0v	0.0v	0.0v	46.4v	445.44v
182	Mr SF Brewer-Marchant	O	70.9v	71.4v	47.4v	34.5v	49.3v	33.3v	45.2v	50.9v	0.0v	0.0v	0.0v	46.4v	445.43v
183	Mr PA Hatfield	O	73.6v	65.3v	48.5v	34.2v	48.5v	33.3v	48.6v	49.7v	0.0v	0.0v	0.0v	47.5v	445.42v
184	Capt MJ Purdy	X	73.6v	72.8v	43.3v	31.2v	49.5v	35.3v	48.7v	47.4v	0.0v	0.0v	0.0v	47.4v	445.42v
185	Mr MRM Millar	X	73.9v	73.8v	44.3v	34.2v	50.8v	32.1v	45.4v	48.4v	0.0v	0.0v	0.0v	46.3v	445.42v
186	Mr T Mulholland	X	72.8v	71.3v	49.6v	33.2v	49.6v	33.4v	44.2v	48.7v	0.0v	0.0v	0.0v	46.3v	445.41v
187	Mr EJ Harriss	T	71.3v	70.4v	46.4v	34.3v	48.6v	33.2v	48.6v	48.6v	0.0v	0.0v	0.0v	47.5v	445.39v
188	Mr JA Lindsay III	A	71.7v	72.10v	44.1v	34.2v	50.4v	34.5v	48.6v	48.1v	0.0v	0.0v	0.0v	44.3v	445.39v
189	Mr A Pike	O	74.9v	73.9v	49.3v	31.2v	49.4v	35.4v	43.3v	47.3v	0.0v	0.0v	0.0v	44.2v	445.39v
190	Mr C Mallett	X	73.9v	70.7v	46.3v	34.3v	47.2v	35.4v	49.4v	49.4v	0.0v	0.0v	0.0v	42.2v	445.38v
191	Miss PA Evans	O	70.4v	74.4v	47.6v	33.4v	50.8v	35.3v	49.4v	48.5v	0.0v	0.0v	0.0v	39.0v	445.38v
192	Miss K Harriss	T	70.8v	69.3v	50.5v	34.3v	49.5v	35.4v	46.3v	47.3v	0.0v	0.0v	0.0v	45.3v	445.37v
193	Mr PAE Charlton	A	74.7v	72.7v	46.2v	35.3v	48.7v	34.2v	46.3v	48.3v	0.0v	0.0v	0.0v	42.3v	445.37v
194	Mr R Sampson	O	73.5v	71.9v	48.3v	34.3v	46.5v	33.4v	45.1v	48.4v	0.0v	0.0v	0.0v	47.2v	445.36v
195	Maj AG McLean	A	71.6v	70.3v	47.5v	35.1v	43.2v	34.5v	49.7v	49.2v	0.0v	0.0v	0.0v	47.4v	445.35v
196	Miss LG Taylor	A	74.5v	72.7v	46.3v	30.1v	47.5v	34.2v	43.2v	49.2v	0.0v	0.0v	0.0v	50.7v	445.34v
197	Mr RW Ramage	O	72.8v	71.6v	48.3v	34.2v	48.2v	34.4v	47.3v	49.4v	0.0v	0.0v	0.0v	42.0v	445.32v
198	Mr DG Young	X	72.7v	71.5v	50.8v	34.5v	48.7v	33.3v	50.6v	49.6v	0.0v	0.0v	0.0v	37.0v	444.47v
199	Mr RA Dyball	O	72.6v	71.4v	50.8v	31.1v	47.5v	34.3v	43.3v	49.7v	0.0v	0.0v	0.0v	47.5v	444.42v
200	SSGT RH Kitson	X	73.7v	72.7v	49.6v	33.4v	45.4v	34.3v	46.4v	46.4v	0.0v	0.0v	0.0v	46.3v	444.42v
201	Mrs HV Golaszewski	O	72.7v	71.7v	47.3v	32.3v	47.5v	32.2v	47.4v	48.5v	0.0v	0.0v	0.0v	48.4v	444.40v
202	Mr TJ Bullock	X	71.5v	74.10v	45.2v	32.4v	49.4v	33.3v	45.3v	49.4v	0.0v	0.0v	0.0v	46.4v	444.39v
203	Mr AW Hellings	O	70.5v	72.8v	46.4v	35.3v	49.7v	32.3v	49.5v	45.4v	0.0v	0.0v	0.0v	46.0v	444.39v
204	Mr RK Edwards	O	68.8v	73.6v	49.5v	33.3v	48.3v	33.1v	45.2v	50.8v	0.0v	0.0v	0.0v	45.3v	444.39v
205	Pte KN Nichols	O	72.8v	67.6v	48.3v	34.3v	47.4v	34.2v	49.8v	47.3v	0.0v	0.0v	0.0v	46.1v	444.38v
206	Mr P Dawes	O	73.7v	71.5v	48.4v	33.3v	49.4v	33.1v	49.6v	47.6v	0.0v	0.0v	0.0v	41.1v	444.37v
207	Mr TL Bedwell	A	71.4v	71.6v	49.5v	34.4v	47.4v	32.1v	49.4v	47.3v	0.0v	0.0v	0.0v	44.3v	444.34v
208	Mr IDC Brechin	O	72.9v	71.4v	47.5v	35.5v	47.5v	35.3v	49.2v	46.1v	0.0v	0.0v	0.0v	42.0v	444.34v
209	Miss SAM Rorison	O	72.7v	73.3v	48.4v	32.2v	45.3v	35.3v	49.4v	45.2v	0.0v	0.0v	0.0v	45.4v	444.32v
210	Mr AM Sadler	X	71.7v	72.6v	48.4v	32.0v	48.4v	33.0v	48.7v	48.3v	0.0v	0.0v	0.0v	44.1v	444.32v
211	Mr AC Morley	A	71.4v	72.8v	49.4v	31.0v	46.4v	35.4v	50.2v	44.1v	0.0v	0.0v	0.0v	46.4v	444.31v

212	Mr ML Cotillard	O	72.7v	74.7v	48.7v	35.2v	45.1v	34.1v	46.2v	49.2v	0.0v	0.0v	0.0v	41.2v	444.31v
213	Mr S Pearson	O	72.2v	74.5v	46.3v	31.3v	49.5v	34.3v	45.1v	47.4v	0.0v	0.0v	0.0v	46.3v	444.29v
214	Mr AC Thomson	A	70.5v	69.7v	48.7v	33.2v	48.6v	35.3v	45.4v	48.5v	0.0v	0.0v	0.0v	47.4v	443.43v
215	Mr DJ Curtis	A	70.4v	74.10v	48.5v	34.4v	49.5v	32.3v	43.1v	47.6v	0.0v	0.0v	0.0v	46.4v	443.42v
216	Mr LM Peden	A	70.5v	72.8v	46.5v	33.2v	47.5v	34.3v	47.5v	46.3v	0.0v	0.0v	0.0v	48.4v	443.40v
217	Mr RM Hatcher	A	71.4v	73.9v	47.3v	29.5v	48.4v	34.2v	48.6v	48.6v	0.0v	0.0v	0.0v	45.0v	443.39v
218	Mr GW Woodman	A	73.7v	71.7v	47.4v	32.3v	47.6v	35.3v	46.3v	49.5v	0.0v	0.0v	0.0v	43.1v	443.39v
219	Mr AJ Todd	O	70.7v	73.8v	45.1v	32.0v	49.6v	33.5v	50.5v	49.5v	0.0v	0.0v	0.0v	42.2v	443.39v
220	Mr KWD Ramsey	X	74.7v	72.9v	47.3v	33.2v	46.3v	34.4v	46.6v	46.2v	0.0v	0.0v	0.0v	45.2v	443.38v
221	Col Sir FC Sykes	O	73.7v	74.7v	45.4v	32.2v	47.3v	33.2v	49.6v	48.5v	0.0v	0.0v	0.0v	42.1v	443.37v
222	Mr HM McCaig	A	74.7v	73.7v	49.6v	24.1v	49.5v	33.1v	49.2v	50.4v	0.0v	0.0v	0.0v	42.3v	443.36v
223	Mr DK Kirui	O	72.8v	72.5v	46.1v	31.1v	49.6v	31.2v	48.5v	46.2v	0.0v	0.0v	0.0v	48.5v	443.35v
224	Mr GPC Bramwell	A	71.7v	72.6v	50.4v	31.2v	47.2v	34.2v	47.5v	48.5v	0.0v	0.0v	0.0v	43.2v	443.35v
225	Mr SP Harding	A	73.7v	72.7v	48.3v	32.3v	46.3v	33.3v	49.4v	45.3v	0.0v	0.0v	0.0v	45.0v	443.33v
226	Miss KE Milner	A	74.9v	74.9v	45.2v	33.4v	49.8v	34.5v	46.4v	49.6v	0.0v	0.0v	0.0v	38.2v	442.49v
227	Mr AJ Jasiak	T	73.8v	71.6v	48.7v	32.3v	46.4v	32.3v	49.6v	47.4v	0.0v	0.0v	0.0v	44.5v	442.46v
228	Mr J Huber	T	71.5v	71.8v	48.4v	33.3v	47.5v	34.4v	45.3v	44.2v	0.0v	0.0v	0.0v	49.6v	442.40v
229	Mr JT Foster	X	71.9v	71.3v	46.4v	32.3v	47.4v	34.1v	46.5v	47.5v	0.0v	0.0v	0.0v	48.6v	442.40v
230	Mr AD Le Cheminant	A	70.5v	72.6v	45.3v	35.1v	48.4v	33.4v	48.7v	48.7v	0.0v	0.0v	0.0v	43.0v	442.37v
231	Mr JRJ Kennedy	O	71.7v	71.4v	45.0v	31.3v	49.6v	33.3v	49.5v	48.4v	0.0v	0.0v	0.0v	45.3v	442.35v
232	Dr SYM Ali	A	73.7v	70.5v	49.4v	32.2v	45.2v	32.2v	47.3v	49.7v	0.0v	0.0v	0.0v	45.2v	442.34v
233	Cdt Sgt TRE White	T	72.5v	72.9v	48.1v	33.1v	50.5v	33.2v	47.4v	45.3v	0.0v	0.0v	0.0v	42.2v	442.32v
234	Mr HEJ Welch	O	72.7v	72.10v	46.3v	31.2v	47.5v	33.2v	48.6v	48.4v	0.0v	0.0v	0.0v	44.3v	441.42v
235	Cdt HA Broadhurst	T	73.10v	74.9v	46.3v	32.2v	48.4v	33.3v	48.5v	46.4v	0.0v	0.0v	0.0v	41.2v	441.42v
236	Mr KO Pugh	X	69.4v	70.6v	50.7v	31.2v	44.3v	35.6v	50.8v	47.2v	0.0v	0.0v	0.0v	45.3v	441.41v
237	Mr NBS Logan	X	69.5v	69.5v	42.1v	35.6v	47.4v	35.5v	49.4v	49.5v	0.0v	0.0v	0.0v	46.2v	441.37v
238	Mr R Shaw	A	70.5v	71.10v	49.3v	34.3v	44.4v	33.2v	45.2v	49.6v	0.0v	0.0v	0.0v	46.2v	441.37v
239	Miss S Ponter	A	67.7v	72.7v	47.3v	33.3v	47.5v	34.4v	47.3v	49.2v	0.0v	0.0v	0.0v	45.3v	441.37v
240	Mr MJ Creber	O	68.2v	75.9v	48.6v	34.4v	47.3v	31.2v	47.3v	48.6v	0.0v	0.0v	0.0v	43.2v	441.37v
241	Mr JR Purdy	O	72.5v	69.6v	50.7v	33.1v	49.5v	34.2v	45.3v	50.7v	0.0v	0.0v	0.0v	39.1v	441.37v
242	Miss K Lindsay	O	73.7v	73.8v	47.4v	29.1v	49.7v	33.3v	45.1v	45.0v	0.0v	0.0v	0.0v	47.5v	441.36v
243	Lt Col RHG Riley	A	72.7v	72.6v	48.3v	31.1v	49.7v	33.5v	44.2v	48.2v	0.0v	0.0v	0.0v	44.3v	441.36v
244	Mr RE Ellis	O	74.5v	72.9v	44.3v	33.2v	48.8v	35.2v	44.1v	48.4v	0.0v	0.0v	0.0v	43.2v	441.36v
245	Mr AJ Haggerty	X	69.5v	71.7v	48.4v	33.3v	46.3v	32.1v	48.7v	48.3v	0.0v	0.0v	0.0v	46.2v	441.35v
246	Flt Lt NP Moxon	O	74.5v	72.7v	49.5v	35.5v	45.4v	31.1v	46.4v	44.2v	0.0v	0.0v	0.0v	45.2v	441.35v
247	Mr RJS Curtis	X	72.7v	71.5v	46.3v	32.3v	48.4v	34.3v	46.3v	49.4v	0.0v	0.0v	0.0v	43.1v	441.33v
248	Mr JI Thombora	X	73.8v	70.4v	43.1v	32.4v	50.2v	34.4v	45.4v	48.3v	0.0v	0.0v	0.0v	46.2v	441.32v
249	Mrs T Newbold	O	71.6v	72.5v	46.3v	33.2v	48.5v	33.3v	48.4v	47.4v	0.0v	0.0v	0.0v	43.0v	441.32v
250	WO1 JR Davies	X	73.6v	72.6v	45.3v	32.1v	48.5v	34.3v	47.1v	48.3v	0.0v	0.0v	0.0v	42.1v	441.29v
251	Miss JE Ouston	X	68.5v	71.6v	47.5v	35.6v	48.7v	34.3v	50.8v	47.5v	0.0v	0.0v	0.0v	40.1v	440.46v
252	Mr BDW Parsons	O	72.6v	72.7v	47.4v	33.3v	49.7v	33.1v	49.6v	47.5v	0.0v	0.0v	0.0v	38.2v	440.41v
253	Mr PJ Westlake	A	71.5v	73.6v	49.5v	34.6v	48.4v	31.3v	45.4v	49.5v	0.0v	0.0v	0.0v	40.1v	440.39v
254	Mr TM Stevenson	A	70.3v	71.9v	47.6v	35.4v	49.6v	32.2v	45.3v	43.1v	0.0v	0.0v	0.0v	48.4v	440.38v
255	Mr JG Trembath	A	70.6v	73.7v	47.4v	30.2v	48.4v	32.2v	46.2v	47.6v	0.0v	0.0v	0.0v	47.4v	440.37v
256	Mr M Hartung	O	68.3v	70.5v	49.5v	31.2v	48.6v	33.3v	49.6v	50.6v	0.0v	0.0v	0.0v	42.1v	440.37v
257	Mr A Key	T	73.8v	69.6v	45.2v	30.0v	48.3v	34.4v	45.2v	47.5v	0.0v	0.0v	0.0v	49.6v	440.36v
258	Mr AF Jenvey	T	69.6v	72.6v	44.0v	34.2v	49.5v	34.4v	49.6v	43.1v	0.0v	0.0v	0.0v	46.6v	440.36v
259	Mr T Bryan	O	72.6v	70.8v	49.5v	33.2v	47.4v	31.2v	46.3v	47.5v	0.0v	0.0v	0.0v	45.1v	440.36v
260	Mr DH Acton	A	71.4v	71.6v	46.4v	35.4v	48.7v	32.3v	48.6v	45.1v	0.0v	0.0v	0.0v	44.1v	440.36v
261	Mr SC Postins	A	73.7v	69.3v	44.3v	33.3v	46.4v	33.4v	47.4v	48.3v	0.0v	0.0v	0.0v	47.4v	440.35v
262	Mr B Bullock	O	71.6v	72.8v	48.4v	32.3v	47.3v	35.3v	43.3v	47.2v	0.0v	0.0v	0.0v	45.3v	440.35v
263	Mr GW Robinson	O	72.6v	70.5v	49.4v	34.3v	44.4v	34.2v	47.2v	49.5v	0.0v	0.0v	0.0v	41.3v	440.34v
264	Mr T Steele	A	69.7v	70.5v	50.5v	34.2v	49.5v	33.2v	46.3v	48.4v	0.0v	0.0v	0.0v	41.1v	440.34v
265	Mr WR Steward	O	74.7v	69.4v	46.1v	35.4v	47.5v	33.2v	49.7v	47.3v	0.0v	0.0v	0.0v	40.1v	440.34v
266	Mr RN Stebbings	X	70.6v	73.7v	48.1v	31.3v	49.6v	34.1v	44.1v	50.6v	0.0v	0.0v	0.0v	41.2v	440.33v
267	Mr D Morris	O	69.4v	70.4v	46.3v	34.4v	49.4v	33.1v	45.3v	49.3v	0.0v	0.0v	0.0v	45.2v	440.28v
268	Mr RA Webb	O	73.5v	73.10v	48.6v	26.3v	47.1v	35.4v	49.5v	47.4v	0.0v	0.0v	0.0v	41.4v	439.42v
269	Mr EN Munro	O	70.8v	70.6v	47.5v	35.4v	49.7v	33.4v	46.4v	48.3v	0.0v	0.0v	0.0v	41.0v	439.41v
270	Mr GC Baylis	O	69.5v	70.7v	46.2v	34.5v	48.5v	34.3v	45.4v	47.4v	0.0v	0.0v	0.0v	46.4v	439.39v
271	Mrs SEP Kent	O	73.6v	68.3v	47.4v	35.4v	46.4v	32.3v	50.7v	45.5v	0.0v	0.0v	0.0v	43.0v	439.36v

272	Mr KMR Rivoallan	T	68.3v	70.6v	47.5v	35.2v	49.5v	33.4v	43.2v	48.5v	0.0v	0.0v	0.0v	46.2v	439.34v
273	Mr BA Young	O	71.4v	72.6v	49.4v	33.3v	41.2v	34.2v	49.6v	47.4v	0.0v	0.0v	0.0v	43.2v	439.33v
274	Mr F Lawry	T	73.4v	74.6v	45.3v	32.0v	44.1v	33.4v	49.4v	48.7v	0.0v	0.0v	0.0v	41.4v	439.33v
275	Ms LIS Stewart	T	70.7v	73.6v	46.4v	32.2v	47.3v	30.3v	45.1v	49.2v	0.0v	0.0v	0.0v	47.3v	439.31v
276	Mr MJ Keel	O	74.7v	72.7v	45.5v	27.2v	47.4v	33.2v	47.4v	49.8v	0.0v	0.0v	0.0v	44.2v	438.41v
277	Mr A Moldoveanu	T	68.6v	71.7v	49.6v	32.3v	50.7v	30.2v	46.4v	46.4v	0.0v	0.0v	0.0v	46.1v	438.40v
278	Dr PR Wheeler	A	72.4v	73.10v	42.4v	30.2v	47.3v	35.4v	48.5v	45.3v	0.0v	0.0v	0.0v	46.2v	438.37v
279	Mr p Wright	T	70.7v	68.4v	44.2v	34.3v	48.6v	35.6v	46.2v	47.2v	0.0v	0.0v	0.0v	46.4v	438.36v
280	Mr CJ Hockley OBE	O	66.4v	73.6v	45.2v	35.6v	48.6v	31.2v	48.3v	47.5v	0.0v	0.0v	0.0v	45.2v	438.36v
281	Mr EB Robinson	O	72.7v	70.5v	49.6v	32.0v	46.6v	33.3v	48.2v	46.3v	0.0v	0.0v	0.0v	42.4v	438.36v
282	Mr JA Dallas	O	70.5v	70.6v	45.3v	35.5v	47.4v	33.3v	48.4v	46.3v	0.0v	0.0v	0.0v	44.2v	438.35v
283	Mr TP Clarke	A	68.5v	75.10v	40.0v	33.0v	47.5v	34.3v	46.3v	45.3v	0.0v	0.0v	0.0v	50.5v	438.34v
284	Mr CRM Asquith	A	70.8v	69.5v	46.3v	33.1v	46.4v	33.1v	45.1v	50.6v	0.0v	0.0v	0.0v	46.4v	438.33v
285	Mr JJ Sauer	T	75.8v	69.5v	43.0v	32.2v	48.4v	34.4v	48.4v	44.4v	0.0v	0.0v	0.0v	45.2v	438.33v
286	Mr GL Clarke	O	68.2v	71.8v	48.3v	34.5v	46.3v	32.3v	48.4v	47.2v	0.0v	0.0v	0.0v	44.3v	438.33v
287	Mr OM Hudson	O	70.7v	68.2v	47.6v	34.3v	48.3v	33.3v	46.4v	50.3v	0.0v	0.0v	0.0v	42.2v	438.33v
288	Mr N Anderson	O	67.5v	72.5v	46.3v	33.1v	49.6v	33.2v	46.2v	43.2v	0.0v	0.0v	0.0v	49.5v	438.31v
289	Mr CSP Gray	O	70.4v	66.4v	48.3v	33.5v	47.3v	32.0v	47.4v	49.5v	0.0v	0.0v	0.0v	46.2v	438.30v
290	Mr K McCamley	X	71.4v	72.6v	47.4v	33.2v	46.3v	31.2v	45.3v	49.3v	0.0v	0.0v	0.0v	44.1v	438.28v
291	Mrs LK Mace	A	73.5v	73.6v	48.5v	33.1v	45.1v	33.2v	47.4v	44.3v	0.0v	0.0v	0.0v	42.0v	438.27v
292	Mr MJJ Charlton	O	68.2v	71.3v	45.1v	35.4v	47.2v	32.3v	47.3v	47.2v	0.0v	0.0v	0.0v	46.2v	438.22v
293	Mr CM Bowring	O	72.7v	65.4v	47.2v	33.2v	49.8v	32.4v	49.6v	47.6v	0.0v	0.0v	0.0v	43.3v	437.42v
294	Dr HA Day	X	72.6v	70.7v	46.4v	33.3v	47.5v	34.3v	44.2v	46.4v	0.0v	0.0v	0.0v	45.3v	437.37v
295	Dr MW Wrigley	O	71.6v	71.8v	49.8v	34.4v	47.3v	32.1v	44.2v	47.4v	0.0v	0.0v	0.0v	42.1v	437.37v
296	Mr NNT Kerins	A	69.4v	73.10v	47.4v	34.0v	49.6v	29.0v	44.2v	48.5v	0.0v	0.0v	0.0v	44.2v	437.33v
297	Mr AR Radkovskii	A	73.8v	72.5v	45.4v	33.4v	46.4v	31.3v	48.1v	46.4v	0.0v	0.0v	0.0v	43.0v	437.33v
298	Mr C Cowen	O	72.4v	71.8v	42.1v	32.1v	49.6v	34.2v	43.2v	49.5v	0.0v	0.0v	0.0v	45.3v	437.32v
299	Mr MDE Larcombe	A	64.1v	72.5v	48.4v	33.4v	49.5v	34.2v	44.2v	48.7v	0.0v	0.0v	0.0v	45.1v	437.31v
300	Miss HD Grindon	T	71.6v	74.7v	45.4v	33.2v	48.4v	33.2v	45.1v	48.3v	0.0v	0.0v	0.0v	40.1v	437.30v
301	Mr PS Gray	O	71.5v	71.3v	47.4v	34.2v	45.3v	32.2v	47.6v	44.0v	0.0v	0.0v	0.0v	46.3v	437.28v
302	Mr N Watson	A	71.7v	73.4v	49.3v	33.2v	48.2v	34.3v	45.3v	49.2v	0.0v	0.0v	0.0v	35.2v	437.28v
303	Mr HB Thomson	A	72.5v	69.4v	48.3v	33.2v	48.2v	33.2v	43.2v	46.3v	0.0v	0.0v	0.0v	45.4v	437.27v
304	Mr TLW Kidner	X	72.5v	72.3v	46.2v	35.4v	43.1v	31.1v	47.1v	47.2v	0.0v	0.0v	0.0v	44.1v	437.20v
305	Mr RM McKenna	T	68.6v	69.7v	46.5v	32.0v	49.3v	32.1v	48.8v	48.5v	0.0v	0.0v	0.0v	44.3v	436.38v
306	Mr A Honey	T	67.6v	69.6v	48.4v	34.1v	45.3v	34.3v	48.6v	45.3v	0.0v	0.0v	0.0v	46.4v	436.36v
307	Mr AJH Fowler	A	71.9v	73.9v	42.1v	32.3v	47.2v	34.4v	47.1v	47.4v	0.0v	0.0v	0.0v	43.3v	436.36v
308	Mr J Halahan	O	69.5v	71.4v	45.3v	32.2v	46.3v	33.2v	44.3v	46.5v	0.0v	0.0v	0.0v	50.7v	436.34v
309	Dr EL Sweet	O	69.3v	69.7v	47.2v	33.3v	47.4v	34.1v	46.5v	47.4v	0.0v	0.0v	0.0v	44.3v	436.32v
310	Mr RA Welford	X	71.4v	70.4v	48.2v	34.2v	49.3v	31.3v	45.4v	47.5v	0.0v	0.0v	0.0v	41.1v	436.28v
311	Mr CPP Brewin	O	69.5v	71.10v	47.5v	32.1v	46.3v	34.5v	46.3v	47.2v	0.0v	0.0v	0.0v	43.2v	435.36v
312	Mr RJ Mace	O	70.6v	73.5v	45.3v	30.1v	49.6v	34.4v	46.3v	50.6v	0.0v	0.0v	0.0v	38.1v	435.35v
313	Cdt LG Skingley	T	74.8v	68.4v	50.5v	31.2v	47.5v	34.2v	46.3v	44.3v	0.0v	0.0v	0.0v	41.2v	435.34v
314	Mr RJR Mott	A	70.5v	68.5v	48.4v	33.2v	46.2v	30.2v	46.3v	48.6v	0.0v	0.0v	0.0v	46.4v	435.33v
315	Mr MR Horrell	X	70.4v	71.6v	44.3v	30.3v	48.4v	32.4v	47.2v	47.3v	0.0v	0.0v	0.0v	46.4v	435.33v
316	Mr R. Winney	O	69.4v	67.5v	45.3v	34.4v	46.4v	35.3v	46.3v	47.2v	0.0v	0.0v	0.0v	46.4v	435.32v
317	Mr SL Larter-Whitcher	X	75.10v	65.1v	45.1v	32.2v	48.3v	32.1v	47.6v	45.5v	0.0v	0.0v	0.0v	46.3v	435.32v
318	Mr CS Lamont	A	71.7v	71.6v	43.3v	32.0v	50.6v	33.1v	46.4v	45.3v	0.0v	0.0v	0.0v	44.2v	435.32v
319	Mr RD Morin	O	71.3v	69.6v	45.4v	33.2v	44.1v	31.3v	45.2v	48.6v	0.0v	0.0v	0.0v	49.4v	435.31v
320	Miss M Beaton-Jaramillo	X	70.5v	71.8v	44.4v	30.1v	49.4v	35.4v	44.1v	48.2v	0.0v	0.0v	0.0v	44.2v	435.31v
321	Miss N Murrin	T	71.6v	75.8v	47.2v	34.1v	45.5v	31.3v	41.2v	49.2v	0.0v	0.0v	0.0v	42.2v	435.31v
322	Mr PJ Chapman-Sheath	A	70.6v	74.6v	45.3v	33.2v	49.4v	29.2v	43.0v	48.4v	0.0v	0.0v	0.0v	44.3v	435.30v
323	Cdt GM Bohn	T	69.3v	69.6v	44.1v	32.3v	47.3v	33.2v	47.5v	45.4v	0.0v	0.0v	0.0v	49.1v	435.28v
324	Miss KM Butler	T	66.4v	69.4v	48.3v	34.3v	44.2v	34.2v	47.3v	50.4v	0.0v	0.0v	0.0v	43.2v	435.27v
325	Mr JPL Sweet	A	72.6v	70.5v	47.4v	32.2v	44.2v	33.3v	46.1v	48.2v	0.0v	0.0v	0.0v	43.2v	435.27v
326	Dr TS Keen	A	71.6v	69.5v	48.3v	33.3v	48.7v	35.4v	44.5v	48.4v	0.0v	0.0v	0.0v	38.1v	434.38v
327	Capt AG Stewart	T	70.6v	74.7v	44.3v	35.2v	48.6v	34.4v	46.4v	48.4v	0.0v	0.0v	0.0v	35.2v	434.38v
328	Mr PG Newman	O	70.6v	73.6v	45.6v	28.1v	48.4v	34.5v	41.1v	47.2v	0.0v	0.0v	0.0v	48.3v	434.34v
329	Mr MR Rewston	A	69.5v	70.3v	47.4v	34.3v	43.1v	32.2v	47.6v	48.8v	0.0v	0.0v	0.0v	44.2v	434.34v
330	Flt Lt RJ Clegg	T	72.4v	71.6v	48.2v	30.1v	48.6v	30.0v	44.6v	47.3v	0.0v	0.0v	0.0v	44.4v	434.32v
331	Mr RI Coventry	A	74.10v	67.6v	45.1v	30.2v	46.4v	33.0v	44.3v	48.2v	0.0v	0.0v	0.0v	47.3v	434.31v

332	Cpl AG Ganesan	T	71.7v	70.6v	46.2v	28.1v	48.4v	33.3v	45.1v	48.5v	0.0v	0.0v	0.0v	45.2v	434.31v
333	Mr B Vary	T	71.4v	73.7v	46.3v	31.3v	43.1v	33.4v	45.2v	46.4v	0.0v	0.0v	0.0v	46.2v	434.30v
334	Mr M Reid	O	70.6v	68.4v	45.2v	34.3v	47.3v	34.3v	45.2v	46.4v	0.0v	0.0v	0.0v	45.2v	434.29v
335	Mr EWW Feast	A	71.5v	70.4v	48.6v	31.1v	50.4v	33.1v	44.3v	44.3v	0.0v	0.0v	0.0v	43.2v	434.29v
336	Mr CM Brooks	O	71.5v	73.6v	48.3v	31.3v	46.3v	34.5v	47.2v	43.1v	0.0v	0.0v	0.0v	41.1v	434.29v
337	Mr PJ Temperley	O	73.5v	73.5v	47.5v	29.0v	43.4v	32.0v	46.3v	49.4v	0.0v	0.0v	0.0v	42.2v	434.28v
338	Mr DJ Stewart	O	69.3v	70.5v	46.2v	31.1v	47.3v	32.2v	47.5v	45.1v	0.0v	0.0v	0.0v	47.5v	434.27v
339	Mr DA Pitcairn	A	70.3v	69.2v	48.4v	30.1v	46.2v	33.2v	47.4v	45.4v	0.0v	0.0v	0.0v	46.5v	434.27v
340	Mr RLER Bird	O	73.8v	69.3v	47.1v	33.4v	48.4v	33.1v	43.3v	48.3v	0.0v	0.0v	0.0v	40.0v	434.27v
341	Mr PD Griggs	X	73.6v	71.7v	50.7v	30.2v	48.5v	32.3v	47.3v	46.4v	0.0v	0.0v	0.0v	36.1v	433.38v
342	Miss D Armstrong	A	74.10v	73.7v	43.1v	33.2v	49.7v	33.3v	45.4v	46.2v	0.0v	0.0v	0.0v	37.1v	433.37v
343	Mr OR Farrell	A	69.3v	73.8v	44.3v	31.2v	50.5v	35.3v	48.5v	47.5v	0.0v	0.0v	0.0v	36.2v	433.36v
344	Mr JA Oakland	O	72.6v	69.5v	47.5v	35.2v	50.7v	29.2v	46.2v	49.6v	0.0v	0.0v	0.0v	36.1v	433.36v
345	Miss AJ Carnell	A	72.7v	72.7v	43.2v	33.2v	48.6v	31.1v	44.2v	47.5v	0.0v	0.0v	0.0v	43.3v	433.35v
346	Mr NM Duncan	O	72.5v	71.7v	42.2v	33.4v	45.3v	33.4v	47.3v	47.5v	0.0v	0.0v	0.0v	43.2v	433.35v
347	Mr RF Burden	O	70.2v	68.3v	47.5v	34.3v	43.2v	33.3v	47.7v	48.5v	0.0v	0.0v	0.0v	43.3v	433.33v
348	Mr JM Taylor	X	70.5v	71.4v	42.2v	32.2v	48.5v	34.5v	47.3v	46.4v	0.0v	0.0v	0.0v	43.2v	433.32v
349	Mr TJ Johnston	A	69.4v	71.8v	45.2v	32.3v	47.3v	34.5v	47.1v	48.4v	0.0v	0.0v	0.0v	40.2v	433.32v
350	Dr JR Deane	X	72.4v	70.2v	49.5v	32.2v	50.7v	33.4v	43.3v	44.5v	0.0v	0.0v	0.0v	40.0v	433.32v
351	Mr NJ Atkins	A	71.3v	70.5v	47.4v	33.2v	48.5v	33.3v	42.0v	46.3v	0.0v	0.0v	0.0v	43.4v	433.29v
352	Cdt LEI Horsman Carpenter	T	72.6v	75.9v	46.5v	33.3v	50.5v	34.3v	46.4v	45.4v	0.0v	0.0v	0.0v	31.3v	432.42v
353	Mr FC Stewart	O	67.3v	71.7v	47.4v	34.6v	46.2v	32.3v	46.4v	48.5v	0.0v	0.0v	0.0v	41.2v	432.36v
354	Mr WB Ross	O	73.8v	71.5v	47.2v	34.4v	49.6v	35.3v	41.3v	43.2v	0.0v	0.0v	0.0v	39.2v	432.35v
355	Mr RJ Hodgson-Jones	T	70.5v	74.8v	45.3v	34.4v	43.1v	33.4v	46.3v	50.3v	0.0v	0.0v	0.0v	37.2v	432.33v
356	Dr G Stewart	A	72.5v	60.4v	50.7v	33.3v	45.1v	34.5v	47.2v	47.3v	0.0v	0.0v	0.0v	44.2v	432.32v
357	Dr AJ Pilgrim	A	69.3v	69.5v	45.1v	34.3v	47.4v	35.6v	46.5v	48.0v	0.0v	0.0v	0.0v	39.3v	432.30v
358	Wg Cdr JR Lindsay	O	73.8v	72.6v	48.3v	31.4v	46.3v	31.1v	43.0v	44.1v	0.0v	0.0v	0.0v	44.1v	432.27v
359	Mr SP OBrien	A	69.3v	72.6v	44.2v	32.1v	44.2v	33.4v	48.5v	47.2v	0.0v	0.0v	0.0v	43.2v	432.27v
360	Mr RW McVeigh	O	68.2v	71.4v	45.3v	32.2v	49.7v	33.3v	49.4v	43.1v	0.0v	0.0v	0.0v	42.1v	432.27v
361	Wg Cdr CM Fopp	O	70.3v	66.2v	47.5v	32.2v	47.3v	32.2v	47.3v	47.4v	0.0v	0.0v	0.0v	44.2v	432.26v
362	Mr EK Ngetich	O	74.6v	67.4v	45.4v	33.1v	46.2v	32.1v	43.0v	47.3v	0.0v	0.0v	0.0v	45.4v	432.25v
363	Cdt GG Green	T	68.2v	70.4v	45.2v	30.2v	48.3v	33.2v	43.0v	49.5v	0.0v	0.0v	0.0v	46.2v	432.22v
364	Mr DN Lindsay	O	72.7v	72.6v	46.4v	28.1v	47.5v	34.3v	48.2v	48.4v	0.0v	0.0v	0.0v	36.1v	431.33v
365	Mr MA Kirkillo-Stacewicz	A	67.4v	68.5v	46.2v	33.3v	46.4v	32.2v	44.4v	46.2v	0.0v	0.0v	0.0v	49.4v	431.30v
366	Mr CR Hirst	O	70.5v	73.8v	42.0v	34.5v	50.3v	34.3v	44.3v	44.3v	0.0v	0.0v	0.0v	40.0v	431.30v
367	Mr JD Thorp	O	66.2v	66.7v	48.4v	32.1v	49.5v	33.2v	48.1v	45.5v	0.0v	0.0v	0.0v	44.1v	431.28v
368	Mr RG Woodger	X	70.2v	71.5v	45.4v	33.2v	48.6v	33.3v	43.3v	41.0v	0.0v	0.0v	0.0v	47.2v	431.27v
369	Mr GAE Larcombe	O	72.5v	71.3v	45.3v	33.2v	46.3v	30.1v	46.4v	46.5v	0.0v	0.0v	0.0v	42.0v	431.26v
370	Mr JR Stirland	O	70.4v	70.5v	47.0v	32.3v	46.4v	30.1v	49.5v	47.2v	0.0v	0.0v	0.0v	40.0v	431.24v
371	Cdt Cpl JB Cheetham	T	68.4v	71.5v	48.5v	27.3v	49.7v	33.3v	41.0v	47.4v	0.0v	0.0v	0.0v	46.3v	430.34v
372	Mr PA Goubert	O	69.6v	70.6v	45.2v	34.5v	44.4v	32.1v	45.2v	46.4v	0.0v	0.0v	0.0v	45.4v	430.34v
373	Mr JD Dugas	X	72.3v	67.5v	36.3v	34.3v	49.5v	34.3v	46.3v	50.6v	0.0v	0.0v	0.0v	42.3v	430.34v
374	Mrs GL Rantile	O	69.4v	73.8v	45.2v	32.2v	44.4v	32.2v	44.1v	46.2v	0.0v	0.0v	0.0v	45.3v	430.28v
375	Mr APW Daw	A	71.7v	69.4v	48.2v	29.1v	46.3v	34.4v	43.0v	47.4v	0.0v	0.0v	0.0v	43.2v	430.27v
376	Mr OMJ Taylor	T	72.4v	67.1v	45.3v	32.3v	45.2v	34.2v	44.3v	45.2v	0.0v	0.0v	0.0v	46.3v	430.23v
377	Mr LR Irungu	T	69.3v	68.3v	49.3v	33.2v	46.4v	32.1v	46.3v	43.2v	0.0v	0.0v	0.0v	44.1v	430.22v
378	Sgt HD Quilliam	O	71.6v	65.8v	47.4v	31.2v	47.5v	29.1v	44.2v	48.6v	0.0v	0.0v	0.0v	47.2v	429.36v
379	Mr OJ Hughes	T	67.5v	72.7v	46.5v	32.1v	49.6v	33.2v	41.2v	45.3v	0.0v	0.0v	0.0v	44.2v	429.33v
380	Mr AJ Leech	O	69.5v	70.7v	45.2v	33.5v	48.4v	33.1v	47.6v	45.1v	0.0v	0.0v	0.0v	39.2v	429.33v
381	Mr RG Best	O	69.4v	69.3v	43.4v	32.2v	47.5v	32.1v	48.6v	44.4v	0.0v	0.0v	0.0v	45.2v	429.31v
382	Mr BN Craig	O	63.1v	71.8v	47.5v	32.0v	46.3v	34.3v	45.3v	43.1v	0.0v	0.0v	0.0v	48.6v	429.30v
383	Miss SL Josling	T	71.3v	70.6v	46.3v	29.1v	48.7v	33.2v	44.3v	45.5v	0.0v	0.0v	0.0v	43.0v	429.30v
384	FS JJ Joomun	T	71.6v	72.7v	44.2v	30.1v	43.2v	33.4v	44.2v	45.2v	0.0v	0.0v	0.0v	47.3v	429.29v
385	Mr JRD Clegg	O	69.3v	69.4v	47.6v	33.4v	47.1v	31.1v	47.4v	46.3v	0.0v	0.0v	0.0v	40.3v	429.29v
386	Cdt A Patel	T	67.4v	71.6v	47.4v	34.4v	50.5v	33.1v	44.2v	47.2v	0.0v	0.0v	0.0v	36.1v	429.29v
387	Mr NRN Shutt	X	71.5v	68.6v	48.2v	35.5v	48.6v	33.1v	49.1v	47.2v	0.0v	0.0v	0.0v	30.1v	429.29v
388	Mr C Koros	O	70.5v	69.5v	46.3v	28.1v	49.3v	33.3v	46.3v	47.3v	0.0v	0.0v	0.0v	41.2v	429.28v
389	Mr SH Dickson	O	73.6v	65.4v	48.6v	29.1v	43.2v	32.2v	47.4v	46.1v	0.0v	0.0v	0.0v	46.1v	429.27v
390	Mr BAM Hebblethwaite	O	72.6v	67.3v	46.2v	33.3v	47.5v	34.5v	44.1v	44.1v	0.0v	0.0v	0.0v	42.1v	429.27v
391	Mr TJR De La Cour	A	69.1v	72.5v	48.3v	31.2v	44.2v	32.2v	46.6v	47.4v	0.0v	0.0v	0.0v	40.2v	429.27v

392	Mr NS Roberts	O	68.4v	68.4v	42.1v	33.3v	49.1v	35.4v	46.4v	46.1v	0.0v	0.0v	0.0v	42.3v	429.25v
393	Cdt Sgt SF Oldridge	T	69.2v	73.5v	43.0v	34.3v	47.2v	27.1v	48.4v	44.2v	0.0v	0.0v	0.0v	44.4v	429.23v
394	Mr RM Culverwell	O	68.5v	69.0v	46.3v	31.2v	45.2v	34.4v	46.1v	43.3v	0.0v	0.0v	0.0v	47.2v	429.22v
395	Mr ACN Khan	T	65.0v	73.3v	45.2v	33.4v	41.1v	33.1v	45.1v	50.6v	0.0v	0.0v	0.0v	44.2v	429.20v
396	Mr IW Robertson	A	67.3v	71.3v	48.3v	34.3v	44.2v	32.2v	46.4v	44.0v	0.0v	0.0v	0.0v	43.0v	429.20v
397	Cpl T Phillimore	T	72.1v	69.3v	47.3v	31.1v	38.0v	32.4v	48.2v	46.3v	0.0v	0.0v	0.0v	46.1v	429.18v
398	Mr HP Nippers	T	71.2v	65.4v	44.3v	35.4v	48.5v	27.1v	41.3v	49.7v	0.0v	0.0v	0.0v	48.5v	428.34v
399	Mr CJ Monk	T	70.7v	71.4v	45.3v	33.3v	48.4v	34.2v	40.3v	41.2v	0.0v	0.0v	0.0v	46.4v	428.32v
400	LCpl GWS Wood	T	67.4v	69.4v	43.4v	33.2v	48.6v	33.1v	46.4v	48.3v	0.0v	0.0v	0.0v	41.3v	428.31v
401	Mr EGH Atkins	O	70.4v	71.5v	47.5v	33.3v	45.4v	30.1v	46.3v	45.4v	0.0v	0.0v	0.0v	41.2v	428.31v
402	Mr B Wood	A	67.5v	69.4v	45.4v	29.3v	45.4v	32.1v	47.3v	49.5v	0.0v	0.0v	0.0v	45.1v	428.30v
403	Mr A Poulton	T	73.7v	72.7v	43.0v	33.3v	48.3v	33.3v	40.1v	42.2v	0.0v	0.0v	0.0v	44.3v	428.29v
404	Mr NC Granger	O	71.5v	69.2v	45.4v	33.2v	47.3v	31.2v	40.1v	47.2v	0.0v	0.0v	0.0v	45.5v	428.26v
405	Mr JH Smith	X	69.2v	68.1v	40.0v	34.3v	48.6v	31.2v	47.2v	45.4v	0.0v	0.0v	0.0v	46.2v	428.22v
406	Mr AG Harrison	O	71.7v	72.7v	44.3v	29.5v	48.4v	32.1v	48.5v	44.1v	0.0v	0.0v	0.0v	39.3v	427.36v
407	Mr AM Bullen	O	70.6v	71.6v	47.4v	34.3v	46.3v	33.1v	41.5v	47.3v	0.0v	0.0v	0.0v	38.1v	427.32v
408	Mr SD Glen	A	71.7v	70.5v	47.4v	32.1v	45.4v	28.1v	41.1v	47.6v	0.0v	0.0v	0.0v	46.2v	427.31v
409	Mr AR Le Quesne	T	68.5v	70.6v	44.2v	35.3v	48.3v	31.2v	43.1v	46.4v	0.0v	0.0v	0.0v	42.3v	427.29v
410	Mr MHN Palmer	X	71.5v	66.4v	49.4v	30.1v	44.0v	34.3v	46.2v	48.5v	0.0v	0.0v	0.0v	39.1v	427.25v
411	Mr CI Pawlik	O	70.4v	65.4v	47.3v	32.1v	45.3v	35.2v	44.1v	49.3v	0.0v	0.0v	0.0v	40.2v	427.23v
412	Mr DA Roberts	O	70.5v	67.2v	45.3v	35.3v	48.3v	34.2v	40.1v	46.2v	0.0v	0.0v	0.0v	42.0v	427.21v
413	Mr CP Goad	O	74.7v	64.6v	45.4v	34.4v	44.5v	33.4v	44.4v	47.1v	0.0v	0.0v	0.0v	41.2v	426.37v
414	Miss P Hobbs	T	65.6v	67.3v	44.4v	33.4v	47.4v	33.3v	43.4v	48.4v	0.0v	0.0v	0.0v	46.3v	426.35v
415	Cdt TA Peters	T	68.3v	70.6v	45.4v	32.1v	46.3v	32.4v	44.3v	49.5v	0.0v	0.0v	0.0v	40.3v	426.32v
416	Mr CAJ Crosby	A	70.6v	74.7v	46.3v	33.1v	50.6v	33.2v	43.3v	46.4v	0.0v	0.0v	0.0v	31.0v	426.32v
417	Cdt G Clarke	T	65.1v	69.4v	43.2v	35.6v	50.5v	34.3v	44.2v	47.7v	0.0v	0.0v	0.0v	39.1v	426.31v
418	Mr RR Warren	O	60.2v	74.8v	44.2v	33.3v	48.2v	33.1v	44.5v	48.6v	0.0v	0.0v	0.0v	42.1v	426.30v
419	Mr R Roche	A	65.3v	69.5v	46.0v	32.2v	47.5v	34.4v	46.4v	46.3v	0.0v	0.0v	0.0v	41.3v	426.29v
420	Cdt BJ Hunt	A	71.3v	69.3v	47.5v	31.1v	43.1v	33.4v	49.6v	46.3v	0.0v	0.0v	0.0v	37.3v	426.29v
421	Mr K Kousetta	T	66.6v	69.4v	49.5v	35.1v	46.3v	35.3v	45.3v	49.3v	0.0v	0.0v	0.0v	32.0v	426.28v
422	Mr S Murray	X	69.5v	66.3v	46.3v	33.3v	48.4v	33.1v	42.1v	48.5v	0.0v	0.0v	0.0v	41.2v	426.27v
423	Miss OR Ross	T	67.3v	72.6v	46.3v	32.1v	42.1v	35.5v	46.4v	47.2v	0.0v	0.0v	0.0v	39.1v	426.26v
424	Mr ISL Dampney	O	68.3v	70.4v	48.3v	31.1v	41.1v	33.3v	45.3v	48.6v	0.0v	0.0v	0.0v	42.1v	426.25v
425	Mr SDJ Glanville	X	66.3v	70.1v	48.5v	32.2v	39.1v	32.2v	48.2v	47.3v	0.0v	0.0v	0.0v	44.0v	426.19v
426	Mr J Magalhaes	T	68.5v	72.8v	44.4v	32.3v	48.5v	28.0v	44.3v	44.1v	0.0v	0.0v	0.0v	45.2v	425.31v
427	Mr J Scheuerl	T	66.5v	69.6v	44.3v	29.1v	46.4v	32.1v	43.3v	47.4v	0.0v	0.0v	0.0v	49.2v	425.29v
428	Mr RJ Quy	O	67.1v	69.4v	44.3v	33.4v	49.7v	31.3v	43.1v	47.4v	0.0v	0.0v	0.0v	42.2v	425.29v
429	Dr B Soelzer	T	66.3v	68.2v	45.4v	35.6v	46.2v	30.0v	47.2v	46.5v	0.0v	0.0v	0.0v	42.0v	425.24v
430	Miss ICN Cox	T	69.7v	72.2v	47.4v	32.1v	46.2v	30.0v	41.2v	44.1v	0.0v	0.0v	0.0v	44.2v	425.21v
431	Mr MJ Stewart	T	70.5v	68.5v	48.6v	30.2v	44.1v	30.0v	48.7v	47.4v	0.0v	0.0v	0.0v	39.2v	424.32v
432	Ms I Mundia	T	67.3v	67.2v	48.5v	34.5v	49.4v	27.3v	45.3v	40.1v	0.0v	0.0v	0.0v	47.2v	424.28v
433	Mr PK Kapkundos	O	68.5v	70.6v	40.1v	31.2v	46.3v	34.3v	46.2v	48.4v	0.0v	0.0v	0.0v	41.1v	424.27v
434	Drum Maj. RJ Cooper	T	68.6v	69.3v	43.2v	32.2v	46.1v	34.1v	46.4v	45.3v	0.0v	0.0v	0.0v	41.4v	424.26v
435	Mr GJ Lake Coghlan	T	66.3v	67.6v	42.1v	33.3v	45.3v	33.3v	47.5v	46.4v	0.0v	0.0v	0.0v	44.1v	423.29v
436	Miss KA Hinkly	T	69.3v	68.3v	46.6v	34.4v	42.1v	33.2v	46.4v	43.2v	0.0v	0.0v	0.0v	42.3v	423.28v
437	Mr MR Clewer	O	65.3v	70.5v	43.2v	30.0v	46.4v	32.1v	47.5v	44.3v	0.0v	0.0v	0.0v	46.4v	423.27v
438	Mr LR Coventry	O	70.7v	66.5v	46.3v	32.2v	47.2v	33.2v	38.1v	47.3v	0.0v	0.0v	0.0v	44.2v	423.27v
439	Mr AC Barrell	O	70.5v	67.3v	42.5v	32.0v	45.2v	32.2v	45.2v	47.4v	0.0v	0.0v	0.0v	43.2v	423.25v
440	Miss NE Barnes	O	63.3v	73.6v	44.2v	35.5v	48.4v	32.1v	45.1v	41.1v	0.0v	0.0v	0.0v	42.2v	423.25v
441	Miss T Myagkova	O	71.5v	68.4v	44.1v	32.2v	45.3v	32.1v	46.4v	45.5v	0.0v	0.0v	0.0v	40.0v	423.25v
442	Mr AAS Singh	T	68.4v	68.7v	43.0v	31.2v	45.3v	31.1v	46.5v	42.1v	0.0v	0.0v	0.0v	49.0v	423.23v
443	Mr F Weir	T	64.5v	70.5v	46.5v	32.2v	47.3v	31.1v	45.2v	42.4v	0.0v	0.0v	0.0v	45.2v	422.29v
444	Mr AJ Le Cheminant	O	70.5v	71.8v	44.4v	32.2v	47.4v	34.2v	43.1v	38.2v	0.0v	0.0v	0.0v	43.1v	422.29v
445	Mr CP Judge	O	71.6v	68.6v	43.3v	32.2v	48.3v	29.2v	45.4v	47.3v	0.0v	0.0v	0.0v	39.0v	422.29v
446	Mrs R Merridew	O	66.1v	72.5v	47.5v	32.2v	44.4v	32.2v	43.4v	46.2v	0.0v	0.0v	0.0v	40.1v	422.26v
447	Mr AF Donald	O	67.3v	70.6v	45.3v	28.0v	45.4v	33.1v	41.2v	48.2v	0.0v	0.0v	0.0v	45.3v	422.24v
448	Cdt L Tallinn	T	64.2v	72.5v	45.5v	31.1v	48.0v	34.4v	47.5v	43.1v	0.0v	0.0v	0.0v	38.1v	422.24v
449	Mr RA Benest	O	71.3v	69.4v	37.2v	32.2v	48.2v	33.2v	47.4v	43.1v	0.0v	0.0v	0.0v	42.3v	422.23v
450	Mr D Colegate	T	66.2v	70.5v	44.3v	32.0v	42.1v	34.2v	48.4v	44.2v	0.0v	0.0v	0.0v	42.1v	422.20v
451	Mr DJ S Studholme	T	69.3v	69.4v	46.1v	30.1v	44.2v	32.0v	46.1v	42.3v	0.0v	0.0v	0.0v	44.2v	422.17v



452	Mr JJ Beddoe	T	64.2v	66.1v	43.2v	34.4v	48.5v	33.1v	47.4v	43.3v	0.0v	0.0v	0.0v	43.4v	421.26v
453	Mr PJ Dudzinski	O	67.1v	72.2v	40.0v	34.4v	46.1v	28.1v	42.1v	46.3v	0.0v	0.0v	0.0v	46.3v	421.16v
454	Mr AR Betts	O	67.4v	71.8v	43.3v	32.3v	44.4v	32.2v	43.3v	45.2v	0.0v	0.0v	0.0v	43.3v	420.32v
455	Cdt R Wang	T	68.7v	68.3v	46.2v	34.4v	45.3v	34.5v	39.0v	42.1v	0.0v	0.0v	0.0v	44.4v	420.29v
456	Mr JE White	O	71.7v	69.6v	43.3v	33.2v	46.3v	33.4v	42.2v	43.0v	0.0v	0.0v	0.0v	40.2v	420.29v
457	Mr P Carvell	T	70.6v	70.4v	45.3v	28.1v	45.3v	35.3v	39.0v	47.5v	0.0v	0.0v	0.0v	41.3v	420.28v
458	Mr AJD Saunders	O	65.3v	68.3v	41.2v	35.2v	47.3v	30.0v	49.4v	44.2v	0.0v	0.0v	0.0v	41.3v	420.22v
459	Miss GI Williams	T	66.4v	70.5v	44.1v	33.2v	46.5v	32.5v	43.2v	43.1v	0.0v	0.0v	0.0v	42.3v	419.28v
460	Dr M Raps	O	69.5v	66.6v	48.3v	33.1v	47.4v	31.1v	44.2v	44.3v	0.0v	0.0v	0.0v	37.0v	419.25v
461	Mr RK Sheead	O	66.3v	69.5v	41.0v	34.3v	43.2v	31.2v	46.3v	47.3v	0.0v	0.0v	0.0v	42.1v	419.22v
462	Cpl RE Warden	T	71.3v	70.5v	43.1v	34.2v	44.4v	30.1v	46.2v	43.1v	0.0v	0.0v	0.0v	38.1v	419.20v
463	Mr AP Clark	T	68.1v	67.2v	45.2v	32.2v	46.2v	29.3v	45.4v	44.1v	0.0v	0.0v	0.0v	43.0v	419.17v
464	Brig AJW Sturrock	O	64.3v	68.3v	42.3v	35.6v	47.5v	30.4v	46.5v	44.1v	0.0v	0.0v	0.0v	42.2v	418.32v
465	Mr S McGinnis	O	71.8v	64.2v	41.0v	33.2v	44.0v	27.1v	49.7v	47.5v	0.0v	0.0v	0.0v	42.2v	418.27v
466	Mr RS Johnson	T	68.5v	70.4v	46.3v	27.1v	47.4v	32.2v	42.1v	47.3v	0.0v	0.0v	0.0v	39.3v	418.26v
467	Mr JMB Baldwin	O	68.5v	68.6v	46.1v	32.2v	48.2v	32.2v	39.2v	46.4v	0.0v	0.0v	0.0v	39.1v	418.25v
468	Mr JT Kennedy	O	68.3v	69.4v	42.1v	35.5v	48.6v	31.2v	39.0v	44.2v	0.0v	0.0v	0.0v	42.1v	418.24v
469	Mr S Kasica	T	68.4v	69.6v	48.3v	29.3v	41.2v	30.2v	50.3v	44.1v	0.0v	0.0v	0.0v	39.0v	418.24v
470	Mr TM Booth	T	63.1v	68.8v	48.4v	26.0v	46.1v	33.1v	44.3v	43.3v	0.0v	0.0v	0.0v	47.2v	418.23v
471	Mr EHB Ervine	T	67.3v	66.4v	44.0v	31.1v	44.2v	32.2v	47.5v	46.2v	0.0v	0.0v	0.0v	41.1v	418.20v
472	Mr BJ Page	O	69.3v	69.3v	48.2v	32.1v	43.1v	26.1v	41.4v	45.2v	0.0v	0.0v	0.0v	45.2v	418.19v
473	Mr CJ Denham	T	70.5v	61.2v	47.2v	31.1v	44.2v	32.1v	46.3v	45.2v	0.0v	0.0v	0.0v	42.0v	418.18v
474	Lt Col CST Lehmann	O	70.3v	70.6v	44.3v	31.2v	45.1v	29.1v	43.1v	48.1v	0.0v	0.0v	0.0v	38.0v	418.18v
475	Mr JM de Bruijn	O	67.3v	66.4v	48.4v	32.2v	45.4v	29.0v	42.1v	44.3v	0.0v	0.0v	0.0v	44.3v	417.24v
476	Mr TR Webster	O	70.4v	67.3v	48.2v	32.2v	41.0v	30.1v	43.2v	45.2v	0.0v	0.0v	0.0v	41.1v	417.17v
477	Maj JME Cook	X	69.6v	71.4v	48.4v	34.4v	50.9v	0.0v	47.5v	48.5v	0.0v	0.0v	0.0v	49.6v	416.43v
478	Mr ER Bosse	O	59.4v	70.7v	46.4v	31.0v	48.7v	33.4v	45.3v	48.3v	0.0v	0.0v	0.0v	36.2v	416.34v
479	CSgt OJ Frost	T	69.4v	67.3v	45.4v	35.4v	47.6v	19.0v	47.4v	50.4v	0.0v	0.0v	0.0v	37.0v	416.29v
480	Mr TM Green	O	72.9v	65.1v	47.5v	33.4v	44.2v	32.1v	42.2v	43.3v	0.0v	0.0v	0.0v	37.1v	415.28v
481	WO SR Parker	T	68.4v	67.4v	43.3v	29.1v	45.3v	30.2v	43.3v	42.1v	0.0v	0.0v	0.0v	48.4v	415.25v
482	Mr ARN Kinross	O	68.3v	65.4v	43.1v	32.2v	45.2v	32.1v	46.4v	42.3v	0.0v	0.0v	0.0v	42.2v	415.22v
483	Cdt OW Rankin	T	62.2v	69.7v	44.1v	29.1v	44.2v	34.2v	45.2v	47.4v	0.0v	0.0v	0.0v	41.1v	415.22v
484	Mr P Osmond	T	68.2v	66.3v	44.2v	33.3v	47.5v	29.0v	40.1v	43.2v	0.0v	0.0v	0.0v	44.2v	414.20v
485	Mr DA Smith	O	68.3v	68.6v	44.2v	32.2v	42.1v	34.1v	42.2v	44.2v	0.0v	0.0v	0.0v	40.0v	414.19v
486	Miss KE Farley	T	65.6v	72.7v	41.3v	32.3v	46.4v	30.1v	46.7v	46.2v	0.0v	0.0v	0.0v	35.1v	413.34v
487	Dr G Stevenson	O	66.4v	68.3v	47.4v	32.2v	44.5v	28.1v	42.3v	43.4v	0.0v	0.0v	0.0v	43.3v	413.29v
488	Miss A Fung	T	66.3v	69.3v	42.2v	29.2v	43.2v	32.2v	46.4v	41.0v	0.0v	0.0v	0.0v	45.1v	413.19v
489	Mr WJM Bacon	T	70.4v	71.3v	39.1v	33.2v	41.1v	33.2v	44.2v	45.2v	0.0v	0.0v	0.0v	37.1v	413.18v
490	Mr MJS Gerhardt	A	69.5v	71.3v	47.5v	33.4v	41.2v	33.2v	43.3v	46.3v	0.0v	0.0v	0.0v	29.0v	412.27v
491	Mr O Henry	X	65.3v	69.3v	45.1v	22.0v	43.3v	33.3v	44.3v	49.4v	0.0v	0.0v	0.0v	42.3v	412.23v
492	Miss A Ross	T	67.3v	61.1v	47.4v	31.1v	46.4v	31.3v	47.2v	45.2v	0.0v	0.0v	0.0v	37.1v	412.21v
493	Mr CSTJ Marlow	O	71.4v	68.6v	42.2v	30.1v	42.1v	31.2v	41.2v	43.0v	0.0v	0.0v	0.0v	44.2v	412.20v
494	Cdt LM Hart	T	69.3v	70.7v	41.1v	32.1v	45.4v	31.1v	41.4v	43.3v	0.0v	0.0v	0.0v	39.0v	411.24v
495	Wg Cdr MJ Gregory	O	68.5v	61.2v	47.4v	31.2v	38.1v	31.0v	41.1v	47.3v	0.0v	0.0v	0.0v	47.5v	411.23v
496	Miss S Frost	T	67.3v	71.6v	41.3v	31.0v	48.4v	32.2v	47.3v	38.1v	0.0v	0.0v	0.0v	36.0v	411.22v
497	Miss BR Digance	T	66.4v	69.5v	46.3v	31.2v	43.1v	31.0v	37.2v	44.3v	0.0v	0.0v	0.0v	44.1v	411.21v
498	Mr A Zhang	T	56.1v	72.6v	44.0v	30.1v	43.1v	34.2v	40.1v	46.2v	0.0v	0.0v	0.0v	46.4v	411.18v
499	Mr DGM Coleman	X	70.6v	72.5v	48.8v	32.2v	47.6v	0.0v	46.5v	48.6v	0.0v	0.0v	0.0v	47.1v	410.39v
500	Mr P Waldron	O	67.1v	70.4v	42.3v	26.1v	47.2v	29.1v	42.2v	41.4v	0.0v	0.0v	0.0v	46.3v	410.21v
501	Cdt JJ Weir	T	63.4v	67.1v	36.0v	31.3v	49.6v	32.1v	49.4v	39.0v	0.0v	0.0v	0.0v	44.2v	410.21v
502	Dr CW Freeman	O	68.4v	67.5v	45.2v	32.1v	41.1v	32.2v	46.3v	40.1v	0.0v	0.0v	0.0v	39.0v	410.19v
503	Mr GR Thomas	O	64.3v	70.4v	45.2v	29.0v	47.5v	32.2v	43.1v	46.0v	0.0v	0.0v	0.0v	34.1v	410.18v
504	Mr ATB Tompson	O	71.9v	74.12v	49.3v	0.0v	43.6v	34.3v	46.2v	48.6v	0.0v	0.0v	0.0v	44.2v	409.43v
505	Mr BJ Le Cheminant	X	71.5v	74.10v	44.1v	31.1v	49.3v	0.0v	46.5v	50.5v	0.0v	0.0v	0.0v	44.2v	409.32v
506	Mr SJ Bates	O	68.3v	73.10v	44.3v	33.3v	41.0v	33.3v	35.2v	43.4v	0.0v	0.0v	0.0v	39.1v	409.29v
507	Miss A Downie	T	68.5v	63.4v	42.1v	35.3v	46.4v	31.2v	40.0v	46.3v	0.0v	0.0v	0.0v	38.1v	409.23v
508	Fg Off LS Crisp	T	68.3v	68.6v	41.2v	31.1v	42.2v	27.0v	45.2v	47.4v	0.0v	0.0v	0.0v	40.2v	409.22v
509	Mr U Soelzer	O	65.0v	65.3v	46.2v	29.0v	42.3v	32.3v	44.3v	42.2v	0.0v	0.0v	0.0v	44.3v	409.19v
510	Mr J Kahtava	T	73.3v	66.2v	43.4v	33.1v	46.4v	30.0v	43.2v	42.1v	0.0v	0.0v	0.0v	33.1v	409.18v
511	Dr BJ Winney	A	71.7v	71.5v	48.4v	0.0v	45.4v	35.3v	45.2v	49.6v	0.0v	0.0v	0.0v	44.2v	408.33v

512	Mr PJ Holden	O	69.8v	65.2v	42.1v	32.3v	44.1v	28.2v	39.3v	47.6v	0.0v	0.0v	0.0v	42.3v	408.29v
513	Miss F Mahoney	T	67.6v	68.6v	45.3v	33.3v	47.3v	33.2v	33.1v	46.1v	0.0v	0.0v	0.0v	36.1v	408.26v
514	Mr W Morriss	T	63.4v	70.5v	45.3v	28.1v	47.3v	32.2v	45.4v	46.3v	0.0v	0.0v	0.0v	32.1v	408.26v
515	Mrs A Soelzer-Hermes	A	62.2v	70.2v	43.1v	28.0v	49.4v	26.0v	48.5v	42.3v	0.0v	0.0v	0.0v	40.1v	408.18v
516	Mr A White	T	67.6v	68.6v	41.2v	34.1v	39.1v	31.2v	47.5v	40.1v	0.0v	0.0v	0.0v	39.1v	406.25v
517	Mr RM Smith	T	65.3v	65.1v	46.3v	32.4v	43.1v	30.1v	45.4v	40.2v	0.0v	0.0v	0.0v	40.1v	406.20v
518	Mr W Mulholland	O	69.3v	70.5v	42.2v	30.2v	46.3v	30.2v	39.1v	42.1v	0.0v	0.0v	0.0v	37.2v	405.21v
519	Mr HD Werner	T	71.8v	66.1v	47.5v	34.2v	42.1v	32.3v	46.3v	46.5v	0.0v	0.0v	0.0v	20.1v	404.29v
520	Mr ML Kirkillo-Stacewicz	O	65.3v	67.3v	43.2v	32.3v	46.3v	27.0v	47.2v	44.3v	0.0v	0.0v	0.0v	33.5v	404.24v
521	Mr LA Lawrence	T	70.3v	69.7v	45.3v	32.2v	39.1v	34.3v	32.3v	41.0v	0.0v	0.0v	0.0v	42.1v	404.23v
522	Mr R Richards	T	66.2v	66.2v	41.1v	34.3v	44.1v	31.2v	40.2v	43.1v	0.0v	0.0v	0.0v	39.1v	404.15v
523	Mr HM Dodds	T	69.6v	69.5v	40.0v	32.1v	43.3v	31.3v	41.0v	31.1v	0.0v	0.0v	0.0v	47.2v	403.21v
524	Miss AR Xu	T	65.0v	64.4v	36.1v	34.2v	43.1v	33.3v	42.3v	41.2v	0.0v	0.0v	0.0v	45.4v	403.20v
525	Mr T Snaith	T	68.4v	68.6v	44.2v	31.2v	42.0v	33.1v	39.0v	46.5v	0.0v	0.0v	0.0v	32.0v	403.20v
526	Miss KE Pope	O	74.8v	72.10v	45.4v	32.2v	50.8v	34.4v	49.6v	0.0v	0.0v	0.0v	0.0v	46.3v	402.45v
527	Mr JAMM Ingham	T	65.4v	66.2v	44.3v	18.1v	43.3v	31.0v	46.6v	47.5v	0.0v	0.0v	0.0v	42.2v	402.26v
528	Mr LC Schwarz	T	68.3v	66.1v	42.2v	31.2v	46.4v	29.0v	30.2v	47.4v	0.0v	0.0v	0.0v	43.3v	402.21v
529	Miss EM Robinson	T	65.3v	68.2v	48.5v	33.1v	40.0v	33.1v	44.1v	40.3v	0.0v	0.0v	0.0v	31.4v	402.20v
530	Miss AL Gibbs	T	64.3v	64.1v	45.2v	25.0v	44.2v	31.2v	40.1v	46.3v	0.0v	0.0v	0.0v	43.1v	402.15v
531	Mr TWL Le Huray	T	63.1v	70.6v	45.2v	32.3v	36.1v	33.4v	42.2v	45.1v	0.0v	0.0v	0.0v	35.1v	401.21v
532	Mr RP Snaith	T	64.1v	68.4v	41.2v	32.0v	41.3v	31.4v	47.4v	41.0v	0.0v	0.0v	0.0v	36.0v	401.18v
533	Mr OJ Biddle	T	62.0v	66.3v	44.3v	31.1v	48.5v	28.0v	39.1v	41.1v	0.0v	0.0v	0.0v	42.1v	401.15v
534	Mr JM Nippers	O	68.3v	71.5v	48.5v	34.4v	45.5v	0.0v	47.4v	46.2v	0.0v	0.0v	0.0v	41.2v	400.30v
535	Mr MJ Dowe	T	69.5v	71.8v	32.0v	33.2v	44.2v	28.0v	42.2v	41.3v	0.0v	0.0v	0.0v	40.2v	400.24v
536	Mr S A Hunting	O	68.3v	65.2v	46.1v	35.3v	47.1v	34.2v	39.3v	42.2v	0.0v	0.0v	0.0v	24.1v	400.18v
537	Cdt AJD Germain	T	65.2v	65.1v	49.5v	30.1v	45.3v	30.0v	45.2v	42.0v	0.0v	0.0v	0.0v	29.0v	400.14v
538	Mr SW Maris	O	70.6v	73.8v	49.7v	33.3v	50.6v	34.2v	47.2v	0.0v	0.0v	0.0v	0.0v	43.2v	399.36v
539	Mr A Sainter	O	62.2v	68.5v	42.2v	29.1v	42.1v	32.3v	39.2v	40.2v	0.0v	0.0v	0.0v	45.3v	399.21v
540	Mr D Wild	T	59.0v	62.1v	44.3v	32.2v	42.2v	32.3v	42.1v	42.1v	0.0v	0.0v	0.0v	44.5v	399.18v
541	Mr IR Reeves	O	65.4v	66.2v	38.2v	31.1v	42.3v	30.0v	44.1v	43.1v	0.0v	0.0v	0.0v	40.2v	399.16v
542	Mr JE Fraser	O	58.4v	65.2v	41.2v	32.1v	45.2v	29.2v	43.3v	44.2v	0.0v	0.0v	0.0v	41.2v	398.20v
543	Miss AKM Morriss	O	68.6v	70.4v	48.3v	32.2v	49.5v	0.0v	43.4v	47.3v	0.0v	0.0v	0.0v	40.1v	397.28v
544	Mr N Stebbings	O	67.5v	66.4v	43.1v	29.2v	40.1v	30.0v	45.4v	41.3v	0.0v	0.0v	0.0v	36.0v	397.20v
545	Miss LF Yates	T	62.5v	64.3v	42.2v	35.5v	44.3v	31.2v	40.1v	32.2v	0.0v	0.0v	0.0v	46.4v	396.27v
546	Mr LM Mutegi	T	68.4v	61.1v	39.0v	33.2v	43.1v	30.1v	40.3v	44.6v	0.0v	0.0v	0.0v	38.3v	396.21v
547	Mr HP Noss	O	66.4v	63.2v	40.0v	32.2v	46.3v	29.1v	43.3v	42.2v	0.0v	0.0v	0.0v	35.2v	396.19v
548	Mr HC Adams	T	69.4v	68.6v	45.1v	34.2v	49.5v	0.0v	40.2v	43.3v	0.0v	0.0v	0.0v	46.4v	394.27v
549	Sgt IC Jones	T	62.3v	61.1v	44.2v	32.3v	38.1v	30.2v	41.1v	42.3v	0.0v	0.0v	0.0v	43.1v	393.17v
550	Mr RT Turner	T	69.3v	63.5v	47.4v	32.1v	37.0v	32.2v	42.1v	36.0v	0.0v	0.0v	0.0v	35.0v	393.16v
551	Cdt SR Bladon	T	64.1v	66.3v	36.0v	31.0v	39.0v	30.0v	43.1v	43.3v	0.0v	0.0v	0.0v	39.0v	391.8v
552	Mr J Caldwell	T	68.6v	72.9v	46.3v	32.2v	50.4v	33.2v	49.5v	0.0v	0.0v	0.0v	0.0v	38.0v	388.31v
553	Cdt G Baker	T	64.5v	66.2v	36.0v	30.2v	38.2v	33.2v	34.1v	45.5v	0.0v	0.0v	0.0v	42.2v	388.21v
554	Mr CAS Shelley	T	65.3v	65.2v	45.2v	29.1v	44.3v	27.1v	34.1v	42.2v	0.0v	0.0v	0.0v	37.1v	388.16v
555	Mr OJC Christy	T	65.0v	71.4v	37.0v	27.0v	47.5v	30.1v	40.0v	34.0v	0.0v	0.0v	0.0v	37.0v	388.10v
556	Mr SER Cherry	O	67.2v	71.3v	45.4v	32.1v	48.3v	0.0v	32.1v	50.4v	0.0v	0.0v	0.0v	42.2v	387.20v
557	Mr TFJ McDowell	T	66.1v	65.2v	40.2v	31.0v	43.2v	32.2v	45.3v	34.1v	0.0v	0.0v	0.0v	31.0v	387.13v
558	Lt Col MD Yates	T	65.5v	69.3v	32.1v	31.2v	38.0v	22.0v	47.5v	39.2v	0.0v	0.0v	0.0v	41.2v	384.20v
559	Mr OD de Gruchy	A	66.3v	69.6v	48.6v	27.1v	47.6v	0.0v	38.1v	45.2v	0.0v	0.0v	0.0v	43.3v	383.28v
560	Mr RB Fitzsimmons	A	6.0v	72.9v	49.5v	35.6v	47.8v	34.3v	46.3v	45.3v	0.0v	0.0v	0.0v	48.4v	382.41v
561	Mr JN Prout	T	67.4v	67.5v	43.3v	31.1v	35.2v	32.2v	35.1v	43.1v	0.0v	0.0v	0.0v	29.0v	382.19v
562	C/Sgt H Anselm	T	67.2v	53.0v	42.1v	33.2v	39.1v	23.0v	43.2v	43.3v	0.0v	0.0v	0.0v	39.2v	382.13v
563	Mr JJ Dixon	T	65.5v	68.3v	44.2v	30.0v	46.5v	0.0v	40.1v	44.2v	0.0v	0.0v	0.0v	44.2v	381.20v
564	Mr MH Shaw	O	67.2v	72.5v	47.4v	33.2v	45.0v	33.3v	43.2v	0.0v	0.0v	0.0v	0.0v	41.1v	381.19v
565	Mr A Wild	T	68.3v	59.4v	42.3v	31.1v	38.0v	25.0v	48.4v	38.1v	0.0v	0.0v	0.0v	32.0v	381.16v
566	LCpl EC Wang	T	63.4v	63.2v	37.3v	29.1v	36.0v	32.2v	35.2v	44.1v	0.0v	0.0v	0.0v	41.3v	380.18v
567	Miss LI Hughes	T	57.1v	57.2v	40.2v	28.2v	44.1v	32.1v	43.1v	43.3v	0.0v	0.0v	0.0v	36.1v	380.14v
568	Cdt TZ Maxwell Randeria	T	69.6v	68.6v	40.1v	33.4v	42.2v	31.2v	41.1v	48.6v	0.0v	0.0v	0.0v	7.0v	379.28v
569	Mr NR Lewington	T	70.2v	60.0v	38.5v	31.1v	44.5v	28.1v	32.0v	43.1v	0.0v	0.0v	0.0v	33.0v	379.15v
570	Mr AF Chidlow	T	56.0v	60.2v	43.1v	30.1v	39.2v	24.0v	42.3v	42.2v	0.0v	0.0v	0.0v	43.1v	379.12v
571	Mr MK Townsend	O	66.1v	68.2v	44.1v	33.2v	0.0v	31.1v	47.5v	43.3v	0.0v	0.0v	0.0v	44.2v	376.17v

572	Mr WW Liu	T	62.4v	67.3v	41.2v	28.1v	38.1v	31.2v	38.1v	39.1v	0.0v	0.0v	0.0v	31.1v	375.16v
573	Mr TAE Dorey	T	62.2v	58.0v	33.0v	29.2v	42.1v	29.0v	40.1v	44.1v	0.0v	0.0v	0.0v	38.1v	375.8v
574	Mr DP Chalmers	T	70.5v	69.3v	43.2v	29.1v	41.3v	32.2v	45.2v	45.2v	0.0v	0.0v	0.0v	0.0v	374.20v
575	Mr AJ Chapman-Sheath	T	62.2v	68.3v	44.1v	27.1v	37.1v	30.1v	34.0v	42.3v	0.0v	0.0v	0.0v	30.0v	374.12v
576	Mr A Hazelton	T	71.4v	0.0v	49.8v	31.1v	48.6v	34.0v	45.3v	49.9v	0.0v	0.0v	0.0v	46.3v	373.34v
577	Miss KC Moody	T	63.3v	63.2v	45.0v	30.2v	45.2v	33.2v	10.0v	40.2v	0.0v	0.0v	0.0v	40.2v	369.15v
578	Mr TS McDowell	O	65.3v	71.6v	47.4v	0.0v	45.4v	0.0v	46.1v	49.3v	0.0v	0.0v	0.0v	45.3v	368.24v
579	Mr KC Thorne	T	65.3v	67.5v	42.2v	24.1v	33.0v	32.1v	42.1v	37.0v	0.0v	0.0v	0.0v	26.0v	368.13v
580	Mr WFO montgomery	T	58.3v	62.1v	45.2v	29.1v	37.1v	28.1v	45.4v	34.0v	0.0v	0.0v	0.0v	28.0v	366.13v
581	Mr L Hinkly	T	70.2v	64.1v	38.2v	32.1v	38.2v	29.2v	27.0v	43.2v	0.0v	0.0v	0.0v	25.1v	366.13v
582	LCpl JH Sale	T	61.3v	67.1v	27.1v	30.1v	42.3v	20.0v	38.1v	39.0v	0.0v	0.0v	0.0v	42.1v	366.11v
583	Mr NR Wells	O	65.4v	68.4v	44.1v	32.1v	46.3v	31.1v	0.0v	46.3v	0.0v	0.0v	0.0v	32.1v	364.18v
584	Cdt SR Hall	T	61.2v	44.0v	36.0v	34.1v	40.2v	32.2v	41.0v	43.2v	0.0v	0.0v	0.0v	33.1v	364.10v
585	Mr JPS Bloomfield	X	71.9v	69.4v	48.5v	35.4v	0.0v	0.0v	49.5v	45.3v	0.0v	0.0v	0.0v	46.1v	363.31v
586	Mr EJ Young	T	64.2v	64.1v	0.0v	31.0v	42.1v	32.2v	39.2v	47.4v	0.0v	0.0v	0.0v	42.1v	361.13v
587	Mr LF Robson	T	65.3v	57.0v	40.1v	26.1v	39.1v	30.4v	43.2v	22.0v	0.0v	0.0v	0.0v	34.0v	356.12v
588	Miss CY Gregory	T	68.2v	67.0v	42.1v	13.0v	41.1v	29.1v	46.4v	45.4v	0.0v	0.0v	0.0v	0.0v	351.13v
589	Mr SD Douglas	X	64.3v	64.2v	42.3v	9.0v	41.1v	29.1v	44.2v	37.0v	0.0v	0.0v	0.0v	20.0v	350.12v
590	Cdt LK Crosby	T	61.1v	68.4v	23.0v	29.1v	40.1v	26.0v	43.1v	45.1v	0.0v	0.0v	0.0v	12.0v	347.9v
591	Miss DS Hume	O	71.8v	0.0v	49.4v	34.2v	49.2v	0.0v	49.5v	49.5v	0.0v	0.0v	0.0v	45.1v	346.27v
592	Dr T Pantke	O	71.6v	72.6v	46.0v	0.0v	45.3v	28.0v	47.3v	37.2v	0.0v	0.0v	0.0v	0.0v	346.20v
593	Miss RJH Piper	T	62.2v	67.1v	42.3v	0.0v	47.3v	0.0v	43.2v	45.4v	0.0v	0.0v	0.0v	38.3v	344.18v
594	Cdt T Janelid	T	72.7v	0.0v	44.2v	33.3v	41.1v	26.2v	41.2v	44.0v	0.0v	0.0v	0.0v	41.0v	342.17v
595	Mr K Gladding	O	61.2v	56.1v	36.2v	28.0v	41.0v	31.3v	44.2v	42.2v	0.0v	0.0v	0.0v	3.0v	342.12v
596	Mr OM Pryke	T	70.6v	68.6v	37.5v	31.2v	0.0v	0.0v	43.1v	44.2v	0.0v	0.0v	0.0v	45.2v	338.24v
597	Mr CM Mckenna	T	60.3v	55.0v	33.2v	26.0v	36.1v	24.0v	31.0v	32.2v	0.0v	0.0v	0.0v	38.2v	335.10v
598	Miss M Williams	T	59.3v	59.2v	36.0v	32.1v	36.1v	18.0v	33.1v	36.1v	0.0v	0.0v	0.0v	26.0v	335.9v
599	Mr DHW Dashwood	O	73.5v	73.6v	49.4v	0.0v	0.0v	0.0v	45.2v	46.7v	0.0v	0.0v	0.0v	48.4v	334.28v
600	Mr JRJ Hinde	O	72.7v	74.9v	49.9v	0.0v	0.0v	0.0v	49.6v	45.2v	0.0v	0.0v	0.0v	44.3v	333.36v
601	Mr MV Gosling	T	56.0v	58.1v	35.1v	26.0v	37.0v	27.0v	30.1v	27.1v	0.0v	0.0v	0.0v	36.0v	332.4v
602	Miss AMG Ogilvie	A	72.7v	72.6v	46.1v	0.0v	0.0v	0.0v	48.6v	48.7v	0.0v	0.0v	0.0v	44.2v	330.29v
603	Miss K Thomas	T	61.0v	57.2v	43.1v	26.1v	44.3v	26.2v	0.0v	40.1v	0.0v	0.0v	0.0v	33.1v	330.11v
604	Cdt E Chambers	T	71.5v	74.9v	48.4v	0.0v	0.0v	0.0v	44.5v	49.4v	0.0v	0.0v	0.0v	43.4v	329.31v
605	Mr JR Allum	O	70.5v	71.7v	47.3v	0.0v	0.0v	0.0v	47.6v	46.0v	0.0v	0.0v	0.0v	46.3v	327.24v
606	Miss CJ Stirling	T	0.0v	62.1v	41.1v	27.2v	43.2v	35.3v	43.3v	42.1v	0.0v	0.0v	0.0v	33.1v	326.14v
607	Mr MP Watkins	A	71.8v	70.6v	45.3v	0.0v	0.0v	0.0v	46.2v	48.6v	0.0v	0.0v	0.0v	43.1v	323.26v
608	Mr KR Trowbridge	O	73.9v	70.4v	44.2v	0.0v	0.0v	0.0v	46.4v	42.4v	0.0v	0.0v	0.0v	47.3v	322.26v
609	Sgt GDD Godwin-Austen	T	68.4v	64.3v	37.2v	31.2v	40.3v	0.0v	0.0v	40.0v	0.0v	0.0v	0.0v	40.0v	320.14v
610	Mr JA Hopkins	T	61.2v	0.0v	38.1v	32.0v	44.4v	32.2v	37.2v	42.2v	0.0v	0.0v	0.0v	34.0v	320.13v
611	Mr DH Allen	O	68.5v	68.5v	45.2v	0.0v	0.0v	0.0v	45.2v	46.5v	0.0v	0.0v	0.0v	46.4v	318.23v
612	Mrs MM Norman	O	72.4v	68.8v	44.3v	0.0v	0.0v	0.0v	45.4v	46.2v	0.0v	0.0v	0.0v	43.1v	318.22v
613	Mr RA Jobson	O	70.6v	0.0v	41.3v	34.2v	50.9v	31.1v	42.2v	47.6v	0.0v	0.0v	0.0v	0.0v	315.29v
614	Mr OJ Scott	T	0.0v	64.2v	43.1v	31.1v	42.1v	0.0v	47.1v	44.4v	0.0v	0.0v	0.0v	41.3v	312.13v
615	Mr PD Pelly	O	53.0v	64.2v	46.3v	0.0v	0.0v	28.0v	43.3v	43.3v	0.0v	0.0v	0.0v	32.1v	309.12v
616	Mr DRM Tuke	T	52.1v	60.2v	32.0v	22.0v	39.1v	22.0v	31.1v	20.0v	0.0v	0.0v	0.0v	31.1v	309.6v
617	Miss CA Mills	T	64.2v	49.0v	41.0v	30.0v	40.3v	0.0v	0.0v	43.2v	0.0v	0.0v	0.0v	36.0v	303.7v
618	Mr GRP Shapland	O	62.4v	68.4v	45.4v	0.0v	0.0v	0.0v	44.5v	48.3v	0.0v	0.0v	0.0v	35.2v	302.22v
619	Mr JS Ritchie	O	65.3v	63.3v	42.2v	0.0v	0.0v	0.0v	48.3v	45.1v	0.0v	0.0v	0.0v	38.0v	301.12v
620	Miss L Hetherington	T	58.0v	53.1v	28.0v	28.1v	32.1v	26.0v	27.1v	42.3v	0.0v	0.0v	0.0v	0.0v	294.7v
621	Sgt I Hunt	T	73.4v	0.0v	47.2v	0.0v	46.4v	33.3v	40.0v	47.4v	0.0v	0.0v	0.0v	0.0v	286.17v
622	Lt TJ Westmaas	O	0.0v	66.7v	46.3v	32.2v	43.2v	0.0v	43.4v	0.0v	0.0v	0.0v	0.0v	43.3v	273.21v
623	Dr N Hart	O	71.5v	70.4v	47.2v	0.0v	0.0v	0.0v	0.0v	46.4v	0.0v	0.0v	0.0v	38.1v	272.16v
624	Dr JS Rennie	O	0.0v	70.3v	45.2v	0.0v	0.0v	0.0v	47.3v	48.5v	0.0v	0.0v	0.0v	44.7v	254.20v
625	Miss EN Smith	T	69.4v	65.2v	40.2v	0.0v	0.0v	0.0v	0.0v	37.1v	0.0v	0.0v	0.0v	42.4v	253.13v
626	Mr SE Frost	O	0.0v	0.0v	49.2v	35.2v	47.3v	29.2v	0.0v	46.0v	0.0v	0.0v	0.0v	41.2v	247.11v
627	Mr TG Gorvett	T	65.2v	0.0v	32.1v	30.0v	0.0v	30.0v	43.4v	45.2v	0.0v	0.0v	0.0v	0.0v	245.9v
628	Mrs DE Curtis	O	65.2v	0.0v	39.2v	0.0v	0.0v	0.0v	45.2v	44.3v	0.0v	0.0v	0.0v	39.2v	232.11v
629	Mr MG Grimsdell	O	58.0v	65.2v	38.1v	0.0v	37.4v	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	26.0v	224.7v
630	Mr SJ Messenger	T	63.2v	0.0v	41.2v	0.0v	0.0v	0.0v	30.0v	40.0v	0.0v	0.0v	0.0v	35.2v	209.6v
631	Mrs KAN Jack	A	0.0v	0.0v	46.3v	0.0v	0.0v	0.0v	47.3v	45.4v	0.0v	0.0v	0.0v	43.2v	181.12v

632 Mr M Hughes	T	46.0v	0.0v	0.0v	27.1v	26.1v	25.0v	22.0v	22.1v	0.0v	0.0v	0.0v	0.0v	168.3v
633 Mr RD Lindsay	O	70.5v	0.0v	0.0v	0.0v	0.0v	0.0v	46.2v	49.6v	0.0v	0.0v	0.0v	0.0v	165.13v
634 Mr ACJ Van Grondelle	T	68.4v	0.0v	0.0v	0.0v	0.0v	0.0v	48.7v	48.5v	0.0v	0.0v	0.0v	0.0v	164.16v
635 Mr RBC Baker	O	0.0v	0.0v	46.3v	32.4v	0.0v	0.0v	0.0v	48.4v	0.0v	0.0v	0.0v	33.2v	159.13v
636 Lt Col ARK Clayton	T	18.0v	55.0v	0.0v	21.0v	29.0v	0.0v	0.0v	35.1v	0.0v	0.0v	0.0v	0.0v	158.1v
637 Mr MEH Kapusta	T	67.3v	0.0v	0.0v	0.0v	0.0v	0.0v	44.3v	44.4v	0.0v	0.0v	0.0v	0.0v	155.10v
638 Mr F Ahmad	T	0.0v	59.3v	43.2v	0.0v	28.0v	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	130.5v
639 Mr RF Barrington	O	0.0v	0.0v	0.0v	0.0v	45.3v	34.2v	0.0v	0.0v	0.0v	0.0v	0.0v	46.3v	125.8v
640 Mr DTA Cobb	O	0.0v	0.0v	0.0v	30.4v	50.7v	34.5v	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	114.16v
641 Mr V Jain	T	0.0v	0.0v	0.0v	0.0v	39.1v	0.0v	15.0v	7.0v	0.0v	0.0v	0.0v	0.0v	61.1v
642 Dr AE Simpson	O	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	49.5v	0.0v	0.0v	0.0v	0.0v	49.5v