

HM The Queen's Platinum Jubilee Imperial Meeting

Grand Aggregate

		DT	DM	Alex	DC	Times	Wimb	Doyle	Dgall	St. G.	PoW	Lovell	Corp	Total	
1	Mr PM Patel	X	74.8v	75.9v	49.8v	35.5v	50.4v	35.5v	48.4v	50.8v	35.6v	35.3v	35.4v	48.2v	569.66v
2	Mr FWA Coetzee	A	75.13v	75.10v	49.5v	34.4v	50.7v	35.4v	50.9v	50.5v	35.3v	33.3v	33.3v	49.6v	568.72v
3	Mr DC Luckman	X	75.12v	74.11v	50.8v	33.1v	50.8v	35.5v	50.6v	49.8v	35.5v	34.6v	34.5v	48.5v	567.80v
4	Dr GCD Barnett	X	75.7v	73.9v	50.5v	34.5v	50.7v	35.6v	48.5v	50.8v	35.6v	33.3v	35.5v	47.2v	565.68v
5	Mr J Corbett	X	74.11v	75.10v	49.3v	33.2v	50.7v	35.3v	50.7v	48.6v	35.4v	34.4v	32.2v	50.6v	565.65v
6	Mr THD Dodds	X	75.11v	75.13v	49.7v	31.2v	49.4v	34.4v	47.2v	50.7v	35.5v	35.4v	34.3v	49.7v	563.69v
7	Mr CJ Mitchell	X	74.10v	74.6v	50.9v	35.5v	48.6v	34.5v	49.7v	50.9v	35.5v	34.1v	32.0v	47.3v	562.66v
8	Mr MJ Ensor	X	73.6v	74.9v	50.6v	34.4v	48.3v	35.6v	49.7v	49.6v	34.2v	34.0v	33.3v	49.3v	562.55v
9	Miss CA Evans	X	74.8v	74.12v	48.5v	34.6v	50.8v	34.5v	50.7v	50.7v	34.4v	34.3v	34.4v	45.5v	561.74v
10	Dr GP Nelson	X	74.8v	73.8v	50.7v	35.6v	49.5v	34.6v	50.6v	48.5v	34.4v	34.2v	33.2v	47.3v	561.62v
11	Miss JM Hince	X	74.11v	72.9v	48.4v	34.4v	49.5v	35.2v	49.5v	50.6v	34.3v	34.3v	34.5v	48.3v	561.60v
12	Mrs N Rossignol	X	75.8v	74.8v	48.4v	35.4v	50.9v	35.4v	48.4v	49.5v	35.5v	32.2v	33.2v	47.3v	561.58v
13	Mr MC Cooper	X	75.5v	73.5v	49.4v	34.2v	49.2v	35.4v	48.6v	50.7v	35.6v	33.4v	33.1v	47.2v	561.48v
14	Mr JC Jonck	X	74.7v	74.12v	50.6v	33.4v	48.6v	34.5v	48.7v	50.8v	35.3v	32.1v	34.3v	48.5v	560.67v
15	Mr A Ringer	X	74.7v	73.8v	50.6v	35.4v	50.6v	34.1v	50.8v	50.5v	35.5v	32.1v	32.3v	45.1v	560.55v
16	Mr MI Buchanan	X	75.10v	73.12v	49.8v	33.3v	48.3v	34.4v	49.6v	49.6v	35.5v	33.4v	34.3v	47.2v	559.66v
17	Ms RL Furniss	X	74.9v	74.5v	50.9v	33.2v	48.7v	34.4v	50.7v	50.7v	35.3v	35.6v	28.1v	48.5v	559.65v
18	Mr CES Dickenson	A	75.7v	72.10v	49.7v	34.2v	50.9v	35.4v	45.2v	50.7v	33.2v	34.4v	35.4v	47.5v	559.63v
19	Miss CH Cuming	X	70.5v	75.12v	49.4v	35.4v	50.6v	35.6v	50.6v	50.6v	34.4v	35.4v	29.1v	47.4v	559.62v
20	Mr SM Negus	X	75.8v	74.11v	48.5v	35.4v	48.6v	35.4v	47.4v	50.6v	35.3v	31.2v	34.3v	47.4v	559.60v
21	Dr AM Jory	X	74.8v	75.11v	49.4v	33.3v	49.3v	33.2v	49.5v	50.8v	35.4v	35.2v	31.1v	46.4v	559.55v
22	Mr JEM Bellringer	A	73.6v	75.12v	48.7v	33.4v	50.6v	34.5v	50.8v	50.5v	35.3v	34.4v	30.2v	46.5v	558.67v
23	Mr TJD Raincock	X	73.9v	75.11v	49.6v	35.4v	49.7v	34.4v	48.3v	49.7v	35.7v	32.2v	32.3v	47.3v	558.66v
24	Mr CK Kiptarus	A	73.8v	74.10v	50.5v	34.3v	50.8v	34.4v	49.2v	49.5v	35.7v	35.5v	31.2v	44.4v	558.63v
25	Mr JRW Postle	X	74.8v	71.7v	49.7v	35.5v	49.4v	33.3v	49.3v	50.7v	35.6v	31.3v	33.1v	49.6v	558.60v
26	Mr ES Compton	X	75.9v	74.9v	47.1v	34.6v	48.4v	35.4v	50.8v	49.4v	35.6v	32.1v	33.2v	46.4v	558.58v
27	Mr TO Little	A	74.9v	72.7v	50.5v	35.3v	49.6v	33.3v	49.4v	50.6v	35.5v	33.1v	34.5v	44.3v	558.57v
28	Mr DR Armstrong	X	73.8v	73.7v	50.5v	34.1v	48.6v	32.2v	50.4v	50.6v	35.5v	32.3v	33.3v	48.5v	558.55v
29	Capt NJ Ball	X	74.11v	74.10v	49.9v	33.3v	49.6v	34.5v	48.2v	49.6v	35.5v	32.2v	30.1v	50.8v	557.68v
30	Mr RSF Shouler	X	75.7v	73.8v	48.7v	35.6v	49.8v	34.2v	49.7v	48.4v	34.1v	34.5v	30.5v	48.5v	557.65v
31	Mr R Birtwistle	X	74.7v	75.11v	50.6v	34.6v	49.5v	35.3v	47.6v	48.6v	35.4v	30.3v	33.2v	47.5v	557.64v
32	Mr M Button	X	74.8v	74.13v	47.5v	31.3v	49.5v	35.4v	50.5v	50.7v	35.6v	35.1v	30.2v	47.3v	557.62v
33	Mr RC Oxford	X	75.10v	74.11v	50.4v	34.4v	50.4v	34.3v	48.6v	47.3v	35.5v	34.5v	32.2v	44.3v	557.60v
34	Mr TM Drysdale	X	72.5v	72.10v	48.5v	35.6v	49.5v	35.6v	50.5v	48.6v	34.3v	32.2v	33.3v	49.2v	557.58v
35	Mr JR Tuck	X	74.11v	73.7v	50.5v	32.2v	49.6v	35.4v	47.3v	50.4v	35.6v	33.3v	32.1v	47.5v	557.57v
36	Miss JH Messer	X	72.3v	74.7v	48.5v	34.5v	47.6v	35.5v	50.7v	49.5v	33.2v	35.3v	33.2v	47.2v	557.52v
37	Mr ER Welford	X	73.10v	71.4v	49.2v	35.4v	49.4v	35.3v	49.5v	49.5v	35.4v	33.3v	32.3v	47.4v	557.51v
38	Mr JW Alexander	X	74.14v	74.9v	49.5v	34.6v	48.6v	34.5v	46.3v	49.5v	34.3v	33.3v	34.4v	47.4v	556.67v
39	Mr AC Haley	X	74.10v	73.8v	49.8v	35.5v	50.7v	34.3v	50.6v	47.5v	34.5v	31.3v	33.1v	46.3v	556.64v
40	Mr TC Cubitt	X	73.10v	74.13v	50.6v	34.1v	45.3v	33.4v	48.4v	50.6v	35.4v	35.2v	34.4v	45.4v	556.61v
41	Mr ITG Shaw	X	73.9v	70.5v	49.4v	35.3v	49.7v	34.4v	50.5v	49.5v	34.3v	35.4v	33.3v	45.2v	556.54v
42	Mr BZ Danziger	X	74.9v	72.11v	49.8v	34.5v	49.8v	35.3v	45.3v	49.8v	35.5v	33.2v	34.3v	46.1v	555.66v
43	LCpl HG Asquith-Beard	A	74.11v	74.11v	45.3v	34.5v	48.3v	34.3v	50.6v	48.4v	35.6v	35.5v	29.0v	49.5v	555.62v

44	Mr CJ Watson	X	74.9v	71.9v	50.3v	34.3v	48.3v	35.6v	49.5v	50.8v	34.5v	35.3v	28.2v	47.5v	555.61v
45	Mr D Blake	A	73.10v	71.6v	50.7v	35.5v	50.5v	35.2v	49.6v	49.8v	34.3v	32.4v	35.2v	42.2v	555.60v
46	Mr EC Dickson	X	75.10v	74.10v	48.4v	35.5v	48.5v	34.4v	49.4v	48.6v	35.6v	33.4v	30.0v	46.1v	555.59v
47	Mr ANR Walker	X	75.9v	74.8v	48.3v	34.4v	50.8v	32.2v	47.4v	48.3v	32.2v	34.3v	32.4v	49.3v	555.53v
48	Mr JCT Kent	X	73.3v	72.8v	49.3v	35.5v	48.4v	34.4v	49.6v	50.6v	31.2v	31.3v	34.4v	49.4v	555.52v
49	Miss LR Mc Kerrell	A	73.7v	73.5v	50.5v	35.2v	49.6v	35.4v	47.3v	50.7v	33.3v	33.3v	33.2v	44.2v	555.49v
50	Mr M Bumford	X	73.11v	73.10v	49.5v	32.4v	48.6v	35.4v	48.5v	48.5v	35.3v	32.4v	32.2v	49.4v	554.63v
51	Mr MG Whicher	X	74.12v	73.7v	48.6v	35.4v	50.6v	35.4v	46.3v	49.4v	33.3v	35.2v	33.2v	43.5v	554.58v
52	Mr LVGO OFlynn	A	73.8v	74.6v	45.5v	32.3v	49.5v	35.4v	48.6v	48.6v	35.2v	33.1v	33.2v	49.5v	554.53v
53	Mr SNS Penrose	X	73.7v	72.6v	50.6v	34.5v	48.6v	35.3v	46.3v	47.5v	33.4v	34.1v	33.2v	49.2v	554.50v
54	Mr AWC Lothian	O	72.5v	74.7v	49.5v	35.4v	50.9v	35.4v	44.2v	48.5v	34.2v	32.3v	33.1v	48.3v	554.50v
55	Mr JA Watson	X	75.9v	75.11v	44.5v	35.5v	49.9v	34.4v	46.3v	50.5v	35.4v	33.5v	32.3v	45.4v	553.67v
56	Mr PH Costello	A	72.8v	73.9v	49.7v	34.3v	48.7v	33.3v	47.4v	49.8v	34.4v	34.3v	30.2v	50.8v	553.66v
57	Mr TP Shaw	X	71.9v	73.12v	49.5v	34.4v	47.4v	34.4v	49.3v	50.8v	34.5v	33.3v	30.1v	49.6v	553.64v
58	Mrs HA Cook	X	74.9v	75.13v	48.5v	32.3v	49.7v	34.4v	49.3v	49.9v	35.6v	32.2v	29.0v	47.2v	553.63v
59	Miss AP Good	A	73.8v	71.6v	50.6v	35.6v	50.5v	33.3v	50.8v	49.5v	35.4v	32.2v	30.2v	45.4v	553.59v
60	Mr JBG Shepherd	X	74.9v	70.6v	48.3v	35.4v	48.4v	34.5v	50.7v	49.8v	32.2v	33.3v	34.3v	46.4v	553.58v
61	Mr JAM Paton	X	73.8v	74.11v	48.4v	35.3v	50.5v	34.2v	43.1v	50.9v	34.4v	34.5v	34.3v	44.3v	553.58v
62	Mr DE Nuthall	A	74.9v	73.5v	49.8v	35.5v	50.6v	35.3v	47.1v	45.5v	33.3v	33.4v	34.4v	45.3v	553.56v
63	Mr RM Roberts	X	73.6v	72.10v	49.7v	35.3v	50.8v	31.2v	50.4v	50.5v	34.5v	32.2v	34.3v	43.1v	553.56v
64	Miss CE Choquette	A	74.8v	73.10v	47.6v	35.2v	49.5v	32.2v	49.4v	47.4v	33.3v	33.1v	34.3v	47.5v	553.53v
65	Mr PB Bromley	A	74.7v	73.7v	49.3v	34.5v	49.5v	32.2v	47.4v	48.6v	34.3v	32.2v	33.0v	48.5v	553.49v
66	Maj NT Healy	X	74.12v	73.8v	49.7v	34.4v	50.8v	33.3v	49.5v	48.5v	35.5v	34.3v	29.1v	44.3v	552.64v
67	Mr SME Hayton	X	73.7v	72.7v	49.2v	34.5v	49.7v	33.3v	49.6v	50.9v	32.4v	32.2v	32.2v	47.3v	552.57v
68	Mr SJV Osmond	X	73.6v	74.11v	47.4v	34.4v	49.6v	34.3v	48.2v	48.7v	35.5v	31.1v	33.2v	46.5v	552.56v
69	Mr OEJ Spencer	X	74.7v	73.9v	49.6v	35.4v	45.3v	35.3v	50.5v	49.7v	35.6v	33.3v	34.3v	40.0v	552.56v
70	Mr GV Feast	O	72.9v	73.9v	49.5v	32.2v	48.2v	34.2v	49.6v	50.6v	35.4v	33.1v	33.2v	44.5v	552.53v
71	Mr R Stewart	X	74.9v	72.6v	48.5v	34.2v	49.8v	35.4v	47.5v	48.3v	32.3v	34.2v	33.3v	46.2v	552.52v
72	Dr KA Fleck MRCVS	A	74.8v	73.7v	47.5v	35.1v	49.8v	34.4v	48.5v	49.7v	32.1v	33.3v	30.0v	48.3v	552.52v
73	Maj JME Cook	X	69.6v	71.4v	48.4v	34.4v	50.9v	34.3v	47.5v	48.5v	35.4v	34.6v	32.3v	49.6v	551.59v
74	Mr RW Sandlant	A	71.8v	73.10v	47.4v	34.3v	47.2v	35.5v	48.3v	49.6v	34.4v	35.6v	31.2v	47.6v	551.59v
75	Mr JC Evans	X	72.8v	75.9v	46.3v	34.4v	46.2v	34.5v	50.5v	49.3v	32.4v	35.4v	33.3v	45.5v	551.55v
76	Mr JC Underwood	X	73.8v	71.8v	46.2v	33.2v	49.6v	35.6v	49.4v	48.4v	34.4v	35.3v	29.1v	49.6v	551.54v
77	Dr JDS Langley	X	73.4v	72.7v	45.3v	34.1v	50.7v	35.5v	47.5v	48.4v	35.4v	35.3v	31.1v	46.3v	551.47v
78	Cdt LCpl MW Sheridan-Oliver	T	72.5v	72.8v	49.5v	34.3v	49.3v	34.4v	46.3v	50.3v	33.3v	34.2v	30.1v	48.1v	551.41v
79	Dr JO Ahrens	X	75.9v	74.10v	49.5v	34.4v	50.8v	30.4v	46.4v	49.9v	32.3v	35.5v	32.2v	44.3v	550.66v
80	Mr PD Sykes	X	71.5v	73.11v	49.7v	33.4v	48.7v	35.6v	47.4v	46.5v	34.2v	33.3v	34.2v	47.5v	550.61v
81	Mr JD Warburton	X	74.10v	71.8v	48.5v	34.5v	49.6v	35.5v	45.3v	48.4v	35.5v	34.3v	32.3v	45.4v	550.61v
82	Mr S Belither	X	72.8v	73.7v	50.6v	34.2v	49.6v	34.4v	47.4v	49.5v	35.5v	31.3v	34.4v	42.4v	550.58v
83	Mr JEK Pepera-Hibbert	X	74.8v	72.8v	48.5v	31.3v	48.3v	35.3v	50.7v	45.6v	34.4v	33.2v	35.4v	45.3v	550.56v
84	Mr WCP Richards	X	73.9v	73.6v	48.7v	33.3v	49.7v	32.3v	49.6v	48.6v	34.3v	34.2v	32.2v	45.2v	550.56v
85	Mr DA Richardson	X	74.11v	74.10v	49.4v	32.2v	49.8v	33.2v	49.6v	48.2v	32.1v	34.4v	33.4v	43.2v	550.56v
86	Mr RJSG Clark	A	73.9v	71.8v	49.7v	33.2v	49.5v	33.4v	50.5v	47.6v	35.4v	34.4v	31.0v	45.2v	550.56v
87	Mr PM Jory	X	73.9v	73.7v	49.5v	34.5v	49.5v	35.4v	50.5v	49.7v	34.1v	31.1v	30.1v	43.2v	550.52v
88	Mr D Clark	A	74.7v	74.10v	46.3v	33.5v	49.3v	34.3v	46.4v	47.5v	32.3v	34.5v	33.0v	48.3v	550.51v
89	Mr C Fitzpatrick	X	72.6v	72.6v	49.6v	35.6v	49.5v	34.2v	47.4v	50.5v	32.1v	35.2v	33.1v	42.2v	550.46v
90	Mr HJW Waldern	X	74.7v	73.6v	48.3v	31.3v	49.5v	34.3v	48.4v	48.5v	34.3v	34.1v	31.1v	46.4v	550.45v
91	Miss C Halleran	A	71.7v	71.7v	48.5v	35.2v	49.5v	35.3v	49.3v	47.3v	35.0v	35.4v	30.2v	45.4v	550.45v
92	Mr NJ Verduyn	X	71.5v	73.8v	49.4v	33.2v	50.6v	34.4v	47.2v	47.3v	31.1v	35.2v	34.4v	46.2v	550.43v
93	Maj AR McLeod	X	74.8v	72.7v	46.5v	34.5v	50.8v	33.3v	49.5v	48.7v	35.5v	30.0v	30.3v	48.5v	549.61v
94	Mr HJ Golaszewski	X	71.9v	75.12v	48.7v	31.0v	49.8v	35.6v	44.1v	50.5v	35.4v	34.5v	34.3v	43.1v	549.61v
95	Mr CN Tremlett	X	74.9v	71.8v	46.2v	34.3v	50.9v	32.3v	47.3v	50.7v	35.5v	31.2v	32.2v	47.5v	549.58v
96	Mrs SP Thorogood	A	73.7v	74.11v	49.3v	35.5v	48.7v	33.2v	48.5v	50.8v	33.1v	35.3v	33.4v	38.2v	549.58v
97	Mr NRJ Brasier	X	72.5v	72.7v	48.8v	34.4v	50.6v	35.4v	45.3v	46.4v	34.2v	32.2v	33.1v	48.8v	549.54v
98	Mr M Liversage	X	73.9v	73.5v	49.6v	33.1v	47.7v	35.5v	48.5v	46.5v	33.0v	33.1v	31.3v	48.3v	549.50v
99	Dr R Kloosterman	O	71.7v	73.9v	50.5v	35.7v	49.4v	34.3v	48.2v	48.5v	32.2v	31.1v	34.2v	44.3v	549.50v
100	Miss D Brais	O	73.9v	71.8v	49.4v	30.1v	49.4v	34.2v	48.7v	50.4v	34.2v	33.0v	31.2v	47.4v	549.47v
101	Mr T Smith	A	73.6v	73.11v	47.5v	34.3v	49.5v	35.3v	48.5v	48.1v	33.3v	34.2v	32.0v	43.1v	549.45v
102	Mr SAJ Dowley	A	71.3v	71.8v	46.4v	35.4v	49.4v	31.2v	49.3v	49.5v	32.1v	35.3v	35.4v	46.2v	549.43v

103	Mr M Horton-Baker	X	69.3v	71.5v	48.3v	34.4v	48.4v	35.3v	49.3v	46.3v	34.4v	35.3v	33.2v	47.4v	549.41v
104	Mr EA Sewell	X	73.10v	72.7v	47.4v	34.4v	49.8v	33.2v	47.4v	47.6v	33.3v	33.3v	35.5v	45.3v	548.59v
105	Mr ML Millar	X	72.6v	72.9v	46.2v	34.4v	48.7v	35.7v	47.4v	50.5v	34.4v	33.2v	32.2v	45.3v	548.55v
106	Mr D de Vere	A	73.5v	73.7v	48.8v	31.0v	50.5v	33.4v	46.4v	49.4v	34.4v	33.5v	32.3v	46.2v	548.51v
107	Mr CP Weeden	X	73.7v	72.6v	48.6v	34.5v	48.4v	35.4v	46.3v	50.4v	35.4v	34.3v	29.2v	44.2v	548.50v
108	Mr PM Hakim	X	74.11v	73.6v	46.4v	33.2v	46.2v	34.2v	48.5v	50.5v	34.3v	32.3v	32.2v	46.3v	548.48v
109	Miss KJA Johnson	T	71.7v	71.9v	47.5v	35.2v	49.2v	35.3v	48.2v	46.5v	34.4v	35.6v	32.2v	45.1v	548.48v
110	Mr RW Ramage	O	72.8v	71.6v	48.3v	34.2v	48.2v	34.4v	47.3v	49.4v	34.5v	35.3v	34.1v	42.0v	548.41v
111	Mr MW Silver	X	72.8v	74.9v	48.3v	31.2v	50.6v	35.5v	47.6v	48.7v	34.5v	32.1v	30.2v	46.4v	547.58v
112	Mr DA Rose	X	71.6v	74.10v	50.8v	34.3v	47.6v	33.3v	48.5v	50.5v	30.1v	33.4v	30.1v	47.4v	547.56v
113	Mr RAH Vary	X	74.9v	71.8v	47.2v	34.5v	49.6v	35.1v	47.2v	50.8v	34.4v	33.4v	31.2v	42.2v	547.53v
114	Mr TD Dalin	O	72.5v	71.5v	49.7v	35.6v	49.5v	34.4v	48.4v	47.4v	33.2v	34.3v	29.1v	46.3v	547.49v
115	Dr IT Matsumoto	O	74.5v	70.7v	49.3v	34.4v	47.4v	34.4v	48.6v	49.6v	32.2v	33.0v	32.2v	45.4v	547.47v
116	Mr DFP Richards	O	73.8v	74.7v	49.5v	34.3v	48.1v	34.4v	47.5v	47.4v	32.1v	32.2v	30.2v	47.3v	547.45v
117	Mr D Lowe	A	71.4v	74.8v	48.2v	32.4v	49.5v	34.2v	47.5v	48.3v	34.3v	34.3v	31.1v	45.1v	547.41v
118	Miss RL Laird	X	73.10v	71.7v	46.3v	33.2v	48.7v	34.3v	48.4v	49.6v	34.5v	33.2v	34.2v	43.4v	546.55v
119	Mr JGM Webster	A	72.8v	72.6v	50.5v	35.6v	49.8v	34.4v	47.2v	48.5v	34.5v	33.2v	31.1v	41.0v	546.52v
120	Mr RK Edwards	O	68.8v	73.6v	49.5v	33.3v	48.3v	33.1v	45.2v	50.8v	33.2v	35.5v	34.4v	45.3v	546.50v
121	Maj AW Gill	X	75.8v	74.7v	48.7v	33.1v	47.3v	33.3v	46.4v	49.8v	31.1v	32.3v	31.2v	47.1v	546.48v
122	Mr C Mallett	X	73.9v	70.7v	46.3v	34.3v	47.2v	35.4v	49.4v	49.4v	34.4v	33.3v	34.2v	42.2v	546.47v
123	Mr B Colman-Sadd	O	75.11v	72.5v	47.2v	33.4v	47.4v	35.4v	48.3v	47.1v	34.4v	30.1v	33.3v	45.4v	546.46v
124	Mr JA Anderson	A	71.6v	75.6v	50.4v	33.1v	48.5v	35.4v	45.2v	47.3v	30.3v	35.5v	32.2v	45.2v	546.43v
125	Mr HJM Awin	X	74.5v	74.5v	49.6v	34.2v	49.7v	33.2v	45.3v	49.3v	35.4v	29.2v	32.1v	43.1v	546.41v
126	Mr S Hunt	O	70.8v	74.10v	48.5v	32.4v	49.6v	35.5v	46.4v	49.3v	33.2v	35.3v	31.2v	43.4v	545.56v
127	Wg Cdr D Calvert	X	74.6v	74.10v	50.5v	35.7v	49.6v	34.4v	50.6v	47.4v	34.2v	32.2v	33.2v	33.2v	545.56v
128	Mr AJ Jasiak	O	73.8v	71.6v	48.7v	32.3v	46.4v	32.3v	49.6v	47.4v	34.5v	35.1v	34.1v	44.5v	545.53v
129	Capt HCM Bennett	A	72.7v	71.5v	49.4v	35.5v	49.6v	34.6v	48.3v	45.3v	34.4v	33.4v	32.2v	43.3v	545.52v
130	Mr RW Hallows	X	70.8v	73.6v	48.5v	32.2v	48.5v	34.3v	46.5v	49.4v	34.4v	33.2v	31.0v	47.6v	545.50v
131	Mr LS Otundo	O	71.6v	72.8v	49.6v	35.5v	48.4v	34.5v	49.4v	48.2v	33.2v	34.3v	31.1v	41.2v	545.48v
132	Mr RM Hatcher	A	71.4v	73.9v	47.3v	29.5v	48.4v	34.2v	48.6v	48.6v	34.3v	35.4v	33.1v	45.0v	545.47v
133	Mr J Brooking	A	70.8v	72.8v	46.2v	33.2v	48.4v	34.1v	49.5v	50.3v	33.4v	34.3v	29.2v	47.4v	545.46v
134	Mr JWE Lewis	X	71.9v	68.3v	49.4v	35.5v	48.0v	34.4v	49.4v	45.3v	34.3v	33.3v	32.2v	47.5v	545.45v
135	Mr CD Heales	A	70.7v	74.7v	47.5v	35.2v	49.6v	34.3v	48.4v	47.2v	32.2v	33.2v	32.2v	44.3v	545.45v
136	Mr JJ Parsons	A	73.3v	73.10v	46.6v	32.1v	49.7v	35.3v	45.2v	50.1v	34.4v	34.2v	31.2v	43.4v	545.45v
137	Mr RAV Hebblethwaite	A	70.3v	71.6v	49.7v	35.2v	50.7v	34.3v	44.2v	50.4v	35.3v	33.3v	29.1v	45.3v	545.44v
138	Mr PS Holmes	A	72.7v	72.6v	48.5v	35.3v	47.4v	35.2v	46.1v	50.6v	31.3v	34.3v	32.1v	43.1v	545.42v
139	Mr GE Grosskreutz	A	73.6v	70.4v	50.5v	33.1v	47.5v	35.2v	48.4v	49.4v	33.0v	32.1v	29.1v	46.4v	545.37v
140	Mr CR Vonchek	T	72.7v	71.9v	49.6v	34.4v	48.4v	34.4v	47.5v	47.4v	33.4v	31.2v	31.2v	47.3v	544.54v
141	Mr CK Saina	A	71.8v	73.8v	45.3v	33.4v	49.5v	33.4v	50.5v	45.3v	33.5v	32.1v	34.3v	46.4v	544.53v
142	SSGT RH Kitson	X	73.7v	72.7v	49.6v	33.4v	45.4v	34.3v	46.4v	46.4v	34.3v	35.6v	31.2v	46.3v	544.53v
143	Mr RA Dyball	O	72.6v	71.4v	50.8v	31.1v	47.5v	34.3v	43.3v	49.7v	35.5v	31.2v	34.3v	47.5v	544.52v
144	Mr LM Peden	A	70.5v	72.8v	46.5v	33.2v	47.5v	34.3v	47.5v	46.3v	34.3v	35.2v	32.3v	48.4v	544.48v
145	LCpl TJR Roberts	A	74.7v	69.7v	48.4v	33.3v	48.4v	33.4v	46.1v	48.3v	34.3v	34.3v	29.2v	48.6v	544.47v
146	Mr RL Eayrs	A	72.8v	72.7v	48.4v	29.1v	49.6v	35.2v	46.4v	50.6v	34.3v	32.1v	31.3v	46.2v	544.47v
147	Mr NC Mace	X	74.9v	74.5v	48.7v	33.1v	47.3v	33.2v	49.6v	48.2v	34.5v	30.1v	30.2v	44.4v	544.47v
148	Mr GK Alexander	X	71.7v	71.8v	49.7v	35.3v	46.4v	33.2v	48.2v	47.3v	33.3v	33.5v	31.1v	47.1v	544.46v
149	Dr HHGP Pollock	X	73.7v	72.8v	48.5v	34.2v	48.6v	33.3v	49.4v	46.3v	32.2v	34.2v	30.0v	45.4v	544.46v
150	Mr TJ Bullock	X	71.5v	74.10v	45.2v	32.4v	49.4v	33.3v	45.3v	49.4v	34.1v	34.3v	32.2v	46.4v	544.45v

151 Mr CB Cotillard	O	71.2v	69.5v	48.7v	33.3v	49.7v	34.1v	48.5v	49.5v	33.5v	33.2v	31.1v	46.2v	544.45v
152 L Cpl ASO Stewart	O	71.4v	72.11v	47.3v	33.3v	46.3v	34.3v	48.2v	49.6v	35.4v	30.0v	32.0v	47.3v	544.42v
153 Mr J Pugsley MRCVS	X	69.4v	70.4v	49.5v	35.4v	47.3v	34.2v	48.3v	47.3v	33.4v	34.5v	30.1v	48.4v	544.42v
154 Cdt HJ Purslow	T	72.6v	72.5v	47.3v	35.4v	48.1v	33.2v	47.4v	50.6v	32.2v	32.3v	30.2v	46.3v	544.41v
155 Mr FM Mohideen	X	73.6v	74.9v	50.4v	33.1v	49.5v	33.1v	45.2v	48.4v	34.4v	31.2v	30.1v	44.0v	544.39v
156 Mr AI Brown	O	72.7v	69.8v	48.4v	34.5v	48.6v	32.3v	48.6v	49.5v	33.2v	30.2v	31.1v	49.5v	543.54v
157 Mr WH Putter	O	70.6v	70.8v	48.5v	34.3v	49.6v	34.4v	49.5v	50.7v	32.3v	34.2v	32.1v	41.3v	543.53v
158 Mr E Gauvin	A	70.4v	75.12v	49.6v	33.4v	49.6v	34.1v	45.4v	47.3v	33.4v	32.4v	31.2v	45.2v	543.52v
159 Mr SF Brewer-Marchant	O	70.9v	71.4v	47.4v	34.5v	49.3v	33.3v	45.2v	50.9v	31.2v	34.3v	33.3v	46.4v	543.51v
160 Capt MJ Purdy	X	73.6v	72.8v	43.3v	31.2v	49.5v	35.3v	48.7v	47.4v	34.3v	32.4v	32.2v	47.4v	543.51v
161 Mr PA Hatfield	O	73.6v	65.3v	48.5v	34.2v	48.5v	33.3v	48.6v	49.7v	32.1v	33.3v	33.4v	47.5v	543.50v
162 Mr MRM Millar	X	73.9v	73.8v	44.3v	34.2v	50.8v	32.1v	45.4v	48.4v	34.2v	33.4v	31.2v	46.3v	543.50v
163 Mr MR Fugeman	O	72.7v	71.5v	48.5v	34.0v	48.6v	34.3v	47.3v	48.5v	34.5v	32.2v	28.1v	47.6v	543.48v
164 Mr T Mulholland	X	72.8v	71.3v	49.6v	33.2v	49.6v	33.4v	44.2v	48.7v	35.4v	33.1v	30.1v	46.3v	543.47v
165 Mrs HV Golaszewski	O	72.7v	71.7v	47.3v	32.3v	47.5v	32.2v	47.4v	48.5v	35.3v	32.1v	32.2v	48.4v	543.46v
166 Col Sir FC Sykes	O	73.7v	74.7v	45.4v	32.2v	47.3v	33.2v	49.6v	48.5v	34.2v	33.4v	33.3v	42.1v	543.46v
167 Lt Col AM Bell	X	70.6v	74.6v	50.4v	34.4v	50.9v	34.3v	42.1v	46.2v	32.2v	32.1v	33.3v	46.3v	543.44v
168 Mr PM de Voil	A	71.5v	71.7v	49.8v	31.1v	50.7v	33.4v	47.2v	49.3v	35.3v	31.0v	31.0v	45.4v	543.44v
169 Mr MJ Barlow	A	71.8v	72.6v	45.1v	35.2v	46.5v	34.3v	48.5v	49.5v	31.0v	34.4v	32.1v	46.3v	543.43v
170 Mr R Sampson	O	73.5v	71.9v	48.3v	34.3v	46.5v	33.4v	45.1v	48.4v	35.3v	34.3v	29.1v	47.2v	543.43v
171 Dr AE Bromley	A	73.5v	74.10v	49.4v	33.3v	48.6v	33.3v	49.7v	50.4v	32.3v	32.3v	28.1v	41.2v	542.51v
172 Sqn Ldr ME Fray	O	72.7v	73.8v	47.3v	33.2v	48.7v	33.2v	49.4v	46.4v	33.4v	35.6v	27.0v	46.3v	542.50v
173 Mr PA Maher	X	71.6v	73.5v	45.3v	33.4v	45.0v	34.6v	49.7v	48.6v	33.3v	32.2v	31.1v	48.6v	542.49v
174 Mr DJ Curtis	A	70.4v	74.10v	48.5v	34.4v	49.5v	32.3v	43.1v	47.6v	34.2v	32.2v	33.3v	46.4v	542.49v
175 Mr KWD Ramsey	X	74.7v	72.9v	47.3v	33.2v	46.3v	34.4v	46.6v	46.2v	35.3v	31.3v	33.3v	45.2v	542.47v
176 Maj AG McLean	A	71.6v	70.3v	47.5v	35.1v	43.2v	34.5v	49.7v	49.2v	34.6v	30.2v	33.1v	47.4v	542.44v
177 Mr RJS Curtis	X	72.7v	71.5v	46.3v	32.3v	48.4v	34.3v	46.3v	49.4v	35.3v	33.3v	33.4v	43.1v	542.43v
178 Mr SP Harding	A	73.7v	72.7v	48.3v	32.3v	46.3v	33.3v	49.4v	45.3v	33.2v	33.4v	33.3v	45.0v	542.42v
179 Mr LMD Cheek	X	71.5v	73.9v	49.4v	33.3v	46.3v	32.2v	46.5v	49.8v	35.2v	31.0v	29.0v	48.1v	542.42v
180 Mr ORW Russell	X	71.5v	75.4v	49.3v	33.4v	50.6v	34.4v	47.2v	46.3v	34.3v	34.4v	27.1v	42.0v	542.39v
181 Miss KE Milner	A	74.9v	74.9v	45.2v	33.4v	49.8v	34.5v	46.4v	49.6v	33.2v	32.2v	34.3v	38.2v	541.56v
182 Mr DG Young	X	72.7v	71.5v	50.8v	34.5v	48.7v	33.3v	50.6v	49.6v	34.5v	33.1v	30.1v	37.0v	541.54v
183 Cdt FJA Robson	A	71.9v	72.7v	49.4v	34.6v	49.5v	34.4v	43.3v	49.6v	32.1v	31.1v	33.4v	44.3v	541.53v
184 Mr LA Reid	O	72.5v	73.10v	48.4v	35.5v	45.5v	35.4v	50.6v	47.5v	34.3v	31.3v	25.0v	46.3v	541.53v
185 Mr ND Stangroom	A	72.8v	72.8v	44.3v	32.2v	49.5v	32.2v	48.4v	50.7v	33.1v	29.3v	31.3v	49.5v	541.51v
186 Mr NE Harvey	O	73.8v	73.8v	48.3v	30.1v	47.5v	33.4v	49.6v	46.4v	33.1v	31.2v	30.2v	48.5v	541.49v
187 Mr GC Childs	A	70.4v	69.5v	50.5v	32.3v	47.6v	34.4v	47.5v	49.6v	34.3v	32.3v	29.2v	48.3v	541.49v
188 Dr MJ Schwarz	A	69.4v	73.8v	48.4v	34.4v	49.4v	35.3v	48.6v	49.5v	31.2v	30.3v	26.1v	49.4v	541.48v
189 Mr M Hartung	O	68.3v	70.5v	49.5v	31.2v	48.6v	33.3v	49.6v	50.6v	35.4v	32.2v	34.4v	42.1v	541.47v
190 Mr P Dawes	O	73.7v	71.5v	48.4v	33.3v	49.4v	33.1v	49.6v	47.6v	34.4v	33.5v	30.1v	41.1v	541.47v
191 Mr K Crabtree	A	73.4v	70.8v	47.3v	34.4v	48.4v	35.2v	48.4v	48.6v	29.1v	29.3v	31.2v	49.4v	541.45v
192 Miss PA Evans	O	70.4v	74.4v	47.6v	33.4v	50.8v	35.3v	49.4v	48.5v	31.3v	33.3v	32.1v	39.0v	541.45v
193 Pte KN Nichols	O	72.8v	67.6v	48.3v	34.3v	47.4v	34.2v	49.8v	47.3v	32.1v	31.0v	34.1v	46.1v	541.40v
194 Mr MD Jenvey	O	74.7v	73.9v	49.7v	34.6v	50.7v	33.1v	43.4v	50.7v	34.3v	33.3v	28.1v	39.0v	540.55v
195 Mr TS Craig-Fleming	O	74.7v	73.10v	47.5v	33.1v	46.5v	34.4v	45.4v	47.5v	32.1v	30.3v	30.0v	49.7v	540.52v
196 Mr HEJ Welch	O	72.7v	72.10v	46.3v	31.2v	47.5v	33.2v	48.6v	48.4v	34.3v	32.0v	33.3v	44.3v	540.48v
197 Mr J Huber	T	71.5v	71.8v	48.4v	33.3v	47.5v	34.4v	45.3v	44.2v	34.3v	32.2v	32.2v	49.6v	540.47v
198 Mr RA Webb	O	73.5v	73.10v	48.6v	26.3v	47.1v	35.4v	49.5v	47.4v	34.4v	34.1v	33.0v	41.4v	540.47v
199 Mr JA Lindsay III	A	71.7v	72.10v	44.1v	34.2v	50.4v	34.5v	48.6v	48.1v	32.3v	34.4v	29.1v	44.3v	540.47v
200 Miss HPC Bramwell	A	70.7v	71.3v	47.2v	34.4v	49.4v	33.4v	47.4v	49.3v	31.4v	32.3v	31.1v	46.5v	540.44v
201 Mr BA Young	O	71.4v	72.6v	49.4v	33.3v	41.2v	34.2v	49.6v	47.4v	35.5v	34.3v	32.2v	43.2v	540.43v
202 Mr A Pike	O	74.9v	73.9v	49.3v	31.2v	49.4v	35.4v	43.3v	47.3v	35.4v	29.0v	31.0v	44.2v	540.43v
203 Mr MJ Creber	O	68.2v	75.9v	48.6v	34.4v	47.3v	31.2v	47.3v	48.6v	32.1v	34.1v	33.3v	43.2v	540.42v
204 Mr IDC Brechin	O	72.9v	71.4v	47.5v	35.5v	47.5v	35.3v	49.2v	46.1v	33.1v	33.2v	30.2v	42.0v	540.39v
205 Miss JE Ouston	X	68.5v	71.6v	47.5v	35.6v	48.7v	34.3v	50.8v	47.5v	35.5v	33.1v	31.1v	40.1v	539.53v
206 Mr KO Pugh	X	69.4v	70.6v	50.7v	31.2v	44.3v	35.6v	50.8v	47.2v	35.5v	32.3v	31.1v	45.3v	539.50v
207 Dr PR Wheeler	A	72.4v	73.10v	42.4v	30.2v	47.3v	35.4v	48.5v	45.3v	35.5v	33.1v	33.4v	46.2v	539.47v
208 Mr AC Thomson	A	70.5v	69.7v	48.7v	33.2v	48.6v	35.3v	45.4v	48.5v	34.2v	31.1v	31.1v	47.4v	539.47v
209 Mr SD Shouler	A	74.7v	70.9v	50.5v	33.3v	48.5v	35.2v	45.2v	48.5v	31.1v	32.1v	28.1v	45.5v	539.46v
210 Mr HM McCaig	A	74.7v	73.7v	49.6v	24.1v	49.5v	33.1v	49.2v	50.4v	33.5v	32.2v	31.3v	42.3v	539.46v
211 Mr PAE Charlton	A	74.7v	72.7v	46.2v	35.3v	48.7v	34.2v	46.3v	48.3v	33.4v	32.2v	29.3v	42.3v	539.46v

212	Cdt JRL Burch	A	72.4v	71.6v	47.3v	35.6v	46.4v	35.2v	49.8v	47.1v	30.3v	32.2v	29.2v	46.4v	539.45v
213	Mr RE Ellis	O	74.5v	72.9v	44.3v	33.2v	48.8v	35.2v	44.1v	48.4v	32.3v	31.2v	35.3v	43.2v	539.44v
214	Mr AD Le Cheminant	A	70.5v	72.6v	45.3v	35.1v	48.4v	33.4v	48.7v	48.7v	34.4v	32.1v	31.2v	43.0v	539.44v
215	Mr EJ Harriss	T	71.3v	70.4v	46.4v	34.3v	48.6v	33.2v	48.6v	48.6v	34.2v	33.1v	27.1v	47.5v	539.43v
216	Mr AF Jenvey	T	69.6v	72.6v	44.0v	34.2v	49.5v	34.4v	49.6v	43.1v	34.3v	34.1v	31.1v	46.6v	539.41v
217	Mr T Steele	A	69.7v	70.5v	50.5v	34.2v	49.5v	33.2v	46.3v	48.4v	32.2v	33.4v	34.1v	41.1v	539.41v
218	Miss SAM Rorison	O	72.7v	73.3v	48.4v	32.2v	45.3v	35.3v	49.4v	45.2v	34.3v	31.2v	30.3v	45.4v	539.40v
219	Mr RN Stebbings	X	70.6v	73.7v	48.1v	31.3v	49.6v	34.1v	44.1v	50.6v	33.1v	32.3v	34.3v	41.2v	539.40v
220	Mr NNT Kerins	A	69.4v	73.10v	47.4v	34.0v	49.6v	29.0v	44.2v	48.5v	35.4v	34.2v	33.0v	44.2v	539.39v
221	Mr WR Steward	O	74.7v	69.4v	46.1v	35.4v	47.5v	33.2v	49.7v	47.3v	33.3v	33.0v	33.1v	40.1v	539.38v
222	Mr AC Morley	A	71.4v	72.8v	49.4v	31.0v	46.4v	35.4v	50.2v	44.1v	34.4v	31.0v	30.1v	46.4v	539.36v
223	Mr PJ Westlake	A	71.5v	73.6v	49.5v	34.6v	48.4v	31.3v	45.4v	49.5v	33.2v	33.7v	32.1v	40.1v	538.49v
224	Cdt HA Broadhurst	T	73.10v	74.9v	46.3v	32.2v	48.4v	33.3v	48.5v	46.4v	32.3v	34.2v	31.1v	41.2v	538.48v
225	Mr A Eckhardt	T	71.7v	75.9v	44.1v	35.3v	48.7v	34.5v	48.6v	47.4v	33.3v	31.1v	27.0v	45.2v	538.48v
226	Mr GW Woodman	A	73.7v	71.7v	47.4v	32.3v	47.6v	35.3v	46.3v	49.5v	31.2v	32.3v	32.3v	43.1v	538.47v
227	Mr JA Dallas	O	70.5v	70.6v	45.3v	35.5v	47.4v	33.3v	48.4v	46.3v	35.5v	33.4v	32.1v	44.2v	538.45v
228	Mr DK Kirui	O	72.8v	72.5v	46.1v	31.1v	49.6v	31.2v	48.5v	46.2v	34.5v	28.1v	33.3v	48.5v	538.44v
229	Mr DR Le Quesne	X	73.7v	71.7v	46.1v	33.2v	50.2v	34.2v	48.4v	47.7v	32.3v	31.3v	26.2v	47.4v	538.44v
230	Mr JRJ Kennedy	O	71.7v	71.4v	45.0v	31.3v	49.6v	33.3v	49.5v	48.4v	35.5v	32.2v	29.1v	45.3v	538.43v
231	Mr BP Creane	X	74.7v	71.8v	48.4v	33.3v	47.5v	35.3v	50.4v	44.3v	33.3v	32.1v	26.0v	45.2v	538.43v
232	Miss S Ponter	A	67.7v	72.7v	47.3v	33.3v	47.5v	34.4v	47.3v	49.2v	33.2v	32.0v	32.3v	45.3v	538.42v
233	Flt Lt NP Moxon	O	74.5v	72.7v	49.5v	35.5v	45.4v	31.1v	46.4v	44.2v	33.2v	33.3v	31.1v	45.2v	538.41v
234	Mr N Anderson	O	67.5v	72.5v	46.3v	33.1v	49.6v	33.2v	46.2v	43.2v	35.3v	35.4v	30.1v	49.5v	538.39v
235	Mr OM Hudson	O	70.7v	68.2v	47.6v	34.3v	48.3v	33.3v	46.4v	50.3v	35.2v	31.1v	34.3v	42.2v	538.39v
236	Mrs LE Haley	A	73.5v	71.5v	48.4v	34.3v	47.5v	33.4v	47.4v	48.3v	33.3v	32.3v	26.1v	45.4v	537.44v
237	Mr R Shaw	A	70.5v	71.10v	49.3v	34.3v	44.4v	33.2v	45.2v	49.6v	33.2v	32.1v	31.3v	46.2v	537.43v
238	Mr JI Thombola	X	73.8v	70.4v	43.1v	32.4v	50.2v	34.4v	45.4v	48.3v	34.5v	35.5v	27.1v	46.2v	537.43v
239	Mr TP Clarke	A	68.5v	75.10v	40.0v	33.0v	47.5v	34.3v	46.3v	45.3v	32.2v	35.4v	32.2v	50.5v	537.42v
240	Mr KB Hill	A	69.3v	72.6v	44.3v	34.3v	49.7v	35.5v	48.3v	48.4v	33.2v	29.2v	29.0v	47.4v	537.42v
241	Miss LG Taylor	A	74.5v	72.7v	46.3v	30.1v	47.5v	34.2v	43.2v	49.2v	32.3v	32.2v	28.2v	50.7v	537.41v
242	Mr JJ Sauer	O	75.8v	69.5v	43.0v	32.2v	48.4v	34.4v	48.4v	44.4v	34.3v	33.2v	32.3v	45.2v	537.41v
243	Mr NBS Logan	X	69.5v	69.5v	42.1v	35.6v	47.4v	35.5v	49.4v	49.5v	31.1v	34.3v	31.0v	46.2v	537.41v
244	Miss HD Grindon	T	71.6v	74.7v	45.4v	33.2v	48.4v	33.2v	45.1v	48.3v	34.4v	33.2v	33.2v	40.1v	537.38v
245	Mr HB Thomson	A	72.5v	69.4v	48.3v	33.2v	48.2v	33.2v	43.2v	46.3v	33.3v	33.3v	34.1v	45.4v	537.34v
246	Mr D Morris	O	69.4v	70.4v	46.3v	34.4v	49.4v	33.1v	45.3v	49.3v	35.2v	34.3v	28.1v	45.2v	537.34v
247	Miss K Harriss	T	70.8v	69.3v	50.5v	34.3v	49.5v	35.4v	46.3v	47.3v	35.6v	28.1v	28.3v	45.3v	536.47v
248	Miss D Armstrong	A	74.10v	73.7v	43.1v	33.2v	49.7v	33.3v	45.4v	46.2v	35.2v	35.6v	33.2v	37.1v	536.47v
249	Mr L Malcic	A	72.10v	72.2v	47.4v	34.3v	50.7v	33.4v	45.4v	50.3v	35.5v	31.2v	23.1v	44.2v	536.47v
250	Mr RR Tiffin	T	74.8v	72.9v	44.3v	32.3v	48.5v	34.4v	50.3v	47.4v	33.2v	30.2v	27.1v	45.2v	536.46v
251	Mrs SEP Kent	O	73.6v	68.3v	47.4v	35.4v	46.4v	32.3v	50.7v	45.5v	33.1v	31.4v	33.2v	43.0v	536.43v
252	Mr JR Purdy	O	72.5v	69.6v	50.7v	33.1v	49.5v	34.2v	45.3v	50.7v	33.2v	35.3v	27.1v	39.1v	536.43v
253	Mr GL Clarke	O	68.2v	71.8v	48.3v	34.5v	46.3v	32.3v	48.4v	47.2v	31.1v	34.4v	33.4v	44.3v	536.42v
254	Mr T Bryan	O	72.6v	70.8v	49.5v	33.2v	47.4v	31.2v	46.3v	47.5v	33.1v	34.3v	29.2v	45.1v	536.42v
255	Mr GPC Bramwell	A	71.7v	72.6v	50.4v	31.2v	47.2v	34.2v	47.5v	48.5v	33.3v	30.1v	30.1v	43.2v	536.40v
256	Dr SYM Ali	A	73.7v	70.5v	49.4v	32.2v	45.2v	32.2v	47.3v	49.7v	33.3v	31.2v	30.0v	45.2v	536.39v
257	Mr TL Bedwell	A	71.4v	71.6v	49.5v	34.4v	47.4v	32.1v	49.4v	47.3v	32.2v	31.2v	29.1v	44.3v	536.39v
258	WO1 JR Davies	X	73.6v	72.6v	45.3v	32.1v	48.5v	34.3v	47.1v	48.3v	33.4v	33.4v	29.2v	42.1v	536.39v
259	Mr CSP Gray	O	70.4v	66.4v	48.3v	33.5v	47.3v	32.0v	47.4v	49.5v	33.2v	31.1v	34.2v	46.2v	536.35v
260	Mr MJJ Charlton	O	68.2v	71.3v	45.1v	35.4v	47.2v	32.3v	47.3v	47.2v	32.3v	34.3v	32.3v	46.2v	536.31v
261	Mr JA Oakland	O	72.6v	69.5v	47.5v	35.2v	50.7v	29.2v	46.2v	49.6v	35.3v	34.5v	33.4v	36.1v	535.48v
262	Mr JT Foster	X	71.9v	71.3v	46.4v	32.3v	47.4v	34.1v	46.5v	47.5v	32.1v	33.2v	28.2v	48.6v	535.45v
263	Dr MW Wrigley	O	71.6v	71.8v	49.8v	34.4v	47.3v	32.1v	44.2v	47.4v	33.4v	32.1v	33.3v	42.1v	535.45v
264	Mr RJ Mace	O	70.6v	73.5v	45.3v	30.1v	49.6v	34.4v	46.3v	50.6v	35.4v	33.3v	32.3v	38.1v	535.45v
265	Mr AJ Haggerty	X	69.5v	71.7v	48.4v	33.3v	46.3v	32.1v	48.7v	48.3v	33.3v	30.3v	31.1v	46.2v	535.42v
266	Lt Col RHG Riley	A	72.7v	72.6v	48.3v	31.1v	49.7v	33.5v	44.2v	48.2v	33.2v	34.3v	27.0v	44.3v	535.41v
267	Mr B Bullock	O	71.6v	72.8v	48.4v	32.3v	47.3v	35.3v	43.3v	47.2v	31.1v	32.2v	32.2v	45.3v	535.40v
268	Mrs T Newbold	O	71.6v	72.5v	46.3v	33.2v	48.5v	33.3v	48.4v	47.4v	34.4v	32.1v	28.3v	43.0v	535.40v
269	Mr GW Robinson	O	72.6v	70.5v	49.4v	34.3v	44.4v	34.2v	47.2v	49.5v	33.2v	34.3v	28.0v	41.3v	535.39v
270	Mr AM Sadler	X	71.7v	72.6v	48.4v	32.0v	48.4v	33.0v	48.7v	48.3v	34.2v	32.0v	25.0v	44.1v	535.34v
271	Mr EN Munro	O	70.8v	70.6v	47.5v	35.4v	49.7v	33.4v	46.4v	48.3v	34.5v	31.2v	30.1v	41.0v	534.49v

272	Mr EB Robinson	O	72.7v	70.5v	49.6v	32.0v	46.6v	33.3v	48.2v	46.3v	32.2v	32.4v	32.2v	42.4v	534.44v
273	Ms LIS Stewart	T	70.7v	73.6v	46.4v	32.2v	47.3v	30.3v	45.1v	49.2v	34.5v	31.0v	30.2v	47.3v	534.38v
274	Mr ML Cotillard	O	72.7v	74.7v	48.7v	35.2v	45.1v	34.1v	46.2v	49.2v	31.2v	31.2v	28.0v	41.2v	534.35v
275	Mr N Watson	A	71.7v	73.4v	49.3v	33.2v	48.2v	34.3v	45.3v	49.2v	34.4v	34.3v	29.0v	35.2v	534.35v
276	Dr HA Day	X	72.6v	70.7v	46.4v	33.3v	47.5v	34.3v	44.2v	46.4v	34.4v	33.4v	29.1v	45.3v	533.46v
277	Mr AW Hellings	O	70.5v	72.8v	46.4v	35.3v	49.7v	32.3v	49.5v	45.4v	33.2v	33.2v	23.1v	46.0v	533.44v
278	Mr AJ Leech	O	69.5v	70.7v	45.2v	33.5v	48.4v	33.1v	47.6v	45.1v	35.4v	35.3v	34.1v	39.2v	533.41v
279	Mr SC Postins	A	73.7v	69.3v	44.3v	33.3v	46.4v	33.4v	47.4v	48.3v	35.2v	27.1v	31.2v	47.4v	533.40v
280	Mr NM Duncan	O	72.5v	71.7v	42.2v	33.4v	45.3v	33.4v	47.3v	47.5v	34.1v	34.2v	32.1v	43.2v	533.39v
281	Mr CS Lamont	A	71.7v	71.6v	43.3v	32.0v	50.6v	33.1v	46.4v	45.3v	32.2v	35.3v	31.1v	44.2v	533.38v
282	Dr JR Deane	X	72.4v	70.2v	49.5v	32.2v	50.7v	33.4v	43.3v	44.5v	34.2v	33.1v	33.3v	40.0v	533.38v
283	Mr CRM Asquith	A	70.8v	69.5v	46.3v	33.1v	46.4v	33.1v	45.1v	50.6v	30.0v	35.3v	30.0v	46.4v	533.36v
284	Miss KM Butler	T	66.4v	69.4v	48.3v	34.3v	44.2v	34.2v	47.3v	50.4v	33.2v	32.3v	33.3v	43.2v	533.35v
285	Mr TM Stevenson	A	70.3v	71.9v	47.6v	35.4v	49.6v	32.2v	45.3v	43.1v	33.3v	32.2v	27.3v	48.4v	532.46v
286	Mr CR Hirst	O	70.5v	73.8v	42.0v	34.5v	50.3v	34.3v	44.3v	44.3v	34.4v	34.4v	33.4v	40.0v	532.42v
287	Mr MR Horrell	X	70.4v	71.6v	44.3v	30.3v	48.4v	32.4v	47.2v	47.3v	32.0v	34.5v	31.1v	46.4v	532.39v
288	Mr SL Larter-Whitcher	X	75.10v	65.1v	45.1v	32.2v	48.3v	32.1v	47.6v	45.5v	35.5v	32.2v	30.0v	46.3v	532.39v
289	Mr RI Coventry	A	74.10v	67.6v	45.1v	30.2v	46.4v	33.0v	44.3v	48.2v	32.2v	33.2v	33.0v	47.3v	532.35v
290	Mr PJ Temperley	O	73.5v	73.5v	47.5v	29.0v	43.4v	32.0v	46.3v	49.4v	34.2v	34.2v	30.1v	42.2v	532.33v
291	Mr RLER Bird	O	73.8v	69.3v	47.1v	33.4v	48.4v	33.1v	43.3v	48.3v	35.4v	32.2v	31.0v	40.0v	532.33v
292	Mr PD Griggs	X	73.6v	71.7v	50.7v	30.2v	48.5v	32.3v	47.3v	46.4v	35.5v	31.2v	32.4v	36.1v	531.49v
293	Mr MJ Keel	O	74.7v	72.7v	45.5v	27.2v	47.4v	33.2v	47.4v	49.8v	34.4v	30.1v	29.2v	44.2v	531.48v
294	Mr p Wright	T	70.7v	68.4v	44.2v	34.3v	48.6v	35.6v	46.2v	47.2v	33.4v	35.5v	25.0v	46.4v	531.45v
295	Mr AJ Todd	O	70.7v	73.8v	45.1v	32.0v	49.6v	33.5v	50.5v	49.5v	32.2v	33.2v	23.1v	42.2v	531.44v
296	Dr TS Keen	A	71.6v	69.5v	48.3v	33.3v	48.7v	35.4v	44.5v	48.4v	35.2v	34.1v	28.0v	38.1v	531.41v
297	Mr A Key	T	73.8v	69.6v	45.2v	30.0v	48.3v	34.4v	45.2v	47.5v	33.2v	31.2v	27.0v	49.6v	531.40v
298	Mr C Cowen	O	72.4v	71.8v	42.1v	32.1v	49.6v	34.2v	43.2v	49.5v	30.0v	34.5v	30.1v	45.3v	531.38v
299	Mrs LK Mace	A	73.5v	73.6v	48.5v	33.1v	45.1v	33.2v	47.4v	44.3v	33.2v	29.3v	31.2v	42.0v	531.34v
300	Mr PJ Chapman-Sheath	A	70.6v	74.6v	45.3v	33.2v	49.4v	29.2v	43.0v	48.4v	32.1v	32.1v	32.1v	44.3v	531.33v
301	Mr JPL Sweet	A	72.6v	70.5v	47.4v	32.2v	44.2v	33.3v	46.1v	48.2v	34.1v	33.3v	29.2v	43.2v	531.33v
302	Mr RA Welford	X	71.4v	70.4v	48.2v	34.2v	49.3v	31.3v	45.4v	47.5v	32.2v	32.2v	31.1v	41.1v	531.33v
303	Mr TLW Kidner	X	72.5v	72.3v	46.2v	35.4v	43.1v	31.1v	47.1v	47.2v	33.5v	32.0v	29.1v	44.1v	531.26v
304	Cdt LEI Horsman Carpenter	T	72.6v	75.9v	46.5v	33.3v	50.5v	34.3v	46.4v	45.4v	34.2v	35.4v	29.0v	31.3v	530.48v
305	Mr GC Baylis	O	69.5v	70.7v	46.2v	34.5v	48.5v	34.3v	45.4v	47.4v	30.2v	32.3v	29.1v	46.4v	530.45v
306	Mr BDW Parsons	O	72.6v	72.7v	47.4v	33.3v	49.7v	33.1v	49.6v	47.5v	34.2v	29.1v	27.1v	38.2v	530.45v
307	Mr RG Best	O	69.4v	69.3v	43.4v	32.2v	47.5v	32.1v	48.6v	44.4v	33.3v	35.5v	33.4v	45.2v	530.43v
308	Mr MR Rewston	A	69.5v	70.3v	47.4v	34.3v	43.1v	32.2v	47.6v	48.8v	33.4v	33.3v	30.1v	44.2v	530.42v
309	Mr DN Lindsay	O	72.7v	72.6v	46.4v	28.1v	47.5v	34.3v	48.2v	48.4v	33.5v	34.1v	32.3v	36.1v	530.42v
310	Mr DH Acton	A	71.4v	71.6v	46.4v	35.4v	48.7v	32.3v	48.6v	45.1v	28.0v	34.2v	28.2v	44.1v	530.40v
311	Mr CJ Hockley OBE	O	66.4v	73.6v	45.2v	35.6v	48.6v	31.2v	48.3v	47.5v	32.1v	33.2v	27.1v	45.2v	530.40v
312	Mr JM Nippers	O	68.3v	71.5v	48.5v	34.4v	45.5v	31.1v	47.4v	46.2v	31.0v	34.5v	34.3v	41.2v	530.39v
313	Dr EL Sweet	O	69.3v	69.7v	47.2v	33.3v	47.4v	34.1v	46.5v	47.4v	31.2v	33.3v	30.2v	44.3v	530.39v
314	Mr MDE Larcombe	A	64.1v	72.5v	48.4v	33.4v	49.5v	34.2v	44.2v	48.7v	33.2v	32.3v	28.1v	45.1v	530.37v
315	Mr M Reid	O	70.6v	68.4v	45.2v	34.3v	47.3v	34.3v	45.2v	46.4v	34.2v	34.2v	28.0v	45.2v	530.33v
316	Mr APW Daw	A	71.7v	69.4v	48.2v	29.1v	46.3v	34.4v	43.0v	47.4v	33.1v	34.2v	33.1v	43.2v	530.31v
317	Mr OR Farrell	A	69.3v	73.8v	44.3v	31.2v	50.5v	35.3v	48.5v	47.5v	34.4v	32.2v	30.3v	36.2v	529.45v
318	Mr FC Stewart	O	67.3v	71.7v	47.4v	34.6v	46.2v	32.3v	46.4v	48.5v	34.3v	31.2v	32.3v	41.2v	529.44v
319	Miss K Lindsay	O	73.7v	73.8v	47.4v	29.1v	49.7v	33.3v	45.1v	45.0v	33.4v	32.2v	23.2v	47.5v	529.44v
320	Mr CPP Brewin	O	69.5v	71.10v	47.5v	32.1v	46.3v	34.5v	46.3v	47.2v	33.1v	32.3v	29.2v	43.2v	529.42v
321	Dr G Stewart	A	72.5v	60.4v	50.7v	33.3v	45.1v	34.5v	47.2v	47.3v	32.2v	31.2v	34.4v	44.2v	529.40v
322	Mr AR Radkovskii	A	73.8v	72.5v	45.4v	33.4v	46.4v	31.3v	48.1v	46.4v	34.3v	27.2v	31.2v	43.0v	529.40v
323	Mr J Halahan	O	69.5v	71.4v	45.3v	32.2v	46.3v	33.2v	44.3v	46.5v	33.2v	31.1v	29.1v	50.7v	529.38v
324	Mr RJR Mott	A	70.5v	68.5v	48.4v	33.2v	46.2v	30.2v	46.3v	48.6v	33.1v	31.1v	30.1v	46.4v	529.36v
325	Mr PS Gray	O	71.5v	71.3v	47.4v	34.2v	45.3v	32.2v	47.6v	44.0v	31.2v	29.1v	32.3v	46.3v	529.34v
326	Cpl AG Ganesan	T	71.7v	70.6v	46.2v	28.1v	48.4v	33.3v	45.1v	48.5v	32.1v	33.1v	30.1v	45.2v	529.34v
327	Mr K McCamley	X	71.4v	72.6v	47.4v	33.2v	46.3v	31.2v	45.3v	49.3v	31.3v	33.3v	27.0v	44.1v	529.34v
328	Mr CM Bowring	O	72.7v	65.4v	47.2v	33.2v	49.8v	32.4v	49.6v	47.6v	33.3v	30.0v	28.1v	43.3v	528.46v
329	Mr AM Bullen	O	70.6v	71.6v	47.4v	34.3v	46.3v	33.1v	41.5v	47.3v	33.2v	33.2v	35.4v	38.1v	528.40v
330	Mr CM Brooks	O	71.5v	73.6v	48.3v	31.3v	46.3v	34.5v	47.2v	43.1v	29.2v	35.1v	30.2v	41.1v	528.34v
331	Capt AG Stewart	T	70.6v	74.7v	44.3v	35.2v	48.6v	34.4v	46.4v	48.4v	33.4v	29.2v	31.3v	35.2v	527.47v

332	Mr AJH Fowler	A	71.9v	73.9v	42.1v	32.3v	47.2v	34.4v	47.1v	47.4v	33.5v	29.3v	29.2v	43.3v	527.46v
333	Mr F Lawry	T	73.4v	74.6v	45.3v	32.0v	44.1v	33.4v	49.4v	48.7v	30.2v	33.4v	25.1v	41.4v	527.40v
334	Mr PG Newman	O	70.6v	73.6v	45.6v	28.1v	48.4v	34.5v	41.1v	47.2v	33.2v	33.3v	27.0v	48.3v	527.39v
335	LCpl GWS Wood	T	67.4v	69.4v	43.4v	33.2v	48.6v	33.1v	46.4v	48.3v	33.4v	33.1v	33.3v	41.3v	527.39v
336	Mr R. Winney	O	69.4v	67.5v	45.3v	34.4v	46.4v	35.3v	46.3v	47.2v	30.2v	33.3v	29.0v	46.4v	527.37v
337	Mr RF Burden	O	70.2v	68.3v	47.5v	34.3v	43.2v	33.3v	47.7v	48.5v	32.0v	32.4v	30.0v	43.3v	527.37v
338	Mr DA Pitcairn	A	70.3v	69.2v	48.4v	30.1v	46.2v	33.2v	47.4v	45.4v	33.4v	30.2v	30.3v	46.5v	527.36v
339	Mrs GL Rantile	O	69.4v	73.8v	45.2v	32.2v	44.4v	32.2v	44.1v	46.2v	33.3v	34.4v	30.1v	45.3v	527.36v
340	Mr EWV Feast	A	71.5v	70.4v	48.6v	31.1v	50.4v	33.1v	44.3v	44.3v	32.3v	30.1v	31.2v	43.2v	527.35v
341	Mr RD Morin	O	71.3v	69.6v	45.4v	33.2v	44.1v	31.3v	45.2v	48.6v	33.2v	31.1v	28.0v	49.4v	527.34v
342	Mr NS Roberts	O	68.4v	68.4v	42.1v	33.3v	49.1v	35.4v	46.4v	46.1v	35.3v	31.2v	32.2v	42.3v	527.32v
343	Mr JR Stirland	O	70.4v	70.5v	47.0v	32.3v	46.4v	30.1v	49.5v	47.2v	28.1v	34.4v	34.3v	40.0v	527.32v
344	Cdt GG Green	T	68.2v	70.4v	45.2v	30.2v	48.3v	33.2v	43.0v	49.5v	33.3v	31.2v	31.2v	46.2v	527.29v
345	Mr RM McKenna	T	68.6v	69.7v	46.5v	32.0v	49.3v	32.1v	48.8v	48.5v	35.4v	32.3v	23.1v	44.3v	526.46v
346	Mr WB Ross	O	73.8v	71.5v	47.2v	34.4v	49.6v	35.3v	41.3v	43.2v	33.2v	31.2v	30.1v	39.2v	526.40v
347	Mr JM Taylor	X	70.5v	71.4v	42.2v	32.2v	48.5v	34.5v	47.3v	46.4v	33.4v	31.2v	29.0v	43.2v	526.38v
348	Wg Cdr JR Lindsay	O	73.8v	72.6v	48.3v	31.4v	46.3v	31.1v	43.0v	44.1v	32.5v	31.1v	31.4v	44.1v	526.37v
349	Mr KMR Rivoallan	T	68.3v	70.6v	47.5v	35.2v	49.5v	33.4v	43.2v	48.5v	32.2v	32.1v	23.0v	46.2v	526.37v
350	Miss M Beaton-Jaramillo	X	70.5v	71.8v	44.4v	30.1v	49.4v	35.4v	44.1v	48.2v	35.4v	29.1v	27.0v	44.2v	526.36v
351	Mr RG Woodger	X	70.2v	71.5v	45.4v	33.2v	48.6v	33.3v	43.3v	41.0v	31.2v	34.2v	30.1v	47.2v	526.32v
352	Mr SP OBrien	A	69.3v	72.6v	44.2v	32.1v	44.2v	33.4v	48.5v	47.2v	30.0v	33.2v	31.2v	43.2v	526.31v
353	Miss AJ Carnell	A	72.7v	72.7v	43.2v	33.2v	48.6v	31.1v	44.2v	47.5v	34.3v	30.0v	28.2v	43.3v	525.40v
354	Mr RR Warren	O	60.2v	74.8v	44.2v	33.3v	48.2v	33.1v	44.5v	48.6v	35.4v	32.3v	32.2v	42.1v	525.39v
355	Mr A Honey	T	67.6v	69.6v	48.4v	34.1v	45.3v	34.3v	48.6v	45.3v	33.1v	31.2v	25.0v	46.4v	525.39v
356	Mr TJ Johnston	A	69.4v	71.8v	45.2v	32.3v	47.3v	34.5v	47.1v	48.4v	33.1v	32.3v	27.2v	40.2v	525.38v
357	Dr AJ Pilgrim	A	69.3v	69.5v	45.1v	34.3v	47.4v	35.6v	46.5v	48.0v	33.4v	33.3v	27.0v	39.3v	525.37v
358	Miss OR Ross	T	67.3v	72.6v	46.3v	32.1v	42.1v	35.5v	46.4v	47.2v	34.4v	34.2v	31.4v	39.1v	525.36v
359	Miss N Murrin	T	71.6v	75.8v	47.2v	34.1v	45.5v	31.3v	41.2v	49.2v	30.2v	28.1v	32.1v	42.2v	525.35v
360	Mr RW McVeigh	O	68.2v	71.4v	45.3v	32.2v	49.7v	33.3v	49.4v	43.1v	34.4v	30.1v	29.2v	42.1v	525.34v
361	Mr OMJ Taylor	T	72.4v	67.1v	45.3v	32.3v	45.2v	34.2v	44.3v	45.2v	31.1v	33.4v	31.3v	46.3v	525.31v
362	Cdt Cpl JB Cheetham	T	68.4v	71.5v	48.5v	27.3v	49.7v	33.3v	41.0v	47.4v	32.3v	33.2v	29.2v	46.3v	524.41v
363	Mr JD Dugas	X	72.3v	67.5v	36.3v	34.3v	49.5v	34.3v	46.3v	50.6v	33.3v	32.3v	29.0v	42.3v	524.40v
364	Mr R Roche	A	65.3v	69.5v	46.0v	32.2v	47.5v	34.4v	46.4v	46.3v	34.4v	33.2v	31.2v	41.3v	524.37v
365	Flt Lt RJ Clegg	T	72.4v	71.6v	48.2v	30.1v	48.6v	30.0v	44.6v	47.3v	33.2v	31.2v	26.1v	44.4v	524.37v
366	Mr NJ Atkins	A	71.3v	70.5v	47.4v	33.2v	48.5v	33.3v	42.0v	46.3v	32.1v	33.4v	26.1v	43.4v	524.35v
367	Mr B Vary	T	71.4v	73.7v	46.3v	31.3v	43.1v	33.4v	45.2v	46.4v	32.2v	28.1v	30.1v	46.2v	524.34v
368	Mr LR Irungu	T	69.3v	68.3v	49.3v	33.2v	46.4v	32.1v	46.3v	43.2v	32.2v	32.2v	30.1v	44.1v	524.27v
369	Mr SDJ Glanville	X	66.3v	70.1v	48.5v	32.2v	39.1v	32.2v	48.2v	47.3v	35.5v	33.2v	30.0v	44.0v	524.26v
370	Mr SD Glen	A	71.7v	70.5v	47.4v	32.1v	45.4v	28.1v	41.1v	47.6v	33.2v	31.2v	32.4v	46.2v	523.39v
371	Cdt G Clarke	T	65.1v	69.4v	43.2v	35.6v	50.5v	34.3v	44.2v	47.7v	31.2v	34.3v	32.2v	39.1v	523.38v
372	Mr BN Craig	O	63.1v	71.8v	47.5v	32.0v	46.3v	34.3v	45.3v	43.1v	31.2v	32.3v	31.2v	48.6v	523.37v
373	Mr C Koros	O	70.5v	69.5v	46.3v	28.1v	49.3v	33.3v	46.3v	47.3v	33.4v	31.1v	30.4v	41.2v	523.37v
374	Mr MA Kirkillo-Stacewicz	A	67.4v	68.5v	46.2v	33.3v	46.4v	32.2v	44.4v	46.2v	30.1v	28.1v	34.3v	49.4v	523.35v
375	Mr JRD Clegg	O	69.3v	69.4v	47.6v	33.4v	47.1v	31.1v	47.4v	46.3v	33.2v	30.1v	31.0v	40.3v	523.32v
376	Miss P Hobbs	T	65.6v	67.3v	44.4v	33.4v	47.4v	33.3v	43.4v	48.4v	35.5v	31.2v	30.1v	46.3v	522.43v
377	Mr A Moldoveanu	T	68.6v	71.7v	49.6v	32.3v	50.7v	30.2v	46.4v	46.4v	30.1v	26.0v	28.1v	46.1v	522.42v
378	Mr A Poulton	T	73.7v	72.7v	43.0v	33.3v	48.3v	33.3v	40.1v	42.2v	33.1v	30.2v	31.3v	44.3v	522.35v
379	Cdt A Patel	T	67.4v	71.6v	47.4v	34.4v	50.5v	33.1v	44.2v	47.2v	33.2v	31.2v	29.0v	36.1v	522.33v
380	Miss ICN Cox	T	69.7v	72.2v	47.4v	32.1v	46.2v	30.0v	41.2v	44.1v	35.3v	32.4v	30.3v	44.2v	522.31v
381	Dr B Soelzer	T	66.3v	68.2v	45.4v	35.6v	46.2v	30.0v	47.2v	46.5v	32.3v	33.1v	32.1v	42.0v	522.29v
382	Mr ACN Khan	T	65.0v	73.3v	45.2v	33.4v	41.1v	33.1v	45.1v	50.6v	33.4v	29.1v	31.3v	44.2v	522.28v
383	Mr RJ Hodgson-Jones	T	70.5v	74.8v	45.3v	34.4v	43.1v	33.4v	46.3v	50.3v	33.3v	31.2v	25.0v	37.2v	521.38v
384	Mr AR Le Quesne	T	68.5v	70.6v	44.2v	35.3v	48.3v	31.2v	43.1v	46.4v	34.1v	32.2v	28.2v	42.3v	521.34v
385	Wg Cdr CM Fopp	O	70.3v	66.2v	47.5v	32.2v	47.3v	32.2v	47.3v	47.4v	33.4v	31.3v	25.1v	44.2v	521.34v
386	Mr S Murray	X	69.5v	66.3v	46.3v	33.3v	48.4v	33.1v	42.1v	48.5v	30.1v	32.2v	33.2v	41.2v	521.32v
387	Mr EK Ngetich	O	74.6v	67.4v	45.4v	33.1v	46.2v	32.1v	43.0v	47.3v	31.2v	30.3v	28.1v	45.4v	521.31v
388	Cdt GM Bohn	T	69.3v	69.6v	44.1v	32.3v	47.3v	33.2v	47.5v	45.4v	30.0v	30.2v	26.0v	49.1v	521.30v
389	Miss T Myagkova	O	71.5v	68.4v	44.1v	32.2v	45.3v	32.1v	46.4v	45.5v	33.2v	32.0v	33.2v	40.0v	521.29v
390	Mr AG Harrison	O	71.7v	72.7v	44.3v	29.5v	48.4v	32.1v	48.5v	44.1v	31.1v	29.1v	33.2v	39.3v	520.40v
391	Mr MJ Stewart	T	70.5v	68.5v	48.6v	30.2v	44.1v	30.0v	48.7v	47.4v	33.4v	30.0v	33.3v	39.2v	520.39v

392	Mr B Wood	A	67.5v	69.4v	45.4v	29.3v	45.4v	32.1v	47.3v	49.5v	32.1v	31.3v	29.1v	45.1v	520.35v
393	Ms I Mundia	T	67.3v	67.2v	48.5v	34.5v	49.4v	27.3v	45.3v	40.1v	33.1v	33.3v	30.2v	47.2v	520.34v
394	Mr JD Thorp	O	66.2v	66.7v	48.4v	32.1v	49.5v	33.2v	48.1v	45.5v	31.1v	33.4v	25.1v	44.1v	520.34v
395	Cdt TA Peters	T	68.3v	70.6v	45.4v	32.1v	46.3v	32.4v	44.3v	49.5v	34.4v	29.0v	30.0v	40.3v	519.36v
396	Mr JJ Beddoe	T	64.2v	66.1v	43.2v	34.4v	48.5v	33.1v	47.4v	43.3v	32.1v	31.3v	35.5v	43.4v	519.35v
397	Miss KA Hinkly	T	69.3v	68.3v	46.6v	34.4v	42.1v	33.2v	46.4v	43.2v	32.1v	32.2v	32.3v	42.3v	519.34v
398	Mr BAM Hebblethwaite	O	72.6v	67.3v	46.2v	33.3v	47.5v	34.5v	44.1v	44.1v	31.4v	29.0v	30.0v	42.1v	519.31v
399	Mr RA Benest	O	71.3v	69.4v	37.2v	32.2v	48.2v	33.2v	47.4v	43.1v	35.4v	34.3v	28.0v	42.3v	519.30v
400	Cdt L Tallinn	T	64.2v	72.5v	45.5v	31.1v	48.0v	34.4v	47.5v	43.1v	33.3v	30.1v	34.1v	38.1v	519.29v
401	Mr CI Pawlik	O	70.4v	65.4v	47.3v	32.1v	45.3v	35.2v	44.1v	49.3v	31.2v	31.3v	30.1v	40.2v	519.29v
402	Mr ISL Dampney	O	68.3v	70.4v	48.3v	31.1v	41.1v	33.3v	45.3v	48.6v	35.1v	30.1v	28.0v	42.1v	519.27v
403	Mr CP Goad	O	74.7v	64.6v	45.4v	34.4v	44.5v	33.4v	44.4v	47.1v	32.2v	27.1v	33.1v	41.2v	518.41v
404	Mr EGH Atkins	O	70.4v	71.5v	47.5v	33.3v	45.4v	30.1v	46.3v	45.4v	31.2v	32.4v	27.0v	41.2v	518.37v
405	Drum Maj. RJ Cooper	T	68.6v	69.3v	43.2v	32.2v	46.1v	34.1v	46.4v	45.3v	33.0v	30.3v	31.1v	41.4v	518.30v
406	Mr MHN Palmer	X	71.5v	66.4v	49.4v	30.1v	44.0v	34.3v	46.2v	48.5v	30.2v	34.2v	27.1v	39.1v	518.30v
407	Mr IW Robertson	A	67.3v	71.3v	48.3v	34.3v	44.2v	32.2v	46.4v	44.0v	33.1v	31.1v	25.1v	43.0v	518.23v
408	Mr J Scheuerl	T	66.5v	69.6v	44.3v	29.1v	46.4v	32.1v	43.3v	47.4v	34.6v	30.2v	28.2v	49.2v	517.39v
409	Mr CAJ Crosby	A	70.6v	74.7v	46.3v	33.1v	50.6v	33.2v	43.3v	46.4v	31.2v	32.3v	28.1v	31.0v	517.38v
410	Mr CP Judge	O	71.6v	68.6v	43.3v	32.2v	48.3v	29.2v	45.4v	47.3v	33.1v	32.2v	30.2v	39.0v	517.34v
411	Mr MR Clewer	O	65.3v	70.5v	43.2v	30.0v	46.4v	32.1v	47.5v	44.3v	30.1v	34.4v	30.1v	46.4v	517.33v
412	Mr JT Kennedy	O	68.3v	69.4v	42.1v	35.5v	48.6v	31.2v	39.0v	44.2v	33.2v	32.3v	34.3v	42.1v	517.32v
413	Cdt BJ Hunt	A	71.3v	69.3v	47.5v	31.1v	43.1v	33.4v	49.6v	46.3v	29.1v	32.2v	30.0v	37.3v	517.32v
414	Lt Col CST Lehmann	O	70.3v	70.6v	44.3v	31.2v	45.1v	29.1v	43.1v	48.1v	32.1v	34.0v	33.4v	38.0v	517.23v
415	Mr PA Goubert	O	69.6v	70.6v	45.2v	34.5v	44.4v	32.1v	45.2v	46.4v	31.3v	30.1v	25.2v	45.4v	516.40v
416	Mr AR Betts	O	67.4v	71.8v	43.3v	32.3v	44.4v	32.2v	43.3v	45.2v	30.2v	34.2v	32.2v	43.3v	516.38v
417	Mr K Kousetta	T	66.6v	69.4v	49.5v	35.1v	46.3v	35.3v	45.3v	49.3v	32.4v	32.3v	26.1v	32.0v	516.36v
418	Mr RJ Quay	O	67.1v	69.4v	44.3v	33.4v	49.7v	31.3v	43.1v	47.4v	31.0v	31.1v	29.0v	42.2v	516.30v
419	Mr DA Roberts	O	70.5v	67.2v	45.3v	35.3v	48.3v	34.2v	40.1v	46.2v	31.2v	33.3v	25.1v	42.0v	516.27v
420	Cpl T Phillimore	T	72.1v	69.3v	47.3v	31.1v	38.0v	32.4v	48.2v	46.3v	34.3v	27.2v	26.1v	46.1v	516.24v
421	Mr HP Nippers	T	71.2v	65.4v	44.3v	35.4v	48.5v	27.1v	41.3v	49.7v	33.4v	26.0v	28.2v	48.5v	515.40v
422	Brig AJW Sturrock	O	64.3v	68.3v	42.3v	35.6v	47.5v	30.4v	46.5v	44.1v	33.2v	32.3v	32.1v	42.2v	515.38v
423	Mr P Carvell	T	70.6v	70.4v	45.3v	28.1v	45.3v	35.3v	39.0v	47.5v	29.1v	32.3v	34.3v	41.3v	515.35v
424	Mr LR Coventry	O	70.7v	66.5v	46.3v	32.2v	47.2v	33.2v	38.1v	47.3v	32.2v	29.1v	31.1v	44.2v	515.31v
425	Mrs R Merridew	O	66.1v	72.5v	47.5v	32.2v	44.4v	32.2v	43.4v	46.2v	31.1v	30.2v	32.1v	40.1v	515.30v
426	Mr DJ Stewart	O	69.3v	70.5v	46.2v	31.1v	47.3v	32.2v	47.5v	45.1v	31.2v	29.0v	21.0v	47.5v	515.29v
427	Mr AC Barrell	O	70.5v	67.3v	42.5v	32.0v	45.2v	32.2v	45.2v	47.4v	34.2v	33.1v	25.0v	43.2v	515.28v
428	Cdt Sgt SF Oldridge	T	69.2v	73.5v	43.0v	34.3v	47.2v	27.1v	48.4v	44.2v	34.2v	28.2v	24.0v	44.4v	515.27v
429	Mr RM Culverwell	O	68.5v	69.0v	46.3v	31.2v	45.2v	34.4v	46.1v	43.3v	33.1v	29.0v	24.1v	47.2v	515.24v
430	Mr OJ Hughes	T	67.5v	72.7v	46.5v	32.1v	49.6v	33.2v	41.2v	45.3v	32.2v	30.0v	23.0v	44.2v	514.35v
431	Cdt R Wang	T	68.7v	68.3v	46.2v	34.4v	45.3v	34.5v	39.0v	42.1v	33.2v	32.2v	29.1v	44.4v	514.34v
432	Mr S Kasica	T	68.4v	69.6v	48.3v	29.3v	41.2v	30.2v	50.3v	44.1v	33.1v	31.2v	32.3v	39.0v	514.30v
433	Mr ER Bosse	O	59.4v	70.7v	46.4v	31.0v	48.7v	33.4v	45.3v	48.3v	34.2v	34.1v	29.3v	36.2v	513.40v
434	Mr F Weir	T	64.5v	70.5v	46.5v	32.2v	47.3v	31.1v	45.2v	42.4v	33.2v	31.2v	27.0v	45.2v	513.33v
435	Mr JH Smith	X	69.2v	68.1v	40.0v	34.3v	48.6v	31.2v	47.2v	45.4v	29.0v	29.0v	27.2v	46.2v	513.24v
436	Mr TR Webster	O	70.4v	67.3v	48.2v	32.2v	41.0v	30.1v	43.2v	45.2v	34.3v	33.3v	29.0v	41.1v	513.23v
437	FS JJ Joomun	T	71.6v	72.7v	44.2v	30.1v	43.2v	33.4v	44.2v	45.2v	34.3v	27.2v	22.0v	47.3v	512.34v
438	Mr AJ Le Cheminant	O	70.5v	71.8v	44.4v	32.2v	47.4v	34.2v	43.1v	38.2v	31.2v	32.1v	27.1v	43.1v	512.33v
439	Mr JE White	O	71.7v	69.6v	43.3v	33.2v	46.3v	33.4v	42.2v	43.0v	33.2v	33.1v	26.0v	40.2v	512.32v
440	Miss NE Barnes	O	63.3v	73.6v	44.2v	35.5v	48.4v	32.1v	45.1v	41.1v	30.2v	29.2v	30.1v	42.2v	512.30v
441	Mr AAS Singh	T	68.4v	68.7v	43.0v	31.2v	45.3v	31.1v	46.5v	42.1v	29.1v	32.2v	28.0v	49.0v	512.26v
442	Mr GD Palmer	A	74.5v	73.7v	47.5v	34.3v	50.6v	32.1v	46.3v	48.3v	31.3v	34.5v	0.0v	42.2v	511.43v
443	Mr PK Kapkundos	O	68.5v	70.6v	40.1v	31.2v	46.3v	34.3v	46.2v	48.4v	32.4v	29.2v	26.2v	41.1v	511.35v
444	Mr CJ Monk	T	70.7v	71.4v	45.3v	33.3v	48.4v	34.2v	40.3v	41.2v	31.0v	30.1v	22.0v	46.4v	511.33v
445	Mr NC Granger	O	71.5v	69.2v	45.4v	33.2v	47.3v	31.2v	40.1v	47.2v	32.3v	26.1v	25.0v	45.5v	511.30v
446	Mr AF Donald	O	67.3v	70.6v	45.3v	28.0v	45.4v	33.1v	41.2v	48.2v	33.1v	28.0v	28.0v	45.3v	511.25v
447	Mr S Pearson	O	72.2v	74.5v	46.3v	31.3v	49.5v	34.3v	45.1v	47.4v	33.2v	33.2v	0.0v	46.3v	510.33v
448	Mr JMB Baldwin	O	68.5v	68.6v	46.1v	32.2v	48.2v	32.2v	39.2v	46.4v	33.3v	31.2v	28.0v	39.1v	510.30v
449	Dr M Raps	O	69.5v	66.6v	48.3v	33.1v	47.4v	31.1v	44.2v	44.3v	30.1v	31.3v	29.1v	37.0v	509.30v
450	Mr DA Smith	O	68.3v	68.6v	44.2v	32.2v	42.1v	34.1v	42.2v	44.2v	32.3v	31.3v	32.3v	40.0v	509.28v
451	Mr RK Sheead	O	66.3v	69.5v	41.0v	34.3v	43.2v	31.2v	46.3v	47.3v	30.2v	30.1v	30.0v	42.1v	509.25v

452	Cpl RE Warden	T	71.3v	70.5v	43.1v	34.2v	44.4v	30.1v	46.2v	43.1v	31.1v	32.3v	27.0v	38.1v	509.24v
453	Mr DJS Studholme	T	69.3v	69.4v	46.1v	30.1v	44.2v	32.0v	46.1v	42.3v	30.2v	31.0v	26.2v	44.2v	509.21v
454	CSgt OJ Frost	T	69.4v	67.3v	45.4v	35.4v	47.6v	19.0v	47.4v	50.4v	34.3v	32.3v	26.1v	37.0v	508.36v
455	Mr TM Green	O	72.9v	65.1v	47.5v	33.4v	44.2v	32.1v	42.2v	43.3v	32.3v	32.1v	29.0v	37.1v	508.32v
456	Mr S McGinnis	O	71.8v	64.2v	41.0v	33.2v	44.0v	27.1v	49.7v	47.5v	30.2v	28.1v	32.0v	42.2v	508.30v
457	Mr AJD Saunders	O	65.3v	68.3v	41.2v	35.2v	47.3v	30.0v	49.4v	44.2v	31.2v	28.0v	29.6v	41.3v	508.30v
458	Mr D Colegate	T	66.2v	70.5v	44.3v	32.0v	42.1v	34.2v	48.4v	44.2v	32.2v	29.1v	25.1v	42.1v	508.24v
459	Mr ARN Kinross	O	68.3v	65.4v	43.1v	32.2v	45.2v	32.1v	46.4v	42.3v	33.2v	31.1v	28.0v	42.2v	507.25v
460	Mr PJ Dudzinski	O	67.1v	72.2v	40.0v	34.4v	46.1v	28.1v	42.1v	46.3v	33.5v	28.3v	25.0v	46.3v	507.24v
461	Mr ATB Tompson	O	71.9v	74.12v	49.3v	0.0v	43.6v	34.3v	46.2v	48.6v	33.2v	31.1v	33.4v	44.2v	506.50v
462	Cdt Sgt TRE White	T	72.5v	72.9v	48.1v	33.1v	50.5v	33.2v	47.4v	45.3v	30.1v	0.0v	34.1v	42.2v	506.34v
463	Miss SL Josling	T	71.3v	70.6v	46.3v	29.1v	48.7v	33.2v	44.3v	45.5v	33.4v	34.0v	9.0v	43.0v	505.34v
464	Cdt JJ Weir	T	63.4v	67.1v	36.0v	31.3v	49.6v	32.1v	49.4v	39.0v	31.1v	33.0v	31.1v	44.2v	505.23v
465	Mr P Osmond	T	68.2v	66.3v	44.2v	33.3v	47.5v	29.0v	40.1v	43.2v	32.1v	31.2v	28.0v	44.2v	505.23v
466	Mr CJ Denham	T	70.5v	61.2v	47.2v	31.1v	44.2v	32.1v	46.3v	45.2v	32.2v	28.1v	27.1v	42.0v	505.22v
467	Dr BJ Winney	A	71.7v	71.5v	48.4v	0.0v	45.4v	35.3v	45.2v	49.6v	35.3v	33.2v	28.3v	44.2v	504.41v
468	Miss F Mahoney	T	67.6v	68.6v	45.3v	33.3v	47.3v	33.2v	33.1v	46.1v	29.2v	33.3v	34.1v	36.1v	504.32v
469	Mr W Morriss	T	63.4v	70.5v	45.3v	28.1v	47.3v	32.2v	45.4v	46.3v	35.3v	31.1v	30.2v	32.1v	504.32v
470	Mr GR Thomas	O	64.3v	70.4v	45.2v	29.0v	47.5v	32.2v	43.1v	46.0v	34.4v	29.2v	31.2v	34.1v	504.26v
471	Mr JM de Bruijn	O	67.3v	66.4v	48.4v	32.2v	45.4v	29.0v	42.1v	44.3v	33.1v	27.0v	27.0v	44.3v	504.25v
472	Mr SJ Bates	O	68.3v	73.10v	44.3v	33.3v	41.0v	33.3v	35.2v	43.4v	34.2v	30.0v	30.2v	39.1v	503.33v
473	Mr CSTJ Marlow	O	71.4v	68.6v	42.2v	30.1v	42.1v	31.2v	41.2v	43.0v	31.2v	29.1v	30.1v	44.2v	502.24v
474	Cdt LG Skingley	T	74.8v	68.4v	50.5v	31.2v	47.5v	34.2v	46.3v	44.3v	34.2v	32.2v	0.0v	41.2v	501.38v
475	Miss A Downie	T	68.5v	63.4v	42.1v	35.3v	46.4v	31.2v	40.0v	46.3v	31.2v	34.4v	27.0v	38.1v	501.29v
476	Cdt OW Rankin	T	62.2v	69.7v	44.1v	29.1v	44.2v	34.2v	45.2v	47.4v	34.3v	31.3v	21.0v	41.1v	501.28v
477	Miss S Frost	T	67.3v	71.6v	41.3v	31.0v	48.4v	32.2v	47.3v	38.1v	29.0v	31.1v	30.3v	36.0v	501.26v
478	Mrs A Soelzer-Hermes	A	62.2v	70.2v	43.1v	28.0v	49.4v	26.0v	48.5v	42.3v	31.1v	31.2v	31.2v	40.1v	501.23v
479	Mr JG Trembath	A	70.6v	73.7v	47.4v	30.2v	48.4v	32.2v	46.2v	47.6v	34.5v	0.0v	26.0v	47.4v	500.42v
480	Mr TM Booth	T	63.1v	68.8v	48.4v	26.0v	46.1v	33.1v	44.3v	43.3v	35.5v	18.2v	29.3v	47.2v	500.33v
481	WO SR Parker	T	68.4v	67.4v	43.3v	29.1v	45.3v	30.2v	43.3v	42.1v	33.1v	27.1v	25.0v	48.4v	500.27v
482	Mr W Mulholland	O	69.3v	70.5v	42.2v	30.2v	46.3v	30.2v	39.1v	42.1v	31.1v	31.3v	33.2v	37.2v	500.27v
483	Mr EHB Ervine	T	67.3v	66.4v	44.0v	31.1v	44.2v	32.2v	47.5v	46.2v	28.0v	29.0v	25.0v	41.1v	500.20v
484	Miss KE Pope	O	74.8v	72.10v	45.4v	32.2v	50.8v	34.4v	49.6v	0.0v	33.3v	33.3v	31.0v	46.3v	499.51v
485	Mr PJ Holden	O	69.8v	65.2v	42.1v	32.3v	44.1v	28.2v	39.3v	47.6v	30.2v	32.2v	29.0v	42.3v	499.33v
486	Mr RS Johnson	T	68.5v	70.4v	46.3v	27.1v	47.4v	32.2v	42.1v	47.3v	32.1v	33.1v	16.1v	39.3v	499.29v
487	Mr HD Werner	T	71.8v	66.1v	47.5v	34.2v	42.1v	32.3v	46.3v	46.5v	29.2v	33.3v	32.3v	20.1v	498.37v
488	Mr J Kahtava	T	73.3v	66.2v	43.4v	33.1v	46.4v	30.0v	43.2v	42.1v	31.1v	31.1v	27.1v	33.1v	498.21v
489	Mr SW Maris	O	70.6v	73.8v	49.7v	33.3v	50.6v	34.2v	47.2v	0.0v	34.3v	31.1v	33.4v	43.2v	497.44v
490	Miss BR Digance	T	66.4v	69.5v	46.3v	31.2v	43.1v	31.0v	37.2v	44.3v	31.1v	33.4v	22.0v	44.1v	497.26v
491	Fg Off LS Crisp	T	68.3v	68.6v	41.2v	31.1v	42.2v	27.0v	45.2v	47.4v	32.1v	33.2v	23.1v	40.2v	497.26v
492	Miss A Fung	T	66.3v	69.3v	42.2v	29.2v	43.2v	32.2v	46.4v	41.0v	31.1v	30.3v	23.2v	45.1v	497.25v
493	Miss A Ross	T	67.3v	61.1v	47.4v	31.1v	46.4v	31.3v	47.2v	45.2v	29.1v	29.0v	27.1v	37.1v	497.23v
494	Mr WJM Bacon	T	70.4v	71.3v	39.1v	33.2v	41.1v	33.2v	44.2v	45.2v	32.2v	29.2v	23.1v	37.1v	497.23v
495	Mr JAMM Ingham	T	65.4v	66.2v	44.3v	18.1v	43.3v	31.0v	46.6v	47.5v	31.2v	32.1v	31.2v	42.2v	496.31v
496	Mr LC Schwarz	T	68.3v	66.1v	42.2v	31.2v	46.4v	29.0v	30.2v	47.4v	30.0v	33.2v	31.3v	43.3v	496.26v
497	Mr U Soelzer	O	65.0v	65.3v	46.2v	29.0v	42.3v	32.3v	44.3v	42.2v	32.1v	29.2v	26.1v	44.3v	496.23v
498	Mr GAE Larcombe	O	72.5v	71.3v	45.3v	33.2v	46.3v	30.1v	46.4v	46.5v	0.0v	34.4v	30.1v	42.0v	495.31v
499	Mr ML Kirkillo-Stacewicz	O	65.3v	67.3v	43.2v	32.3v	46.3v	27.0v	47.2v	44.3v	31.1v	30.0v	30.1v	33.5v	495.26v
500	Mr S A Hunting	O	68.3v	65.2v	46.1v	35.3v	47.1v	34.2v	39.3v	42.2v	29.2v	33.2v	33.2v	24.1v	495.24v
501	Dr CW Freeman	O	68.4v	67.5v	45.2v	32.1v	41.1v	32.2v	46.3v	40.1v	31.2v	26.0v	28.1v	39.0v	495.22v
502	Mr TJR De La Cour	A	69.1v	72.5v	48.3v	31.2v	44.2v	32.2v	46.6v	47.4v	0.0v	34.3v	31.1v	40.2v	494.31v
503	Mr A Zhang	T	56.1v	72.6v	44.0v	30.1v	43.1v	34.2v	40.1v	46.2v	28.0v	28.0v	27.1v	46.4v	494.19v
504	Miss AKM Morriss	O	68.6v	70.4v	48.3v	32.2v	49.5v	0.0v	43.4v	47.3v	34.4v	30.0v	32.1v	40.1v	493.33v
505	Mr SH Dickson	O	73.6v	65.4v	48.6v	29.1v	43.2v	32.2v	47.4v	46.1v	0.0v	30.2v	34.2v	46.1v	493.31v
506	Dr G Stevenson	O	66.4v	68.3v	47.4v	32.2v	44.5v	28.1v	42.3v	43.4v	23.0v	31.2v	26.0v	43.3v	493.31v
507	Mr HM Dodds	T	69.6v	69.5v	40.0v	32.1v	43.3v	31.3v	41.0v	31.1v	33.0v	28.3v	29.2v	47.2v	493.26v
508	Mr A Sainter	O	62.2v	68.5v	42.2v	29.1v	42.1v	32.3v	39.2v	40.2v	30.1v	33.3v	29.2v	45.3v	491.27v
509	Mr A White	T	67.6v	68.6v	41.2v	34.1v	39.1v	31.2v	47.5v	40.1v	32.2v	29.1v	23.1v	39.1v	490.29v
510	Miss EM Robinson	T	65.3v	68.2v	48.5v	33.1v	40.0v	33.1v	44.1v	40.3v	32.4v	30.1v	26.0v	31.4v	490.25v
511	Mr RM Smith	T	65.3v	65.1v	46.3v	32.4v	43.1v	30.1v	45.4v	40.2v	29.2v	28.2v	27.0v	40.1v	490.24v

512	Mr T Snaith	T	68.4v	68.6v	44.2v	31.2v	42.0v	33.1v	39.0v	46.5v	32.2v	28.2v	27.0v	32.0v	490.24v
513	Miss AL Gibbs	T	64.3v	64.1v	45.2v	25.0v	44.2v	31.2v	40.1v	46.3v	33.3v	28.1v	27.1v	43.1v	490.20v
514	Mr OJ Biddle	T	62.0v	66.3v	44.3v	31.1v	48.5v	28.0v	39.1v	41.1v	32.2v	30.1v	27.1v	42.1v	490.19v
515	Mr R Richards	T	66.2v	66.2v	41.1v	34.3v	44.1v	31.2v	40.2v	43.1v	30.1v	30.2v	26.1v	39.1v	490.19v
516	Mr LM Mutegi	T	68.4v	61.1v	39.0v	33.2v	43.1v	30.1v	40.3v	44.6v	30.1v	32.1v	31.0v	38.3v	489.23v
517	Wg Cdr MJ Gregory	O	68.5v	61.2v	47.4v	31.2v	38.1v	31.0v	41.1v	47.3v	32.4v	30.2v	15.1v	47.5v	488.30v
518	Mr J Caldwell	T	68.6v	72.9v	46.3v	32.2v	50.4v	33.2v	49.5v	0.0v	32.2v	33.3v	33.3v	38.0v	486.39v
519	Mr LA Lawrence	T	70.3v	69.7v	45.3v	32.2v	39.1v	34.3v	32.3v	41.0v	24.2v	31.3v	27.0v	42.1v	486.28v
520	Mr TWL Le Huray	T	63.1v	70.6v	45.2v	32.3v	36.1v	33.4v	42.2v	45.1v	28.0v	28.2v	29.1v	35.1v	486.24v
521	Cdt AJD Germain	T	65.2v	65.1v	49.5v	30.1v	45.3v	30.0v	45.2v	42.0v	27.0v	29.1v	30.0v	29.0v	486.15v
522	Mr HP Noss	O	66.4v	63.2v	40.0v	32.2v	46.3v	29.1v	43.3v	42.2v	28.2v	32.3v	29.3v	35.2v	485.27v
523	Mr N Stebbings	O	67.5v	66.4v	43.1v	29.2v	40.1v	30.0v	45.4v	41.3v	27.0v	32.4v	29.2v	36.0v	485.26v
524	Mr JE Fraser	O	58.4v	65.2v	41.2v	32.1v	45.2v	29.2v	43.3v	44.2v	30.2v	30.1v	27.0v	41.2v	485.23v
525	Mr RT Turner	T	69.3v	63.5v	47.4v	32.1v	37.0v	32.2v	42.1v	36.0v	31.0v	31.0v	30.0v	35.0v	485.16v
526	Mr SER Cherry	O	67.2v	71.3v	45.4v	32.1v	48.3v	0.0v	32.1v	50.4v	35.1v	33.1v	29.1v	42.2v	484.23v
527	Dr CI Johnston	A	71.6v	72.7v	48.3v	34.4v	50.7v	34.6v	46.3v	49.6v	34.5v	0.0v	0.0v	45.4v	483.51v
528	Mr RB Fitzsimmons	A	6.0v	72.9v	49.5v	35.6v	47.8v	34.3v	46.3v	45.3v	32.2v	34.4v	35.3v	48.4v	483.50v
529	Mr SA Thomas	X	68.5v	73.10v	47.2v	32.2v	48.6v	35.3v	49.5v	48.4v	34.3v	0.0v	0.0v	49.5v	483.45v
530	Miss AR Xu	T	65.0v	64.4v	36.1v	34.2v	43.1v	33.3v	42.3v	41.2v	24.1v	31.1v	25.0v	45.4v	483.22v
531	Mr GJ Lake Coghlan	T	66.3v	67.6v	42.1v	33.3v	45.3v	33.3v	47.5v	46.4v	0.0v	32.4v	27.1v	44.1v	482.34v
532	Mr RP Snaith	T	64.1v	68.4v	41.2v	32.0v	41.3v	31.4v	47.4v	41.0v	28.1v	33.3v	20.0v	36.0v	482.22v
533	Miss GI Williams	T	66.4v	70.5v	44.1v	33.2v	46.5v	32.5v	43.2v	43.1v	33.3v	29.1v	0.0v	42.3v	481.32v
534	Mr O Henry	X	65.3v	69.3v	45.1v	22.0v	43.3v	33.3v	44.3v	49.4v	24.2v	16.0v	28.1v	42.3v	480.26v
535	Mr MH Shaw	O	67.2v	72.5v	47.4v	33.2v	45.0v	33.3v	43.2v	0.0v	33.2v	33.2v	33.2v	41.1v	480.25v
536	Mr D Wild	T	59.0v	62.1v	44.3v	32.2v	42.2v	32.3v	42.1v	42.1v	27.1v	32.3v	22.1v	44.5v	480.23v
537	Mr AP Clark	T	68.1v	67.2v	45.2v	32.2v	46.2v	29.3v	45.4v	44.1v	0.0v	30.2v	31.3v	43.0v	480.22v
538	Mr IR Reeves	O	65.4v	66.2v	38.2v	31.1v	42.3v	30.0v	44.1v	43.1v	27.0v	31.2v	23.2v	40.2v	480.20v
539	Mr H Sanders	A	74.8v	71.7v	46.4v	33.2v	49.4v	34.4v	47.5v	49.8v	32.2v	0.0v	0.0v	44.0v	479.44v
540	Mr J Magalhaes	T	68.5v	72.8v	44.4v	32.3v	48.5v	28.0v	44.3v	44.1v	34.4v	0.0v	20.0v	45.2v	479.35v
541	Mr JMA Thompson	X	71.2v	73.8v	46.3v	34.5v	48.6v	33.3v	47.5v	48.5v	30.0v	0.0v	0.0v	48.5v	478.42v
542	Mr OJC Christy	T	65.0v	71.4v	37.0v	27.0v	47.5v	30.1v	40.0v	34.0v	26.1v	33.3v	31.3v	37.0v	478.17v
543	Miss KE Farley	T	65.6v	72.7v	41.3v	32.3v	46.4v	30.1v	46.7v	46.2v	31.2v	0.0v	32.2v	35.1v	476.38v
544	Cdt LM Hart	T	69.3v	70.7v	41.1v	32.1v	45.4v	31.1v	41.4v	43.3v	31.0v	0.0v	31.2v	39.0v	473.26v
545	Cdt G Baker	T	64.5v	66.2v	36.0v	30.2v	38.2v	33.2v	34.1v	45.5v	33.2v	29.1v	22.0v	42.2v	472.24v
546	Mr NR Lewington	T	70.2v	60.0v	38.5v	31.1v	44.5v	28.1v	32.0v	43.1v	31.2v	28.0v	34.3v	33.0v	472.20v
547	Miss LF Yates	T	62.5v	64.3v	42.2v	35.5v	44.3v	31.2v	40.1v	32.2v	24.1v	28.1v	23.1v	46.4v	471.30v
548	Cdt TZ Maxwell Randeria	T	69.6v	68.6v	40.1v	33.4v	42.2v	31.2v	41.1v	48.6v	32.2v	31.0v	29.0v	7.0v	471.30v
549	Mr A Wild	T	68.3v	59.4v	42.3v	31.1v	38.0v	25.0v	48.4v	38.1v	31.1v	34.5v	25.2v	32.0v	471.24v
550	Mr JN Prout	T	67.4v	67.5v	43.3v	31.1v	35.2v	32.2v	35.1v	43.1v	31.2v	26.0v	32.2v	29.0v	471.23v
551	Mr AF Chidlow	T	56.0v	60.2v	43.1v	30.1v	39.2v	24.0v	42.3v	42.2v	31.2v	30.1v	31.2v	43.1v	471.17v
552	Mr MK Townsend	O	66.1v	68.2v	44.1v	33.2v	0.0v	31.1v	47.5v	43.3v	31.1v	30.1v	33.3v	44.2v	470.22v
553	Lt Col MD Yates	T	65.5v	69.3v	32.1v	31.2v	38.0v	22.0v	47.5v	39.2v	29.1v	29.1v	26.2v	41.2v	468.24v
554	Mr CAS Shelley	T	65.3v	65.2v	45.2v	29.1v	44.3v	27.1v	34.1v	42.2v	22.0v	29.0v	29.0v	37.1v	468.16v
555	C/Sgt H Anselm	T	67.2v	53.0v	42.1v	33.2v	39.1v	23.0v	43.2v	43.3v	27.0v	30.1v	29.0v	39.2v	468.14v
556	Cdt SR Bladon	T	64.1v	66.3v	36.0v	31.0v	39.0v	30.0v	43.1v	43.3v	25.0v	31.3v	21.1v	39.0v	468.12v
557	Mr P Waldron	O	67.1v	70.4v	42.3v	26.1v	47.2v	29.1v	42.2v	41.4v	29.0v	0.0v	27.0v	46.3v	466.21v
558	Mr DP Chalmers	T	70.5v	69.3v	43.2v	29.1v	41.3v	32.2v	45.2v	45.2v	32.1v	28.0v	32.0v	0.0v	466.21v
559	Mr TAE Dorey	T	62.2v	58.0v	33.0v	29.2v	42.1v	29.0v	40.1v	44.1v	31.1v	30.1v	30.1v	38.1v	466.11v
560	Miss LI Hughes	T	57.1v	57.2v	40.2v	28.2v	44.1v	32.1v	43.1v	43.3v	31.2v	27.1v	27.0v	36.1v	465.17v
561	Mr JJ Dixon	T	65.5v	68.3v	44.2v	30.0v	46.5v	0.0v	40.1v	44.2v	27.1v	32.3v	24.1v	44.2v	464.25v
562	Sgt HD Quilliam	O	71.6v	65.8v	47.4v	31.2v	47.5v	29.1v	44.2v	48.6v	34.4v	0.0v	0.0v	47.2v	463.40v
563	Mr NR Wells	O	65.4v	68.4v	44.1v	32.1v	46.3v	31.1v	0.0v	46.3v	32.0v	35.6v	31.0v	32.1v	462.24v
564	LCpl EC Wang	T	63.4v	63.2v	37.3v	29.1v	36.0v	32.2v	35.2v	44.1v	25.1v	31.2v	26.1v	41.3v	462.22v
565	Mr NRN Shutt	O	71.5v	68.6v	48.2v	35.5v	48.6v	33.1v	49.1v	47.2v	0.0v	31.1v	0.0v	30.1v	460.30v
566	Mr TFJ McDowell	T	66.1v	65.2v	40.2v	31.0v	43.2v	32.2v	45.3v	34.1v	17.0v	25.1v	31.3v	31.0v	460.17v
567	Mr AJ Chapman-Sheath	T	62.2v	68.3v	44.1v	27.1v	37.1v	30.1v	34.0v	42.3v	28.2v	26.2v	27.1v	30.0v	455.17v
568	Mr KC Thorne	T	65.3v	67.5v	42.2v	24.1v	33.0v	32.1v	42.1v	37.0v	29.0v	29.2v	28.1v	26.0v	454.16v
569	Mr L Hinkly	T	70.2v	64.1v	38.2v	32.1v	38.2v	29.2v	27.0v	43.2v	29.2v	28.0v	29.0v	25.1v	452.15v
570	Mr BJ Page	O	69.3v	69.3v	48.2v	32.1v	43.1v	26.1v	41.4v	45.2v	33.2v	0.0v	0.0v	45.2v	451.21v
571	Mr LF Robson	T	65.3v	57.0v	40.1v	26.1v	39.1v	30.4v	43.2v	22.0v	32.2v	31.1v	29.3v	34.0v	448.18v

572	Mr WW Liu	T	62.4v	67.3v	41.2v	28.1v	38.1v	31.2v	38.1v	39.1v	25.0v	26.0v	20.0v	31.1v	446.16v
573	Mr EJ Young	T	64.2v	64.1v	0.0v	31.0v	42.1v	32.2v	39.2v	47.4v	29.1v	28.1v	27.1v	42.1v	445.16v
574	Mr DGM Coleman	X	70.6v	72.5v	48.8v	32.2v	47.6v	0.0v	46.5v	48.6v	34.2v	0.0v	0.0v	47.1v	444.41v
575	Mr MJS Gerhardt	A	69.5v	71.3v	47.5v	33.4v	41.2v	33.2v	43.3v	46.3v	0.0v	31.0v	0.0v	29.0v	443.27v
576	Mr BJ Le Cheminant	X	71.5v	74.10v	44.1v	31.1v	49.3v	0.0v	46.5v	50.5v	33.3v	0.0v	0.0v	44.2v	442.35v
577	LCpl JH Sale	T	61.3v	67.1v	27.1v	30.1v	42.3v	20.0v	38.1v	39.0v	28.0v	28.1v	19.0v	42.1v	441.12v
578	Mr SD Douglas	X	64.3v	64.2v	42.3v	9.0v	41.1v	29.1v	44.2v	37.0v	30.2v	30.0v	26.0v	20.0v	436.14v
579	Mr A Hazelton	T	71.4v	0.0v	49.8v	31.1v	48.6v	34.0v	45.3v	49.9v	26.0v	34.2v	0.0v	46.3v	433.36v
580	Mr WFO Montgomery	T	58.3v	62.1v	45.2v	29.1v	37.1v	28.1v	45.4v	34.0v	26.3v	17.0v	23.1v	28.0v	432.17v
581	Mr TS McDowell	O	65.3v	71.6v	47.4v	0.0v	45.4v	0.0v	46.1v	49.3v	32.0v	0.0v	26.0v	45.3v	426.24v
582	Miss KC Moody	T	63.3v	63.2v	45.0v	30.2v	45.2v	33.2v	10.0v	40.2v	0.0v	30.2v	27.1v	40.2v	426.18v
583	Sgt IC Jones	T	62.3v	61.1v	44.2v	32.3v	38.1v	30.2v	41.1v	42.3v	29.1v	0.0v	0.0v	43.1v	422.18v
584	Cdt LK Crosby	T	61.1v	68.4v	23.0v	29.1v	40.1v	26.0v	43.1v	45.1v	27.1v	31.1v	15.0v	12.0v	420.11v
585	Cdt SR Hall	T	61.2v	44.0v	36.0v	34.1v	40.2v	32.2v	41.0v	43.2v	26.1v	29.1v	0.0v	33.1v	419.12v
586	Miss M Williams	T	59.3v	59.2v	36.0v	32.1v	36.1v	18.0v	33.1v	36.1v	31.2v	30.1v	22.0v	26.0v	418.12v
587	Mr OD de Gruchy	A	66.3v	69.6v	48.6v	27.1v	47.6v	0.0v	38.1v	45.2v	32.4v	0.0v	0.0v	43.3v	415.32v
588	Mr MP Watkins	A	71.8v	70.6v	45.3v	0.0v	0.0v	0.0v	46.2v	48.6v	29.2v	33.3v	29.1v	43.1v	414.32v
589	Mr MV Gosling	T	56.0v	58.1v	35.1v	26.0v	37.0v	27.0v	30.1v	27.1v	28.2v	27.1v	27.1v	36.0v	414.8v
590	Sgt GDD Godwin-Austen	T	68.4v	64.3v	37.2v	31.2v	40.3v	32.1v	0.0v	40.0v	29.0v	31.3v	0.0v	40.0v	412.18v
591	Miss DS Hume	O	71.8v	0.0v	49.4v	34.2v	49.2v	0.0v	49.5v	49.5v	33.4v	0.0v	31.3v	45.1v	410.34v
592	Miss CJ Stirling	T	0.0v	62.1v	41.1v	27.2v	43.2v	35.3v	43.3v	42.1v	29.1v	31.1v	22.0v	33.1v	408.16v
593	Miss RJH Piper	T	62.2v	67.1v	42.3v	0.0v	47.3v	0.0v	43.2v	45.4v	31.2v	0.0v	32.1v	38.3v	407.21v
594	Mr CM Mckenna	T	60.3v	55.0v	33.2v	26.0v	36.1v	24.0v	31.0v	32.2v	25.0v	26.0v	21.1v	38.2v	407.11v
595	Miss K Thomas	T	61.0v	57.2v	43.1v	26.1v	44.3v	26.2v	0.0v	40.1v	29.1v	23.1v	24.0v	33.1v	406.13v
596	Mr OJ Scott	T	0.0v	64.2v	43.1v	31.1v	42.1v	0.0v	47.1v	44.4v	34.2v	31.2v	26.2v	41.3v	403.19v
597	Mr JA Hopkins	T	61.2v	0.0v	38.1v	32.0v	44.4v	32.2v	37.2v	42.2v	24.0v	28.0v	31.3v	34.0v	403.16v
598	Mr MJ Dowe	T	69.5v	71.8v	32.0v	33.2v	44.2v	28.0v	42.2v	41.3v	0.0v	0.0v	0.0v	40.2v	400.24v
599	Mr OM Pryke	T	70.6v	68.6v	37.5v	31.2v	0.0v	0.0v	43.1v	44.2v	30.1v	31.3v	0.0v	45.2v	399.28v
600	Mr K Gladding	O	61.2v	56.1v	36.2v	28.0v	41.0v	31.3v	44.2v	42.2v	31.1v	26.0v	0.0v	3.0v	399.13v
601	Mr HC Adams	T	69.4v	68.6v	45.1v	34.2v	49.5v	0.0v	40.2v	43.3v	0.0v	0.0v	0.0v	46.4v	394.27v
602	Cdt E Chambers	T	71.5v	74.9v	48.4v	0.0v	0.0v	0.0v	44.5v	49.4v	31.0v	32.3v	0.0v	43.4v	392.34v
603	Mr RA Jobson	O	70.6v	0.0v	41.3v	34.2v	50.9v	31.1v	42.2v	47.6v	35.5v	30.2v	0.0v	0.0v	380.36v
604	Miss L Hetherington	T	58.0v	53.1v	28.0v	28.1v	32.1v	26.0v	27.1v	42.3v	30.2v	31.2v	24.0v	0.0v	379.11v
605	Dr T Pantke	O	71.6v	72.6v	46.0v	0.0v	45.3v	28.0v	47.3v	37.2v	29.0v	0.0v	0.0v	0.0v	375.20v
606	Cdt T Janelid	T	72.7v	0.0v	44.2v	33.3v	41.1v	26.2v	41.2v	44.0v	28.1v	0.0v	0.0v	41.0v	370.18v
607	Lt TJ Westmaas	O	0.0v	66.7v	46.3v	32.2v	43.2v	0.0v	43.4v	0.0v	29.1v	28.1v	34.2v	43.3v	364.25v
608	Mr JPS Bloomfield	X	71.9v	69.4v	48.5v	35.4v	0.0v	0.0v	49.5v	45.3v	0.0v	0.0v	0.0v	46.1v	363.31v
609	Mr GRP Shapland	O	62.4v	68.4v	45.4v	0.0v	0.0v	0.0v	44.5v	48.3v	31.3v	0.0v	29.0v	35.2v	362.25v
610	Mr DRM Tuke	T	52.1v	60.2v	32.0v	22.0v	39.1v	22.0v	31.1v	20.0v	22.1v	16.0v	15.0v	31.1v	362.7v
611	Mr JS Ritchie	O	65.3v	63.3v	42.2v	0.0v	0.0v	0.0v	48.3v	45.1v	30.0v	0.0v	30.0v	38.0v	361.12v
612	Mr KR Trowbridge	O	73.9v	70.4v	44.2v	0.0v	0.0v	0.0v	46.4v	42.4v	32.3v	0.0v	0.0v	47.3v	354.29v
613	Miss CY Gregory	T	68.2v	67.0v	42.1v	13.0v	41.1v	29.1v	46.4v	45.4v	0.0v	0.0v	0.0v	0.0v	351.13v
614	Mr DH Allen	O	68.5v	68.5v	45.2v	0.0v	0.0v	0.0v	45.2v	46.5v	30.2v	0.0v	0.0v	46.4v	348.25v
615	Sgt I Hunt	T	73.4v	0.0v	47.2v	0.0v	46.4v	33.3v	40.0v	47.4v	28.0v	0.0v	28.1v	0.0v	342.18v
616	Mr DHW Dashwood	O	73.5v	73.6v	49.4v	0.0v	0.0v	0.0v	45.2v	46.7v	0.0v	0.0v	0.0v	48.4v	334.28v
617	Mr TG Gorvett	T	65.2v	0.0v	32.1v	30.0v	0.0v	30.0v	43.4v	45.2v	34.2v	30.2v	25.1v	0.0v	334.14v
618	Mr JRJ Hinde	O	72.7v	74.9v	49.9v	0.0v	0.0v	0.0v	49.6v	45.2v	0.0v	0.0v	0.0v	44.3v	333.36v
619	Miss AMG Ogilvie	A	72.7v	72.6v	46.1v	0.0v	0.0v	0.0v	48.6v	48.7v	0.0v	0.0v	0.0v	44.2v	330.29v
620	Mr JR Allum	O	70.5v	71.7v	47.3v	0.0v	0.0v	0.0v	47.6v	46.0v	0.0v	0.0v	0.0v	46.3v	327.24v
621	Mrs DE Curtis	O	65.2v	0.0v	39.2v	0.0v	0.0v	0.0v	45.2v	44.3v	32.1v	31.1v	31.1v	39.2v	326.14v
622	Mrs MM Norman	O	72.4v	68.8v	44.3v	0.0v	0.0v	0.0v	45.4v	46.2v	0.0v	0.0v	0.0v	43.1v	318.22v
623	Mr PD Pelly	O	53.0v	64.2v	46.3v	0.0v	0.0v	28.0v	43.3v	43.3v	0.0v	0.0v	0.0v	32.1v	309.12v
624	Miss CA Mills	T	64.2v	49.0v	41.0v	30.0v	40.3v	0.0v	0.0v	43.2v	0.0v	0.0v	0.0v	36.0v	303.7v
625	Miss EN Smith	T	69.4v	65.2v	40.2v	0.0v	0.0v	0.0v	0.0v	37.1v	26.0v	0.0v	0.0v	42.4v	279.13v
626	Mr SE Frost	O	0.0v	0.0v	49.2v	35.2v	47.3v	29.2v	0.0v	46.0v	30.1v	0.0v	0.0v	41.2v	277.12v
627	Mr MG Grimsdell	O	58.0v	65.2v	38.1v	0.0v	37.4v	0.0v	0.0v	0.0v	27.0v	0.0v	26.1v	26.0v	277.8v
628	Dr N Hart	O	71.5v	70.4v	47.2v	0.0v	0.0v	0.0v	0.0v	46.4v	0.0v	0.0v	0.0v	38.1v	272.16v
629	Dr JS Rennie	O	0.0v	70.3v	45.2v	0.0v	0.0v	0.0v	47.3v	48.5v	0.0v	0.0v	0.0v	44.7v	254.20v
630	Mrs KAN Jack	A	0.0v	0.0v	46.3v	0.0v	0.0v	0.0v	47.3v	45.4v	33.2v	34.4v	0.0v	43.2v	248.18v
631	Mr M Hughes	T	46.0v	0.0v	0.0v	27.1v	26.1v	25.0v	22.0v	22.1v	21.1v	28.2v	12.0v	0.0v	229.6v

632 Mr SJ Messenger	T	63.2v	0.0v	41.2v	0.0v	0.0v	0.0v	30.0v	40.0v	0.0v	0.0v	0.0v	35.2v	209.6v
633 Mr DTA Cobb	O	0.0v	0.0v	0.0v	30.4v	50.7v	34.5v	0.0v	0.0v	31.1v	30.0v	28.0v	0.0v	203.17v
634 Mr RF Barrington	O	0.0v	0.0v	0.0v	0.0v	45.3v	34.2v	0.0v	0.0v	32.2v	34.4v	0.0v	46.3v	191.14v
635 Mr RD Lindsay	O	70.5v	0.0v	0.0v	0.0v	0.0v	0.0v	46.2v	49.6v	0.0v	0.0v	0.0v	0.0v	165.13v
636 Mr ACJ Van Grondelle	T	68.4v	0.0v	0.0v	0.0v	0.0v	0.0v	48.7v	48.5v	0.0v	0.0v	0.0v	0.0v	164.16v
637 Mr RBC Baker	O	0.0v	0.0v	46.3v	32.4v	0.0v	0.0v	0.0v	48.4v	0.0v	0.0v	0.0v	33.2v	159.13v
638 Lt Col ARK Clayton	T	18.0v	55.0v	0.0v	21.0v	29.0v	0.0v	0.0v	35.1v	0.0v	0.0v	0.0v	0.0v	158.1v
639 Mr MEH Kapusta	T	67.3v	0.0v	0.0v	0.0v	0.0v	0.0v	44.3v	44.4v	0.0v	0.0v	0.0v	0.0v	155.10v
640 Mr F Ahmad	T	0.0v	59.3v	43.2v	0.0v	28.0v	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	130.5v
641 Mr V Jain	T	0.0v	0.0v	0.0v	0.0v	39.1v	0.0v	15.0v	7.0v	0.0v	0.0v	0.0v	0.0v	61.1v
642 Dr AE Simpson	O	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	49.5v	0.0v	0.0v	0.0v	0.0v	49.5v
643 Miss SJ Hodge	A	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	35.3v	0.0v	0.0v	0.0v	35.3v