

SECTION 10B

RANGE REGULATIONS FOR WINANS NON STANDARD NO DANGER AREA RANGE

THE RANGE	
Name	Winans Non Standard No Danger Area Range
Description	Winans Range is a 25m open non-standard No Danger Area Range Complex consisting of 3 bays. There are specific restrictions and permissions for each bay detailed below
BAY B – WINANS RANGE 25m Open Non-Standard NDA	
FIREARMS AND AMMUNITION	
Firearms and ammunition that may be fired on the range including ME & MV	<ol style="list-style-type: none"> 1. Rifles and Pistols (including in both cases airguns) <ol style="list-style-type: none"> a. Rifles <ol style="list-style-type: none"> i. A maximum muzzle velocity of 1000 m/s (3280 ft/s) ii. A maximum muzzle energy of 7000J (5160 ft lb) b. Pistols <ol style="list-style-type: none"> i. A maximum muzzle velocity of 655m/s (2150 ft/s) ii. A maximum muzzle energy of 2030J (1496 ft lb) <p>Note - .22 Hornet and .17 HMR are not permitted to be fired on Winans Range</p> 2. Shotguns <ol style="list-style-type: none"> a. Within TS limits 3. Ammunition <ol style="list-style-type: none"> a. Rifles and Pistols - all natures permitted within Bisley range regulations. b. Shotguns – solid slug only.
RANGE SAFETY LIMITATIONS	
Coordinating Instructions	<p><u>Winans Range Bay B may only be used under the control of a Suitably Qualified and Experienced Range Officer, who is to operate the range in accordance with Bisley range regulations.</u></p> <ol style="list-style-type: none"> 1. NRA policy on eye protection applies. Further, eye protection is mandatory for all persons on or forward of the firing point when airguns or shotguns are in use. 2. Hearing protection is mandatory for all persons within the

	<p>confines of the range.</p> <p>Permitted and Prohibited Practise/Combinations</p> <p>3. All permitted types of rifle and pistol may be mixed between firers on any single detail or practice.</p> <p>4. All permitted types of shotgun may be mixed between firers on any single detail or practice.</p> <p>5. Shotguns may not be mixed with rifles or pistols.</p> <p>6. Changes of position are permitted within any detail or practise providing all firers follow the same sequence.</p> <p>7. Fire with movement is prohibited.</p> <p>8. All fire in any one practice must take place from the same firing line.</p>
<p>Firing Positions</p>	<p>Rifles and Pistols – Lane allocation</p> <p>1. Winans Bay B is subdivided by pillars supporting the forward edge of the firing point cover. There are a maximum of 6 lanes which correspond to target holders. Lane usage is to be as below:</p> <ul style="list-style-type: none"> a. Lane 1 - aligned with the left most gap between supporting pillars. b. Lanes 2 & 3 – located in the second gap from the left. c. Lanes 4 & 5 - located in the centre gap. d. Lane 6 – located in the second gap from the right. <p>Firing positions</p> <p>1. Rifles - Prone, Supine, Sitting, Kneeling, Benched or Standing, in lanes, from the 25 metre firing point or from a temporary firing point between 25 and 21.8 metres (up to 7000J / 1000m/s) or 10 metres (up to 2030J / 655m/s),</p> <p>2. Pistols (LBP, LBR, MLP and Air) - Kneeling, benched or standing, in lanes, from the 25m firing point or from a temporary firing point between 25m – 10m forward to a minimum engagement distance of 10m,</p> <p>3. Shotguns – Sitting, kneeling, Benched or standing in lanes from 20 metres only</p>
<p>Targetry</p>	<p>1. Unless prior permission has been obtained from the CE only targets from the NRA approved set may be used.</p>

	<p>2. Targets are to be used in the frames or holders provided and are to be engaged only from the recognised firing points and appropriate shooting station.</p> <p>3. Only penetrable targets are to be used.</p> <p>Rifles</p> <p>4. Target Centre Height between 1.0 and 1.7 metres above the range floor (0.25 to 0.95 metres above the top of the canopy lower wall).</p> <p>Pistols (LBP, LBR,MLP and Air)</p> <p>5. Target Centre Height between 1.4 and 1.6 metres above the range floor (0.65 to 0.85 metres above the top of the canopy lower wall).</p> <p>Shotguns</p> <p>6. Target Centre Height of 1.6 metres above the range floor (0.85 metres above the top of the canopy lower wall) only.</p>
ACCIDENT/INCIDENT PROCEDURES	
Special Safety Instructions	As per the NRA Range Action Safety Plan which will be initiated by the Range Office on notification of a major incident/accident