



Civilian Service Rifle E-League 2024-25

Historic		Historic Enfield				Any SMLE, No 4 or No 5 .303" Enfield pattern Service Rifle. Rests not permitted. Trigger pull: 4.5 lbs minimum. A sling corresponding to as issued 1937 pattern is permitted						Entries: 4	
Pos	GRID	First Name	Surname	Club	Class	Special Prizes	Autumn	Winter	Spring	Summer	League Total		
1	4746	Laurent	Le Berruyer	NRA	Historic		115.0	93.0			208.0		
2	4459	Paul	Westcott	NRA	Historic	Ex-Serving	80.0	24.0			104.0		
3	4987	Matthew	O'Donnell	NRA	Historic	Ex-Serving		91.0			91.0		
4	5056	Andrew	Kennell	NRA	Historic	Ex-Serving		33.0			33.0		

Iron		Any Iron				Iron sights only, 4.5 lbs minimum trigger. No restriction on slings. Rests are prohibited other than magazine resting. When magazine resting, only the magazine and no other part of the rifle may touch the ground						Entries: 3	
Pos	GRID	First Name	Surname	Club	Class	Special Prizes	Autumn	Winter	Spring	Summer	League Total		
1	4746	Laurent	Le Berruyer	NRA	Iron		101.0	84.0			185.0		
2	4459	Paul	Westcott	NRA	Iron	Ex-Serving	71.0	40.0			111.0		
3	4987	Matthew	O'Donnell	NRA	Iron	Ex-Serving		94.0			94.0		

Practical		Practical Optic				No restriction on optic sights, minimum trigger pull of 1.5kg. Adjustable hand/sling stops and barricade wings permitted. In addition to a sling and a primary support device such as a bipod, a secondary support device to aid support such as a vertical or angled fore grip may be fixed to the rifle in front of the trigger. A bipod may be fitted with legs that can rotate to lie in line with the bore axis or be retracted into the body of the bipod. The primary support device is the only part of the rifle that may be in direct contact with the ground. If magazine resting the magazine is considered the primary support device						Entries: 5	
Pos	GRID	First Name	Surname	Club	Class	Special Prizes	Autumn	Winter	Spring	Summer	League Total		
1	4746	Laurent	Le Berruyer	NRA	Practical		124.0	132.0			256.0		
2	4459	Paul	Westcott	NRA	Practical	Ex-Serving	122.0	111.0			233.0		
3	4987	Matthew	O'Donnell	NRA	Practical	Ex-Serving		123.0			123.0		
4	5185	Jason	Curtis	NRA	Practical	Ex-Serving		88.0			88.0		
5	5056	Andrew	Kennell	NRA	Practical	Ex-Serving		38.0			38.0		

Service		Service Optic				7.62x51 mm (.308 Winchester), 5.56x45 mm (.223 Remington) or .303 British. Optic sights maximum magnification of 4.5 x. Minimum 4.5 lbs trigger pull. Only one magazine may be attached to the rifle at any time, clamping magazines together is prohibited - Bipods and monopods are prohibited - Sling straps no wider than 1.5 inches, buckles/adjusters no wider than 2.25 inches - Barrel no longer than was supplied for that type of firearm in it's military or commercial equivalent at time of issue or manufacture. Muzzle brakes are not be included in the barrel length measurement - Buttstocks can be either fixed, adjustable or collapsible. Buttstocks that allow for non-length adjustments such as the cheek-piece height or butt-plate canting may not be used unless fixed in position during a match - Magazine resting is permitted; only the magazine and no other part of the rifle may touch the ground - Vertical or Angled Fore Grips (V/AFG) may be used but must remain fitted at all times - Adjustable hand/sling stops and barricade wings are prohibited						Entries: 4	
Pos	GRID	First Name	Surname	Club	Class	Special Prizes	Autumn	Winter	Spring	Summer	League Total		
1	4746	Laurent	Le Berruyer	NRA	Service		121.0	120.0			241.0		
2	4459	Paul	Westcott	NRA	Service	Ex-Serving	119.0	85.0			204.0		
3	4987	Matthew	O'Donnell	NRA	Service	Ex-Serving		125.0			125.0		
4	5056	Andrew	Kennell	NRA	Service	Ex-Serving		89.0			89.0		



Civilian Service Rifle E-League 2024-25 Autumn 2024

Historic		Historic Enfield		Any SMLE, No 4 or No 5 .303" Enfield pattern Service Rifle. Rests not permitted. Trigger pull: 4.5 lbs minimum. A sling corresponding to as issued 1937 pattern is permitted			Entries: 2			
Pos.	GRID	First Name	Surname	Club	Class	Special Prizes	Comp 1	Comp 2	Comp 3	Round Total
1	4746	Laurent	Le Berruyer	NRA	Historic		33.0	40.0	42.0	115.0
2	4459	Paul	Westcott	NRA	Historic	Ex-Serving	33.0	21.0	26.0	80.0

Iron		Any Iron		Iron sights only, 4.5 lbs minimum trigger. No restriction on slings. Rests are prohibited other than magazine resting. When magazine resting, only the magazine and no other part of the rifle may touch the ground			Entries: 2			
Pos.	GRID	First Name	Surname	Club	Class	Special Prizes	Comp 1	Comp 2	Comp 3	Round Total
1	4746	Laurent	Le Berruyer	NRA	Iron		30.0	36.0	35.0	101.0
2	4459	Paul	Westcott	NRA	Iron	Ex-Serving	20.0	21.0	30.0	71.0

Practical		Practical Optic		No restriction on optic sights, minimum trigger pull of 1.5kg. Adjustable hand/sling stops and barricade wings permitted. In addition to a sling and a primary support device such as a bipod, a secondary support device to aid support such as a vertical or angled fore grip may be fixed to the rifle in front of the trigger. A bipod may be fitted with legs that can rotate to lie in line with the bore axis or be retracted into the body of the bipod. The primary support device is the only part of the rifle that may be in direct contact with the ground. If magazine resting the magazine is considered the primary support device			Entries: 2			
Pos.	GRID	First Name	Surname	Club	Class	Special Prizes	Comp 1	Comp 2	Comp 3	Round Total
1	4746	Laurent	Le Berruyer	NRA	Practical		38.0	42.0	44.0	124.0
2	4459	Paul	Westcott	NRA	Practical		38.0	44.0	40.0	122.0

Service		Service Optic		7.62x51 mm (.308 Winchester), 5.56x45 mm (.223 Remington) or .303 British. Optic sights maximum magnification of 4.5x. Minimum 4.5 lbs trigger pull. Only one magazine may be attached to the rifle at any time, clamping magazines together is prohibited - Bipods and monopods are prohibited - Sling straps no wider than 1.5 inches, buckles/adjusters no wider than 2.25 inches - Barrel no longer than was supplied for that type of firearm in it's military or commercial equivalent at time of issue or manufacture. Muzzle brakes are not be included in the barrel length measurement - Buttstocks can be either fixed, adjustable or collapsible. Buttstocks that allow for non-length adjustments such as the cheek-piece height or butt-plate canting may not be used unless fixed in position during a match - Magazine resting is permitted; only the magazine and no other part of the rifle may touch the ground - Vertical or Angled Fore Grips (V/AFG) may be used but must remain fitted at all times - Adjustable hand/sling stops and barricade wings are prohibited			Entries: 2			
Pos.	GRID	First Name	Surname	Club	Class	Special Prizes	Comp 1	Comp 2	Comp 3	Round Total
1	4746	Laurent	Le Berruyer	NRA	Service		39.0	37.0	45.0	121.0
2	4459	Paul	Westcott	NRA	Service		36.0	40.0	43.0	119.0



Civilian Service Rifle E-League 2024-25 Winter 2024

Historic		Historic Enfield		Any SMLE, No 4 or No 5 .303" Enfield pattern Service Rifle. Rests not permitted. Trigger pull: 4.5 lbs minimum. A sling corresponding to as issued 1937 pattern is permitted			Entries: 4			
Pos.	GRID	First Name	Surname	Club	Class	Special Prizes	Comp 1	Comp 2	Comp 3	Round Total
1	4746	Laurent	Le Berruyer	NRA	Historic		33.0	31.0	29.0	93.0
2	4987	Matthew	O'Donnell	NRA	Historic	Ex-Serving	33.0	38.0	20.0	91.0
3	5056	Andrew	Kennell	NRA	Historic		0.0	33.0	0.0	33.0
4	4459	Paul	Westcott	NRA	Historic	Ex-Serving	4.0	0.0	20.0	24.0

Iron		Any Iron		Iron sights only, 4.5 lbs minimum trigger. No restriction on slings. Rests are prohibited other than magazine resting. When magazine resting, only the magazine and no other part of the rifle may touch the ground			Entries: 3			
Pos.	GRID	First Name	Surname	Club	Class	Special Prizes	Comp 1	Comp 2	Comp 3	Round Total
1	4987	Matthew	O'Donnell	NRA	Iron		33.0	38.0	23.0	94.0
2	4746	Laurent	Le Berruyer	NRA	Iron	4746	23.0	29.0	32.0	84.0
3	4459	Paul	Westcott	NRA	Iron		17.0	0.0	23.0	40.0

Practical		Practical Optic		No restriction on optic sights, minimum trigger pull of 1.5kg. Adjustable hand/sling stops and barricade wings permitted. In addition to a sling and a primary support device such as a bipod, a secondary support device to aid support such as a vertical or angled fore grip may be fixed to the rifle in front of the trigger. A bipod may be fitted with legs that can rotate to lie in line with the bore axis or be retracted into the body of the bipod. The primary support device is the only part of the rifle that may be in direct contact with the ground. If magazine resting the magazine is considered the primary support device			Entries: 5			
Pos.	GRID	First Name	Surname	Club	Class	Special Prizes	Comp 1	Comp 2	Comp 3	Round Total
1	4746	Laurent	Le Berruyer	NRA	Practical		42.0	46.0	44.0	132.0
2	4987	Matthew	O'Donnell	NRA	Practical	Ex-Serving	43.0	44.0	36.0	123.0
3	4459	Paul	Westcott	NRA	Practical		43.0	40.0	28.0	111.0
4	5185	Jason	Curtis	NRA	Practical	Ex-Serving	28.0	37.0	23.0	88.0
5	5056	Andrew	Kennell	NRA	Practical		0.0	38.0	0.0	38.0

Service		Service Optic		7.62x51 mm (.308 Winchester), 5.56x45 mm (.223 Remington) or .303 British. Optic sights maximum magnification of 4.5x. Minimum 4.5 lbs trigger pull. Only one magazine may be attached to the rifle at any time, clamping magazines together is prohibited - Bipods and monopods are prohibited - Sling straps no wider than 1.5 inches, buckles/adjusters no wider than 2.25 inches - Barrel no longer than was supplied for that type of firearm in it's military or commercial equivalent at time of issue or manufacture. Muzzle brakes are not be included in the barrel length measurement - Buttstocks can be either fixed, adjustable or collapsible. Buttstocks that allow for non-length adjustments such as the cheek-piece height or butt-plate canting may not be used unless fixed in position during a match - Magazine resting is permitted: only the magazine and no other part of the rifle may touch the ground - Vertical or Angled Fore Grips (VAFG) may be used but must remain fitted at all times - Adjustable hand/sling stops and barricade wings are prohibited			Entries: 4			
Pos.	GRID	First Name	Surname	Club	Class	Special Prizes	Comp 1	Comp 2	Comp 3	Round Total
1	4987	Matthew	O'Donnell	NRA	Service		43.0	46.0	36.0	125.0
2	4746	Laurent	Le Berruyer	NRA	Service	4746	43.0	44.0	33.0	120.0
3	5056	Andrew	Kennell	NRA	Service		21.0	37.0	31.0	89.0
4	4459	Paul	Westcott	NRA	Service	Ex-Serving	12.0	45.0	28.0	85.0



Civilian Service Rifle E-League 2024-25 Spring 2025

Historic		Historic Enfield		Any SMLE, No 4 or No 5 .303" Enfield pattern Service Rifle. Rests not permitted. Trigger pull: 4.5 lbs minimum. A sling corresponding to as issued 1937 pattern is permitted			Entries: 3			
Pos.	GRID	First Name	Surname	Club	Class	Special Prizes	Comp 1	Comp 2	Comp 3	Round Total
1	4459	Paul	Westcott	NRA	Historic		25.0	29.0	20.0	74.0
2	4987	Matthew	O'Donnell	NRA	Historic	Cadet Staff	.	29.0	38.0	67.0
3	4746	Laurent	Le Berruyer	NRA	Historic		5.0	24.0	38.0	67.0
Iron		Any Iron		Iron sights only, 4.5 lbs minimum trigger. No restriction on slings. Rests are prohibited other than magazine resting. When magazine resting, only the magazine and no other part of the rifle may touch the ground			Entries: 3			
Pos.	GRID	First Name	Surname	Club	Class	Special Prizes	Comp 1	Comp 2	Comp 3	Round Total
1	4459	Paul	Westcott	NRA	Iron		27.0	18.0	31.0	76.0
2	4746	Laurent	Le Berruyer	NRA	Iron	4746	5.0	14.0	36.0	55.0
3	4987	Matthew	O'Donnell	NRA	Iron		.	18.0	34.0	52.0
Practical		Practical Optic		No restriction on optic sights, minimum trigger pull of 1.5kg. Adjustable hand/sling stops and barricade wings permitted. In addition to a sling and a primary support device such as a bipod, a secondary support device to aid support such as a vertical or angled fore grip may be fixed to the rifle in front of the trigger. A bipod may be fitted with legs that can rotate to lie in line with the bore axis or be retracted into the body of the bipod. The primary support device is the only part of the rifle that may be in direct contact with the ground. If magazine resting the magazine is considered the primary support device			Entries: 4			
Pos.	GRID	First Name	Surname	Club	Class	Special Prizes	Comp 1	Comp 2	Comp 3	Round Total
1	4746	Laurent	Le Berruyer	NRA	Practical		48.0	45.0	43.0	136.0
2	5815	Kathleen	Dynes	NRA	Practical		39.0	48.0	48.0	135.0
3	4987	Matthew	O'Donnell	NRA	Practical		40.0	44.0	47.0	131.0
4	4459	Paul	Westcott	NRA	Practical		39.0	42.0	44.0	125.0
Service		Service Optic		7.62x51 mm (.308 Winchester), 5.56x45 mm (.223 Remington) or .303 British. Optic sights maximum magnification of 4.5x. Minimum 4.5 lbs trigger pull. Only one magazine may be attached to the rifle at any time, clamping magazines together is prohibited - Bipods and monopods are prohibited - Sling straps no wider than 1.5 inches, buckles/adjusters no wider than 2.25 inches - Barrel no longer than was supplied for that type of firearm in it's military or commercial equivalent at time of issue or manufacture. Muzzle brakes are not be included in the barrel length measurement - Buttstocks can be either fixed, adjustable or collapsible. Buttstocks that allow for non-length adjustments such as the cheek-piece height or butt-plate canting may not be used unless fixed in position during a match - Magazine resting is permitted; only the magazine and no other part of the rifle may touch the ground - Vertical or Angled Fore Grips (V/AFG) may be used but must remain fitted at all times - Adjustable hand/sling stops and barricade wings are prohibited			Entries: 4			
Pos.	GRID	First Name	Surname	Club	Class	Special Prizes	Comp 1	Comp 2	Comp 3	Round Total
1	5815	Kathleen	Dynes	NRA	Service		45.0	46.0	46.0	137.0
2	4746	Laurent	Le Berruyer	NRA	Service		46.0	46.0	40.0	132.0
3	4459	Paul	Westcott	NRA	Service		35.0	47.0	48.0	130.0
4	4987	Matthew	O'Donnell	NRA	Service		47.0	43.0	38.0	128.0



Civilian Service Rifle E-League 2024-25 Summer 2025

Historic		Historic Enfield		Any SMLE, No 4 or No 5 .303" Enfield pattern Service Rifle. Rests not permitted. Trigger pull: 4.5 lbs minimum. A sling corresponding to as issued 1937 pattern is permitted			Entries: 2			
Pos.	GRID	First Name	Surname	Club	Class	Special Prizes	Comp 1	Comp 2	Comp 3	Round Total
1	4746	Laurent	Le Berruyer	NRA	Historic		36.0	30.0	27.0	93.0
2	4459	Paul	Westcott	NRA	Historic	Ex-Serving	31.0	26.0	17.0	74.0

Iron		Any Iron		Iron sights only, 4.5 lbs minimum trigger. No restriction on slings. Rests are prohibited other than magazine resting. When magazine resting, only the magazine and no other part of the rifle may touch the ground			Entries: 2			
Pos.	GRID	First Name	Surname	Club	Class	Special Prizes	Comp 1	Comp 2	Comp 3	Round Total
1	4746	Laurent	Le Berruyer	NRA	Iron		35.0	28.0	25.0	88.0
2	4459	Paul	Westcott	NRA	Iron	Ex-Serving	26.0	31.0	20.0	77.0

Practical		Practical Optic		No restriction on optic sights, minimum trigger pull of 1.5kg. Adjustable hand/sling stops and barricade wings permitted. In addition to a sling and a primary support device such as a bipod, a secondary support device to aid support such as a vertical or angled fore grip may be fixed to the rifle in front of the trigger. A bipod may be fitted with legs that can rotate to lie in line with the bore axis or be retracted into the body of the bipod. The primary support device is the only part of the rifle that may be in direct contact with the ground. If magazine resting the magazine is considered the primary support device			Entries: 2			
Pos.	GRID	First Name	Surname	Club	Class	Special Prizes	Comp 1	Comp 2	Comp 3	Round Total
1	4746	Laurent	Le Berruyer	NRA	Practical		49.0	44.0	25.0	118.0
2	4459	Paul	Westcott	NRA	Practical		47.0	36.0	21.0	104.0

Service		Service Optic		7.62x51 mm (.308 Winchester), 5.56x45 mm (.223 Remington) or .303 British. Optic sights maximum magnification of 4.5x. Minimum 4.5 lbs trigger pull. Only one magazine may be attached to the rifle at any time, clamping magazines together is prohibited - Bipods and monopods are prohibited - Sling straps no wider than 1.5 inches, buckles/adjusters no wider than 2.25 inches - Barrel no longer than was supplied for that type of firearm in it's military or commercial equivalent at time of issue or manufacture. Muzzle brakes are not be included in the barrel length measurement - Buttstocks can be either fixed, adjustable or collapsible. Buttstocks that allow for non-length adjustments such as the cheek-piece height or butt-plate canting may not be used unless fixed in position during a match - Magazine resting is permitted; only the magazine and no other part of the rifle may touch the ground - Vertical or Angled Fore Grips (V/AFG) may be used but must remain fitted at all times - Adjustable hand/sling stops and barricade wings are prohibited			Entries: 2			
Pos.	GRID	First Name	Surname	Club	Class	Special Prizes	Comp 1	Comp 2	Comp 3	Round Total
1	4459	Paul	Westcott	NRA	Service		49.0	39.0	26.0	114.0
2	4746	Laurent	Le Berruyer	NRA	Service		47.0	31.0	20.0	98.0