

NRA 200 Yard / Metre HME Zeroing Target for use with Firearms capable of direct setting of elevation for 200. Final group must fall within black aiming mark.

Name _____ Club _____

Rifle Serial No _____ Numeric elevation reading _____

Ammunition: Cal _____ Bullet Wt _____ Load _____

Date _____ Firer Sig _____ RCO Sig _____



Attach bottom of sheet 2 along this line


**NRA 200 yard Zero Target
for 600 yards elevation:
telescope sights only.**

F – Class type Rifle

Range	Elevation
200	0
600	7
1,000	22
1,100	27
1,200	32

.308 – (NRA Match Rifle)

Range	Elevation
200	0
600	11
1,000	30
1,100	36
1,200	42



Target Centre Height

For .308 (NRA Match Rifle) attach
bottom of sheet 3 here

Instructions for use

1. Attach the bottom of Sheet 2 onto
Sheet 1 at the dotted line.

2. Attach the two sheets onto the
200 yard target with the **bold** line at
the top of sheet 2 as near as possible
to the target centre line.

bottom of sheet 3 at the dotted line at
the base of sheet 2.

3. For .308 (NRA Match Rifle) attach
the bottom of sheet 3 onto the dotted
line at the top of sheet 2.

4. For F class Rifle attach the

Sheet 2

For F Class Type Rifle
attach bottom of sheet 3 here

.308 – (NRA Match Rifle) (delete one) F Class Rifle

Date:.....
RCO
RCO Signature.....

Sheet 3

Name:.....
Club:.....
Rifle Ser No:.....
Ammunition calibre bullet wt and load:

.....