

SECTION 10A

RANGE REGULATIONS FOR WINANS NON STANDARD NO DANGER AREA RANGE

THE RANGE	
Name	Winans Non Standard No Danger Area Range
Description	Winans Range is a 25m open non-standard No Danger Area Range Complex consisting of 3 bays. There are specific restrictions and permissions for each bay.
BAY A – WINANS RANGE 25m Open Non-Standard NDA	
FIREARMS AND AMMUNITION	
Firearms and ammunition that may be fired on the range including ME & MV	<p><u>Rifles and Pistols</u></p> <p>Rifles and pistols (including in both cases airguns)</p> <ul style="list-style-type: none"> a. A maximum muzzle velocity of 655 m/s (2150 ft/s) b. A maximum muzzle energy of 2030J (1496 ft lb) <p><u>Shotguns</u></p> <p>Shotguns within Target Shotgun limits.</p> <p>Note - .22 Hornet and .17 HMR are not permitted to be fired on Winans Range</p> <p>Ammunition</p> <p>Rifles and Pistols all natures included within Bisley Range Regulations – Hard targets are not to be engaged.</p> <p>Shotgun Ammunition</p> <p>Hard Targets – No4 shot or smaller</p> <p>Frangible Targets – SG or smaller</p> <p>Slug – subject to the constraints described below</p>
RANGE SAFETY LIMITATIONS	
Coordinating Instructions	<p><u>Winans Range Bay A may only be used under the control of a Suitably Qualified and Experienced RO, who is to operate the range in accordance with Bisley range regulations.</u></p> <ul style="list-style-type: none"> 1. NRA policy on eye protection applies. Further, eye protection is mandatory for all persons on or forward of the firing point when airguns or shotguns are in use. 2. Hearing protection is mandatory for all persons <p><u>Rifles and Pistols</u></p> <ul style="list-style-type: none"> 3. Maximum of 8 lanes. <ul style="list-style-type: none"> a. 2 x Firers in each Bay located 4 x left hand bays between the posts. b. Corresponding targets in soft wood frames to be placed in the turning target frames.

- c. Line of fire is to be perpendicular to firing point.
- d. Cross lane firing is forbidden.
- e. TCH 1.0 – 1.7m (see restrictions for shotgun slug below)
- f. Penetrable targets only

Shotguns

4. Shotgun Slug

- a. Maximum 4 lanes with 1 x firer in line with 4 x LH Bays.
- b. TCH 1.6m above the range floor.
- c. Shotgun slug may not be fired if there are hard targets on the range.
- d. All firers on any single detail or practise must shoot from the same firing line and firing position, or combination of positions

5. Shot size No4 – SG

- a. Maximum 3 lanes located between 4 LH posts with a single firer per FP Bay.
- b. Remaining conditions as for rifles and pistols.
- c. Shotguns may not be fired with larger than No4 shot if there are hard targets on the range.
- d. All firers on any single detail or practise must shoot from the same firing line and firing position, or combination of positions.

6. Shot size No4 or smaller as for No4 – SG except:

- a. Hard targets may be used.
- b. Hard targets to be placed within area defined by red uprights in the Bullet Catcher toe wall.
- c. Hard targets to be placed no more than 1 metre up-range from the Bullet Catcher toe wall.
- d. Hard targets may be placed behind the toe wall on the face of the bullet catcher to a max TCH of 1.7m.
- e. Hard targets are to be placed to minimise the likelihood of strikes on range infrastructure.
- f. Spikes and posts are not to be driven in to the range floor.

Firearm Combination

- 7. All permitted types of rifle may be mixed between firers on any single detail or practise.

	<p>8. All permitted types of shotgun may be mixed between firers on any single detail or practise.</p> <p>9. Shotguns may not be mixed with rifles or pistols</p> <p>Muzzle Angles</p> <p>10. Loaded shotguns must not be pointed above the first terrace of the stop butt or beyond the stop butt flanks.</p> <p>Fire with Movement</p> <p>11. Changes of position are permitted within any detail or practise providing all firers follow the same sequence.</p> <p>12. Fire with movement i.e. changing location during a detail with a loaded firearm is permitted with shotguns, only if:</p> <ul style="list-style-type: none"> - The movement area is clearly delineated by objects or markers that do not constitute a trip hazard. - No movement up range is involved - Only one firer is on the range at a time
Firing Positions	<p>Rifles</p> <p>1. Sitting, Kneeling, Benched and Standing from 25m firing point or forward to a minimum engagement distance of 10m from the target line.</p> <p>Pistols</p> <p>2. Benched and standing 25m firing point or on the range floor from 20m forward to a minimum engagement distance of 10m.</p> <p>Shotguns - Shot size No4 – SG</p> <p>3. As for pistols</p> <p>Shotguns - Shot size No4 or smaller</p> <p>4. Sitting, Kneeling, Benched, Standing from immediately forward of the firing point to a minimum engagement distance of 7m. Targets may be engaged off the FP Target axis to a maximum of the extreme edge of the adjacent section of Bullet Catcher toe wall in either direction, defined by the toe wall uprights</p> <p>Shotguns - Slug</p> <p>5. Sitting, kneeling, benched or standing, in lanes, from 20 metres only.</p>
Targetry	<p>1. Unless prior permission has been obtained from the CE only targets from the NRA approved set may be used.</p> <p>2. Targets are to be used in the frames or holders provided.</p>
ACCIDENT/INCIDENT PROCEDURES	
Special Safety Instructions	As per the NRA Range Action Safety Plan which will be initiated by the Range Office on notification of a major incident/accident.