

NRA 151st Imperial Meeting

Grand Aggregate

		DT	DM	Alex	DC	Times	Wimb	Doyle	Dgall	PWR	PoW	Lovell	Corp	Total
1	Mr DC Luckman	X	74.12v	75.9v	49.8v	50.5v	0.0v	0.0v	50.10v	49.7v	0.0v	0.0v	0.0v	347.51v
2	Mr MC Cooper	X	74.8v	74.13v	50.8v	50.6v	0.0v	0.0v	48.5v	50.8v	0.0v	0.0v	0.0v	346.48v
3	Mr JD Warburton	X	73.10v	74.4v	50.7v	49.5v	0.0v	0.0v	50.8v	50.9v	0.0v	0.0v	0.0v	346.43v
4	Mr RC Oxford	X	75.11v	75.8v	49.6v	48.5v	0.0v	0.0v	50.6v	49.6v	0.0v	0.0v	0.0v	346.42v
5	Mr CES Dickenson	A	74.10v	75.6v	50.8v	50.6v	0.0v	0.0v	48.5v	49.5v	0.0v	0.0v	0.0v	346.40v
6	Mr PM Patel	X	75.10v	73.11v	48.7v	50.6v	0.0v	0.0v	49.6v	50.7v	0.0v	0.0v	0.0v	345.47v
7	Mr TM Drysdale	X	74.9v	75.10v	49.5v	50.10v	0.0v	0.0v	48.4v	49.6v	0.0v	0.0v	0.0v	345.44v
8	Mr ORW Russell	X	75.7v	74.12v	49.3v	50.8v	0.0v	0.0v	47.7v	50.7v	0.0v	0.0v	0.0v	345.44v
9	Mr CE Dart	X	75.11v	75.8v	49.6v	47.4v	0.0v	0.0v	49.7v	50.7v	0.0v	0.0v	0.0v	345.43v
10	Mr CN Tremlett	X	73.10v	74.12v	48.6v	49.6v	0.0v	0.0v	50.6v	50.5v	0.0v	0.0v	0.0v	344.45v
11	Mr LMD Cheek	A	74.11v	75.10v	50.4v	47.6v	0.0v	0.0v	50.7v	48.6v	0.0v	0.0v	0.0v	344.44v
12	Mr TJD Raincock	X	75.9v	75.9v	49.6v	49.8v	0.0v	0.0v	46.3v	50.7v	0.0v	0.0v	0.0v	344.42v
13	Miss CA Evans	X	74.8v	75.12v	49.3v	49.5v	0.0v	0.0v	47.5v	50.6v	0.0v	0.0v	0.0v	344.39v
14	Mr JW Alexander	X	74.9v	74.8v	49.4v	48.2v	0.0v	0.0v	49.7v	50.8v	0.0v	0.0v	0.0v	344.38v
15	Miss C Halleran	A	74.7v	73.8v	49.5v	50.7v	0.0v	0.0v	49.6v	49.4v	0.0v	0.0v	0.0v	344.37v
16	Mr MG Whicher	X	74.10v	73.9v	50.6v	50.4v	0.0v	0.0v	47.3v	50.5v	0.0v	0.0v	0.0v	344.37v
17	Mr JR Tuck	X	73.12v	72.7v	49.6v	50.9v	0.0v	0.0v	49.4v	50.5v	0.0v	0.0v	0.0v	343.43v
18	Wg Cdr D Calvert	X	74.10v	73.8v	49.8v	49.6v	0.0v	0.0v	49.6v	49.5v	0.0v	0.0v	0.0v	343.43v
19	Mr MCJ Button	X	74.10v	73.6v	48.6v	49.6v	0.0v	0.0v	50.9v	49.4v	0.0v	0.0v	0.0v	343.41v
20	Mr JC Underwood	X	75.11v	74.4v	48.6v	49.8v	0.0v	0.0v	49.7v	48.5v	0.0v	0.0v	0.0v	343.41v
21	Mr K McCamley	X	73.7v	75.9v	49.6v	48.6v	0.0v	0.0v	48.7v	50.6v	0.0v	0.0v	0.0v	343.41v
22	SSGT RH Kitson	A	73.8v	74.8v	50.6v	48.6v	0.0v	0.0v	49.6v	49.6v	0.0v	0.0v	0.0v	343.40v
23	Sgt SDJ Glanville	X	73.8v	75.8v	49.7v	47.4v	0.0v	0.0v	49.5v	50.6v	0.0v	0.0v	0.0v	343.38v
24	Miss KA Fleck	O	72.9v	75.5v	48.4v	49.3v	0.0v	0.0v	50.8v	49.6v	0.0v	0.0v	0.0v	343.35v
25	Mr JMA Thompson	X	71.8v	75.11v	49.6v	48.5v	0.0v	0.0v	49.7v	50.10v	0.0v	0.0v	0.0v	342.47v
26	Ms RL Furniss	X	75.11v	75.12v	49.4v	46.5v	0.0v	0.0v	49.7v	48.2v	0.0v	0.0v	0.0v	342.41v
27	Mr SAJ Dowley	A	72.11v	74.10v	48.4v	50.5v	0.0v	0.0v	50.6v	48.4v	0.0v	0.0v	0.0v	342.40v
28	Mr KWD Ramsey	X	70.6v	75.10v	49.7v	50.8v	0.0v	0.0v	48.4v	50.5v	0.0v	0.0v	0.0v	342.40v
29	Miss AJ Clarke	O	72.6v	72.7v	50.6v	50.10v	0.0v	0.0v	49.5v	49.5v	0.0v	0.0v	0.0v	342.39v
30	Mr RCT Jeens	X	74.8v	74.11v	50.8v	48.4v	0.0v	0.0v	48.4v	48.4v	0.0v	0.0v	0.0v	342.39v
31	Mr JCT Kent	O	71.7v	75.8v	48.6v	49.4v	0.0v	0.0v	50.8v	49.5v	0.0v	0.0v	0.0v	342.38v
32	Dr HA Day	X	72.6v	72.7v	50.6v	50.4v	0.0v	0.0v	49.4v	49.7v	0.0v	0.0v	0.0v	342.34v
33	Mr PM de Voil	X	73.7v	74.6v	49.8v	49.5v	0.0v	0.0v	49.3v	48.5v	0.0v	0.0v	0.0v	342.34v
34	Mr OEJ Spencer	X	72.8v	75.6v	50.7v	47.3v	0.0v	0.0v	49.4v	49.4v	0.0v	0.0v	0.0v	342.32v
35	Mr ITG Shaw	X	72.12v	72.8v	50.9v	49.8v	0.0v	0.0v	48.6v	50.10v	0.0v	0.0v	0.0v	341.53v
36	Mr CJ Mitchell	X	75.12v	73.8v	49.7v	49.6v	0.0v	0.0v	45.4v	50.7v	0.0v	0.0v	0.0v	341.44v
37	Dr AM Jory	X	75.8v	74.11v	47.5v	49.6v	0.0v	0.0v	49.6v	47.5v	0.0v	0.0v	0.0v	341.41v
38	Mr RJ Lygoe	O	72.8v	73.6v	50.8v	49.7v	0.0v	0.0v	47.6v	50.5v	0.0v	0.0v	0.0v	341.40v
39	Mr DGM Coleman	A	74.10v	74.9v	48.5v	49.6v	0.0v	0.0v	46.3v	50.7v	0.0v	0.0v	0.0v	341.40v
40	Mr MJ Barlow	A	73.9v	72.10v	49.7v	48.2v	0.0v	0.0v	49.5v	50.6v	0.0v	0.0v	0.0v	341.39v
41	Mr NBS Logan	X	74.9v	73.7v	49.8v	46.4v	0.0v	0.0v	50.7v	49.4v	0.0v	0.0v	0.0v	341.39v
42	Dr GP Nelson	X	75.11v	73.7v	47.3v	49.6v	0.0v	0.0v	48.3v	49.8v	0.0v	0.0v	0.0v	341.38v
43	Mr J Pugsley	X	74.9v	74.10v	50.7v	49.6v	0.0v	0.0v	47.2v	47.4v	0.0v	0.0v	0.0v	341.38v

44 Mrs LE Haley	X	75.9v	75.9v	50.6v	46.3v	0.0v	0.0v	49.6v	46.5v	0.0v	0.0v	0.0v	0.0v	341.38v
45 Mr M Liversage	X	75.8v	72.8v	49.5v	49.5v	0.0v	0.0v	47.5v	49.6v	0.0v	0.0v	0.0v	0.0v	341.37v
46 Mr KO Pugh	X	74.9v	73.8v	49.7v	47.3v	0.0v	0.0v	49.4v	49.6v	0.0v	0.0v	0.0v	0.0v	341.37v
47 Lt Col WDH Burden	A	73.6v	74.10v	49.7v	48.3v	0.0v	0.0v	49.4v	48.5v	0.0v	0.0v	0.0v	0.0v	341.35v
48 Mr SL Cleveland	O	74.10v	74.5v	50.5v	46.3v	0.0v	0.0v	49.4v	48.6v	0.0v	0.0v	0.0v	0.0v	341.33v
49 WO1 JR Davies	O	73.6v	73.5v	50.6v	48.2v	0.0v	0.0v	47.6v	50.7v	0.0v	0.0v	0.0v	0.0v	341.32v
50 Mr R Hirst	O	75.14v	73.11v	48.4v	48.5v	0.0v	0.0v	48.6v	48.4v	0.0v	0.0v	0.0v	0.0v	340.44v
51 Mr JEK Pepera-Hibbert	X	74.10v	75.9v	48.7v	48.6v	0.0v	0.0v	48.6v	47.5v	0.0v	0.0v	0.0v	0.0v	340.43v
52 Ms RA Wiltshire	A	74.11v	74.10v	49.6v	46.4v	0.0v	0.0v	49.4v	48.5v	0.0v	0.0v	0.0v	0.0v	340.40v
53 Mr PD Sykes	X	74.7v	75.12v	50.7v	46.4v	0.0v	0.0v	47.5v	48.5v	0.0v	0.0v	0.0v	0.0v	340.40v
54 Mr DA Rose	A	72.6v	75.12v	50.8v	46.1v	0.0v	0.0v	48.5v	49.7v	0.0v	0.0v	0.0v	0.0v	340.39v
55 Cdt TC Cubitt	A	73.4v	72.9v	49.7v	50.9v	0.0v	0.0v	50.7v	46.2v	0.0v	0.0v	0.0v	0.0v	340.38v
56 Mr DR Armstrong	X	73.10v	72.8v	50.7v	50.4v	0.0v	0.0v	47.2v	48.7v	0.0v	0.0v	0.0v	0.0v	340.38v
57 Mr RJSG Clark	X	73.12v	73.7v	49.5v	48.4v	0.0v	0.0v	48.3v	49.7v	0.0v	0.0v	0.0v	0.0v	340.38v
58 Mr BZ Danziger	X	73.10v	75.9v	49.5v	49.4v	0.0v	0.0v	45.4v	49.6v	0.0v	0.0v	0.0v	0.0v	340.38v
59 Mr ER Welford	A	71.9v	73.8v	48.3v	49.3v	0.0v	0.0v	49.6v	50.8v	0.0v	0.0v	0.0v	0.0v	340.37v
60 Mr B Le Cheminant	X	73.8v	73.7v	50.6v	47.3v	0.0v	0.0v	49.6v	48.6v	0.0v	0.0v	0.0v	0.0v	340.36v
61 Mr NJ Verduyn	X	71.7v	74.9v	49.6v	47.5v	0.0v	0.0v	49.4v	50.5v	0.0v	0.0v	0.0v	0.0v	340.36v
62 Mr PM Hakim	X	75.7v	71.6v	49.6v	49.6v	0.0v	0.0v	46.5v	50.6v	0.0v	0.0v	0.0v	0.0v	340.36v
63 Mr NP Moxon	X	74.9v	70.7v	49.5v	49.6v	0.0v	0.0v	49.4v	49.4v	0.0v	0.0v	0.0v	0.0v	340.35v
64 Miss HA Pugsley	X	72.5v	75.7v	47.7v	50.8v	0.0v	0.0v	47.2v	49.5v	0.0v	0.0v	0.0v	0.0v	340.34v
65 Mr AC Haley	X	71.7v	75.7v	49.6v	48.5v	0.0v	0.0v	48.3v	49.6v	0.0v	0.0v	0.0v	0.0v	340.34v
66 Mr LM Peden	A	73.6v	73.12v	49.2v	49.4v	0.0v	0.0v	47.4v	49.4v	0.0v	0.0v	0.0v	0.0v	340.32v
67 Mr JF Lawrie	X	71.4v	75.10v	50.4v	47.4v	0.0v	0.0v	48.5v	49.5v	0.0v	0.0v	0.0v	0.0v	340.32v
68 Mr BMA Stevens	X	72.9v	74.9v	49.2v	46.3v	0.0v	0.0v	49.3v	50.4v	0.0v	0.0v	0.0v	0.0v	340.30v
69 Mr RAHV Vary	O	74.14v	73.8v	48.7v	49.7v	0.0v	0.0v	47.4v	48.4v	0.0v	0.0v	0.0v	0.0v	339.44v
70 Capt NJ Ball	X	70.8v	73.10v	50.6v	48.6v	0.0v	0.0v	49.6v	49.6v	0.0v	0.0v	0.0v	0.0v	339.42v
71 Mr HJM Awin	X	74.9v	70.7v	48.7v	49.6v	0.0v	0.0v	49.4v	49.8v	0.0v	0.0v	0.0v	0.0v	339.41v
72 Mr JBG Shepherd	X	72.9v	75.9v	48.5v	48.7v	0.0v	0.0v	48.1v	48.5v	0.0v	0.0v	0.0v	0.0v	339.36v
73 Mr CP Goad	O	75.13v	72.4v	49.6v	47.3v	0.0v	0.0v	48.5v	48.5v	0.0v	0.0v	0.0v	0.0v	339.36v
74 Mr C Mallett	A	72.7v	73.5v	48.6v	49.4v	0.0v	0.0v	48.3v	49.7v	0.0v	0.0v	0.0v	0.0v	339.32v
75 Mr JAE Dixon	A	71.5v	75.9v	47.4v	48.5v	0.0v	0.0v	50.3v	48.5v	0.0v	0.0v	0.0v	0.0v	339.31v
76 Mr BN Craig	O	73.2v	73.9v	50.7v	49.5v	0.0v	0.0v	48.4v	46.4v	0.0v	0.0v	0.0v	0.0v	339.31v
77 Mr T Smith	X	73.6v	74.8v	49.3v	48.4v	0.0v	0.0v	49.4v	46.3v	0.0v	0.0v	0.0v	0.0v	339.28v
78 Mr HAD Howard	A	69.4v	73.3v	50.4v	50.6v	0.0v	0.0v	49.4v	48.6v	0.0v	0.0v	0.0v	0.0v	339.27v
79 Dr BJ Winney	O	74.8v	72.8v	49.8v	47.3v	0.0v	0.0v	48.7v	48.5v	0.0v	0.0v	0.0v	0.0v	338.39v
80 Mr KB Hill	X	73.8v	73.8v	48.5v	45.2v	0.0v	0.0v	50.9v	49.6v	0.0v	0.0v	0.0v	0.0v	338.38v
81 Mr RA Welford	O	74.11v	71.5v	49.6v	49.5v	0.0v	0.0v	47.3v	48.6v	0.0v	0.0v	0.0v	0.0v	338.36v
82 Mr RG Woodger	A	71.4v	73.5v	48.7v	50.8v	0.0v	0.0v	47.5v	49.6v	0.0v	0.0v	0.0v	0.0v	338.35v
83 Maj J Cook	X	73.7v	70.7v	47.5v	48.4v	0.0v	0.0v	50.3v	50.8v	0.0v	0.0v	0.0v	0.0v	338.34v
84 Mr SD Shouler	A	70.3v	73.8v	49.7v	48.2v	0.0v	0.0v	48.7v	50.7v	0.0v	0.0v	0.0v	0.0v	338.34v
85 Mr AR Radkovskii	T	74.8v	73.6v	48.5v	49.6v	0.0v	0.0v	47.2v	47.3v	0.0v	0.0v	0.0v	0.0v	338.30v
86 Mr CAJ Crosby	A	70.6v	73.4v	49.4v	48.5v	0.0v	0.0v	49.5v	49.4v	0.0v	0.0v	0.0v	0.0v	338.28v
87 Mr CP Weeden	X	74.10v	75.12v	48.6v	46.6v	0.0v	0.0v	48.4v	46.8v	0.0v	0.0v	0.0v	0.0v	337.46v
88 Mr CD Heales	A	70.7v	74.9v	50.9v	47.4v	0.0v	0.0v	47.6v	49.6v	0.0v	0.0v	0.0v	0.0v	337.41v
89 Mr DR Le Quesne	X	72.10v	73.9v	48.6v	48.5v	0.0v	0.0v	49.4v	47.4v	0.0v	0.0v	0.0v	0.0v	337.38v
90 Miss L Watson	O	70.7v	75.11v	49.6v	48.5v	0.0v	0.0v	46.3v	49.6v	0.0v	0.0v	0.0v	0.0v	337.38v
91 Mr RI Coventry	A	72.5v	75.10v	46.3v	49.7v	0.0v	0.0v	46.4v	49.8v	0.0v	0.0v	0.0v	0.0v	337.37v
92 Miss HPC Bramwell	O	72.8v	73.11v	46.3v	49.6v	0.0v	0.0v	49.4v	48.4v	0.0v	0.0v	0.0v	0.0v	337.36v
93 Mr SE Young	A	73.9v	72.8v	47.3v	49.7v	0.0v	0.0v	47.4v	49.5v	0.0v	0.0v	0.0v	0.0v	337.36v
94 Dr MJ Schwarz	O	73.9v	72.8v	49.8v	49.6v	0.0v	0.0v	46.3v	48.2v	0.0v	0.0v	0.0v	0.0v	337.36v
95 Mr C Fitzpatrick	X	73.11v	73.6v	50.8v	49.3v	0.0v	0.0v	44.2v	48.6v	0.0v	0.0v	0.0v	0.0v	337.36v
96 Mr RA Dix	O	72.8v	74.8v	49.6v	44.0v	0.0v	0.0v	48.4v	50.9v	0.0v	0.0v	0.0v	0.0v	337.35v
97 Mr DG Young	X	69.7v	73.6v	48.6v	49.7v	0.0v	0.0v	48.3v	50.5v	0.0v	0.0v	0.0v	0.0v	337.34v
98 Mr JA Watson	X	72.6v	73.8v	48.4v	49.6v	0.0v	0.0v	47.5v	48.5v	0.0v	0.0v	0.0v	0.0v	337.34v
99 Mr TA Ringer	X	74.6v	72.7v	48.3v	49.7v	0.0v	0.0v	46.3v	48.5v	0.0v	0.0v	0.0v	0.0v	337.31v
100 Dr MWM Veltman-Grisenthwaite	O	75.8v	74.6v	46.3v	49.7v	0.0v	0.0v	44.3v	49.4v	0.0v	0.0v	0.0v	0.0v	337.31v
101 Mr CA Brook	A	73.7v	72.6v	49.3v	49.6v	0.0v	0.0v	44.3v	50.6v	0.0v	0.0v	0.0v	0.0v	337.31v
102 Mr TO Little	A	75.9v	73.9v	48.4v	46.1v	0.0v	0.0v	47.4v	48.4v	0.0v	0.0v	0.0v	0.0v	337.31v

103 Mr TM Stevenson	X	73.6v	75.11v	47.3v	48.6v	0.0v	0.0v	46.2v	48.2v	0.0v	0.0v	0.0v	0.0v	337.30v
104 Mr JEM Bellringer	X	72.8v	73.4v	47.4v	48.2v	0.0v	0.0v	47.5v	50.6v	0.0v	0.0v	0.0v	0.0v	337.29v
105 Mr SA Thomas	X	71.8v	73.8v	50.6v	50.5v	0.0v	0.0v	43.4v	49.8v	0.0v	0.0v	0.0v	0.0v	336.39v
106 Mr AD Hunter	X	73.9v	73.9v	47.5v	47.5v	0.0v	0.0v	50.6v	46.4v	0.0v	0.0v	0.0v	0.0v	336.38v
107 Mr NC Mace	X	73.11v	74.8v	48.6v	48.5v	0.0v	0.0v	46.4v	47.3v	0.0v	0.0v	0.0v	0.0v	336.37v
108 Mr JGM Webster	A	72.10v	73.8v	50.4v	46.4v	0.0v	0.0v	47.5v	48.5v	0.0v	0.0v	0.0v	0.0v	336.36v
109 Mr JWE Lewis	X	72.7v	73.9v	47.3v	50.7v	0.0v	0.0v	47.3v	47.5v	0.0v	0.0v	0.0v	0.0v	336.34v
110 Mr JA Bullock	O	72.8v	72.7v	49.4v	46.4v	0.0v	0.0v	48.5v	49.6v	0.0v	0.0v	0.0v	0.0v	336.34v
111 Miss AP Good	O	75.9v	73.9v	47.5v	48.5v	0.0v	0.0v	47.3v	46.2v	0.0v	0.0v	0.0v	0.0v	336.33v
112 Mr ML Millar	X	72.8v	75.12v	49.4v	46.4v	0.0v	0.0v	48.4v	46.1v	0.0v	0.0v	0.0v	0.0v	336.33v
113 Mr K Crabtree	A	74.9v	71.5v	48.6v	48.4v	0.0v	0.0v	46.4v	49.4v	0.0v	0.0v	0.0v	0.0v	336.32v
114 Mr CA Skellett	O	74.7v	72.7v	50.6v	46.2v	0.0v	0.0v	47.3v	47.5v	0.0v	0.0v	0.0v	0.0v	336.30v
115 Mr J St J Mehta	X	74.9v	71.6v	48.3v	49.4v	0.0v	0.0v	46.2v	48.5v	0.0v	0.0v	0.0v	0.0v	336.29v
116 Mr GK Alexander	X	73.7v	73.5v	49.4v	46.2v	0.0v	0.0v	48.5v	47.4v	0.0v	0.0v	0.0v	0.0v	336.27v
117 Mr MJ Ensor	X	74.11v	68.9v	49.7v	49.8v	0.0v	0.0v	49.6v	46.5v	0.0v	0.0v	0.0v	0.0v	335.46v
118 Mr RSF Shouler	X	72.11v	74.12v	48.5v	46.5v	0.0v	0.0v	46.3v	49.4v	0.0v	0.0v	0.0v	0.0v	335.40v
119 Mr TP Shaw	O	71.9v	72.9v	50.4v	48.4v	0.0v	0.0v	45.2v	49.7v	0.0v	0.0v	0.0v	0.0v	335.35v
120 Mr JLB Brooking	X	72.6v	73.8v	48.4v	49.8v	0.0v	0.0v	45.3v	48.5v	0.0v	0.0v	0.0v	0.0v	335.34v
121 Mr DFP Richards	A	72.5v	75.12v	48.7v	47.1v	0.0v	0.0v	46.3v	47.5v	0.0v	0.0v	0.0v	0.0v	335.33v
122 Sqn Ldr M Fray	O	75.9v	71.4v	49.7v	49.5v	0.0v	0.0v	43.2v	48.6v	0.0v	0.0v	0.0v	0.0v	335.33v
123 Mr Al Brown	O	73.7v	74.9v	46.4v	48.3v	0.0v	0.0v	46.2v	48.7v	0.0v	0.0v	0.0v	0.0v	335.32v
124 Mr AP Barnes	A	67.6v	75.8v	49.5v	45.3v	0.0v	0.0v	49.4v	50.5v	0.0v	0.0v	0.0v	0.0v	335.31v
125 Mr R Birtwistle	X	72.6v	74.9v	50.6v	48.3v	0.0v	0.0v	45.3v	46.4v	0.0v	0.0v	0.0v	0.0v	335.31v
126 Mr PS Holmes	A	75.6v	74.9v	49.5v	44.3v	0.0v	0.0v	49.5v	44.2v	0.0v	0.0v	0.0v	0.0v	335.30v
127 Mr TL Bedwell	A	72.8v	74.7v	47.4v	49.5v	0.0v	0.0v	48.4v	45.1v	0.0v	0.0v	0.0v	0.0v	335.29v
128 Mr AC Thomson	A	70.6v	73.7v	47.4v	48.4v	0.0v	0.0v	49.5v	48.3v	0.0v	0.0v	0.0v	0.0v	335.29v
129 Mrs SP Thorogood	X	69.4v	75.12v	45.4v	49.4v	0.0v	0.0v	47.2v	50.3v	0.0v	0.0v	0.0v	0.0v	335.29v
130 Mr SD Glen	A	74.9v	72.7v	47.4v	46.3v	0.0v	0.0v	49.4v	47.1v	0.0v	0.0v	0.0v	0.0v	335.28v
131 Mr DA Roberts	T	68.2v	73.7v	47.5v	50.6v	0.0v	0.0v	48.4v	49.3v	0.0v	0.0v	0.0v	0.0v	335.27v
132 7398 CA Stewart	A	71.5v	73.8v	50.4v	47.5v	0.0v	0.0v	47.0v	47.3v	0.0v	0.0v	0.0v	0.0v	335.25v
133 Mr RE Ellis	O	73.6v	73.5v	47.4v	49.4v	0.0v	0.0v	47.2v	46.1v	0.0v	0.0v	0.0v	0.0v	335.22v
134 Mr DA Richardson	X	72.12v	72.9v	49.6v	45.4v	0.0v	0.0v	47.6v	49.5v	0.0v	0.0v	0.0v	0.0v	334.42v
135 Miss JM Hince	A	72.8v	75.14v	47.3v	47.3v	0.0v	0.0v	43.3v	50.6v	0.0v	0.0v	0.0v	0.0v	334.37v
136 Mr NJ Atkins	A	69.9v	72.5v	49.8v	48.5v	0.0v	0.0v	46.4v	50.5v	0.0v	0.0v	0.0v	0.0v	334.36v
137 Mr JH Keates	A	71.7v	72.9v	49.4v	48.5v	0.0v	0.0v	45.5v	49.5v	0.0v	0.0v	0.0v	0.0v	334.35v
138 Mr RJS Curtis	X	72.6v	72.10v	48.5v	45.4v	0.0v	0.0v	47.4v	50.6v	0.0v	0.0v	0.0v	0.0v	334.35v
139 Dr JR Deane	X	74.13v	73.6v	49.3v	47.6v	0.0v	0.0v	43.0v	48.5v	0.0v	0.0v	0.0v	0.0v	334.33v
140 Mr HN Watson	O	70.6v	73.8v	48.6v	46.1v	0.0v	0.0v	50.4v	47.6v	0.0v	0.0v	0.0v	0.0v	334.31v
141 Miss AJ Carnell	O	74.7v	72.7v	49.5v	48.6v	0.0v	0.0v	43.2v	48.4v	0.0v	0.0v	0.0v	0.0v	334.31v
142 Brig AJW Sturrock	O	73.6v	70.5v	49.5v	47.3v	0.0v	0.0v	47.5v	48.6v	0.0v	0.0v	0.0v	0.0v	334.30v
143 Mr WP Cubitt	O	67.6v	73.8v	49.3v	49.5v	0.0v	0.0v	49.6v	47.1v	0.0v	0.0v	0.0v	0.0v	334.29v
144 Miss RL Laird	X	72.8v	70.5v	48.2v	47.6v	0.0v	0.0v	48.5v	49.3v	0.0v	0.0v	0.0v	0.0v	334.29v
145 Mr AJ Le Cheminant	O	70.6v	75.8v	49.5v	44.4v	0.0v	0.0v	48.2v	48.4v	0.0v	0.0v	0.0v	0.0v	334.29v
146 Mr M Bumford	O	75.7v	71.5v	48.7v	46.3v	0.0v	0.0v	48.2v	46.4v	0.0v	0.0v	0.0v	0.0v	334.28v
147 Mr M Horton-Baker	A	72.5v	75.9v	49.7v	46.2v	0.0v	0.0v	47.2v	45.2v	0.0v	0.0v	0.0v	0.0v	334.27v
148 Miss KE Pope	O	70.3v	70.5v	49.5v	49.4v	0.0v	0.0v	48.3v	48.5v	0.0v	0.0v	0.0v	0.0v	334.25v
149 Mr BDW Parsons	A	75.7v	71.6v	46.2v	50.3v	0.0v	0.0v	46.3v	46.4v	0.0v	0.0v	0.0v	0.0v	334.25v
150 Mr D Lowe	A	72.7v	73.8v	48.5v	49.6v	0.0v	0.0v	47.6v	44.2v	0.0v	0.0v	0.0v	0.0v	333.34v
151 Mr JPL Sweet	A	72.9v	72.6v	49.4v	45.5v	0.0v	0.0v	46.4v	49.6v	0.0v	0.0v	0.0v	0.0v	333.34v
152 Mr JPS Bloomfield	X	71.7v	74.7v	49.5v	50.4v	0.0v	0.0v	50.8v	39.2v	0.0v	0.0v	0.0v	0.0v	333.33v
153 Miss SJ Hodge	A	73.8v	74.9v	48.3v	48.3v	0.0v	0.0v	44.4v	46.5v	0.0v	0.0v	0.0v	0.0v	333.32v
154 Mr AM Sadler	A	73.4v	67.4v	48.6v	50.9v	0.0v	0.0v	46.4v	49.4v	0.0v	0.0v	0.0v	0.0v	333.31v
155 Mr MR Horrell	X	71.9v	73.6v	46.2v	49.6v	0.0v	0.0v	47.4v	47.4v	0.0v	0.0v	0.0v	0.0v	333.31v
156 Mr AJ Leech	A	72.8v	73.5v	48.4v	50.6v	0.0v	0.0v	46.4v	44.3v	0.0v	0.0v	0.0v	0.0v	333.30v
157 Mr MP Watkins	A	72.4v	74.9v	46.4v	48.4v	0.0v	0.0v	45.3v	48.6v	0.0v	0.0v	0.0v	0.0v	333.30v
158 Mr LVG O'Flynn	A	74.10v	74.10v	50.4v	44.1v	0.0v	0.0v	41.0v	50.5v	0.0v	0.0v	0.0v	0.0v	333.30v
159 Mr MDE Larcombe	A	71.7v	73.9v	50.5v	44.2v	0.0v	0.0v	47.1v	48.4v	0.0v	0.0v	0.0v	0.0v	333.28v
160 Mr JA Anderson	O	73.9v	69.3v	49.7v	47.1v	0.0v	0.0v	47.3v	48.4v	0.0v	0.0v	0.0v	0.0v	333.27v
161 Mr SP O'Brien	A	70.6v	70.6v	48.5v	48.2v	0.0v	0.0v	49.2v	48.5v	0.0v	0.0v	0.0v	0.0v	333.26v
162 Mr RR Warren	T	70.4v	75.5v	47.3v	47.2v	0.0v	0.0v	46.7v	48.5v	0.0v	0.0v	0.0v	0.0v	333.26v

163 Miss LG Taylor	A	73.4v	71.7v	49.6v	45.2v	0.0v	0.0v	47.3v	48.4v	0.0v	0.0v	0.0v	0.0v	333.26v
164 Dr N Hart	O	70.3v	73.9v	47.5v	47.5v	0.0v	0.0v	48.7v	47.4v	0.0v	0.0v	0.0v	0.0v	332.33v
165 Mr AG Harrison	O	70.6v	70.5v	48.5v	47.6v	0.0v	0.0v	47.4v	50.6v	0.0v	0.0v	0.0v	0.0v	332.32v
166 Miss DS Hume	O	75.7v	72.7v	48.3v	45.5v	0.0v	0.0v	46.2v	46.5v	0.0v	0.0v	0.0v	0.0v	332.29v
167 Mr MR Fugeman	A	75.8v	69.4v	48.3v	44.5v	0.0v	0.0v	47.3v	49.5v	0.0v	0.0v	0.0v	0.0v	332.28v
168 Mr D Clark	A	73.7v	73.7v	50.8v	46.3v	0.0v	0.0v	45.0v	45.3v	0.0v	0.0v	0.0v	0.0v	332.28v
169 Mrs LK Mace	A	71.4v	73.7v	46.1v	46.2v	0.0v	0.0v	47.5v	49.5v	0.0v	0.0v	0.0v	0.0v	332.24v
170 Mr ML Cotillard	O	73.7v	74.7v	47.2v	44.3v	0.0v	0.0v	45.3v	49.1v	0.0v	0.0v	0.0v	0.0v	332.23v
171 Mr RBC Baker	O	72.5v	71.6v	50.3v	47.2v	0.0v	0.0v	45.1v	47.4v	0.0v	0.0v	0.0v	0.0v	332.21v
172 Mr G Sarin	O	72.9v	69.7v	50.4v	46.5v	0.0v	0.0v	49.5v	45.4v	0.0v	0.0v	0.0v	0.0v	331.34v
173 Mr G Trembath	A	72.9v	73.5v	48.7v	49.5v	0.0v	0.0v	41.2v	48.6v	0.0v	0.0v	0.0v	0.0v	331.34v
174 Air Cdre JA Ford	X	74.7v	69.6v	45.4v	49.6v	0.0v	0.0v	46.4v	48.6v	0.0v	0.0v	0.0v	0.0v	331.33v
175 Mr BP Creane	X	74.11v	71.7v	45.3v	48.7v	0.0v	0.0v	46.1v	47.4v	0.0v	0.0v	0.0v	0.0v	331.33v
176 Miss AMG Ogilvie	A	70.5v	72.10v	48.6v	47.4v	0.0v	0.0v	45.4v	49.4v	0.0v	0.0v	0.0v	0.0v	331.33v
177 Mr JAH Nicholls	T	72.8v	73.9v	48.6v	48.4v	0.0v	0.0v	43.3v	47.2v	0.0v	0.0v	0.0v	0.0v	331.32v
178 Mr MR Rewston	A	73.8v	73.6v	47.5v	41.3v	0.0v	0.0v	48.4v	49.6v	0.0v	0.0v	0.0v	0.0v	331.32v
179 Mr RA Dyball	O	74.10v	71.6v	44.4v	48.5v	0.0v	0.0v	45.1v	49.5v	0.0v	0.0v	0.0v	0.0v	331.31v
180 Mr TJ Bullock	X	71.6v	73.9v	45.4v	50.7v	0.0v	0.0v	43.0v	49.4v	0.0v	0.0v	0.0v	0.0v	331.30v
181 Mr C Brooks	O	71.7v	71.5v	47.4v	48.6v	0.0v	0.0v	47.3v	47.4v	0.0v	0.0v	0.0v	0.0v	331.29v
182 Mr JA Lindsay III	A	71.6v	72.8v	50.6v	50.4v	0.0v	0.0v	42.1v	46.4v	0.0v	0.0v	0.0v	0.0v	331.29v
183 Mr AC Morley	A	72.11v	72.5v	49.7v	43.1v	0.0v	0.0v	46.2v	49.3v	0.0v	0.0v	0.0v	0.0v	331.29v
184 Wg Cdr CJ Hockley OBE	O	71.6v	70.4v	49.4v	47.5v	0.0v	0.0v	48.4v	46.5v	0.0v	0.0v	0.0v	0.0v	331.28v
185 Dr M Wrigley	O	71.5v	71.5v	48.4v	46.3v	0.0v	0.0v	48.4v	47.5v	0.0v	0.0v	0.0v	0.0v	331.26v
186 Mr PW Glen	A	72.9v	73.6v	47.1v	48.6v	0.0v	0.0v	46.3v	45.0v	0.0v	0.0v	0.0v	0.0v	331.25v
187 Mr JNff Campbell	O	69.3v	70.5v	48.5v	50.4v	0.0v	0.0v	46.1v	48.4v	0.0v	0.0v	0.0v	0.0v	331.22v
188 Mr PD Griggs	X	73.12v	73.11v	48.5v	44.2v	0.0v	0.0v	45.3v	47.3v	0.0v	0.0v	0.0v	0.0v	330.36v
189 Mr GED Hart	O	64.5v	73.10v	50.6v	50.5v	0.0v	0.0v	48.4v	45.4v	0.0v	0.0v	0.0v	0.0v	330.34v
190 Maj AR McLeod	X	70.9v	74.7v	49.7v	48.4v	0.0v	0.0v	42.1v	47.5v	0.0v	0.0v	0.0v	0.0v	330.33v
191 Miss CH Cuming	A	71.6v	74.11v	48.7v	43.2v	0.0v	0.0v	48.3v	46.3v	0.0v	0.0v	0.0v	0.0v	330.32v
192 Mr J Halahan	A	73.8v	71.9v	48.3v	48.3v	0.0v	0.0v	43.2v	47.4v	0.0v	0.0v	0.0v	0.0v	330.29v
193 Dr AF Aspin	O	74.9v	70.7v	47.3v	44.1v	0.0v	0.0v	47.4v	48.5v	0.0v	0.0v	0.0v	0.0v	330.29v
194 Mr SJ Comins	O	70.7v	72.5v	47.4v	46.2v	0.0v	0.0v	49.6v	46.4v	0.0v	0.0v	0.0v	0.0v	330.28v
195 Mr AF Donald	O	71.5v	69.5v	48.5v	44.2v	0.0v	0.0v	49.5v	49.5v	0.0v	0.0v	0.0v	0.0v	330.27v
196 Mrs LA Johnson	O	73.6v	68.4v	47.3v	50.7v	0.0v	0.0v	46.2v	46.4v	0.0v	0.0v	0.0v	0.0v	330.26v
197 Mr JRJ Kennedy	O	72.7v	71.5v	49.4v	46.3v	0.0v	0.0v	44.4v	48.3v	0.0v	0.0v	0.0v	0.0v	330.26v
198 Mr P Dawes	O	72.8v	71.5v	50.3v	42.2v	0.0v	0.0v	47.5v	48.3v	0.0v	0.0v	0.0v	0.0v	330.26v
199 Mr CAD Flanagan	O	72.7v	71.5v	48.5v	48.3v	0.0v	0.0v	45.1v	46.3v	0.0v	0.0v	0.0v	0.0v	330.24v
200 Mr AM Bullen	A	71.7v	69.7v	46.6v	47.6v	0.0v	0.0v	48.3v	48.4v	0.0v	0.0v	0.0v	0.0v	329.33v
201 Miss S Ponter	A	69.5v	74.10v	48.5v	46.4v	0.0v	0.0v	46.3v	46.6v	0.0v	0.0v	0.0v	0.0v	329.33v
202 SAC(T) J Thompstone	O	70.7v	73.9v	47.4v	47.3v	0.0v	0.0v	45.3v	47.7v	0.0v	0.0v	0.0v	0.0v	329.33v
203 Mr NE Harvey	O	70.8v	71.6v	48.6v	47.2v	0.0v	0.0v	46.2v	47.3v	0.0v	0.0v	0.0v	0.0v	329.27v
204 Mr WR Steward	O	73.6v	72.6v	48.4v	47.3v	0.0v	0.0v	43.2v	46.3v	0.0v	0.0v	0.0v	0.0v	329.24v
205 Mr AWC Lothian	A	73.6v	72.7v	49.3v	44.2v	0.0v	0.0v	43.1v	48.2v	0.0v	0.0v	0.0v	0.0v	329.21v
206 Mr RF Barrington	A	70.4v	72.7v	49.8v	46.3v	0.0v	0.0v	45.3v	46.4v	0.0v	0.0v	0.0v	0.0v	328.29v
207 Mr RA Webb	O	71.6v	72.12v	47.3v	47.2v	0.0v	0.0v	43.1v	48.5v	0.0v	0.0v	0.0v	0.0v	328.29v
208 Mr MNW Witherley	A	71.6v	72.8v	49.5v	47.5v	0.0v	0.0v	42.3v	47.1v	0.0v	0.0v	0.0v	0.0v	328.28v
209 Mr AJ Haggerty	X	72.5v	71.6v	47.3v	47.4v	0.0v	0.0v	45.2v	46.4v	0.0v	0.0v	0.0v	0.0v	328.24v
210 Mr A Coleman-Cooke	O	74.7v	71.5v	45.2v	45.3v	0.0v	0.0v	46.3v	47.4v	0.0v	0.0v	0.0v	0.0v	328.24v
211 Mr DTA Cobb	O	71.6v	70.3v	47.5v	47.3v	0.0v	0.0v	47.2v	46.4v	0.0v	0.0v	0.0v	0.0v	328.23v
212 Mr AD Partridge	O	65.2v	73.5v	48.4v	45.3v	0.0v	0.0v	48.5v	49.4v	0.0v	0.0v	0.0v	0.0v	328.23v
213 Mr EGH Atkins	A	73.5v	73.8v	49.3v	45.2v	0.0v	0.0v	45.3v	43.1v	0.0v	0.0v	0.0v	0.0v	328.22v
214 Dr CW Freeman	O	67.0v	68.5v	48.3v	49.5v	0.0v	0.0v	47.3v	49.3v	0.0v	0.0v	0.0v	0.0v	328.19v
215 Mr MJ Wood	O	70.5v	71.8v	47.4v	49.5v	0.0v	0.0v	47.4v	43.2v	0.0v	0.0v	0.0v	0.0v	327.28v
216 Mr LR Coventry	O	72.5v	74.7v	48.5v	46.2v	0.0v	0.0v	45.3v	42.4v	0.0v	0.0v	0.0v	0.0v	327.26v
217 Miss CS Chan	T	74.9v	70.4v	49.6v	41.2v	0.0v	0.0v	45.1v	48.4v	0.0v	0.0v	0.0v	0.0v	327.26v
218 Mr TS McDowell	O	72.8v	69.2v	49.3v	46.3v	0.0v	0.0v	46.4v	45.3v	0.0v	0.0v	0.0v	0.0v	327.23v
219 Dr Al Ashworth	O	72.3v	69.4v	47.4v	49.3v	0.0v	0.0v	43.0v	47.7v	0.0v	0.0v	0.0v	0.0v	327.21v
220 Pte HG Asquith-Beard	O	69.4v	72.8v	49.5v	50.7v	0.0v	0.0v	40.5v	46.4v	0.0v	0.0v	0.0v	0.0v	326.33v
221 Mr DA Smith	O	71.8v	71.9v	46.4v	47.2v	0.0v	0.0v	44.5v	47.3v	0.0v	0.0v	0.0v	0.0v	326.31v
222 Mr HJ Waldern	O	74.7v	71.7v	46.4v	45.1v	0.0v	0.0v	44.2v	46.2v	0.0v	0.0v	0.0v	0.0v	326.23v

223	Mr JR Lindsay	O	72.6v	72.9v	47.5v	47.3v	0.0v	0.0v	43.1v	44.4v	0.0v	0.0v	0.0v	325.28v
224	Mr PAE Charlton	X	69.3v	70.6v	48.3v	48.5v	0.0v	0.0v	43.3v	47.4v	0.0v	0.0v	0.0v	325.24v
225	Mr PS Gray	O	69.2v	71.7v	45.3v	47.2v	0.0v	0.0v	48.4v	45.2v	0.0v	0.0v	0.0v	325.20v
226	Mr IW Robertson	A	67.3v	72.5v	47.4v	44.3v	0.0v	0.0v	48.1v	47.3v	0.0v	0.0v	0.0v	325.19v
227	Miss K Kapustina	O	74.7v	70.4v	49.6v	46.3v	0.0v	0.0v	35.0v	50.6v	0.0v	0.0v	0.0v	324.26v
228	Mr JW Jenkins	O	67.5v	71.8v	47.6v	46.3v	0.0v	0.0v	46.2v	46.4v	0.0v	0.0v	0.0v	323.28v
229	Mr AG Lloyd	A	67.3v	66.5v	47.4v	49.3v	0.0v	0.0v	47.4v	47.7v	0.0v	0.0v	0.0v	323.26v
230	Mr JS Ritchie	O	70.3v	71.6v	43.2v	48.5v	0.0v	0.0v	43.3v	48.4v	0.0v	0.0v	0.0v	323.23v
231	Mr DH Allen	O	69.3v	69.6v	46.3v	45.1v	0.0v	0.0v	48.3v	46.6v	0.0v	0.0v	0.0v	323.22v
232	Mr AA Singh	T	71.3v	70.5v	44.0v	47.3v	0.0v	0.0v	45.2v	46.1v	0.0v	0.0v	0.0v	323.14v
233	Mr JA Dallas	O	72.7v	67.4v	48.2v	46.2v	0.0v	0.0v	43.7v	46.5v	0.0v	0.0v	0.0v	322.27v
234	Miss NE Barnes	O	67.7v	71.6v	48.3v	48.3v	0.0v	0.0v	45.4v	43.2v	0.0v	0.0v	0.0v	322.25v
235	Mr JD Thorp	O	70.7v	71.7v	48.4v	47.5v	0.0v	0.0v	45.4v	40.3v	0.0v	0.0v	0.0v	321.30v
236	Mr EN Munro	O	71.4v	72.9v	48.3v	42.2v	0.0v	0.0v	40.3v	48.4v	0.0v	0.0v	0.0v	321.25v
237	Mr RJ Quy	O	69.4v	67.3v	50.5v	49.5v	0.0v	0.0v	39.2v	47.5v	0.0v	0.0v	0.0v	321.24v
238	Mr TS Craig-Fleming	T	70.5v	74.7v	48.3v	41.2v	0.0v	0.0v	39.2v	49.5v	0.0v	0.0v	0.0v	321.24v
239	Mr G Stewart	T	71.4v	72.5v	44.2v	47.6v	0.0v	0.0v	44.2v	43.3v	0.0v	0.0v	0.0v	321.22v
240	Mr NJ Burnip	O	71.6v	69.3v	47.5v	46.6v	0.0v	0.0v	43.2v	44.4v	0.0v	0.0v	0.0v	320.26v
241	Mr MK Townsend	O	69.5v	70.4v	46.2v	47.4v	0.0v	0.0v	49.5v	39.2v	0.0v	0.0v	0.0v	320.22v
242	Mr GR Thomas	O	65.1v	67.5v	49.3v	46.3v	0.0v	0.0v	45.4v	48.6v	0.0v	0.0v	0.0v	320.22v
243	Mr DAF Parkinson	O	66.2v	70.4v	46.3v	47.5v	0.0v	0.0v	46.2v	45.4v	0.0v	0.0v	0.0v	320.20v
244	Wg Cdr MJ Gregory	O	70.5v	70.2v	44.3v	44.1v	0.0v	0.0v	44.0v	48.2v	0.0v	0.0v	0.0v	320.13v
245	Mr P Waldron	O	64.3v	72.9v	44.3v	48.6v	0.0v	0.0v	48.3v	43.3v	0.0v	0.0v	0.0v	319.27v
246	Mr R Winney	O	73.8v	67.4v	45.2v	44.3v	0.0v	0.0v	41.2v	49.7v	0.0v	0.0v	0.0v	319.26v
247	Miss KA Hinkly	T	71.8v	71.5v	42.1v	46.4v	0.0v	0.0v	47.3v	42.2v	0.0v	0.0v	0.0v	319.23v
248	Mr CR Vonchek	T	66.4v	73.6v	45.2v	47.4v	0.0v	0.0v	41.2v	47.5v	0.0v	0.0v	0.0v	319.23v
249	Mr GAE Larcombe	O	69.3v	73.7v	43.3v	48.3v	0.0v	0.0v	41.1v	45.3v	0.0v	0.0v	0.0v	319.20v
250	Mr RM Culverwell	O	67.6v	68.6v	46.6v	47.4v	0.0v	0.0v	49.3v	41.3v	0.0v	0.0v	0.0v	318.28v
251	Mr PG Kelly	O	71.7v	69.7v	44.2v	45.2v	0.0v	0.0v	45.2v	44.5v	0.0v	0.0v	0.0v	318.25v
252	Mr NC Granger	O	70.2v	72.5v	46.4v	43.0v	0.0v	0.0v	40.1v	47.4v	0.0v	0.0v	0.0v	318.16v
253	Mr TF Kurn	O	72.8v	67.4v	45.3v	40.3v	0.0v	0.0v	46.2v	47.4v	0.0v	0.0v	0.0v	317.24v
254	Mr JT Kennedy	O	68.1v	72.6v	44.3v	40.2v	0.0v	0.0v	47.6v	46.3v	0.0v	0.0v	0.0v	317.21v
255	Mr JRD Clegg	O	69.5v	66.3v	46.4v	46.2v	0.0v	0.0v	44.3v	46.2v	0.0v	0.0v	0.0v	317.19v
256	Mr JM Baldwin	T	62.4v	68.6v	44.2v	50.6v	0.0v	0.0v	47.3v	45.4v	0.0v	0.0v	0.0v	316.25v
257	Mr IRM Brown	O	63.3v	70.4v	44.1v	48.2v	0.0v	0.0v	45.5v	46.3v	0.0v	0.0v	0.0v	316.18v
258	Mrs R Merridew	O	69.3v	69.4v	46.3v	47.2v	0.0v	0.0v	45.4v	40.0v	0.0v	0.0v	0.0v	316.16v
259	Mr D Morris	O	71.6v	68.3v	46.4v	43.2v	0.0v	0.0v	45.0v	43.1v	0.0v	0.0v	0.0v	316.16v
260	Mr APW Daw	A	75.11v	72.11v	49.3v	47.4v	0.0v	0.0v	27.0v	45.3v	0.0v	0.0v	0.0v	315.32v
261	Mr DC Couch	O	68.4v	70.5v	44.2v	45.2v	0.0v	0.0v	38.3v	50.6v	0.0v	0.0v	0.0v	315.22v
262	Mr CH Smith	T	66.4v	69.3v	48.5v	46.2v	0.0v	0.0v	39.2v	47.5v	0.0v	0.0v	0.0v	315.21v
263	Mr SH Dickson	O	70.3v	68.6v	46.1v	48.5v	0.0v	0.0v	36.1v	45.5v	0.0v	0.0v	0.0v	313.21v
264	Mr JA Hopkins	T	65.4v	69.6v	45.3v	45.3v	0.0v	0.0v	44.1v	44.2v	0.0v	0.0v	0.0v	312.19v
265	F/O RJ Clegg	T	67.4v	67.3v	47.1v	43.1v	0.0v	0.0v	44.5v	44.3v	0.0v	0.0v	0.0v	312.17v
266	Mr R Roche	T	70.5v	75.9v	49.5v	27.0v	0.0v	0.0v	44.2v	45.3v	0.0v	0.0v	0.0v	310.24v
267	Mr ARP Harrison	T	68.4v	68.1v	45.3v	39.2v	0.0v	0.0v	45.4v	45.2v	0.0v	0.0v	0.0v	310.16v
268	Mr GPC Bramwell	T	71.5v	66.4v	48.3v	44.1v	0.0v	0.0v	36.1v	44.3v	0.0v	0.0v	0.0v	309.17v
269	Dr G Stevenson	O	61.1v	65.2v	46.5v	46.2v	0.0v	0.0v	43.2v	46.2v	0.0v	0.0v	0.0v	307.14v
270	Mr E Skelhorn	T	67.2v	66.4v	46.3v	44.2v	0.0v	0.0v	42.1v	42.0v	0.0v	0.0v	0.0v	307.12v
271	Mr F Lawry	T	66.1v	69.4v	45.2v	45.3v	0.0v	0.0v	42.0v	40.0v	0.0v	0.0v	0.0v	307.10v
272	Mr RW McVeigh	O	68.2v	69.1v	47.5v	37.1v	0.0v	0.0v	38.2v	47.6v	0.0v	0.0v	0.0v	306.17v
273	Mr PHC Costello	O	64.4v	74.10v	44.4v	39.0v	0.0v	0.0v	42.2v	42.0v	0.0v	0.0v	0.0v	305.20v
274	Mr CC Mallett Jnr	A	67.4v	68.4v	43.2v	40.2v	0.0v	0.0v	47.4v	40.1v	0.0v	0.0v	0.0v	305.17v
275	Mr PJ Holden	O	62.2v	64.4v	47.2v	46.2v	0.0v	0.0v	42.2v	44.4v	0.0v	0.0v	0.0v	305.16v
276	Mr C St J Marlow	O	65.4v	66.3v	46.2v	44.3v	0.0v	0.0v	39.0v	45.4v	0.0v	0.0v	0.0v	305.16v
277	Mr AW Sainter	T	61.2v	67.3v	43.2v	48.4v	0.0v	0.0v	44.1v	40.3v	0.0v	0.0v	0.0v	303.15v
278	Mr R Zhou	T	59.1v	72.9v	45.4v	47.3v	0.0v	0.0v	42.4v	37.0v	0.0v	0.0v	0.0v	302.21v
279	Mr NR Wells	T	66.4v	66.4v	42.2v	42.2v	0.0v	0.0v	44.2v	42.0v	0.0v	0.0v	0.0v	302.14v
280	Mr H McCaig	T	67.1v	66.4v	44.2v	39.0v	0.0v	0.0v	40.5v	36.2v	0.0v	0.0v	0.0v	292.14v
281	Mr CB Stone	O	57.1v	61.2v	36.0v	44.0v	0.0v	0.0v	44.2v	43.3v	0.0v	0.0v	0.0v	285.8v
282	Mr RL Sampson	O	70.7v	71.7v	50.4v	45.3v	0.0v	0.0v	0.0v	48.6v	0.0v	0.0v	0.0v	284.27v

283 Mr RM Smith T 62.2v 54.0v 44.3v 46.6v 0.0v 0.0v 45.1v 31.0v 0.0v 0.0v 0.0v 0.0v 0.0v 282.12v

284 Mr R Hyndman 0 72.7v 0.0v 0.0v 0.0v 0.0v 0.0v 48.6v 45.2v 0.0v 0.0v 0.0v 0.0v 0.0v 165.15v

285 Mr TJJ Johnston A 0.0v 73.8v 45.4v 46.6v 0.0v 0.0v 0.0v 0.0v 0.0v 0.0v 0.0v 0.0v 0.0v 164.18v