

## NRA 151st Imperial Meeting

### Grand Aggregate

		DT	DM	Alex	DC	Times	Wimb	Doyle	Dgall	PWR	PoW	Lovell	Corp	Total	
1	Mr PM Patel	X	75.10v	73.11v	48.7v	50.6v	0.0v	49.6v	49.6v	50.7v	75.10v	0.0v	0.0v	50.10v	519.73v
2	Mr DC Luckman	X	74.12v	75.9v	49.8v	50.5v	0.0v	50.7v	50.10v	49.7v	73.7v	0.0v	0.0v	49.5v	519.70v
3	Mr ORW Russell	X	75.7v	74.12v	49.3v	50.8v	0.0v	50.7v	47.7v	50.7v	74.6v	0.0v	0.0v	50.8v	519.65v
4	Mr JD Warburton	X	73.10v	74.4v	50.7v	49.5v	0.0v	50.7v	50.8v	50.9v	74.10v	0.0v	0.0v	49.3v	519.63v
5	Mr TJD Raincock	X	75.9v	75.9v	49.6v	49.8v	0.0v	49.4v	46.3v	50.7v	75.14v	0.0v	0.0v	50.6v	518.66v
6	Mr TM Drysdale	X	74.9v	75.10v	49.5v	50.10v	0.0v	50.9v	48.4v	49.6v	75.10v	0.0v	0.0v	47.4v	517.67v
7	SSGT RH Kitson	A	73.8v	74.8v	50.6v	48.6v	0.0v	49.7v	49.6v	49.6v	75.9v	0.0v	0.0v	50.7v	517.63v
8	Mr MG Whicher	X	74.10v	73.9v	50.6v	50.4v	0.0v	50.7v	47.3v	50.5v	74.12v	0.0v	0.0v	48.3v	516.59v
9	Mr RC Oxford	X	75.11v	75.8v	49.6v	48.5v	0.0v	49.3v	50.6v	49.6v	72.9v	0.0v	0.0v	49.4v	516.58v
10	Mr JMA Thompson	X	71.8v	75.11v	49.6v	48.5v	0.0v	49.5v	49.7v	50.10v	74.7v	0.0v	0.0v	50.8v	515.67v
11	Ms RA Wiltshire	A	74.11v	74.10v	49.6v	46.4v	0.0v	50.8v	49.4v	48.5v	75.10v	0.0v	0.0v	50.7v	515.65v
12	Wg Cdr D Calvert	X	74.10v	73.8v	49.8v	49.6v	0.0v	48.5v	49.6v	49.5v	74.8v	0.0v	0.0v	50.6v	515.62v
13	Mr RJ Lygoe	O	72.8v	73.6v	50.8v	49.7v	0.0v	49.5v	47.6v	50.5v	75.11v	0.0v	0.0v	50.6v	515.62v
14	Mr MCJ Button	X	74.10v	73.6v	48.6v	49.6v	0.0v	49.4v	50.9v	49.4v	74.10v	0.0v	0.0v	49.7v	515.62v
15	Miss CA Evans	X	74.8v	75.12v	49.3v	49.5v	0.0v	49.8v	47.5v	50.6v	75.12v	0.0v	0.0v	47.3v	515.62v
16	Mr JC Underwood	X	75.11v	74.4v	48.6v	49.8v	0.0v	49.4v	49.7v	48.5v	74.5v	0.0v	0.0v	49.7v	515.57v
17	Mr CES Dickenson	A	74.10v	75.6v	50.8v	50.6v	0.0v	49.5v	48.5v	49.5v	71.7v	0.0v	0.0v	49.2v	515.54v
18	Mr CN Tremlett	X	73.10v	74.12v	48.6v	49.6v	0.0v	50.6v	50.6v	50.5v	71.5v	0.0v	0.0v	49.6v	514.62v
19	Mr CE Dart	X	75.11v	75.8v	49.6v	47.4v	0.0v	49.6v	49.7v	50.7v	73.8v	0.0v	0.0v	47.4v	514.61v
20	Mr LMD Cheek	A	74.11v	75.10v	50.4v	47.6v	0.0v	49.5v	50.7v	48.6v	73.8v	0.0v	0.0v	48.2v	514.59v
21	Mr AC Haley	X	71.7v	75.7v	49.6v	48.5v	0.0v	50.9v	48.3v	49.6v	75.11v	0.0v	0.0v	49.3v	514.57v
22	Mr OEJ Spencer	X	72.8v	75.6v	50.7v	47.3v	0.0v	50.7v	49.4v	49.4v	74.11v	0.0v	0.0v	48.4v	514.54v
23	Mr CJ Mitchell	X	75.12v	73.8v	49.7v	49.6v	0.0v	48.5v	45.4v	50.7v	75.11v	0.0v	0.0v	49.3v	513.63v
24	Mr KWD Ramsey	X	70.6v	75.10v	49.7v	50.8v	0.0v	50.8v	48.4v	50.5v	75.11v	0.0v	0.0v	46.4v	513.63v
25	Ms RL Furniss	X	75.11v	75.12v	49.4v	46.5v	0.0v	50.7v	49.7v	48.2v	74.8v	0.0v	0.0v	47.6v	513.62v
26	Mr DR Armstrong	X	73.10v	72.8v	50.7v	50.4v	0.0v	49.7v	47.2v	48.7v	75.11v	0.0v	0.0v	49.5v	513.61v
27	Mr NJ Verduyn	X	71.7v	74.9v	49.6v	47.5v	0.0v	50.9v	49.4v	50.5v	73.7v	0.0v	0.0v	50.6v	513.58v
28	Mr RCT Jeens	X	74.8v	74.11v	50.8v	48.4v	0.0v	50.6v	48.4v	48.4v	73.9v	0.0v	0.0v	48.4v	513.58v
29	Mr JCT Kent	O	71.7v	75.8v	48.6v	49.4v	0.0v	49.6v	50.8v	49.5v	74.9v	0.0v	0.0v	48.3v	513.56v
30	Mr MC Cooper	X	74.8v	74.13v	50.8v	50.6v	0.0v	49.5v	48.5v	50.8v	74.11v	0.0v	0.0v	43.1v	512.65v
31	Mr PD Sykes	X	74.7v	75.12v	50.7v	46.4v	0.0v	50.9v	47.5v	48.5v	74.11v	0.0v	0.0v	48.4v	512.64v
32	Mr DGM Coleman	A	74.10v	74.9v	48.5v	49.6v	0.0v	47.5v	46.3v	50.7v	74.11v	0.0v	0.0v	50.5v	512.61v
33	WO1 JR Davies	O	73.6v	73.5v	50.6v	48.2v	0.0v	50.9v	47.6v	50.7v	74.12v	0.0v	0.0v	47.4v	512.57v
34	Mr SAJ Dowley	A	72.11v	74.10v	48.4v	50.5v	0.0v	50.6v	50.6v	48.4v	73.9v	0.0v	0.0v	47.2v	512.57v
35	Mr PM de Voil	X	73.7v	74.6v	49.8v	49.5v	0.0v	49.8v	49.3v	48.5v	75.11v	0.0v	0.0v	46.4v	512.57v
36	Mr JBG Shepherd	X	72.9v	75.9v	48.5v	48.7v	0.0v	50.6v	48.1v	48.5v	74.8v	0.0v	0.0v	49.0v	512.50v
37	Mr JEK Pepera-Hibbert	X	74.10v	75.9v	48.7v	48.6v	0.0v	48.7v	48.6v	47.5v	75.10v	0.0v	0.0v	48.4v	511.64v
38	Mr RAHV Vary	O	74.14v	73.8v	48.7v	49.7v	0.0v	49.3v	47.4v	48.4v	75.11v	0.0v	0.0v	48.5v	511.63v
39	Mr RJSG Clark	X	73.12v	73.7v	49.5v	48.4v	0.0v	50.7v	48.3v	49.7v	74.10v	0.0v	0.0v	47.6v	511.61v
40	Mrs LE Haley	X	75.9v	75.9v	50.6v	46.3v	0.0v	50.8v	49.6v	46.5v	72.8v	0.0v	0.0v	48.3v	511.57v
41	Mr B Le Cheminant	X	73.8v	73.7v	50.6v	47.3v	0.0v	49.6v	49.6v	48.6v	74.10v	0.0v	0.0v	48.3v	511.55v
42	Mr KO Pugh	X	74.9v	73.8v	49.7v	47.3v	0.0v	49.4v	49.4v	49.6v	74.9v	0.0v	0.0v	47.4v	511.54v
43	Dr HA Day	X	72.6v	72.7v	50.6v	50.4v	0.0v	48.5v	49.4v	49.7v	73.10v	0.0v	0.0v	48.4v	511.53v

44 Mr ITG Shaw	X	72.12v	72.8v	50.9v	49.8v	0.0v	49.6v	48.6v	50.10v	70.9v	0.0v	0.0v	50.5v	510.73v
45 Mr K McCamley	X	73.7v	75.9v	49.6v	48.6v	0.0v	50.6v	48.7v	50.6v	73.10v	0.0v	0.0v	44.2v	510.59v
46 Mr DA Rose	A	72.6v	75.12v	50.8v	46.1v	0.0v	50.6v	48.5v	49.7v	71.8v	0.0v	0.0v	49.5v	510.58v
47 Mr BZ Danziger	X	73.10v	75.9v	49.5v	49.4v	0.0v	47.5v	48.4v	49.6v	74.9v	0.0v	0.0v	46.5v	510.57v
48 Dr GP Nelson	X	75.11v	73.7v	47.3v	49.6v	0.0v	49.6v	48.3v	49.8v	74.9v	0.0v	0.0v	46.4v	510.57v
49 Dr BJ Winney	O	74.8v	72.8v	49.8v	47.3v	0.0v	49.6v	48.7v	48.5v	74.7v	0.0v	0.0v	49.3v	510.55v
50 Mr JAE Dixon	A	71.5v	75.9v	47.4v	48.5v	0.0v	49.6v	50.3v	48.5v	74.4v	0.0v	0.0v	48.5v	510.46v
51 Mr JR Tuck	X	73.12v	72.7v	49.6v	50.9v	0.0v	49.5v	49.4v	50.5v	73.9v	0.0v	0.0v	44.3v	509.60v
52 Mr AD Hunter	X	73.9v	73.9v	47.5v	47.5v	0.0v	49.8v	50.6v	46.4v	75.8v	0.0v	0.0v	49.5v	509.59v
53 Mr KB Hill	X	73.8v	73.8v	48.5v	45.2v	0.0v	49.5v	50.9v	49.6v	74.11v	0.0v	0.0v	48.3v	509.57v
54 Mr J Pugsley	X	74.9v	74.10v	50.7v	49.6v	0.0v	46.4v	47.2v	47.4v	75.12v	0.0v	0.0v	47.2v	509.56v
55 Dr AM Jory	X	75.8v	74.11v	47.5v	49.6v	0.0v	49.7v	49.6v	47.5v	72.5v	0.0v	0.0v	47.2v	509.55v
56 Capt NJ Ball	X	70.8v	73.10v	50.6v	48.6v	0.0v	49.5v	49.6v	49.6v	73.8v	0.0v	0.0v	47.4v	508.59v
57 Mr MJ Barlow	A	73.9v	72.10v	49.7v	48.2v	0.0v	49.5v	49.5v	50.6v	73.12v	0.0v	0.0v	45.3v	508.59v
58 Mr DR Le Quesne	X	72.10v	73.9v	48.6v	48.5v	0.0v	49.2v	49.4v	47.4v	73.10v	0.0v	0.0v	49.6v	508.56v
59 Mr SA Thomas	X	71.8v	73.8v	50.6v	50.5v	0.0v	49.6v	43.4v	49.8v	74.5v	0.0v	0.0v	49.6v	508.56v
60 Mr DG Young	X	69.7v	73.6v	48.6v	49.7v	0.0v	50.7v	48.3v	50.5v	74.8v	0.0v	0.0v	47.7v	508.56v
61 Mr M Liversage	X	75.8v	72.8v	49.5v	49.5v	0.0v	46.6v	47.5v	49.6v	74.10v	0.0v	0.0v	47.3v	508.56v
62 Mr JW Alexander	X	74.9v	74.8v	49.4v	48.2v	0.0v	48.7v	49.7v	50.8v	71.6v	0.0v	0.0v	45.3v	508.54v
63 Mr RA Dix	O	72.8v	74.8v	49.6v	44.0v	0.0v	49.6v	48.4v	50.9v	75.9v	0.0v	0.0v	47.3v	508.53v
64 Mr JF Lawrie	X	71.4v	75.10v	50.4v	47.4v	0.0v	47.7v	48.5v	49.5v	73.8v	0.0v	0.0v	48.5v	508.52v
65 Cdt TC Cubitt	A	73.4v	72.9v	49.7v	50.9v	0.0v	47.4v	50.7v	46.2v	71.5v	0.0v	0.0v	50.4v	508.51v
66 Mr J St J Mehta	X	74.9v	71.6v	48.3v	49.4v	0.0v	50.6v	46.2v	48.5v	73.9v	0.0v	0.0v	49.6v	508.50v
67 Miss C Halleran	A	74.7v	73.8v	49.5v	50.7v	0.0v	47.3v	49.6v	49.4v	73.8v	0.0v	0.0v	44.1v	508.49v
68 Mr BMA Stevens	X	72.9v	74.9v	49.2v	46.3v	0.0v	48.3v	49.3v	50.4v	74.10v	0.0v	0.0v	46.5v	508.48v
69 Mr NBS Logan	X	74.9v	73.7v	49.8v	46.4v	0.0v	49.6v	50.7v	49.4v	73.9v	0.0v	0.0v	44.2v	507.56v
70 Mr R Birtwistle	X	72.6v	74.9v	50.6v	48.3v	0.0v	50.7v	45.3v	46.4v	75.10v	0.0v	0.0v	47.4v	507.52v
71 Mr NC Mace	X	73.11v	74.8v	48.6v	48.5v	0.0v	49.3v	46.4v	47.3v	73.7v	0.0v	0.0v	49.3v	507.50v
72 Mrs SP Thorogood	X	69.4v	75.12v	45.4v	49.4v	0.0v	48.5v	47.2v	50.3v	74.8v	0.0v	0.0v	50.7v	507.49v
73 Maj J Cook	X	73.7v	70.7v	47.5v	48.4v	0.0v	49.6v	50.3v	50.8v	73.6v	0.0v	0.0v	47.3v	507.49v
74 Mr NP Moxon	X	74.9v	70.7v	49.5v	49.6v	0.0v	48.3v	49.4v	49.4v	75.6v	0.0v	0.0v	44.4v	507.48v
75 Mr RJS Curtis	X	72.6v	72.10v	48.5v	45.4v	0.0v	50.9v	47.4v	50.6v	75.8v	0.0v	0.0v	47.6v	506.58v
76 Mr RSF Shouler	X	72.11v	74.12v	48.5v	46.5v	0.0v	50.8v	46.3v	49.4v	74.6v	0.0v	0.0v	47.4v	506.58v
77 Mr CP Goad	O	75.13v	72.4v	49.6v	47.3v	0.0v	49.5v	48.5v	48.5v	72.7v	0.0v	0.0v	46.6v	506.54v
78 Dr JR Deane	X	74.13v	73.6v	49.3v	47.6v	0.0v	48.4v	43.0v	48.5v	75.9v	0.0v	0.0v	49.7v	506.53v
79 Mr MR Horrell	X	71.9v	73.6v	46.2v	49.6v	0.0v	49.6v	47.4v	47.4v	74.10v	0.0v	0.0v	50.5v	506.52v
80 Mr JA Bullock	O	72.8v	72.7v	49.4v	46.4v	0.0v	48.4v	48.5v	49.6v	72.9v	0.0v	0.0v	50.5v	506.52v
81 Mr JGM Webster	A	72.10v	73.8v	50.4v	46.4v	0.0v	47.4v	47.5v	48.5v	74.6v	0.0v	0.0v	49.6v	506.52v
82 Mr PS Holmes	A	75.6v	74.9v	49.5v	44.3v	0.0v	50.7v	49.5v	44.2v	74.10v	0.0v	0.0v	47.5v	506.52v
83 Miss AJ Clarke	O	72.6v	72.7v	50.6v	50.10v	0.0v	49.5v	49.5v	49.5v	72.8v	0.0v	0.0v	43.0v	506.52v
84 Mr C Fitzpatrick	X	73.11v	73.6v	50.8v	49.3v	0.0v	48.6v	44.2v	48.6v	74.8v	0.0v	0.0v	47.1v	506.51v
85 Mr CA Brook	A	73.7v	72.6v	49.3v	49.6v	0.0v	49.6v	44.3v	50.6v	74.8v	0.0v	0.0v	46.6v	506.51v
86 Mr JEM Bellringer	X	72.8v	73.4v	47.4v	48.2v	0.0v	49.7v	47.5v	50.6v	72.9v	0.0v	0.0v	48.3v	506.48v
87 Mr R Hirst	O	75.14v	73.11v	48.4v	48.5v	0.0v	47.4v	48.6v	48.4v	73.9v	0.0v	0.0v	45.1v	505.58v
88 Sgt SDJ Glanville	X	73.8v	75.8v	49.7v	47.4v	0.0v	44.3v	49.5v	50.6v	72.10v	0.0v	0.0v	46.5v	505.56v
89 Mr SE Young	A	73.9v	72.8v	47.3v	49.7v	0.0v	48.6v	47.4v	49.5v	72.6v	0.0v	0.0v	48.6v	505.54v
90 Mr ML Millar	X	72.8v	75.12v	49.4v	46.4v	0.0v	50.7v	48.4v	46.1v	72.8v	0.0v	0.0v	47.5v	505.53v
91 Mr JH Keates	A	71.7v	72.9v	49.4v	48.5v	0.0v	49.5v	45.5v	49.5v	73.7v	0.0v	0.0v	49.4v	505.51v
92 Mr CAJ Crosby	A	70.6v	73.4v	49.4v	48.5v	0.0v	48.7v	49.5v	49.4v	75.11v	0.0v	0.0v	44.5v	505.51v
93 Lt Col WDH Burden	A	73.6v	74.10v	49.7v	48.3v	0.0v	49.4v	49.4v	48.5v	73.8v	0.0v	0.0v	42.1v	505.48v
94 Mr C Mallett	A	72.7v	73.5v	48.6v	49.4v	0.0v	49.5v	48.3v	49.7v	73.8v	0.0v	0.0v	44.2v	505.47v
95 Mr LM Peden	A	73.6v	73.12v	49.2v	49.4v	0.0v	49.6v	47.4v	49.4v	69.5v	0.0v	0.0v	47.3v	505.46v
96 Mr SL Cleveland	O	74.10v	74.5v	50.5v	46.3v	0.0v	49.5v	49.4v	48.6v	72.7v	0.0v	0.0v	43.1v	505.46v
97 Dr MWM Veltman-Grisenthwaite	O	75.8v	74.6v	46.3v	49.7v	0.0v	49.3v	44.3v	49.4v	72.4v	0.0v	0.0v	47.4v	505.42v
98 Mr T Smith	X	73.6v	74.8v	49.3v	48.4v	0.0v	48.2v	49.4v	46.3v	72.8v	0.0v	0.0v	46.3v	505.41v
99 Mr RE Ellis	O	73.6v	73.5v	47.4v	49.4v	0.0v	47.3v	47.2v	46.1v	73.9v	0.0v	0.0v	50.4v	505.38v
100 Mr MJ Ensor	X	74.11v	68.9v	49.7v	49.8v	0.0v	47.6v	49.6v	46.5v	75.10v	0.0v	0.0v	47.6v	504.68v
101 Mr CP Weeden	X	74.10v	75.12v	48.6v	46.6v	0.0v	49.6v	48.4v	46.8v	71.9v	0.0v	0.0v	47.2v	504.63v
102 Mr RG Woodger	A	71.4v	73.5v	48.7v	50.8v	0.0v	50.6v	47.5v	49.6v	69.5v	0.0v	0.0v	47.5v	504.51v

103 Mr TM Stevenson	X	73.6v	75.11v	47.3v	48.6v	0.0v	48.4v	46.2v	48.2v	72.7v	0.0v	0.0v	47.5v	504.46v
104 Mr TA Ringer	X	74.6v	72.7v	48.3v	49.7v	0.0v	47.3v	46.3v	48.5v	73.9v	0.0v	0.0v	47.1v	504.44v
105 Mr PW Glen	A	72.9v	73.6v	47.1v	48.6v	0.0v	50.4v	46.3v	45.0v	74.8v	0.0v	0.0v	49.6v	504.43v
106 Mr HJM Awin	X	74.9v	70.7v	48.7v	49.6v	0.0v	48.5v	49.4v	49.8v	74.12v	0.0v	0.0v	42.2v	503.60v
107 Mr CD Heales	A	70.7v	74.9v	50.9v	47.4v	0.0v	50.10v	47.6v	49.6v	72.6v	0.0v	0.0v	44.1v	503.58v
108 Mr G Trembath	A	72.9v	73.5v	48.7v	49.5v	0.0v	48.4v	41.2v	48.6v	74.8v	0.0v	0.0v	50.6v	503.52v
109 Dr MJ Schwarz	O	73.9v	72.8v	49.8v	49.6v	0.0v	47.4v	46.3v	48.2v	73.8v	0.0v	0.0v	46.4v	503.52v
110 Sqn Ldr M Fray	O	75.9v	71.4v	49.7v	49.5v	0.0v	49.4v	43.2v	48.6v	73.10v	0.0v	0.0v	46.4v	503.51v
111 Mr JA Lindsay III	A	71.6v	72.8v	50.6v	50.4v	0.0v	49.5v	42.1v	46.4v	74.10v	0.0v	0.0v	49.6v	503.50v
112 Mr JWE Lewis	X	72.7v	73.9v	47.3v	50.7v	0.0v	49.3v	47.3v	47.5v	73.10v	0.0v	0.0v	45.3v	503.50v
113 Mr DFP Richards	A	72.5v	75.12v	48.7v	47.1v	0.0v	45.6v	46.3v	47.5v	75.5v	0.0v	0.0v	48.5v	503.49v
114 Mr SD Shouler	A	70.3v	73.8v	49.7v	48.2v	0.0v	44.5v	48.7v	50.7v	72.3v	0.0v	0.0v	49.5v	503.47v
115 Miss KA Fleck	O	72.9v	75.5v	48.4v	49.3v	0.0v	50.6v	50.8v	49.6v	68.5v	0.0v	0.0v	42.1v	503.47v
116 Mr DA Roberts	T	68.2v	73.7v	47.5v	50.6v	0.0v	47.6v	48.4v	49.3v	73.8v	0.0v	0.0v	48.5v	503.46v
117 Mr BN Craig	O	73.2v	73.9v	50.7v	49.5v	0.0v	47.4v	48.4v	46.4v	70.8v	0.0v	0.0v	47.3v	503.46v
118 Mr BDW Parsons	A	75.7v	71.6v	46.2v	50.3v	0.0v	48.3v	46.3v	46.4v	73.11v	0.0v	0.0v	48.6v	503.45v
119 Miss HA Pugsley	X	72.5v	75.7v	47.7v	50.8v	0.0v	50.4v	47.2v	49.5v	69.6v	0.0v	0.0v	44.1v	503.45v
120 Mr AC Morley	A	72.11v	72.5v	49.7v	43.1v	0.0v	50.3v	46.2v	49.3v	74.6v	0.0v	0.0v	48.3v	503.41v
121 Mr GK Alexander	X	73.7v	73.5v	49.4v	46.2v	0.0v	46.2v	48.5v	47.4v	74.7v	0.0v	0.0v	47.4v	503.40v
122 Mr JA Anderson	O	73.9v	69.3v	49.7v	47.1v	0.0v	49.4v	47.3v	48.4v	74.6v	0.0v	0.0v	47.1v	503.38v
123 Mr HAD Howard	A	69.4v	73.3v	50.4v	50.6v	0.0v	50.6v	49.4v	48.6v	69.2v	0.0v	0.0v	45.0v	503.35v
124 Miss L Watson	O	70.7v	75.11v	49.6v	48.5v	0.0v	49.8v	46.3v	49.6v	72.6v	0.0v	0.0v	44.2v	502.54v
125 Miss AMG Ogilvie	A	70.5v	72.10v	48.6v	47.4v	0.0v	49.5v	45.4v	49.4v	73.7v	0.0v	0.0v	49.5v	502.50v
126 Mr M Bumford	O	75.7v	71.5v	48.7v	46.3v	0.0v	47.6v	48.2v	46.4v	74.10v	0.0v	0.0v	47.3v	502.47v
127 Mr AR Radkovskii	T	74.8v	73.6v	48.5v	49.6v	0.0v	44.2v	47.2v	47.3v	73.9v	0.0v	0.0v	47.2v	502.43v
128 Mr M Horton-Baker	A	72.5v	75.9v	49.7v	46.2v	0.0v	50.8v	47.2v	45.2v	73.6v	0.0v	0.0v	45.2v	502.43v
129 Mr RR Warren	T	70.4v	75.5v	47.3v	47.2v	0.0v	49.6v	46.7v	48.5v	74.6v	0.0v	0.0v	46.4v	502.42v
130 Mr MP Watkins	A	72.4v	74.9v	46.4v	48.4v	0.0v	48.1v	45.3v	48.6v	73.8v	0.0v	0.0v	48.2v	502.41v
131 Mr RI Coventry	A	72.5v	75.10v	46.3v	49.7v	0.0v	46.6v	46.4v	49.8v	71.8v	0.0v	0.0v	47.4v	501.55v
132 Brig AJW Sturrock	O	73.6v	70.5v	49.5v	47.3v	0.0v	49.6v	47.5v	48.6v	70.6v	0.0v	0.0v	48.8v	501.50v
133 Mr JPL Sweet	A	72.9v	72.6v	49.4v	45.5v	0.0v	48.5v	46.4v	49.6v	73.9v	0.0v	0.0v	47.2v	501.50v
134 Mr AM Sadler	A	73.4v	67.4v	48.6v	50.9v	0.0v	48.4v	46.4v	49.4v	74.10v	0.0v	0.0v	46.4v	501.49v
135 Mr D Clark	A	73.7v	73.7v	50.8v	46.3v	0.0v	50.6v	45.0v	45.3v	74.12v	0.0v	0.0v	45.3v	501.49v
136 Miss AJ Carnell	O	74.7v	72.7v	49.5v	48.6v	0.0v	47.6v	43.2v	48.4v	74.8v	0.0v	0.0v	46.1v	501.46v
137 Mr RA Welford	O	74.11v	71.5v	49.6v	49.5v	0.0v	47.2v	47.3v	48.6v	71.4v	0.0v	0.0v	45.4v	501.46v
138 Mr Al Brown	O	73.7v	74.9v	46.4v	48.3v	0.0v	48.2v	46.2v	48.7v	72.8v	0.0v	0.0v	46.3v	501.45v
139 Wg Cdr CJ Hockley OBE	O	71.6v	70.4v	49.4v	47.5v	0.0v	48.4v	48.4v	46.5v	73.10v	0.0v	0.0v	49.0v	501.42v
140 Mr ML Cotillard	O	73.7v	74.7v	47.2v	44.3v	0.0v	46.4v	45.3v	49.1v	73.10v	0.0v	0.0v	50.4v	501.41v
141 Mr PD Griggs	X	73.12v	73.11v	48.5v	44.2v	0.0v	49.8v	45.3v	47.3v	73.9v	0.0v	0.0v	48.5v	500.58v
142 Mr JA Watson	X	72.6v	73.8v	48.4v	49.6v	0.0v	44.4v	47.5v	48.5v	73.7v	0.0v	0.0v	46.5v	500.50v
143 Mr ER Welford	A	71.9v	73.8v	48.3v	49.3v	0.0v	47.5v	49.6v	50.8v	69.3v	0.0v	0.0v	44.4v	500.49v
144 Mr AJ Le Cheminant	O	70.6v	75.8v	49.5v	44.4v	0.0v	47.5v	48.2v	48.4v	72.10v	0.0v	0.0v	47.3v	500.47v
145 Miss DS Hume	O	75.7v	72.7v	48.3v	45.5v	0.0v	49.4v	46.2v	46.5v	70.8v	0.0v	0.0v	49.3v	500.44v
146 Mr CA Skellett	O	74.7v	72.7v	50.6v	46.2v	0.0v	48.5v	47.3v	47.5v	73.6v	0.0v	0.0v	43.2v	500.43v
147 Mr AC Thomson	A	70.6v	73.7v	47.4v	48.4v	0.0v	48.4v	49.5v	48.3v	69.5v	0.0v	0.0v	48.4v	500.42v
148 Mr MR Fugeman	A	75.8v	69.4v	48.3v	47.3v	0.0v	46.1v	47.3v	49.5v	75.13v	0.0v	0.0v	44.2v	500.42v
149 Miss RL Laird	X	72.8v	70.5v	48.2v	47.6v	0.0v	47.4v	48.5v	49.3v	70.4v	0.0v	0.0v	49.4v	500.41v
150 Mr TL Bedwell	A	72.8v	74.7v	47.4v	49.5v	0.0v	48.4v	48.4v	45.1v	72.6v	0.0v	0.0v	45.2v	500.41v
151 Mr AM Bullen	A	71.7v	69.7v	46.6v	47.6v	0.0v	48.6v	48.3v	48.4v	72.6v	0.0v	0.0v	50.10v	499.55v
152 Mr NJ Atkins	A	69.9v	72.5v	49.8v	48.5v	0.0v	49.6v	46.4v	50.5v	73.5v	0.0v	0.0v	43.3v	499.50v
153 Mr PM Hakim	X	75.7v	71.6v	49.6v	49.6v	0.0v	46.2v	46.5v	50.6v	74.10v	0.0v	0.0v	39.2v	499.50v
154 Mr TP Shaw	O	71.9v	72.9v	50.4v	48.4v	0.0v	49.3v	45.2v	49.7v	72.9v	0.0v	0.0v	43.2v	499.49v
155 Miss CH Cuming	A	71.6v	74.11v	48.7v	43.2v	0.0v	49.7v	48.3v	46.3v	74.8v	0.0v	0.0v	46.1v	499.48v
156 Miss AP Good	O	75.9v	73.9v	47.5v	48.5v	0.0v	46.3v	47.3v	46.2v	73.9v	0.0v	0.0v	44.3v	499.48v
157 Mr SD Glen	A	74.9v	72.7v	47.4v	46.3v	0.0v	49.6v	49.4v	47.1v	72.9v	0.0v	0.0v	43.4v	499.47v
158 Mr TO Little	A	75.9v	73.9v	48.4v	46.1v	0.0v	44.1v	47.4v	48.4v	71.8v	0.0v	0.0v	47.1v	499.41v
159 Miss KE Pope	O	70.3v	70.5v	49.5v	49.4v	0.0v	46.2v	48.3v	48.5v	73.10v	0.0v	0.0v	46.4v	499.41v
160 7398 CA Stewart	A	71.5v	73.8v	50.4v	47.5v	0.0v	49.5v	47.0v	47.3v	71.7v	0.0v	0.0v	44.1v	499.38v
161 Mr DA Richardson	X	72.12v	72.9v	49.6v	45.4v	0.0v	50.5v	47.6v	49.5v	72.8v	0.0v	0.0v	42.4v	498.59v
162 Miss JM Hince	A	72.8v	75.14v	47.3v	47.3v	0.0v	48.5v	43.3v	50.6v	70.9v	0.0v	0.0v	46.3v	498.54v

163 Mr D Lowe	A	72.7v	73.8v	48.5v	49.6v	0.0v	47.6v	47.6v	44.2v	71.9v	0.0v	0.0v	47.4v	498.53v
164 Maj AR McLeod	X	70.9v	74.7v	49.7v	48.4v	0.0v	49.6v	42.1v	47.5v	74.10v	0.0v	0.0v	45.4v	498.53v
165 Mr RA Webb	O	71.6v	72.12v	47.3v	47.2v	0.0v	49.8v	43.1v	48.5v	72.10v	0.0v	0.0v	49.4v	498.51v
166 Miss S Ponter	A	69.5v	74.10v	48.5v	46.4v	0.0v	49.5v	46.3v	46.6v	75.9v	0.0v	0.0v	45.3v	498.50v
167 Miss HPC Bramwell	O	72.8v	73.11v	46.3v	49.6v	0.0v	47.4v	49.4v	48.4v	72.6v	0.0v	0.0v	42.3v	498.49v
168 Mr JAH Nicholls	T	72.8v	73.9v	48.6v	48.4v	0.0v	48.5v	43.3v	47.2v	74.6v	0.0v	0.0v	45.5v	498.48v
169 Mr HN Watson	O	70.6v	73.8v	48.6v	46.1v	0.0v	48.5v	50.4v	47.6v	73.11v	0.0v	0.0v	43.1v	498.48v
170 Mr AP Barnes	A	67.6v	75.8v	49.5v	45.3v	0.0v	50.5v	49.4v	50.5v	65.7v	0.0v	0.0v	48.4v	498.47v
171 Mr P Dawes	O	72.8v	71.5v	50.3v	42.2v	0.0v	48.5v	47.5v	48.3v	72.8v	0.0v	0.0v	48.5v	498.44v
172 Dr M Wrigley	O	71.5v	71.5v	48.4v	46.3v	0.0v	48.6v	48.4v	47.5v	70.5v	0.0v	0.0v	49.6v	498.43v
173 Mr LVG O'Flynn	A	74.10v	74.10v	50.4v	44.1v	0.0v	48.2v	41.0v	50.5v	71.6v	0.0v	0.0v	46.5v	498.43v
174 Air Cdre JA Ford	X	74.7v	69.6v	45.4v	49.6v	0.0v	47.5v	46.4v	48.6v	71.8v	0.0v	0.0v	48.6v	497.52v
175 Mrs LK Mace	A	71.4v	73.7v	46.1v	46.2v	0.0v	45.4v	47.5v	49.5v	73.9v	0.0v	0.0v	47.4v	497.41v
176 Mr JRJ Kennedy	O	72.7v	71.5v	49.4v	46.3v	0.0v	47.3v	44.4v	48.3v	71.6v	0.0v	0.0v	49.4v	497.39v
177 Mr RBC Baker	O	72.5v	71.6v	50.3v	47.2v	0.0v	45.2v	45.1v	47.4v	73.7v	0.0v	0.0v	47.5v	497.35v
178 Mr MNW Witherley	A	71.6v	72.8v	49.5v	47.5v	0.0v	49.6v	42.3v	47.1v	73.8v	0.0v	0.0v	46.4v	496.46v
179 Mr C Brooks	O	71.7v	71.5v	47.4v	48.6v	0.0v	46.4v	47.3v	47.4v	70.5v	0.0v	0.0v	49.7v	496.45v
180 Mr K Crabtree	A	74.9v	71.5v	48.6v	48.4v	0.0v	48.4v	46.4v	49.4v	75.7v	0.0v	0.0v	37.1v	496.44v
181 Mr HJ Waldern	O	74.7v	71.7v	46.4v	45.1v	0.0v	49.3v	44.2v	46.2v	75.8v	0.0v	0.0v	46.5v	496.39v
182 Mr WR Steward	O	73.6v	72.6v	48.4v	47.3v	0.0v	47.3v	43.2v	46.3v	73.6v	0.0v	0.0v	47.4v	496.37v
183 Mr RA Dyball	O	74.10v	71.6v	44.4v	48.5v	0.0v	46.5v	45.1v	49.5v	73.10v	0.0v	0.0v	45.2v	495.48v
184 Mr TJ Bullock	X	71.6v	73.9v	45.4v	50.7v	0.0v	49.7v	43.0v	49.4v	74.5v	0.0v	0.0v	41.0v	495.42v
185 Mr SJ Comins	O	70.7v	72.5v	47.4v	46.2v	0.0v	49.5v	49.6v	46.4v	70.4v	0.0v	0.0v	46.4v	495.41v
186 Miss LG Taylor	A	73.4v	71.7v	49.6v	45.2v	0.0v	50.6v	47.3v	48.4v	72.9v	0.0v	0.0v	40.0v	495.41v
187 Mr WP Cubitt	O	67.6v	73.8v	49.3v	49.5v	0.0v	50.4v	49.6v	47.1v	71.6v	0.0v	0.0v	40.0v	495.39v
188 Mr SP O'Brien	A	70.6v	70.6v	48.5v	48.2v	0.0v	44.3v	49.2v	48.5v	71.4v	0.0v	0.0v	47.5v	495.38v
189 Mr JLB Brooking	X	72.6v	73.8v	48.4v	49.8v	0.0v	50.7v	45.3v	48.5v	75.11v	0.0v	0.0v	34.2v	494.54v
190 Pte HG Asquith-Beard	O	69.4v	72.8v	49.5v	50.7v	0.0v	47.7v	40.5v	46.4v	74.7v	0.0v	0.0v	47.1v	494.48v
191 Mr RF Barrington	A	70.4v	72.7v	49.8v	46.3v	0.0v	48.3v	45.3v	46.4v	71.5v	0.0v	0.0v	47.6v	494.43v
192 Dr AF Aspin	O	74.9v	70.7v	47.3v	44.1v	0.0v	49.5v	47.4v	48.5v	68.2v	0.0v	0.0v	47.4v	494.40v
193 Mr MDE Larcombe	A	71.7v	73.9v	50.5v	44.2v	0.0v	49.6v	47.1v	48.4v	70.3v	0.0v	0.0v	42.2v	494.39v
194 Mr A Coleman-Cooke	O	74.7v	71.5v	45.2v	45.3v	0.0v	48.4v	46.3v	47.4v	74.8v	0.0v	0.0v	44.1v	494.37v
195 Mr DTA Cobb	O	71.6v	70.3v	47.5v	47.3v	0.0v	47.3v	47.2v	46.4v	72.6v	0.0v	0.0v	47.3v	494.35v
196 Mr JNff Campbell	O	69.3v	70.5v	48.5v	50.4v	0.0v	46.4v	46.1v	48.4v	68.4v	0.0v	0.0v	49.3v	494.33v
197 Mr AF Donald	O	71.5v	69.5v	48.5v	44.2v	0.0v	45.3v	49.5v	49.5v	72.9v	0.0v	0.0v	46.5v	493.44v
198 Mr GED Hart	O	64.5v	73.10v	50.6v	50.5v	0.0v	47.3v	48.4v	45.4v	72.7v	0.0v	0.0v	44.0v	493.44v
199 Mr MJ Wood	O	70.5v	71.8v	47.4v	49.5v	0.0v	49.6v	47.4v	43.2v	69.4v	0.0v	0.0v	48.3v	493.41v
200 Mr LR Coventry	O	72.5v	74.7v	48.5v	46.2v	0.0v	48.4v	45.3v	42.4v	70.5v	0.0v	0.0v	48.4v	493.39v
201 Miss SJ Hodge	A	73.8v	74.9v	48.3v	48.3v	0.0v	50.7v	44.4v	46.5v	74.10v	0.0v	0.0v	35.0v	492.49v
202 Dr AI Ashworth	O	72.3v	69.4v	47.4v	49.3v	0.0v	50.7v	43.0v	47.7v	74.11v	0.0v	0.0v	41.7v	492.46v
203 SAC(T) J Thompstone	O	70.7v	73.9v	47.4v	47.3v	0.0v	48.4v	45.3v	47.7v	73.7v	0.0v	0.0v	42.1v	492.45v
204 Mr PAE Charlton	X	69.3v	70.6v	48.3v	48.5v	0.0v	46.3v	43.3v	47.4v	73.11v	0.0v	0.0v	48.6v	492.44v
205 Dr N Hart	O	70.3v	73.9v	47.5v	47.5v	0.0v	45.1v	48.7v	47.4v	72.7v	0.0v	0.0v	43.1v	492.42v
206 Mr CAD Flanagan	O	72.7v	71.5v	48.5v	48.3v	0.0v	48.3v	45.1v	46.3v	75.13v	0.0v	0.0v	39.2v	492.42v
207 Dr CW Freeman	O	67.0v	68.5v	48.3v	49.5v	0.0v	48.4v	47.3v	49.3v	72.8v	0.0v	0.0v	44.3v	492.34v
208 Mr AWC Lothian	A	73.6v	72.7v	49.3v	44.2v	0.0v	47.3v	43.1v	48.2v	72.5v	0.0v	0.0v	44.1v	492.30v
209 Mr EGH Atkins	A	73.5v	73.8v	49.3v	45.2v	0.0v	49.5v	45.3v	43.1v	72.8v	0.0v	0.0v	42.2v	491.37v
210 Mr AG Harrison	O	70.6v	70.5v	48.5v	47.6v	0.0v	48.5v	47.4v	50.6v	71.5v	0.0v	0.0v	39.2v	490.44v
211 Mr NE Harvey	O	70.8v	71.6v	48.6v	47.2v	0.0v	49.6v	46.2v	47.3v	67.7v	0.0v	0.0v	44.4v	489.44v
212 Mr G Sarin	O	72.9v	69.7v	50.4v	46.5v	0.0v	45.3v	49.5v	45.4v	67.3v	0.0v	0.0v	46.2v	489.42v
213 Mr DA Smith	O	71.8v	71.9v	46.4v	47.2v	0.0v	48.2v	44.5v	47.3v	71.5v	0.0v	0.0v	44.4v	489.42v
214 Mr AJ Leech	A	72.8v	73.5v	48.4v	50.6v	0.0v	47.3v	46.4v	44.3v	71.7v	0.0v	0.0v	38.1v	489.41v
215 Mr J Halahan	A	73.8v	71.9v	48.3v	48.3v	0.0v	44.2v	43.2v	47.4v	73.9v	0.0v	0.0v	42.0v	489.40v
216 Mr IW Robertson	A	67.3v	72.5v	47.4v	44.3v	0.0v	49.4v	48.1v	47.3v	71.7v	0.0v	0.0v	44.2v	489.32v
217 Mr AD Partridge	O	65.2v	73.5v	48.4v	45.3v	0.0v	46.4v	48.5v	49.4v	67.7v	0.0v	0.0v	47.2v	488.36v
218 Mr TS Craig-Fleming	T	70.5v	74.7v	48.3v	41.2v	0.0v	47.5v	39.2v	49.5v	70.10v	0.0v	0.0v	49.5v	487.44v
219 Mr JD Thorp	O	70.7v	71.7v	48.4v	47.5v	0.0v	46.2v	45.4v	40.3v	72.8v	0.0v	0.0v	48.4v	487.44v
220 Mr MR Rewston	A	73.8v	73.6v	47.5v	41.3v	0.0v	46.3v	48.4v	49.6v	66.4v	0.0v	0.0v	44.2v	487.41v
221 Mr PS Gray	O	69.2v	71.7v	45.3v	47.2v	0.0v	46.6v	48.4v	45.2v	69.5v	0.0v	0.0v	47.2v	487.33v
222 Mr JW Jenkins	O	67.5v	71.8v	47.6v	46.3v	0.0v	48.3v	46.2v	46.4v	69.5v	0.0v	0.0v	46.4v	486.40v

223 Mr MK Townsend	O	69.5v	70.4v	46.2v	47.4v	0.0v	47.2v	49.5v	39.2v	72.8v	0.0v	0.0v	47.5v	486.37v
224 Mr G Stewart	T	71.4v	72.5v	44.2v	47.6v	0.0v	46.4v	44.2v	43.3v	71.6v	0.0v	0.0v	48.1v	486.33v
225 Mr JT Kennedy	O	68.1v	72.6v	44.3v	40.2v	0.0v	47.5v	47.6v	46.3v	72.5v	0.0v	0.0v	49.6v	485.37v
226 Mr CH Smith	T	66.4v	69.3v	48.5v	46.2v	0.0v	49.4v	39.2v	47.5v	73.7v	0.0v	0.0v	48.4v	485.36v
227 Mr GAE Larcombe	O	69.3v	73.7v	43.3v	48.3v	0.0v	48.4v	41.1v	45.3v	71.6v	0.0v	0.0v	47.2v	485.32v
228 Mr EN Munro	O	71.4v	72.9v	48.3v	42.2v	0.0v	48.5v	40.3v	48.4v	72.8v	0.0v	0.0v	43.3v	484.41v
229 Mr GR Thomas	O	65.1v	67.5v	49.3v	46.3v	0.0v	47.1v	45.4v	48.6v	69.3v	0.0v	0.0v	48.5v	484.31v
230 Mr RM Culverwell	O	67.6v	68.6v	46.6v	47.4v	0.0v	46.3v	49.3v	41.3v	72.5v	0.0v	0.0v	47.2v	483.38v
231 Mr SH Dickson	O	70.3v	68.6v	46.1v	48.5v	0.0v	49.7v	36.1v	45.5v	73.7v	0.0v	0.0v	48.2v	483.37v
232 Mr TS McDowell	O	72.8v	69.2v	49.3v	46.3v	0.0v	46.5v	46.4v	45.3v	73.7v	0.0v	0.0v	37.1v	483.36v
233 Mrs LA Johnson	O	73.6v	68.4v	47.3v	50.7v	0.0v	46.4v	46.2v	46.4v	71.4v	0.0v	0.0v	36.2v	483.36v
234 Miss NE Barnes	O	67.7v	71.6v	48.3v	48.3v	0.0v	44.3v	45.4v	43.2v	71.5v	0.0v	0.0v	46.2v	483.35v
235 Mr CR Vonchek	T	66.4v	73.6v	45.2v	47.4v	0.0v	47.3v	41.2v	47.5v	71.6v	0.0v	0.0v	46.2v	483.34v
236 Mr DAF Parkinson	O	66.2v	70.4v	46.3v	47.5v	0.0v	47.3v	46.2v	45.4v	70.7v	0.0v	0.0v	46.3v	483.33v
237 Mr BP Creane	X	74.11v	71.7v	45.3v	48.7v	0.0v	39.1v	46.1v	47.4v	71.5v	0.0v	0.0v	41.2v	482.41v
238 Mr DC Couch	O	68.4v	70.5v	44.2v	45.2v	0.0v	48.5v	38.3v	50.6v	73.9v	0.0v	0.0v	46.1v	482.37v
239 Mr JS Ritchie	O	70.3v	71.6v	43.2v	48.5v	0.0v	42.1v	43.3v	48.4v	69.9v	0.0v	0.0v	48.3v	482.36v
240 Miss K Kapustina	O	74.7v	70.4v	49.6v	46.3v	0.0v	48.5v	35.0v	50.6v	72.7v	0.0v	0.0v	37.2v	481.40v
241 Mr JA Dallas	O	72.7v	67.4v	48.2v	46.2v	0.0v	47.3v	43.7v	46.5v	66.3v	0.0v	0.0v	46.2v	481.35v
242 Mr DH Allen	O	69.3v	69.6v	46.3v	45.1v	0.0v	49.1v	48.3v	46.6v	64.2v	0.0v	0.0v	45.5v	481.30v
243 Mr AA Singh	T	71.3v	70.5v	44.0v	47.3v	0.0v	46.4v	45.2v	46.1v	71.3v	0.0v	0.0v	41.1v	481.22v
244 Mr R Winney	O	73.8v	67.4v	45.2v	44.3v	0.0v	48.5v	41.2v	49.7v	68.5v	0.0v	0.0v	45.4v	480.40v
245 Mr NJ Burnip	O	71.6v	69.3v	47.5v	46.6v	0.0v	43.4v	43.2v	44.4v	73.7v	0.0v	0.0v	44.2v	480.39v
246 Mr AG Lloyd	A	67.3v	66.5v	47.4v	49.3v	0.0v	45.1v	47.4v	47.7v	69.6v	0.0v	0.0v	43.1v	480.34v
247 Wg Cdr MJ Gregory	O	70.5v	70.2v	44.3v	44.1v	0.0v	46.2v	44.0v	48.2v	70.9v	0.0v	0.0v	44.2v	480.26v
248 Mr RJ Quy	O	69.4v	67.3v	50.5v	49.5v	0.0v	44.2v	39.2v	47.5v	70.10v	0.0v	0.0v	44.2v	479.38v
249 Mr IRM Brown	O	63.3v	70.4v	44.1v	48.2v	0.0v	49.4v	45.5v	46.3v	71.6v	0.0v	0.0v	43.2v	479.30v
250 Miss KA Hinkly	T	71.8v	71.5v	42.1v	46.4v	0.0v	47.3v	47.3v	42.2v	70.4v	0.0v	0.0v	42.1v	478.31v
251 Mr NC Granger	O	70.2v	72.5v	46.4v	43.0v	0.0v	50.4v	40.1v	47.4v	69.4v	0.0v	0.0v	40.2v	477.26v
252 Mr P Waldron	O	64.3v	72.9v	44.3v	48.6v	0.0v	46.4v	48.3v	43.3v	67.5v	0.0v	0.0v	43.3v	475.39v
253 Mr PG Kelly	O	71.7v	69.7v	44.2v	45.2v	0.0v	48.2v	45.2v	44.5v	68.4v	0.0v	0.0v	40.4v	474.35v
254 Mr TF Kurn	O	72.8v	67.4v	45.3v	40.3v	0.0v	41.1v	46.2v	47.4v	69.5v	0.0v	0.0v	47.2v	474.32v
255 Mr JRD Clegg	O	69.5v	66.3v	46.4v	46.2v	0.0v	44.3v	44.3v	46.2v	70.5v	0.0v	0.0v	43.1v	474.28v
256 Mr APW Daw	A	75.11v	72.11v	49.3v	47.4v	0.0v	49.4v	27.0v	45.3v	72.7v	0.0v	0.0v	37.1v	473.44v
257 Mr JM Baldwin	T	62.4v	68.6v	44.2v	50.6v	0.0v	45.2v	47.3v	45.4v	65.2v	0.0v	0.0v	46.0v	472.29v
258 F/O RJ Clegg	T	67.4v	67.3v	47.1v	43.1v	0.0v	45.3v	44.5v	44.3v	70.5v	0.0v	0.0v	44.2v	471.27v
259 Mr D Morris	O	71.6v	68.3v	46.4v	43.2v	0.0v	44.2v	45.0v	43.1v	69.2v	0.0v	0.0v	42.3v	471.23v
260 Mr GPC Bramwell	T	71.5v	66.4v	48.3v	44.1v	0.0v	46.3v	36.1v	44.3v	69.7v	0.0v	0.0v	45.1v	469.28v
261 Mr R Zhou	T	59.1v	72.9v	45.4v	47.3v	0.0v	47.3v	42.4v	37.0v	73.10v	0.0v	0.0v	46.3v	468.37v
262 Mr JR Lindsay	O	72.6v	72.9v	47.5v	47.3v	0.0v	46.2v	43.1v	44.4v	58.3v	0.0v	0.0v	38.1v	467.34v
263 Mrs R Merridew	O	69.3v	69.4v	46.3v	47.2v	0.0v	45.4v	45.4v	40.0v	70.6v	0.0v	0.0v	36.1v	467.27v
264 Mr F Lawry	T	66.1v	69.4v	45.2v	45.3v	0.0v	47.1v	42.0v	40.0v	73.10v	0.0v	0.0v	40.0v	467.21v
265 Mr R Roche	T	70.5v	75.9v	49.5v	27.0v	0.0v	45.3v	44.2v	45.3v	72.5v	0.0v	0.0v	39.2v	466.34v
266 Mr E Skelhorn	T	67.2v	66.4v	46.3v	44.2v	0.0v	46.3v	42.1v	42.0v	69.6v	0.0v	0.0v	44.2v	466.23v
267 Mr C St J Marlow	O	65.4v	66.3v	46.2v	44.3v	0.0v	49.4v	39.0v	45.4v	67.4v	0.0v	0.0v	44.3v	465.27v
268 Mr ARP Harrison	T	68.4v	68.1v	45.3v	39.2v	0.0v	45.4v	45.4v	45.2v	66.4v	0.0v	0.0v	44.2v	465.26v
269 Mr RW McVeigh	O	68.2v	69.1v	47.5v	37.1v	0.0v	49.3v	38.2v	47.6v	73.8v	0.0v	0.0v	36.0v	464.28v
270 Mr NR Wells	T	66.4v	66.4v	42.2v	42.2v	0.0v	49.4v	44.2v	42.0v	69.4v	0.0v	0.0v	42.3v	462.25v
271 Dr G Stevenson	O	61.1v	65.2v	46.5v	46.2v	0.0v	46.3v	43.2v	46.2v	64.3v	0.0v	0.0v	45.2v	462.22v
272 Mr AJ Haggerty	X	72.5v	71.6v	47.3v	47.4v	0.0v	48.5v	45.2v	46.4v	71.5v	0.0v	0.0v	14.0v	461.34v
273 Mr CC Mallett Jnr	A	67.4v	68.4v	43.2v	40.2v	0.0v	42.1v	47.4v	40.1v	69.5v	0.0v	0.0v	45.2v	461.25v
274 Mr JA Hopkins	T	65.4v	69.6v	45.3v	45.3v	0.0v	40.2v	44.1v	44.2v	63.5v	0.0v	0.0v	43.4v	458.30v
275 Mr JPS Bloomfield	X	71.7v	74.7v	49.5v	50.4v	0.0v	0.0v	50.8v	39.2v	72.8v	0.0v	0.0v	47.5v	452.46v
276 Mr PHC Costello	O	64.4v	74.10v	44.4v	39.0v	0.0v	43.5v	42.2v	42.0v	67.3v	0.0v	0.0v	34.0v	449.28v
277 Mr H McCaig	T	67.1v	66.4v	44.2v	39.0v	0.0v	47.3v	40.5v	36.2v	66.4v	0.0v	0.0v	41.1v	446.22v
278 Mr RL Sampson	O	70.7v	71.7v	50.4v	45.3v	0.0v	48.4v	0.0v	48.6v	71.7v	0.0v	0.0v	42.1v	445.39v
279 Mr PJ Holden	O	62.2v	64.4v	47.2v	46.2v	0.0v	42.1v	42.2v	44.4v	60.2v	0.0v	0.0v	37.0v	444.19v
280 Miss CS Chan	T	74.9v	70.4v	49.6v	41.2v	0.0v	0.0v	45.1v	48.4v	68.4v	0.0v	0.0v	37.0v	432.30v
281 Mr AW Sainter	T	61.2v	67.3v	43.2v	48.4v	0.0v	39.1v	44.1v	40.3v	60.3v	0.0v	0.0v	30.1v	432.20v
282 Mr CB Stone	O	57.1v	61.2v	36.0v	44.0v	0.0v	39.0v	44.2v	43.3v	56.1v	0.0v	0.0v	36.2v	416.11v

283 Mr RM Smith	T	62.2v	54.0v	44.3v	46.6v	0.0v	36.2v	45.1v	31.0v	50.4v	0.0v	0.0v	41.2v	409.20v
284 Mr TJJ Johnston	A	0.0v	73.8v	45.4v	46.6v	0.0v	46.2v	0.0v	0.0v	71.4v	0.0v	0.0v	43.1v	324.25v
285 Mr R Hyndman	O	72.7v	0.0v	0.0v	0.0v	0.0v	0.0v	48.6v	45.2v	0.0v	0.0v	0.0v	0.0v	165.15v