

The Veterans Aggregate

	DT	DM	Alex	DC	Times	Wimb	Doyle	Dgall	PWR	POW	Lovell	Corp	Total
--	----	----	------	----	-------	------	-------	-------	-----	-----	--------	------	-------

The Evan Price Challenge Cup and an NRA Gold Medal

1 Mr NJ Ball	A	75.9v	75.11v	50.7v	49.6v	50.8v	74.8v	48.4v	50.6v	0.0v	74.11v	49.3v	49.3v	717.85v
--------------	---	-------	--------	-------	-------	-------	-------	-------	-------	------	--------	-------	-------	---------

An NRA Silver Medal

2 Mr KO Pugh	X	74.7v	71.9v	50.4v	48.6v	49.7v	74.10v	50.8v	50.6v	0.0v	74.7v	48.5v	50.8v	713.84v
--------------	---	-------	-------	-------	-------	-------	--------	-------	-------	------	-------	-------	-------	---------

An NRA Bronze Medal

3 Flt Lt D Calvert RAFVR	X	74.9v	74.9v	50.9v	49.7v	49.6v	75.14v	48.6v	49.4v	0.0v	74.8v	49.6v	45.3v	708.91v
--------------------------	---	-------	-------	-------	-------	-------	--------	-------	-------	------	-------	-------	-------	---------

Next Best Scores

4 Mr CN Tremlett	X	75.9v	72.9v	50.6v	50.6v	50.6v	75.13v	49.4v	49.6v	0.0v	72.11v	47.5v	46.4v	708.87v
5 Mr RA Welford	A	74.7v	72.9v	48.3v	50.4v	48.4v	74.7v	48.3v	49.6v	0.0v	74.8v	49.6v	48.4v	707.71v
6 Mr RM Hatcher	A	71.7v	72.5v	50.7v	49.4v	49.4v	75.13v	47.3v	50.6v	0.0v	74.5v	47.2v	47.1v	706.66v
7 Dr JR Deane	X	72.7v	73.9v	49.6v	50.6v	50.5v	74.11v	49.5v	50.4v	0.0v	73.12v	47.4v	45.1v	705.79v
8 Mr JMA Thompson	X	72.10v	72.6v	49.4v	48.4v	48.6v	74.10v	48.3v	47.4v	0.0v	73.9v	49.5v	50.6v	704.77v
9 Mr RM Roberts	X	74.11v	73.8v	49.5v	50.8v	49.6v	70.4v	49.6v	49.6v	0.0v	71.8v	48.5v	49.7v	703.80v
10 Mr CP Weeden	X	71.7v	75.7v	49.5v	46.1v	50.6v	75.10v	50.7v	49.9v	0.0v	73.8v	47.5v	45.1v	703.72v
11 Mr SA Thomas	X	70.4v	75.7v	50.6v	48.7v	48.6v	74.10v	47.5v	48.7v	0.0v	75.13v	48.5v	47.4v	702.81v
12 Mr D Young	X	70.2v	75.8v	49.6v	49.5v	50.5v	72.9v	49.3v	49.6v	0.0v	72.10v	49.7v	46.4v	702.75v
13 Mr CES Dickenson	A	73.4v	74.7v	49.6v	49.6v	48.3v	75.13v	49.6v	46.3v	0.0v	71.5v	49.5v	45.1v	701.68v
14 Mr RL Eayrs	O	73.10v	75.11v	49.8v	50.5v	48.5v	73.10v	48.4v	49.6v	0.0v	72.7v	42.3v	49.7v	699.84v
15 Mr TLW Kidner	O	71.5v	74.9v	50.6v	50.5v	47.6v	70.3v	47.4v	49.4v	0.0v	70.9v	49.6v	49.4v	699.68v
16 Mr PD Griggs	X	73.11v	74.4v	48.4v	50.7v	48.6v	68.9v	48.7v	50.5v	0.0v	72.10v	47.3v	46.3v	697.76v
17 Mr SNS Penrose	X	73.8v	72.5v	47.5v	50.6v	49.7v	73.5v	47.5v	49.8v	0.0v	74.9v	42.4v	47.3v	696.75v
18 Mr C Fitzpatrick	X	75.11v	72.8v	48.4v	42.3v	48.5v	72.7v	49.5v	50.5v	0.0v	73.6v	47.4v	47.2v	696.69v
19 Mr RE Ellis	O	73.9v	73.8v	49.6v	50.3v	47.4v	72.8v	44.2v	49.6v	0.0v	71.3v	45.3v	48.6v	695.67v
20 Mr AC Morley	O	71.7v	74.9v	50.5v	48.5v	49.5v	69.8v	49.5v	48.5v	0.0v	74.6v	47.2v	47.5v	695.66v
21 Maj AG McLean	A	69.5v	71.4v	49.7v	50.7v	46.3v	73.10v	49.7v	49.5v	0.0v	73.10v	46.3v	45.3v	694.73v
22 Mr JR Tuck	X	70.8v	74.10v	50.7v	48.6v	48.4v	71.5v	49.7v	45.3v	0.0v	75.8v	50.7v	38.1v	693.79v
23 Dr G Stewart	A	72.7v	73.4v	48.5v	50.7v	48.6v	70.7v	49.6v	50.8v	0.0v	71.8v	43.2v	46.3v	693.71v
24 Mr JGM Webster	A	74.7v	73.9v	48.5v	50.6v	49.5v	68.8v	45.2v	49.3v	0.0v	71.8v	46.2v	47.2v	692.63v
25 Mr MR Fugeman	A	74.8v	71.7v	47.6v	50.5v	48.3v	69.4v	44.3v	50.5v	0.0v	70.5v	47.5v	47.4v	691.68v
26 Mr GA Cann	A	72.4v	71.4v	50.8v	48.4v	47.6v	72.7v	45.3v	48.5v	0.0v	74.10v	48.4v	43.1v	690.66v
27 Mr S Belither	X	67.5v	70.3v	50.6v	48.4v	50.5v	71.7v	49.7v	49.4v	0.0v	70.6v	43.2v	49.5v	690.63v
28 Air Cdre JAF Ford	X	71.6v	72.8v	49.7v	49.7v	48.5v	74.7v	49.7v	50.6v	0.0v	71.6v	42.2v	41.2v	688.68v
29 Dr M Schwarz	A	72.2v	72.9v	50.5v	41.2v	47.5v	73.6v	49.6v	49.5v	0.0v	71.7v	45.3v	44.4v	688.64v
30 Mr P Dawes	O	72.8v	75.9v	46.2v	48.2v	47.5v	71.5v	49.4v	48.2v	0.0v	69.3v	46.3v	44.1v	688.51v
31 Mr TP Clarke	O	71.6v	67.2v	47.4v	48.5v	49.6v	72.9v	46.3v	48.6v	0.0v	71.6v	46.2v	49.4v	687.58v
32 Dr MW Wrigley	O	75.9v	69.5v	48.5v	48.3v	47.5v	69.3v	47.3v	47.3v	0.0v	72.7v	45.1v	48.2v	687.53v
33 Mr IW Robertson	O	71.5v	73.3v	49.6v	48.3v	48.4v	71.5v	45.5v	47.5v	0.0v	71.5v	45.0v	48.0v	687.48v
34 Mr DFP Richards	O	73.7v	71.2v	44.6v	49.4v	45.3v	71.5v	49.6v	46.2v	0.0v	69.4v	49.7v	47.5v	686.58v
35 Mrs MM Norman	O	72.8v	73.10v	49.7v	44.2v	47.4v	72.7v	46.1v	47.4v	0.0v	68.3v	44.4v	48.5v	684.65v
36 Mr PS Gray	O	71.5v	72.7v	49.6v	47.5v	46.2v	72.5v	47.7v	44.2v	0.0v	72.8v	46.3v	46.4v	684.61v
37 Mr TJ Bryan	A	68.5v	72.8v	48.4v	45.4v	50.5v	70.4v	47.5v	49.3v	0.0v	72.4v	45.3v	45.3v	683.56v
38 Mr GW Robinson	O	72.8v	73.5v	48.3v	47.5v	44.3v	73.7v	47.0v	48.5v	0.0v	73.7v	47.2v	45.3v	682.52v
39 Dr J St J Mehta	X	72.10v	74.7v	49.3v	44.3v	47.3v	74.7v	45.5v	47.5v	0.0v	69.4v	45.2v	42.2v	681.58v
40 Mr MD Jenvey	O	72.8v	71.3v	49.5v	47.6v	49.1v	71.5v	44.3v	46.4v	0.0v	73.5v	46.4v	40.3v	681.55v
41 Mr R le R Bird	O	70.4v	71.6v	47.6v	45.3v	49.4v	70.5v	47.4v	48.5v	0.0v	73.8v	47.4v	41.1v	680.55v
42 Mr A Lothian	O	73.7v	72.6v	49.5v	45.2v	37.1v	73.7v	49.2v	45.3v	0.0v	71.7v	43.2v	49.6v	678.55v
43 Mr RK Sheead	A	67.4v	74.8v	42.3v	47.3v	48.4v	72.6v	50.8v	46.5v	0.0v	70.6v	44.6v	46.4v	677.63v
44 Mr JA Haward	A	71.4v	72.6v	47.4v	46.3v	48.4v	66.4v	47.3v	50.7v	0.0v	71.4v	46.2v	41.1v	677.51v
45 Mr LT Wicker	O	72.7v	70.4v	46.1v	45.3v	49.8v	70.4v	46.4v	48.2v	0.0v	70.5v	47.2v	46.4v	677.49v
46 Mr C Brooks	O	67.5v	71.6v	48.5v	48.7v	48.3v	71.7v	46.4v	44.4v	0.0v	64.4v	45.5v	47.2v	672.60v
47 Mr RA Benest	O	74.9v	66.6v	47.2v	42.2v	48.4v	68.4v	44.2v	50.5v	0.0v	69.6v	46.2v	47.4v	671.52v
48 Mr BV Cambray	O	69.5v	70.4v	48.3v	43.2v	47.2v	72.4v	48.2v	49.5v	0.0v	70.4v	44.3v	42.1v	671.38v

		DT	DM	Alex	DC	Times	Wimb	Doyle	Dgall	PWR	POW	Lovell	Corp	Total	
49	Mr ML Cotillard	O	73.7v	74.8v	48.3v	47.4v	48.5v	61.3v	44.2v	48.5v	0.0v	69.4v	39.0v	44.3v	669.52v
50	Mr DA Smith	O	69.6v	73.9v	39.4v	48.6v	46.3v	72.6v	44.3v	47.2v	0.0v	75.3v	42.4v	42.0v	668.53v
51	Mr J Halahan	O	74.4v	70.6v	46.4v	46.3v	47.4v	71.7v	44.4v	48.2v	0.0v	65.4v	45.4v	40.1v	665.45v
52	Mr TR Webster	O	68.5v	72.7v	42.1v	48.6v	46.4v	70.7v	45.4v	45.3v	0.0v	71.7v	43.3v	43.1v	664.53v
53	Mr GL Clarke	O	68.4v	71.4v	46.5v	48.4v	45.2v	68.4v	43.0v	46.3v	0.0v	71.1v	39.1v	44.4v	660.36v
54	Mr R Winney	O	69.4v	70.6v	49.3v	42.2v	46.3v	70.6v	43.6v	48.5v	0.0v	71.4v	39.0v	43.2v	659.45v
55	Dr CW Freeman	O	71.4v	69.2v	44.2v	45.2v	45.5v	65.1v	45.2v	44.2v	0.0v	67.3v	43.1v	48.5v	656.33v
56	Mr AJD Saunders	O	70.4v	66.5v	45.1v	42.3v	47.3v	70.6v	47.3v	40.0v	0.0v	69.5v	47.2v	45.2v	648.36v
57	Mr NJ Burnip	O	70.6v	68.2v	45.4v	48.3v	45.2v	65.3v	44.2v	40.1v	0.0v	64.3v	44.2v	41.1v	644.32v
58	Mr NR Wells	T	69.6v	66.4v	38.1v	46.5v	47.2v	63.5v	45.2v	46.2v	0.0v	63.3v	32.1v	43.2v	629.42v
59	Mr MK Townsend	O	66.3v	63.2v	42.2v	47.5v	42.1v	59.3v	48.2v	44.3v	0.0v	56.2v	41.2v	47.2v	625.32v
60	Mr I Brown	O	72.4v	0.0v	45.3v	49.5v	47.4v	69.8v	43.4v	47.2v	0.0v	69.7v	48.3v	44.3v	601.49v
61	Lt Col CST Lehmann	O	71.6v	70.6v	48.3v	48.4v	46.3v	67.3v	45.2v	48.4v	0.0v	0.0v	46.4v	39.1v	587.37v
62	Mr RBC Baker	O	73.9v	72.6v	49.5v	49.7v	46.2v	68.7v	46.3v	47.4v	0.0v	0.0v	0.0v	44.2v	565.52v
63	Mr JW Jenkins	O	71.8v	69.7v	46.5v	0.0v	48.3v	0.0v	49.5v	47.3v	0.0v	65.5v	0.0v	46.4v	510.44v
64	Mr PD Pelly	O	60.1v	59.2v	39.1v	24.0v	40.0v	70.6v	43.1v	38.1v	0.0v	49.0v	0.0v	31.1v	510.17v
65	Mr MF Martel	O	74.7v	0.0v	44.1v	0.0v	0.0v	0.0v	45.1v	50.2v	0.0v	0.0v	0.0v	44.0v	328.19v
66	Mr TG Rylands	A	73.8v	0.0v	0.0v	0.0v	0.0v	0.0v	48.8v	48.4v	0.0v	0.0v	0.0v	0.0v	243.29v
67	Dr JC Jobling	O	62.1v	0.0v	0.0v	41.0v	0.0v	0.0v	45.2v	39.1v	0.0v	0.0v	0.0v	0.0v	187.4v
68	Lt Col ARK Clayton	T	15.0v	0.0v	0.0v	0.0v	0.0v	0.0v	31.2v	37.0v	0.0v	0.0v	0.0v	0.0v	83.2v