

HM The Queen's Platinum Jubilee Imperial Meeting

Grand Aggregate (as at Sunday, 17th July 2022)

		DT	DM	Alex	DC	Times	Wimb	Doyle	Dgall	St. G.	PoW	Lovell	Corp	Total	
1	Mr FWA Coetzee	A	75.13v	75.10v	49.5v	0.0v	0.0v	0.0v	50.9v	50.5v	0.0v	0.0v	0.0v	49.6v	348.48v
2	Mr DC Luckman	X	75.12v	74.11v	50.8v	0.0v	0.0v	0.0v	50.6v	49.8v	0.0v	0.0v	0.0v	48.5v	346.50v
3	Mr J Corbett	X	74.11v	75.10v	49.3v	0.0v	0.0v	0.0v	50.7v	48.6v	0.0v	0.0v	0.0v	50.6v	346.43v
4	Ms RL Furniss	X	74.9v	74.5v	50.9v	0.0v	0.0v	0.0v	50.7v	50.7v	0.0v	0.0v	0.0v	48.5v	346.42v
5	Mr THD Dodds	X	75.11v	75.13v	49.7v	0.0v	0.0v	0.0v	47.2v	50.7v	0.0v	0.0v	0.0v	49.7v	345.47v
6	Capt NJ Ball	X	74.11v	74.10v	49.9v	0.0v	0.0v	0.0v	48.2v	49.6v	0.0v	0.0v	0.0v	50.8v	344.46v
7	Mr JC Jonck	X	74.7v	74.12v	50.6v	0.0v	0.0v	0.0v	48.7v	50.8v	0.0v	0.0v	0.0v	48.5v	344.45v
8	Mr CJ Mitchell	X	74.10v	74.6v	50.9v	0.0v	0.0v	0.0v	49.7v	50.9v	0.0v	0.0v	0.0v	47.3v	344.44v
9	Mr PM Patel	X	74.8v	75.9v	49.8v	0.0v	0.0v	0.0v	48.4v	50.8v	0.0v	0.0v	0.0v	48.2v	344.39v
10	Mr MJ Ensor	X	73.6v	74.9v	50.6v	0.0v	0.0v	0.0v	49.7v	49.6v	0.0v	0.0v	0.0v	49.3v	344.37v
11	Mr DR Armstrong	X	73.8v	73.7v	50.5v	0.0v	0.0v	0.0v	50.4v	50.6v	0.0v	0.0v	0.0v	48.5v	344.35v
12	Dr AM Jory	X	74.8v	75.11v	49.4v	0.0v	0.0v	0.0v	49.5v	50.8v	0.0v	0.0v	0.0v	46.4v	343.40v
13	Dr GCD Barnett	X	75.7v	73.9v	50.5v	0.0v	0.0v	0.0v	48.5v	50.8v	0.0v	0.0v	0.0v	47.2v	343.36v
14	Mr MI Buchanan	X	75.10v	73.12v	49.8v	0.0v	0.0v	0.0v	49.6v	49.6v	0.0v	0.0v	0.0v	47.2v	342.44v
15	Mr JEM Bellringer	A	73.6v	75.12v	48.7v	0.0v	0.0v	0.0v	50.8v	50.5v	0.0v	0.0v	0.0v	46.5v	342.43v
16	Mr M Button	X	74.8v	74.13v	47.5v	0.0v	0.0v	0.0v	50.5v	50.7v	0.0v	0.0v	0.0v	47.3v	342.41v
17	Mrs HA Cook	X	74.9v	75.13v	48.5v	0.0v	0.0v	0.0v	49.3v	49.9v	0.0v	0.0v	0.0v	47.2v	342.41v
18	Mr JRW Postle	X	74.8v	71.7v	49.7v	0.0v	0.0v	0.0v	49.3v	50.7v	0.0v	0.0v	0.0v	49.6v	342.38v
19	Dr GP Nelson	X	74.8v	73.8v	50.7v	0.0v	0.0v	0.0v	50.6v	48.5v	0.0v	0.0v	0.0v	47.3v	342.37v
20	Mr A Ringer	X	74.7v	73.8v	50.6v	0.0v	0.0v	0.0v	50.8v	50.5v	0.0v	0.0v	0.0v	45.1v	342.35v
21	Mr JCT Kent	X	73.3v	72.8v	49.3v	0.0v	0.0v	0.0v	49.6v	50.6v	0.0v	0.0v	0.0v	49.4v	342.30v
22	Mr MC Cooper	X	75.5v	73.5v	49.4v	0.0v	0.0v	0.0v	48.6v	50.7v	0.0v	0.0v	0.0v	47.2v	342.29v
23	Miss CA Evans	X	74.8v	74.12v	48.5v	0.0v	0.0v	0.0v	50.7v	50.7v	0.0v	0.0v	0.0v	45.5v	341.44v
24	Mr TP Shaw	X	71.9v	73.12v	49.5v	0.0v	0.0v	0.0v	49.3v	50.8v	0.0v	0.0v	0.0v	49.6v	341.43v
25	Mr R Birtwistle	X	74.7v	75.11v	50.6v	0.0v	0.0v	0.0v	47.6v	48.6v	0.0v	0.0v	0.0v	47.5v	341.41v
26	Mr CJ Watson	X	74.9v	71.9v	50.3v	0.0v	0.0v	0.0v	49.5v	50.8v	0.0v	0.0v	0.0v	47.5v	341.39v
27	Mr TJD Raincock	X	73.9v	75.11v	49.6v	0.0v	0.0v	0.0v	48.3v	49.7v	0.0v	0.0v	0.0v	47.3v	341.39v
28	Mr RSF Shouler	X	75.7v	73.8v	48.7v	0.0v	0.0v	0.0v	49.7v	48.4v	0.0v	0.0v	0.0v	48.5v	341.38v
29	Miss JM Hince	X	74.11v	72.9v	48.4v	0.0v	0.0v	0.0v	49.5v	50.6v	0.0v	0.0v	0.0v	48.3v	341.38v
30	Mr SM Negus	X	75.8v	74.11v	48.5v	0.0v	0.0v	0.0v	47.4v	50.6v	0.0v	0.0v	0.0v	47.4v	341.38v
31	Miss CH Cuming	X	70.5v	75.12v	49.4v	0.0v	0.0v	0.0v	50.6v	50.6v	0.0v	0.0v	0.0v	47.4v	341.37v
32	Mr JR Tuck	X	74.11v	73.7v	50.5v	0.0v	0.0v	0.0v	47.3v	50.4v	0.0v	0.0v	0.0v	47.5v	341.35v
33	Mr ES Compton	X	75.9v	74.9v	47.1v	0.0v	0.0v	0.0v	50.8v	49.4v	0.0v	0.0v	0.0v	46.4v	341.35v
34	Mrs N Rossignol	X	75.8v	74.8v	48.4v	0.0v	0.0v	0.0v	48.4v	49.5v	0.0v	0.0v	0.0v	47.3v	341.32v
35	Mr ANR Walker	X	75.9v	74.8v	48.3v	0.0v	0.0v	0.0v	47.4v	48.3v	0.0v	0.0v	0.0v	49.3v	341.30v
36	Mr PH Costello	A	72.8v	73.9v	49.7v	0.0v	0.0v	0.0v	47.4v	49.8v	0.0v	0.0v	0.0v	50.8v	340.44v
37	Mr TC Cubitt	X	73.10v	74.13v	50.6v	0.0v	0.0v	0.0v	48.4v	50.6v	0.0v	0.0v	0.0v	45.4v	340.43v
38	Mr M Bumford	X	73.11v	73.11v	49.5v	0.0v	0.0v	0.0v	48.5v	48.5v	0.0v	0.0v	0.0v	49.4v	340.41v
39	LCpl HG Asquith-Beard	A	74.11v	74.11v	45.3v	0.0v	0.0v	0.0v	50.6v	48.4v	0.0v	0.0v	0.0v	49.5v	340.40v
40	Mr DA Rose	X	71.6v	74.10v	50.8v	0.0v	0.0v	0.0v	48.5v	50.5v	0.0v	0.0v	0.0v	47.4v	340.38v
41	Mr EC Dickson	X	75.10v	74.10v	48.4v	0.0v	0.0v	0.0v	49.4v	48.6v	0.0v	0.0v	0.0v	46.1v	340.35v
42	Mr SME Hayton	X	73.7v	72.7v	49.2v	0.0v	0.0v	0.0v	49.6v	50.9v	0.0v	0.0v	0.0v	47.3v	340.34v
43	Miss JH Messer	X	72.3v	74.7v	48.5v	0.0v	0.0v	0.0v	50.7v	49.5v	0.0v	0.0v	0.0v	47.2v	340.29v

44 Mr JW Alexander	X	74.14v	74.9v	49.5v	0.0v	0.0v	0.0v	46.3v	49.5v	0.0v	0.0v	0.0v	47.4v	339.40v
45 Mr AC Haley	X	74.10v	73.8v	49.8v	0.0v	0.0v	0.0v	50.6v	47.5v	0.0v	0.0v	0.0v	46.3v	339.40v
46 Dr KA Fleck MRCVS	A	74.8v	73.7v	47.5v	0.0v	0.0v	0.0v	48.5v	49.7v	0.0v	0.0v	0.0v	48.3v	339.35v
47 Maj AW Gill	X	75.8v	74.7v	48.7v	0.0v	0.0v	0.0v	46.4v	49.8v	0.0v	0.0v	0.0v	47.1v	339.35v
48 Mr CK Kiptarus	A	73.8v	74.10v	50.5v	0.0v	0.0v	0.0v	49.2v	49.5v	0.0v	0.0v	0.0v	44.4v	339.34v
49 Mr TO Little	A	74.9v	72.7v	50.5v	0.0v	0.0v	0.0v	49.4v	50.6v	0.0v	0.0v	0.0v	44.3v	339.34v
50 Mr TM Drysdale	X	72.5v	72.10v	48.5v	0.0v	0.0v	0.0v	50.5v	48.6v	0.0v	0.0v	0.0v	49.2v	339.33v
51 Mr PB Bromley	A	74.7v	73.7v	49.3v	0.0v	0.0v	0.0v	47.4v	48.6v	0.0v	0.0v	0.0v	48.5v	339.32v
52 Mr CES Dickenson	A	75.7v	72.10v	49.7v	0.0v	0.0v	0.0v	45.2v	50.7v	0.0v	0.0v	0.0v	47.5v	338.38v
53 Miss AP Good	A	73.8v	71.6v	50.6v	0.0v	0.0v	0.0v	50.8v	49.5v	0.0v	0.0v	0.0v	45.4v	338.37v
54 Mr RC Oxford	X	75.10v	74.11v	50.4v	0.0v	0.0v	0.0v	48.6v	47.3v	0.0v	0.0v	0.0v	44.3v	338.37v
55 Miss D Brais	O	73.9v	71.8v	49.4v	0.0v	0.0v	0.0v	48.7v	50.4v	0.0v	0.0v	0.0v	47.4v	338.36v
56 Mr ER Welford	X	73.10v	71.4v	49.2v	0.0v	0.0v	0.0v	49.5v	49.5v	0.0v	0.0v	0.0v	47.4v	338.30v
57 Mr GV Feast	O	72.9v	73.9v	49.5v	0.0v	0.0v	0.0v	49.6v	50.6v	0.0v	0.0v	0.0v	44.5v	337.40v
58 Maj NT Healy	X	74.12v	73.8v	49.7v	0.0v	0.0v	0.0v	49.5v	48.5v	0.0v	0.0v	0.0v	44.3v	337.40v
59 Dr JO Ahrens	X	75.9v	74.10v	49.5v	0.0v	0.0v	0.0v	46.4v	49.9v	0.0v	0.0v	0.0v	44.3v	337.40v
60 Miss CE Choquette	X	74.8v	73.10v	47.6v	0.0v	0.0v	0.0v	49.4v	47.4v	0.0v	0.0v	0.0v	47.5v	337.37v
61 Mr JBG Shepherd	X	74.9v	70.6v	48.3v	0.0v	0.0v	0.0v	50.7v	49.8v	0.0v	0.0v	0.0v	46.4v	337.37v
62 Mr LVGO OFlynn	A	73.8v	74.6v	45.5v	0.0v	0.0v	0.0v	48.6v	48.6v	0.0v	0.0v	0.0v	49.5v	337.36v
63 Mr PM Jory	X	73.9v	73.7v	49.5v	0.0v	0.0v	0.0v	50.5v	49.7v	0.0v	0.0v	0.0v	43.2v	337.35v
64 Mr DA Richardson	X	74.11v	74.10v	49.4v	0.0v	0.0v	0.0v	49.6v	48.2v	0.0v	0.0v	0.0v	43.2v	337.35v
65 Mr NE Harvey	O	73.8v	73.8v	48.3v	0.0v	0.0v	0.0v	49.6v	46.4v	0.0v	0.0v	0.0v	48.5v	337.34v
66 Mr PM Hakim	X	74.11v	73.6v	46.4v	0.0v	0.0v	0.0v	48.5v	50.5v	0.0v	0.0v	0.0v	46.3v	337.34v
67 Mr M Liversage	X	73.9v	73.5v	49.6v	0.0v	0.0v	0.0v	48.5v	46.5v	0.0v	0.0v	0.0v	48.3v	337.33v
68 Mr JC Evans	X	72.8v	75.9v	46.3v	0.0v	0.0v	0.0v	50.5v	49.3v	0.0v	0.0v	0.0v	45.5v	337.33v
69 Mr NC Mace	X	74.9v	74.5v	48.7v	0.0v	0.0v	0.0v	49.6v	48.2v	0.0v	0.0v	0.0v	44.4v	337.33v
70 Mr RM Roberts	X	73.6v	72.10v	49.7v	0.0v	0.0v	0.0v	50.4v	50.5v	0.0v	0.0v	0.0v	43.1v	337.33v
71 Mr DFP Richards	O	73.8v	74.7v	49.5v	0.0v	0.0v	0.0v	47.5v	47.4v	0.0v	0.0v	0.0v	47.3v	337.32v
72 Mr SNS Penrose	X	73.7v	72.6v	50.6v	0.0v	0.0v	0.0v	46.3v	47.5v	0.0v	0.0v	0.0v	49.2v	337.29v
73 Mr HJW Waldern	X	74.7v	73.6v	48.3v	0.0v	0.0v	0.0v	48.4v	48.5v	0.0v	0.0v	0.0v	46.4v	337.29v
74 Miss LR McKerrell	A	73.7v	73.5v	50.5v	0.0v	0.0v	0.0v	47.3v	50.7v	0.0v	0.0v	0.0v	44.2v	337.29v
75 Mr HM McCaig	A	74.7v	73.7v	49.6v	0.0v	0.0v	0.0v	49.2v	50.4v	0.0v	0.0v	0.0v	42.3v	337.29v
76 Cdt LCpl MW Sheridan-Oliver	T	72.5v	72.8v	49.5v	0.0v	0.0v	0.0v	46.3v	50.3v	0.0v	0.0v	0.0v	48.1v	337.25v
77 Mr WCP Richards	X	73.9v	73.6v	48.7v	0.0v	0.0v	0.0v	49.6v	48.6v	0.0v	0.0v	0.0v	45.2v	336.36v
78 Mr SJV Osmond	X	73.6v	74.11v	47.4v	0.0v	0.0v	0.0v	48.2v	48.7v	0.0v	0.0v	0.0v	46.5v	336.35v
79 Mr LA Reid	O	72.5v	73.10v	48.4v	0.0v	0.0v	0.0v	50.6v	47.5v	0.0v	0.0v	0.0v	46.3v	336.33v
80 Mr JC Underwood	X	73.8v	71.8v	46.2v	0.0v	0.0v	0.0v	49.4v	48.4v	0.0v	0.0v	0.0v	49.6v	336.32v
81 Dr AE Bromley	A	73.5v	74.10v	49.4v	0.0v	0.0v	0.0v	49.7v	50.4v	0.0v	0.0v	0.0v	41.2v	336.32v
82 Dr MJ Schwarz	A	69.4v	73.8v	48.4v	0.0v	0.0v	0.0v	48.6v	49.5v	0.0v	0.0v	0.0v	49.4v	336.31v
83 Mr ITG Shaw	X	73.9v	70.5v	49.4v	0.0v	0.0v	0.0v	50.5v	49.5v	0.0v	0.0v	0.0v	45.2v	336.30v
84 Mr GE Grosskreutz	A	73.6v	70.4v	50.5v	0.0v	0.0v	0.0v	48.4v	49.4v	0.0v	0.0v	0.0v	46.4v	336.27v
85 Mr BZ Danziger	X	74.9v	72.11v	49.8v	0.0v	0.0v	0.0v	45.3v	49.8v	0.0v	0.0v	0.0v	46.1v	335.40v
86 Mr TS Craig-Fleming	O	74.7v	73.10v	47.5v	0.0v	0.0v	0.0v	45.4v	47.5v	0.0v	0.0v	0.0v	49.7v	335.38v
87 Mr RW Sandlant	A	71.8v	73.10v	47.4v	0.0v	0.0v	0.0v	48.3v	49.6v	0.0v	0.0v	0.0v	47.6v	335.37v
88 Mr MW Silver	X	72.8v	74.9v	48.3v	0.0v	0.0v	0.0v	47.6v	48.7v	0.0v	0.0v	0.0v	46.4v	335.37v
89 Mr JA Watson	X	75.9v	75.11v	44.5v	0.0v	0.0v	0.0v	46.3v	50.5v	0.0v	0.0v	0.0v	45.4v	335.37v
90 Mr RJSG Clark	A	73.9v	71.8v	49.7v	0.0v	0.0v	0.0v	50.5v	47.6v	0.0v	0.0v	0.0v	45.2v	335.37v
91 Mr Al Brown	O	72.7v	69.8v	48.4v	0.0v	0.0v	0.0v	48.6v	49.5v	0.0v	0.0v	0.0v	49.5v	335.35v
92 Mr ND Stangroom	A	72.8v	72.8v	44.3v	0.0v	0.0v	0.0v	48.4v	50.7v	0.0v	0.0v	0.0v	49.5v	335.35v
93 Mr CN Tremlett	X	74.9v	71.8v	46.2v	0.0v	0.0v	0.0v	47.3v	50.7v	0.0v	0.0v	0.0v	47.5v	335.34v
94 Mr OEJ Spencer	X	74.7v	73.9v	49.6v	0.0v	0.0v	0.0v	50.5v	49.7v	0.0v	0.0v	0.0v	40.0v	335.34v
95 Mr D Clark	A	74.7v	74.10v	46.3v	0.0v	0.0v	0.0v	46.4v	47.5v	0.0v	0.0v	0.0v	48.3v	335.32v
96 Dr IT Matsumoto	O	74.5v	70.7v	49.3v	0.0v	0.0v	0.0v	48.6v	49.6v	0.0v	0.0v	0.0v	45.4v	335.31v
97 Mr R Stewart	X	74.9v	72.6v	48.5v	0.0v	0.0v	0.0v	47.5v	48.3v	0.0v	0.0v	0.0v	46.2v	335.30v
98 Mr D de Vere	A	73.5v	73.7v	48.8v	0.0v	0.0v	0.0v	46.4v	49.4v	0.0v	0.0v	0.0v	46.2v	335.30v
99 Mr K Crabtree	A	73.4v	70.8v	47.3v	0.0v	0.0v	0.0v	48.4v	48.6v	0.0v	0.0v	0.0v	49.4v	335.29v
100 Mr AWC Lothian	O	72.5v	74.7v	49.5v	0.0v	0.0v	0.0v	44.2v	48.5v	0.0v	0.0v	0.0v	48.3v	335.27v
101 Mr D Blake	A	73.10v	71.6v	50.7v	0.0v	0.0v	0.0v	49.6v	49.8v	0.0v	0.0v	0.0v	42.2v	334.39v
102 Mr JEK Pepera-Hibbert	X	74.8v	72.8v	48.5v	0.0v	0.0v	0.0v	50.7v	45.6v	0.0v	0.0v	0.0v	45.3v	334.37v

103 Mr PA Maher	X	71.6v	73.5v	45.3v	0.0v	0.0v	0.0v	49.7v	48.6v	0.0v	0.0v	0.0v	48.6v	334.33v
104 Mr SA Thomas	X	68.5v	73.10v	47.2v	0.0v	0.0v	0.0v	49.5v	48.4v	0.0v	0.0v	0.0v	49.5v	334.31v
105 Mr RL Eayrs	A	72.8v	72.7v	48.4v	0.0v	0.0v	0.0v	46.4v	50.6v	0.0v	0.0v	0.0v	46.2v	334.31v
106 Dr R Kloosterman	O	71.7v	73.9v	50.5v	0.0v	0.0v	0.0v	48.2v	48.5v	0.0v	0.0v	0.0v	44.3v	334.31v
107 Mr J Brooking	A	70.8v	72.8v	46.2v	0.0v	0.0v	0.0v	49.5v	50.3v	0.0v	0.0v	0.0v	47.4v	334.30v
108 L Cpl ASO Stewart	O	71.4v	72.11v	47.3v	0.0v	0.0v	0.0v	48.2v	49.6v	0.0v	0.0v	0.0v	47.3v	334.29v
109 Mr DHW Dashwood	O	73.5v	73.6v	49.4v	0.0v	0.0v	0.0v	45.2v	46.7v	0.0v	0.0v	0.0v	48.4v	334.28v
110 Cdt HJ Purslow	T	72.6v	72.5v	47.3v	0.0v	0.0v	0.0v	47.4v	50.6v	0.0v	0.0v	0.0v	46.3v	334.27v
111 Miss LG Taylor	A	74.5v	72.7v	46.3v	0.0v	0.0v	0.0v	43.2v	49.2v	0.0v	0.0v	0.0v	50.7v	334.26v
112 Mr B Colman-Sadd	O	75.11v	72.5v	47.2v	0.0v	0.0v	0.0v	48.3v	47.1v	0.0v	0.0v	0.0v	45.4v	334.26v
113 Mr FM Mohideen	X	73.6v	74.9v	50.4v	0.0v	0.0v	0.0v	45.2v	48.4v	0.0v	0.0v	0.0v	44.0v	334.25v
114 Mr HJM Awin	X	74.5v	74.5v	49.6v	0.0v	0.0v	0.0v	45.3v	49.3v	0.0v	0.0v	0.0v	43.1v	334.23v
115 Mr PD Sykes	X	71.5v	73.11v	49.7v	0.0v	0.0v	0.0v	47.4v	46.5v	0.0v	0.0v	0.0v	47.5v	333.37v
116 Mr MG Whicher	X	74.12v	73.7v	48.6v	0.0v	0.0v	0.0v	46.3v	49.4v	0.0v	0.0v	0.0v	43.5v	333.37v
117 Mr JRJ Hinde	O	72.7v	74.9v	49.9v	0.0v	0.0v	0.0v	49.6v	45.2v	0.0v	0.0v	0.0v	44.3v	333.36v
118 Mr RW Hallows	X	70.8v	73.6v	48.5v	0.0v	0.0v	0.0v	46.5v	49.4v	0.0v	0.0v	0.0v	47.6v	333.34v
119 Mr CR Vonchek	T	72.7v	71.9v	49.6v	0.0v	0.0v	0.0v	47.5v	47.4v	0.0v	0.0v	0.0v	47.3v	333.34v
120 Mr S Belither	X	72.8v	73.7v	50.6v	0.0v	0.0v	0.0v	47.4v	49.5v	0.0v	0.0v	0.0v	42.4v	333.34v
121 Mr MR Fugeman	O	72.7v	71.5v	48.5v	0.0v	0.0v	0.0v	47.3v	48.5v	0.0v	0.0v	0.0v	47.6v	333.31v
122 Dr HHGP Pollock	X	73.7v	72.8v	48.5v	0.0v	0.0v	0.0v	49.4v	46.3v	0.0v	0.0v	0.0v	45.4v	333.31v
123 Mr DE Nuthall	A	74.9v	73.5v	49.8v	0.0v	0.0v	0.0v	47.1v	45.5v	0.0v	0.0v	0.0v	45.3v	333.31v
124 Mrs HV Golaszewski	O	72.7v	71.7v	47.3v	0.0v	0.0v	0.0v	47.4v	48.5v	0.0v	0.0v	0.0v	48.4v	333.30v
125 Sqn Ldr ME Fray	O	72.7v	73.8v	47.3v	0.0v	0.0v	0.0v	49.4v	46.4v	0.0v	0.0v	0.0v	46.3v	333.29v
126 LCpl TJR Roberts	A	74.7v	69.7v	48.4v	0.0v	0.0v	0.0v	46.1v	48.3v	0.0v	0.0v	0.0v	48.6v	333.28v
127 Mr JMA Thompson	X	71.2v	73.8v	46.3v	0.0v	0.0v	0.0v	47.5v	48.5v	0.0v	0.0v	0.0v	48.5v	333.28v
128 Mr GC Childs	A	70.4v	69.5v	50.5v	0.0v	0.0v	0.0v	47.5v	49.6v	0.0v	0.0v	0.0v	48.3v	333.28v
129 Mr GK Alexander	X	71.7v	71.8v	49.7v	0.0v	0.0v	0.0v	48.2v	47.3v	0.0v	0.0v	0.0v	47.1v	333.28v
130 Mr TD Dalin	T	72.5v	71.5v	49.7v	0.0v	0.0v	0.0v	48.4v	47.4v	0.0v	0.0v	0.0v	46.3v	333.28v
131 Dr SYM Ali	A	73.7v	70.5v	49.4v	0.0v	0.0v	0.0v	47.3v	49.7v	0.0v	0.0v	0.0v	45.2v	333.28v
132 Mr CP Weeden	X	73.7v	72.6v	48.6v	0.0v	0.0v	0.0v	46.3v	50.4v	0.0v	0.0v	0.0v	44.2v	333.28v
133 Maj AG McLean	A	71.6v	70.3v	47.5v	0.0v	0.0v	0.0v	49.7v	49.2v	0.0v	0.0v	0.0v	47.4v	333.27v
134 Mr NJ Verduyn	X	71.5v	73.8v	49.4v	0.0v	0.0v	0.0v	47.2v	47.3v	0.0v	0.0v	0.0v	46.2v	333.24v
135 Mr JA Anderson	A	71.6v	75.6v	50.4v	0.0v	0.0v	0.0v	45.2v	47.3v	0.0v	0.0v	0.0v	45.2v	333.23v
136 Mr D Lowe	A	71.4v	74.8v	48.2v	0.0v	0.0v	0.0v	47.5v	48.3v	0.0v	0.0v	0.0v	45.1v	333.23v
137 Mr AJ Jasik	T	73.8v	71.6v	48.7v	0.0v	0.0v	0.0v	49.6v	47.4v	0.0v	0.0v	0.0v	44.5v	332.36v
138 Mr JAM Paton	X	73.8v	74.11v	48.4v	0.0v	0.0v	0.0v	43.1v	50.9v	0.0v	0.0v	0.0v	44.3v	332.36v
139 Mrs SP Thorogood	A	73.7v	74.11v	49.3v	0.0v	0.0v	0.0v	48.5v	50.8v	0.0v	0.0v	0.0v	38.2v	332.36v
140 Mr ATB Tompson	O	71.9v	74.12v	49.3v	0.0v	0.0v	0.0v	46.2v	48.6v	0.0v	0.0v	0.0v	44.2v	332.34v
141 Mr RA Dyball	O	72.6v	71.4v	50.8v	0.0v	0.0v	0.0v	43.3v	49.7v	0.0v	0.0v	0.0v	47.5v	332.33v
142 Mr SD Shouler	A	74.7v	70.9v	50.5v	0.0v	0.0v	0.0v	45.2v	48.5v	0.0v	0.0v	0.0v	45.5v	332.33v
143 SSGT RH Kitson	X	73.7v	72.7v	49.6v	0.0v	0.0v	0.0v	46.4v	46.4v	0.0v	0.0v	0.0v	46.3v	332.31v
144 Maj JME Cook	X	69.6v	71.4v	48.4v	0.0v	0.0v	0.0v	47.5v	48.5v	0.0v	0.0v	0.0v	49.6v	332.30v
145 Mr DR Le Quesne	X	73.7v	71.7v	46.1v	0.0v	0.0v	0.0v	48.4v	47.7v	0.0v	0.0v	0.0v	47.4v	332.30v
146 Mr PM de Voil	A	71.5v	71.7v	49.8v	0.0v	0.0v	0.0v	47.2v	49.3v	0.0v	0.0v	0.0v	45.4v	332.29v
147 Mr ML Millar	X	72.6v	72.9v	46.2v	0.0v	0.0v	0.0v	47.4v	50.5v	0.0v	0.0v	0.0v	45.3v	332.29v
148 Mr RR Tiffin	T	74.8v	72.9v	44.3v	0.0v	0.0v	0.0v	50.3v	47.4v	0.0v	0.0v	0.0v	45.2v	332.29v
149 Mr T Smith	A	73.6v	73.11v	47.5v	0.0v	0.0v	0.0v	48.5v	48.1v	0.0v	0.0v	0.0v	43.1v	332.29v
150 Mr C Fitzpatrick	X	72.6v	72.6v	49.6v	0.0v	0.0v	0.0v	47.4v	50.5v	0.0v	0.0v	0.0v	42.2v	332.29v

151 Mr BP Creane	X	74.7v	71.8v	48.4v	0.0v	0.0v	0.0v	50.4v	44.3v	0.0v	0.0v	0.0v	45.2v	332.28v
152 Mr RM Hatcher	A	71.4v	73.9v	47.3v	0.0v	0.0v	0.0v	48.6v	48.6v	0.0v	0.0v	0.0v	45.0v	332.28v
153 Mr DK Kirui	O	72.8v	72.5v	46.1v	0.0v	0.0v	0.0v	48.5v	46.2v	0.0v	0.0v	0.0v	48.5v	332.26v
154 Cdt JRL Burch	A	72.4v	71.6v	47.3v	0.0v	0.0v	0.0v	49.8v	47.1v	0.0v	0.0v	0.0v	46.4v	332.26v
155 Mr SAJ Dowley	A	71.3v	71.8v	46.4v	0.0v	0.0v	0.0v	49.3v	49.5v	0.0v	0.0v	0.0v	46.2v	332.25v
156 Mrs LE Haley	A	73.5v	71.5v	48.4v	0.0v	0.0v	0.0v	47.4v	48.3v	0.0v	0.0v	0.0v	45.4v	332.25v
157 Mr R Sampson	O	73.5v	71.9v	48.3v	0.0v	0.0v	0.0v	45.1v	48.4v	0.0v	0.0v	0.0v	47.2v	332.24v
158 Miss SAM Rorison	O	72.7v	73.3v	48.4v	0.0v	0.0v	0.0v	49.4v	45.2v	0.0v	0.0v	0.0v	45.4v	332.24v
159 Mr SP Harding	A	73.7v	72.7v	48.3v	0.0v	0.0v	0.0v	49.4v	45.3v	0.0v	0.0v	0.0v	45.0v	332.24v
160 Mr AC Morley	A	71.4v	72.8v	49.4v	0.0v	0.0v	0.0v	50.2v	44.1v	0.0v	0.0v	0.0v	46.4v	332.23v
161 Mr NRJ Brasier	X	72.5v	72.7v	48.8v	0.0v	0.0v	0.0v	45.3v	46.4v	0.0v	0.0v	0.0v	48.8v	331.35v
162 Mr HJ Golaszewski	X	71.9v	75.12v	48.7v	0.0v	0.0v	0.0v	44.1v	50.5v	0.0v	0.0v	0.0v	43.1v	331.35v
163 Mr JD Warburton	X	74.10v	71.8v	48.5v	0.0v	0.0v	0.0v	45.3v	48.4v	0.0v	0.0v	0.0v	45.4v	331.34v
164 Mr EA Sewell	X	73.10v	72.7v	47.4v	0.0v	0.0v	0.0v	47.4v	47.6v	0.0v	0.0v	0.0v	45.3v	331.34v
165 Mr RA Webb	O	73.5v	73.10v	48.6v	0.0v	0.0v	0.0v	49.5v	47.4v	0.0v	0.0v	0.0v	41.4v	331.34v
166 Mr MJ Keel	O	74.7v	72.7v	45.5v	0.0v	0.0v	0.0v	47.4v	49.8v	0.0v	0.0v	0.0v	44.2v	331.33v
167 Mr H Sanders	A	74.8v	71.7v	46.4v	0.0v	0.0v	0.0v	47.5v	49.8v	0.0v	0.0v	0.0v	44.0v	331.32v
168 Mr DGM Coleman	X	70.6v	72.5v	48.8v	0.0v	0.0v	0.0v	46.5v	48.6v	0.0v	0.0v	0.0v	47.1v	331.31v
169 Mr RAH Vary	X	74.9v	71.8v	47.2v	0.0v	0.0v	0.0v	47.2v	50.8v	0.0v	0.0v	0.0v	42.2v	331.31v
170 Mr KO Pugh	X	69.4v	70.6v	50.7v	0.0v	0.0v	0.0v	50.8v	47.2v	0.0v	0.0v	0.0v	45.3v	331.30v
171 Col Sir FC Sykes	O	73.7v	74.7v	45.4v	0.0v	0.0v	0.0v	49.6v	48.5v	0.0v	0.0v	0.0v	42.1v	331.30v
172 Miss C Halleran	A	71.7v	71.7v	48.5v	0.0v	0.0v	0.0v	49.3v	47.3v	0.0v	0.0v	0.0v	45.4v	331.29v
173 Dr Cl Johnston	A	71.6v	72.7v	48.3v	0.0v	0.0v	0.0v	46.3v	49.6v	0.0v	0.0v	0.0v	45.4v	331.29v
174 Mr GPC Bramwell	A	71.7v	72.6v	50.4v	0.0v	0.0v	0.0v	47.5v	48.5v	0.0v	0.0v	0.0v	43.2v	331.29v
175 Mr MJ Barlow	A	71.8v	72.6v	45.1v	0.0v	0.0v	0.0v	48.5v	49.5v	0.0v	0.0v	0.0v	46.3v	331.28v
176 Mr AM Sadler	X	71.7v	72.6v	48.4v	0.0v	0.0v	0.0v	48.7v	48.3v	0.0v	0.0v	0.0v	44.1v	331.28v
177 Dr JDS Langley	X	73.4v	72.7v	45.3v	0.0v	0.0v	0.0v	47.5v	48.4v	0.0v	0.0v	0.0v	46.3v	331.26v
178 Mr CB Cotillard	O	71.2v	69.5v	48.7v	0.0v	0.0v	0.0v	48.5v	49.5v	0.0v	0.0v	0.0v	46.2v	331.26v
179 Mr BA Young	O	71.4v	72.6v	49.4v	0.0v	0.0v	0.0v	49.6v	47.4v	0.0v	0.0v	0.0v	43.2v	331.26v
180 Mr PS Holmes	A	72.7v	72.6v	48.5v	0.0v	0.0v	0.0v	46.1v	50.6v	0.0v	0.0v	0.0v	43.1v	331.26v
181 Mr TL Bedwell	A	71.4v	71.6v	49.5v	0.0v	0.0v	0.0v	49.4v	47.3v	0.0v	0.0v	0.0v	44.3v	331.25v
182 Mr J Pugsley MRCVS	X	69.4v	70.4v	49.5v	0.0v	0.0v	0.0v	48.3v	47.3v	0.0v	0.0v	0.0v	48.4v	331.23v
183 Miss RL Laird	X	73.10v	71.7v	46.3v	0.0v	0.0v	0.0v	48.4v	49.6v	0.0v	0.0v	0.0v	43.4v	330.34v
184 Mr S Hunt	O	70.8v	74.10v	48.5v	0.0v	0.0v	0.0v	46.4v	49.3v	0.0v	0.0v	0.0v	43.4v	330.34v
185 Mr HEJ Welch	O	72.7v	72.10v	46.3v	0.0v	0.0v	0.0v	48.6v	48.4v	0.0v	0.0v	0.0v	44.3v	330.33v
186 Mr PA Hatfield	O	73.6v	65.3v	48.5v	0.0v	0.0v	0.0v	48.6v	49.7v	0.0v	0.0v	0.0v	47.5v	330.32v
187 Capt MJ Purdy	X	73.6v	72.8v	43.3v	0.0v	0.0v	0.0v	48.7v	47.4v	0.0v	0.0v	0.0v	47.4v	330.32v
188 Mr RK Edwards	O	68.8v	73.6v	49.5v	0.0v	0.0v	0.0v	45.2v	50.8v	0.0v	0.0v	0.0v	45.3v	330.32v
189 Mr CK Saina	A	71.8v	73.8v	45.3v	0.0v	0.0v	0.0v	50.5v	45.3v	0.0v	0.0v	0.0v	46.4v	330.31v
190 Mr JG Trembath	A	70.6v	73.7v	47.4v	0.0v	0.0v	0.0v	46.2v	47.6v	0.0v	0.0v	0.0v	47.4v	330.29v
191 Mr T Mulholland	X	72.8v	71.3v	49.6v	0.0v	0.0v	0.0v	44.2v	48.7v	0.0v	0.0v	0.0v	46.3v	330.29v
192 Mr A Eckhardt	T	71.7v	75.9v	44.1v	0.0v	0.0v	0.0v	48.6v	47.4v	0.0v	0.0v	0.0v	45.2v	330.29v
193 Mr KWD Ramsey	X	74.7v	72.9v	47.3v	0.0v	0.0v	0.0v	46.6v	46.2v	0.0v	0.0v	0.0v	45.2v	330.29v
194 Miss AMG Ogilvie	A	72.7v	72.6v	46.1v	0.0v	0.0v	0.0v	48.6v	48.7v	0.0v	0.0v	0.0v	44.2v	330.29v
195 Mr A Pike	O	74.9v	73.9v	49.3v	0.0v	0.0v	0.0v	43.3v	47.3v	0.0v	0.0v	0.0v	44.2v	330.29v
196 Mr EJ Harriss	T	71.3v	70.4v	46.4v	0.0v	0.0v	0.0v	48.6v	48.6v	0.0v	0.0v	0.0v	47.5v	330.28v
197 Mr TJ Bullock	X	71.5v	74.10v	45.2v	0.0v	0.0v	0.0v	45.3v	49.4v	0.0v	0.0v	0.0v	46.4v	330.28v
198 Mr AJ Haggerty	X	69.5v	71.7v	48.4v	0.0v	0.0v	0.0v	48.7v	48.3v	0.0v	0.0v	0.0v	46.2v	330.28v
199 Mr R Shaw	A	70.5v	71.10v	49.3v	0.0v	0.0v	0.0v	45.2v	49.6v	0.0v	0.0v	0.0v	46.2v	330.28v
200 Mr CD Heales	A	70.7v	74.7v	47.5v	0.0v	0.0v	0.0v	48.4v	47.2v	0.0v	0.0v	0.0v	44.3v	330.28v
201 Mr F Lawry	T	73.4v	74.6v	45.3v	0.0v	0.0v	0.0v	49.4v	48.7v	0.0v	0.0v	0.0v	41.4v	330.28v
202 Mr LS Otundo	O	71.6v	72.8v	49.6v	0.0v	0.0v	0.0v	49.4v	48.2v	0.0v	0.0v	0.0v	41.2v	330.28v
203 Mr ML Cotillard	O	72.7v	74.7v	48.7v	0.0v	0.0v	0.0v	46.2v	49.2v	0.0v	0.0v	0.0v	41.2v	330.27v
204 Mr JJ Parsons	A	73.3v	73.10v	46.6v	0.0v	0.0v	0.0v	45.2v	50.1v	0.0v	0.0v	0.0v	43.4v	330.26v
205 Mr JGM Webster	A	72.8v	72.6v	50.5v	0.0v	0.0v	0.0v	47.2v	48.5v	0.0v	0.0v	0.0v	41.0v	330.26v
206 Miss K Lindsay	O	73.7v	73.8v	47.4v	0.0v	0.0v	0.0v	45.1v	45.0v	0.0v	0.0v	0.0v	47.5v	330.25v
207 Flt Lt NP Moxon	O	74.5v	72.7v	49.5v	0.0v	0.0v	0.0v	46.4v	44.2v	0.0v	0.0v	0.0v	45.2v	330.25v
208 Mr L Malcic	A	72.10v	72.2v	47.4v	0.0v	0.0v	0.0v	45.4v	50.3v	0.0v	0.0v	0.0v	44.2v	330.25v
209 Mr GD Palmer	A	74.5v	73.7v	47.5v	0.0v	0.0v	0.0v	46.3v	48.3v	0.0v	0.0v	0.0v	42.2v	330.25v
210 Miss HPC Bramwell	A	70.7v	71.3v	47.2v	0.0v	0.0v	0.0v	47.4v	49.3v	0.0v	0.0v	0.0v	46.5v	330.24v
211 Mr PJ Temperley	O	73.5v	73.5v	47.5v	0.0v	0.0v	0.0v	46.3v	49.4v	0.0v	0.0v	0.0v	42.2v	330.24v

212 Ms LIS Stewart	T	70.7v	73.6v	46.4v	0.0v	0.0v	0.0v	45.1v	49.2v	0.0v	0.0v	0.0v	47.3v	330.23v
213 Mr M Horton-Baker	X	69.3v	71.5v	48.3v	0.0v	0.0v	0.0v	49.3v	46.3v	0.0v	0.0v	0.0v	47.4v	330.21v
214 Mr S Pearson	O	72.2v	74.5v	46.3v	0.0v	0.0v	0.0v	45.1v	47.4v	0.0v	0.0v	0.0v	46.3v	330.18v
215 Mr ORW Russell	X	71.5v	75.4v	49.3v	0.0v	0.0v	0.0v	47.2v	46.3v	0.0v	0.0v	0.0v	42.0v	330.17v
216 Mr JT Foster	X	71.9v	71.3v	46.4v	0.0v	0.0v	0.0v	46.5v	47.5v	0.0v	0.0v	0.0v	48.6v	329.32v
217 Mr SF Brewer-Marchant	O	70.9v	71.4v	47.4v	0.0v	0.0v	0.0v	45.2v	50.9v	0.0v	0.0v	0.0v	46.4v	329.32v
218 Mr DG Young	X	72.7v	71.5v	50.8v	0.0v	0.0v	0.0v	50.6v	49.6v	0.0v	0.0v	0.0v	37.0v	329.32v
219 Mr MRM Millar	X	73.9v	73.8v	44.3v	0.0v	0.0v	0.0v	45.4v	48.4v	0.0v	0.0v	0.0v	46.3v	329.31v
220 Cdt E Chambers	T	71.5v	74.9v	48.4v	0.0v	0.0v	0.0v	44.5v	49.4v	0.0v	0.0v	0.0v	43.4v	329.31v
221 Mr LM Peden	A	70.5v	72.8v	46.5v	0.0v	0.0v	0.0v	47.5v	46.3v	0.0v	0.0v	0.0v	48.4v	329.30v
222 Pte KN Nichols	O	72.8v	67.6v	48.3v	0.0v	0.0v	0.0v	49.8v	47.3v	0.0v	0.0v	0.0v	46.1v	329.29v
223 Mr C Mallett	X	73.9v	70.7v	46.3v	0.0v	0.0v	0.0v	49.4v	49.4v	0.0v	0.0v	0.0v	42.2v	329.29v
224 Mr P Dawes	O	73.7v	71.5v	48.4v	0.0v	0.0v	0.0v	49.6v	47.6v	0.0v	0.0v	0.0v	41.1v	329.29v
225 Mr JWE Lewis	X	71.9v	68.3v	49.4v	0.0v	0.0v	0.0v	49.4v	45.3v	0.0v	0.0v	0.0v	47.5v	329.28v
226 Mr T Bryan	O	72.6v	70.8v	49.5v	0.0v	0.0v	0.0v	46.3v	47.5v	0.0v	0.0v	0.0v	45.1v	329.28v
227 Mr BJ Le Cheminant	X	71.5v	74.10v	44.1v	0.0v	0.0v	0.0v	46.5v	50.5v	0.0v	0.0v	0.0v	44.2v	329.28v
228 Mr MJ Creber	O	68.2v	75.9v	48.6v	0.0v	0.0v	0.0v	47.3v	48.6v	0.0v	0.0v	0.0v	43.2v	329.28v
229 Mr AJ Todd	O	70.7v	73.8v	45.1v	0.0v	0.0v	0.0v	50.5v	49.5v	0.0v	0.0v	0.0v	42.2v	329.28v
230 Mr GW Woodman	A	73.7v	71.7v	47.4v	0.0v	0.0v	0.0v	46.3v	49.5v	0.0v	0.0v	0.0v	43.1v	329.27v
231 Mr RAV Hebblethwaite	A	70.3v	71.6v	49.7v	0.0v	0.0v	0.0v	44.2v	50.4v	0.0v	0.0v	0.0v	45.3v	329.25v
232 Mr RW Ramage	O	72.8v	71.6v	48.3v	0.0v	0.0v	0.0v	47.3v	49.4v	0.0v	0.0v	0.0v	42.0v	329.24v
233 Mr JRJ Kennedy	O	71.7v	71.4v	45.0v	0.0v	0.0v	0.0v	49.5v	48.4v	0.0v	0.0v	0.0v	45.3v	329.23v
234 Mr WH Putter	O	70.6v	70.8v	48.5v	0.0v	0.0v	0.0v	49.5v	50.7v	0.0v	0.0v	0.0v	41.3v	328.34v
235 Mr MD Jenvey	O	74.7v	73.9v	49.7v	0.0v	0.0v	0.0v	43.4v	50.7v	0.0v	0.0v	0.0v	39.0v	328.34v
236 Cdt HA Broadhurst	T	73.10v	74.9v	46.3v	0.0v	0.0v	0.0v	48.5v	46.4v	0.0v	0.0v	0.0v	41.2v	328.33v
237 Wg Cdr D Calvert	X	74.6v	74.10v	50.5v	0.0v	0.0v	0.0v	50.6v	47.4v	0.0v	0.0v	0.0v	33.2v	328.33v
238 Cdt FJA Robson	A	71.9v	72.7v	49.4v	0.0v	0.0v	0.0v	43.3v	49.6v	0.0v	0.0v	0.0v	44.3v	328.32v
239 Mr LMD Cheek	X	71.5v	73.9v	49.4v	0.0v	0.0v	0.0v	46.5v	49.8v	0.0v	0.0v	0.0v	40.1v	328.32v
240 Mr DJ Curtis	A	70.4v	74.10v	48.5v	0.0v	0.0v	0.0v	43.1v	47.6v	0.0v	0.0v	0.0v	46.4v	328.30v
241 Mr A Key	T	73.8v	69.6v	45.2v	0.0v	0.0v	0.0v	45.2v	47.5v	0.0v	0.0v	0.0v	49.6v	328.29v
242 Miss KJA Johnson	T	71.7v	71.9v	47.5v	0.0v	0.0v	0.0v	48.2v	46.5v	0.0v	0.0v	0.0v	45.1v	328.29v
243 Mr J Huber	T	71.5v	71.8v	48.4v	0.0v	0.0v	0.0v	45.3v	44.2v	0.0v	0.0v	0.0v	49.6v	328.28v
244 Mr JPS Bloomfield	X	71.9v	69.4v	48.5v	0.0v	0.0v	0.0v	49.5v	45.3v	0.0v	0.0v	0.0v	46.1v	328.27v
245 Mr AW Hellings	O	70.5v	72.8v	46.4v	0.0v	0.0v	0.0v	49.5v	45.4v	0.0v	0.0v	0.0v	46.0v	328.26v
246 Dr BJ Winney	A	71.7v	71.5v	48.4v	0.0v	0.0v	0.0v	45.2v	49.6v	0.0v	0.0v	0.0v	44.2v	328.26v
247 Mr M Hartung	O	68.3v	70.5v	49.5v	0.0v	0.0v	0.0v	49.6v	50.6v	0.0v	0.0v	0.0v	42.1v	328.26v
248 Capt HCM Bennett	A	72.7v	71.5v	49.4v	0.0v	0.0v	0.0v	48.3v	45.3v	0.0v	0.0v	0.0v	43.3v	328.25v
249 Mr PAE Charlton	A	74.7v	72.7v	46.2v	0.0v	0.0v	0.0v	46.3v	48.3v	0.0v	0.0v	0.0v	42.3v	328.25v
250 Mr GW Robinson	O	72.6v	70.5v	49.4v	0.0v	0.0v	0.0v	47.2v	49.5v	0.0v	0.0v	0.0v	41.3v	328.25v
251 Mr SC Postins	A	73.7v	69.3v	44.3v	0.0v	0.0v	0.0v	47.4v	48.3v	0.0v	0.0v	0.0v	47.4v	328.24v
252 Mr KB Hill	A	69.3v	72.6v	44.3v	0.0v	0.0v	0.0v	48.3v	48.4v	0.0v	0.0v	0.0v	47.4v	328.23v
253 Lt Col RHG Riley	A	72.7v	72.6v	48.3v	0.0v	0.0v	0.0v	44.2v	48.2v	0.0v	0.0v	0.0v	44.3v	328.23v
254 Lt Col AM Bell	X	70.6v	74.6v	50.4v	0.0v	0.0v	0.0v	42.1v	46.2v	0.0v	0.0v	0.0v	46.3v	328.22v
255 Mr K McCamley	X	71.4v	72.6v	47.4v	0.0v	0.0v	0.0v	45.3v	49.3v	0.0v	0.0v	0.0v	44.1v	328.21v
256 Mr TLW Kidner	X	72.5v	72.3v	46.2v	0.0v	0.0v	0.0v	47.1v	47.2v	0.0v	0.0v	0.0v	44.1v	328.14v
257 Cpl T Phillimore	T	72.1v	69.3v	47.3v	0.0v	0.0v	0.0v	48.2v	46.3v	0.0v	0.0v	0.0v	46.1v	328.13v
258 Mr AC Thomson	A	70.5v	69.7v	48.7v	0.0v	0.0v	0.0v	45.4v	48.5v	0.0v	0.0v	0.0v	47.4v	327.32v
259 Mr JA Lindsay III	A	71.7v	72.10v	44.1v	0.0v	0.0v	0.0v	48.6v	48.1v	0.0v	0.0v	0.0v	44.3v	327.28v
260 Mr EB Robinson	O	72.7v	70.5v	49.6v	0.0v	0.0v	0.0v	48.2v	46.3v	0.0v	0.0v	0.0v	42.4v	327.27v
261 Mr PJ Westlake	A	71.5v	73.6v	49.5v	0.0v	0.0v	0.0v	45.4v	49.5v	0.0v	0.0v	0.0v	40.1v	327.26v
262 Mr RD Morin	O	71.3v	69.6v	45.4v	0.0v	0.0v	0.0v	45.2v	48.6v	0.0v	0.0v	0.0v	49.4v	327.25v
263 Miss S Ponter	A	67.7v	72.7v	47.3v	0.0v	0.0v	0.0v	47.3v	49.2v	0.0v	0.0v	0.0v	45.3v	327.25v
264 Miss K Harriss	T	70.8v	69.3v	50.5v	0.0v	0.0v	0.0v	46.3v	47.3v	0.0v	0.0v	0.0v	45.3v	327.25v
265 Mr JR Allum	O	70.5v	71.7v	47.3v	0.0v	0.0v	0.0v	47.6v	46.0v	0.0v	0.0v	0.0v	46.3v	327.24v
266 Mr RJS Curtis	X	72.7v	71.5v	46.3v	0.0v	0.0v	0.0v	46.3v	49.4v	0.0v	0.0v	0.0v	43.1v	327.23v
267 Mrs LK Mace	A	73.5v	73.6v	48.5v	0.0v	0.0v	0.0v	47.4v	44.3v	0.0v	0.0v	0.0v	42.0v	327.23v
268 Miss PA Evans	O	70.4v	74.4v	47.6v	0.0v	0.0v	0.0v	49.4v	48.5v	0.0v	0.0v	0.0v	39.0v	327.23v
269 Mr B Vary	T	71.4v	73.7v	46.3v	0.0v	0.0v	0.0v	45.2v	46.4v	0.0v	0.0v	0.0v	46.2v	327.22v
270 Mrs T Newbold	O	71.6v	72.5v	46.3v	0.0v	0.0v	0.0v	48.4v	47.4v	0.0v	0.0v	0.0v	43.0v	327.22v
271 Mr AR Radkovskii	A	73.8v	72.5v	45.4v	0.0v	0.0v	0.0v	48.1v	46.4v	0.0v	0.0v	0.0v	43.0v	327.22v

272 Mr IDC Brechin	O	72.9v	71.4v	47.5v	0.0v	0.0v	0.0v	49.2v	46.1v	0.0v	0.0v	0.0v	42.0v	327.21v
273 WO1 JR Davies	X	73.6v	72.6v	45.3v	0.0v	0.0v	0.0v	47.1v	48.3v	0.0v	0.0v	0.0v	42.1v	327.20v
274 Miss KE Milner	A	74.9v	74.9v	45.2v	0.0v	0.0v	0.0v	46.4v	49.6v	0.0v	0.0v	0.0v	38.2v	326.32v
275 Dr PR Wheeler	A	72.4v	73.10v	42.4v	0.0v	0.0v	0.0v	48.5v	45.3v	0.0v	0.0v	0.0v	46.2v	326.28v
276 Mr A Moldoveanu	T	68.6v	71.7v	49.6v	0.0v	0.0v	0.0v	46.4v	46.4v	0.0v	0.0v	0.0v	46.1v	326.28v
277 Mr AD Le Cheminant	A	70.5v	72.6v	45.3v	0.0v	0.0v	0.0v	48.7v	48.7v	0.0v	0.0v	0.0v	43.0v	326.28v
278 Mr RJR Mott	A	70.5v	68.5v	48.4v	0.0v	0.0v	0.0v	46.3v	48.6v	0.0v	0.0v	0.0v	46.4v	326.27v
279 Mr CRM Asquith	A	70.8v	69.5v	46.3v	0.0v	0.0v	0.0v	45.1v	50.6v	0.0v	0.0v	0.0v	46.4v	326.27v
280 Mr B Bullock	O	71.6v	72.8v	48.4v	0.0v	0.0v	0.0v	43.3v	47.2v	0.0v	0.0v	0.0v	45.3v	326.26v
281 Flt Lt RJ Clegg	T	72.4v	71.6v	48.2v	0.0v	0.0v	0.0v	44.6v	47.3v	0.0v	0.0v	0.0v	44.4v	326.25v
282 Mrs SEP Kent	O	73.6v	68.3v	47.4v	0.0v	0.0v	0.0v	50.7v	45.5v	0.0v	0.0v	0.0v	43.0v	326.25v
283 Cdt Sgt TRE White	T	72.5v	72.9v	48.1v	0.0v	0.0v	0.0v	47.4v	45.3v	0.0v	0.0v	0.0v	42.2v	326.24v
284 Mr RN Stebbings	X	70.6v	73.7v	48.1v	0.0v	0.0v	0.0v	44.1v	50.6v	0.0v	0.0v	0.0v	41.2v	326.23v
285 Mr CSP Gray	O	70.4v	66.4v	48.3v	0.0v	0.0v	0.0v	47.4v	49.5v	0.0v	0.0v	0.0v	46.2v	326.22v
286 Mr GL Clarke	O	68.2v	71.8v	48.3v	0.0v	0.0v	0.0v	48.4v	47.2v	0.0v	0.0v	0.0v	44.3v	326.22v
287 Mr PS Gray	O	71.5v	71.3v	47.4v	0.0v	0.0v	0.0v	47.6v	44.0v	0.0v	0.0v	0.0v	46.3v	326.21v
288 Mr JPL Sweet	A	72.6v	70.5v	47.4v	0.0v	0.0v	0.0v	46.1v	48.2v	0.0v	0.0v	0.0v	43.2v	326.20v
289 Mr BDW Parsons	O	72.6v	72.7v	47.4v	0.0v	0.0v	0.0v	49.6v	47.5v	0.0v	0.0v	0.0v	38.2v	325.30v
290 Mr JR Purdy	O	72.5v	69.6v	50.7v	0.0v	0.0v	0.0v	45.3v	50.7v	0.0v	0.0v	0.0v	39.1v	325.29v
291 Mr MR Rewston	A	69.5v	70.3v	47.4v	0.0v	0.0v	0.0v	47.6v	48.8v	0.0v	0.0v	0.0v	44.2v	325.28v
292 Mr J Halahan	O	69.5v	71.4v	45.3v	0.0v	0.0v	0.0v	44.3v	46.5v	0.0v	0.0v	0.0v	50.7v	325.27v
293 Mr NNT Kerins	A	69.4v	73.10v	47.4v	0.0v	0.0v	0.0v	44.2v	48.5v	0.0v	0.0v	0.0v	44.2v	325.27v
294 Mr RI Coventry	A	74.10v	67.6v	45.1v	0.0v	0.0v	0.0v	44.3v	48.2v	0.0v	0.0v	0.0v	47.3v	325.25v
295 Mr RE Ellis	O	74.5v	72.9v	44.3v	0.0v	0.0v	0.0v	44.1v	48.4v	0.0v	0.0v	0.0v	43.2v	325.24v
296 Cpl AG Ganesan	T	71.7v	70.6v	46.2v	0.0v	0.0v	0.0v	45.1v	48.5v	0.0v	0.0v	0.0v	45.2v	325.23v
297 Mr WR Steward	O	74.7v	69.4v	46.1v	0.0v	0.0v	0.0v	49.7v	47.3v	0.0v	0.0v	0.0v	40.1v	325.23v
298 Mr DA Pitcairn	A	70.3v	69.2v	48.4v	0.0v	0.0v	0.0v	47.4v	45.4v	0.0v	0.0v	0.0v	46.5v	325.22v
299 Mr MR Horrell	X	70.4v	71.6v	44.3v	0.0v	0.0v	0.0v	47.2v	47.3v	0.0v	0.0v	0.0v	46.4v	325.22v
300 Mr JI Thombora	X	73.8v	70.4v	43.1v	0.0v	0.0v	0.0v	45.4v	48.3v	0.0v	0.0v	0.0v	46.2v	325.22v
301 Mr SH Dickson	O	73.6v	65.4v	48.6v	0.0v	0.0v	0.0v	47.4v	46.1v	0.0v	0.0v	0.0v	46.1v	325.22v
302 Mr DH Acton	A	71.4v	71.6v	46.4v	0.0v	0.0v	0.0v	48.6v	45.1v	0.0v	0.0v	0.0v	44.1v	325.22v
303 Miss N Murrin	T	71.6v	75.8v	47.2v	0.0v	0.0v	0.0v	41.2v	49.2v	0.0v	0.0v	0.0v	42.2v	325.22v
304 Dr MW Wrigley	O	71.6v	71.8v	49.8v	0.0v	0.0v	0.0v	44.2v	47.4v	0.0v	0.0v	0.0v	42.1v	324.29v
305 Mr TP Clarke	A	68.5v	75.10v	40.0v	0.0v	0.0v	0.0v	46.3v	45.3v	0.0v	0.0v	0.0v	50.5v	324.26v
306 Mr TM Stevenson	A	70.3v	71.9v	47.6v	0.0v	0.0v	0.0v	45.3v	43.1v	0.0v	0.0v	0.0v	48.4v	324.26v
307 Mr T Steele	A	69.7v	70.5v	50.5v	0.0v	0.0v	0.0v	46.3v	48.4v	0.0v	0.0v	0.0v	41.1v	324.25v
308 Mr PG Newman	O	70.6v	73.6v	45.6v	0.0v	0.0v	0.0v	41.1v	47.2v	0.0v	0.0v	0.0v	48.3v	324.24v
309 Mr JJ Sauer	T	75.8v	69.5v	43.0v	0.0v	0.0v	0.0v	48.4v	44.4v	0.0v	0.0v	0.0v	45.2v	324.23v
310 Mr CJ Hockley OBE	O	66.4v	73.6v	45.2v	0.0v	0.0v	0.0v	48.3v	47.5v	0.0v	0.0v	0.0v	45.2v	324.22v
311 Mr PJ Chapman-Sheath	A	70.6v	74.6v	45.3v	0.0v	0.0v	0.0v	43.0v	48.4v	0.0v	0.0v	0.0v	44.3v	324.22v
312 Mr DJ Stewart	O	69.3v	70.5v	46.2v	0.0v	0.0v	0.0v	47.5v	45.1v	0.0v	0.0v	0.0v	47.5v	324.21v
313 Mr D Morris	O	69.4v	70.4v	46.3v	0.0v	0.0v	0.0v	45.3v	49.3v	0.0v	0.0v	0.0v	45.2v	324.19v
314 Wg Cdr JR Lindsay	O	73.8v	72.6v	48.3v	0.0v	0.0v	0.0v	43.0v	44.1v	0.0v	0.0v	0.0v	44.1v	324.19v
315 Mr MJJ Charlton	O	68.2v	71.3v	45.1v	0.0v	0.0v	0.0v	47.3v	47.2v	0.0v	0.0v	0.0v	46.2v	324.13v
316 Mr RM McKenna	T	68.6v	69.7v	46.5v	0.0v	0.0v	0.0v	48.8v	48.5v	0.0v	0.0v	0.0v	44.3v	323.34v
317 Miss JE Ouston	X	68.5v	71.6v	47.5v	0.0v	0.0v	0.0v	50.8v	47.5v	0.0v	0.0v	0.0v	40.1v	323.30v
318 Mr A Honey	T	67.6v	69.6v	48.4v	0.0v	0.0v	0.0v	48.6v	45.3v	0.0v	0.0v	0.0v	46.4v	323.29v
319 Mr CM Bowring	O	72.7v	65.4v	47.2v	0.0v	0.0v	0.0v	49.6v	47.6v	0.0v	0.0v	0.0v	43.3v	323.28v
320 Mr PD Griggs	X	73.6v	71.7v	50.7v	0.0v	0.0v	0.0v	47.3v	46.4v	0.0v	0.0v	0.0v	36.1v	323.28v
321 Mr AJH Fowler	A	71.9v	73.9v	42.1v	0.0v	0.0v	0.0v	47.1v	47.4v	0.0v	0.0v	0.0v	43.3v	323.27v
322 Mr CPP Brewin	O	69.5v	71.10v	47.5v	0.0v	0.0v	0.0v	46.3v	47.2v	0.0v	0.0v	0.0v	43.2v	323.27v
323 Mr GC Baylis	O	69.5v	70.7v	46.2v	0.0v	0.0v	0.0v	45.4v	47.4v	0.0v	0.0v	0.0v	46.4v	323.26v
324 Mr SL Larter-Whitcher	X	75.10v	65.1v	45.1v	0.0v	0.0v	0.0v	47.6v	45.5v	0.0v	0.0v	0.0v	46.3v	323.26v
325 Dr HA Day	X	72.6v	70.7v	46.4v	0.0v	0.0v	0.0v	44.2v	46.4v	0.0v	0.0v	0.0v	45.3v	323.26v
326 Mr MP Watkins	A	71.8v	70.6v	45.3v	0.0v	0.0v	0.0v	46.2v	48.6v	0.0v	0.0v	0.0v	43.1v	323.26v
327 Mr AF Jenvey	T	69.6v	72.6v	44.0v	0.0v	0.0v	0.0v	49.6v	43.1v	0.0v	0.0v	0.0v	46.6v	323.25v
328 Mr RF Burden	O	70.2v	68.3v	47.5v	0.0v	0.0v	0.0v	47.7v	48.5v	0.0v	0.0v	0.0v	43.3v	323.25v
329 Cdt LG Skingley	T	74.8v	68.4v	50.5v	0.0v	0.0v	0.0v	46.3v	44.3v	0.0v	0.0v	0.0v	41.2v	323.25v
330 Mr OM Hudson	O	70.7v	68.2v	47.6v	0.0v	0.0v	0.0v	46.4v	50.3v	0.0v	0.0v	0.0v	42.2v	323.24v
331 Mr JA Dallas	O	70.5v	70.6v	45.3v	0.0v	0.0v	0.0v	48.4v	46.3v	0.0v	0.0v	0.0v	44.2v	323.23v

332 Mr N Anderson	O	67.5v	72.5v	46.3v	0.0v	0.0v	0.0v	46.2v	43.2v	0.0v	0.0v	0.0v	49.5v	323.22v
333 FS JJ Joomun	T	71.6v	72.7v	44.2v	0.0v	0.0v	0.0v	44.2v	45.2v	0.0v	0.0v	0.0v	47.3v	323.22v
334 Miss HD Grindon	T	71.6v	74.7v	45.4v	0.0v	0.0v	0.0v	45.1v	48.3v	0.0v	0.0v	0.0v	40.1v	323.22v
335 Mr HB Thomson	A	72.5v	69.4v	48.3v	0.0v	0.0v	0.0v	43.2v	46.3v	0.0v	0.0v	0.0v	45.4v	323.21v
336 Cdt GM Bohn	T	69.3v	69.6v	44.1v	0.0v	0.0v	0.0v	47.5v	45.4v	0.0v	0.0v	0.0v	49.1v	323.20v
337 Mr TS McDowell	O	65.3v	71.6v	47.4v	0.0v	0.0v	0.0v	46.1v	49.3v	0.0v	0.0v	0.0v	45.3v	323.20v
338 Mr SP O'Brien	A	69.3v	72.6v	44.2v	0.0v	0.0v	0.0v	48.5v	47.2v	0.0v	0.0v	0.0v	43.2v	323.20v
339 Miss KM Butler	T	66.4v	69.4v	48.3v	0.0v	0.0v	0.0v	47.3v	50.4v	0.0v	0.0v	0.0v	43.2v	323.20v
340 Mr CM Brooks	O	71.5v	73.6v	48.3v	0.0v	0.0v	0.0v	47.2v	43.1v	0.0v	0.0v	0.0v	41.1v	323.18v
341 Mr JR Stirland	O	70.4v	70.5v	47.0v	0.0v	0.0v	0.0v	49.5v	47.2v	0.0v	0.0v	0.0v	40.0v	323.16v
342 Mr SDJ Glanville	X	66.3v	70.1v	48.5v	0.0v	0.0v	0.0v	48.2v	47.3v	0.0v	0.0v	0.0v	44.0v	323.14v
343 Sgt HD Quilliam	O	71.6v	65.8v	47.4v	0.0v	0.0v	0.0v	44.2v	48.6v	0.0v	0.0v	0.0v	47.2v	322.28v
344 Mr KR Trowbridge	O	73.9v	70.4v	44.2v	0.0v	0.0v	0.0v	46.4v	42.4v	0.0v	0.0v	0.0v	47.3v	322.26v
345 Mr EN Munro	O	70.8v	70.6v	47.5v	0.0v	0.0v	0.0v	46.4v	48.3v	0.0v	0.0v	0.0v	41.0v	322.26v
346 Mr SD Glen	A	71.7v	70.5v	47.4v	0.0v	0.0v	0.0v	41.1v	47.6v	0.0v	0.0v	0.0v	46.2v	322.25v
347 Dr EL Sweet	O	69.3v	69.7v	47.2v	0.0v	0.0v	0.0v	46.5v	47.4v	0.0v	0.0v	0.0v	44.3v	322.24v
348 Mr NM Duncan	O	72.5v	71.7v	42.2v	0.0v	0.0v	0.0v	47.3v	47.5v	0.0v	0.0v	0.0v	43.2v	322.24v
349 Mr RJ Mace	O	70.6v	73.5v	45.3v	0.0v	0.0v	0.0v	46.3v	50.6v	0.0v	0.0v	0.0v	38.1v	322.24v
350 Mr RJ Hodgson-Jones	T	70.5v	74.8v	45.3v	0.0v	0.0v	0.0v	46.3v	50.3v	0.0v	0.0v	0.0v	37.2v	322.24v
351 Mr DN Lindsay	O	72.7v	72.6v	46.4v	0.0v	0.0v	0.0v	48.2v	48.4v	0.0v	0.0v	0.0v	36.1v	322.24v
352 Mr KMR Rivoallan	T	68.3v	70.6v	47.5v	0.0v	0.0v	0.0v	43.2v	48.5v	0.0v	0.0v	0.0v	46.2v	322.23v
353 Mr C Cowen	O	72.4v	71.8v	42.1v	0.0v	0.0v	0.0v	43.2v	49.5v	0.0v	0.0v	0.0v	45.3v	322.23v
354 Mr B Wood	A	67.5v	69.4v	45.4v	0.0v	0.0v	0.0v	47.3v	49.5v	0.0v	0.0v	0.0v	45.1v	322.22v
355 Mr TJR De La Cour	A	69.1v	72.5v	48.3v	0.0v	0.0v	0.0v	46.6v	47.4v	0.0v	0.0v	0.0v	40.2v	322.21v
356 Mr N Watson	A	71.7v	73.4v	49.3v	0.0v	0.0v	0.0v	45.3v	49.2v	0.0v	0.0v	0.0v	35.2v	322.21v
357 Mrs GL Rantile	O	69.4v	73.8v	45.2v	0.0v	0.0v	0.0v	44.1v	46.2v	0.0v	0.0v	0.0v	45.3v	322.20v
358 Mr GAE Larcombe	O	72.5v	71.3v	45.3v	0.0v	0.0v	0.0v	46.4v	46.5v	0.0v	0.0v	0.0v	42.0v	322.20v
359 Mr RA Welford	X	71.4v	70.4v	48.2v	0.0v	0.0v	0.0v	45.4v	47.5v	0.0v	0.0v	0.0v	41.1v	322.20v
360 Mr ACN Khan	T	65.0v	73.3v	45.2v	0.0v	0.0v	0.0v	45.1v	50.6v	0.0v	0.0v	0.0v	44.2v	322.14v
361 Miss AJ Carnell	A	72.7v	72.7v	43.2v	0.0v	0.0v	0.0v	44.2v	47.5v	0.0v	0.0v	0.0v	43.3v	321.26v
362 Miss M Beaton-Jaramillo	X	70.5v	71.8v	44.4v	0.0v	0.0v	0.0v	44.1v	48.2v	0.0v	0.0v	0.0v	44.2v	321.22v
363 Mr p Wright	T	70.7v	68.4v	44.2v	0.0v	0.0v	0.0v	46.2v	47.2v	0.0v	0.0v	0.0v	46.4v	321.21v
364 Cdt Cpl JB Cheetham	T	68.4v	71.5v	48.5v	0.0v	0.0v	0.0v	41.0v	47.4v	0.0v	0.0v	0.0v	46.3v	321.21v
365 Mr EK Ngetich	O	74.6v	67.4v	45.4v	0.0v	0.0v	0.0v	43.0v	47.3v	0.0v	0.0v	0.0v	45.4v	321.21v
366 Mr JM Nippers	O	68.3v	71.5v	48.5v	0.0v	0.0v	0.0v	47.4v	46.2v	0.0v	0.0v	0.0v	41.2v	321.21v
367 Mr MDE Larcombe	A	64.1v	72.5v	48.4v	0.0v	0.0v	0.0v	44.2v	48.7v	0.0v	0.0v	0.0v	45.1v	321.20v
368 Mr ISL Dampney	O	68.3v	70.4v	48.3v	0.0v	0.0v	0.0v	45.3v	48.6v	0.0v	0.0v	0.0v	42.1v	321.20v
369 Wg Cdr CM Fopp	O	70.3v	66.2v	47.5v	0.0v	0.0v	0.0v	47.3v	47.4v	0.0v	0.0v	0.0v	44.2v	321.19v
370 Mr APW Daw	A	71.7v	69.4v	48.2v	0.0v	0.0v	0.0v	43.0v	47.4v	0.0v	0.0v	0.0v	43.2v	321.19v
371 Cdt Sgt SF Oldridge	T	69.2v	73.5v	43.0v	0.0v	0.0v	0.0v	48.4v	44.2v	0.0v	0.0v	0.0v	44.4v	321.17v
372 Cdt GG Green	T	68.2v	70.4v	45.2v	0.0v	0.0v	0.0v	43.0v	49.5v	0.0v	0.0v	0.0v	46.2v	321.15v
373 Mr MJ Stewart	T	70.5v	68.5v	48.6v	0.0v	0.0v	0.0v	48.7v	47.4v	0.0v	0.0v	0.0v	39.2v	320.29v
374 Mr CS Lamont	A	71.7v	71.6v	43.3v	0.0v	0.0v	0.0v	46.4v	45.3v	0.0v	0.0v	0.0v	44.2v	320.25v
375 Mr FC Stewart	O	67.3v	71.7v	47.4v	0.0v	0.0v	0.0v	46.4v	48.5v	0.0v	0.0v	0.0v	41.2v	320.25v
376 Mr PA Goubert	O	69.6v	70.6v	45.2v	0.0v	0.0v	0.0v	45.2v	46.4v	0.0v	0.0v	0.0v	45.4v	320.24v
377 Dr G Stewart	A	72.5v	60.4v	50.7v	0.0v	0.0v	0.0v	47.2v	47.3v	0.0v	0.0v	0.0v	44.2v	320.23v
378 Mr EWV Feast	A	71.5v	70.4v	48.6v	0.0v	0.0v	0.0v	44.3v	44.3v	0.0v	0.0v	0.0v	43.2v	320.23v
379 Mr EGH Atkins	O	70.4v	71.5v	47.5v	0.0v	0.0v	0.0v	46.3v	45.4v	0.0v	0.0v	0.0v	41.2v	320.23v
380 Mr MA Kirkillo-Stacewicz	A	67.4v	68.5v	46.2v	0.0v	0.0v	0.0v	44.4v	46.2v	0.0v	0.0v	0.0v	49.4v	320.21v
381 Mr R. Winney	O	69.4v	67.5v	45.3v	0.0v	0.0v	0.0v	46.3v	47.2v	0.0v	0.0v	0.0v	46.4v	320.21v
382 Mr TJ Johnston	A	69.4v	71.8v	45.2v	0.0v	0.0v	0.0v	47.1v	48.4v	0.0v	0.0v	0.0v	40.2v	320.21v
383 Mr RL Rler Bird	O	73.8v	69.3v	47.1v	0.0v	0.0v	0.0v	43.3v	48.3v	0.0v	0.0v	0.0v	40.0v	320.18v
384 Mr JA Oakland	O	72.6v	69.5v	47.5v	0.0v	0.0v	0.0v	46.2v	49.6v	0.0v	0.0v	0.0v	36.1v	319.25v
385 Cdt BJ Hunt	A	71.3v	69.3v	47.5v	0.0v	0.0v	0.0v	49.6v	46.3v	0.0v	0.0v	0.0v	37.3v	319.23v
386 Mr NBS Logan	X	69.5v	64.5v	42.1v	0.0v	0.0v	0.0v	49.4v	49.5v	0.0v	0.0v	0.0v	46.2v	319.22v
387 Mr C Koros	O	70.5v	69.5v	46.3v	0.0v	0.0v	0.0v	46.3v	47.3v	0.0v	0.0v	0.0v	41.2v	319.21v
388 Mr MHN Palmer	X	71.5v	66.4v	49.4v	0.0v	0.0v	0.0v	46.2v	48.5v	0.0v	0.0v	0.0v	39.1v	319.21v
389 Mr M Reid	O	70.6v	68.4v	45.2v	0.0v	0.0v	0.0v	45.2v	46.4v	0.0v	0.0v	0.0v	45.2v	319.20v
390 Mr JM Taylor	X	70.5v	71.4v	42.2v	0.0v	0.0v	0.0v	47.3v	46.4v	0.0v	0.0v	0.0v	43.2v	319.20v
391 Miss SL Josling	T	71.3v	70.6v	46.3v	0.0v	0.0v	0.0v	44.3v	45.5v	0.0v	0.0v	0.0v	43.0v	319.20v

392 Mr NJ Atkins	A	71.3v	70.5v	47.4v	0.0v	0.0v	0.0v	42.0v	46.3v	0.0v	0.0v	0.0v	43.4v	319.19v
393 Mr OMJ Taylor	T	72.4v	67.1v	45.3v	0.0v	0.0v	0.0v	44.3v	45.2v	0.0v	0.0v	0.0v	46.3v	319.16v
394 Mr LR Irungu	T	69.3v	68.3v	49.3v	0.0v	0.0v	0.0v	46.3v	43.2v	0.0v	0.0v	0.0v	44.1v	319.15v
395 Mr RM Culverwell	O	68.5v	69.0v	46.3v	0.0v	0.0v	0.0v	46.1v	43.3v	0.0v	0.0v	0.0v	47.2v	319.14v
396 Mr IW Robertson	A	67.3v	71.3v	48.3v	0.0v	0.0v	0.0v	46.4v	44.0v	0.0v	0.0v	0.0v	43.0v	319.13v
397 Mr AG Harrison	O	71.7v	72.7v	44.3v	0.0v	0.0v	0.0v	48.5v	44.1v	0.0v	0.0v	0.0v	39.3v	318.26v
398 Miss D Armstrong	A	74.10v	73.7v	43.1v	0.0v	0.0v	0.0v	45.4v	46.2v	0.0v	0.0v	0.0v	37.1v	318.25v
399 Mr HP Nippers	T	71.2v	65.4v	44.3v	0.0v	0.0v	0.0v	41.3v	49.7v	0.0v	0.0v	0.0v	48.5v	318.24v
400 Dr TS Keen	A	71.6v	69.5v	48.3v	0.0v	0.0v	0.0v	44.5v	48.4v	0.0v	0.0v	0.0v	38.1v	318.24v
401 Mr J Scheuerl	T	66.5v	69.6v	44.3v	0.0v	0.0v	0.0v	43.3v	47.4v	0.0v	0.0v	0.0v	49.2v	318.23v
402 Mr DH Allen	O	68.5v	68.5v	45.2v	0.0v	0.0v	0.0v	45.2v	46.5v	0.0v	0.0v	0.0v	46.4v	318.23v
403 Mr RG Best	O	69.4v	69.3v	43.4v	0.0v	0.0v	0.0v	48.6v	44.4v	0.0v	0.0v	0.0v	45.2v	318.23v
404 Mr JRD Clegg	O	69.3v	69.4v	47.6v	0.0v	0.0v	0.0v	47.4v	46.3v	0.0v	0.0v	0.0v	40.3v	318.23v
405 Mrs MM Norman	O	72.4v	68.8v	44.3v	0.0v	0.0v	0.0v	45.4v	46.2v	0.0v	0.0v	0.0v	43.1v	318.22v
406 Dr JR Deane	X	72.4v	70.2v	49.5v	0.0v	0.0v	0.0v	43.3v	44.5v	0.0v	0.0v	0.0v	40.0v	318.19v
407 Mr S Kasica	T	68.4v	69.6v	48.3v	0.0v	0.0v	0.0v	50.3v	44.1v	0.0v	0.0v	0.0v	39.0v	318.17v
408 Mr RW McVeigh	O	68.2v	71.4v	45.3v	0.0v	0.0v	0.0v	49.4v	43.1v	0.0v	0.0v	0.0v	42.1v	318.15v
409 Mr OR Farrell	A	69.3v	73.8v	44.3v	0.0v	0.0v	0.0v	48.5v	47.5v	0.0v	0.0v	0.0v	36.2v	317.26v
410 Capt AG Stewart	T	70.6v	74.7v	44.3v	0.0v	0.0v	0.0v	46.4v	48.4v	0.0v	0.0v	0.0v	35.2v	317.26v
411 Mr BN Craig	O	63.1v	71.8v	47.5v	0.0v	0.0v	0.0v	45.3v	43.1v	0.0v	0.0v	0.0v	48.6v	317.24v
412 Mr J Magalhaes	T	68.5v	72.8v	44.4v	0.0v	0.0v	0.0v	44.3v	44.1v	0.0v	0.0v	0.0v	45.2v	317.23v
413 Mr JD Thorp	O	66.2v	66.7v	48.4v	0.0v	0.0v	0.0v	48.1v	45.5v	0.0v	0.0v	0.0v	44.1v	317.20v
414 Mr NC Granger	O	71.5v	69.2v	45.4v	0.0v	0.0v	0.0v	40.1v	47.2v	0.0v	0.0v	0.0v	45.5v	317.19v
415 Miss OR Ross	T	67.3v	72.6v	46.3v	0.0v	0.0v	0.0v	46.4v	47.2v	0.0v	0.0v	0.0v	39.1v	317.19v
416 Miss ICN Cox	T	69.7v	72.2v	47.4v	0.0v	0.0v	0.0v	41.2v	44.1v	0.0v	0.0v	0.0v	44.2v	317.18v
417 Mr RG Woodger	X	70.2v	71.5v	45.4v	0.0v	0.0v	0.0v	43.3v	41.0v	0.0v	0.0v	0.0v	47.2v	317.16v
418 Mr BJ Page	O	69.3v	69.3v	48.2v	0.0v	0.0v	0.0v	41.4v	45.2v	0.0v	0.0v	0.0v	45.2v	317.16v
419 Cdt TA Peters	T	68.3v	70.6v	45.4v	0.0v	0.0v	0.0v	44.3v	49.5v	0.0v	0.0v	0.0v	40.3v	316.24v
420 Miss AKM Morriss	O	68.6v	70.4v	48.3v	0.0v	0.0v	0.0v	43.4v	47.3v	0.0v	0.0v	0.0v	40.1v	316.21v
421 Mr AF Donald	O	67.3v	70.6v	45.3v	0.0v	0.0v	0.0v	41.2v	48.2v	0.0v	0.0v	0.0v	45.3v	316.19v
422 Mr AAS Singh	T	68.4v	68.7v	43.0v	0.0v	0.0v	0.0v	46.5v	42.1v	0.0v	0.0v	0.0v	49.0v	316.17v
423 Dr AJ Pilgrim	A	69.3v	69.5v	45.1v	0.0v	0.0v	0.0v	46.5v	48.0v	0.0v	0.0v	0.0v	39.3v	316.17v
424 Mr DJS Studholme	T	69.3v	69.4v	46.1v	0.0v	0.0v	0.0v	46.1v	42.3v	0.0v	0.0v	0.0v	44.2v	316.14v
425 Cdt LEI Horsman Carpenter	T	72.6v	75.9v	46.5v	0.0v	0.0v	0.0v	46.4v	45.4v	0.0v	0.0v	0.0v	31.3v	315.31v
426 Mr OJ Hughes	T	67.5v	72.7v	46.5v	0.0v	0.0v	0.0v	41.2v	45.3v	0.0v	0.0v	0.0v	44.2v	315.24v
427 Mr CP Goad	O	74.7v	64.6v	45.4v	0.0v	0.0v	0.0v	44.4v	47.1v	0.0v	0.0v	0.0v	41.2v	315.24v
428 Mr AJ Leech	O	69.5v	70.7v	45.2v	0.0v	0.0v	0.0v	47.6v	45.1v	0.0v	0.0v	0.0v	39.2v	315.23v
429 Mr MR Clewer	O	65.3v	70.5v	43.2v	0.0v	0.0v	0.0v	47.5v	44.3v	0.0v	0.0v	0.0v	46.4v	315.22v
430 CSgt OJ Frost	T	69.4v	67.3v	45.4v	0.0v	0.0v	0.0v	47.4v	50.4v	0.0v	0.0v	0.0v	37.0v	315.19v
431 Mr CI Pawlik	O	70.4v	65.4v	47.3v	0.0v	0.0v	0.0v	44.1v	49.3v	0.0v	0.0v	0.0v	40.2v	315.17v
432 Mr BAM Hebblethwaite	O	72.6v	67.3v	46.2v	0.0v	0.0v	0.0v	44.1v	44.1v	0.0v	0.0v	0.0v	42.1v	315.14v
433 Mr JH Smith	X	69.2v	68.1v	40.0v	0.0v	0.0v	0.0v	47.2v	45.4v	0.0v	0.0v	0.0v	46.2v	315.11v
434 Mr AM Bullen	O	70.6v	71.6v	47.4v	0.0v	0.0v	0.0v	41.5v	47.3v	0.0v	0.0v	0.0v	38.1v	314.25v
435 Mr S McGinnis	O	71.8v	64.2v	41.0v	0.0v	0.0v	0.0v	49.7v	47.5v	0.0v	0.0v	0.0v	42.2v	314.24v
436 LCpl GWS Wood	T	67.4v	69.4v	43.4v	0.0v	0.0v	0.0v	46.4v	48.3v	0.0v	0.0v	0.0v	41.3v	314.22v
437 Mr WB Ross	O	73.8v	71.5v	47.2v	0.0v	0.0v	0.0v	41.3v	43.2v	0.0v	0.0v	0.0v	39.2v	314.22v
438 Mr AC Barrell	O	70.5v	67.3v	42.5v	0.0v	0.0v	0.0v	45.2v	47.4v	0.0v	0.0v	0.0v	43.2v	314.21v
439 Miss KA Hinkly	T	69.3v	68.3v	46.6v	0.0v	0.0v	0.0v	46.4v	43.2v	0.0v	0.0v	0.0v	42.3v	314.21v
440 Mr A Poulton	T	73.7v	72.7v	43.0v	0.0v	0.0v	0.0v	40.1v	42.2v	0.0v	0.0v	0.0v	44.3v	314.20v
441 Miss T Myagkova	O	71.5v	68.4v	44.1v	0.0v	0.0v	0.0v	46.4v	45.5v	0.0v	0.0v	0.0v	40.0v	314.19v
442 Mrs R Merridew	O	66.1v	72.5v	47.5v	0.0v	0.0v	0.0v	43.4v	46.2v	0.0v	0.0v	0.0v	40.1v	314.18v
443 Mr O Henry	X	65.3v	69.3v	45.1v	0.0v	0.0v	0.0v	44.3v	49.4v	0.0v	0.0v	0.0v	42.3v	314.17v
444 Mr D Colegate	T	66.2v	70.5v	44.3v	0.0v	0.0v	0.0v	48.4v	44.2v	0.0v	0.0v	0.0v	42.1v	314.17v
445 Ms I Mundia	T	67.3v	67.2v	48.5v	0.0v	0.0v	0.0v	45.3v	40.1v	0.0v	0.0v	0.0v	47.2v	314.16v
446 Dr B Soelzer	T	66.3v	68.2v	45.4v	0.0v	0.0v	0.0v	47.2v	46.5v	0.0v	0.0v	0.0v	42.0v	314.16v
447 Mr TR Webster	O	70.4v	67.3v	48.2v	0.0v	0.0v	0.0v	43.2v	45.2v	0.0v	0.0v	0.0v	41.1v	314.14v
448 Miss P Hobbs	T	65.6v	67.3v	44.4v	0.0v	0.0v	0.0v	43.4v	48.4v	0.0v	0.0v	0.0v	46.3v	313.24v
449 Mr CJ Monk	T	70.7v	71.4v	45.3v	0.0v	0.0v	0.0v	40.3v	41.2v	0.0v	0.0v	0.0v	46.4v	313.23v
450 Mr JD Dugas	X	72.3v	67.5v	36.3v	0.0v	0.0v	0.0v	46.3v	50.6v	0.0v	0.0v	0.0v	42.3v	313.23v
451 Mr CP Judge	O	71.6v	68.6v	43.3v	0.0v	0.0v	0.0v	45.4v	47.3v	0.0v	0.0v	0.0v	39.0v	313.22v

452 Mr TM Booth	T	63.1v	68.8v	48.4v	0.0v	0.0v	0.0v	44.3v	43.3v	0.0v	0.0v	0.0v	47.2v	313.21v
453 Mr AR Le Quesne	T	68.5v	70.6v	44.2v	0.0v	0.0v	0.0v	43.1v	46.4v	0.0v	0.0v	0.0v	42.3v	313.21v
454 Mr PK Kapkundos	O	68.5v	70.6v	40.1v	0.0v	0.0v	0.0v	46.2v	48.4v	0.0v	0.0v	0.0v	41.1v	313.19v
455 Mr CR Hirst	O	70.5v	73.8v	42.0v	0.0v	0.0v	0.0v	44.3v	44.3v	0.0v	0.0v	0.0v	40.0v	313.19v
456 Mr R Roche	A	65.3v	69.5v	46.0v	0.0v	0.0v	0.0v	46.4v	46.3v	0.0v	0.0v	0.0v	41.3v	313.18v
457 Mr NRN Shutt	X	71.5v	68.6v	48.2v	0.0v	0.0v	0.0v	49.1v	47.2v	0.0v	0.0v	0.0v	30.1v	313.17v
458 Lt Col CST Lehmann	O	70.3v	70.6v	44.3v	0.0v	0.0v	0.0v	43.1v	48.1v	0.0v	0.0v	0.0v	38.0v	313.14v
459 Mr PJ Dudzinski	O	67.1v	72.2v	40.0v	0.0v	0.0v	0.0v	42.1v	46.3v	0.0v	0.0v	0.0v	46.3v	313.10v
460 Mr RR Warren	O	60.2v	74.8v	44.2v	0.0v	0.0v	0.0v	44.5v	48.6v	0.0v	0.0v	0.0v	42.1v	312.24v
461 Mr F Weir	T	64.5v	70.5v	46.5v	0.0v	0.0v	0.0v	45.2v	42.4v	0.0v	0.0v	0.0v	45.2v	312.23v
462 Mr AR Betts	O	67.4v	71.8v	43.3v	0.0v	0.0v	0.0v	43.3v	45.2v	0.0v	0.0v	0.0v	43.3v	312.23v
463 Drum Maj. RJ Cooper	T	68.6v	69.3v	43.2v	0.0v	0.0v	0.0v	46.4v	45.3v	0.0v	0.0v	0.0v	41.4v	312.22v
464 Mr P Carvell	T	70.6v	70.4v	45.3v	0.0v	0.0v	0.0v	39.0v	47.5v	0.0v	0.0v	0.0v	41.3v	312.21v
465 Mr GJ Lake Coghlan	T	66.3v	67.6v	42.1v	0.0v	0.0v	0.0v	47.5v	46.4v	0.0v	0.0v	0.0v	44.1v	312.20v
466 Mr S Murray	X	69.5v	66.3v	46.3v	0.0v	0.0v	0.0v	42.1v	48.5v	0.0v	0.0v	0.0v	41.2v	312.19v
467 Mr RS Johnson	T	68.5v	70.4v	46.3v	0.0v	0.0v	0.0v	42.1v	47.3v	0.0v	0.0v	0.0v	39.3v	312.19v
468 Cdt A Patel	T	67.4v	71.6v	47.4v	0.0v	0.0v	0.0v	44.2v	47.2v	0.0v	0.0v	0.0v	36.1v	312.19v
469 Mr NS Roberts	O	68.4v	68.4v	42.1v	0.0v	0.0v	0.0v	46.4v	46.1v	0.0v	0.0v	0.0v	42.3v	312.17v
470 Mr RJ Quy	O	67.1v	69.4v	44.3v	0.0v	0.0v	0.0v	43.1v	47.4v	0.0v	0.0v	0.0v	42.2v	312.15v
471 Mr MK Townsend	O	66.1v	68.2v	44.1v	0.0v	0.0v	0.0v	47.5v	43.3v	0.0v	0.0v	0.0v	44.2v	312.14v
472 Mr AP Clark	T	68.1v	67.2v	45.2v	0.0v	0.0v	0.0v	45.4v	44.1v	0.0v	0.0v	0.0v	43.0v	312.10v
473 Mr LR Coventry	O	70.7v	66.5v	46.3v	0.0v	0.0v	0.0v	38.1v	47.3v	0.0v	0.0v	0.0v	44.2v	311.21v
474 Wg Cdr MJ Gregory	O	68.5v	61.2v	47.4v	0.0v	0.0v	0.0v	41.1v	47.3v	0.0v	0.0v	0.0v	47.5v	311.20v
475 Mr HC Adams	T	69.4v	68.6v	45.1v	0.0v	0.0v	0.0v	40.2v	43.3v	0.0v	0.0v	0.0v	46.4v	311.20v
476 WO SR Parker	T	68.4v	67.4v	43.3v	0.0v	0.0v	0.0v	43.3v	42.1v	0.0v	0.0v	0.0v	48.4v	311.19v
477 Mr JM de Bruijn	O	67.3v	66.4v	48.4v	0.0v	0.0v	0.0v	42.1v	44.3v	0.0v	0.0v	0.0v	44.3v	311.18v
478 Mr RK Sheead	O	66.3v	69.5v	41.0v	0.0v	0.0v	0.0v	46.3v	47.3v	0.0v	0.0v	0.0v	42.1v	311.15v
479 Mr EHB Ervine	T	67.3v	66.4v	44.0v	0.0v	0.0v	0.0v	47.5v	46.2v	0.0v	0.0v	0.0v	41.1v	311.15v
480 Mr CJ Denham	T	70.5v	61.2v	47.2v	0.0v	0.0v	0.0v	46.3v	45.2v	0.0v	0.0v	0.0v	42.0v	311.14v
481 Cpl RE Warden	T	71.3v	70.5v	43.1v	0.0v	0.0v	0.0v	46.2v	43.1v	0.0v	0.0v	0.0v	38.1v	311.13v
482 Mr CAJ Crosby	A	70.6v	74.7v	46.3v	0.0v	0.0v	0.0v	43.3v	46.4v	0.0v	0.0v	0.0v	31.0v	310.23v
483 Mr JAMM Ingham	T	65.4v	66.2v	44.3v	0.0v	0.0v	0.0v	46.6v	47.5v	0.0v	0.0v	0.0v	42.2v	310.22v
484 Mr K Kousetta	T	66.6v	69.4v	49.5v	0.0v	0.0v	0.0v	45.3v	49.3v	0.0v	0.0v	0.0v	32.0v	310.21v
485 Mr DA Roberts	O	70.5v	67.2v	45.3v	0.0v	0.0v	0.0v	40.1v	46.2v	0.0v	0.0v	0.0v	42.0v	310.13v
486 Dr G Stevenson	O	66.4v	68.3v	47.4v	0.0v	0.0v	0.0v	42.3v	43.4v	0.0v	0.0v	0.0v	43.3v	309.21v
487 Mr OD de Gruchy	A	66.3v	69.6v	48.6v	0.0v	0.0v	0.0v	38.1v	45.2v	0.0v	0.0v	0.0v	43.3v	309.21v
488 Mr AJ Le Cheminant	O	70.5v	71.8v	44.4v	0.0v	0.0v	0.0v	43.1v	38.2v	0.0v	0.0v	0.0v	43.1v	309.21v
489 Fg Off LS Crisp	T	68.3v	68.6v	41.2v	0.0v	0.0v	0.0v	45.2v	47.4v	0.0v	0.0v	0.0v	40.2v	309.19v
490 Cdt L Tallinn	T	64.2v	72.5v	45.5v	0.0v	0.0v	0.0v	47.5v	43.1v	0.0v	0.0v	0.0v	38.1v	309.19v
491 Mr RA Benest	O	71.3v	69.4v	37.2v	0.0v	0.0v	0.0v	47.4v	43.1v	0.0v	0.0v	0.0v	42.3v	309.17v
492 Miss A Fung	T	66.3v	69.3v	42.2v	0.0v	0.0v	0.0v	46.4v	41.0v	0.0v	0.0v	0.0v	45.1v	309.13v
493 Mr JE White	O	71.7v	69.6v	43.3v	0.0v	0.0v	0.0v	42.2v	43.0v	0.0v	0.0v	0.0v	40.2v	308.20v
494 Dr M Raps	O	69.5v	66.6v	48.3v	0.0v	0.0v	0.0v	44.2v	44.3v	0.0v	0.0v	0.0v	37.0v	308.19v
495 Mr P Waldron	O	67.1v	70.4v	42.3v	0.0v	0.0v	0.0v	42.2v	41.4v	0.0v	0.0v	0.0v	46.3v	308.17v
496 Mr AJD Saunders	O	65.3v	68.3v	41.2v	0.0v	0.0v	0.0v	49.4v	44.2v	0.0v	0.0v	0.0v	41.3v	308.17v
497 Cdt OW Rankin	T	62.2v	69.7v	44.1v	0.0v	0.0v	0.0v	45.2v	47.4v	0.0v	0.0v	0.0v	41.1v	308.17v
498 Miss GI Williams	T	66.4v	70.5v	44.1v	0.0v	0.0v	0.0v	43.2v	43.1v	0.0v	0.0v	0.0v	42.3v	308.16v
499 Miss NE Barnes	O	63.3v	73.6v	44.2v	0.0v	0.0v	0.0v	45.1v	41.1v	0.0v	0.0v	0.0v	42.2v	308.15v
500 Mr OM Pryke	T	70.6v	68.6v	37.5v	0.0v	0.0v	0.0v	43.1v	44.2v	0.0v	0.0v	0.0v	45.2v	307.22v
501 Cdt R Wang	T	68.7v	68.3v	46.2v	0.0v	0.0v	0.0v	39.0v	42.1v	0.0v	0.0v	0.0v	44.4v	307.17v
502 Cdt G Clarke	T	65.1v	69.4v	43.2v	0.0v	0.0v	0.0v	44.2v	47.7v	0.0v	0.0v	0.0v	39.1v	307.17v
503 Mr SER Cherry	O	67.2v	71.3v	45.4v	0.0v	0.0v	0.0v	32.1v	50.4v	0.0v	0.0v	0.0v	42.2v	307.16v
504 Mr TM Green	O	72.9v	65.1v	47.5v	0.0v	0.0v	0.0v	42.2v	43.3v	0.0v	0.0v	0.0v	37.1v	306.21v
505 Mr JMB Baldwin	O	68.5v	68.6v	46.1v	0.0v	0.0v	0.0v	39.2v	46.4v	0.0v	0.0v	0.0v	39.1v	306.19v
506 Miss BR Digance	T	66.4v	69.5v	46.3v	0.0v	0.0v	0.0v	37.2v	44.3v	0.0v	0.0v	0.0v	44.1v	306.18v
507 Brig AJW Sturrock	O	64.3v	68.3v	42.3v	0.0v	0.0v	0.0v	46.5v	44.1v	0.0v	0.0v	0.0v	42.2v	306.17v
508 Mr ARN Kinross	O	68.3v	65.4v	43.1v	0.0v	0.0v	0.0v	46.4v	42.3v	0.0v	0.0v	0.0v	42.2v	306.17v
509 Mr JJ Beddoe	T	64.2v	66.1v	43.2v	0.0v	0.0v	0.0v	47.4v	43.3v	0.0v	0.0v	0.0v	43.4v	306.16v
510 Mr DA Smith	O	68.3v	68.6v	44.2v	0.0v	0.0v	0.0v	42.2v	44.2v	0.0v	0.0v	0.0v	40.0v	306.15v
511 Mr U Soelzer	O	65.0v	65.3v	46.2v	0.0v	0.0v	0.0v	44.3v	42.2v	0.0v	0.0v	0.0v	44.3v	306.13v

512 Mr WJM Bacon	T	70.4v	71.3v	39.1v	0.0v	0.0v	0.0v	44.2v	45.2v	0.0v	0.0v	0.0v	37.1v	306.13v
513 Miss KE Farley	T	65.6v	72.7v	41.3v	0.0v	0.0v	0.0v	46.7v	46.2v	0.0v	0.0v	0.0v	35.1v	305.26v
514 Mr MJS Gerhardt	A	69.5v	71.3v	47.5v	0.0v	0.0v	0.0v	43.3v	46.3v	0.0v	0.0v	0.0v	29.0v	305.19v
515 Mr JJ Dixon	T	65.5v	68.3v	44.2v	0.0v	0.0v	0.0v	40.1v	44.2v	0.0v	0.0v	0.0v	44.2v	305.15v
516 Dr CW Freeman	O	68.4v	67.5v	45.2v	0.0v	0.0v	0.0v	46.3v	40.1v	0.0v	0.0v	0.0v	39.0v	305.15v
517 Mrs A Soelzer-Hermes	A	62.2v	70.2v	43.1v	0.0v	0.0v	0.0v	48.5v	42.3v	0.0v	0.0v	0.0v	40.1v	305.14v
518 Mr P Osmond	T	68.2v	66.3v	44.2v	0.0v	0.0v	0.0v	40.1v	43.2v	0.0v	0.0v	0.0v	44.2v	305.12v
519 Mr PJ Holden	O	69.8v	65.2v	42.1v	0.0v	0.0v	0.0v	39.3v	47.6v	0.0v	0.0v	0.0v	42.3v	304.23v
520 Mr ER Bosse	O	59.4v	70.7v	46.4v	0.0v	0.0v	0.0v	45.3v	48.3v	0.0v	0.0v	0.0v	36.2v	304.23v
521 Mr A Zhang	T	56.1v	72.6v	44.0v	0.0v	0.0v	0.0v	40.1v	46.2v	0.0v	0.0v	0.0v	46.4v	304.14v
522 Miss A Ross	T	67.3v	61.1v	47.4v	0.0v	0.0v	0.0v	47.2v	45.2v	0.0v	0.0v	0.0v	37.1v	304.13v
523 Mr JT Kennedy	O	68.3v	69.4v	42.1v	0.0v	0.0v	0.0v	39.0v	44.2v	0.0v	0.0v	0.0v	42.1v	304.11v
524 Cdt LM Hart	T	69.3v	70.7v	41.1v	0.0v	0.0v	0.0v	41.4v	43.3v	0.0v	0.0v	0.0v	39.0v	303.18v
525 Mr SJ Bates	O	68.3v	73.10v	44.3v	0.0v	0.0v	0.0v	35.2v	43.4v	0.0v	0.0v	0.0v	39.1v	302.23v
526 Mr GRP Shapland	O	62.4v	68.4v	45.4v	0.0v	0.0v	0.0v	44.5v	48.3v	0.0v	0.0v	0.0v	35.2v	302.22v
527 Mr A White	T	67.6v	68.6v	41.2v	0.0v	0.0v	0.0v	47.5v	40.1v	0.0v	0.0v	0.0v	39.1v	302.21v
528 Miss AL Gibbs	T	64.3v	64.1v	45.2v	0.0v	0.0v	0.0v	40.1v	46.3v	0.0v	0.0v	0.0v	43.1v	302.11v
529 Mr GR Thomas	O	64.3v	70.4v	45.2v	0.0v	0.0v	0.0v	43.1v	46.0v	0.0v	0.0v	0.0v	34.1v	302.11v
530 Mr W Morrissey	T	63.4v	70.5v	45.3v	0.0v	0.0v	0.0v	45.4v	46.3v	0.0v	0.0v	0.0v	32.1v	301.20v
531 Mr RM Smith	T	65.3v	65.1v	46.3v	0.0v	0.0v	0.0v	45.4v	40.2v	0.0v	0.0v	0.0v	40.1v	301.14v
532 Mr JS Ritchie	O	65.3v	63.3v	42.2v	0.0v	0.0v	0.0v	48.3v	45.1v	0.0v	0.0v	0.0v	38.0v	301.12v
533 Miss S Frost	T	67.3v	71.6v	41.3v	0.0v	0.0v	0.0v	47.3v	38.1v	0.0v	0.0v	0.0v	36.0v	300.16v
534 Mr TWL Le Huray	T	63.1v	70.6v	45.2v	0.0v	0.0v	0.0v	42.2v	45.1v	0.0v	0.0v	0.0v	35.1v	300.13v
535 Mr J Kahtava	T	73.3v	66.2v	43.4v	0.0v	0.0v	0.0v	43.2v	42.1v	0.0v	0.0v	0.0v	33.1v	300.13v
536 Mr ML Kirkillo-Stacewicz	O	65.3v	67.3v	43.2v	0.0v	0.0v	0.0v	47.2v	44.3v	0.0v	0.0v	0.0v	33.5v	299.18v
537 Mr LA Lawrence	T	70.3v	69.7v	45.3v	0.0v	0.0v	0.0v	32.3v	41.0v	0.0v	0.0v	0.0v	42.1v	299.17v
538 Mr W Mulholland	O	69.3v	70.5v	42.2v	0.0v	0.0v	0.0v	39.1v	42.1v	0.0v	0.0v	0.0v	37.2v	299.14v
539 Mr N Stebbings	O	67.5v	66.4v	43.1v	0.0v	0.0v	0.0v	45.4v	41.3v	0.0v	0.0v	0.0v	36.0v	298.17v
540 Cdt JJ Weir	T	63.4v	67.1v	36.0v	0.0v	0.0v	0.0v	49.4v	39.0v	0.0v	0.0v	0.0v	44.2v	298.11v
541 Mr T Snaith	T	68.4v	68.6v	44.2v	0.0v	0.0v	0.0v	39.0v	46.5v	0.0v	0.0v	0.0v	32.0v	297.17v
542 Miss RJH Piper	T	62.2v	67.1v	42.3v	0.0v	0.0v	0.0v	43.2v	45.4v	0.0v	0.0v	0.0v	38.3v	297.15v
543 Mr HM Dodds	T	69.6v	69.5v	40.0v	0.0v	0.0v	0.0v	41.0v	31.1v	0.0v	0.0v	0.0v	47.2v	297.14v
544 Miss A Downie	T	68.5v	63.4v	42.1v	0.0v	0.0v	0.0v	40.0v	46.3v	0.0v	0.0v	0.0v	38.1v	297.14v
545 Mr RP Snaith	T	64.1v	68.4v	41.2v	0.0v	0.0v	0.0v	47.4v	41.0v	0.0v	0.0v	0.0v	36.0v	297.11v
546 Mr HD Werner	T	71.8v	66.1v	47.5v	0.0v	0.0v	0.0v	46.3v	46.5v	0.0v	0.0v	0.0v	20.1v	296.23v
547 Miss EM Robinson	T	65.3v	68.2v	48.5v	0.0v	0.0v	0.0v	44.1v	40.3v	0.0v	0.0v	0.0v	31.4v	296.18v
548 Mr A Sainter	O	62.2v	68.5v	42.2v	0.0v	0.0v	0.0v	39.2v	40.2v	0.0v	0.0v	0.0v	45.3v	296.16v
549 Mr LC Schwarz	T	68.3v	66.1v	42.2v	0.0v	0.0v	0.0v	30.2v	47.4v	0.0v	0.0v	0.0v	43.3v	296.15v
550 Mr IR Reeves	O	65.4v	66.2v	38.2v	0.0v	0.0v	0.0v	44.1v	43.1v	0.0v	0.0v	0.0v	40.2v	296.12v
551 Mr MJ Dowe	T	69.5v	71.8v	32.0v	0.0v	0.0v	0.0v	42.2v	41.3v	0.0v	0.0v	0.0v	40.2v	295.20v
552 Miss F Mahoney	T	67.6v	68.6v	45.3v	0.0v	0.0v	0.0v	33.1v	46.1v	0.0v	0.0v	0.0v	36.1v	295.18v
553 Mr R Richards	T	66.2v	66.2v	41.1v	0.0v	0.0v	0.0v	40.2v	43.1v	0.0v	0.0v	0.0v	39.1v	295.9v
554 Mr OJ Biddle	T	62.0v	66.3v	44.3v	0.0v	0.0v	0.0v	39.1v	41.1v	0.0v	0.0v	0.0v	42.1v	294.9v
555 Lt Col MD Yates	T	65.5v	69.3v	32.1v	0.0v	0.0v	0.0v	47.5v	39.2v	0.0v	0.0v	0.0v	41.2v	293.18v
556 Miss AR Xu	T	65.0v	64.4v	36.1v	0.0v	0.0v	0.0v	42.3v	41.2v	0.0v	0.0v	0.0v	45.4v	293.14v
557 Mr D Wild	T	59.0v	62.1v	44.3v	0.0v	0.0v	0.0v	42.1v	42.1v	0.0v	0.0v	0.0v	44.5v	293.11v
558 Sgt IC Jones	T	62.3v	61.1v	44.2v	0.0v	0.0v	0.0v	41.1v	42.3v	0.0v	0.0v	0.0v	43.1v	293.11v
559 Mr JE Fraser	O	58.4v	65.2v	41.2v	0.0v	0.0v	0.0v	43.3v	44.2v	0.0v	0.0v	0.0v	41.2v	292.15v
560 Mr RT Turner	T	69.3v	63.5v	47.4v	0.0v	0.0v	0.0v	42.1v	36.0v	0.0v	0.0v	0.0v	35.0v	292.13v
561 Cdt SR Bladon	T	64.1v	66.3v	36.0v	0.0v	0.0v	0.0v	43.1v	43.3v	0.0v	0.0v	0.0v	39.0v	291.8v
562 Mr LM Mutegi	T	68.4v	61.1v	39.0v	0.0v	0.0v	0.0v	40.3v	44.6v	0.0v	0.0v	0.0v	38.3v	290.17v
563 Mr HP Noss	O	66.4v	63.2v	40.0v	0.0v	0.0v	0.0v	43.3v	42.2v	0.0v	0.0v	0.0v	35.2v	289.13v
564 Mr CAS Shelley	T	65.3v	65.2v	45.2v	0.0v	0.0v	0.0v	34.1v	42.2v	0.0v	0.0v	0.0v	37.1v	288.11v
565 Cdt G Baker	T	64.5v	66.2v	36.0v	0.0v	0.0v	0.0v	34.1v	45.5v	0.0v	0.0v	0.0v	42.2v	287.15v
566 Mr A Wild	T	68.3v	59.4v	42.3v	0.0v	0.0v	0.0v	48.4v	38.1v	0.0v	0.0v	0.0v	32.0v	287.15v
567 C/Sgt H Anselm	T	67.2v	53.0v	42.1v	0.0v	0.0v	0.0v	43.2v	43.3v	0.0v	0.0v	0.0v	39.2v	287.10v
568 Miss KE Pope	O	74.8v	72.10v	45.4v	0.0v	0.0v	0.0v	49.6v	0.0v	0.0v	0.0v	0.0v	46.3v	286.31v
569 Miss LF Yates	T	62.5v	64.3v	42.2v	0.0v	0.0v	0.0v	40.1v	32.2v	0.0v	0.0v	0.0v	46.4v	286.17v
570 Mr AF Chidlow	T	56.0v	60.2v	43.1v	0.0v	0.0v	0.0v	42.3v	42.2v	0.0v	0.0v	0.0v	43.1v	286.9v
571 Mr JN Prout	T	67.4v	67.5v	43.3v	0.0v	0.0v	0.0v	35.1v	43.1v	0.0v	0.0v	0.0v	29.0v	284.14v

572 Mr S A Hunting	O	68.3v	65.2v	46.1v	0.0v	0.0v	0.0v	39.3v	42.2v	0.0v	0.0v	0.0v	24.1v	284.12v
573 Mr OJC Christy	T	65.0v	71.4v	37.0v	0.0v	0.0v	0.0v	40.0v	34.0v	0.0v	0.0v	0.0v	37.0v	284.4v
574 LCpl EC Wang	T	63.4v	63.2v	37.3v	0.0v	0.0v	0.0v	35.2v	44.1v	0.0v	0.0v	0.0v	41.3v	283.15v
575 Mr SW Maris	O	70.6v	73.8v	49.7v	0.0v	0.0v	0.0v	47.2v	0.0v	0.0v	0.0v	0.0v	43.2v	282.25v
576 Mr PD Pelly	O	53.0v	64.2v	46.3v	0.0v	0.0v	0.0v	43.3v	43.3v	0.0v	0.0v	0.0v	32.1v	281.12v
577 Mr TFJ McDowell	T	66.1v	65.2v	40.2v	0.0v	0.0v	0.0v	45.3v	34.1v	0.0v	0.0v	0.0v	31.0v	281.9v
578 Mr AJ Chapman-Sheath	T	62.2v	68.3v	44.1v	0.0v	0.0v	0.0v	34.0v	42.3v	0.0v	0.0v	0.0v	30.0v	280.9v
579 Mr KC Thorne	T	65.3v	67.5v	42.2v	0.0v	0.0v	0.0v	42.1v	37.0v	0.0v	0.0v	0.0v	26.0v	279.11v
580 Mr WW Liu	T	62.4v	67.3v	41.2v	0.0v	0.0v	0.0v	38.1v	39.1v	0.0v	0.0v	0.0v	31.1v	278.12v
581 Miss LI Hughes	T	57.1v	57.2v	40.2v	0.0v	0.0v	0.0v	43.1v	43.3v	0.0v	0.0v	0.0v	36.1v	276.10v
582 Mr NR Lewington	T	70.2v	60.0v	38.5v	0.0v	0.0v	0.0v	32.0v	43.1v	0.0v	0.0v	0.0v	33.0v	276.8v
583 Mr TAE Dorey	T	62.2v	58.0v	33.0v	0.0v	0.0v	0.0v	40.1v	44.1v	0.0v	0.0v	0.0v	38.1v	275.5v
584 LCpl JH Sale	T	61.3v	67.1v	27.1v	0.0v	0.0v	0.0v	38.1v	39.0v	0.0v	0.0v	0.0v	42.1v	274.7v
585 Mr J Caldwell	T	68.6v	72.9v	46.3v	0.0v	0.0v	0.0v	49.5v	0.0v	0.0v	0.0v	0.0v	38.0v	273.23v
586 Cdt TZ Maxwell Randeria	T	69.6v	68.6v	40.1v	0.0v	0.0v	0.0v	41.1v	48.6v	0.0v	0.0v	0.0v	7.0v	273.20v
587 Dr T Pantke	O	71.6v	72.6v	46.0v	0.0v	0.0v	0.0v	47.3v	37.2v	0.0v	0.0v	0.0v	0.0v	273.17v
588 Dr N Hart	O	71.5v	70.4v	47.2v	0.0v	0.0v	0.0v	0.0v	46.4v	0.0v	0.0v	0.0v	38.1v	272.16v
589 Mr DP Chalmers	T	70.5v	69.3v	43.2v	0.0v	0.0v	0.0v	45.2v	45.2v	0.0v	0.0v	0.0v	0.0v	272.14v
590 Mr WFO montgomery	T	58.3v	62.1v	45.2v	0.0v	0.0v	0.0v	45.4v	34.0v	0.0v	0.0v	0.0v	28.0v	272.10v
591 Mr SD Douglas	X	64.3v	64.2v	42.3v	0.0v	0.0v	0.0v	44.2v	37.0v	0.0v	0.0v	0.0v	20.0v	271.10v
592 Mr MH Shaw	O	67.2v	72.5v	47.4v	0.0v	0.0v	0.0v	43.2v	0.0v	0.0v	0.0v	0.0v	41.1v	270.14v
593 Miss CY Gregory	T	68.2v	67.0v	42.1v	0.0v	0.0v	0.0v	46.4v	45.4v	0.0v	0.0v	0.0v	0.0v	268.11v
594 Mr L Hinkly	T	70.2v	64.1v	38.2v	0.0v	0.0v	0.0v	27.0v	43.2v	0.0v	0.0v	0.0v	25.1v	267.8v
595 Mr RB Fitzsimmons	A	6.0v	72.9v	49.5v	0.0v	0.0v	0.0v	46.3v	45.3v	0.0v	0.0v	0.0v	48.4v	266.24v
596 Maj AR McLeod	X	74.8v	0.0v	46.5v	0.0v	0.0v	0.0v	49.5v	48.7v	0.0v	0.0v	0.0v	48.5v	265.30v
597 Miss DS Hume	O	71.8v	0.0v	49.4v	0.0v	0.0v	0.0v	49.5v	49.5v	0.0v	0.0v	0.0v	45.1v	263.23v
598 Miss KC Moody	T	63.3v	63.2v	45.0v	0.0v	0.0v	0.0v	10.0v	40.2v	0.0v	0.0v	0.0v	40.2v	261.9v
599 Mr LF Robson	T	65.3v	57.0v	40.1v	0.0v	0.0v	0.0v	43.2v	22.0v	0.0v	0.0v	0.0v	34.0v	261.6v
600 Mr A Hazelton	T	71.4v	0.0v	49.8v	0.0v	0.0v	0.0v	45.3v	49.9v	0.0v	0.0v	0.0v	46.3v	260.27v
601 Cdt SR Hall	T	61.2v	44.0v	36.0v	0.0v	0.0v	0.0v	41.0v	43.2v	0.0v	0.0v	0.0v	33.1v	258.5v
602 Mr E Gauvin	A	70.4v	0.0v	49.6v	0.0v	0.0v	0.0v	45.4v	47.3v	0.0v	0.0v	0.0v	45.2v	256.19v
603 Mr EJ Young	T	64.2v	64.1v	0.0v	0.0v	0.0v	0.0v	39.2v	47.4v	0.0v	0.0v	0.0v	42.1v	256.10v
604 Mr NR Wells	O	65.4v	68.4v	44.1v	0.0v	0.0v	0.0v	0.0v	46.3v	0.0v	0.0v	0.0v	32.1v	255.13v
605 Dr JS Rennie	O	0.0v	70.3v	45.2v	0.0v	0.0v	0.0v	47.3v	48.5v	0.0v	0.0v	0.0v	44.7v	254.20v
606 Miss EN Smith	T	69.4v	65.2v	40.2v	0.0v	0.0v	0.0v	0.0v	37.1v	0.0v	0.0v	0.0v	42.4v	253.13v
607 Cdt LK Crosby	T	61.1v	68.4v	23.0v	0.0v	0.0v	0.0v	43.1v	45.1v	0.0v	0.0v	0.0v	12.0v	252.7v
608 Sgt GDD Godwin-Austen	T	68.4v	64.3v	37.2v	0.0v	0.0v	0.0v	0.0v	40.0v	0.0v	0.0v	0.0v	40.0v	249.9v
609 Mr CM McKenna	T	60.3v	55.0v	33.2v	0.0v	0.0v	0.0v	31.0v	32.2v	0.0v	0.0v	0.0v	38.2v	249.9v
610 Miss M Williams	T	59.3v	59.2v	36.0v	0.0v	0.0v	0.0v	33.1v	36.1v	0.0v	0.0v	0.0v	26.0v	249.7v
611 Cdt T Janelid	T	72.7v	0.0v	44.2v	0.0v	0.0v	0.0v	41.2v	44.0v	0.0v	0.0v	0.0v	41.0v	242.11v
612 Mr K Gladding	O	61.2v	56.1v	36.2v	0.0v	0.0v	0.0v	44.2v	42.2v	0.0v	0.0v	0.0v	3.0v	242.9v
613 Mr MV Gosling	T	56.0v	58.1v	35.1v	0.0v	0.0v	0.0v	30.1v	27.1v	0.0v	0.0v	0.0v	36.0v	242.4v
614 Mr CSTJ Marlow	O	71.4v	0.0v	42.2v	0.0v	0.0v	0.0v	41.2v	43.0v	0.0v	0.0v	0.0v	44.2v	241.10v
615 Mr OJ Scott	T	0.0v	64.2v	43.1v	0.0v	0.0v	0.0v	47.1v	44.4v	0.0v	0.0v	0.0v	41.3v	239.11v
616 Miss K Thomas	T	61.0v	57.2v	43.1v	0.0v	0.0v	0.0v	0.0v	40.1v	0.0v	0.0v	0.0v	33.1v	234.5v
617 Mrs DE Curtis	O	65.2v	0.0v	39.2v	0.0v	0.0v	0.0v	45.2v	44.3v	0.0v	0.0v	0.0v	39.2v	232.11v
618 Cdt AJD Germain	T	65.2v	0.0v	49.5v	0.0v	0.0v	0.0v	45.2v	42.0v	0.0v	0.0v	0.0v	29.0v	230.9v
619 Mr DRM Tuke	T	52.1v	60.2v	32.0v	0.0v	0.0v	0.0v	31.1v	20.0v	0.0v	0.0v	0.0v	31.1v	226.5v
620 Miss CJ Stirling	T	0.0v	62.1v	41.1v	0.0v	0.0v	0.0v	43.3v	42.1v	0.0v	0.0v	0.0v	33.1v	221.7v
621 Mr JA Hopkins	T	61.2v	0.0v	38.1v	0.0v	0.0v	0.0v	37.2v	42.2v	0.0v	0.0v	0.0v	34.0v	212.7v
622 Mr SJ Messenger	T	63.2v	0.0v	41.2v	0.0v	0.0v	0.0v	30.0v	40.0v	0.0v	0.0v	0.0v	35.2v	209.6v
623 Miss L Hetherington	T	58.0v	53.1v	28.0v	0.0v	0.0v	0.0v	27.1v	42.3v	0.0v	0.0v	0.0v	0.0v	208.5v
624 Sgt I Hunt	T	73.4v	0.0v	47.2v	0.0v	0.0v	0.0v	40.0v	47.4v	0.0v	0.0v	0.0v	0.0v	207.10v
625 Mr RA Jobson	O	70.6v	0.0v	41.3v	0.0v	0.0v	0.0v	42.2v	47.6v	0.0v	0.0v	0.0v	0.0v	200.17v
626 Lt TJ Westmaas	O	0.0v	66.7v	46.3v	0.0v	0.0v	0.0v	43.4v	0.0v	0.0v	0.0v	0.0v	43.3v	198.17v
627 Mr MG Grimsdell	O	58.0v	65.2v	38.1v	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	26.0v	187.3v
628 Mr TG Gorrett	T	65.2v	0.0v	32.1v	0.0v	0.0v	0.0v	43.4v	45.2v	0.0v	0.0v	0.0v	0.0v	185.9v
629 Miss CA Mills	T	64.2v	0.0v	41.0v	0.0v	0.0v	0.0v	0.0v	43.2v	0.0v	0.0v	0.0v	36.0v	184.4v
630 Mrs KAN Jack	A	0.0v	0.0v	46.3v	0.0v	0.0v	0.0v	47.3v	45.4v	0.0v	0.0v	0.0v	43.2v	181.12v
631 Mr RD Lindsay	O	70.5v	0.0v	0.0v	0.0v	0.0v	0.0v	46.2v	49.6v	0.0v	0.0v	0.0v	0.0v	165.13v

632 Mr ACJ Van Grondelle	T	68.4v	0.0v	0.0v	0.0v	0.0v	0.0v	48.7v	48.5v	0.0v	0.0v	0.0v	0.0v	164.16v
633 Mr MEH Kapusta	T	67.3v	0.0v	0.0v	0.0v	0.0v	0.0v	44.3v	44.4v	0.0v	0.0v	0.0v	0.0v	155.10v
634 Mr SE Frost	O	0.0v	0.0v	49.2v	0.0v	0.0v	0.0v	0.0v	46.0v	0.0v	0.0v	0.0v	41.2v	136.4v
635 Mr RBC Baker	O	0.0v	0.0v	46.3v	0.0v	0.0v	0.0v	0.0v	48.4v	0.0v	0.0v	0.0v	33.2v	127.9v
636 Lt Col ARK Clayton	T	18.0v	55.0v	0.0v	0.0v	0.0v	0.0v	0.0v	35.1v	0.0v	0.0v	0.0v	0.0v	108.1v
637 Mr F Ahmad	T	0.0v	59.3v	43.2v	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	102.5v
638 Mr M Hughes	T	46.0v	0.0v	0.0v	0.0v	0.0v	0.0v	22.0v	22.1v	0.0v	0.0v	0.0v	0.0v	90.1v
639 Dr AE Simpson	O	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	49.5v	0.0v	0.0v	0.0v	0.0v	49.5v
640 Mr RF Barrington	O	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	46.3v	46.3v
641 Mr V Jain	T	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	15.0v	7.0v	0.0v	0.0v	0.0v	0.0v	22.0v