

The Veterans Aggregate

		DT	DM	Alex	DC	Times	Wimb	Doyle	Dgall	PWR	POW	Lovell	Corp	Total	
The Evan Price Challenge Cup and an NRA Gold Medal															
1	Mr CES Dickenson	A	75.7v	72.10v	49.7v	34.2v	50.9v	35.4v	45.2v	50.7v	0.0v	34.4v	35.4v	47.5v	559.63v
An NRA Silver Medal															
2	Capt NJ Ball	X	74.11v	74.10v	49.9v	33.3v	49.6v	34.5v	48.2v	49.6v	0.0v	32.2v	30.1v	50.8v	557.68v
An NRA Bronze Medal															
3	Mr JR Tuck	X	74.11v	73.7v	50.5v	32.2v	49.6v	35.4v	47.3v	50.4v	0.0v	33.3v	32.1v	47.5v	557.57v
Next Best Scores															
4	Mr SNS Penrose	X	73.7v	72.6v	50.6v	34.5v	48.6v	35.3v	46.3v	47.5v	0.0v	34.1v	33.2v	49.2v	554.50v
5	Mr RM Roberts	X	73.6v	72.10v	49.7v	35.3v	50.8v	31.2v	50.4v	50.5v	0.0v	32.2v	34.3v	43.1v	553.56v
6	Mr RW Sandlant	A	71.8v	73.10v	47.4v	34.3v	47.2v	35.5v	48.3v	49.6v	0.0v	35.6v	31.2v	47.6v	551.59v
7	Dr JO Ahrens	X	75.9v	74.10v	49.5v	34.4v	50.8v	30.4v	46.4v	49.9v	0.0v	35.5v	32.2v	44.3v	550.66v
8	Mr JD Warburton	X	74.10v	71.8v	48.5v	34.5v	49.6v	35.5v	45.3v	48.4v	0.0v	34.3v	32.3v	45.4v	550.61v
9	Mr S Belither	X	72.8v	73.7v	50.6v	34.2v	49.6v	34.4v	47.4v	49.5v	0.0v	31.3v	34.4v	42.4v	550.58v
10	Mr WCP Richards	X	73.9v	73.6v	48.7v	33.3v	49.7v	32.3v	49.6v	48.6v	0.0v	34.2v	32.2v	45.2v	550.56v
11	Mr C Fitzpatrick	X	72.6v	72.6v	49.6v	35.6v	49.5v	34.2v	47.4v	50.5v	0.0v	35.2v	33.1v	42.2v	550.46v
12	Mr CN Tremlett	X	74.9v	71.8v	46.2v	34.3v	50.9v	32.3v	47.3v	50.7v	0.0v	31.2v	32.2v	47.5v	549.58v
13	Mr CP Weeden	X	73.7v	72.6v	48.6v	34.5v	48.4v	35.4v	46.3v	50.4v	0.0v	34.3v	29.2v	44.2v	548.50v
14	Mr DFP Richards	O	73.8v	74.7v	49.5v	34.3v	48.1v	34.4v	47.5v	47.4v	0.0v	32.2v	30.2v	47.3v	547.45v
15	Mr JGM Webster	A	72.8v	72.6v	50.5v	35.6v	49.8v	34.4v	47.2v	48.5v	0.0v	33.2v	31.1v	41.0v	546.52v
16	Wg Cdr D Calvert	X	74.6v	74.10v	50.5v	35.7v	49.6v	34.4v	50.6v	47.4v	0.0v	32.2v	33.2v	33.2v	545.56v
17	Mr RM Hatcher	A	71.4v	73.9v	47.3v	29.5v	48.4v	34.2v	48.6v	48.6v	0.0v	35.4v	33.1v	45.0v	545.47v
18	Mr RL Eayrs	A	72.8v	72.7v	48.4v	29.1v	49.6v	35.2v	46.4v	50.6v	0.0v	32.1v	31.3v	46.2v	544.47v
19	Lt Col AM Bell	X	70.6v	74.6v	50.4v	34.4v	50.9v	34.3v	42.1v	46.2v	0.0v	32.1v	33.3v	46.3v	543.44v
20	Maj AG McLean	A	71.6v	70.3v	47.5v	35.1v	43.2v	34.5v	49.7v	49.2v	0.0v	30.2v	33.1v	47.4v	542.44v
21	Mr DG Young	X	72.7v	71.5v	50.8v	34.5v	48.7v	33.3v	50.6v	49.6v	0.0v	33.1v	30.1v	37.0v	541.54v
22	Dr MJ Schwarz	A	69.4v	73.8v	48.4v	34.4v	49.4v	35.3v	48.6v	49.5v	0.0v	30.3v	26.1v	49.4v	541.48v
23	Mr P Dawes	O	73.7v	71.5v	48.4v	33.3v	49.4v	33.1v	49.6v	47.6v	0.0v	33.5v	30.1v	41.1v	541.47v
24	Mr MD Jenvey	O	74.7v	73.9v	49.7v	34.6v	50.7v	33.1v	43.4v	50.7v	0.0v	33.3v	28.1v	39.0v	540.55v
25	Mr KO Pugh	X	69.4v	70.6v	50.7v	31.2v	44.3v	35.6v	50.8v	47.2v	0.0v	32.3v	31.1v	45.3v	539.50v
26	Mr PAE Charlton	A	74.7v	72.7v	46.2v	35.3v	48.7v	34.2v	46.3v	48.3v	0.0v	32.2v	29.3v	42.3v	539.46v
27	Mr RE Ellis	O	74.5v	72.9v	44.3v	33.2v	48.8v	35.2v	44.1v	48.4v	0.0v	31.2v	35.3v	43.2v	539.44v
28	Mr AD Le Cheminant	A	70.5v	72.6v	45.3v	35.1v	48.4v	33.4v	48.7v	48.7v	0.0v	32.1v	31.2v	43.0v	539.44v
29	Mr AC Morley	A	71.4v	72.8v	49.4v	31.0v	46.4v	35.4v	50.2v	44.1v	0.0v	31.0v	30.1v	46.4v	539.36v
30	Mr TP Clarke	A	68.5v	75.10v	40.0v	33.0v	47.5v	34.3v	46.3v	45.3v	0.0v	35.4v	32.2v	50.5v	537.42v
31	Mr T Bryan	O	72.6v	70.8v	49.5v	33.2v	47.4v	31.2v	46.3v	47.5v	0.0v	34.3v	29.2v	45.1v	536.42v
32	Mr TL Bedwell	A	71.4v	71.6v	49.5v	34.4v	47.4v	32.1v	49.4v	47.3v	0.0v	31.2v	29.1v	44.3v	536.39v
33	Mr JT Foster	X	71.9v	71.3v	46.4v	32.3v	47.4v	34.1v	46.5v	47.5v	0.0v	33.2v	28.2v	48.6v	535.45v
34	Dr MW Wrigley	O	71.6v	71.8v	49.8v	34.4v	47.3v	32.1v	44.2v	47.4v	0.0v	32.1v	33.3v	42.1v	535.45v
35	Mr GW Robinson	O	72.6v	70.5v	49.4v	34.3v	44.4v	34.2v	47.2v	49.5v	0.0v	34.3v	28.0v	41.3v	535.39v
36	Mr ML Cotillard	O	72.7v	74.7v	48.7v	35.2v	45.1v	34.1v	46.2v	49.2v	0.0v	31.2v	28.0v	41.2v	534.35v
37	Mr N Watson	A	71.7v	73.4v	49.3v	33.2v	48.2v	34.3v	45.3v	49.2v	0.0v	34.3v	29.0v	35.2v	534.35v
38	Dr JR Deane	X	72.4v	70.2v	49.5v	32.2v	50.7v	33.4v	43.3v	44.5v	0.0v	33.1v	33.3v	40.0v	533.38v
39	Mr RLER Bird	O	73.8v	69.3v	47.1v	33.4v	48.4v	33.1v	43.3v	48.3v	0.0v	32.2v	31.0v	40.0v	532.33v
40	Mr PD Griggs	X	73.6v	71.7v	50.7v	30.2v	48.5v	32.3v	47.3v	46.4v	0.0v	31.2v	32.4v	36.1v	531.49v
41	Mr RA Welford	X	71.4v	70.4v	48.2v	34.2v	49.3v	31.3v	45.4v	47.5v	0.0v	32.2v	31.1v	41.1v	531.33v
42	Mr TLW Kidner	X	72.5v	72.3v	46.2v	35.4v	43.1v	31.1v	47.1v	47.2v	0.0v	32.0v	29.1v	44.1v	531.26v
43	Dr G Stewart	A	72.5v	60.4v	50.7v	33.3v	45.1v	34.5v	47.2v	47.3v	0.0v	31.2v	34.4v	44.2v	529.40v
44	Mr RJR Mott	A	70.5v	68.5v	48.4v	33.2v	46.2v	30.2v	46.3v	48.6v	0.0v	31.1v	30.1v	46.4v	529.36v
45	Mr PS Gray	O	71.5v	71.3v	47.4v	34.2v	45.3v	32.2v	47.6v	44.0v	0.0v	29.1v	32.3v	46.3v	529.34v
46	Mr CM Brooks	O	71.5v	73.6v	48.3v	31.3v	46.3v	34.5v	47.2v	43.1v	0.0v	35.1v	30.2v	41.1v	528.34v
47	Mr R. Winney	O	69.4v	67.5v	45.3v	34.4v	46.4v	35.3v	46.3v	47.2v	0.0v	33.3v	29.0v	46.4v	527.37v
48	Mr RF Burden	O	70.2v	68.3v	47.5v	34.3v	43.2v	33.3v	47.7v	48.5v	0.0v	32.4v	30.0v	43.3v	527.37v

		DT	DM	Alex	DC	Times	Wimb	Doyle	Dgall	PWR	POW	Lovell	Corp	Total	
49	Mr DA Pitcairn	A	70.3v	69.2v	48.4v	30.1v	46.2v	33.2v	47.4v	45.4v	0.0v	30.2v	30.3v	46.5v	527.36v
50	Wg Cdr JR Lindsay	O	73.8v	72.6v	48.3v	31.4v	46.3v	31.1v	43.0v	44.1v	0.0v	31.1v	31.4v	44.1v	526.37v
51	Mr JD Dugas	X	72.3v	67.5v	36.3v	34.3v	49.5v	34.3v	46.3v	50.6v	0.0v	32.3v	29.0v	42.3v	524.40v
52	Mr B Wood	A	67.5v	69.4v	45.4v	29.3v	45.4v	32.1v	47.3v	49.5v	0.0v	31.3v	29.1v	45.1v	520.35v
53	Mr RA Benest	O	71.3v	69.4v	37.2v	32.2v	48.2v	33.2v	47.4v	43.1v	0.0v	34.3v	28.0v	42.3v	519.30v
54	Mr ISL Dampney	O	68.3v	70.4v	48.3v	31.1v	41.1v	33.3v	45.3v	48.6v	0.0v	30.1v	28.0v	42.1v	519.27v
55	Mr IW Robertson	A	67.3v	71.3v	48.3v	34.3v	44.2v	32.2v	46.4v	44.0v	0.0v	31.1v	25.1v	43.0v	518.23v
56	Lt Col CST Lehmann	O	70.3v	70.6v	44.3v	31.2v	45.1v	29.1v	43.1v	48.1v	0.0v	34.0v	33.4v	38.0v	517.23v
57	Mr AC Barrell	O	70.5v	67.3v	42.5v	32.0v	45.2v	32.2v	45.2v	47.4v	0.0v	33.1v	25.0v	43.2v	515.28v
58	Mr RM Culverwell	O	68.5v	69.0v	46.3v	31.2v	45.2v	34.4v	46.1v	43.3v	0.0v	29.0v	24.1v	47.2v	515.24v
59	Mr TR Webster	O	70.4v	67.3v	48.2v	32.2v	41.0v	30.1v	43.2v	45.2v	0.0v	33.3v	29.0v	41.1v	513.23v
60	Mr RK Sheead	O	66.3v	69.5v	41.0v	34.3v	43.2v	31.2v	46.3v	47.3v	0.0v	30.1v	30.0v	42.1v	509.25v
61	Mr AJD Saunders	O	65.3v	68.3v	41.2v	35.2v	47.3v	30.0v	49.4v	44.2v	0.0v	28.0v	29.6v	41.3v	508.30v
62	Mr PJ Dudzinski	O	67.1v	72.2v	40.0v	34.4v	46.1v	28.1v	42.1v	46.3v	0.0v	28.3v	25.0v	46.3v	507.24v
63	Dr CW Freeman	O	68.4v	67.5v	45.2v	32.1v	41.1v	32.2v	46.3v	40.1v	0.0v	26.0v	28.1v	39.0v	495.22v
64	Mr HM Dodds	T	69.6v	69.5v	40.0v	32.1v	43.3v	31.3v	41.0v	31.1v	0.0v	28.3v	29.2v	47.2v	493.26v
65	Mr SA Thomas	X	68.5v	73.10v	47.2v	32.2v	48.6v	35.3v	49.5v	48.4v	0.0v	0.0v	0.0v	49.5v	483.45v
66	Mr JMA Thompson	X	71.2v	73.8v	46.3v	34.5v	48.6v	33.3v	47.5v	48.5v	0.0v	0.0v	0.0v	48.5v	478.42v
67	Mr MK Townsend	O	66.1v	68.2v	44.1v	33.2v	0.0v	31.1v	47.5v	43.3v	0.0v	30.1v	33.3v	44.2v	470.22v
68	Mr NR Wells	O	65.4v	68.4v	44.1v	32.1v	46.3v	31.1v	0.0v	46.3v	0.0v	35.6v	31.0v	32.1v	462.24v
69	Dr T Pantke	O	71.6v	72.6v	46.0v	0.0v	45.3v	28.0v	47.3v	37.2v	0.0v	0.0v	0.0v	0.0v	375.20v
70	Mr SE Frost	O	0.0v	0.0v	49.2v	35.2v	47.3v	29.2v	0.0v	46.0v	0.0v	0.0v	0.0v	41.2v	277.12v
71	Mr RBC Baker	O	0.0v	0.0v	46.3v	32.4v	0.0v	0.0v	0.0v	48.4v	0.0v	0.0v	0.0v	33.2v	159.13v
72	Lt Col ARK Clayton	T	18.0v	55.0v	0.0v	21.0v	29.0v	0.0v	0.0v	35.1v	0.0v	0.0v	0.0v	0.0v	158.1v