

## NRA 155th Imperial Meeting

### Grand Aggregate (as at Sunday, 21st July 2024)

		DT	DM	Alex	DC	Times	Wimb	Doyle	Dgall	St. G.	PoW	King's I	Lovell	Corp	Total
1	Mr ERT Jeens	X	75.7v	50.6v	50.5v	0.0v	0.0v	0.0v	50.8v	50.8v	0.0v	0.0v	0.0v	50.5v	325.39v
2	Mr PM Patel	X	74.11v	50.6v	50.9v	0.0v	0.0v	0.0v	50.6v	50.6v	0.0v	0.0v	0.0v	50.3v	324.41v
3	Miss CA Evans	X	75.14v	50.5v	50.9v	0.0v	0.0v	0.0v	50.9v	50.9v	0.0v	0.0v	0.0v	48.5v	323.51v
4	Ms RL Furniss	X	75.11v	50.8v	49.7v	0.0v	0.0v	0.0v	50.7v	50.9v	0.0v	0.0v	0.0v	49.5v	323.47v
5	LCpl HG Asquith-Beard	X	75.10v	50.8v	50.8v	0.0v	0.0v	0.0v	50.5v	50.8v	0.0v	0.0v	0.0v	48.2v	323.41v
6	Mr ANR Walker	X	74.10v	50.7v	50.7v	0.0v	0.0v	0.0v	50.4v	50.8v	0.0v	0.0v	0.0v	49.4v	323.40v
7	Mr J Corbett	X	75.9v	50.9v	50.8v	0.0v	0.0v	0.0v	49.4v	49.4v	0.0v	0.0v	0.0v	50.4v	323.38v
8	Mr EA Sewell	X	75.10v	50.3v	50.8v	0.0v	0.0v	0.0v	49.5v	50.8v	0.0v	0.0v	0.0v	49.3v	323.37v
9	Mr BJ Le Cheminant	X	74.10v	50.8v	49.6v	0.0v	0.0v	0.0v	50.10v	49.8v	0.0v	0.0v	0.0v	50.7v	322.49v
10	Mr TJD Raincock	X	74.12v	50.10v	50.3v	0.0v	0.0v	0.0v	50.7v	49.7v	0.0v	0.0v	0.0v	49.9v	322.48v
11	Mr AR McLeod	X	75.12v	50.5v	50.6v	0.0v	0.0v	0.0v	49.9v	50.7v	0.0v	0.0v	0.0v	48.8v	322.47v
12	Mr JM Di Bona	X	75.12v	50.8v	49.7v	0.0v	0.0v	0.0v	50.5v	50.9v	0.0v	0.0v	0.0v	48.5v	322.46v
13	Mr D Calvert	X	73.6v	50.9v	50.6v	0.0v	0.0v	0.0v	50.8v	50.8v	0.0v	0.0v	0.0v	49.6v	322.43v
14	Mr MRM Millar	X	75.9v	50.8v	49.6v	0.0v	0.0v	0.0v	50.6v	50.8v	0.0v	0.0v	0.0v	48.5v	322.42v
15	Mr SJ Whitby	O	75.10v	50.6v	50.7v	0.0v	0.0v	0.0v	50.9v	50.6v	0.0v	0.0v	0.0v	47.4v	322.42v
16	Mr JC Underwood	X	75.10v	50.8v	50.6v	0.0v	0.0v	0.0v	49.7v	50.9v	0.0v	0.0v	0.0v	47.3v	321.43v
17	Mr SME Hayton	X	75.13v	50.5v	49.5v	0.0v	0.0v	0.0v	49.4v	50.7v	0.0v	0.0v	0.0v	48.7v	321.41v
18	Mr AD Le Cheminant	X	75.11v	49.5v	49.7v	0.0v	0.0v	0.0v	50.8v	50.5v	0.0v	0.0v	0.0v	48.5v	321.41v
19	Mr CD Heales	X	75.12v	49.6v	49.5v	0.0v	0.0v	0.0v	50.6v	50.8v	0.0v	0.0v	0.0v	48.4v	321.41v
20	Mr RM Roberts	A	74.10v	49.7v	49.7v	0.0v	0.0v	0.0v	50.5v	49.8v	0.0v	0.0v	0.0v	50.3v	321.40v
21	Mr CJ Mitchell	X	75.13v	49.5v	50.6v	0.0v	0.0v	0.0v	48.3v	50.8v	0.0v	0.0v	0.0v	49.5v	321.40v
22	Mr MJ Keel	O	75.8v	49.5v	50.7v	0.0v	0.0v	0.0v	49.7v	49.6v	0.0v	0.0v	0.0v	49.6v	321.39v
23	Mr HJ Golaszewski	X	75.13v	50.6v	50.7v	0.0v	0.0v	0.0v	50.8v	49.5v	0.0v	0.0v	0.0v	47.0v	321.39v
24	Maj NT Healy	X	74.11v	50.8v	49.4v	0.0v	0.0v	0.0v	50.8v	50.8v	0.0v	0.0v	0.0v	47.6v	320.45v
25	Mr DC Luckman	X	75.11v	49.5v	49.7v	0.0v	0.0v	0.0v	50.7v	50.7v	0.0v	0.0v	0.0v	47.6v	320.43v
26	Mr D Lowe	A	74.12v	50.7v	47.4v	0.0v	0.0v	0.0v	50.7v	50.5v	0.0v	0.0v	0.0v	49.6v	320.41v
27	Mrs SP Thorogood	A	75.7v	49.8v	50.8v	0.0v	0.0v	0.0v	50.7v	50.8v	0.0v	0.0v	0.0v	46.3v	320.41v
28	Maj J Cload	X	74.10v	49.5v	49.7v	0.0v	0.0v	0.0v	48.5v	50.7v	0.0v	0.0v	0.0v	50.6v	320.40v
29	Mr TM Stevenson	A	73.7v	50.8v	48.3v	0.0v	0.0v	0.0v	50.6v	50.7v	0.0v	0.0v	0.0v	49.4v	320.35v
30	Mr JWA Alexander	X	73.8v	49.3v	49.5v	0.0v	0.0v	0.0v	50.8v	49.5v	0.0v	0.0v	0.0v	50.4v	320.33v
31	Dr GP Nelson	X	75.10v	50.9v	49.7v	0.0v	0.0v	0.0v	50.8v	48.5v	0.0v	0.0v	0.0v	47.6v	319.45v
32	Mr LVG OFlynn	X	74.11v	50.5v	49.5v	0.0v	0.0v	0.0v	50.9v	50.7v	0.0v	0.0v	0.0v	46.3v	319.40v
33	Mr MJ Ensor	X	74.12v	50.7v	50.6v	0.0v	0.0v	0.0v	50.5v	50.8v	0.0v	0.0v	0.0v	45.2v	319.40v
34	Mr JD Warburton	X	74.9v	47.3v	49.6v	0.0v	0.0v	0.0v	50.8v	49.5v	0.0v	0.0v	0.0v	50.7v	319.38v
35	Mr PD Sykes	X	74.7v	49.4v	48.4v	0.0v	0.0v	0.0v	50.8v	50.8v	0.0v	0.0v	0.0v	48.6v	319.37v
36	Mr P Bromley	X	75.10v	49.3v	50.7v	0.0v	0.0v	0.0v	48.5v	49.7v	0.0v	0.0v	0.0v	48.5v	319.37v
37	Mr B Bullock	X	74.10v	50.4v	49.4v	0.0v	0.0v	0.0v	50.7v	48.5v	0.0v	0.0v	0.0v	48.4v	319.34v
38	Mr KWD Ramsey	X	74.10v	48.4v	49.3v	0.0v	0.0v	0.0v	50.7v	50.6v	0.0v	0.0v	0.0v	48.4v	319.34v
39	Mr JA Bullock	X	75.8v	50.8v	49.3v	0.0v	0.0v	0.0v	49.6v	50.5v	0.0v	0.0v	0.0v	46.4v	319.34v
40	Mr JWE Lothian	O	74.8v	50.8v	50.2v	0.0v	0.0v	0.0v	50.7v	48.5v	0.0v	0.0v	0.0v	47.3v	319.33v
41	Mr M Cooper	X	75.10v	50.7v	50.5v	0.0v	0.0v	0.0v	48.5v	49.3v	0.0v	0.0v	0.0v	47.2v	319.32v
42	Mr B Colman-Sadd	A	73.13v	49.6v	49.7v	0.0v	0.0v	0.0v	49.8v	49.7v	0.0v	0.0v	0.0v	49.7v	318.48v
43	Miss CE Choquette	A	75.11v	49.8v	50.9v	0.0v	0.0v	0.0v	50.8v	50.6v	0.0v	0.0v	0.0v	44.3v	318.45v

44 Mr SM Negus	X	75.11v	50.9v	50.7v	0.0v	0.0v	0.0v	50.8v	50.8v	0.0v	0.0v	0.0v	0.0v	43.2v	318.45v
45 Mr PJR Holden	X	73.11v	48.5v	49.7v	0.0v	0.0v	0.0v	49.7v	49.6v	0.0v	0.0v	0.0v	0.0v	50.7v	318.43v
46 Mr NRJ Brasier	X	72.6v	50.9v	50.10v	0.0v	0.0v	0.0v	50.6v	50.7v	0.0v	0.0v	0.0v	0.0v	46.5v	318.43v
47 Miss JM Hince	X	74.8v	50.10v	50.7v	0.0v	0.0v	0.0v	46.3v	50.9v	0.0v	0.0v	0.0v	0.0v	48.5v	318.42v
48 Mr EN Munro	A	75.14v	49.8v	50.6v	0.0v	0.0v	0.0v	48.6v	50.5v	0.0v	0.0v	0.0v	0.0v	46.3v	318.42v
49 Mr JR Tuck	X	75.9v	49.5v	47.4v	0.0v	0.0v	0.0v	49.8v	50.10v	0.0v	0.0v	0.0v	0.0v	48.4v	318.40v
50 Mr CJ Watson	X	73.9v	49.4v	50.9v	0.0v	0.0v	0.0v	49.4v	50.8v	0.0v	0.0v	0.0v	0.0v	47.6v	318.40v
51 Mr RA Dyball	A	75.11v	50.6v	49.8v	0.0v	0.0v	0.0v	50.5v	49.7v	0.0v	0.0v	0.0v	0.0v	45.3v	318.40v
52 Mr AS Nanrey	O	74.8v	50.8v	48.5v	0.0v	0.0v	0.0v	49.7v	50.8v	0.0v	0.0v	0.0v	0.0v	47.3v	318.39v
53 Capt NJ Ball	X	74.12v	50.7v	50.5v	0.0v	0.0v	0.0v	49.5v	48.7v	0.0v	0.0v	0.0v	0.0v	47.3v	318.39v
54 Mr OR Farrell	A	73.11v	49.8v	50.4v	0.0v	0.0v	0.0v	50.6v	49.6v	0.0v	0.0v	0.0v	0.0v	47.2v	318.37v
55 Mr RJSG Clark	A	74.11v	49.5v	49.5v	0.0v	0.0v	0.0v	50.9v	50.6v	0.0v	0.0v	0.0v	0.0v	46.1v	318.37v
56 Mr JAM Paton	X	72.6v	49.6v	49.7v	0.0v	0.0v	0.0v	50.6v	49.7v	0.0v	0.0v	0.0v	0.0v	49.4v	318.36v
57 Dr AM Jory	X	75.11v	49.8v	49.4v	0.0v	0.0v	0.0v	49.6v	48.3v	0.0v	0.0v	0.0v	0.0v	48.4v	318.36v
58 Mr SL Cleveland	O	73.8v	49.6v	49.6v	0.0v	0.0v	0.0v	49.6v	48.3v	0.0v	0.0v	0.0v	0.0v	50.4v	318.33v
59 Mr ND Stangroom	A	73.9v	50.6v	49.4v	0.0v	0.0v	0.0v	49.6v	50.5v	0.0v	0.0v	0.0v	0.0v	47.2v	318.32v
60 Mr JEK Pepera-Hibbert	A	74.9v	50.5v	49.4v	0.0v	0.0v	0.0v	49.4v	49.5v	0.0v	0.0v	0.0v	0.0v	47.4v	318.31v
61 Mr R Stewart	X	74.12v	50.6v	48.7v	0.0v	0.0v	0.0v	47.4v	50.7v	0.0v	0.0v	0.0v	0.0v	48.7v	317.43v
62 Mr RC Oxford	X	74.10v	48.7v	49.6v	0.0v	0.0v	0.0v	49.7v	48.6v	0.0v	0.0v	0.0v	0.0v	49.6v	317.42v
63 Mr AC Haley	X	73.7v	50.8v	50.6v	0.0v	0.0v	0.0v	48.7v	50.10v	0.0v	0.0v	0.0v	0.0v	46.3v	317.41v
64 Mr JRW Postle	X	73.8v	50.7v	48.6v	0.0v	0.0v	0.0v	50.7v	49.6v	0.0v	0.0v	0.0v	0.0v	47.6v	317.40v
65 Dr HA Day	A	75.10v	48.7v	48.6v	0.0v	0.0v	0.0v	49.7v	50.8v	0.0v	0.0v	0.0v	0.0v	47.2v	317.40v
66 Maj JME Cook	X	75.13v	50.7v	49.4v	0.0v	0.0v	0.0v	50.5v	50.6v	0.0v	0.0v	0.0v	0.0v	43.4v	317.39v
67 Mr AM Bullen	O	74.11v	48.5v	49.7v	0.0v	0.0v	0.0v	49.4v	50.5v	0.0v	0.0v	0.0v	0.0v	47.6v	317.38v
68 Mr CES Dickenson	X	73.8v	49.6v	49.6v	0.0v	0.0v	0.0v	49.6v	47.5v	0.0v	0.0v	0.0v	0.0v	50.6v	317.37v
69 Sgt SDJ Glanville	X	75.10v	49.7v	48.5v	0.0v	0.0v	0.0v	50.6v	48.5v	0.0v	0.0v	0.0v	0.0v	47.4v	317.37v
70 Mr RT MacLeod	X	73.10v	49.5v	49.8v	0.0v	0.0v	0.0v	49.5v	48.5v	0.0v	0.0v	0.0v	0.0v	49.3v	317.36v
71 Mr NNT Kerins	X	74.5v	47.5v	49.6v	0.0v	0.0v	0.0v	50.7v	48.7v	0.0v	0.0v	0.0v	0.0v	49.5v	317.35v
72 Dr JS Rennie	O	74.7v	49.6v	48.6v	0.0v	0.0v	0.0v	50.7v	50.7v	0.0v	0.0v	0.0v	0.0v	46.2v	317.35v
73 Mr E Gauvin	X	75.8v	48.4v	48.4v	0.0v	0.0v	0.0v	50.8v	49.5v	0.0v	0.0v	0.0v	0.0v	47.4v	317.33v
74 Mr RR Warren	X	73.9v	48.5v	50.5v	0.0v	0.0v	0.0v	50.4v	49.5v	0.0v	0.0v	0.0v	0.0v	47.4v	317.32v
75 Mr SH Wingrove	X	73.8v	50.5v	49.6v	0.0v	0.0v	0.0v	49.5v	49.6v	0.0v	0.0v	0.0v	0.0v	47.2v	317.32v
76 Mr CN Tremlett	X	75.10v	50.5v	48.5v	0.0v	0.0v	0.0v	48.5v	50.5v	0.0v	0.0v	0.0v	0.0v	46.1v	317.31v
77 Mr F Mohideen	X	73.7v	49.3v	50.6v	0.0v	0.0v	0.0v	48.6v	50.6v	0.0v	0.0v	0.0v	0.0v	47.1v	317.29v
78 Mr CP Weeden	X	72.5v	50.5v	50.7v	0.0v	0.0v	0.0v	50.6v	49.3v	0.0v	0.0v	0.0v	0.0v	46.3v	317.29v
79 Mr ASO Stewart	A	75.8v	48.6v	49.5v	0.0v	0.0v	0.0v	48.2v	49.5v	0.0v	0.0v	0.0v	0.0v	48.1v	317.27v
80 Mr JC Kent	X	72.10v	50.8v	47.5v	0.0v	0.0v	0.0v	49.7v	50.9v	0.0v	0.0v	0.0v	0.0v	48.7v	316.46v
81 Mr R Birtwistle	X	74.11v	48.6v	49.6v	0.0v	0.0v	0.0v	50.7v	50.9v	0.0v	0.0v	0.0v	0.0v	45.3v	316.42v
82 Ms RA Wiltshire	O	75.12v	48.4v	48.6v	0.0v	0.0v	0.0v	49.9v	49.6v	0.0v	0.0v	0.0v	0.0v	47.4v	316.41v
83 Mr AJ Leech	A	74.11v	50.8v	49.6v	0.0v	0.0v	0.0v	47.6v	49.7v	0.0v	0.0v	0.0v	0.0v	47.3v	316.41v
84 Mr MCJ Button	X	74.10v	50.5v	49.7v	0.0v	0.0v	0.0v	49.5v	48.7v	0.0v	0.0v	0.0v	0.0v	46.5v	316.39v
85 Mr NC Mace	X	74.10v	49.7v	49.6v	0.0v	0.0v	0.0v	48.5v	47.3v	0.0v	0.0v	0.0v	0.0v	49.7v	316.38v
86 Mr KO Pugh	X	72.7v	48.5v	50.7v	0.0v	0.0v	0.0v	50.6v	48.7v	0.0v	0.0v	0.0v	0.0v	48.6v	316.38v
87 Mr MI Buchanan	X	75.11v	50.7v	46.3v	0.0v	0.0v	0.0v	49.7v	48.6v	0.0v	0.0v	0.0v	0.0v	48.4v	316.38v
88 Mr WF Livesey	X	75.12v	46.4v	49.6v	0.0v	0.0v	0.0v	49.6v	50.6v	0.0v	0.0v	0.0v	0.0v	47.4v	316.38v
89 Miss AP Good	X	74.11v	49.6v	49.7v	0.0v	0.0v	0.0v	48.4v	50.8v	0.0v	0.0v	0.0v	0.0v	46.2v	316.38v
90 Mr EWW Feast	A	72.7v	49.8v	48.6v	0.0v	0.0v	0.0v	50.5v	49.7v	0.0v	0.0v	0.0v	0.0v	48.3v	316.36v
91 Mr EC Dickson	X	73.6v	50.8v	48.5v	0.0v	0.0v	0.0v	50.9v	50.6v	0.0v	0.0v	0.0v	0.0v	45.2v	316.36v
92 Mr DR Armstrong	X	73.7v	48.4v	49.6v	0.0v	0.0v	0.0v	50.7v	49.8v	0.0v	0.0v	0.0v	0.0v	47.3v	316.35v
93 Mrs DE Negus	X	74.13v	50.9v	49.3v	0.0v	0.0v	0.0v	49.4v	49.4v	0.0v	0.0v	0.0v	0.0v	45.2v	316.35v
94 Dr JO Ahrens	X	75.11v	49.8v	50.7v	0.0v	0.0v	0.0v	48.5v	49.3v	0.0v	0.0v	0.0v	0.0v	45.1v	316.35v
95 Ms AMG Ogilvie	A	74.8v	50.7v	49.5v	0.0v	0.0v	0.0v	50.8v	45.4v	0.0v	0.0v	0.0v	0.0v	48.2v	316.34v
96 Mr MJ Creber	O	75.10v	49.5v	49.4v	0.0v	0.0v	0.0v	47.4v	49.8v	0.0v	0.0v	0.0v	0.0v	47.3v	316.34v
97 Mr AT Mohideen	A	74.9v	49.5v	49.5v	0.0v	0.0v	0.0v	49.5v	49.7v	0.0v	0.0v	0.0v	0.0v	46.3v	316.34v
98 Mr AR Radkovskii	A	75.9v	48.4v	48.3v	0.0v	0.0v	0.0v	48.4v	50.7v	0.0v	0.0v	0.0v	0.0v	47.6v	316.33v
99 Dr CD Haley	A	73.7v	50.7v	48.6v	0.0v	0.0v	0.0v	49.6v	49.3v	0.0v	0.0v	0.0v	0.0v	47.4v	316.33v
100 Mr RL Eayrs	A	74.10v	47.6v	49.6v	0.0v	0.0v	0.0v	50.4v	49.5v	0.0v	0.0v	0.0v	0.0v	47.2v	316.33v
101 Mr JA Watson	A	74.10v	50.5v	48.5v	0.0v	0.0v	0.0v	48.2v	50.8v	0.0v	0.0v	0.0v	0.0v	46.3v	316.33v
102 Mr MW Silver	A	73.5v	46.5v	49.5v	0.0v	0.0v	0.0v	50.5v	50.7v	0.0v	0.0v	0.0v	0.0v	48.4v	316.31v

103 Mr AG McLean	A	73.4v	49.7v	49.5v	0.0v	0.0v	0.0v	49.5v	49.6v	0.0v	0.0v	0.0v	0.0v	47.4v	316.31v
104 Mr SW Maris	O	74.3v	50.7v	48.5v	0.0v	0.0v	0.0v	49.7v	50.6v	0.0v	0.0v	0.0v	0.0v	45.3v	316.31v
105 Mr S Bland	X	73.8v	49.5v	49.4v	0.0v	0.0v	0.0v	48.4v	49.5v	0.0v	0.0v	0.0v	0.0v	48.4v	316.30v
106 Mr DA Rose	X	75.5v	48.4v	50.5v	0.0v	0.0v	0.0v	47.4v	49.9v	0.0v	0.0v	0.0v	0.0v	47.3v	316.30v
107 Mr MD Jenvey	A	75.10v	50.5v	48.5v	0.0v	0.0v	0.0v	48.3v	50.7v	0.0v	0.0v	0.0v	0.0v	45.0v	316.30v
108 Mr DR Le Quesne	X	74.3v	49.7v	48.2v	0.0v	0.0v	0.0v	48.6v	50.6v	0.0v	0.0v	0.0v	0.0v	47.4v	316.28v
109 Mr BP Creane	X	72.8v	50.5v	50.5v	0.0v	0.0v	0.0v	50.5v	49.3v	0.0v	0.0v	0.0v	0.0v	45.2v	316.28v
110 Mr J Anderson	A	71.10v	50.6v	49.8v	0.0v	0.0v	0.0v	49.7v	50.8v	0.0v	0.0v	0.0v	0.0v	46.2v	315.41v
111 Mr RAV Hebblethwaite	A	74.12v	46.2v	50.7v	0.0v	0.0v	0.0v	49.7v	48.6v	0.0v	0.0v	0.0v	0.0v	48.6v	315.40v
112 Mr SJV Osmond	X	73.8v	50.6v	50.7v	0.0v	0.0v	0.0v	49.7v	49.7v	0.0v	0.0v	0.0v	0.0v	44.5v	315.40v
113 Mr DFP Richards	X	72.10v	49.6v	47.6v	0.0v	0.0v	0.0v	50.6v	49.5v	0.0v	0.0v	0.0v	0.0v	48.6v	315.39v
114 Mrs HA Cook	X	75.10v	48.5v	47.6v	0.0v	0.0v	0.0v	50.5v	48.6v	0.0v	0.0v	0.0v	0.0v	47.6v	315.38v
115 Mr SD Shouler	A	74.10v	50.8v	48.5v	0.0v	0.0v	0.0v	48.5v	50.7v	0.0v	0.0v	0.0v	0.0v	45.3v	315.38v
116 Mr ER Welford	X	74.10v	50.9v	50.8v	0.0v	0.0v	0.0v	48.5v	49.3v	0.0v	0.0v	0.0v	0.0v	44.3v	315.38v
117 Mr SP Harding	X	74.9v	50.5v	49.5v	0.0v	0.0v	0.0v	49.6v	48.6v	0.0v	0.0v	0.0v	0.0v	45.6v	315.37v
118 Mr LS Crisp	A	72.8v	50.7v	50.7v	0.0v	0.0v	0.0v	50.7v	49.6v	0.0v	0.0v	0.0v	0.0v	44.2v	315.37v
119 Mr RSF Shouler	X	75.10v	47.5v	49.5v	0.0v	0.0v	0.0v	48.7v	49.6v	0.0v	0.0v	0.0v	0.0v	47.3v	315.36v
120 Miss NJ Sales Scott	O	73.10v	50.7v	49.4v	0.0v	0.0v	0.0v	48.6v	50.7v	0.0v	0.0v	0.0v	0.0v	45.2v	315.36v
121 Mr AC Morley	A	75.10v	49.4v	45.6v	0.0v	0.0v	0.0v	50.4v	49.7v	0.0v	0.0v	0.0v	0.0v	47.4v	315.35v
122 Mr RB Fitzsimmons	A	75.8v	48.5v	49.6v	0.0v	0.0v	0.0v	49.4v	49.8v	0.0v	0.0v	0.0v	0.0v	45.4v	315.35v
123 Cdt GM Bohn	T	73.9v	50.6v	49.4v	0.0v	0.0v	0.0v	48.5v	50.7v	0.0v	0.0v	0.0v	0.0v	45.4v	315.35v
124 Mr PS Holmes	A	74.9v	50.7v	48.5v	0.0v	0.0v	0.0v	50.5v	50.6v	0.0v	0.0v	0.0v	0.0v	43.3v	315.35v
125 Mr TM Drysdale	X	75.8v	49.4v	49.7v	0.0v	0.0v	0.0v	50.7v	47.5v	0.0v	0.0v	0.0v	0.0v	45.3v	315.34v
126 Mr JA Oakland	A	75.8v	48.3v	47.5v	0.0v	0.0v	0.0v	48.6v	49.5v	0.0v	0.0v	0.0v	0.0v	48.5v	315.32v
127 Mrs SV Luckman	X	75.8v	49.5v	47.3v	0.0v	0.0v	0.0v	49.6v	50.8v	0.0v	0.0v	0.0v	0.0v	45.2v	315.32v
128 Mr PAE Charlton	A	74.10v	48.5v	49.4v	0.0v	0.0v	0.0v	49.3v	50.7v	0.0v	0.0v	0.0v	0.0v	45.2v	315.31v
129 Mr TL Bedwell	A	75.7v	49.7v	47.3v	0.0v	0.0v	0.0v	48.4v	48.5v	0.0v	0.0v	0.0v	0.0v	48.4v	315.30v
130 Mr DJ Studholme	T	73.8v	50.7v	49.4v	0.0v	0.0v	0.0v	48.5v	49.4v	0.0v	0.0v	0.0v	0.0v	46.2v	315.30v
131 Mr PA Hatfield	O	74.6v	50.3v	50.5v	0.0v	0.0v	0.0v	50.7v	48.7v	0.0v	0.0v	0.0v	0.0v	43.2v	315.30v
132 Mr M Horton-Baker	A	74.8v	47.3v	50.5v	0.0v	0.0v	0.0v	49.6v	48.5v	0.0v	0.0v	0.0v	0.0v	47.2v	315.29v
133 Mr JRJ Hinde	O	74.7v	49.4v	49.5v	0.0v	0.0v	0.0v	49.5v	48.4v	0.0v	0.0v	0.0v	0.0v	46.2v	315.27v
134 Mr J Mehta	A	72.6v	49.4v	49.5v	0.0v	0.0v	0.0v	49.4v	49.3v	0.0v	0.0v	0.0v	0.0v	47.3v	315.25v
135 Mr BA Horwood	A	75.9v	49.3v	50.4v	0.0v	0.0v	0.0v	46.3v	49.4v	0.0v	0.0v	0.0v	0.0v	46.1v	315.24v
136 Mr TA Ringer	X	74.10v	49.7v	49.6v	0.0v	0.0v	0.0v	49.6v	47.4v	0.0v	0.0v	0.0v	0.0v	46.6v	314.39v
137 Mr RW Hallows	X	73.11v	47.3v	49.6v	0.0v	0.0v	0.0v	50.9v	50.7v	0.0v	0.0v	0.0v	0.0v	45.3v	314.39v
138 Mr T Johnston	A	74.9v	48.6v	49.6v	0.0v	0.0v	0.0v	49.7v	47.4v	0.0v	0.0v	0.0v	0.0v	47.6v	314.38v
139 Mr PM de Voil	A	72.8v	48.5v	50.9v	0.0v	0.0v	0.0v	48.6v	49.6v	0.0v	0.0v	0.0v	0.0v	47.4v	314.38v
140 Mr C Fitzpatrick	A	71.8v	50.6v	48.6v	0.0v	0.0v	0.0v	50.8v	48.4v	0.0v	0.0v	0.0v	0.0v	47.5v	314.37v
141 Mr ML Millar	X	74.12v	50.6v	47.5v	0.0v	0.0v	0.0v	50.6v	48.5v	0.0v	0.0v	0.0v	0.0v	45.3v	314.37v
142 Mr WCP Richards	X	74.10v	50.7v	49.3v	0.0v	0.0v	0.0v	45.6v	48.4v	0.0v	0.0v	0.0v	0.0v	48.5v	314.35v
143 Mr RJ Cooper	T	73.8v	49.6v	49.6v	0.0v	0.0v	0.0v	48.8v	50.5v	0.0v	0.0v	0.0v	0.0v	45.2v	314.35v
144 Mr JL Brooking	X	74.9v	50.7v	48.6v	0.0v	0.0v	0.0v	49.4v	49.5v	0.0v	0.0v	0.0v	0.0v	44.4v	314.35v
145 Mr TJ Bullock	X	73.9v	49.5v	49.5v	0.0v	0.0v	0.0v	50.8v	50.6v	0.0v	0.0v	0.0v	0.0v	43.2v	314.35v
146 Mr RJS Curtis	X	75.10v	50.7v	47.5v	0.0v	0.0v	0.0v	49.5v	50.6v	0.0v	0.0v	0.0v	0.0v	43.2v	314.35v
147 Mr DJ Curtis	A	75.10v	47.6v	50.3v	0.0v	0.0v	0.0v	50.7v	50.6v	0.0v	0.0v	0.0v	0.0v	42.3v	314.35v
148 Mr RW Sandlant	X	71.8v	48.6v	48.5v	0.0v	0.0v	0.0v	50.6v	48.4v	0.0v	0.0v	0.0v	0.0v	49.5v	314.34v
149 Mr HB Thomson	A	73.8v	45.4v	49.6v	0.0v	0.0v	0.0v	50.9v	48.3v	0.0v	0.0v	0.0v	0.0v	49.4v	314.34v
150 Mr CRM Asquith	A	73.6v	48.6v	47.6v	0.0v	0.0v	0.0v	49.6v	49.5v	0.0v	0.0v	0.0v	0.0v	48.5v	314.34v

151 Mr J Pugsley MRCVS	X	74.9v	49.5v	49.4v	0.0v	0.0v	0.0v	50.6v	50.8v	0.0v	0.0v	0.0v	0.0v	42.2v	314.34v
152 Mr M Rewston	O	74.10v	48.6v	50.5v	0.0v	0.0v	0.0v	48.4v	48.6v	0.0v	0.0v	0.0v	0.0v	46.2v	314.33v
153 Mr MJ Wilson	O	72.7v	49.6v	50.6v	0.0v	0.0v	0.0v	48.3v	50.6v	0.0v	0.0v	0.0v	0.0v	45.5v	314.33v
154 Mr OEH Spencer	X	73.8v	49.3v	48.5v	0.0v	0.0v	0.0v	48.5v	48.7v	0.0v	0.0v	0.0v	0.0v	48.4v	314.32v
155 Mr CAJ Crosby	O	74.11v	49.4v	48.4v	0.0v	0.0v	0.0v	46.4v	49.6v	0.0v	0.0v	0.0v	0.0v	48.3v	314.32v
156 Mr C Mallett	X	74.7v	46.5v	50.4v	0.0v	0.0v	0.0v	47.5v	49.4v	0.0v	0.0v	0.0v	0.0v	48.6v	314.31v
157 Mr NS Roberts	O	73.7v	50.4v	49.6v	0.0v	0.0v	0.0v	48.7v	47.5v	0.0v	0.0v	0.0v	0.0v	47.2v	314.31v
158 Mr JM Taylor	X	75.10v	48.4v	49.6v	0.0v	0.0v	0.0v	48.5v	48.2v	0.0v	0.0v	0.0v	0.0v	46.3v	314.30v
159 Dr EL Sweet	O	73.6v	50.7v	48.4v	0.0v	0.0v	0.0v	50.5v	49.5v	0.0v	0.0v	0.0v	0.0v	44.3v	314.30v
160 Mr TS Keen	X	73.9v	50.7v	49.2v	0.0v	0.0v	0.0v	48.4v	49.3v	0.0v	0.0v	0.0v	0.0v	45.4v	314.29v
161 Mr MA Kirkillo-Stacewicz	O	74.11v	50.6v	48.5v	0.0v	0.0v	0.0v	50.3v	47.2v	0.0v	0.0v	0.0v	0.0v	45.2v	314.29v
162 Mr AG Harrison	O	75.8v	48.6v	47.2v	0.0v	0.0v	0.0v	49.6v	49.2v	0.0v	0.0v	0.0v	0.0v	46.1v	314.25v
163 Mr CA Brook	X	73.13v	48.6v	50.7v	0.0v	0.0v	0.0v	48.6v	47.6v	0.0v	0.0v	0.0v	0.0v	47.2v	313.40v
164 Mr PM Hakim	X	73.8v	50.7v	48.6v	0.0v	0.0v	0.0v	47.6v	50.10v	0.0v	0.0v	0.0v	0.0v	45.3v	313.40v
165 Mr JG Trembath	A	71.7v	49.7v	49.5v	0.0v	0.0v	0.0v	49.6v	47.6v	0.0v	0.0v	0.0v	0.0v	48.8v	313.39v
166 Mr DN Lindsay	O	74.10v	49.6v	46.4v	0.0v	0.0v	0.0v	49.9v	49.8v	0.0v	0.0v	0.0v	0.0v	46.1v	313.38v
167 Mr SF Oldridge	T	73.10v	48.6v	49.6v	0.0v	0.0v	0.0v	48.7v	50.6v	0.0v	0.0v	0.0v	0.0v	45.3v	313.38v
168 Mr BMA Stevens	X	72.9v	47.3v	49.8v	0.0v	0.0v	0.0v	50.4v	49.8v	0.0v	0.0v	0.0v	0.0v	46.4v	313.36v
169 Mr AM Sadler	A	74.10v	49.6v	48.4v	0.0v	0.0v	0.0v	48.7v	49.4v	0.0v	0.0v	0.0v	0.0v	45.3v	313.34v
170 Mr RD Ford	X	74.7v	50.8v	48.4v	0.0v	0.0v	0.0v	48.4v	50.7v	0.0v	0.0v	0.0v	0.0v	43.4v	313.34v
171 Mr TJ Bourne	T	74.7v	49.4v	50.7v	0.0v	0.0v	0.0v	50.6v	48.6v	0.0v	0.0v	0.0v	0.0v	42.3v	313.33v
172 Sir C Sykes	A	72.6v	49.6v	48.2v	0.0v	0.0v	0.0v	49.7v	48.5v	0.0v	0.0v	0.0v	0.0v	47.6v	313.32v
173 Mr GK Alexander	X	74.10v	48.3v	46.2v	0.0v	0.0v	0.0v	49.5v	49.8v	0.0v	0.0v	0.0v	0.0v	47.4v	313.32v
174 Mr JM Baldwin	O	73.7v	48.6v	47.4v	0.0v	0.0v	0.0v	49.4v	49.8v	0.0v	0.0v	0.0v	0.0v	47.3v	313.32v
175 Lt CE Holland	A	74.7v	49.5v	47.3v	0.0v	0.0v	0.0v	49.7v	50.7v	0.0v	0.0v	0.0v	0.0v	44.3v	313.32v
176 Mr J Wallace	A	74.6v	49.6v	50.6v	0.0v	0.0v	0.0v	49.3v	48.8v	0.0v	0.0v	0.0v	0.0v	43.3v	313.32v
177 Miss NI Barnes	O	74.7v	46.6v	48.5v	0.0v	0.0v	0.0v	48.4v	49.5v	0.0v	0.0v	0.0v	0.0v	48.4v	313.31v
178 Dr SS Horner	O	73.8v	49.6v	47.2v	0.0v	0.0v	0.0v	47.5v	50.8v	0.0v	0.0v	0.0v	0.0v	47.2v	313.31v
179 Mr GV Feast	A	70.6v	49.5v	49.7v	0.0v	0.0v	0.0v	48.5v	50.7v	0.0v	0.0v	0.0v	0.0v	47.1v	313.31v
180 Mr RM Hatcher	X	70.4v	50.6v	49.6v	0.0v	0.0v	0.0v	49.7v	49.5v	0.0v	0.0v	0.0v	0.0v	46.3v	313.31v
181 Mr H Sanders	A	73.9v	48.4v	48.5v	0.0v	0.0v	0.0v	50.7v	48.4v	0.0v	0.0v	0.0v	0.0v	46.2v	313.31v
182 Mr CM Brooks	O	74.12v	50.6v	47.1v	0.0v	0.0v	0.0v	48.4v	48.6v	0.0v	0.0v	0.0v	0.0v	46.2v	313.31v
183 Mr JEM Bellringer	X	75.8v	49.7v	48.4v	0.0v	0.0v	0.0v	47.1v	49.6v	0.0v	0.0v	0.0v	0.0v	45.4v	313.30v
184 Mr RA Welford	X	70.5v	48.4v	49.3v	0.0v	0.0v	0.0v	50.5v	48.5v	0.0v	0.0v	0.0v	0.0v	48.7v	313.29v
185 Lt Col RHG Riley	A	72.8v	47.4v	49.4v	0.0v	0.0v	0.0v	50.6v	47.3v	0.0v	0.0v	0.0v	0.0v	48.4v	313.29v
186 Mr D Morris	A	74.6v	47.3v	49.8v	0.0v	0.0v	0.0v	48.4v	49.6v	0.0v	0.0v	0.0v	0.0v	46.2v	313.29v
187 Mrs JM McQuillan	X	73.5v	49.5v	48.4v	0.0v	0.0v	0.0v	50.8v	47.2v	0.0v	0.0v	0.0v	0.0v	46.4v	313.28v
188 Mr PD Griggs	A	73.6v	46.4v	49.5v	0.0v	0.0v	0.0v	48.4v	49.4v	0.0v	0.0v	0.0v	0.0v	48.4v	313.27v
189 Lt Col AM Bell	A	74.11v	49.9v	48.4v	0.0v	0.0v	0.0v	47.5v	48.6v	0.0v	0.0v	0.0v	0.0v	46.5v	312.40v
190 Mr NBS Logan	X	75.9v	47.6v	43.4v	0.0v	0.0v	0.0v	50.9v	47.5v	0.0v	0.0v	0.0v	0.0v	50.6v	312.39v
191 Mr WC Cowen	O	74.11v	48.7v	48.5v	0.0v	0.0v	0.0v	48.5v	48.6v	0.0v	0.0v	0.0v	0.0v	46.5v	312.39v
192 Mr MJ Barlow	A	74.10v	49.7v	49.4v	0.0v	0.0v	0.0v	50.7v	48.7v	0.0v	0.0v	0.0v	0.0v	42.3v	312.38v
193 Mr M Liversage	X	75.13v	49.7v	48.4v	0.0v	0.0v	0.0v	49.5v	49.7v	0.0v	0.0v	0.0v	0.0v	42.2v	312.38v
194 Mr TO Little	X	74.9v	47.4v	49.6v	0.0v	0.0v	0.0v	49.9v	45.5v	0.0v	0.0v	0.0v	0.0v	48.4v	312.37v
195 Dr JDS Langley	X	72.10v	50.9v	49.5v	0.0v	0.0v	0.0v	44.4v	49.5v	0.0v	0.0v	0.0v	0.0v	48.3v	312.36v
196 Mr SAJ Dowley	X	73.7v	49.6v	47.6v	0.0v	0.0v	0.0v	49.4v	47.5v	0.0v	0.0v	0.0v	0.0v	47.8v	312.36v
197 Mr TM Booth	O	70.6v	46.5v	49.3v	0.0v	0.0v	0.0v	49.8v	50.6v	0.0v	0.0v	0.0v	0.0v	48.7v	312.35v
198 Mr NJ Verduyn	X	71.8v	49.7v	47.7v	0.0v	0.0v	0.0v	49.4v	50.6v	0.0v	0.0v	0.0v	0.0v	46.2v	312.34v
199 Mr RJ Mace	X	73.10v	50.6v	46.4v	0.0v	0.0v	0.0v	48.5v	50.7v	0.0v	0.0v	0.0v	0.0v	45.2v	312.34v
200 Mrs LK Mace	A	75.8v	46.6v	47.4v	0.0v	0.0v	0.0v	50.8v	49.7v	0.0v	0.0v	0.0v	0.0v	45.1v	312.34v
201 Miss CH Cumming	X	75.7v	50.6v	49.5v	0.0v	0.0v	0.0v	47.7v	49.6v	0.0v	0.0v	0.0v	0.0v	42.3v	312.34v
202 Dr BJ Winney	X	69.11v	48.2v	49.7v	0.0v	0.0v	0.0v	48.5v	49.3v	0.0v	0.0v	0.0v	0.0v	49.5v	312.33v
203 Mr CP Goad	O	73.9v	50.5v	47.4v	0.0v	0.0v	0.0v	49.7v	49.4v	0.0v	0.0v	0.0v	0.0v	44.4v	312.33v
204 Dr CI Johnston	X	75.11v	49.4v	47.4v	0.0v	0.0v	0.0v	48.4v	49.7v	0.0v	0.0v	0.0v	0.0v	44.3v	312.33v
205 Mr LR Braithwaite	X	75.8v	48.6v	49.5v	0.0v	0.0v	0.0v	50.6v	48.7v	0.0v	0.0v	0.0v	0.0v	42.1v	312.33v
206 Mr RG Woodger	X	74.10v	48.6v	48.4v	0.0v	0.0v	0.0v	47.4v	49.4v	0.0v	0.0v	0.0v	0.0v	46.4v	312.32v
207 Mr S Belither	X	73.6v	48.4v	50.6v	0.0v	0.0v	0.0v	48.5v	49.7v	0.0v	0.0v	0.0v	0.0v	44.4v	312.32v
208 Dr G Stewart	A	73.9v	50.6v	46.4v	0.0v	0.0v	0.0v	50.5v	49.6v	0.0v	0.0v	0.0v	0.0v	44.2v	312.32v
209 Miss KE Farley	A	74.9v	48.5v	50.7v	0.0v	0.0v	0.0v	48.6v	49.5v	0.0v	0.0v	0.0v	0.0v	43.0v	312.32v
210 Mr MR Fugeman	A	74.7v	45.3v	47.6v	0.0v	0.0v	0.0v	50.7v	49.6v	0.0v	0.0v	0.0v	0.0v	47.1v	312.30v
211 Miss RM Weinberger	T	73.7v	49.4v	48.3v	0.0v	0.0v	0.0v	49.5v	48.6v	0.0v	0.0v	0.0v	0.0v	45.5v	312.30v

212 Mr PM Jory	X	72.6v	50.3v	48.6v	0.0v	0.0v	0.0v	50.8v	49.4v	0.0v	0.0v	0.0v	0.0v	43.3v	312.30v
213 Mr R Ellis	O	74.8v	49.3v	48.5v	0.0v	0.0v	0.0v	49.8v	49.5v	0.0v	0.0v	0.0v	0.0v	43.1v	312.30v
214 Miss N Murrin	O	72.9v	48.3v	50.6v	0.0v	0.0v	0.0v	50.6v	48.3v	0.0v	0.0v	0.0v	0.0v	44.2v	312.29v
215 Mr OJ Rolfe	O	71.8v	49.3v	48.6v	0.0v	0.0v	0.0v	48.2v	49.5v	0.0v	0.0v	0.0v	0.0v	47.3v	312.27v
216 Mr AC Abrahams	O	73.8v	49.4v	48.6v	0.0v	0.0v	0.0v	48.4v	48.3v	0.0v	0.0v	0.0v	0.0v	46.2v	312.27v
217 Cpl JH Keates	X	74.8v	49.6v	47.4v	0.0v	0.0v	0.0v	48.4v	49.3v	0.0v	0.0v	0.0v	0.0v	45.2v	312.27v
218 Mr AG Stewart	O	73.5v	46.4v	47.3v	0.0v	0.0v	0.0v	50.7v	49.5v	0.0v	0.0v	0.0v	0.0v	47.2v	312.26v
219 Mr PJ Westlake	X	74.8v	49.5v	46.3v	0.0v	0.0v	0.0v	47.1v	50.8v	0.0v	0.0v	0.0v	0.0v	46.1v	312.26v
220 Mr SA Thomas	X	73.5v	49.5v	49.5v	0.0v	0.0v	0.0v	46.2v	48.3v	0.0v	0.0v	0.0v	0.0v	47.5v	312.25v
221 Miss CL Wiseman	T	72.8v	46.0v	48.3v	0.0v	0.0v	0.0v	49.3v	50.6v	0.0v	0.0v	0.0v	0.0v	47.3v	312.23v
222 Mr GE Grosskreutz	A	72.4v	48.3v	49.4v	0.0v	0.0v	0.0v	48.4v	48.4v	0.0v	0.0v	0.0v	0.0v	47.3v	312.22v
223 Mr SC Postins	X	74.9v	48.7v	49.5v	0.0v	0.0v	0.0v	46.4v	47.7v	0.0v	0.0v	0.0v	0.0v	47.5v	311.37v
224 Miss LG Taylor	A	74.10v	48.7v	47.7v	0.0v	0.0v	0.0v	47.6v	49.2v	0.0v	0.0v	0.0v	0.0v	46.4v	311.36v
225 Mr S Livingston	O	73.8v	48.5v	47.4v	0.0v	0.0v	0.0v	48.6v	49.8v	0.0v	0.0v	0.0v	0.0v	46.4v	311.35v
226 Mr LG Skingley	O	74.12v	50.7v	47.1v	0.0v	0.0v	0.0v	47.3v	47.6v	0.0v	0.0v	0.0v	0.0v	46.4v	311.33v
227 Mr FC Stewart	O	71.8v	48.5v	48.6v	0.0v	0.0v	0.0v	50.5v	49.6v	0.0v	0.0v	0.0v	0.0v	45.3v	311.33v
228 Maj GR Jeal	A	73.8v	48.4v	47.5v	0.0v	0.0v	0.0v	49.6v	47.5v	0.0v	0.0v	0.0v	0.0v	47.4v	311.32v
229 Mr RD Lindsay	O	75.10v	47.2v	48.7v	0.0v	0.0v	0.0v	49.5v	49.7v	0.0v	0.0v	0.0v	0.0v	43.1v	311.32v
230 Mr JF Lawrie	A	73.9v	50.7v	48.6v	0.0v	0.0v	0.0v	49.6v	49.4v	0.0v	0.0v	0.0v	0.0v	42.0v	311.32v
231 Mr DJH Birrell	O	70.8v	48.7v	48.4v	0.0v	0.0v	0.0v	48.4v	49.5v	0.0v	0.0v	0.0v	0.0v	48.3v	311.31v
232 Mr GR Bowman	X	72.7v	48.5v	50.7v	0.0v	0.0v	0.0v	48.4v	46.4v	0.0v	0.0v	0.0v	0.0v	47.4v	311.31v
233 Mr OM Hudson	A	75.9v	49.6v	46.3v	0.0v	0.0v	0.0v	47.5v	48.5v	0.0v	0.0v	0.0v	0.0v	46.3v	311.31v
234 Cdt LCpl R Celesia	O	72.5v	48.7v	49.6v	0.0v	0.0v	0.0v	48.4v	49.4v	0.0v	0.0v	0.0v	0.0v	45.5v	311.31v
235 Mr JJ Parsons	A	72.8v	49.6v	50.5v	0.0v	0.0v	0.0v	46.6v	49.4v	0.0v	0.0v	0.0v	0.0v	45.2v	311.31v
236 Mr NA Mohideen	A	73.5v	48.6v	49.6v	0.0v	0.0v	0.0v	49.6v	49.6v	0.0v	0.0v	0.0v	0.0v	43.2v	311.31v
237 Mr RR Grisenthwaite	A	74.9v	48.6v	45.1v	0.0v	0.0v	0.0v	49.7v	49.6v	0.0v	0.0v	0.0v	0.0v	46.1v	311.30v
238 Mr PW Glen	O	73.8v	47.4v	45.2v	0.0v	0.0v	0.0v	49.6v	48.4v	0.0v	0.0v	0.0v	0.0v	49.5v	311.29v
239 Mr RW Shaw	A	73.4v	47.2v	48.8v	0.0v	0.0v	0.0v	47.4v	49.6v	0.0v	0.0v	0.0v	0.0v	47.5v	311.29v
240 Mr CI Pawlik	O	73.8v	50.8v	48.3v	0.0v	0.0v	0.0v	47.4v	48.5v	0.0v	0.0v	0.0v	0.0v	45.1v	311.29v
241 Cdt A Patel	T	73.7v	48.4v	48.5v	0.0v	0.0v	0.0v	49.5v	47.4v	0.0v	0.0v	0.0v	0.0v	46.3v	311.28v
242 Mr PA Maher	A	72.7v	47.4v	47.4v	0.0v	0.0v	0.0v	49.3v	50.7v	0.0v	0.0v	0.0v	0.0v	46.3v	311.28v
243 Miss RE Warden	T	70.7v	46.2v	48.3v	0.0v	0.0v	0.0v	50.3v	49.7v	0.0v	0.0v	0.0v	0.0v	48.5v	311.27v
244 Mr DH Acton	A	74.5v	46.2v	48.2v	0.0v	0.0v	0.0v	47.4v	50.6v	0.0v	0.0v	0.0v	0.0v	46.6v	311.25v
245 Mr JM Nippers	O	69.3v	48.7v	49.6v	0.0v	0.0v	0.0v	50.7v	49.1v	0.0v	0.0v	0.0v	0.0v	46.0v	311.24v
246 Mr APW Daw	A	72.7v	49.4v	48.2v	0.0v	0.0v	0.0v	48.6v	47.0v	0.0v	0.0v	0.0v	0.0v	47.4v	311.23v
247 Mr JHN Pattison	T	74.10v	48.3v	46.1v	0.0v	0.0v	0.0v	49.3v	46.3v	0.0v	0.0v	0.0v	0.0v	48.2v	311.22v
248 Mr RR Bird	O	71.6v	50.5v	47.2v	0.0v	0.0v	0.0v	49.3v	47.1v	0.0v	0.0v	0.0v	0.0v	47.2v	311.19v
249 Lt Col WDH Burden	O	75.14v	49.6v	48.6v	0.0v	0.0v	0.0v	44.3v	50.7v	0.0v	0.0v	0.0v	0.0v	44.3v	310.39v
250 Mr K OLoghlen	X	74.10v	50.6v	48.7v	0.0v	0.0v	0.0v	42.5v	50.4v	0.0v	0.0v	0.0v	0.0v	46.3v	310.35v
251 Mr RI Coventry	O	73.12v	48.3v	49.7v	0.0v	0.0v	0.0v	49.3v	49.8v	0.0v	0.0v	0.0v	0.0v	42.1v	310.34v
252 Mr JRL Burch	X	75.10v	46.3v	50.8v	0.0v	0.0v	0.0v	48.5v	49.7v	0.0v	0.0v	0.0v	0.0v	42.1v	310.34v
253 Cdt LCpl OE Roussel	T	72.6v	48.2v	49.7v	0.0v	0.0v	0.0v	49.6v	46.5v	0.0v	0.0v	0.0v	0.0v	46.6v	310.32v
254 Mr WA Morrissey	O	74.8v	48.5v	49.5v	0.0v	0.0v	0.0v	46.4v	50.6v	0.0v	0.0v	0.0v	0.0v	43.4v	310.32v
255 Mr RA Webb	X	71.10v	48.2v	48.4v	0.0v	0.0v	0.0v	48.7v	49.4v	0.0v	0.0v	0.0v	0.0v	46.4v	310.31v
256 Mr JR Allum	A	74.6v	50.7v	50.7v	0.0v	0.0v	0.0v	46.5v	46.4v	0.0v	0.0v	0.0v	0.0v	44.2v	310.31v
257 Mr MG Whicher	X	68.8v	49.7v	49.4v	0.0v	0.0v	0.0v	50.5v	47.4v	0.0v	0.0v	0.0v	0.0v	47.2v	310.30v
258 Mr AC Thomson	X	71.7v	46.4v	50.6v	0.0v	0.0v	0.0v	49.5v	48.6v	0.0v	0.0v	0.0v	0.0v	46.2v	310.30v
259 Dr JR Deane	X	74.10v	48.5v	47.4v	0.0v	0.0v	0.0v	47.2v	50.7v	0.0v	0.0v	0.0v	0.0v	44.2v	310.30v
260 Mr FJS Reis	T	73.7v	50.5v	47.5v	0.0v	0.0v	0.0v	49.5v	49.6v	0.0v	0.0v	0.0v	0.0v	42.2v	310.30v
261 Mr LA Reid	X	73.9v	49.9v	47.1v	0.0v	0.0v	0.0v	49.3v	50.6v	0.0v	0.0v	0.0v	0.0v	42.2v	310.30v
262 Mr RA Benest	O	74.6v	50.8v	47.5v	0.0v	0.0v	0.0v	48.3v	50.7v	0.0v	0.0v	0.0v	0.0v	41.1v	310.30v
263 Mrs M Di Bona	O	75.10v	47.4v	47.4v	0.0v	0.0v	0.0v	47.5v	47.1v	0.0v	0.0v	0.0v	0.0v	47.5v	310.29v
264 Mr T Cubitt	X	73.5v	47.5v	49.3v	0.0v	0.0v	0.0v	48.7v	47.5v	0.0v	0.0v	0.0v	0.0v	46.4v	310.29v
265 Mr AWC Lothian	X	71.8v	48.2v	49.5v	0.0v	0.0v	0.0v	47.6v	49.6v	0.0v	0.0v	0.0v	0.0v	46.2v	310.29v
266 Mr GD Palmer	A	72.9v	49.5v	47.4v	0.0v	0.0v	0.0v	49.6v	48.2v	0.0v	0.0v	0.0v	0.0v	45.2v	310.28v
267 Mr JMA Thompson	X	74.10v	46.2v	46.2v	0.0v	0.0v	0.0v	50.5v	50.5v	0.0v	0.0v	0.0v	0.0v	44.3v	310.27v
268 Mrs AJ Carnell	A	74.8v	50.7v	50.5v	0.0v	0.0v	0.0v	46.3v	50.3v	0.0v	0.0v	0.0v	0.0v	40.1v	310.27v
269 Mr HJ Hamlyn	T	73.6v	48.4v	46.1v	0.0v	0.0v	0.0v	47.4v	48.4v	0.0v	0.0v	0.0v	0.0v	48.1v	310.20v
270 Miss R Laird	X	73.12v	48.5v	49.5v	0.0v	0.0v	0.0v	49.7v	49.6v	0.0v	0.0v	0.0v	0.0v	41.3v	309.38v
271 Mr AD Hunter	X	73.12v	49.6v	46.1v	0.0v	0.0v	0.0v	48.8v	47.5v	0.0v	0.0v	0.0v	0.0v	46.2v	309.34v

272 Mr H Percival	O	74.10v	45.1v	47.7v	0.0v	0.0v	0.0v	49.6v	50.9v	0.0v	0.0v	0.0v	0.0v	44.1v	309.34v
273 Mr DG Young	X	72.10v	48.4v	48.6v	0.0v	0.0v	0.0v	49.6v	48.3v	0.0v	0.0v	0.0v	0.0v	44.3v	309.32v
274 Mr BN Craig	O	74.8v	50.6v	47.5v	0.0v	0.0v	0.0v	47.5v	49.6v	0.0v	0.0v	0.0v	0.0v	42.2v	309.32v
275 Mr TS Craig-Fleming	O	73.5v	49.6v	48.6v	0.0v	0.0v	0.0v	47.3v	50.7v	0.0v	0.0v	0.0v	0.0v	42.2v	309.29v
276 Mr D de Vere	A	71.5v	46.1v	49.5v	0.0v	0.0v	0.0v	47.4v	49.7v	0.0v	0.0v	0.0v	0.0v	47.5v	309.27v
277 Dr MR Horrell	A	72.8v	48.4v	49.5v	0.0v	0.0v	0.0v	47.4v	49.3v	0.0v	0.0v	0.0v	0.0v	44.2v	309.26v
278 Mr RK Edwards	A	73.8v	49.8v	47.4v	0.0v	0.0v	0.0v	48.2v	49.3v	0.0v	0.0v	0.0v	0.0v	43.1v	309.26v
279 Mr MH Shaw	O	73.8v	50.6v	46.4v	0.0v	0.0v	0.0v	49.4v	46.2v	0.0v	0.0v	0.0v	0.0v	45.1v	309.25v
280 Mr DE Simkin	O	71.5v	49.6v	48.2v	0.0v	0.0v	0.0v	49.3v	49.6v	0.0v	0.0v	0.0v	0.0v	43.3v	309.25v
281 Mr AP Barnes	A	69.5v	49.4v	49.3v	0.0v	0.0v	0.0v	50.5v	49.8v	0.0v	0.0v	0.0v	0.0v	43.0v	309.25v
282 Mr BZ Danziger	X	74.8v	50.6v	46.1v	0.0v	0.0v	0.0v	49.4v	49.6v	0.0v	0.0v	0.0v	0.0v	41.0v	309.25v
283 Mr OD de Gruchy	O	74.9v	47.2v	49.4v	0.0v	0.0v	0.0v	49.6v	46.3v	0.0v	0.0v	0.0v	0.0v	44.0v	309.24v
284 Cdt PEV Osmond	O	74.7v	50.7v	45.2v	0.0v	0.0v	0.0v	50.3v	47.2v	0.0v	0.0v	0.0v	0.0v	43.3v	309.24v
285 Mr KB Hill	A	73.5v	49.4v	47.4v	0.0v	0.0v	0.0v	46.3v	48.4v	0.0v	0.0v	0.0v	0.0v	46.2v	309.22v
286 Mr CJ Monk	T	70.4v	50.3v	48.4v	0.0v	0.0v	0.0v	48.2v	48.6v	0.0v	0.0v	0.0v	0.0v	45.2v	309.21v
287 Mr CB Cotillard	O	71.7v	48.7v	49.5v	0.0v	0.0v	0.0v	48.6v	48.7v	0.0v	0.0v	0.0v	0.0v	44.2v	308.34v
288 Mr DJ Blake	X	73.8v	46.5v	48.4v	0.0v	0.0v	0.0v	49.7v	49.6v	0.0v	0.0v	0.0v	0.0v	43.2v	308.32v
289 Mr RW Ramage	A	72.7v	47.4v	49.6v	0.0v	0.0v	0.0v	48.7v	49.6v	0.0v	0.0v	0.0v	0.0v	43.2v	308.32v
290 Mr BA Young	O	72.6v	47.3v	45.5v	0.0v	0.0v	0.0v	49.4v	49.8v	0.0v	0.0v	0.0v	0.0v	46.4v	308.30v
291 Mr G Woodman	X	75.7v	49.5v	43.6v	0.0v	0.0v	0.0v	47.4v	49.5v	0.0v	0.0v	0.0v	0.0v	45.3v	308.30v
292 Ms J Shen	T	73.9v	48.5v	47.5v	0.0v	0.0v	0.0v	46.3v	46.4v	0.0v	0.0v	0.0v	0.0v	48.3v	308.29v
293 Miss JE Ouston	A	72.10v	47.4v	49.5v	0.0v	0.0v	0.0v	48.5v	46.2v	0.0v	0.0v	0.0v	0.0v	46.3v	308.29v
294 Mr IW Robertson	A	72.6v	47.5v	47.4v	0.0v	0.0v	0.0v	47.5v	48.5v	0.0v	0.0v	0.0v	0.0v	47.2v	308.27v
295 Maj Gen AJW Sturrock	O	73.8v	45.4v	50.4v	0.0v	0.0v	0.0v	46.1v	49.6v	0.0v	0.0v	0.0v	0.0v	45.4v	308.27v
296 Mr MD Joyce	O	71.7v	48.2v	50.6v	0.0v	0.0v	0.0v	45.4v	49.5v	0.0v	0.0v	0.0v	0.0v	45.3v	308.27v
297 Cdt LCpl A Cui	T	72.7v	47.4v	48.4v	0.0v	0.0v	0.0v	49.5v	47.3v	0.0v	0.0v	0.0v	0.0v	45.3v	308.26v
298 Mr MP Blythe	O	74.10v	49.5v	47.2v	0.0v	0.0v	0.0v	46.5v	48.2v	0.0v	0.0v	0.0v	0.0v	44.2v	308.26v
299 Mr J Myers	T	71.4v	47.3v	48.6v	0.0v	0.0v	0.0v	49.5v	50.5v	0.0v	0.0v	0.0v	0.0v	43.3v	308.26v
300 Mr MJ Stewart	O	74.9v	47.3v	46.3v	0.0v	0.0v	0.0v	48.3v	48.5v	0.0v	0.0v	0.0v	0.0v	45.1v	308.24v
301 Cdt Cpl AL Moldoveanu	O	72.4v	47.2v	48.4v	0.0v	0.0v	0.0v	46.5v	47.4v	0.0v	0.0v	0.0v	0.0v	48.4v	308.23v
302 Lt ML Wilkins	O	73.7v	50.6v	47.1v	0.0v	0.0v	0.0v	47.4v	49.5v	0.0v	0.0v	0.0v	0.0v	42.0v	308.23v
303 Mrs MM Norman	O	73.6v	47.3v	50.5v	0.0v	0.0v	0.0v	49.4v	46.2v	0.0v	0.0v	0.0v	0.0v	43.2v	308.22v
304 Mr T Steele	O	67.2v	49.6v	48.4v	0.0v	0.0v	0.0v	50.3v	49.4v	0.0v	0.0v	0.0v	0.0v	45.2v	308.21v
305 Mr LT Malcic	A	70.7v	49.2v	46.3v	0.0v	0.0v	0.0v	49.3v	50.5v	0.0v	0.0v	0.0v	0.0v	44.1v	308.21v
306 Mr BDW Parsons	O	70.5v	49.7v	49.7v	0.0v	0.0v	0.0v	46.4v	49.6v	0.0v	0.0v	0.0v	0.0v	44.3v	307.32v
307 Miss AE Jallot	T	74.10v	50.8v	45.1v	0.0v	0.0v	0.0v	49.7v	47.3v	0.0v	0.0v	0.0v	0.0v	42.3v	307.32v
308 Miss LK Crosby	T	75.10v	47.3v	46.4v	0.0v	0.0v	0.0v	46.5v	50.6v	0.0v	0.0v	0.0v	0.0v	43.3v	307.31v
309 Mr JPL Sweet	O	71.7v	49.4v	49.6v	0.0v	0.0v	0.0v	47.3v	49.8v	0.0v	0.0v	0.0v	0.0v	42.3v	307.31v
310 Mr OM Pryke	T	74.10v	49.7v	46.3v	0.0v	0.0v	0.0v	50.4v	48.6v	0.0v	0.0v	0.0v	0.0v	40.1v	307.31v
311 GP Capt WD Cooper	X	74.9v	46.5v	49.3v	0.0v	0.0v	0.0v	49.5v	49.8v	0.0v	0.0v	0.0v	0.0v	40.1v	307.31v
312 Mr TP Shaw	X	71.7v	49.5v	48.6v	0.0v	0.0v	0.0v	47.5v	49.6v	0.0v	0.0v	0.0v	0.0v	43.1v	307.30v
313 Cdt AL Shine	T	74.7v	44.2v	46.3v	0.0v	0.0v	0.0v	48.5v	50.9v	0.0v	0.0v	0.0v	0.0v	45.3v	307.29v
314 Mr SNS Penrose	X	75.9v	47.4v	45.4v	0.0v	0.0v	0.0v	48.4v	47.3v	0.0v	0.0v	0.0v	0.0v	45.4v	307.28v
315 Mr JC Evans	A	73.5v	48.2v	49.7v	0.0v	0.0v	0.0v	49.7v	46.4v	0.0v	0.0v	0.0v	0.0v	42.3v	307.28v
316 Mr GPC Bramwell	A	71.7v	49.2v	49.5v	0.0v	0.0v	0.0v	50.8v	50.6v	0.0v	0.0v	0.0v	0.0v	38.0v	307.28v
317 Mr BAM Hebblethwaite	O	67.5v	49.4v	49.4v	0.0v	0.0v	0.0v	49.7v	47.4v	0.0v	0.0v	0.0v	0.0v	46.3v	307.27v
318 Mr DA Roberts	O	72.7v	47.4v	48.6v	0.0v	0.0v	0.0v	46.2v	48.5v	0.0v	0.0v	0.0v	0.0v	46.3v	307.27v
319 Mr SD Spinney	X	70.3v	48.4v	47.5v	0.0v	0.0v	0.0v	49.6v	48.5v	0.0v	0.0v	0.0v	0.0v	45.3v	307.26v
320 Mr JRW Latimer	O	73.8v	48.5v	47.3v	0.0v	0.0v	0.0v	47.3v	49.5v	0.0v	0.0v	0.0v	0.0v	43.2v	307.26v
321 Dr MW Wrigley	A	68.3v	48.3v	50.6v	0.0v	0.0v	0.0v	48.5v	48.4v	0.0v	0.0v	0.0v	0.0v	45.4v	307.25v
322 Mr RL Sampson	A	72.8v	44.0v	48.4v	0.0v	0.0v	0.0v	49.7v	49.5v	0.0v	0.0v	0.0v	0.0v	45.1v	307.25v
323 Mr AF Donald	O	71.4v	47.4v	50.7v	0.0v	0.0v	0.0v	49.6v	45.3v	0.0v	0.0v	0.0v	0.0v	45.1v	307.25v
324 Miss N Tercjak	T	70.4v	49.7v	45.2v	0.0v	0.0v	0.0v	49.6v	49.5v	0.0v	0.0v	0.0v	0.0v	45.1v	307.25v
325 Miss AA Weinberger	O	73.5v	47.2v	48.6v	0.0v	0.0v	0.0v	45.4v	49.7v	0.0v	0.0v	0.0v	0.0v	45.1v	307.25v
326 Mr AJ Le Cheminant	O	70.7v	48.2v	48.6v	0.0v	0.0v	0.0v	47.4v	49.3v	0.0v	0.0v	0.0v	0.0v	45.2v	307.24v
327 Mr MHH John	O	72.3v	47.5v	47.3v	0.0v	0.0v	0.0v	49.4v	49.7v	0.0v	0.0v	0.0v	0.0v	43.1v	307.23v
328 Dr IT Matsumoto	A	73.5v	47.3v	50.5v	0.0v	0.0v	0.0v	46.2v	50.8v	0.0v	0.0v	0.0v	0.0v	41.0v	307.23v
329 Mr PJ Temperley	O	69.8v	50.5v	48.6v	0.0v	0.0v	0.0v	48.8v	49.6v	0.0v	0.0v	0.0v	0.0v	42.2v	306.35v
330 Mr DJ Gass	O	71.8v	48.6v	48.3v	0.0v	0.0v	0.0v	49.4v	48.7v	0.0v	0.0v	0.0v	0.0v	42.2v	306.30v
331 Mr CA Stewart	O	74.9v	48.3v	46.5v	0.0v	0.0v	0.0v	48.6v	44.2v	0.0v	0.0v	0.0v	0.0v	46.4v	306.29v

332 Miss GC McCaig	T	73.9v	48.3v	44.3v	0.0v	0.0v	0.0v	48.6v	49.6v	0.0v	0.0v	0.0v	0.0v	44.2v	306.29v
333 Mr SP OBrien	A	72.5v	49.7v	48.6v	0.0v	0.0v	0.0v	47.5v	48.6v	0.0v	0.0v	0.0v	0.0v	42.0v	306.29v
334 Mrs DE Curtis	O	68.6v	47.4v	47.4v	0.0v	0.0v	0.0v	47.4v	50.7v	0.0v	0.0v	0.0v	0.0v	47.3v	306.28v
335 Lt Col CST Lehmann	O	73.8v	45.3v	47.5v	0.0v	0.0v	0.0v	50.4v	47.3v	0.0v	0.0v	0.0v	0.0v	44.4v	306.27v
336 Mr ORW Russell	A	72.9v	49.5v	48.5v	0.0v	0.0v	0.0v	45.3v	48.5v	0.0v	0.0v	0.0v	0.0v	44.0v	306.27v
337 Mr G Bendik	X	74.11v	48.4v	48.3v	0.0v	0.0v	0.0v	45.2v	48.5v	0.0v	0.0v	0.0v	0.0v	43.2v	306.27v
338 Miss FE Purdy	O	72.9v	45.4v	46.1v	0.0v	0.0v	0.0v	49.6v	47.3v	0.0v	0.0v	0.0v	0.0v	47.3v	306.26v
339 Mr AD Robertson	T	73.5v	49.5v	48.6v	0.0v	0.0v	0.0v	48.4v	43.2v	0.0v	0.0v	0.0v	0.0v	45.4v	306.26v
340 Mr RPF McKenna	T	70.4v	48.5v	48.6v	0.0v	0.0v	0.0v	49.5v	49.5v	0.0v	0.0v	0.0v	0.0v	42.1v	306.26v
341 Cdt OW Rankin	T	70.7v	48.5v	47.5v	0.0v	0.0v	0.0v	48.4v	47.2v	0.0v	0.0v	0.0v	0.0v	46.2v	306.25v
342 Mr P Persaud	X	70.6v	48.4v	49.4v	0.0v	0.0v	0.0v	48.5v	46.2v	0.0v	0.0v	0.0v	0.0v	45.4v	306.25v
343 Pvt CR Vonchek	A	72.7v	49.5v	47.3v	0.0v	0.0v	0.0v	46.3v	47.3v	0.0v	0.0v	0.0v	0.0v	45.4v	306.25v
344 Ms RJ Lusty	O	72.8v	48.4v	49.2v	0.0v	0.0v	0.0v	46.3v	49.6v	0.0v	0.0v	0.0v	0.0v	42.1v	306.24v
345 Mr GRP Shapland	O	72.8v	45.2v	48.4v	0.0v	0.0v	0.0v	46.5v	49.2v	0.0v	0.0v	0.0v	0.0v	46.2v	306.23v
346 Mr LM Peden	A	67.3v	47.3v	48.4v	0.0v	0.0v	0.0v	49.6v	49.4v	0.0v	0.0v	0.0v	0.0v	46.2v	306.22v
347 Mr HJM Awin	X	72.6v	44.1v	47.5v	0.0v	0.0v	0.0v	49.3v	48.5v	0.0v	0.0v	0.0v	0.0v	46.2v	306.22v
348 Mr CR hirst	O	69.2v	46.2v	48.4v	0.0v	0.0v	0.0v	49.4v	50.6v	0.0v	0.0v	0.0v	0.0v	44.3v	306.21v
349 Mr JPM Stevens	O	73.6v	50.3v	49.3v	0.0v	0.0v	0.0v	47.4v	44.3v	0.0v	0.0v	0.0v	0.0v	43.2v	306.21v
350 Mr RM Culverwell	O	71.3v	47.5v	46.3v	0.0v	0.0v	0.0v	48.3v	49.3v	0.0v	0.0v	0.0v	0.0v	45.3v	306.20v
351 Mr ATB Tompson	O	73.11v	48.6v	46.4v	0.0v	0.0v	0.0v	46.4v	46.3v	0.0v	0.0v	0.0v	0.0v	46.3v	305.31v
352 Dr AE Bromley	X	73.10v	46.9v	46.3v	0.0v	0.0v	0.0v	46.1v	48.5v	0.0v	0.0v	0.0v	0.0v	46.2v	305.30v
353 Mr N Anderson	A	73.10v	47.2v	47.4v	0.0v	0.0v	0.0v	46.4v	46.4v	0.0v	0.0v	0.0v	0.0v	46.5v	305.29v
354 SSGT RH Kitson	X	72.5v	48.6v	45.3v	0.0v	0.0v	0.0v	50.6v	48.5v	0.0v	0.0v	0.0v	0.0v	42.4v	305.29v
355 Mr SD Glen	X	73.9v	50.4v	44.3v	0.0v	0.0v	0.0v	49.6v	44.3v	0.0v	0.0v	0.0v	0.0v	45.2v	305.27v
356 Mr J Scheuerl	T	75.10v	48.4v	46.5v	0.0v	0.0v	0.0v	46.4v	47.1v	0.0v	0.0v	0.0v	0.0v	43.2v	305.26v
357 Mr TJ Bryan	O	70.3v	45.2v	47.2v	0.0v	0.0v	0.0v	50.7v	49.7v	0.0v	0.0v	0.0v	0.0v	44.4v	305.25v
358 Cdt RSM P Hobbs	O	73.7v	49.6v	48.4v	0.0v	0.0v	0.0v	44.2v	48.3v	0.0v	0.0v	0.0v	0.0v	43.3v	305.25v
359 Mr WJM Bacon	T	72.7v	49.3v	48.6v	0.0v	0.0v	0.0v	47.5v	48.4v	0.0v	0.0v	0.0v	0.0v	41.0v	305.25v
360 Cpl LKJ Leung	T	74.8v	48.4v	47.2v	0.0v	0.0v	0.0v	40.2v	49.5v	0.0v	0.0v	0.0v	0.0v	47.3v	305.24v
361 Mrs KE Heath	A	71.6v	49.4v	49.6v	0.0v	0.0v	0.0v	46.3v	48.3v	0.0v	0.0v	0.0v	0.0v	42.2v	305.24v
362 Mr GJ Maas	T	68.4v	48.5v	46.2v	0.0v	0.0v	0.0v	49.4v	50.7v	0.0v	0.0v	0.0v	0.0v	44.1v	305.23v
363 Mr PJ Bysshe	O	72.7v	49.4v	46.5v	0.0v	0.0v	0.0v	47.4v	47.2v	0.0v	0.0v	0.0v	0.0v	44.1v	305.23v
364 Mr MR Clewer	O	68.2v	49.4v	47.3v	0.0v	0.0v	0.0v	48.5v	49.5v	0.0v	0.0v	0.0v	0.0v	44.1v	305.20v
365 Mr WR Steward	O	71.6v	46.2v	48.3v	0.0v	0.0v	0.0v	44.0v	49.4v	0.0v	0.0v	0.0v	0.0v	47.3v	305.18v
366 Mr JM Picariello	T	70.3v	48.4v	46.2v	0.0v	0.0v	0.0v	47.3v	50.3v	0.0v	0.0v	0.0v	0.0v	44.2v	305.17v
367 Mr MDE Larcombe	A	72.12v	48.5v	45.4v	0.0v	0.0v	0.0v	49.3v	47.6v	0.0v	0.0v	0.0v	0.0v	43.4v	304.34v
368 Mr NP Moxon	O	73.9v	48.3v	46.4v	0.0v	0.0v	0.0v	48.4v	48.7v	0.0v	0.0v	0.0v	0.0v	41.3v	304.30v
369 Mr RS Darwish	T	70.7v	49.6v	46.4v	0.0v	0.0v	0.0v	50.8v	49.3v	0.0v	0.0v	0.0v	0.0v	40.2v	304.30v
370 Cdt HJ Purslow	O	72.6v	50.6v	46.4v	0.0v	0.0v	0.0v	48.6v	46.4v	0.0v	0.0v	0.0v	0.0v	42.3v	304.29v
371 Mr AR Le Quesne	T	74.5v	44.3v	47.4v	0.0v	0.0v	0.0v	48.7v	50.8v	0.0v	0.0v	0.0v	0.0v	41.2v	304.29v
372 Mr MR Ebbetts	O	71.6v	48.7v	48.4v	0.0v	0.0v	0.0v	47.5v	46.4v	0.0v	0.0v	0.0v	0.0v	44.2v	304.28v
373 Mr R Stebbings	X	73.10v	47.4v	48.3v	0.0v	0.0v	0.0v	46.4v	47.5v	0.0v	0.0v	0.0v	0.0v	43.2v	304.28v
374 Mr P Johnson	O	70.9v	49.3v	42.3v	0.0v	0.0v	0.0v	48.4v	50.6v	0.0v	0.0v	0.0v	0.0v	45.2v	304.27v
375 Mr LT Wicker	O	74.11v	47.4v	47.4v	0.0v	0.0v	0.0v	48.5v	44.3v	0.0v	0.0v	0.0v	0.0v	44.0v	304.27v
376 Dr Al Ashworth	O	71.7v	48.3v	49.6v	0.0v	0.0v	0.0v	49.6v	45.3v	0.0v	0.0v	0.0v	0.0v	42.1v	304.26v
377 Miss S Ponter	A	71.7v	48.2v	45.2v	0.0v	0.0v	0.0v	50.6v	48.7v	0.0v	0.0v	0.0v	0.0v	42.1v	304.25v
378 Maj AW Gill	X	68.3v	44.3v	49.5v	0.0v	0.0v	0.0v	49.6v	50.5v	0.0v	0.0v	0.0v	0.0v	44.2v	304.24v
379 Mr WP Cubitt	O	72.6v	46.5v	48.1v	0.0v	0.0v	0.0v	47.6v	47.5v	0.0v	0.0v	0.0v	0.0v	44.1v	304.24v
380 Miss NE Barnes	O	72.8v	48.7v	47.4v	0.0v	0.0v	0.0v	48.1v	46.3v	0.0v	0.0v	0.0v	0.0v	43.1v	304.24v
381 Mr Al Brown	O	69.4v	48.3v	46.5v	0.0v	0.0v	0.0v	46.4v	49.4v	0.0v	0.0v	0.0v	0.0v	46.3v	304.23v
382 Miss ZNK Moir	T	73.7v	48.3v	43.2v	0.0v	0.0v	0.0v	48.4v	47.4v	0.0v	0.0v	0.0v	0.0v	45.3v	304.23v
383 Wg Cdr CJ Hockley OBE	O	70.6v	47.2v	48.4v	0.0v	0.0v	0.0v	48.4v	47.3v	0.0v	0.0v	0.0v	0.0v	44.4v	304.23v
384 Miss KA Hinkly	O	70.1v	49.6v	47.2v	0.0v	0.0v	0.0v	48.6v	47.5v	0.0v	0.0v	0.0v	0.0v	43.1v	304.21v
385 Mr BJ Wood	O	65.3v	48.5v	48.3v	0.0v	0.0v	0.0v	49.3v	49.5v	0.0v	0.0v	0.0v	0.0v	45.1v	304.20v
386 Mr R Winney	O	69.0v	48.2v	46.3v	0.0v	0.0v	0.0v	47.5v	48.5v	0.0v	0.0v	0.0v	0.0v	46.4v	304.19v
387 Mr RF Barrington	O	72.6v	46.3v	47.2v	0.0v	0.0v	0.0v	48.3v	45.3v	0.0v	0.0v	0.0v	0.0v	46.1v	304.18v
388 Miss AB Dorey	T	71.6v	48.5v	47.6v	0.0v	0.0v	0.0v	43.6v	48.5v	0.0v	0.0v	0.0v	0.0v	46.2v	303.30v
389 Mr KM Rivoallan	O	73.7v	45.4v	41.1v	0.0v	0.0v	0.0v	50.6v	46.5v	0.0v	0.0v	0.0v	0.0v	48.4v	303.27v
390 Mrs R Merridew	O	73.8v	47.6v	48.3v	0.0v	0.0v	0.0v	46.4v	48.5v	0.0v	0.0v	0.0v	0.0v	41.1v	303.27v
391 Miss EAV Barrett	T	71.5v	48.5v	48.6v	0.0v	0.0v	0.0v	47.4v	48.5v	0.0v	0.0v	0.0v	0.0v	41.1v	303.26v

392 Wg Cdr CM Fopp	O	72.8v	46.3v	50.5v	0.0v	0.0v	0.0v	45.3v	49.6v	0.0v	0.0v	0.0v	0.0v	41.1v	303.26v
393 Mrs MJ Nathan	O	73.6v	44.1v	48.6v	0.0v	0.0v	0.0v	49.6v	47.2v	0.0v	0.0v	0.0v	0.0v	42.4v	303.25v
394 Cdt S Franck	T	69.8v	50.7v	47.2v	0.0v	0.0v	0.0v	47.4v	48.3v	0.0v	0.0v	0.0v	0.0v	42.1v	303.25v
395 Mr IDC Brechin	O	72.5v	48.4v	49.5v	0.0v	0.0v	0.0v	46.5v	46.3v	0.0v	0.0v	0.0v	0.0v	42.2v	303.24v
396 Cdt Cpl TLM Flanagan	T	71.3v	49.7v	45.3v	0.0v	0.0v	0.0v	46.3v	46.4v	0.0v	0.0v	0.0v	0.0v	46.3v	303.23v
397 Mr RF Burden	O	72.7v	46.2v	48.4v	0.0v	0.0v	0.0v	48.6v	45.3v	0.0v	0.0v	0.0v	0.0v	44.1v	303.23v
398 Mr K McCamley	X	72.7v	45.2v	48.5v	0.0v	0.0v	0.0v	48.3v	44.2v	0.0v	0.0v	0.0v	0.0v	46.3v	303.22v
399 Miss VM Churchouse	T	72.4v	49.2v	49.6v	0.0v	0.0v	0.0v	45.3v	42.1v	0.0v	0.0v	0.0v	0.0v	46.5v	303.21v
400 Mr ML Cotillard	O	70.5v	48.3v	47.5v	0.0v	0.0v	0.0v	47.5v	46.3v	0.0v	0.0v	0.0v	0.0v	45.0v	303.21v
401 Mr PG Kelly	O	70.3v	47.4v	47.5v	0.0v	0.0v	0.0v	48.3v	46.5v	0.0v	0.0v	0.0v	0.0v	45.0v	303.20v
402 Mr Y Sakakibara	X	71.4v	47.3v	48.4v	0.0v	0.0v	0.0v	49.3v	46.2v	0.0v	0.0v	0.0v	0.0v	42.2v	303.18v
403 Mr HM Wong Shui	X	73.8v	48.4v	45.1v	0.0v	0.0v	0.0v	47.1v	49.4v	0.0v	0.0v	0.0v	0.0v	41.0v	303.18v
404 Mr RJ McQuillan	X	72.8v	44.1v	50.6v	0.0v	0.0v	0.0v	48.5v	44.4v	0.0v	0.0v	0.0v	0.0v	44.6v	302.30v
405 Miss A Ross	O	74.11v	47.4v	43.1v	0.0v	0.0v	0.0v	48.6v	47.5v	0.0v	0.0v	0.0v	0.0v	43.3v	302.30v
406 Mr G Childs	A	73.10v	49.7v	50.5v	0.0v	0.0v	0.0v	45.4v	44.1v	0.0v	0.0v	0.0v	0.0v	41.1v	302.28v
407 Cdt Cpl TZ Maxwell Randeria	T	72.8v	46.3v	45.3v	0.0v	0.0v	0.0v	48.6v	47.4v	0.0v	0.0v	0.0v	0.0v	44.2v	302.26v
408 Mr JT Kennedy	O	72.8v	45.4v	49.3v	0.0v	0.0v	0.0v	46.4v	46.4v	0.0v	0.0v	0.0v	0.0v	44.2v	302.25v
409 Mr JBG Shepherd	X	70.6v	48.4v	46.4v	0.0v	0.0v	0.0v	48.5v	49.3v	0.0v	0.0v	0.0v	0.0v	41.2v	302.24v
410 Cdt Cpl JJ Kahtava	T	74.7v	46.3v	47.3v	0.0v	0.0v	0.0v	45.3v	45.4v	0.0v	0.0v	0.0v	0.0v	45.3v	302.23v
411 Mr PS Gray	O	73.6v	49.2v	42.3v	0.0v	0.0v	0.0v	48.6v	46.4v	0.0v	0.0v	0.0v	0.0v	44.2v	302.23v
412 Wg Cdr CR Smith	O	71.5v	47.5v	47.4v	0.0v	0.0v	0.0v	47.3v	47.3v	0.0v	0.0v	0.0v	0.0v	43.3v	302.23v
413 Cdt GE Sanderson	T	71.5v	46.5v	48.4v	0.0v	0.0v	0.0v	47.2v	50.7v	0.0v	0.0v	0.0v	0.0v	40.0v	302.23v
414 Mr FWC Cowling	T	69.5v	48.4v	44.2v	0.0v	0.0v	0.0v	46.2v	48.5v	0.0v	0.0v	0.0v	0.0v	47.4v	302.22v
415 Mr DE Nuthall	X	69.7v	50.3v	45.1v	0.0v	0.0v	0.0v	46.1v	48.5v	0.0v	0.0v	0.0v	0.0v	44.5v	302.22v
416 Mr MWS Oliver	A	70.7v	47.1v	47.4v	0.0v	0.0v	0.0v	49.5v	46.5v	0.0v	0.0v	0.0v	0.0v	43.0v	302.22v
417 Mr EG Lawrence	O	71.6v	44.1v	48.3v	0.0v	0.0v	0.0v	47.3v	46.5v	0.0v	0.0v	0.0v	0.0v	46.3v	302.21v
418 Mr A Zhang	T	70.2v	47.3v	45.4v	0.0v	0.0v	0.0v	45.5v	48.5v	0.0v	0.0v	0.0v	0.0v	47.1v	302.20v
419 Mr EBDS Reis	O	74.9v	48.7v	48.3v	0.0v	0.0v	0.0v	50.5v	49.5v	0.0v	0.0v	0.0v	0.0v	32.3v	301.32v
420 Mr CHY Chan	T	72.7v	44.2v	47.3v	0.0v	0.0v	0.0v	47.6v	49.7v	0.0v	0.0v	0.0v	0.0v	42.1v	301.26v
421 Mr HEJ Welch	O	73.9v	47.4v	45.2v	0.0v	0.0v	0.0v	45.3v	48.4v	0.0v	0.0v	0.0v	0.0v	43.3v	301.25v
422 Mr OJ Hughes	T	69.5v	49.6v	45.3v	0.0v	0.0v	0.0v	46.5v	49.4v	0.0v	0.0v	0.0v	0.0v	43.2v	301.25v
423 Cpl SE Watson	O	67.5v	48.5v	47.3v	0.0v	0.0v	0.0v	49.5v	41.2v	0.0v	0.0v	0.0v	0.0v	49.4v	301.24v
424 Mr MJJ Charlton	O	68.4v	48.3v	45.1v	0.0v	0.0v	0.0v	47.5v	45.1v	0.0v	0.0v	0.0v	0.0v	48.7v	301.21v
425 Mr NJ Atkins	O	67.1v	46.5v	48.5v	0.0v	0.0v	0.0v	49.5v	48.3v	0.0v	0.0v	0.0v	0.0v	43.1v	301.20v
426 Mr D Colegate	O	72.9v	45.4v	48.3v	0.0v	0.0v	0.0v	48.7v	47.5v	0.0v	0.0v	0.0v	0.0v	40.1v	300.29v
427 Mr JRJ Kennedy	O	71.8v	50.6v	48.4v	0.0v	0.0v	0.0v	46.4v	48.5v	0.0v	0.0v	0.0v	0.0v	37.2v	300.29v
428 Cdt Sgt B Morris	T	73.10v	48.7v	49.5v	0.0v	0.0v	0.0v	45.2v	48.4v	0.0v	0.0v	0.0v	0.0v	37.1v	300.29v
429 Cdt Cpl KS Lynnyk-Ali	T	72.8v	49.7v	46.3v	0.0v	0.0v	0.0v	48.5v	48.3v	0.0v	0.0v	0.0v	0.0v	37.2v	300.28v
430 Miss OEC Ross	A	73.7v	47.2v	46.5v	0.0v	0.0v	0.0v	47.6v	47.4v	0.0v	0.0v	0.0v	0.0v	40.1v	300.25v
431 Mr JN Prout	T	67.2v	47.6v	44.3v	0.0v	0.0v	0.0v	49.6v	49.4v	0.0v	0.0v	0.0v	0.0v	44.2v	300.23v
432 Mr DE Fields	X	70.8v	50.7v	43.1v	0.0v	0.0v	0.0v	48.4v	46.2v	0.0v	0.0v	0.0v	0.0v	43.1v	300.23v
433 Mr J Nicholas	T	71.7v	46.4v	48.5v	0.0v	0.0v	0.0v	46.2v	48.3v	0.0v	0.0v	0.0v	0.0v	41.2v	300.23v
434 Ms B Moore	O	70.6v	48.5v	44.6v	0.0v	0.0v	0.0v	47.3v	46.1v	0.0v	0.0v	0.0v	0.0v	45.1v	300.22v
435 Mr JGM Webster	X	71.7v	48.4v	47.5v	0.0v	0.0v	0.0v	42.0v	46.2v	0.0v	0.0v	0.0v	0.0v	46.2v	300.20v
436 Air Cdre JA Ford	O	68.3v	46.4v	47.3v	0.0v	0.0v	0.0v	46.4v	49.3v	0.0v	0.0v	0.0v	0.0v	44.2v	300.19v
437 Mr NM Duncan	O	74.7v	46.3v	44.2v	0.0v	0.0v	0.0v	48.4v	46.0v	0.0v	0.0v	0.0v	0.0v	42.0v	300.16v
438 Mr LM OGrady	T	71.7v	47.6v	46.3v	0.0v	0.0v	0.0v	48.6v	43.5v	0.0v	0.0v	0.0v	0.0v	44.2v	299.29v
439 Mr G Wood	T	70.6v	47.4v	49.4v	0.0v	0.0v	0.0v	45.7v	45.4v	0.0v	0.0v	0.0v	0.0v	43.3v	299.28v
440 Mr JAMM Ingham	T	72.9v	48.3v	45.4v	0.0v	0.0v	0.0v	48.6v	47.3v	0.0v	0.0v	0.0v	0.0v	39.3v	299.28v
441 Mr D Wild	T	70.5v	47.5v	47.6v	0.0v	0.0v	0.0v	43.2v	48.2v	0.0v	0.0v	0.0v	0.0v	44.6v	299.26v
442 Cdt ICL Bartlette	T	71.9v	48.4v	44.2v	0.0v	0.0v	0.0v	48.5v	49.6v	0.0v	0.0v	0.0v	0.0v	39.0v	299.26v
443 Mr B Vary	T	70.3v	46.3v	47.4v	0.0v	0.0v	0.0v	44.3v	49.6v	0.0v	0.0v	0.0v	0.0v	43.5v	299.24v
444 Mr LC Schwarz	T	71.6v	45.3v	47.4v	0.0v	0.0v	0.0v	47.5v	45.4v	0.0v	0.0v	0.0v	0.0v	44.1v	299.23v
445 Cdt JJ Weir	T	71.7v	46.3v	45.4v	0.0v	0.0v	0.0v	48.4v	47.2v	0.0v	0.0v	0.0v	0.0v	42.3v	299.23v
446 Mr SJ Bates	O	71.5v	46.4v	46.5v	0.0v	0.0v	0.0v	48.2v	47.3v	0.0v	0.0v	0.0v	0.0v	41.4v	299.23v
447 Mr TJ Goodger	A	68.2v	50.4v	47.3v	0.0v	0.0v	0.0v	49.7v	48.5v	0.0v	0.0v	0.0v	0.0v	37.1v	299.22v
448 Mr T Snaith	T	71.2v	48.5v	44.3v	0.0v	0.0v	0.0v	48.3v	47.5v	0.0v	0.0v	0.0v	0.0v	41.2v	299.20v
449 Cdt HS Jones	T	70.4v	45.3v	48.5v	0.0v	0.0v	0.0v	48.4v	47.3v	0.0v	0.0v	0.0v	0.0v	41.1v	299.20v
450 Miss JL Williams	T	72.4v	46.3v	47.5v	0.0v	0.0v	0.0v	46.3v	49.4v	0.0v	0.0v	0.0v	0.0v	39.1v	299.20v
451 Mr DTA Cobb	O	73.8v	47.1v	45.3v	0.0v	0.0v	0.0v	46.3v	46.3v	0.0v	0.0v	0.0v	0.0v	42.1v	299.19v

452 Mr LR Coventry	O	72.6v	42.2v	50.2v	0.0v	0.0v	0.0v	45.3v	47.3v	0.0v	0.0v	0.0v	0.0v	43.1v	299.17v
453 Mr EJ Harriss	O	68.5v	48.6v	45.4v	0.0v	0.0v	0.0v	45.5v	47.6v	0.0v	0.0v	0.0v	0.0v	45.3v	298.29v
454 Mr J Bideau	T	65.7v	46.3v	46.4v	0.0v	0.0v	0.0v	49.3v	49.8v	0.0v	0.0v	0.0v	0.0v	43.2v	298.27v
455 Mr JRD Clegg	O	70.7v	45.5v	48.5v	0.0v	0.0v	0.0v	47.4v	46.4v	0.0v	0.0v	0.0v	0.0v	42.1v	298.26v
456 Mr CSP Gray	O	67.3v	47.6v	46.3v	0.0v	0.0v	0.0v	49.6v	45.5v	0.0v	0.0v	0.0v	0.0v	44.2v	298.25v
457 Mr JWE Lewis	X	72.9v	49.4v	44.3v	0.0v	0.0v	0.0v	49.3v	46.4v	0.0v	0.0v	0.0v	0.0v	38.2v	298.25v
458 Miss HD Grindon	O	69.4v	47.5v	47.4v	0.0v	0.0v	0.0v	40.1v	49.7v	0.0v	0.0v	0.0v	0.0v	46.3v	298.24v
459 Mr M Clark	O	74.7v	49.4v	38.4v	0.0v	0.0v	0.0v	47.2v	47.5v	0.0v	0.0v	0.0v	0.0v	43.2v	298.24v
460 Mr RE Pike	A	70.6v	46.5v	46.3v	0.0v	0.0v	0.0v	46.4v	44.3v	0.0v	0.0v	0.0v	0.0v	46.2v	298.23v
461 Mr CH Kwok	T	69.4v	47.5v	48.6v	0.0v	0.0v	0.0v	46.3v	45.2v	0.0v	0.0v	0.0v	0.0v	43.3v	298.23v
462 Cdt Cpl AJD Germain	T	68.6v	46.1v	46.1v	0.0v	0.0v	0.0v	48.6v	45.3v	0.0v	0.0v	0.0v	0.0v	45.5v	298.22v
463 Mr ARN Kinross	O	69.2v	46.3v	46.5v	0.0v	0.0v	0.0v	46.5v	48.5v	0.0v	0.0v	0.0v	0.0v	43.2v	298.22v
464 Mr P Waldron	O	69.3v	47.4v	46.2v	0.0v	0.0v	0.0v	48.6v	46.3v	0.0v	0.0v	0.0v	0.0v	42.4v	298.22v
465 Mr LJ Smith	T	69.6v	44.3v	45.2v	0.0v	0.0v	0.0v	49.3v	48.3v	0.0v	0.0v	0.0v	0.0v	43.4v	298.21v
466 Mr J Tsai	T	70.3v	47.5v	45.2v	0.0v	0.0v	0.0v	47.4v	47.3v	0.0v	0.0v	0.0v	0.0v	42.2v	298.19v
467 Mr PJ Holden	O	69.5v	49.4v	48.2v	0.0v	0.0v	0.0v	48.3v	48.5v	0.0v	0.0v	0.0v	0.0v	36.0v	298.19v
468 Mr TLW Kidner	X	67.3v	42.1v	44.1v	0.0v	0.0v	0.0v	49.5v	48.3v	0.0v	0.0v	0.0v	0.0v	48.5v	298.18v
469 Mr TJG Hendriks	O	69.4v	47.4v	47.3v	0.0v	0.0v	0.0v	49.6v	48.7v	0.0v	0.0v	0.0v	0.0v	37.2v	297.26v
470 Mr GL Clarke	O	74.11v	48.5v	47.1v	0.0v	0.0v	0.0v	47.3v	45.4v	0.0v	0.0v	0.0v	0.0v	36.0v	297.24v
471 Mr S Pasarkar	T	67.2v	46.4v	44.4v	0.0v	0.0v	0.0v	49.2v	48.6v	0.0v	0.0v	0.0v	0.0v	43.5v	297.23v
472 Mr FJ Lawry	O	73.9v	46.3v	48.3v	0.0v	0.0v	0.0v	46.3v	46.4v	0.0v	0.0v	0.0v	0.0v	38.0v	297.22v
473 Mr IJ Saturley	T	71.4v	48.5v	43.3v	0.0v	0.0v	0.0v	46.4v	46.3v	0.0v	0.0v	0.0v	0.0v	43.2v	297.21v
474 Mr RM Smith	T	66.1v	44.2v	49.7v	0.0v	0.0v	0.0v	47.5v	45.1v	0.0v	0.0v	0.0v	0.0v	46.2v	297.18v
475 Mr JR Stirland	O	72.5v	47.4v	43.3v	0.0v	0.0v	0.0v	48.2v	45.3v	0.0v	0.0v	0.0v	0.0v	42.1v	297.18v
476 Mr H Bull	T	72.8v	46.3v	46.2v	0.0v	0.0v	0.0v	45.2v	49.2v	0.0v	0.0v	0.0v	0.0v	39.0v	297.17v
477 Mr RA Sampson	O	72.5v	43.3v	48.6v	0.0v	0.0v	0.0v	46.6v	48.6v	0.0v	0.0v	0.0v	0.0v	39.2v	296.28v
478 Mr SA Felicien	A	72.8v	46.2v	44.7v	0.0v	0.0v	0.0v	45.4v	46.3v	0.0v	0.0v	0.0v	0.0v	43.2v	296.26v
479 Mr GJ Lake Coghlan	T	72.8v	48.4v	44.3v	0.0v	0.0v	0.0v	45.5v	47.1v	0.0v	0.0v	0.0v	0.0v	40.4v	296.25v
480 Mr P Dawes	O	73.7v	48.5v	50.7v	0.0v	0.0v	0.0v	43.2v	40.1v	0.0v	0.0v	0.0v	0.0v	42.2v	296.24v
481 Mrs DA Thompson	O	71.8v	48.6v	45.3v	0.0v	0.0v	0.0v	48.4v	49.3v	0.0v	0.0v	0.0v	0.0v	35.0v	296.24v
482 Mr ETB Redman	T	69.6v	46.1v	46.4v	0.0v	0.0v	0.0v	46.4v	48.6v	0.0v	0.0v	0.0v	0.0v	41.2v	296.23v
483 Mr AC Gauci	T	74.8v	49.5v	48.2v	0.0v	0.0v	0.0v	37.0v	46.4v	0.0v	0.0v	0.0v	0.0v	42.2v	296.21v
484 Cdt Sgt W Viney	T	71.5v	47.3v	43.2v	0.0v	0.0v	0.0v	47.4v	44.1v	0.0v	0.0v	0.0v	0.0v	44.5v	296.20v
485 Mr RA Tewari	A	72.6v	47.3v	46.1v	0.0v	0.0v	0.0v	47.6v	43.2v	0.0v	0.0v	0.0v	0.0v	41.2v	296.20v
486 Mr AF Chidlow	T	71.4v	47.4v	49.5v	0.0v	0.0v	0.0v	46.4v	43.2v	0.0v	0.0v	0.0v	0.0v	40.1v	296.20v
487 Mr JE White	O	68.6v	44.1v	46.4v	0.0v	0.0v	0.0v	46.5v	50.5v	0.0v	0.0v	0.0v	0.0v	41.3v	295.24v
488 Mr RW McVeigh	A	71.7v	48.5v	46.3v	0.0v	0.0v	0.0v	44.4v	50.4v	0.0v	0.0v	0.0v	0.0v	36.1v	295.24v
489 Mr GW Robinson	O	68.6v	47.4v	38.3v	0.0v	0.0v	0.0v	47.1v	49.6v	0.0v	0.0v	0.0v	0.0v	46.3v	295.23v
490 Miss AM Jones	T	67.5v	48.4v	45.4v	0.0v	0.0v	0.0v	46.3v	47.3v	0.0v	0.0v	0.0v	0.0v	42.4v	295.23v
491 Cdt Cpl A Lebedeva	T	71.7v	50.6v	46.3v	0.0v	0.0v	0.0v	46.1v	50.4v	0.0v	0.0v	0.0v	0.0v	32.2v	295.23v
492 Mr LA Lawrence	T	67.5v	46.4v	49.3v	0.0v	0.0v	0.0v	43.3v	48.4v	0.0v	0.0v	0.0v	0.0v	42.3v	295.22v
493 Mr AS Hood	O	67.3v	44.4v	43.2v	0.0v	0.0v	0.0v	47.4v	48.4v	0.0v	0.0v	0.0v	0.0v	46.4v	295.21v
494 Dr C Freeman	O	69.6v	44.1v	46.5v	0.0v	0.0v	0.0v	49.2v	44.4v	0.0v	0.0v	0.0v	0.0v	43.2v	295.20v
495 Mr HP Nippers	O	63.2v	45.2v	46.2v	0.0v	0.0v	0.0v	46.2v	47.7v	0.0v	0.0v	0.0v	0.0v	48.4v	295.19v
496 Mr EGH Atkins	O	67.4v	45.2v	47.2v	0.0v	0.0v	0.0v	47.5v	44.2v	0.0v	0.0v	0.0v	0.0v	45.3v	295.18v
497 Cdt GJ Baker	T	71.3v	42.0v	45.3v	0.0v	0.0v	0.0v	45.4v	49.6v	0.0v	0.0v	0.0v	0.0v	43.1v	295.17v
498 Mr K Gladding	O	73.7v	46.2v	49.3v	0.0v	0.0v	0.0v	44.2v	46.3v	0.0v	0.0v	0.0v	0.0v	37.0v	295.17v
499 Cdt M Griesemann	T	69.5v	47.0v	48.2v	0.0v	0.0v	0.0v	47.3v	47.3v	0.0v	0.0v	0.0v	0.0v	37.1v	295.14v
500 Miss MD Beaton-Jaramillo	X	73.8v	50.6v	40.2v	0.0v	0.0v	0.0v	47.6v	49.5v	0.0v	0.0v	0.0v	0.0v	35.1v	294.28v
501 Cpl M Saberton	T	70.7v	47.5v	45.3v	0.0v	0.0v	0.0v	49.7v	43.0v	0.0v	0.0v	0.0v	0.0v	40.2v	294.24v
502 Mr O Polat	T	71.6v	46.2v	45.4v	0.0v	0.0v	0.0v	47.6v	45.3v	0.0v	0.0v	0.0v	0.0v	40.2v	294.23v
503 Mr CSTJ Marlow	O	69.6v	46.2v	48.6v	0.0v	0.0v	0.0v	45.3v	43.2v	0.0v	0.0v	0.0v	0.0v	43.3v	294.22v
504 Mr TD Bailey	T	72.6v	44.2v	40.1v	0.0v	0.0v	0.0v	49.8v	47.4v	0.0v	0.0v	0.0v	0.0v	42.1v	294.22v
505 Mr SH Dickson	O	70.5v	42.0v	46.4v	0.0v	0.0v	0.0v	47.5v	43.2v	0.0v	0.0v	0.0v	0.0v	46.5v	294.21v
506 Mr L Vaz Pinto	T	67.3v	47.4v	46.4v	0.0v	0.0v	0.0v	45.3v	47.4v	0.0v	0.0v	0.0v	0.0v	42.2v	294.20v
507 Mr P Wright	O	71.6v	47.2v	44.2v	0.0v	0.0v	0.0v	44.4v	49.6v	0.0v	0.0v	0.0v	0.0v	39.0v	294.20v
508 Mr RP Snaith	T	70.8v	50.4v	44.1v	0.0v	0.0v	0.0v	45.2v	44.3v	0.0v	0.0v	0.0v	0.0v	41.1v	294.19v
509 Dr NAD Pasternak-Albert	T	67.4v	49.4v	46.4v	0.0v	0.0v	0.0v	46.2v	48.4v	0.0v	0.0v	0.0v	0.0v	38.1v	294.19v
510 Cdt Sgt LFG Castro	T	69.3v	48.5v	45.5v	0.0v	0.0v	0.0v	48.4v	47.2v	0.0v	0.0v	0.0v	0.0v	37.0v	294.19v
511 Cdt EM Gibaut	T	70.4v	49.3v	45.3v	0.0v	0.0v	0.0v	43.2v	48.4v	0.0v	0.0v	0.0v	0.0v	39.1v	294.17v

512 Mr A Bhagat	T	69.3v	44.2v	49.3v	0.0v	0.0v	0.0v	49.5v	48.4v	0.0v	0.0v	0.0v	0.0v	35.0v	294.17v
513 Miss SL Josling	T	74.6v	45.1v	45.1v	0.0v	0.0v	0.0v	45.2v	42.1v	0.0v	0.0v	0.0v	0.0v	43.5v	294.16v
514 Mr ACM White	T	72.10v	45.3v	45.2v	0.0v	0.0v	0.0v	48.6v	44.2v	0.0v	0.0v	0.0v	0.0v	39.1v	293.24v
515 Mr AC Barrell	O	68.6v	45.1v	44.0v	0.0v	0.0v	0.0v	47.7v	47.6v	0.0v	0.0v	0.0v	0.0v	42.3v	293.23v
516 Mr H Bishop	T	69.5v	46.3v	46.3v	0.0v	0.0v	0.0v	44.4v	46.4v	0.0v	0.0v	0.0v	0.0v	42.3v	293.22v
517 Mr RCG Thomas	T	70.5v	46.2v	43.4v	0.0v	0.0v	0.0v	46.4v	46.4v	0.0v	0.0v	0.0v	0.0v	42.2v	293.21v
518 Mr M Nikolic	T	70.4v	47.5v	46.4v	0.0v	0.0v	0.0v	45.3v	43.4v	0.0v	0.0v	0.0v	0.0v	42.1v	293.21v
519 Mr PB Cutts	O	67.6v	44.2v	46.3v	0.0v	0.0v	0.0v	47.4v	44.2v	0.0v	0.0v	0.0v	0.0v	45.1v	293.18v
520 Ms CAE Renart	T	68.5v	45.3v	44.3v	0.0v	0.0v	0.0v	47.4v	48.3v	0.0v	0.0v	0.0v	0.0v	41.0v	293.18v
521 Mrs T Newbold	O	70.5v	47.2v	47.3v	0.0v	0.0v	0.0v	43.4v	44.3v	0.0v	0.0v	0.0v	0.0v	42.0v	293.17v
522 Cpl S Farrow	T	70.4v	44.1v	43.1v	0.0v	0.0v	0.0v	48.4v	47.3v	0.0v	0.0v	0.0v	0.0v	41.1v	293.14v
523 Miss ER Cunningham	T	71.3v	45.4v	44.2v	0.0v	0.0v	0.0v	39.2v	48.7v	0.0v	0.0v	0.0v	0.0v	45.3v	292.21v
524 Cdt LCpl EM Robinson	T	71.5v	44.2v	47.3v	0.0v	0.0v	0.0v	44.2v	43.3v	0.0v	0.0v	0.0v	0.0v	43.4v	292.19v
525 Cdt Sgt SR Hall	T	67.4v	47.2v	47.2v	0.0v	0.0v	0.0v	47.4v	48.6v	0.0v	0.0v	0.0v	0.0v	36.0v	292.18v
526 WO1 RNR G Kendall	T	66.1v	47.3v	47.3v	0.0v	0.0v	0.0v	45.4v	44.3v	0.0v	0.0v	0.0v	0.0v	43.3v	292.17v
527 Mr BHC Whitley	T	72.7v	47.7v	43.1v	0.0v	0.0v	0.0v	46.3v	44.3v	0.0v	0.0v	0.0v	0.0v	39.0v	291.21v
528 Mr PL Green	T	73.6v	45.1v	45.2v	0.0v	0.0v	0.0v	50.7v	36.0v	0.0v	0.0v	0.0v	0.0v	42.4v	291.20v
529 Mr AM Poulton	O	66.4v	47.4v	47.2v	0.0v	0.0v	0.0v	42.2v	48.5v	0.0v	0.0v	0.0v	0.0v	41.3v	291.20v
530 Miss SO Brumby	T	71.6v	46.3v	43.2v	0.0v	0.0v	0.0v	45.3v	44.1v	0.0v	0.0v	0.0v	0.0v	42.3v	291.18v
531 Mr TS McDowell	O	67.6v	47.2v	44.1v	0.0v	0.0v	0.0v	44.4v	46.3v	0.0v	0.0v	0.0v	0.0v	43.1v	291.17v
532 Mr DJ Stewart	O	71.3v	44.3v	43.0v	0.0v	0.0v	0.0v	45.3v	46.6v	0.0v	0.0v	0.0v	0.0v	41.3v	290.18v
533 Mr ZZ Grosvenor	T	73.5v	47.3v	46.3v	0.0v	0.0v	0.0v	45.4v	41.2v	0.0v	0.0v	0.0v	0.0v	38.1v	290.18v
534 Mr CSM Tuke	T	71.5v	46.2v	47.2v	0.0v	0.0v	0.0v	44.1v	47.4v	0.0v	0.0v	0.0v	0.0v	35.4v	290.18v
535 Mr B Cunningham	T	69.5v	50.4v	44.4v	0.0v	0.0v	0.0v	44.2v	43.1v	0.0v	0.0v	0.0v	0.0v	40.0v	290.16v
536 Cdt LCpl C Sekine	T	69.4v	46.3v	45.2v	0.0v	0.0v	0.0v	48.2v	42.2v	0.0v	0.0v	0.0v	0.0v	40.2v	290.15v
537 Mr A Wild	T	67.6v	47.4v	46.2v	0.0v	0.0v	0.0v	42.1v	48.6v	0.0v	0.0v	0.0v	0.0v	39.1v	289.20v
538 Mr MA Chammings	T	68.5v	50.4v	41.2v	0.0v	0.0v	0.0v	44.2v	48.5v	0.0v	0.0v	0.0v	0.0v	38.1v	289.19v
539 Dr G Stevenson	O	68.4v	47.3v	45.0v	0.0v	0.0v	0.0v	45.2v	41.0v	0.0v	0.0v	0.0v	0.0v	43.2v	289.11v
540 Mr C Hughes	O	72.7v	48.6v	38.3v	0.0v	0.0v	0.0v	48.6v	48.4v	0.0v	0.0v	0.0v	0.0v	34.0v	288.26v
541 Miss DF Harrison	T	69.6v	45.3v	49.3v	0.0v	0.0v	0.0v	47.5v	45.2v	0.0v	0.0v	0.0v	0.0v	33.2v	288.21v
542 Mr RA Monaghan	T	69.7v	45.3v	45.2v	0.0v	0.0v	0.0v	46.3v	46.3v	0.0v	0.0v	0.0v	0.0v	37.1v	288.19v
543 Mr I Cotillard	T	68.3v	46.4v	43.1v	0.0v	0.0v	0.0v	45.4v	44.4v	0.0v	0.0v	0.0v	0.0v	42.2v	288.18v
544 Mr MK Townsend	O	67.5v	44.0v	47.3v	0.0v	0.0v	0.0v	47.4v	43.1v	0.0v	0.0v	0.0v	0.0v	40.2v	288.15v
545 Mr MJ Dowe	T	70.5v	46.1v	46.3v	0.0v	0.0v	0.0v	46.5v	41.0v	0.0v	0.0v	0.0v	0.0v	39.1v	288.15v
546 Mr HL Yiu	T	71.8v	43.2v	46.1v	0.0v	0.0v	0.0v	47.5v	40.2v	0.0v	0.0v	0.0v	0.0v	40.2v	287.20v
547 Mr BD Scott Langley	T	69.5v	42.2v	46.2v	0.0v	0.0v	0.0v	46.4v	42.3v	0.0v	0.0v	0.0v	0.0v	42.2v	287.18v
548 Mr N Kanayama	X	68.6v	46.4v	46.2v	0.0v	0.0v	0.0v	46.3v	43.0v	0.0v	0.0v	0.0v	0.0v	38.1v	287.16v
549 Miss TA Peters	T	66.4v	47.6v	43.2v	0.0v	0.0v	0.0v	46.5v	48.4v	0.0v	0.0v	0.0v	0.0v	36.3v	286.24v
550 Cdt Cpl PS Abram	T	64.4v	47.4v	46.3v	0.0v	0.0v	0.0v	48.4v	40.2v	0.0v	0.0v	0.0v	0.0v	41.0v	286.17v
551 Mr T Starr	T	71.6v	43.1v	45.2v	0.0v	0.0v	0.0v	45.2v	42.1v	0.0v	0.0v	0.0v	0.0v	40.2v	286.14v
552 Cdt MML Holt	T	72.6v	47.2v	41.0v	0.0v	0.0v	0.0v	42.0v	46.6v	0.0v	0.0v	0.0v	0.0v	38.0v	286.14v
553 Miss A Downie	T	70.4v	45.2v	46.1v	0.0v	0.0v	0.0v	44.3v	44.2v	0.0v	0.0v	0.0v	0.0v	37.0v	286.12v
554 Mr GH Oliver	T	62.3v	43.2v	46.4v	0.0v	0.0v	0.0v	47.3v	45.3v	0.0v	0.0v	0.0v	0.0v	42.2v	285.17v
555 Mr TM Green	O	68.4v	46.4v	43.1v	0.0v	0.0v	0.0v	40.3v	41.2v	0.0v	0.0v	0.0v	0.0v	47.2v	285.16v
556 Mr T Pantke	O	72.4v	45.1v	38.1v	0.0v	0.0v	0.0v	45.4v	43.3v	0.0v	0.0v	0.0v	0.0v	42.3v	285.16v
557 Mr TF Kurn	O	67.4v	43.2v	44.4v	0.0v	0.0v	0.0v	42.0v	49.4v	0.0v	0.0v	0.0v	0.0v	40.0v	285.14v
558 Mr OP Henry	A	64.4v	45.0v	45.5v	0.0v	0.0v	0.0v	48.6v	44.3v	0.0v	0.0v	0.0v	0.0v	38.0v	284.18v
559 Miss F Cheung	T	68.5v	45.3v	46.4v	0.0v	0.0v	0.0v	41.2v	46.1v	0.0v	0.0v	0.0v	0.0v	38.1v	284.16v
560 Dr N Hart	O	65.2v	43.1v	44.3v	0.0v	0.0v	0.0v	44.3v	42.1v	0.0v	0.0v	0.0v	0.0v	46.4v	284.14v
561 Lt Col TH Emck	O	67.5v	46.2v	46.2v	0.0v	0.0v	0.0v	44.2v	45.3v	0.0v	0.0v	0.0v	0.0v	36.0v	284.14v
562 Cdt Sgt O Parkins	T	68.3v	47.1v	43.3v	0.0v	0.0v	0.0v	41.2v	41.1v	0.0v	0.0v	0.0v	0.0v	44.1v	284.11v
563 Mr NJ Harris	T	70.3v	45.1v	43.0v	0.0v	0.0v	0.0v	42.1v	43.2v	0.0v	0.0v	0.0v	0.0v	41.3v	284.10v
564 Cdt Cpl BJ Reeves	T	71.7v	47.6v	40.1v	0.0v	0.0v	0.0v	44.2v	45.2v	0.0v	0.0v	0.0v	0.0v	36.2v	283.20v
565 Mr H Dodds	T	68.3v	46.1v	42.5v	0.0v	0.0v	0.0v	42.0v	48.7v	0.0v	0.0v	0.0v	0.0v	37.0v	283.16v
566 Cdt Sgt N Luchmun	T	71.3v	45.4v	42.0v	0.0v	0.0v	0.0v	43.2v	40.4v	0.0v	0.0v	0.0v	0.0v	42.2v	283.15v
567 Cdt AG Simpson	T	67.5v	45.2v	42.1v	0.0v	0.0v	0.0v	44.3v	43.3v	0.0v	0.0v	0.0v	0.0v	42.1v	283.15v
568 Miss IA Matson	T	71.5v	41.1v	48.2v	0.0v	0.0v	0.0v	39.1v	46.5v	0.0v	0.0v	0.0v	0.0v	38.1v	283.15v
569 Cdt Sgt HAB Cardozo	T	71.7v	43.1v	44.2v	0.0v	0.0v	0.0v	49.3v	43.2v	0.0v	0.0v	0.0v	0.0v	33.0v	283.15v
570 Mr GR Thomas	O	70.5v	45.2v	42.2v	0.0v	0.0v	0.0v	43.0v	44.1v	0.0v	0.0v	0.0v	0.0v	39.1v	283.11v
571 Mr CW Dale	O	65.5v	42.1v	43.1v	0.0v	0.0v	0.0v	46.4v	45.3v	0.0v	0.0v	0.0v	0.0v	41.3v	282.17v

572 Cdt Cpl KTA Tam	T	67.6v	48.5v	44.0v	0.0v	0.0v	0.0v	49.3v	39.0v	0.0v	0.0v	0.0v	0.0v	35.1v	282.15v
573 Cdt ARB Curtis	T	65.4v	47.3v	47.1v	0.0v	0.0v	0.0v	37.0v	47.5v	0.0v	0.0v	0.0v	0.0v	39.1v	282.14v
574 Miss SA Dudley	T	68.5v	43.2v	45.0v	0.0v	0.0v	0.0v	46.4v	45.3v	0.0v	0.0v	0.0v	0.0v	35.0v	282.14v
575 Miss ZA Sayers	T	58.3v	48.6v	48.4v	0.0v	0.0v	0.0v	45.3v	50.6v	0.0v	0.0v	0.0v	0.0v	32.0v	281.22v
576 Mr RK Sheead	O	68.4v	45.3v	47.1v	0.0v	0.0v	0.0v	43.1v	42.0v	0.0v	0.0v	0.0v	0.0v	36.1v	281.10v
577 Mr S Douglas	O	66.1v	40.0v	44.2v	0.0v	0.0v	0.0v	44.2v	44.2v	0.0v	0.0v	0.0v	0.0v	43.0v	281.7v
578 Mr TDB Hebblethwaite	T	65.1v	44.3v	43.4v	0.0v	0.0v	0.0v	44.1v	43.2v	0.0v	0.0v	0.0v	0.0v	41.1v	280.12v
579 Cdt CH Maxwell Randeria	T	70.0v	44.2v	39.0v	0.0v	0.0v	0.0v	45.1v	41.1v	0.0v	0.0v	0.0v	0.0v	41.1v	280.5v
580 Cdt Sgt HM Anselm	T	70.3v	47.3v	40.1v	0.0v	0.0v	0.0v	42.0v	39.1v	0.0v	0.0v	0.0v	0.0v	41.3v	279.11v
581 Mr CA Shelley	T	69.7v	43.4v	45.3v	0.0v	0.0v	0.0v	45.2v	43.2v	0.0v	0.0v	0.0v	0.0v	33.1v	278.19v
582 Cdt IG Ogilvie Robinson	T	65.3v	48.5v	40.2v	0.0v	0.0v	0.0v	42.3v	43.2v	0.0v	0.0v	0.0v	0.0v	40.2v	278.17v
583 Mr M Garcia-Oliver	T	71.8v	47.4v	43.2v	0.0v	0.0v	0.0v	35.0v	44.2v	0.0v	0.0v	0.0v	0.0v	38.0v	278.16v
584 Cdt LCpl O Witt	T	66.8v	41.2v	41.2v	0.0v	0.0v	0.0v	45.2v	47.5v	0.0v	0.0v	0.0v	0.0v	37.1v	277.20v
585 Mr J Fraser	X	61.1v	42.1v	43.2v	0.0v	0.0v	0.0v	43.1v	44.2v	0.0v	0.0v	0.0v	0.0v	44.2v	277.9v
586 Mr M Grimsdell	O	66.3v	44.1v	42.1v	0.0v	0.0v	0.0v	41.0v	41.1v	0.0v	0.0v	0.0v	0.0v	43.1v	277.7v
587 Mr M Ghorashi	T	65.1v	41.3v	45.3v	0.0v	0.0v	0.0v	46.3v	37.2v	0.0v	0.0v	0.0v	0.0v	41.3v	275.15v
588 Cdt A Nishikawa	T	67.2v	43.3v	45.0v	0.0v	0.0v	0.0v	45.2v	47.3v	0.0v	0.0v	0.0v	0.0v	28.1v	275.11v
589 Miss EG Button	T	64.2v	44.2v	42.1v	0.0v	0.0v	0.0v	45.4v	44.2v	0.0v	0.0v	0.0v	0.0v	35.2v	274.13v
590 Cdt Sgt R Barrett	T	64.2v	45.2v	41.1v	0.0v	0.0v	0.0v	43.2v	41.2v	0.0v	0.0v	0.0v	0.0v	40.2v	274.11v
591 Mr E Chrystal	T	64.3v	45.2v	45.3v	0.0v	0.0v	0.0v	42.1v	39.1v	0.0v	0.0v	0.0v	0.0v	39.0v	274.10v
592 Cdt LCpl L Warden	T	68.3v	46.0v	43.2v	0.0v	0.0v	0.0v	46.3v	34.0v	0.0v	0.0v	0.0v	0.0v	37.1v	274.9v
593 Cdt Cpl DK Hakim	T	66.4v	40.0v	46.4v	0.0v	0.0v	0.0v	43.3v	40.3v	0.0v	0.0v	0.0v	0.0v	38.1v	273.15v
594 Miss GE Bush	T	66.2v	45.2v	45.5v	0.0v	0.0v	0.0v	47.6v	27.1v	0.0v	0.0v	0.0v	0.0v	42.1v	272.17v
595 Mr JWD Grace	T	66.5v	41.2v	43.1v	0.0v	0.0v	0.0v	46.3v	38.2v	0.0v	0.0v	0.0v	0.0v	38.0v	272.13v
596 Mr N Stebbings	O	63.2v	46.3v	45.2v	0.0v	0.0v	0.0v	41.1v	45.3v	0.0v	0.0v	0.0v	0.0v	32.0v	272.11v
597 Cdt MEF Bartlette	T	68.5v	47.3v	31.1v	0.0v	0.0v	0.0v	39.1v	44.3v	0.0v	0.0v	0.0v	0.0v	42.2v	271.15v
598 Mr EJ Gadd-Chapman	T	67.2v	39.0v	42.1v	0.0v	0.0v	0.0v	48.5v	40.1v	0.0v	0.0v	0.0v	0.0v	35.2v	271.11v
599 Cdt Ssgt PM Viney	T	65.1v	42.1v	43.2v	0.0v	0.0v	0.0v	46.3v	37.0v	0.0v	0.0v	0.0v	0.0v	38.1v	271.8v
600 Mr L Jack	T	68.4v	45.3v	44.2v	0.0v	0.0v	0.0v	44.2v	45.3v	0.0v	0.0v	0.0v	0.0v	24.0v	270.14v
601 Mr AJM Lyle	T	65.0v	40.0v	40.0v	0.0v	0.0v	0.0v	41.1v	44.2v	0.0v	0.0v	0.0v	0.0v	40.0v	270.3v
602 Mr DRM Tuke	T	61.1v	45.2v	31.1v	0.0v	0.0v	0.0v	46.3v	45.3v	0.0v	0.0v	0.0v	0.0v	40.2v	268.12v
603 Cdt CD Hiles	T	65.2v	45.2v	33.0v	0.0v	0.0v	0.0v	41.1v	45.5v	0.0v	0.0v	0.0v	0.0v	39.1v	268.11v
604 Mr P Gillies	T	59.0v	43.0v	42.2v	0.0v	0.0v	0.0v	47.4v	42.1v	0.0v	0.0v	0.0v	0.0v	35.1v	268.8v
605 Cdt KM Chung	T	62.3v	39.1v	37.1v	0.0v	0.0v	0.0v	49.6v	40.0v	0.0v	0.0v	0.0v	0.0v	40.1v	267.12v
606 Mr A Coombs	T	64.1v	44.2v	37.0v	0.0v	0.0v	0.0v	46.2v	41.3v	0.0v	0.0v	0.0v	0.0v	34.0v	266.8v
607 Mr M Hannaford	X	66.1v	41.2v	45.1v	0.0v	0.0v	0.0v	47.3v	41.2v	0.0v	0.0v	0.0v	0.0v	23.0v	263.9v
608 Miss C Halloran	X	73.10v	49.6v	49.3v	0.0v	0.0v	0.0v	0.0v	48.7v	0.0v	0.0v	0.0v	0.0v	43.2v	262.28v
609 Cdt E Woodhead	T	65.4v	44.2v	45.2v	0.0v	0.0v	0.0v	43.0v	34.1v	0.0v	0.0v	0.0v	0.0v	31.1v	262.10v
610 Mr A Betts	X	71.3v	44.5v	48.4v	0.0v	0.0v	0.0v	49.6v	49.7v	0.0v	0.0v	0.0v	0.0v	0.0v	261.25v
611 Mr L Vitek	T	65.5v	36.0v	37.1v	0.0v	0.0v	0.0v	46.3v	43.0v	0.0v	0.0v	0.0v	0.0v	32.1v	259.10v
612 Cdt Sgt A Lerwill	T	60.1v	45.0v	39.1v	0.0v	0.0v	0.0v	41.1v	41.3v	0.0v	0.0v	0.0v	0.0v	33.2v	259.8v
613 Mr OJ Christy	T	71.7v	48.4v	47.3v	0.0v	0.0v	0.0v	6.1v	48.4v	0.0v	0.0v	0.0v	0.0v	38.1v	258.20v
614 Cdt T Temperley	T	66.4v	43.1v	35.2v	0.0v	0.0v	0.0v	44.3v	36.1v	0.0v	0.0v	0.0v	0.0v	33.1v	257.12v
615 Mr A Sainter	T	67.5v	42.1v	38.1v	0.0v	0.0v	0.0v	41.2v	38.0v	0.0v	0.0v	0.0v	0.0v	31.1v	257.10v
616 Cdt Ssgt J Viney	T	60.3v	39.1v	43.1v	0.0v	0.0v	0.0v	42.3v	35.0v	0.0v	0.0v	0.0v	0.0v	37.0v	256.8v
617 Mr DD Charles	O	60.1v	41.0v	45.2v	0.0v	0.0v	0.0v	35.0v	37.0v	0.0v	0.0v	0.0v	0.0v	38.2v	256.5v
618 Mr M Reid	O	73.9v	48.5v	46.2v	0.0v	0.0v	0.0v	0.0v	47.5v	0.0v	0.0v	0.0v	0.0v	41.1v	255.22v
619 Cdt G Griffiths	T	61.1v	41.2v	40.0v	0.0v	0.0v	0.0v	37.1v	36.2v	0.0v	0.0v	0.0v	0.0v	38.2v	253.8v
620 Miss IW Fraser	T	65.2v	41.2v	33.1v	0.0v	0.0v	0.0v	42.2v	41.1v	0.0v	0.0v	0.0v	0.0v	31.0v	253.8v
621 Cpl LG Hetherington	T	72.9v	44.2v	43.3v	0.0v	0.0v	0.0v	0.0v	47.5v	0.0v	0.0v	0.0v	0.0v	45.5v	251.24v
622 Miss AR Munday	T	70.5v	47.2v	41.4v	0.0v	0.0v	0.0v	45.1v	48.3v	0.0v	0.0v	0.0v	0.0v	0.0v	251.15v
623 Mr A Greenlees	T	56.1v	42.3v	43.2v	0.0v	0.0v	0.0v	43.0v	38.0v	0.0v	0.0v	0.0v	0.0v	29.2v	251.8v
624 Ms MMV James	O	64.3v	42.1v	33.0v	0.0v	0.0v	0.0v	43.4v	36.0v	0.0v	0.0v	0.0v	0.0v	30.1v	248.9v
625 Dr AJ Browne	T	65.0v	38.1v	41.2v	0.0v	0.0v	0.0v	39.1v	34.0v	0.0v	0.0v	0.0v	0.0v	29.1v	246.5v
626 Mr DAF Parkinson	O	26.2v	43.1v	42.3v	0.0v	0.0v	0.0v	46.3v	39.1v	0.0v	0.0v	0.0v	0.0v	41.1v	237.11v
627 Mr SE Fry	T	55.1v	39.1v	44.2v	0.0v	0.0v	0.0v	39.0v	21.0v	0.0v	0.0v	0.0v	0.0v	38.2v	236.6v
628 Cdt LCpl AA Gardiner	T	54.1v	44.3v	36.1v	0.0v	0.0v	0.0v	33.0v	36.0v	0.0v	0.0v	0.0v	0.0v	33.1v	236.6v
629 Mrs SEP Kent	O	16.0v	44.1v	47.3v	0.0v	0.0v	0.0v	46.2v	45.4v	0.0v	0.0v	0.0v	0.0v	36.1v	234.11v
630 Mr HT Fearn	T	63.4v	42.3v	43.1v	0.0v	0.0v	0.0v	42.2v	40.1v	0.0v	0.0v	0.0v	0.0v	0.0v	230.11v
631 Miss EM Page	T	0.0v	47.3v	47.2v	0.0v	0.0v	0.0v	40.0v	49.5v	0.0v	0.0v	0.0v	0.0v	42.0v	225.10v

