

NRA 155th Imperial Meeting

Grand Aggregate (as at Thursday, 25th July 2024)

		DT	DM	Alex	DC	Times	Wimb	Doyle	Dgall	St. G.	PoW	King's I	Lovell	Corp	Total
1 Miss CA Evans	X	75.14v	50.5v	50.9v	48.4v	49.6v	50.6v	50.9v	50.9v	74.11v	73.11v	105.15v	49.6v	48.5v	771.110v
2 Mr MJ Ensor	X	74.12v	50.7v	50.6v	50.8v	50.4v	50.8v	50.5v	50.8v	75.12v	73.7v	105.17v	49.5v	45.2v	771.101v
3 Mr TJD Raincock	X	74.12v	50.10v	50.3v	47.4v	50.6v	50.9v	50.7v	49.7v	74.10v	74.8v	104.9v	49.6v	49.9v	770.100v
4 Mr ERT Jeens	X	75.7v	50.6v	50.5v	49.6v	50.7v	49.8v	50.8v	50.8v	73.9v	74.8v	101.9v	49.5v	50.5v	770.91v
5 Mr J Corbett	X	75.9v	50.9v	50.8v	48.7v	50.6v	49.7v	50.5v	49.4v	74.11v	75.8v	104.14v	45.2v	50.4v	769.94v
6 Mr JC Underwood	X	75.10v	50.8v	50.6v	48.5v	49.6v	50.8v	49.7v	50.9v	74.11v	75.12v	103.11v	48.6v	47.3v	768.102v
7 Mr MRM Millar	X	75.9v	50.8v	49.6v	45.0v	49.3v	50.6v	50.6v	50.8v	75.8v	74.11v	105.15v	48.4v	48.5v	768.89v
8 Mr DC Luckman	X	75.11v	49.5v	49.7v	48.6v	49.5v	50.5v	50.7v	50.7v	75.13v	74.11v	103.15v	48.6v	47.6v	767.104v
9 Miss CE Choquette	A	75.11v	49.8v	50.9v	49.7v	49.5v	49.7v	50.8v	50.6v	75.9v	73.7v	104.14v	50.5v	44.3v	767.99v
10 Mrs SP Thorogood	A	75.7v	49.8v	50.8v	47.2v	49.6v	50.6v	50.7v	50.8v	75.12v	73.9v	104.12v	49.6v	46.3v	767.94v
11 Mr MC Cooper	X	75.10v	50.7v	50.5v	47.3v	50.6v	50.6v	48.5v	49.3v	75.11v	74.7v	102.12v	50.6v	47.2v	767.83v
12 Mr ANR Walker	X	74.10v	50.7v	50.7v	48.5v	50.6v	48.3v	50.4v	50.8v	74.12v	73.8v	102.14v	48.6v	49.4v	766.94v
13 Mr CJ Mitchell	X	75.13v	49.5v	50.6v	46.6v	50.6v	48.6v	48.3v	50.8v	75.8v	73.7v	105.17v	48.4v	49.5v	766.94v
14 Maj NT Healy	X	74.11v	50.8v	49.4v	48.6v	49.6v	49.7v	50.8v	50.8v	74.13v	73.8v	104.18v	48.3v	47.6v	765.106v
15 Mr R Stewart	X	74.12v	50.6v	48.7v	49.2v	50.6v	48.5v	47.4v	50.7v	75.13v	74.9v	105.11v	47.6v	48.7v	765.95v
16 Mr D Lowe	A	74.12v	50.7v	47.4v	49.8v	49.7v	49.6v	50.7v	50.5v	74.9v	72.7v	102.8v	50.7v	49.6v	765.93v
17 Capt NJ Ball	X	74.12v	50.7v	50.5v	49.5v	50.9v	49.5v	49.5v	48.7v	75.10v	73.5v	101.12v	50.8v	47.3v	765.93v
18 Mr AR McLeod	X	75.12v	50.5v	50.6v	50.7v	50.5v	49.9v	49.9v	50.7v	72.8v	73.11v	103.13v	45.3v	48.8v	764.103v
19 Mr D Calvert	X	73.6v	50.9v	50.6v	47.7v	50.5v	50.8v	50.8v	50.8v	75.11v	68.6v	103.12v	49.7v	49.6v	764.99v
20 Ms RL Furniss	X	75.11v	50.8v	49.7v	46.5v	47.2v	50.8v	50.7v	50.9v	72.9v	74.9v	105.15v	47.3v	49.5v	764.98v
21 Mr JM Di Bona	X	75.12v	50.8v	49.7v	45.4v	49.6v	50.8v	50.5v	50.9v	74.12v	74.6v	102.10v	48.4v	48.5v	764.96v
22 Mr PM Patel	X	74.11v	50.6v	50.9v	49.4v	49.9v	49.7v	50.6v	50.6v	75.13v	72.6v	102.15v	44.1v	50.3v	764.96v
23 Mr PD Sykes	X	74.7v	49.4v	48.4v	49.4v	50.8v	50.6v	50.8v	50.8v	73.9v	72.9v	104.18v	47.3v	48.6v	764.94v
24 Mr JD Warburton	X	74.9v	47.3v	49.6v	49.7v	50.9v	49.4v	50.8v	49.5v	74.10v	73.8v	103.10v	47.3v	50.7v	764.89v
25 Mr MJ Keel	O	75.8v	49.5v	50.7v	44.2v	50.8v	50.5v	49.7v	49.6v	75.7v	72.7v	104.12v	48.6v	49.6v	764.86v
26 Mr OR Farrell	A	73.11v	49.8v	50.4v	49.3v	50.7v	48.4v	50.6v	49.6v	74.5v	73.8v	105.15v	47.4v	47.2v	764.83v
27 Mr BJ Le Cheminant	X	74.10v	50.8v	49.6v	49.7v	49.8v	50.8v	50.10v	49.8v	74.11v	73.8v	100.10v	46.3v	50.7v	763.104v
28 Mr SME Hayton	X	75.13v	50.5v	49.5v	47.6v	49.6v	48.7v	49.4v	50.7v	74.11v	72.7v	104.11v	48.5v	48.7v	763.94v
29 Mr CD Heales	X	75.12v	49.6v	49.5v	49.6v	50.7v	49.5v	50.6v	50.8v	74.10v	73.10v	104.13v	43.1v	48.4v	763.93v
30 Mr JEM Bellringer	X	75.8v	49.7v	48.4v	50.7v	50.10v	50.6v	47.1v	49.6v	74.12v	74.9v	102.12v	50.6v	45.4v	763.92v
31 Mr JWA Alexander	X	73.8v	49.3v	49.5v	48.5v	50.7v	49.7v	50.8v	49.5v	75.10v	71.6v	103.14v	47.3v	50.4v	763.85v
32 Mr KWD Ramsey	X	74.10v	48.4v	49.3v	50.4v	50.5v	50.4v	50.7v	50.6v	74.9v	73.8v	105.16v	42.1v	48.4v	763.81v
33 Mr EN Munro	A	75.14v	49.8v	50.6v	48.5v	49.6v	49.3v	48.6v	50.5v	75.12v	73.9v	104.15v	46.5v	46.3v	762.97v
34 Mr NRJ Brasier	X	72.6v	50.9v	50.10v	49.3v	49.5v	47.5v	50.6v	50.7v	74.10v	74.6v	102.16v	49.5v	46.5v	762.93v
35 Mr TM Stevenson	A	73.7v	50.8v	48.3v	45.2v	49.6v	48.7v	50.6v	50.7v	75.10v	74.10v	105.14v	46.2v	49.4v	762.86v
36 Sgt SDJ Glanville	X	75.10v	49.7v	48.5v	46.3v	50.1v	50.3v	50.6v	48.5v	74.10v	72.8v	105.15v	48.7v	47.4v	762.84v
37 Mr JL Brooking	X	74.9v	50.7v	48.6v	49.6v	50.7v	50.8v	49.4v	49.5v	74.6v	74.9v	103.7v	48.5v	44.4v	762.83v
38 Mr MCJ Button	X	74.10v	50.5v	49.7v	46.6v	50.6v	50.3v	49.5v	48.7v	75.13v	72.8v	103.8v	49.7v	46.5v	761.90v
39 Dr AM Jory	X	75.11v	49.8v	49.4v	47.6v	49.6v	48.5v	49.6v	48.3v	74.7v	74.6v	104.12v	47.6v	48.4v	761.84v
40 Mr SJ Whitby	O	75.10v	50.6v	50.7v	49.6v	47.4v	47.3v	50.9v	50.6v	74.5v	72.8v	101.8v	49.5v	47.4v	761.81v
41 Mr RR Warren	X	73.9v	48.5v	50.5v	50.3v	47.4v	49.4v	50.4v	49.5v	72.7v	72.10v	104.12v	50.8v	47.4v	761.80v
42 Mr JA Watson	A	74.10v	50.5v	48.5v	45.2v	50.6v	48.4v	48.2v	50.8v	75.8v	73.8v	104.10v	50.4v	46.3v	761.75v
43 Mr EA Sewell	X	75.10v	50.3v	50.8v	48.5v	49.5v	50.2v	49.5v	50.8v	75.6v	71.6v	102.10v	43.2v	49.3v	761.73v

44	Miss JM Hince	X	74.8v	50.10v	50.7v	46.3v	50.10v	50.8v	46.3v	50.9v	74.12v	72.7v	102.12v	48.5v	48.5v	760.99v
45	Dr GP Nelson	X	75.10v	50.9v	49.7v	49.5v	49.4v	49.6v	50.8v	48.5v	74.10v	71.5v	104.13v	45.3v	47.6v	760.91v
46	Mr M Liversage	X	75.13v	49.7v	48.4v	50.5v	50.7v	50.5v	49.5v	49.7v	75.11v	70.6v	105.13v	48.6v	42.2v	760.91v
47	Mr DR Armstrong	X	73.7v	48.4v	49.6v	48.4v	49.7v	49.8v	50.7v	49.8v	74.10v	70.7v	105.15v	49.4v	47.3v	760.90v
48	Mr LVG OFlynn	X	74.11v	50.5v	49.5v	50.7v	47.4v	48.4v	50.9v	50.7v	74.11v	73.8v	102.11v	47.5v	46.3v	760.90v
49	Dr JO Ahrens	X	75.11v	49.8v	50.7v	47.3v	50.7v	50.8v	48.5v	49.3v	72.6v	73.9v	104.15v	48.5v	45.1v	760.88v
50	Mr JA Bullock	X	75.8v	50.8v	49.3v	47.6v	48.4v	49.6v	49.6v	50.5v	75.12v	73.9v	103.14v	46.2v	46.4v	760.87v
51	Mr CJ Watson	X	73.9v	49.4v	50.9v	48.5v	50.6v	47.6v	49.4v	50.8v	74.8v	71.7v	105.12v	47.2v	47.6v	760.86v
52	Mr R Birtwistle	X	74.11v	48.6v	49.6v	49.3v	50.8v	50.5v	50.7v	50.9v	74.8v	74.6v	102.12v	45.2v	45.3v	760.86v
53	Mr HJ Golaszewski	X	75.13v	50.6v	50.7v	46.3v	47.5v	50.5v	50.8v	49.5v	73.8v	72.8v	104.12v	47.2v	47.0v	760.82v
54	Mr CP Weeden	X	72.5v	50.5v	50.7v	47.7v	50.8v	49.5v	50.6v	49.3v	74.7v	72.6v	105.16v	46.4v	46.3v	760.82v
55	Mr RJS Curtis	X	75.10v	50.7v	47.5v	50.6v	49.4v	49.5v	49.5v	50.6v	72.4v	73.10v	105.14v	48.3v	43.2v	760.81v
56	Maj JME Cook	X	75.13v	50.7v	49.4v	48.3v	49.3v	47.3v	50.5v	50.6v	74.6v	74.10v	104.10v	47.5v	43.4v	760.79v
57	Mr PA Hatfield	O	74.6v	50.3v	50.5v	49.6v	50.5v	50.6v	50.7v	48.7v	75.11v	72.5v	103.10v	46.5v	43.2v	760.78v
58	Mr S Bland	X	73.8v	49.5v	49.4v	49.4v	50.7v	47.4v	48.4v	49.5v	74.9v	75.7v	101.11v	48.5v	48.4v	760.77v
59	Mr ASO Stewart	A	75.8v	48.6v	49.5v	48.4v	50.5v	47.4v	48.2v	49.5v	74.9v	75.9v	104.14v	45.2v	48.1v	760.74v
60	Mr F Mohideen	X	73.7v	49.3v	50.6v	48.2v	50.2v	49.4v	48.6v	50.6v	73.9v	72.8v	104.13v	47.2v	47.1v	760.69v
61	Mr T Cubitt	X	73.5v	47.5v	49.3v	49.7v	50.6v	47.5v	48.7v	47.5v	75.13v	75.7v	105.19v	48.4v	46.4v	759.90v
62	Mr JR Tuck	X	75.9v	49.5v	47.4v	49.5v	49.8v	48.4v	49.8v	50.10v	75.4v	71.10v	103.9v	46.2v	48.4v	759.82v
63	Mr K OLoghlen	X	74.10v	50.6v	48.7v	49.3v	50.6v	50.7v	42.5v	50.4v	74.8v	74.7v	103.10v	49.4v	46.3v	759.80v
64	Mr AD Le Cheminant	X	75.11v	49.5v	49.7v	48.1v	49.3v	50.5v	50.8v	50.5v	73.10v	71.6v	99.7v	48.4v	48.5v	759.77v
65	Mr AS Nanrey	O	74.8v	50.8v	48.5v	49.7v	47.4v	48.5v	49.7v	50.8v	73.10v	73.9v	101.10v	49.6v	47.3v	758.90v
66	Mr RSF Shouler	X	75.10v	47.5v	49.5v	47.2v	50.9v	50.7v	48.7v	49.6v	74.11v	73.9v	104.13v	45.3v	47.3v	758.90v
67	Mr RL Eayrs	A	74.10v	47.6v	49.6v	48.6v	50.8v	49.3v	50.4v	49.5v	74.9v	73.7v	99.15v	49.5v	47.2v	758.86v
68	Mr NJ Verduyn	X	71.8v	49.7v	47.7v	50.6v	50.7v	49.6v	49.4v	50.6v	75.12v	72.6v	102.12v	48.3v	46.2v	758.86v
69	Dr CD Haley	A	73.7v	50.7v	48.6v	48.5v	49.5v	48.5v	49.6v	49.3v	73.10v	70.6v	104.14v	50.6v	47.4v	758.84v
70	Mr DFP Richards	X	72.10v	49.6v	47.6v	49.5v	50.3v	47.6v	50.6v	49.5v	73.8v	73.8v	104.10v	47.4v	48.6v	758.83v
71	Mr P Bromley	X	75.10v	49.3v	50.7v	49.4v	48.4v	49.6v	48.5v	49.7v	74.10v	70.3v	101.12v	48.3v	48.5v	758.79v
72	Mr DA Rose	X	75.5v	48.4v	50.5v	49.7v	48.4v	49.6v	47.4v	49.9v	74.9v	72.9v	105.12v	45.2v	47.3v	758.79v
73	Mr JM Taylor	X	75.10v	48.4v	49.6v	50.4v	48.5v	49.6v	48.5v	48.2v	74.10v	74.8v	104.10v	45.2v	46.3v	758.75v
74	Mr CN Tremlett	X	75.10v	50.5v	48.5v	49.4v	47.5v	48.6v	48.5v	50.5v	73.6v	73.8v	104.10v	47.2v	46.1v	758.72v
75	Mr MD Jenvey	A	75.10v	50.5v	48.5v	49.3v	49.5v	49.8v	48.3v	50.7v	72.5v	74.6v	101.7v	48.5v	45.0v	758.69v
76	Mr AD Hunter	X	73.12v	49.6v	46.1v	50.5v	50.7v	50.8v	48.8v	47.5v	73.11v	74.10v	104.14v	47.4v	46.2v	757.93v
77	Mr SJV Osmond	X	73.8v	50.6v	50.7v	49.5v	48.4v	49.7v	49.7v	49.7v	72.7v	73.7v	104.13v	47.6v	44.5v	757.89v
78	Mr TA Ringer	X	74.10v	49.7v	49.6v	49.4v	50.9v	48.7v	49.6v	47.4v	71.6v	72.7v	104.13v	49.3v	46.6v	757.88v
79	Maj J Cload	X	74.10v	49.5v	49.7v	48.6v	49.6v	48.5v	48.5v	50.7v	72.6v	71.6v	102.12v	47.2v	50.6v	757.83v
80	Mr SH Wingrove	X	73.8v	50.5v	49.6v	48.4v	50.5v	47.5v	49.5v	49.6v	74.10v	71.6v	103.13v	47.4v	47.2v	757.79v
81	Mr D Morris	A	74.6v	47.3v	49.8v	46.4v	49.5v	49.5v	48.4v	49.6v	75.10v	72.6v	104.12v	49.4v	46.2v	757.75v
82	Mr RJSG Clark	A	74.11v	49.5v	49.5v	48.4v	50.5v	46.3v	50.9v	50.6v	74.7v	74.7v	103.10v	44.2v	46.1v	757.75v
83	Mr DR Le Quesne	X	74.3v	49.7v	48.2v	49.6v	49.4v	50.5v	48.6v	50.6v	74.7v	70.7v	100.9v	49.6v	47.4v	757.72v
84	Mr SM Negus	X	75.11v	50.9v	50.7v	42.6v	49.8v	50.8v	50.8v	50.8v	74.10v	71.7v	103.11v	49.4v	43.2v	756.99v
85	Mr JRW Postle	X	73.8v	50.7v	48.6v	45.4v	47.4v	50.7v	50.7v	49.6v	75.11v	72.8v	102.13v	48.6v	47.6v	756.93v
86	LCpl HG Asquith-Beard	X	75.10v	50.8v	50.8v	44.3v	46.3v	49.8v	50.5v	50.8v	73.11v	71.5v	101.10v	49.6v	48.2v	756.87v
87	Flt Lt LS Crisp	A	72.8v	50.7v	50.7v	47.2v	46.5v	48.8v	50.7v	49.6v	75.9v	72.8v	105.12v	48.6v	44.2v	756.87v
88	Mr ER Welford	X	74.10v	50.9v	50.8v	48.4v	47.6v	49.6v	48.5v	49.3v	75.10v	73.6v	101.11v	48.4v	44.3v	756.85v
89	Mr WCP Richards	X	74.10v	50.7v	49.3v	48.7v	50.4v	48.7v	45.6v	48.4v	73.9v	72.6v	103.11v	48.4v	48.5v	756.83v
90	Mr NNT Kerins	X	74.5v	47.5v	49.6v	48.3v	50.7v	48.3v	50.7v	48.7v	75.14v	74.6v	100.10v	44.3v	49.5v	756.81v
91	Mr MI Buchanan	X	75.11v	50.7v	46.3v	46.3v	49.5v	49.7v	49.7v	48.6v	74.8v	75.4v	100.10v	47.5v	48.4v	756.80v
92	Mr GV Feast	A	70.6v	49.5v	49.7v	47.2v	50.7v	49.6v	48.5v	50.7v	75.8v	73.7v	104.11v	45.3v	47.1v	756.75v
93	Mr J Mehta	A	72.6v	49.4v	49.5v	47.3v	47.2v	49.5v	49.4v	49.3v	73.8v	74.9v	103.12v	48.7v	47.3v	756.71v
94	Mr PJR Holden	X	73.11v	48.5v	49.7v	45.3v	50.7v	49.7v	49.7v	49.6v	75.12v	70.9v	104.13v	44.3v	50.7v	755.97v
95	Mr RC Oxford	X	74.10v	48.7v	49.6v	48.6v	49.6v	50.10v	49.7v	48.6v	75.12v	68.3v	102.11v	46.2v	49.6v	755.92v
96	Mr JC Kent	X	72.10v	50.8v	47.5v	48.4v	49.7v	49.4v	49.7v	50.9v	74.8v	74.9v	102.12v	43.2v	48.7v	755.92v
97	Mr RAV Hebblethwaite	A	74.12v	46.2v	50.7v	45.4v	50.6v	50.5v	49.7v	48.6v	73.10v	73.4v	103.13v	46.6v	48.6v	755.88v
98	Mr RT MacLeod	X	73.10v	49.5v	49.8v	45.3v	49.7v	50.8v	49.5v	48.5v	74.9v	73.8v	103.12v	44.4v	49.3v	755.87v
99	Miss NJ Sales Scott	O	73.10v	50.7v	49.4v	47.5v	49.5v	49.5v	48.6v	50.7v	74.11v	72.10v	103.12v	46.3v	45.2v	755.87v
100	Mr SP Harding	X	74.9v	50.5v	49.5v	48.3v	49.7v	49.4v	49.6v	48.6v	73.8v	74.12v	101.10v	46.5v	45.6v	755.86v
101	Mr JAM Paton	X	72.6v	49.6v	49.7v	49.4v	48.3v	48.5v	50.6v	49.7v	75.10v	73.7v	99.13v	45.4v	49.4v	755.82v
102	Mr RW Sandlant	X	71.8v	48.6v	48.5v	47.3v	49.1v	50.7v	50.6v	48.4v	74.11v	74.7v	100.11v	47.5v	49.5v	755.79v

103	Mr ML Millar	X	74.12v	50.6v	47.5v	48.3v	49.5v	49.6v	50.6v	48.5v	73.7v	70.6v	104.11v	48.3v	45.3v	755.78v
104	Mr BP Creane	X	72.8v	50.5v	50.5v	48.4v	48.5v	48.7v	50.5v	49.3v	73.7v	74.9v	101.14v	47.3v	45.2v	755.77v
105	Mr SD Shouler	A	74.10v	50.8v	48.5v	46.2v	49.6v	50.5v	48.5v	50.7v	75.9v	72.3v	104.14v	44.0v	45.3v	755.77v
106	Mr B Bullock	X	74.10v	50.4v	49.4v	45.3v	49.4v	49.6v	50.7v	48.5v	72.7v	71.5v	101.9v	49.5v	48.4v	755.73v
107	Lt CE Holland	A	74.7v	49.5v	47.3v	45.1v	48.5v	48.4v	49.7v	50.7v	75.9v	73.9v	104.8v	49.4v	44.3v	755.72v
108	Mr JWE Lothian	O	74.8v	50.8v	50.2v	47.4v	49.6v	50.4v	50.7v	48.5v	72.8v	69.5v	104.10v	45.1v	47.3v	755.71v
109	Mr JEK Pepera-Hibbert	A	74.9v	50.5v	49.4v	45.3v	49.5v	46.4v	49.4v	49.5v	74.9v	72.6v	102.10v	49.2v	47.4v	755.70v
110	Mr NC Mace	X	74.10v	49.7v	49.6v	49.7v	47.6v	48.7v	48.5v	47.3v	73.8v	70.5v	102.11v	49.5v	49.7v	754.87v
111	Miss C Halleran	X	73.10v	49.6v	49.3v	47.3v	49.6v	50.4v	49.7v	48.7v	73.11v	73.6v	104.13v	47.5v	43.2v	754.83v
112	Mr AM Bullen	O	74.11v	48.5v	49.7v	45.4v	48.4v	50.8v	49.4v	50.5v	74.9v	71.5v	103.11v	46.3v	47.6v	754.82v
113	Mr AC Haley	X	73.7v	50.8v	50.6v	45.3v	48.3v	48.2v	48.7v	50.10v	75.12v	70.4v	104.13v	47.4v	46.3v	754.82v
114	Mr G Woodman	X	75.7v	49.5v	48.6v	50.8v	50.7v	49.7v	47.4v	49.5v	72.8v	70.5v	103.13v	47.4v	45.3v	754.82v
115	Mr CES Dickenson	X	73.8v	49.6v	49.6v	48.3v	48.6v	49.5v	49.6v	47.5v	72.8v	72.5v	104.11v	44.4v	50.6v	754.79v
116	Mr RB Fitzsimmons	A	75.8v	48.5v	49.6v	48.3v	48.4v	46.5v	49.4v	49.8v	73.5v	72.8v	104.14v	48.3v	45.4v	754.77v
117	Mr EC Dickson	X	73.6v	50.8v	48.5v	46.3v	49.7v	48.3v	50.9v	50.6v	74.10v	72.4v	103.11v	46.2v	45.2v	754.76v
118	Mr J Pugsley MRCVS	X	74.9v	49.5v	49.4v	49.4v	48.3v	48.6v	50.6v	50.8v	74.9v	69.4v	104.11v	48.4v	42.2v	754.75v
119	Mr OEJ Spencer	X	73.8v	49.3v	48.5v	46.3v	48.4v	50.8v	48.5v	48.7v	72.6v	75.7v	101.12v	48.2v	48.4v	754.74v
120	Dr JDS Langley	X	72.10v	50.9v	49.5v	43.2v	50.7v	49.7v	44.4v	49.5v	75.10v	71.7v	104.14v	49.7v	48.3v	753.90v
121	Mr DJ Blake	X	73.8v	46.5v	48.4v	50.6v	49.7v	49.4v	49.7v	49.6v	74.10v	70.6v	104.16v	49.4v	43.2v	753.85v
122	Mrs DE Negus	X	74.13v	50.9v	49.3v	47.4v	49.6v	50.7v	49.4v	49.4v	72.10v	68.7v	104.12v	47.3v	45.2v	753.84v
123	Mr RM Roberts	A	74.10v	49.7v	49.7v	46.5v	49.5v	49.5v	50.5v	49.8v	72.6v	71.5v	101.10v	44.3v	50.3v	753.79v
124	Mr TM Drysdale	X	75.8v	49.4v	49.7v	47.3v	48.1v	49.5v	50.7v	47.5v	75.7v	71.4v	103.13v	45.4v	45.3v	753.71v
125	Cpl JH Keates	X	74.8v	49.6v	47.4v	47.3v	44.2v	50.7v	48.4v	49.3v	74.5v	73.9v	104.11v	49.6v	45.2v	753.70v
126	Mr MJ Barlow	A	74.10v	49.7v	49.4v	49.4v	48.7v	48.5v	50.7v	48.7v	75.13v	69.6v	103.13v	48.6v	42.3v	752.92v
127	Mr AJ Leech	A	74.11v	50.8v	49.6v	46.2v	49.8v	48.5v	47.6v	49.7v	74.11v	74.10v	98.10v	47.2v	47.3v	752.89v
128	Mr JRL Burch	X	75.10v	46.3v	50.8v	48.3v	50.7v	49.8v	48.5v	49.7v	74.12v	73.8v	102.11v	46.3v	42.1v	752.86v
129	Mr CA Brook	X	73.13v	48.6v	50.7v	47.1v	50.7v	49.9v	48.6v	47.6v	72.9v	71.6v	102.9v	48.3v	47.2v	752.84v
130	Mr JG Trembath	A	71.7v	49.7v	49.5v	49.5v	50.7v	48.3v	49.6v	47.6v	73.7v	70.7v	103.11v	46.5v	48.8v	752.84v
131	Mr M Horton-Baker	A	74.8v	47.3v	50.5v	46.6v	49.6v	49.4v	49.6v	48.5v	75.9v	73.10v	103.15v	42.1v	47.2v	752.80v
132	Mr AR Radkovskii	A	75.9v	48.4v	48.3v	48.4v	50.9v	49.7v	48.4v	50.7v	70.7v	70.5v	103.11v	46.2v	47.6v	752.78v
133	Mr WC Cowen	O	74.11v	48.7v	48.5v	48.3v	48.7v	49.6v	48.5v	48.6v	70.6v	74.10v	103.8v	47.5v	46.5v	751.84v
134	Mr H Sanders	A	73.9v	48.4v	48.5v	48.4v	49.4v	47.6v	50.7v	48.4v	74.13v	74.11v	101.12v	45.3v	46.2v	751.84v
135	Mr RW Hallows	X	73.11v	47.3v	49.6v	47.3v	50.6v	48.4v	50.9v	50.7v	74.7v	72.6v	103.14v	43.2v	45.3v	751.81v
136	Mr RJ Mace	X	73.10v	50.6v	46.4v	49.4v	50.5v	48.3v	48.5v	50.7v	71.5v	73.11v	101.13v	47.4v	45.2v	751.79v
137	Mr C Mallett	X	74.7v	46.5v	50.4v	49.5v	50.7v	49.6v	47.5v	49.4v	72.6v	71.8v	101.11v	45.3v	48.6v	751.77v
138	Mr AT Mohideen	A	74.9v	49.5v	49.5v	48.3v	47.5v	47.3v	49.5v	49.7v	74.11v	72.5v	102.10v	45.6v	46.3v	751.77v
139	Ms AMG Ogilvie	A	74.8v	50.7v	49.5v	46.2v	49.8v	49.4v	50.8v	45.4v	70.7v	73.8v	102.10v	46.2v	48.2v	751.75v
140	Maj AW Gill	X	68.3v	44.3v	49.5v	50.6v	49.5v	50.9v	49.6v	50.5v	75.9v	73.7v	103.13v	47.2v	44.2v	751.75v
141	Mr TL Bedwell	A	75.7v	49.7v	47.3v	48.1v	49.5v	48.6v	48.4v	48.5v	73.10v	70.5v	100.10v	48.6v	48.4v	751.73v
142	Lt Col RHG Riley	A	72.8v	47.4v	49.4v	48.5v	48.5v	49.5v	50.6v	47.3v	72.6v	73.6v	101.14v	47.3v	48.4v	751.73v
143	Mr MJ Wilson	O	72.7v	49.6v	50.6v	48.7v	49.4v	48.4v	48.3v	50.6v	73.8v	72.6v	99.8v	48.3v	45.5v	751.73v
144	Dr JS Rennie	O	74.7v	49.6v	48.6v	48.3v	49.7v	50.6v	50.7v	50.7v	70.4v	68.6v	103.8v	46.4v	46.2v	751.73v
145	Mr MJ Creber	O	75.10v	49.5v	49.4v	48.5v	48.4v	46.3v	47.4v	49.8v	68.7v	74.6v	102.6v	49.3v	47.3v	751.68v
146	Mr BA Horwood	A	75.9v	49.3v	50.4v	47.2v	47.6v	50.2v	46.3v	49.4v	74.3v	71.8v	102.12v	45.4v	46.1v	751.61v
147	Mr B Colman-Sadd	A	73.13v	49.6v	49.7v	48.4v	48.6v	48.7v	49.8v	49.7v	71.9v	71.10v	103.15v	43.2v	49.7v	750.101v
148	Dr HA Day	A	75.10v	48.7v	48.6v	47.6v	49.7v	45.2v	49.7v	50.8v	74.8v	70.7v	101.15v	47.4v	47.2v	750.89v
149	Miss AP Good	X	74.11v	49.6v	49.7v	49.3v	50.10v	50.9v	48.4v	50.8v	75.8v	70.4v	99.12v	41.2v	46.2v	750.86v
150	Mr E Gauvin	X	75.8v	48.4v	48.4v	44.2v	48.7v	49.4v	50.8v	49.5v	73.10v	72.12v	102.14v	45.2v	47.4v	750.84v

151	Mr NBS Logan	X	75.9v	47.6v	43.4v	48.7v	45.2v	47.3v	50.9v	47.5v	75.11v	75.8v	102.8v	46.3v	50.6v	750.81v
152	Mr PS Holmes	A	74.9v	50.7v	48.5v	48.5v	47.4v	47.4v	50.5v	50.6v	73.7v	71.7v	101.11v	48.8v	43.3v	750.81v
153	Mr TO Little	X	74.9v	47.4v	49.6v	50.4v	48.4v	47.4v	49.9v	45.5v	72.7v	72.10v	102.10v	47.3v	48.4v	750.79v
154	Mrs SV Luckman	X	75.8v	49.5v	47.3v	46.3v	48.3v	49.6v	49.6v	50.8v	75.12v	71.7v	103.13v	43.2v	45.2v	750.78v
155	Mr OJ Rolfe	O	71.8v	49.3v	48.6v	48.6v	49.5v	49.7v	48.2v	49.5v	73.9v	70.7v	103.13v	46.3v	47.3v	750.77v
156	Mr HB Thomson	A	73.8v	45.4v	49.6v	46.5v	50.6v	50.7v	50.9v	48.3v	74.6v	73.5v	98.7v	45.2v	49.4v	750.72v
157	Mr AG McLean	A	73.4v	49.7v	49.5v	47.5v	46.3v	49.6v	49.5v	49.6v	74.8v	69.5v	103.11v	46.2v	47.4v	750.71v
158	Mrs AJ Carnell	A	74.8v	50.7v	50.5v	47.5v	49.5v	48.4v	46.3v	50.3v	75.6v	72.5v	103.13v	46.4v	40.1v	750.69v
159	Mr JRJ Hinde	O	74.7v	49.4v	49.5v	45.3v	48.6v	49.4v	49.5v	48.4v	71.7v	72.7v	104.9v	46.4v	46.2v	750.67v
160	Mr DH Acton	A	74.5v	46.2v	48.2v	50.2v	50.6v	46.2v	47.4v	50.6v	73.8v	71.5v	103.12v	46.3v	46.6v	750.63v
161	Mr APW Daw	A	72.7v	49.4v	48.2v	48.3v	49.3v	48.4v	48.6v	47.0v	74.5v	73.11v	101.8v	46.1v	47.4v	750.58v
162	Mr PM Hakim	X	73.8v	50.7v	48.6v	46.5v	47.5v	47.5v	47.6v	50.10v	72.6v	72.9v	105.12v	47.2v	45.3v	749.84v
163	Miss CH Cuming	X	75.7v	50.6v	49.5v	45.2v	48.6v	47.6v	47.7v	49.6v	75.9v	72.6v	103.15v	47.6v	42.3v	749.84v
164	Ms RA Wiltshire	O	75.12v	48.4v	48.6v	44.2v	46.5v	48.5v	49.9v	49.6v	72.8v	72.6v	103.13v	48.3v	47.4v	749.83v
165	Mr PAE Charlton	A	74.10v	48.5v	49.4v	49.5v	47.6v	49.6v	49.3v	50.7v	73.10v	70.7v	100.11v	46.6v	45.2v	749.82v
166	Mr BN Craig	O	74.8v	50.6v	47.5v	47.5v	49.6v	49.3v	47.5v	49.6v	73.13v	71.5v	104.15v	47.3v	42.2v	749.82v
167	Mr RA Dyball	A	75.11v	50.6v	49.8v	46.4v	49.7v	47.3v	50.5v	49.7v	72.7v	69.6v	103.11v	45.3v	45.3v	749.81v
168	Mr J Anderson	A	71.10v	50.6v	49.8v	47.2v	49.7v	50.7v	49.7v	50.8v	72.6v	70.6v	102.11v	44.1v	46.2v	749.81v
169	Mr BMA Stevens	X	72.9v	47.3v	49.8v	49.6v	50.5v	47.3v	50.4v	49.8v	75.11v	69.5v	101.10v	45.4v	46.4v	749.80v
170	Mr RW Ramage	A	72.7v	47.4v	49.6v	48.4v	49.7v	49.5v	48.7v	49.6v	73.8v	74.7v	99.10v	49.5v	43.2v	749.78v
171	Mrs LK Mace	A	75.8v	46.6v	47.4v	47.5v	48.7v	48.4v	50.8v	49.7v	72.8v	71.6v	103.9v	48.4v	45.1v	749.77v
172	Mr CAJ Crosby	O	74.11v	49.4v	48.4v	43.2v	47.3v	50.6v	46.4v	49.6v	74.11v	75.9v	101.10v	45.2v	48.3v	749.75v
173	Mr JPL Sweet	O	71.7v	49.4v	49.6v	48.5v	50.8v	50.6v	47.3v	49.8v	74.8v	72.6v	101.7v	47.4v	42.3v	749.75v
174	Mr RM Hatcher	X	75.10v	50.6v	49.6v	48.3v	46.2v	47.5v	49.7v	49.5v	73.10v	73.9v	102.7v	42.1v	46.3v	749.74v
175	Mr NS Roberts	O	73.7v	50.4v	49.6v	48.5v	49.5v	46.3v	48.7v	47.5v	74.9v	69.6v	104.12v	45.2v	47.2v	749.73v
176	Dr EL Sweet	O	73.6v	50.7v	48.4v	47.5v	48.6v	49.3v	50.5v	49.5v	72.7v	70.3v	102.13v	47.5v	44.3v	749.72v
177	Mr GPC Bramwell	A	71.7v	49.2v	49.5v	48.3v	50.6v	48.5v	50.8v	50.6v	72.5v	73.7v	101.10v	50.8v	38.0v	749.72v
178	Mr GD Palmer	A	72.9v	49.5v	47.4v	47.3v	50.6v	47.4v	49.6v	48.2v	73.9v	75.10v	102.10v	45.1v	45.2v	749.71v
179	Mr J Wallace	A	74.6v	49.6v	50.6v	46.2v	49.4v	48.3v	49.3v	48.8v	72.8v	71.7v	105.13v	45.2v	43.3v	749.71v
180	Mr PD Griggs	A	73.6v	46.4v	49.5v	47.2v	48.3v	49.2v	48.4v	49.4v	73.6v	68.6v	103.10v	48.4v	48.4v	749.60v
181	Mr WF Livesey	X	75.12v	46.4v	49.6v	41.1v	48.6v	49.9v	49.6v	50.6v	73.10v	74.7v	100.10v	47.7v	47.4v	748.88v
182	Fg Off S Livingston	O	73.8v	48.5v	47.4v	47.5v	48.5v	48.5v	48.6v	49.8v	73.9v	72.10v	101.13v	48.4v	46.4v	748.86v
183	Mr JF Lawrie	A	73.10v	50.7v	48.6v	42.4v	50.3v	50.8v	49.6v	49.4v	73.8v	73.10v	103.12v	46.5v	42.0v	748.83v
184	Mr PM de Voil	A	72.8v	48.5v	50.9v	46.5v	49.6v	50.6v	48.6v	49.6v	73.6v	72.7v	101.10v	43.1v	47.4v	748.79v
185	Mr MW Silver	A	73.5v	46.5v	49.5v	48.5v	47.5v	50.7v	50.5v	50.7v	73.11v	73.10v	101.8v	40.0v	48.4v	748.77v
186	Cdt GM Bohn	T	73.9v	50.6v	49.4v	49.4v	50.5v	46.3v	48.5v	50.7v	72.10v	71.4v	100.13v	45.2v	45.4v	748.76v
187	Mr TS Keen	X	73.9v	50.7v	49.2v	49.4v	49.3v	45.3v	48.4v	49.3v	74.9v	71.5v	101.14v	45.3v	45.4v	748.70v
188	Miss LG Taylor	A	74.10v	48.7v	47.7v	47.2v	50.4v	48.3v	47.6v	49.2v	74.8v	69.3v	103.9v	46.4v	46.4v	748.69v
189	Mr RA Benest	O	74.6v	50.8v	47.5v	47.5v	48.3v	49.6v	48.3v	50.7v	74.9v	71.4v	103.9v	46.3v	41.1v	748.69v
190	Mr GE Grosskreutz	A	72.4v	48.3v	49.4v	49.7v	49.4v	49.7v	48.4v	48.4v	72.7v	69.8v	101.5v	47.4v	47.3v	748.64v
191	Mr JMA Thompson	X	74.10v	46.2v	46.2v	48.3v	50.4v	48.6v	50.5v	50.5v	73.7v	71.6v	102.8v	46.3v	44.3v	748.64v
192	Mr HJ Hamlyn	T	73.6v	48.4v	46.1v	46.3v	50.7v	48.5v	47.4v	48.4v	74.7v	73.6v	103.14v	44.0v	48.1v	748.62v
193	Mr EWW Feast	A	72.7v	49.8v	48.6v	47.4v	50.7v	48.7v	50.5v	49.7v	71.7v	72.11v	101.11v	42.3v	48.3v	747.86v
194	Mr LA Reid	X	73.9v	49.9v	47.1v	44.2v	48.6v	49.8v	49.3v	50.6v	75.12v	69.6v	103.12v	49.6v	42.2v	747.82v
195	Dr CI Johnston	X	75.11v	49.4v	47.4v	44.2v	46.4v	49.4v	48.4v	49.7v	73.10v	73.8v	103.15v	47.4v	44.3v	747.80v
196	Mr JC Evans	A	73.5v	48.2v	49.7v	49.5v	49.8v	50.6v	49.7v	46.4v	71.6v	69.7v	103.14v	49.5v	42.3v	747.79v
197	Mr SA Thomas	X	73.5v	49.5v	49.5v	44.5v	48.6v	49.6v	46.2v	48.3v	75.10v	72.6v	102.15v	45.4v	47.5v	747.77v
198	Mr AC Thomson	X	71.7v	46.4v	50.6v	46.5v	50.7v	50.5v	49.5v	48.6v	72.8v	72.6v	101.11v	46.3v	46.2v	747.75v
199	Mr RJ Cooper	T	73.8v	49.6v	49.6v	50.4v	48.5v	48.5v	48.8v	50.5v	66.7v	73.7v	99.7v	49.2v	45.2v	747.72v
200	Mr JA Oakland	A	75.8v	48.3v	47.5v	47.3v	49.6v	49.6v	48.6v	49.5v	72.9v	75.7v	99.8v	41.1v	48.5v	747.72v
201	Mr MG Whicher	X	68.8v	49.7v	49.4v	49.5v	49.4v	49.1v	50.5v	47.4v	74.7v	72.8v	103.12v	41.4v	47.2v	747.71v
202	Cdt A Patel	T	73.7v	48.4v	48.5v	50.4v	50.8v	49.5v	49.5v	47.4v	71.7v	71.3v	100.12v	45.3v	46.3v	747.70v
203	Dr G Stewart	A	73.9v	50.6v	46.4v	47.5v	48.5v	47.3v	50.5v	49.6v	72.6v	73.6v	104.10v	44.3v	44.2v	747.70v
204	Mr BZ Danziger	X	74.8v	50.6v	46.1v	44.7v	48.5v	49.4v	49.4v	49.6v	75.11v	73.1v	101.6v	48.4v	41.0v	747.63v
205	Mr RA Welford	X	70.5v	48.4v	49.3v	48.5v	49.8v	50.5v	50.5v	48.5v	75.4v	69.4v	99.6v	44.1v	48.7v	747.62v
206	Dr MR Horrell	A	72.8v	48.4v	49.5v	50.6v	48.5v	48.5v	47.4v	49.3v	74.6v	72.3v	100.9v	46.2v	44.2v	747.62v
207	Mr MA Kirkillo-Stacewicz	O	74.11v	50.6v	48.5v	48.1v	47.4v	46.3v	50.3v	47.2v	72.4v	72.6v	100.4v	48.2v	45.2v	747.53v
208	Mr DG Young	X	72.10v	48.4v	48.6v	46.4v	49.5v	48.4v	49.6v	48.3v	73.7v	73.9v	103.11v	45.4v	44.3v	746.76v
209	Miss KE Farley	A	74.9v	48.5v	50.7v	47.1v	48.8v	49.2v	48.6v	49.5v	73.9v	71.6v	99.12v	47.4v	43.0v	746.74v
210	Mr ND Stangroom	A	73.9v	50.6v	49.4v	47.2v	49.4v	49.6v	49.6v	50.5v	73.9v	71.9v	99.11v	40.1v	47.2v	746.74v
211	Miss R Laird	X	73.12v	48.5v	49.5v	49.3v	48.7v	47.3v	49.7v	49.6v	71.4v	72.5v	103.10v	47.3v	41.3v	746.73v

212	Mr BDW Parsons	O	70.5v	49.7v	49.7v	48.5v	49.7v	49.3v	46.4v	49.6v	74.6v	73.10v	102.10v	44.0v	44.3v	746.73v
213	Mr DJ Studholme	T	73.8v	50.7v	49.4v	49.6v	47.5v	45.2v	48.5v	49.4v	72.8v	73.9v	101.8v	44.4v	46.2v	746.72v
214	Mr MR Fugeman	A	74.7v	45.3v	47.6v	43.1v	49.7v	47.7v	50.7v	49.6v	72.6v	72.6v	103.9v	48.4v	47.1v	746.70v
215	Mr TM Booth	O	70.6v	46.5v	49.3v	48.3v	48.5v	48.4v	49.8v	50.6v	72.6v	70.6v	102.7v	46.4v	48.7v	746.70v
216	Mr TJ Bourne	T	74.7v	49.4v	50.7v	47.3v	50.8v	47.3v	50.6v	48.6v	71.8v	69.5v	102.8v	47.2v	42.3v	746.70v
217	Mr S Belither	X	73.6v	48.4v	50.6v	45.2v	47.1v	50.8v	48.5v	49.7v	74.8v	68.4v	102.8v	48.5v	44.4v	746.68v
218	Mr GK Alexander	X	74.10v	48.3v	46.2v	46.2v	49.4v	49.5v	49.5v	49.8v	71.6v	73.3v	100.11v	45.3v	47.4v	746.66v
219	Lt Col AM Bell	A	74.11v	49.9v	48.4v	46.4v	48.8v	49.3v	47.5v	48.6v	71.6v	70.5v	102.12v	47.4v	46.5v	745.82v
220	Mr CB Cotillard	O	71.7v	48.7v	49.5v	48.7v	49.3v	48.6v	48.6v	48.7v	71.8v	73.9v	103.11v	45.4v	44.2v	745.82v
221	Mr T Johnston	A	74.9v	48.6v	49.6v	49.6v	47.5v	45.1v	49.7v	47.4v	74.10v	73.8v	100.10v	43.1v	47.6v	745.79v
222	Mr AC Morley	A	75.10v	49.4v	45.6v	46.4v	49.7v	50.5v	50.4v	49.7v	71.6v	71.10v	97.7v	46.4v	47.4v	745.78v
223	Mr KO Pugh	X	72.7v	48.5v	50.7v	48.5v	48.4v	44.2v	50.6v	48.7v	74.9v	69.4v	99.11v	47.4v	48.6v	745.77v
224	Mr RA Webb	X	71.10v	48.2v	48.4v	46.3v	49.6v	47.3v	48.7v	49.4v	72.7v	71.7v	104.13v	46.6v	46.4v	745.76v
225	Mr CRM Asquith	A	73.6v	48.6v	47.6v	44.3v	49.6v	49.6v	49.6v	49.5v	72.5v	71.6v	101.10v	45.2v	48.5v	745.72v
226	Mr TJ Bullock	X	73.9v	49.5v	49.5v	45.2v	50.5v	46.3v	50.8v	50.6v	74.8v	70.7v	100.8v	46.3v	43.2v	745.71v
227	Mr PJ Westlake	X	74.8v	49.5v	46.3v	48.7v	47.3v	48.5v	47.1v	50.8v	71.9v	73.10v	103.11v	43.0v	46.1v	745.71v
228	Mr ATB Tompson	O	73.11v	48.6v	46.4v	48.5v	50.5v	50.7v	46.4v	46.3v	72.9v	73.1v	98.8v	49.3v	46.3v	745.69v
229	Mr CR hirst	O	69.2v	46.2v	48.4v	47.5v	48.3v	47.3v	49.4v	50.6v	75.10v	72.7v	103.13v	47.5v	44.3v	745.67v
230	Mr D de Vere	A	71.5v	46.1v	49.5v	48.5v	50.5v	49.7v	47.4v	49.7v	74.9v	71.1v	99.7v	45.4v	47.5v	745.65v
231	Mr PM Jory	X	72.6v	50.3v	48.6v	47.4v	47.6v	47.5v	50.8v	49.4v	67.5v	73.8v	102.15v	49.8v	43.3v	744.81v
232	Dr BJ Winney	X	69.11v	48.2v	49.7v	47.5v	50.8v	49.3v	48.5v	49.3v	66.9v	72.9v	99.9v	49.3v	49.5v	744.79v
233	Mr BA Young	O	72.6v	47.3v	45.5v	50.4v	47.3v	47.5v	49.4v	49.8v	73.7v	71.8v	101.14v	47.4v	46.4v	744.75v
234	Sir C Sykes	A	72.6v	49.6v	48.2v	44.4v	48.5v	46.1v	49.7v	48.5v	74.9v	72.6v	101.11v	46.4v	47.6v	744.72v
235	Mr AM Sadler	A	74.10v	49.6v	48.4v	48.4v	45.2v	46.3v	48.7v	49.4v	73.8v	72.9v	101.9v	46.1v	45.3v	744.70v
236	Cpl LKJ Leung	T	74.8v	48.4v	47.2v	45.4v	50.6v	50.6v	40.2v	49.5v	74.7v	73.7v	101.11v	46.4v	47.3v	744.69v
237	Mr AP Barnes	A	69.5v	49.4v	49.3v	43.2v	50.4v	48.5v	50.5v	49.8v	74.8v	73.10v	101.11v	46.3v	43.0v	744.68v
238	Mr SC Postins	X	74.9v	48.7v	49.5v	49.3v	50.1v	47.2v	46.4v	47.7v	71.4v	72.7v	99.9v	45.3v	47.5v	744.66v
239	Mr M Rewston	O	74.10v	48.6v	50.5v	45.2v	49.4v	45.4v	48.4v	48.6v	74.6v	71.6v	101.10v	45.1v	46.2v	744.66v
240	Dr AE Bromley	X	73.10v	49.6v	46.3v	50.6v	48.4v	48.4v	46.1v	48.5v	74.6v	71.7v	104.12v	41.0v	46.2v	744.66v
241	Mr MD Joyce	O	71.7v	48.2v	50.6v	49.4v	48.4v	48.7v	45.4v	49.5v	72.8v	70.3v	104.8v	45.3v	45.3v	744.64v
242	Mr T Steele	O	67.2v	49.6v	48.4v	47.5v	50.5v	46.3v	50.3v	49.4v	71.6v	71.5v	103.10v	48.4v	45.2v	744.59v
243	Mr RK Edwards	A	73.8v	49.8v	47.4v	47.4v	48.4v	46.4v	48.2v	49.3v	72.3v	73.6v	101.7v	48.4v	43.1v	744.58v
244	Mr JHN Pattison	T	74.10v	48.3v	46.1v	46.3v	46.1v	48.3v	49.3v	46.3v	72.5v	70.6v	102.11v	49.5v	48.2v	744.56v
245	Mr DJ Curtis	A	75.10v	47.6v	50.3v	45.4v	50.7v	47.4v	50.7v	50.6v	73.11v	72.7v	102.13v	40.3v	42.3v	743.84v
246	Miss AA Weinberger	O	73.5v	47.2v	48.6v	47.2v	49.5v	48.5v	45.4v	49.7v	74.9v	72.8v	104.14v	42.1v	45.1v	743.69v
247	Mr LT Malcic	A	70.7v	49.2v	46.3v	47.6v	49.6v	48.4v	49.3v	50.5v	73.10v	69.5v	102.11v	47.5v	44.1v	743.68v
248	Mrs HA Cook	X	75.10v	48.5v	47.6v	41.1v	48.7v	37.4v	50.5v	48.6v	75.9v	73.8v	105.14v	48.4v	47.6v	742.85v
249	Miss NI Barnes	O	74.7v	46.6v	48.5v	40.2v	50.7v	50.7v	48.4v	49.5v	74.10v	71.10v	101.8v	43.3v	48.4v	742.78v
250	Mr DN Lindsay	O	74.10v	49.6v	46.4v	47.3v	47.5v	48.6v	49.9v	49.8v	74.6v	72.8v	97.9v	44.2v	46.1v	742.77v
251	Mr LG Skingley	O	74.12v	50.7v	47.1v	44.0v	48.6v	50.9v	47.3v	47.6v	72.7v	73.7v	103.13v	41.2v	46.4v	742.77v
252	Mr CM Brooks	O	74.12v	50.6v	47.1v	47.5v	43.2v	49.3v	48.4v	48.6v	71.9v	71.5v	102.13v	46.4v	46.2v	742.72v
253	Mr WJM Bacon	T	72.7v	49.3v	48.6v	47.4v	50.5v	47.3v	47.5v	48.4v	75.9v	71.7v	102.15v	45.1v	41.0v	742.69v
254	Mr KB Hill	A	73.5v	49.4v	47.4v	45.4v	50.4v	47.4v	46.3v	48.4v	74.11v	69.6v	101.11v	47.6v	46.2v	742.68v
255	Mr SW Maris	O	74.3v	50.7v	48.5v	45.4v	44.3v	47.2v	49.7v	50.6v	71.4v	68.5v	103.12v	48.5v	45.3v	742.66v
256	Dr IT Matsumoto	A	73.5v	47.3v	50.5v	49.5v	47.3v	46.3v	46.2v	50.8v	75.7v	66.1v	105.14v	47.4v	41.0v	742.60v
257	Mr SF Oldridge	T	73.10v	48.6v	49.6v	43.2v	49.5v	47.5v	48.7v	50.6v	73.11v	70.9v	102.11v	44.2v	45.3v	741.83v
258	Mr DJ Gass	O	71.8v	48.6v	48.3v	47.7v	48.5v	50.7v	49.4v	48.7v	74.10v	71.7v	102.7v	43.3v	42.2v	741.76v
259	Mr LR Braithwaite	X	75.8v	48.6v	49.5v	45.3v	49.5v	44.1v	50.6v	48.7v	74.9v	70.9v	101.11v	46.4v	42.1v	741.75v
260	Mr OM Pryke	T	74.10v	49.7v	46.3v	49.5v	48.5v	47.4v	50.4v	48.6v	71.10v	71.7v	104.11v	44.1v	40.1v	741.74v
261	Mr TP Shaw	X	71.7v	49.5v	48.6v	48.5v	48.5v	46.3v	47.5v	49.6v	74.9v	70.5v	99.9v	49.5v	43.1v	741.71v
262	Mr MJ Stewart	O	74.9v	47.3v	46.3v	47.4v	49.6v	47.5v	48.3v	48.5v	71.8v	70.6v	103.14v	46.3v	45.1v	741.70v
263	Mr AC Abrahams	O	73.8v	49.4v	48.6v	46.3v	47.3v	47.7v	48.4v	48.3v	73.8v	69.4v	100.11v	47.6v	46.2v	741.69v
264	Mr MP Blythe	O	74.10v	49.5v	47.2v	42.4v	47.5v	48.4v	46.5v	48.2v	74.9v	72.5v	102.9v	48.6v	44.2v	741.68v
265	Miss RE Warden	T	70.7v	46.2v	48.3v	45.5v	48.4v	46.3v	50.3v	49.7v	71.8v	69.9v	101.7v	50.3v	48.5v	741.66v
266	Mr EG Lawrence	O	71.6v	44.1v	48.3v	49.3v	48.4v	46.3v	47.3v	46.5v	74.11v	72.7v	103.12v	47.5v	46.3v	741.66v
267	Mr RW Shaw	A	73.4v	47.2v	48.8v	48.4v	49.5v	47.4v	47.4v	49.6v	70.8v	70.7v	101.6v	45.2v	47.5v	741.65v
268	Mr HJM Awin	X	72.6v	44.1v	47.5v	49.5v	50.4v	45.4v	49.3v	48.5v	72.5v	74.8v	102.13v	43.3v	46.2v	741.64v
269	Mr SAJ Dowley	X	73.7v	49.6v	47.6v	43.2v	48.4v	46.5v	49.4v	47.5v	72.8v	69.7v	103.8v	47.2v	47.8v	740.72v
270	Mr SD Glen	X	73.9v	50.4v	44.3v	49.6v	47.4v	46.1v	49.6v	44.3v	72.8v	71.6v	103.11v	47.2v	45.2v	740.65v
271	Mr RR Grisenthwaite	A	74.9v	48.6v	45.1v	46.2v	48.4v	47.2v	49.7v	49.6v	71.6v	72.7v	100.9v	45.4v	46.1v	740.64v

272	Mr Al Brown	O	69.4v	48.3v	46.5v	49.4v	46.4v	48.4v	46.4v	49.4v	73.7v	70.4v	101.11v	49.6v	46.3v	740.63v
273	Mr PA Maher	A	72.7v	47.4v	47.4v	48.4v	48.3v	47.2v	49.3v	50.7v	72.8v	68.6v	101.10v	45.2v	46.3v	740.63v
274	Mr OM Hudson	A	75.9v	49.6v	46.3v	43.2v	48.3v	49.4v	47.5v	48.5v	74.7v	70.7v	103.8v	42.0v	46.3v	740.62v
275	Miss CL Wiseman	T	72.8v	46.0v	48.3v	48.5v	48.3v	44.1v	49.3v	50.6v	71.8v	72.5v	100.11v	45.2v	47.3v	740.58v
276	Mr CI Pawlik	O	73.8v	50.8v	48.3v	48.1v	47.3v	45.3v	47.4v	48.5v	69.6v	69.3v	102.8v	49.2v	45.1v	740.55v
277	Mr PJ Temperley	O	69.8v	50.5v	48.6v	48.5v	47.6v	46.5v	48.8v	49.6v	72.5v	71.6v	101.9v	48.5v	42.2v	739.76v
278	Mr PW Glen	O	73.8v	47.4v	45.2v	49.5v	48.7v	45.4v	49.6v	48.4v	67.7v	73.7v	104.13v	42.2v	49.5v	739.74v
279	Cdt LCpl R Celesia	O	72.5v	48.7v	49.6v	47.2v	49.7v	47.3v	48.4v	49.4v	73.9v	67.4v	102.12v	43.3v	45.5v	739.71v
280	Pvt CR Vonchek	A	72.7v	49.5v	47.3v	49.5v	48.6v	49.7v	46.3v	47.3v	73.6v	70.6v	97.11v	47.4v	45.4v	739.70v
281	Maj GR Jeal	A	73.8v	48.4v	47.5v	46.4v	48.3v	49.6v	49.6v	47.5v	69.6v	70.5v	100.7v	46.1v	47.4v	739.64v
282	Mr JM Picariello	T	70.3v	48.4v	46.2v	46.4v	49.7v	47.5v	47.3v	50.3v	74.8v	70.9v	100.8v	48.5v	44.2v	739.63v
283	Mr DE Nuthall	X	69.7v	50.3v	45.1v	48.4v	49.5v	49.8v	46.1v	48.5v	72.7v	70.5v	101.8v	48.3v	44.5v	739.62v
284	Mr RL Sampson	A	72.8v	44.0v	48.4v	48.5v	49.4v	48.3v	49.7v	49.5v	71.8v	72.8v	101.6v	43.1v	45.1v	739.60v
285	Mr JPM Stevens	O	73.6v	50.3v	49.3v	48.2v	47.5v	48.3v	47.4v	44.3v	73.5v	71.7v	100.10v	46.2v	43.2v	739.55v
286	Cdt Sgt B Morris	T	73.10v	48.7v	49.5v	42.0v	49.5v	50.9v	45.2v	48.4v	74.8v	72.7v	102.12v	49.8v	37.1v	738.78v
287	Mr JR Allum	A	74.6v	50.7v	50.7v	49.7v	48.5v	47.4v	46.5v	46.4v	72.7v	66.4v	98.10v	48.6v	44.2v	738.74v
288	Dr SS Horner	O	73.8v	49.6v	47.2v	44.2v	45.1v	48.6v	47.5v	50.8v	72.10v	70.8v	99.10v	47.4v	47.2v	738.72v
289	Mr H Percival	O	74.10v	45.1v	47.7v	48.4v	47.4v	48.3v	49.6v	50.9v	74.9v	69.6v	102.9v	41.3v	44.1v	738.72v
290	Dr MW Wrigley	A	68.3v	48.3v	50.6v	46.5v	50.5v	47.3v	48.5v	48.4v	74.9v	66.3v	100.11v	48.5v	45.4v	738.66v
291	Mr OD de Gruchy	O	74.9v	47.2v	49.4v	46.4v	46.1v	47.3v	49.6v	46.3v	75.13v	67.4v	102.11v	46.2v	44.0v	738.62v
292	Mr CA Stewart	O	74.9v	48.3v	46.5v	45.4v	44.4v	49.7v	48.6v	44.2v	73.5v	72.4v	103.6v	46.1v	46.4v	738.60v
293	Mr FJS Reis	T	73.7v	50.5v	47.5v	45.3v	46.2v	46.2v	49.5v	49.6v	70.5v	73.6v	100.8v	48.4v	42.2v	738.60v
294	Mr AG Stewart	O	73.5v	46.4v	47.3v	45.2v	49.4v	48.4v	50.7v	49.5v	70.5v	68.6v	101.10v	45.2v	47.2v	738.59v
295	Mr JM Nippers	O	69.3v	48.7v	49.6v	47.4v	43.2v	48.5v	50.7v	49.1v	74.6v	69.4v	102.10v	44.3v	46.0v	738.58v
296	Mr AF Donald	O	71.4v	47.4v	50.7v	45.1v	48.4v	48.4v	49.6v	45.3v	68.3v	74.6v	101.7v	47.4v	45.1v	738.54v
297	Mr RG Woodger	X	74.10v	48.6v	48.4v	47.6v	46.3v	50.5v	47.4v	49.4v	74.10v	66.7v	102.8v	40.2v	46.4v	737.73v
298	Mr G Bendik	X	74.11v	48.4v	48.3v	48.6v	47.5v	48.4v	45.2v	48.5v	72.7v	71.6v	98.13v	47.3v	43.2v	737.71v
299	Flt Lt NP Moxon	O	73.9v	48.3v	46.4v	43.2v	50.3v	49.6v	48.4v	48.7v	71.7v	69.6v	103.12v	48.4v	41.3v	737.70v
300	Mr WP Cubitt	O	72.6v	46.5v	48.1v	43.2v	50.7v	48.3v	47.6v	47.5v	73.8v	71.7v	102.12v	46.3v	44.1v	737.66v
301	Mr ORW Russell	A	72.9v	49.5v	48.5v	46.3v	48.5v	47.5v	45.3v	48.5v	72.9v	74.6v	99.8v	45.2v	44.0v	737.65v
302	Mr G Childs	A	73.10v	49.7v	50.5v	47.3v	47.7v	48.1v	45.4v	44.1v	72.7v	71.5v	104.9v	46.2v	41.1v	737.62v
303	Mr J Scheuerl	T	75.10v	48.4v	46.5v	46.1v	47.4v	48.6v	46.4v	47.1v	72.9v	73.5v	98.6v	48.3v	43.2v	737.60v
304	Cdt OW Rankin	T	70.7v	48.5v	47.5v	48.5v	49.6v	43.0v	48.4v	47.2v	73.6v	71.4v	100.9v	47.3v	46.2v	737.58v
305	Mr JJ Parsons	A	72.8v	49.6v	50.5v	46.1v	47.2v	45.4v	46.6v	49.4v	73.8v	70.4v	101.8v	44.0v	45.2v	737.58v
306	Mrs M Di Bona	O	75.10v	47.4v	47.4v	43.4v	47.4v	48.6v	47.5v	47.1v	73.8v	70.9v	97.9v	48.7v	47.5v	736.76v
307	Lt Col WDH Burden	O	75.14v	49.6v	48.6v	45.2v	46.4v	46.3v	44.3v	50.7v	72.6v	73.9v	99.7v	45.5v	44.3v	736.75v
308	Mr RS Darwish	T	70.7v	49.6v	46.4v	47.7v	49.6v	49.5v	50.8v	49.3v	73.7v	69.4v	98.8v	47.7v	40.2v	736.74v
309	Mr AWC Lothian	X	71.8v	48.2v	49.5v	47.5v	48.6v	49.7v	47.6v	49.6v	72.8v	66.3v	100.11v	44.3v	46.2v	736.72v
310	Mr TS Craig-Fleming	O	73.5v	49.6v	48.6v	42.0v	49.5v	48.7v	47.3v	50.7v	71.9v	70.3v	102.15v	45.4v	42.2v	736.72v
311	Mr RI Coventry	O	73.12v	48.3v	49.7v	48.6v	50.5v	47.4v	49.3v	49.8v	66.1v	72.9v	100.9v	43.4v	42.1v	736.72v
312	Mr WA Morriss	O	74.8v	48.5v	49.5v	45.2v	49.7v	50.5v	46.4v	50.6v	69.6v	71.5v	99.11v	43.1v	43.4v	736.69v
313	Mr DA Roberts	O	72.7v	47.4v	48.6v	49.5v	48.6v	47.6v	46.2v	48.5v	72.8v	72.8v	97.6v	44.2v	46.3v	736.68v
314	Wg Cdr CJ Hockley OBE	O	70.6v	47.2v	48.4v	49.4v	47.4v	50.7v	48.4v	47.3v	70.6v	70.7v	100.12v	46.2v	44.4v	736.65v
315	Mr RD Lindsay	O	75.10v	47.2v	48.7v	43.3v	50.3v	48.5v	49.5v	49.7v	73.10v	70.5v	96.5v	45.1v	43.1v	736.64v
316	Cdt LCpl A Cui	T	72.7v	47.4v	48.4v	48.5v	47.3v	46.3v	49.5v	47.3v	72.5v	72.9v	100.7v	43.1v	45.3v	736.59v
317	Mr PJ Bysse	O	72.7v	49.4v	46.5v	48.6v	48.5v	47.5v	47.4v	47.2v	72.8v	70.7v	98.9v	47.4v	44.1v	735.67v
318	Mr NM Duncan	O	74.7v	46.3v	44.2v	50.7v	43.1v	47.5v	48.4v	46.0v	73.11v	73.9v	103.14v	46.4v	42.0v	735.67v
319	Mr IDC Brechin	O	72.5v	48.4v	49.5v	48.5v	46.3v	49.7v	46.5v	46.3v	71.7v	70.5v	101.11v	47.3v	42.2v	735.65v
320	Mr SP OBrien	A	72.5v	49.7v	48.6v	47.3v	47.4v	47.3v	47.5v	48.6v	70.4v	72.7v	100.11v	46.3v	42.0v	735.64v
321	Miss FE Purdy	O	72.9v	45.4v	46.1v	47.5v	49.1v	43.3v	49.6v	47.3v	71.4v	72.9v	103.9v	44.2v	47.3v	735.59v
322	Cdt Cpl AL Moldoveanu	O	72.4v	47.2v	48.4v	48.3v	47.3v	49.6v	46.5v	47.4v	72.8v	70.4v	99.8v	42.4v	48.4v	735.59v
323	Mr JM Baldwin	O	73.7v	48.6v	47.4v	44.2v	47.5v	45.6v	49.4v	49.8v	72.7v	71.8v	97.8v	45.3v	47.3v	734.71v
324	Mr RJ McQuillan	X	72.8v	44.1v	50.6v	47.6v	45.3v	50.3v	48.5v	44.4v	75.10v	73.7v	99.11v	43.1v	44.6v	734.71v
325	Mr FC Stewart	O	71.8v	48.5v	48.6v	45.4v	48.4v	48.5v	50.5v	49.6v	72.9v	68.5v	97.7v	45.3v	45.3v	734.70v
326	Mr JT Kennedy	O	72.8v	45.4v	49.3v	48.6v	50.5v	45.3v	46.4v	46.4v	74.13v	72.7v	97.7v	46.3v	44.2v	734.69v
327	Mr DJH Birrell	O	70.8v	48.7v	48.4v	44.4v	49.5v	46.3v	48.4v	49.5v	71.7v	68.3v	99.8v	46.4v	48.3v	734.65v
328	Cdt HJ Purslow	O	72.6v	50.6v	46.4v	49.3v	48.6v	46.2v	48.6v	46.4v	70.5v	68.2v	102.7v	47.6v	42.3v	734.60v
329	Mr DE Simkin	O	71.5v	49.6v	48.2v	47.4v	48.1v	46.4v	49.3v	49.6v	69.4v	71.5v	97.7v	47.4v	43.3v	734.54v
330	Mr MDE Larcombe	A	72.12v	48.5v	45.4v	48.6v	48.5v	46.4v	49.3v	47.6v	74.10v	72.4v	102.13v	39.0v	43.4v	733.76v
331	Dr JR Deane	X	74.10v	48.5v	47.4v	48.2v	49.4v	49.6v	47.2v	50.7v	68.8v	69.6v	102.14v	38.1v	44.2v	733.71v

332	Miss JE Ouston	A	72.10v	47.4v	49.5v	42.2v	45.4v	48.6v	48.5v	46.2v	71.4v	71.4v	102.10v	46.4v	46.3v	733.63v
333	Mr N Anderson	A	73.10v	47.2v	47.4v	46.3v	49.5v	47.4v	46.4v	46.4v	68.3v	72.9v	101.7v	45.3v	46.5v	733.63v
334	Mr WR Steward	O	71.6v	46.2v	48.3v	44.2v	48.7v	47.2v	44.0v	49.4v	72.10v	69.6v	101.11v	47.5v	47.3v	733.61v
335	Cdt Cpl TLM Flanagan	T	71.3v	49.7v	45.3v	43.4v	47.2v	48.5v	46.3v	46.4v	75.12v	70.4v	100.7v	47.3v	46.3v	733.60v
336	Miss NE Barnes	O	72.8v	48.7v	47.4v	48.2v	46.4v	48.6v	48.1v	46.3v	70.6v	72.6v	103.9v	42.1v	43.1v	733.58v
337	Mr HEJ Welch	O	73.9v	47.4v	45.2v	43.1v	50.4v	49.4v	45.3v	48.4v	69.7v	74.5v	98.5v	49.3v	43.3v	733.54v
338	Mr LM Peden	A	67.3v	47.3v	48.4v	45.2v	46.1v	49.5v	49.6v	49.4v	70.4v	70.5v	100.11v	47.2v	46.2v	733.52v
339	Mr BJ Wood	O	65.3v	48.5v	48.3v	46.3v	46.2v	49.6v	49.3v	49.5v	72.5v	68.5v	103.7v	45.4v	45.1v	733.52v
340	SSGT RH Kitson	X	72.5v	48.6v	45.3v	46.5v	48.6v	47.6v	50.6v	48.5v	70.5v	71.8v	97.13v	48.5v	42.4v	732.77v
341	Cdt Cpl TZ Maxwell Randeria	T	72.8v	46.3v	45.3v	44.2v	48.8v	49.4v	48.6v	47.4v	69.5v	70.6v	102.9v	48.5v	44.2v	732.65v
342	GP Capt WD Cooper	X	74.9v	46.5v	49.3v	45.4v	49.7v	48.4v	49.5v	49.8v	74.5v	67.5v	98.7v	44.1v	40.1v	732.64v
343	Miss S Ponter	A	71.7v	48.2v	45.2v	42.1v	49.4v	49.4v	50.6v	48.7v	69.6v	70.3v	104.15v	45.3v	42.1v	732.61v
344	Miss A Ross	O	74.11v	47.4v	43.1v	39.0v	50.7v	47.2v	48.6v	47.5v	73.8v	72.6v	103.13v	45.6v	43.3v	731.72v
345	Mr CP Goad	O	73.9v	50.5v	47.4v	49.5v	48.4v	44.3v	49.7v	49.4v	73.7v	67.6v	96.4v	42.1v	44.4v	731.63v
346	Miss ZNK Moir	T	73.7v	48.3v	43.2v	46.3v	49.6v	49.4v	48.4v	47.4v	69.4v	68.10v	101.10v	45.2v	45.3v	731.62v
347	Cdt JJ Weir	T	71.7v	46.3v	45.4v	48.3v	47.2v	47.5v	48.4v	47.2v	70.4v	72.7v	101.12v	47.6v	42.3v	731.62v
348	Mr J Myers	T	71.4v	47.3v	48.6v	42.2v	47.5v	49.2v	49.5v	50.5v	72.10v	71.3v	98.9v	44.2v	43.3v	731.59v
349	Mr TJ Goodger	A	68.2v	50.4v	47.3v	49.5v	49.6v	45.3v	49.7v	48.5v	73.7v	72.8v	101.10v	42.3v	37.1v	730.64v
350	Mrs KE Heath	A	71.6v	49.4v	49.6v	46.2v	48.2v	49.4v	46.3v	48.3v	71.10v	74.11v	98.8v	39.1v	42.2v	730.62v
351	Miss RM Weinberger	T	73.7v	49.4v	48.3v	43.4v	49.4v	49.2v	49.5v	48.6v	70.5v	70.8v	95.5v	42.3v	45.5v	730.61v
352	Cdt PEV Osmond	O	74.7v	50.7v	45.2v	47.3v	47.4v	48.7v	50.3v	47.2v	69.6v	66.5v	96.7v	48.2v	43.3v	730.58v
353	Mr TJ Bryan	O	70.3v	45.2v	47.2v	49.4v	49.5v	46.5v	50.7v	49.7v	71.5v	70.6v	99.5v	41.1v	44.4v	730.56v
354	Mr MHH John	O	72.3v	47.5v	47.3v	44.1v	48.3v	49.4v	49.4v	49.7v	72.7v	68.5v	102.11v	40.1v	43.1v	730.55v
355	Mr AG Harrison	O	75.8v	48.6v	47.2v	44.2v	48.4v	47.4v	49.6v	49.2v	74.5v	67.4v	99.7v	37.3v	46.1v	730.54v
356	Mr R le R Bird	O	71.6v	50.5v	47.2v	45.1v	47.4v	45.1v	49.3v	47.1v	70.6v	69.5v	100.9v	43.0v	47.2v	730.45v
357	Miss LK Crosby	T	75.10v	47.3v	46.4v	45.1v	47.6v	49.7v	46.5v	50.6v	72.9v	70.5v	100.8v	39.2v	43.3v	729.69v
358	Mr M Clark	O	74.7v	49.4v	38.4v	48.6v	47.3v	44.2v	47.2v	47.5v	73.7v	71.9v	102.11v	46.4v	43.2v	729.66v
359	Mr J Bideau	T	65.7v	46.3v	46.4v	49.6v	46.2v	45.3v	49.3v	49.8v	71.4v	71.5v	104.13v	45.3v	43.2v	729.63v
360	Mr JBG Shepherd	X	70.6v	48.4v	46.4v	43.2v	48.4v	48.4v	48.5v	49.3v	71.7v	68.5v	102.10v	47.4v	41.2v	729.60v
361	Mr K McCamley	X	72.7v	45.2v	48.5v	44.2v	48.2v	48.4v	48.3v	44.2v	71.9v	67.5v	103.10v	45.4v	46.3v	729.58v
362	Cdt S Franck	T	69.8v	50.7v	47.2v	45.1v	44.2v	48.3v	47.4v	48.3v	74.9v	68.4v	100.11v	47.3v	42.1v	729.58v
363	Cdt RSM P Hobbs	O	73.7v	49.6v	48.4v	49.4v	43.3v	44.2v	44.2v	48.3v	71.6v	67.3v	104.11v	46.2v	43.3v	729.56v
364	Mr HM Wong Shui	X	73.8v	48.4v	45.1v	48.4v	47.4v	47.5v	47.1v	49.4v	72.8v	71.6v	95.7v	46.4v	41.0v	729.56v
365	Mr JAMM Ingham	T	72.9v	48.3v	45.4v	49.7v	44.4v	49.4v	48.6v	47.3v	71.6v	73.9v	97.7v	46.5v	39.3v	728.70v
366	Dr AI Ashworth	O	71.7v	48.3v	49.6v	48.4v	47.4v	47.4v	49.6v	45.3v	70.7v	72.6v	98.15v	42.0v	42.1v	728.66v
367	Cdt AL Shine	T	74.7v	44.2v	46.3v	44.4v	46.5v	49.7v	48.5v	50.9v	72.5v	71.4v	99.7v	40.4v	45.3v	728.65v
368	Mr RPF McKenna	T	70.4v	48.5v	48.6v	45.8v	47.3v	45.4v	49.5v	49.5v	70.7v	66.2v	100.8v	49.4v	42.1v	728.62v
369	Mr NA Mohideen	A	73.5v	48.6v	49.6v	46.3v	44.4v	44.3v	49.6v	49.6v	71.7v	71.4v	96.8v	45.1v	43.2v	728.61v
370	Lt ML Wilkins	O	73.7v	50.6v	47.1v	43.2v	47.5v	45.5v	47.4v	49.5v	69.8v	72.5v	99.10v	45.1v	42.0v	728.59v
371	Miss AB Dorey	T	71.6v	48.5v	47.6v	43.0v	49.4v	49.2v	43.6v	48.5v	72.6v	70.6v	99.7v	43.2v	46.2v	728.57v
372	Mr ML Cotillard	O	70.5v	48.3v	47.5v	46.3v	47.5v	47.3v	47.5v	46.3v	69.5v	69.4v	99.10v	48.4v	45.0v	728.55v
373	Mr RF Burden	O	72.7v	46.2v	48.4v	47.3v	46.4v	48.2v	48.6v	45.3v	73.6v	70.5v	95.4v	46.2v	44.1v	728.49v
374	Miss GC McCaig	T	73.9v	48.3v	44.3v	42.1v	49.6v	48.2v	48.6v	49.6v	73.10v	69.8v	98.10v	42.2v	44.2v	727.68v
375	Miss AE Jallot	T	74.10v	50.8v	45.1v	46.4v	49.4v	46.3v	49.7v	47.3v	70.6v	67.5v	96.7v	46.4v	42.3v	727.65v
376	Maj Gen AJW Sturrock	O	73.8v	45.4v	50.4v	47.4v	41.2v	48.5v	46.1v	49.6v	71.3v	66.7v	99.9v	47.4v	45.4v	727.61v
377	Cdt M Griesemann	T	69.5v	47.0v	48.2v	49.5v	48.5v	46.4v	47.3v	47.3v	71.8v	70.5v	102.10v	46.3v	37.1v	727.54v
378	Mr DE Fields	X	70.8v	50.7v	43.1v	49.3v	46.5v	49.4v	48.4v	46.2v	71.5v	70.5v	97.5v	45.3v	43.1v	727.53v
379	Cdt LCpl OE Roussel	T	72.6v	48.2v	49.7v	46.4v	47.8v	45.1v	49.6v	46.5v	67.5v	69.3v	96.7v	46.1v	46.6v	726.61v
380	Lt Col CST Lehmann	O	73.8v	45.3v	47.5v	42.4v	48.5v	49.5v	50.4v	47.3v	68.4v	71.6v	99.7v	43.3v	44.4v	726.61v
381	Mr GR Bowman	X	72.7v	48.5v	50.7v	48.5v	48.5v	45.3v	48.4v	46.4v	67.3v	66.1v	97.7v	44.1v	47.4v	726.56v
382	Mr R Winney	O	69.0v	48.2v	46.3v	43.2v	49.5v	48.4v	47.5v	48.5v	71.6v	70.4v	97.2v	44.4v	46.4v	726.46v
383	Mr AR Le Quesne	T	74.5v	44.3v	47.4v	43.2v	49.7v	46.2v	48.7v	50.8v	70.6v	71.6v	100.7v	42.1v	41.2v	725.60v
384	Mr JRW Latimer	O	73.8v	48.5v	47.3v	45.3v	48.5v	47.2v	47.3v	49.5v	71.8v	66.4v	95.8v	46.3v	43.2v	725.59v
385	Mr M Reid	O	73.9v	48.5v	46.2v	47.5v	49.6v	49.7v	48.3v	47.5v	64.3v	69.5v	100.5v	44.3v	41.1v	725.59v
386	Cdt Cpl KS Lynnyk-Ali	T	72.8v	49.7v	46.3v	46.4v	47.2v	48.4v	48.5v	48.3v	69.1v	66.4v	103.8v	46.5v	37.2v	725.56v
387	Mr P Persaud	X	70.6v	48.4v	49.4v	45.0v	46.4v	48.6v	48.5v	46.2v	73.6v	68.5v	97.6v	42.2v	45.4v	725.54v
388	Mr J Tsai	T	70.3v	47.5v	45.2v	43.1v	48.3v	47.3v	47.4v	47.3v	69.7v	71.4v	99.8v	50.6v	42.2v	725.51v
389	Miss VM Churchouse	T	72.4v	49.2v	49.6v	47.5v	47.5v	43.2v	45.3v	42.1v	69.6v	66.4v	100.8v	49.6v	46.5v	724.57v
390	Miss HD Grindon	O	69.4v	47.5v	47.4v	42.1v	46.3v	50.7v	40.1v	49.7v	72.8v	73.8v	97.3v	46.3v	46.3v	724.57v
391	Mr PG Kelly	O	70.3v	47.4v	47.5v	45.3v	46.1v	46.5v	48.3v	46.5v	72.7v	70.7v	96.10v	46.3v	45.0v	724.56v

392	Mr AJ Le Cheminant	O	70.7v	48.2v	48.6v	45.2v	46.3v	43.1v	47.4v	49.3v	68.7v	70.7v	100.8v	45.2v	45.2v	724.54v
393	Miss MD Beaton-Jaramillo	X	73.8v	50.6v	40.2v	42.3v	49.4v	47.4v	47.6v	49.5v	75.11v	72.7v	104.14v	40.1v	35.1v	723.72v
394	Mr JRJ Kennedy	O	71.8v	50.6v	48.4v	49.6v	45.3v	47.3v	46.4v	48.5v	69.8v	69.4v	97.9v	47.2v	37.2v	723.64v
395	Mr CHY Chan	T	72.7v	44.2v	47.3v	45.4v	47.3v	48.6v	47.6v	49.7v	74.7v	69.6v	97.8v	42.3v	42.1v	723.63v
396	Mrs R Merridew	O	73.8v	47.6v	48.3v	47.2v	45.3v	45.4v	46.4v	48.5v	70.7v	67.3v	101.12v	45.3v	41.1v	723.61v
397	Mr D Colegate	O	72.9v	45.4v	48.3v	44.2v	48.3v	48.3v	48.7v	47.5v	68.3v	71.8v	100.10v	44.3v	40.1v	723.61v
398	Mr R Stebbings	X	73.10v	47.4v	43.3v	47.5v	49.6v	48.4v	46.4v	47.5v	71.5v	70.5v	98.5v	41.1v	43.2v	723.59v
399	Mr A Zhang	T	70.2v	47.3v	45.4v	47.4v	42.1v	48.6v	45.5v	48.5v	68.2v	74.9v	98.11v	44.5v	47.1v	723.58v
400	Mr SNS Penrose	X	75.9v	47.4v	45.4v	46.3v	46.1v	49.7v	48.4v	47.3v	72.4v	68.7v	92.7v	43.1v	45.4v	723.58v
401	Mr LT Wicker	O	74.11v	47.4v	47.4v	45.1v	49.4v	47.3v	48.5v	44.3v	67.9v	68.4v	100.6v	43.2v	44.0v	723.56v
402	Mr NJ Atkins	O	67.1v	46.5v	48.5v	47.4v	48.5v	45.3v	49.5v	48.3v	71.5v	70.7v	96.7v	45.1v	43.1v	723.52v
403	Mr J Nicholas	T	71.7v	46.4v	48.5v	46.4v	48.2v	48.3v	46.2v	48.3v	73.6v	67.4v	97.8v	44.2v	41.2v	723.52v
404	Mr RM Culverwell	O	71.3v	47.5v	46.3v	49.5v	46.2v	46.2v	48.3v	49.3v	69.5v	66.4v	95.7v	46.2v	45.3v	723.47v
405	Miss N Murrin	O	72.9v	48.3v	50.6v	47.6v	48.5v	47.5v	50.6v	48.3v	70.7v	65.3v	98.8v	35.2v	44.2v	722.65v
406	Mr AS Hood	O	67.3v	44.4v	43.2v	44.3v	49.5v	48.5v	47.4v	48.4v	73.10v	71.6v	103.12v	39.2v	46.4v	722.64v
407	Mr P Johnson	O	70.9v	49.3v	42.3v	45.3v	48.8v	49.6v	48.4v	50.6v	69.3v	66.5v	100.10v	41.0v	45.2v	722.62v
408	Cdt GE Sanderson	T	71.5v	46.5v	48.4v	38.3v	48.7v	48.4v	47.2v	50.7v	74.9v	71.6v	96.8v	45.2v	40.0v	722.62v
409	Mr JR Stirland	O	72.5v	47.4v	43.3v	46.5v	47.5v	48.4v	48.2v	45.3v	72.9v	69.5v	98.7v	45.5v	42.1v	722.58v
410	Mr BAM Hebblethwaite	O	67.5v	49.4v	49.4v	47.2v	42.3v	46.3v	49.7v	47.4v	73.7v	71.7v	99.6v	37.1v	46.3v	722.56v
411	Mr CJ Monk	T	70.4v	50.3v	48.4v	48.6v	47.2v	46.1v	48.2v	48.6v	70.7v	66.5v	100.10v	36.1v	45.2v	722.53v
412	Mr MWS Oliver	A	70.7v	47.1v	47.4v	47.3v	49.4v	45.1v	49.5v	46.5v	67.4v	65.6v	101.6v	46.3v	43.0v	722.49v
413	Mr D Wild	T	70.5v	47.5v	47.6v	44.2v	49.7v	46.4v	43.2v	48.2v	72.10v	65.1v	101.9v	45.4v	44.6v	721.63v
414	Mr TJG Hendriks	O	69.4v	47.4v	47.3v	43.2v	46.4v	49.5v	49.6v	48.7v	72.7v	69.5v	102.9v	43.3v	37.2v	721.61v
415	Mrs DE Curtis	O	68.6v	47.4v	47.4v	43.3v	48.4v	48.5v	47.4v	50.7v	69.7v	65.4v	93.5v	49.2v	47.3v	721.58v
416	Miss N Tercjak	T	70.4v	49.7v	45.2v	45.4v	45.2v	46.4v	49.6v	49.5v	68.7v	69.6v	103.9v	38.1v	45.1v	721.58v
417	Mr MJJ Charlton	O	68.4v	48.3v	45.1v	47.5v	48.7v	48.4v	47.5v	45.1v	65.2v	71.7v	99.8v	42.1v	48.7v	721.55v
418	Mr RE Pike	X	70.6v	46.5v	46.3v	47.3v	49.6v	43.0v	46.4v	44.3v	74.7v	68.4v	97.8v	45.3v	46.2v	721.54v
419	Mr JN Prout	T	67.2v	47.6v	44.3v	49.7v	48.2v	46.4v	49.6v	49.4v	70.7v	66.2v	97.3v	45.3v	44.2v	721.51v
420	Mr T Snaith	T	71.2v	48.5v	44.3v	44.2v	48.5v	45.1v	48.3v	47.5v	72.5v	71.7v	100.9v	42.2v	41.2v	721.51v
421	Mr KM Rivoallan	O	73.7v	45.4v	41.1v	47.2v	45.1v	45.2v	50.6v	46.5v	71.5v	70.4v	96.7v	44.2v	48.4v	721.50v
422	Ms J Shen	T	73.9v	48.5v	47.5v	44.1v	49.7v	45.3v	46.3v	46.4v	72.7v	65.3v	95.10v	42.1v	48.3v	720.61v
423	Mr IW Robertson	A	72.6v	47.5v	47.4v	50.6v	45.5v	43.2v	47.5v	48.5v	71.9v	66.2v	93.6v	44.3v	47.2v	720.60v
424	Mr AF Chidlow	T	71.4v	47.4v	49.5v	47.3v	44.4v	46.5v	46.4v	43.2v	69.5v	71.8v	99.8v	48.3v	40.1v	720.56v
425	Mr PS Gray	O	73.6v	49.2v	42.3v	46.4v	46.5v	45.3v	48.6v	46.4v	69.4v	67.5v	99.7v	46.1v	44.2v	720.52v
426	Mr RF Barrington	O	72.6v	46.3v	47.2v	46.3v	44.1v	45.5v	48.3v	45.3v	72.4v	73.9v	96.5v	40.2v	46.1v	720.47v
427	Mr MR Clewer	O	68.2v	49.4v	47.3v	47.1v	44.3v	49.4v	48.5v	49.5v	71.5v	66.3v	94.4v	44.2v	44.1v	720.42v
428	Mr GL Clarke	O	74.11v	48.5v	47.1v	44.4v	45.1v	49.3v	47.3v	45.4v	74.7v	69.7v	97.8v	44.2v	36.0v	719.56v
429	Mr B Vary	T	70.3v	46.3v	47.4v	46.4v	49.6v	47.5v	44.3v	49.6v	69.4v	67.3v	98.7v	43.3v	43.5v	718.56v
430	Dr NAD Pasternak-Albert	T	67.4v	49.4v	46.4v	47.4v	49.7v	47.3v	46.2v	48.4v	71.6v	66.3v	99.8v	45.6v	38.1v	718.56v
431	Mr S Pasarkar	T	67.2v	46.4v	44.4v	48.6v	45.3v	50.7v	49.2v	48.6v	70.4v	66.4v	98.5v	44.3v	43.5v	718.55v
432	Cpl M Saberton	T	70.7v	47.5v	45.3v	44.4v	46.1v	48.3v	49.7v	43.0v	70.6v	70.4v	100.9v	46.4v	40.2v	718.55v
433	Air Cdre JA Ford	O	68.3v	46.4v	47.3v	41.1v	47.5v	47.5v	46.4v	49.3v	73.6v	63.3v	102.8v	45.1v	44.2v	718.48v
434	Mr CSP Gray	O	67.3v	47.6v	46.3v	44.2v	48.2v	42.2v	49.6v	45.5v	71.8v	71.7v	94.7v	49.8v	44.2v	717.61v
435	Miss A Downie	T	70.4v	45.2v	46.1v	48.6v	45.3v	47.4v	44.3v	44.2v	73.9v	72.8v	101.9v	45.3v	37.0v	717.54v
436	Miss EAV Barrett	T	71.5v	48.5v	48.6v	47.3v	46.1v	47.3v	47.4v	48.5v	72.8v	65.3v	99.8v	38.2v	41.1v	717.54v
437	Mr RA Tewari	A	72.6v	47.3v	46.1v	48.4v	45.4v	42.2v	47.6v	43.2v	72.6v	73.5v	99.12v	42.0v	41.2v	717.53v
438	Mr SH Dickson	O	70.5v	42.0v	46.4v	49.6v	49.5v	46.3v	47.5v	43.2v	69.6v	69.4v	99.7v	42.0v	46.5v	717.52v
439	Miss JL Williams	T	72.4v	46.3v	47.5v	46.2v	48.6v	43.0v	46.3v	49.4v	65.5v	70.5v	102.9v	44.3v	39.1v	717.50v
440	Miss KA Hinkly	O	70.1v	49.6v	47.2v	44.3v	49.3v	45.3v	48.6v	47.5v	72.7v	65.3v	98.9v	40.1v	43.1v	717.50v
441	Mr LR Coventry	O	72.6v	42.2v	50.2v	49.6v	46.2v	45.2v	45.3v	47.3v	65.3v	68.2v	99.8v	46.4v	43.1v	717.44v
442	Wg Cdr CM Fopp	O	72.8v	46.3v	50.5v	42.4v	48.7v	45.5v	45.3v	49.6v	72.7v	66.4v	100.6v	40.3v	41.1v	716.62v
443	Miss OEC Ross	A	73.7v	47.2v	46.5v	46.5v	44.4v	46.2v	47.6v	47.4v	68.3v	66.4v	100.13v	46.4v	40.1v	716.60v
444	Mr RW McVeigh	A	71.7v	48.5v	46.3v	46.5v	44.4v	47.5v	44.4v	50.4v	72.5v	67.3v	98.8v	47.4v	36.1v	716.58v
445	Mr MR Ebbetts	O	71.6v	48.7v	48.4v	43.3v	46.4v	46.5v	47.5v	46.4v	71.7v	68.1v	97.9v	41.0v	44.2v	716.57v
446	Mr LJ Smith	T	69.6v	44.3v	45.2v	43.2v	48.4v	45.1v	49.3v	48.3v	73.8v	68.4v	94.9v	47.5v	43.4v	716.54v
447	Mr JGM Webster	X	71.7v	48.4v	47.5v	46.5v	49.5v	47.2v	42.0v	46.2v	73.7v	71.6v	86.2v	44.1v	46.2v	716.48v
448	Mr EGH Atkins	O	67.4v	45.2v	47.2v	46.4v	41.1v	49.3v	47.5v	44.2v	70.6v	68.1v	100.5v	47.4v	45.3v	716.42v
449	Ms CAE Renart	T	68.5v	45.3v	44.3v	47.7v	43.1v	46.2v	47.4v	48.3v	69.7v	68.8v	103.13v	46.4v	41.0v	715.60v
450	Mr LM OGrady	T	71.7v	47.6v	46.3v	44.3v	48.4v	45.2v	48.6v	43.5v	72.11v	70.5v	97.6v	40.0v	44.2v	715.60v
451	Cdt HS Jones	T	70.4v	45.3v	48.5v	48.1v	49.7v	47.3v	48.4v	47.3v	70.5v	62.5v	99.12v	41.2v	41.1v	715.55v

452	Mr AD Robertson	T	73.5v	49.5v	48.6v	43.1v	48.4v	46.4v	48.4v	43.2v	71.5v	67.6v	100.8v	34.1v	45.4v	715.55v
453	Mr ACM White	T	72.10v	45.3v	45.2v	48.2v	48.6v	45.2v	48.6v	44.2v	69.4v	70.5v	96.6v	46.4v	39.1v	715.53v
454	Mr O Polat	T	71.6v	46.2v	45.4v	48.4v	46.2v	46.2v	47.6v	45.3v	67.3v	70.6v	99.5v	45.1v	40.2v	715.46v
455	Mr GRP Shapland	O	72.8v	45.2v	48.4v	43.2v	43.1v	44.0v	46.5v	49.2v	71.7v	67.5v	97.3v	44.4v	46.2v	715.45v
456	Mr OJ Hughes	T	69.5v	49.6v	45.3v	47.5v	45.2v	45.4v	46.5v	49.4v	68.3v	65.5v	101.6v	42.1v	43.2v	714.51v
457	Mr GJ Maas	T	68.4v	48.5v	46.2v	39.0v	48.8v	48.3v	49.4v	50.7v	66.5v	68.4v	97.4v	43.3v	44.1v	714.50v
458	Mr P Waldron	O	69.3v	47.4v	46.2v	42.1v	44.2v	47.5v	48.6v	46.3v	68.4v	69.2v	99.5v	47.2v	42.4v	714.43v
459	Mrs DA Thompson	O	71.8v	48.6v	45.3v	42.2v	49.7v	46.4v	48.4v	49.3v	73.9v	70.5v	99.10v	38.1v	35.0v	713.62v
460	Mr FWC Cowling	T	69.5v	48.4v	44.2v	44.2v	46.2v	45.3v	46.2v	48.5v	72.8v	73.4v	98.13v	33.2v	47.4v	713.56v
461	Mr LC Schwarz	T	71.6v	45.3v	47.4v	46.4v	45.5v	46.2v	47.5v	45.4v	65.4v	72.3v	96.6v	43.2v	44.1v	712.49v
462	Mr SD Spinney	X	70.3v	48.4v	47.5v	46.4v	41.0v	44.2v	49.6v	48.5v	63.2v	68.2v	98.8v	45.3v	45.3v	712.47v
463	Mr G Wood	T	70.6v	47.4v	49.4v	38.2v	48.7v	47.4v	45.7v	45.4v	70.8v	66.3v	97.6v	46.3v	43.3v	711.61v
464	Mrs MJ Nathan	O	73.6v	44.1v	48.6v	38.2v	47.4v	44.4v	49.6v	47.2v	72.8v	66.5v	94.5v	47.4v	42.4v	711.57v
465	Mr B Cunningham	T	69.5v	50.4v	44.4v	49.6v	46.5v	48.7v	44.2v	43.1v	72.11v	66.3v	98.5v	42.2v	40.0v	711.55v
466	Mr FJ Lawry	O	73.9v	46.3v	48.3v	45.3v	46.6v	48.3v	46.3v	46.4v	63.2v	69.4v	101.10v	42.1v	38.0v	711.51v
467	Cdt Cpl JJ Kahtava	T	74.7v	46.3v	47.3v	46.3v	43.1v	45.2v	45.3v	45.4v	69.7v	69.2v	90.7v	47.3v	45.3v	711.48v
468	Cpl SE Watson	O	67.5v	48.5v	47.3v	45.1v	47.3v	46.3v	49.5v	41.2v	68.6v	65.3v	98.7v	41.1v	49.4v	711.48v
469	Dr G Stevenson	O	68.4v	47.3v	45.0v	48.0v	47.2v	45.3v	45.2v	41.0v	70.5v	71.4v	95.8v	46.3v	43.2v	711.36v
470	Miss AM Jones	T	67.5v	48.4v	45.4v	44.2v	47.3v	50.5v	46.3v	47.3v	71.6v	69.5v	100.9v	34.2v	42.4v	710.55v
471	Dr C Freeman	O	69.6v	44.1v	46.5v	45.3v	48.3v	45.3v	49.2v	44.4v	68.2v	68.6v	99.11v	42.3v	43.2v	710.51v
472	Mr C Hughes	O	72.7v	48.6v	38.3v	45.1v	46.3v	47.4v	48.6v	48.4v	71.6v	68.7v	101.9v	43.1v	34.0v	709.57v
473	Mr P Dawes	O	73.7v	48.5v	50.7v	42.1v	46.5v	46.3v	43.2v	40.1v	71.7v	68.6v	99.10v	41.0v	42.2v	709.56v
474	Mr EJ Harriss	O	68.5v	48.6v	45.4v	46.3v	42.2v	45.0v	45.5v	47.6v	69.5v	59.3v	103.10v	47.3v	45.3v	709.55v
475	Mr AM Poulton	O	66.4v	47.4v	47.2v	48.6v	44.3v	46.4v	42.2v	48.5v	66.2v	72.6v	100.10v	42.3v	41.3v	709.54v
476	Mr SA Felicien	A	72.8v	46.2v	44.7v	43.1v	45.1v	48.4v	45.4v	46.3v	70.5v	69.5v	94.3v	44.3v	43.2v	709.48v
477	Miss ER Cunningham	T	71.3v	45.4v	44.2v	47.5v	48.5v	44.3v	39.2v	48.7v	71.5v	68.5v	96.6v	42.3v	45.3v	708.53v
478	Mr BHC Whitley	T	72.7v	47.7v	43.1v	47.3v	50.4v	44.3v	46.3v	44.3v	69.4v	71.7v	101.10v	35.1v	39.0v	708.53v
479	Cdt ARB Curtis	T	65.4v	47.3v	47.1v	47.2v	46.1v	45.2v	37.0v	47.5v	74.9v	67.6v	101.7v	46.4v	39.1v	708.45v
480	Mr DTA Cobb	O	73.8v	47.1v	45.3v	46.3v	47.4v	46.1v	46.3v	46.3v	70.3v	65.5v	90.5v	45.3v	42.1v	708.43v
481	Mr TM Green	O	68.4v	46.4v	43.1v	46.3v	47.6v	48.1v	40.3v	41.2v	72.8v	72.8v	93.8v	44.1v	47.2v	707.51v
482	Mr GJ Lake Coghlan	T	72.8v	48.4v	44.3v	41.2v	45.1v	44.2v	45.5v	47.1v	69.4v	67.5v	100.8v	45.3v	40.4v	707.50v
483	Cdt Cpl AJD Germain	T	68.6v	46.1v	46.1v	45.2v	45.5v	40.1v	48.6v	45.3v	71.4v	71.7v	98.8v	39.1v	45.5v	707.50v
484	Mr ARN Kinross	O	69.2v	46.3v	46.5v	43.1v	47.2v	43.1v	46.5v	48.5v	70.7v	73.7v	89.4v	44.3v	43.2v	707.47v
485	Cdt GJ Baker	T	71.3v	42.0v	45.3v	46.2v	44.4v	49.7v	45.4v	49.6v	68.4v	69.6v	101.7v	35.0v	43.1v	707.47v
486	Mrs T Newbold	O	70.5v	47.2v	47.3v	45.1v	38.1v	49.4v	43.4v	44.3v	69.6v	69.4v	95.6v	49.4v	42.0v	707.43v
487	Cdt Cpl BJ Reeves	T	71.7v	47.6v	40.1v	46.1v	42.1v	48.5v	44.2v	45.2v	74.7v	73.8v	97.5v	43.1v	36.2v	706.48v
488	Mr LA Lawrence	T	67.5v	46.4v	49.3v	48.2v	47.3v	44.4v	43.3v	48.4v	65.3v	71.5v	94.6v	42.2v	42.3v	706.47v
489	Mr PJ Holden	O	69.5v	49.4v	48.2v	48.7v	45.2v	44.2v	48.3v	48.5v	61.1v	71.6v	99.5v	40.0v	36.0v	706.42v
490	Cdt Sgt O Parkins	T	68.3v	47.1v	43.3v	43.2v	47.5v	46.3v	41.2v	41.1v	67.3v	72.7v	100.4v	47.2v	44.1v	706.37v
491	Cdt Cpl PS Abram	T	64.4v	47.4v	46.3v	43.3v	46.1v	47.2v	48.4v	40.2v	68.3v	71.7v	99.9v	45.3v	41.0v	705.45v
492	Cdt EM Gibaut	T	70.4v	49.3v	45.3v	45.1v	45.4v	46.4v	43.2v	48.4v	66.3v	67.4v	98.7v	44.4v	39.1v	705.44v
493	Mr TD Bailey	T	72.6v	44.2v	40.1v	44.5v	46.4v	48.4v	49.8v	47.4v	66.2v	71.7v	92.4v	43.3v	42.1v	704.51v
494	Cdt Sgt SR Hall	T	67.4v	47.2v	47.2v	48.3v	47.5v	46.6v	47.4v	48.6v	66.5v	69.6v	98.4v	38.1v	36.0v	704.48v
495	Mr BD Scott Langley	T	69.5v	42.2v	46.2v	44.2v	44.2v	46.9v	46.4v	42.3v	69.4v	70.4v	98.4v	46.3v	42.2v	704.46v
496	Mr JRD Clegg	O	70.7v	45.5v	48.5v	39.1v	44.4v	47.3v	47.4v	46.4v	67.3v	65.2v	99.7v	44.4v	42.1v	703.50v
497	Mr AC Gauci	T	74.8v	49.5v	48.2v	42.1v	49.5v	38.1v	37.0v	46.4v	74.8v	71.5v	100.10v	32.0v	42.2v	702.51v
498	Mr RP Snaith	T	70.8v	50.4v	44.1v	47.4v	45.2v	48.5v	45.2v	44.3v	67.5v	62.3v	96.5v	43.1v	41.1v	702.44v
499	Cdt Sgt LFG Castro	T	69.3v	48.5v	45.5v	42.0v	45.3v	46.1v	48.4v	47.2v	70.6v	58.3v	99.7v	48.2v	37.0v	702.41v
500	Mr DJ Stewart	O	71.3v	44.3v	43.0v	45.3v	45.1v	45.3v	45.3v	46.6v	62.0v	70.1v	102.9v	43.1v	41.3v	702.36v
501	Mr CH Kwok	T	69.4v	47.5v	48.6v	45.1v	44.3v	39.2v	46.3v	45.2v	68.5v	67.4v	95.8v	45.2v	43.3v	701.48v
502	Mr H Bull	T	72.8v	46.3v	46.2v	47.3v	41.2v	45.1v	45.2v	49.2v	70.3v	71.1v	88.4v	42.3v	39.0v	701.34v
503	Mr A Bhagat	T	69.3v	44.2v	49.3v	47.3v	48.4v	47.2v	49.5v	48.4v	60.4v	69.8v	100.8v	35.0v	35.0v	700.46v
504	Mr TF Kurn	O	67.4v	43.2v	44.4v	47.3v	45.4v	47.4v	42.0v	49.4v	71.6v	63.4v	97.6v	45.1v	40.0v	700.42v
505	Cdt LCpl EM Robinson	T	71.5v	44.2v	47.3v	45.3v	45.5v	46.5v	44.2v	43.3v	72.6v	65.3v	96.8v	38.1v	43.4v	699.50v
506	Mr HL Yiu	T	71.8v	43.2v	46.1v	40.2v	47.3v	45.4v	47.5v	40.2v	68.1v	71.4v	99.10v	42.2v	40.2v	699.46v
507	Mr IJ Saturley	T	71.4v	48.5v	43.3v	46.6v	47.1v	42.0v	46.4v	46.3v	64.3v	69.5v	92.6v	42.3v	43.2v	699.45v
508	Miss SO Brumby	T	71.6v	46.3v	43.2v	49.4v	44.3v	44.2v	45.3v	44.1v	70.6v	65.1v	88.4v	48.4v	42.3v	699.42v
509	Mr PB Cutts	O	67.6v	44.2v	46.3v	40.0v	41.4v	48.5v	47.4v	44.2v	70.8v	65.5v	97.8v	44.3v	45.1v	698.51v
510	Miss DF Harrison	T	69.6v	45.3v	49.3v	46.5v	45.2v	46.3v	47.5v	45.2v	70.4v	69.8v	100.7v	34.1v	33.2v	698.51v
511	Mr AC Barrell	O	68.6v	45.1v	44.0v	43.2v	48.4v	45.4v	47.7v	47.6v	71.5v	62.5v	95.6v	41.1v	42.3v	698.50v

512	Mr H Bishop	T	69.5v	46.3v	46.3v	44.2v	40.0v	47.5v	44.4v	46.4v	70.6v	66.6v	96.7v	42.1v	42.3v	698.49v
513	Mr M Nikolic	T	70.4v	47.5v	46.4v	46.4v	45.4v	44.2v	45.3v	43.4v	69.6v	65.3v	99.6v	37.1v	42.1v	698.47v
514	Mr L Vaz Pinto	T	67.3v	47.4v	46.4v	40.2v	40.2v	44.5v	45.3v	47.4v	70.4v	70.4v	97.7v	43.0v	42.2v	698.44v
515	Cdt Cpl KTA Tam	T	67.6v	48.5v	44.0v	43.2v	45.3v	42.2v	49.3v	39.0v	72.5v	69.5v	102.10v	43.2v	35.1v	698.44v
516	Mr PL Green	T	73.6v	45.1v	45.2v	46.2v	38.0v	48.5v	50.7v	36.0v	65.3v	70.7v	96.6v	43.2v	42.4v	697.45v
517	Mr K Gladding	O	73.7v	46.2v	49.3v	42.1v	45.2v	40.1v	44.2v	46.3v	72.8v	63.2v	95.6v	45.1v	37.0v	697.38v
518	Cdt AG Simpson	T	67.5v	45.2v	42.1v	49.4v	40.1v	48.3v	44.3v	43.3v	64.1v	67.4v	99.10v	46.4v	42.1v	696.42v
519	Mr MA Chamblings	T	68.5v	50.4v	41.2v	43.2v	44.1v	48.1v	44.2v	48.5v	68.4v	67.3v	96.5v	41.2v	38.1v	696.37v
520	Mr A Wild	T	67.6v	47.4v	46.2v	48.4v	47.2v	45.3v	42.1v	48.6v	69.7v	57.3v	93.5v	47.2v	39.1v	695.46v
521	Cdt LCpl O Witt	T	66.8v	41.2v	41.2v	49.3v	44.2v	43.0v	45.2v	47.5v	69.6v	65.1v	102.7v	46.3v	37.1v	695.42v
522	Cpl S Farrow	T	70.4v	44.1v	43.1v	44.4v	45.4v	41.1v	48.4v	47.3v	67.7v	69.3v	101.8v	35.0v	41.1v	695.41v
523	Mr TLW Kidner	X	67.3v	42.1v	44.1v	47.3v	47.3v	39.1v	49.5v	48.3v	69.6v	56.4v	95.4v	43.3v	48.5v	694.42v
524	Mr ZZ Grosvenor	T	73.5v	47.3v	46.3v	46.4v	44.1v	47.5v	45.4v	41.2v	66.3v	68.4v	89.4v	44.3v	38.1v	694.42v
525	Mr OP Henry	A	64.4v	45.0v	45.5v	47.3v	45.2v	47.3v	48.6v	44.3v	68.7v	67.1v	94.5v	42.3v	38.0v	694.42v
526	Cdt LCpl C Sekine	T	69.4v	46.3v	45.2v	37.0v	46.6v	43.4v	48.2v	42.2v	68.5v	71.6v	94.4v	44.1v	40.2v	693.41v
527	Mr CW Dale	A	65.5v	42.1v	43.1v	46.3v	47.3v	44.2v	46.4v	45.3v	70.6v	65.2v	95.4v	44.1v	41.3v	693.38v
528	Cdt MML Holt	T	72.6v	47.2v	41.0v	47.3v	44.3v	44.3v	42.0v	46.6v	65.2v	72.5v	95.5v	40.1v	38.0v	693.36v
529	Cdt Cpl A Lebedeva	T	71.7v	50.6v	46.3v	46.4v	37.1v	47.4v	46.1v	50.4v	69.6v	70.2v	97.5v	30.1v	32.2v	691.46v
530	Mr ETB Redman	T	69.6v	46.1v	46.4v	37.2v	45.2v	45.3v	46.4v	48.6v	67.4v	67.3v	91.4v	43.3v	41.2v	691.44v
531	Mr SJ Bates	O	71.5v	46.4v	46.5v	43.2v	47.4v	46.4v	48.2v	47.3v	65.8v	69.7v	91.6v	30.1v	41.4v	690.55v
532	Cdt ICL Bartlette	T	71.9v	48.4v	44.2v	41.2v	40.2v	41.3v	48.5v	49.6v	61.3v	69.4v	92.5v	45.2v	39.0v	688.47v
533	Mr HP Nippers	O	63.2v	45.2v	46.2v	44.1v	47.5v	46.5v	46.2v	47.7v	67.1v	67.4v	92.10v	30.0v	48.4v	688.45v
534	Mr A Betts	X	71.3v	44.5v	48.4v	47.5v	49.5v	46.1v	49.6v	49.7v	70.9v	70.5v	101.10v	43.2v	0.0v	687.62v
535	Cdt Sgt W Viney	T	71.5v	47.3v	43.2v	43.2v	43.2v	44.3v	47.4v	44.1v	65.5v	68.5v	96.4v	32.2v	44.5v	687.43v
536	Mr T Pantke	O	72.4v	45.1v	38.1v	44.3v	48.6v	42.4v	45.4v	43.3v	66.0v	69.4v	91.5v	42.4v	42.3v	687.42v
537	Miss SL Josling	T	74.6v	45.1v	45.1v	43.2v	45.1v	43.3v	45.2v	42.1v	62.4v	65.3v	98.8v	37.1v	43.5v	687.38v
538	Mr RM Smith	T	66.1v	44.2v	49.7v	37.2v	43.3v	45.1v	47.5v	45.1v	62.2v	69.2v	95.5v	39.1v	46.2v	687.34v
539	Cdt IG Ogilvie Robinson	T	65.3v	48.5v	40.2v	42.2v	45.1v	42.2v	42.3v	43.2v	72.3v	71.7v	95.9v	41.2v	40.2v	686.43v
540	Mr CSM Tuke	T	71.5v	46.2v	47.2v	43.2v	44.2v	48.4v	44.1v	47.4v	65.3v	70.2v	85.4v	41.0v	35.4v	686.35v
541	Mr CSTJ Marlow	O	69.6v	46.2v	48.6v	48.3v	43.2v	42.2v	45.3v	43.2v	61.3v	63.0v	96.7v	38.1v	43.3v	685.40v
542	Cdt Sgt HAB Cardozo	T	71.7v	43.1v	44.2v	43.2v	40.0v	47.5v	49.3v	43.2v	67.4v	68.4v	93.7v	44.1v	33.0v	685.38v
543	Cdt Sgt N Luchmun	T	71.3v	45.4v	42.0v	44.2v	45.1v	39.1v	43.2v	40.4v	64.2v	67.4v	101.6v	42.0v	42.2v	685.31v
544	Mr NJ Harris	T	70.3v	45.1v	43.0v	46.2v	47.3v	47.2v	42.1v	43.2v	66.3v	63.3v	97.6v	35.2v	41.3v	685.31v
545	Mr M Ghorashi	T	65.1v	41.3v	45.3v	46.4v	46.5v	45.2v	46.3v	37.2v	67.4v	63.2v	93.6v	49.5v	41.3v	684.43v
546	WO1 RNR G Kendall	T	66.1v	47.3v	47.3v	44.2v	43.1v	49.3v	45.4v	44.3v	59.4v	67.3v	90.3v	40.3v	43.3v	684.36v
547	Cpl LG Hetherington	T	72.9v	44.2v	43.3v	41.3v	44.2v	38.1v	43.1v	47.5v	63.2v	68.4v	92.7v	43.0v	45.5v	683.44v
548	Dr N Hart	O	65.2v	43.1v	44.3v	42.2v	47.6v	42.2v	44.3v	42.1v	66.5v	61.3v	101.10v	40.1v	46.4v	683.43v
549	Mr GH Oliver	T	62.3v	43.2v	46.4v	48.5v	43.2v	42.1v	47.3v	45.3v	72.5v	60.2v	94.6v	39.1v	42.2v	683.39v
550	Cdt Sgt HM Anselm	T	70.3v	47.3v	40.1v	39.1v	47.4v	45.2v	42.0v	39.1v	70.6v	63.2v	102.9v	38.3v	41.3v	683.38v
551	Cdt MEF Bartlette	T	68.5v	47.3v	31.1v	45.2v	45.5v	44.0v	39.1v	44.3v	67.5v	69.7v	98.6v	43.2v	42.2v	682.42v
552	Mr M Garcia-Oliver	T	71.8v	47.4v	43.2v	46.3v	39.0v	48.4v	35.0v	44.2v	71.3v	57.1v	100.8v	43.2v	38.0v	682.37v
553	Mr OJ Christy	T	71.7v	48.4v	47.3v	43.1v	49.6v	46.3v	6.1v	48.4v	73.8v	67.2v	98.8v	47.4v	38.1v	681.52v
554	Mr MK Townsend	O	67.5v	44.0v	47.3v	48.3v	42.0v	44.0v	47.4v	43.1v	64.3v	66.5v	82.3v	46.3v	40.2v	680.32v
555	Miss TA Peters	T	66.4v	47.6v	43.2v	45.5v	48.5v	41.1v	46.5v	48.4v	61.1v	63.3v	92.6v	43.2v	36.3v	679.47v
556	Wg Cdr CR Smith	O	71.5v	47.5v	47.4v	44.3v	48.4v	40.1v	47.3v	47.3v	70.4v	67.4v	62.3v	45.4v	43.3v	678.46v
557	Mr RK Sheead	O	68.4v	45.3v	47.1v	42.1v	45.4v	42.2v	43.1v	42.0v	66.2v	66.4v	94.5v	42.1v	36.1v	678.29v
558	Mr GR Thomas	O	70.5v	45.2v	42.2v	40.0v	45.1v	44.0v	43.0v	44.1v	67.5v	67.3v	95.6v	37.3v	39.1v	678.29v
559	Miss SA Dudler	T	68.5v	43.2v	45.0v	45.3v	40.1v	45.1v	46.4v	45.3v	60.1v	69.3v	93.4v	42.2v	35.0v	676.29v
560	Mr R Ellis	O	74.8v	49.3v	48.5v	49.6v	50.4v	47.3v	49.8v	49.5v	0.0v	71.5v	104.10v	42.0v	43.1v	675.58v
561	Lt Col TH Emck	O	67.5v	46.2v	46.2v	44.1v	46.4v	44.4v	44.2v	45.3v	61.5v	60.2v	91.10v	44.4v	36.0v	674.44v
562	Mr L Jack	T	68.4v	45.3v	44.2v	45.2v	46.5v	48.2v	44.2v	45.3v	62.2v	63.3v	98.6v	42.2v	24.0v	674.36v
563	Cdt LCpl L Warden	T	68.3v	46.0v	43.2v	41.0v	43.1v	44.3v	46.3v	34.0v	70.3v	59.2v	98.9v	45.1v	37.1v	674.28v
564	Mr CA Shelley	T	69.7v	43.4v	45.3v	46.3v	44.3v	46.2v	45.2v	43.2v	64.5v	63.2v	87.2v	44.3v	33.1v	672.39v
565	Mr H Dodds	T	68.3v	46.1v	42.5v	41.2v	47.3v	43.3v	42.0v	48.7v	66.3v	61.1v	88.2v	43.2v	37.0v	672.32v
566	Mr I Cotillard	T	68.3v	46.4v	43.1v	41.0v	42.1v	42.3v	45.4v	44.4v	65.4v	59.3v	87.2v	47.4v	42.2v	671.35v
567	Mr RA Monaghan	T	69.7v	45.3v	45.2v	37.2v	43.4v	40.1v	46.3v	46.3v	73.7v	65.2v	96.6v	28.0v	37.1v	670.41v
568	Mr RA Sampson	O	72.5v	43.3v	48.6v	41.0v	39.2v	32.0v	46.6v	48.6v	65.4v	65.4v	93.3v	38.2v	39.2v	669.43v
569	Cdt CD Hiles	T	65.2v	45.2v	33.0v	44.2v	45.4v	46.3v	41.1v	45.5v	68.3v	63.4v	96.8v	39.1v	39.1v	669.36v
570	Cdt E Woodhead	T	65.4v	44.2v	45.2v	40.1v	45.1v	45.2v	43.0v	34.1v	71.8v	71.9v	92.5v	42.3v	31.1v	668.39v
571	Miss ZA Sayers	T	58.3v	48.6v	48.4v	43.0v	45.2v	43.2v	45.3v	50.6v	63.4v	66.3v	88.4v	39.1v	32.0v	668.38v

572	Miss IA Matson	T	71.5v	41.1v	48.2v	40.0v	44.3v	35.0v	39.1v	46.5v	67.7v	65.3v	92.3v	41.2v	38.1v	667.33v
573	Miss GE Bush	T	66.2v	45.2v	45.5v	37.0v	42.1v	44.3v	47.6v	27.1v	67.1v	66.6v	98.10v	39.1v	42.1v	665.39v
574	Mr M Grimsdell	O	66.3v	44.1v	42.1v	45.3v	45.2v	40.3v	41.0v	41.1v	63.4v	69.3v	83.6v	42.3v	43.1v	664.31v
575	Mr N Stebbings	O	63.2v	46.3v	45.2v	44.1v	34.1v	44.1v	41.1v	45.3v	65.5v	66.4v	96.4v	43.2v	32.0v	664.29v
576	Mr J Fraser	X	61.1v	42.1v	43.2v	38.2v	42.2v	44.2v	43.1v	44.2v	68.3v	65.3v	93.2v	37.1v	44.2v	664.24v
577	Mr TS McDowell	O	67.6v	47.2v	44.1v	43.1v	44.2v	42.2v	44.4v	46.3v	71.5v	71.6v	61.2v	39.2v	43.1v	662.37v
578	Mrs SEP Kent	O	16.0v	44.1v	47.3v	46.3v	44.2v	49.2v	46.2v	45.4v	71.6v	70.8v	100.10v	46.4v	36.1v	660.46v
579	Mr JWD Grace	T	66.5v	41.2v	43.1v	38.2v	42.2v	40.1v	46.3v	38.2v	66.1v	68.6v	97.6v	37.1v	38.0v	660.32v
580	Mr L Vitek	T	65.5v	36.0v	37.1v	45.3v	36.0v	40.0v	46.3v	43.0v	69.4v	68.4v	97.4v	46.3v	32.1v	660.28v
581	Mr TDB Hebblethwaite	T	65.1v	44.3v	43.4v	38.2v	42.0v	40.1v	44.1v	43.2v	63.3v	66.3v	88.5v	41.2v	41.1v	658.28v
582	Mr MH Shaw	O	73.8v	50.6v	46.4v	47.6v	46.6v	41.4v	49.4v	46.2v	0.0v	70.4v	102.9v	41.2v	45.1v	656.56v
583	Mr EJ Gadd-Chapman	T	67.2v	39.0v	42.1v	46.3v	42.2v	45.4v	48.5v	40.1v	62.0v	64.1v	89.3v	37.2v	35.2v	656.26v
584	Miss AR Munday	T	70.5v	47.2v	41.4v	47.2v	44.3v	40.2v	45.1v	48.3v	73.4v	63.0v	92.1v	45.3v	0.0v	655.30v
585	Mr P Wright	O	71.6v	47.2v	44.2v	47.3v	45.4v	41.3v	44.4v	49.6v	63.3v	59.0v	95.8v	10.0v	39.0v	654.41v
586	Mr E Chrystal	T	64.3v	45.2v	45.3v	44.2v	38.1v	47.6v	42.1v	39.1v	69.5v	70.6v	99.9v	13.0v	39.0v	654.39v
587	Cdt CH Maxwell Randeria	T	70.0v	44.2v	39.0v	42.3v	42.1v	44.2v	45.1v	41.1v	63.3v	53.3v	87.2v	43.2v	41.1v	654.21v
588	Mr JWE Lewis	X	72.9v	49.4v	44.3v	50.6v	47.5v	45.4v	49.3v	46.4v	68.5v	0.0v	101.10v	44.4v	38.2v	653.59v
589	Mr T Starr	T	71.6v	43.1v	45.2v	40.1v	46.5v	47.3v	45.2v	42.1v	69.7v	68.5v	63.5v	33.0v	40.2v	652.40v
590	Mr DRM Tuke	T	61.1v	45.2v	31.1v	39.0v	46.3v	41.1v	46.3v	45.3v	70.7v	64.3v	90.5v	34.1v	40.2v	652.32v
591	Mrs JM McQuillan	X	73.5v	49.5v	48.4v	46.3v	46.3v	0.0v	50.8v	47.2v	72.5v	72.7v	102.10v	0.0v	46.4v	651.56v
592	Mr AJM Lyle	T	65.0v	40.0v	40.0v	43.3v	39.1v	47.4v	41.1v	44.2v	63.3v	62.1v	89.1v	38.1v	40.0v	651.17v
593	Cdt Sgt R Barrett	T	64.2v	45.2v	41.1v	26.1v	41.2v	47.4v	43.2v	41.2v	62.2v	59.1v	96.6v	45.7v	40.2v	650.34v
594	Cdt Ssgt PM Viney	T	65.1v	42.1v	43.2v	44.2v	40.2v	43.1v	46.3v	37.0v	62.1v	61.0v	88.4v	40.2v	38.1v	649.20v
595	Mr RCG Thomas	T	70.5v	46.2v	43.4v	33.0v	45.2v	42.3v	46.4v	46.4v	69.6v	63.2v	89.4v	14.1v	42.2v	648.39v
596	Cdt Cpl DK Hakim	T	66.4v	40.0v	46.4v	36.0v	46.5v	35.1v	43.3v	40.3v	69.6v	61.3v	89.3v	39.0v	38.1v	648.33v
597	Mr A Coombs	T	64.1v	44.2v	37.0v	43.2v	38.1v	40.2v	46.2v	41.3v	62.5v	64.1v	93.3v	42.2v	34.0v	648.24v
598	Cdt Ssgt J Viney	T	60.3v	39.1v	43.1v	40.0v	40.0v	41.1v	42.3v	35.0v	64.5v	64.4v	98.9v	43.2v	37.0v	646.29v
599	Mr P Gillies	T	59.0v	43.0v	42.2v	41.2v	40.2v	41.2v	47.4v	42.1v	67.1v	65.2v	95.6v	29.1v	35.1v	646.24v
600	Mr S Douglas	O	66.1v	40.0v	44.2v	45.4v	38.0v	42.1v	44.2v	44.2v	54.0v	66.5v	78.1v	40.2v	43.0v	644.20v
601	Miss F Cheung	T	68.5v	45.3v	46.4v	37.1v	41.4v	43.3v	41.2v	46.1v	60.2v	53.1v	90.3v	35.2v	38.1v	643.32v
602	Mr MJ Dowe	T	70.5v	46.1v	46.3v	50.5v	48.4v	46.4v	46.5v	41.0v	0.0v	67.4v	98.10v	45.4v	39.1v	642.46v
603	Cdt Sgt A Lerwill	T	60.1v	45.0v	39.1v	41.3v	41.0v	47.3v	41.1v	41.3v	66.6v	61.3v	96.7v	28.1v	33.2v	639.31v
604	Cdt KM Chung	T	62.3v	39.1v	37.1v	44.1v	40.2v	40.3v	49.6v	40.0v	59.2v	62.4v	92.5v	35.1v	40.1v	639.30v
605	Mr SL Cleveland	O	73.8v	49.6v	49.6v	0.0v	48.7v	50.9v	49.6v	48.3v	75.11v	70.5v	32.2v	45.4v	50.4v	638.71v
606	Mr DD Charles	O	60.1v	41.0v	45.2v	35.1v	39.3v	42.3v	35.0v	37.0v	68.5v	69.7v	90.5v	37.1v	38.2v	636.30v
607	Mr M Hannaford	X	66.1v	41.2v	45.1v	28.0v	38.0v	45.4v	47.3v	41.2v	65.2v	63.3v	92.5v	38.3v	23.0v	632.26v
608	Mr A Sainter	T	67.5v	42.1v	38.1v	44.1v	36.2v	36.1v	41.2v	38.0v	59.1v	59.3v	89.2v	48.3v	31.1v	628.23v
609	Mr JE White	O	68.6v	44.1v	46.4v	43.1v	48.2v	45.3v	46.5v	50.5v	67.5v	0.0v	95.10v	34.0v	41.3v	627.45v
610	Mr DAF Parkinson	O	26.2v	43.1v	42.3v	42.3v	46.2v	39.1v	46.3v	39.1v	59.3v	58.1v	97.5v	42.0v	41.1v	620.26v
611	Miss EM Page	T	0.0v	47.3v	47.2v	27.2v	48.5v	46.2v	40.0v	49.5v	66.3v	68.3v	98.7v	41.1v	42.0v	619.33v
612	Cdt LCpl AA Gardiner	T	54.1v	44.3v	36.1v	35.1v	47.5v	43.1v	33.0v	36.0v	60.2v	58.1v	92.8v	48.5v	33.1v	619.29v
613	Miss EG Button	T	64.2v	44.2v	42.1v	37.2v	32.1v	43.3v	45.4v	44.2v	65.4v	54.2v	80.2v	34.1v	35.2v	619.28v
614	Ms MMV James	O	64.3v	42.1v	33.0v	37.0v	41.1v	41.1v	43.4v	36.0v	65.3v	62.1v	87.2v	37.1v	30.1v	618.18v
615	Mr WJD Broad	X	73.9v	0.0v	0.0v	48.4v	50.7v	48.6v	50.7v	50.7v	74.13v	71.6v	105.12v	48.4v	0.0v	617.75v
616	Cdt T Temperley	T	66.4v	43.1v	35.2v	44.3v	38.0v	48.4v	44.3v	36.1v	49.1v	49.1v	92.7v	36.2v	33.1v	613.30v
617	Mr A Greenlees	T	56.1v	42.3v	43.2v	33.0v	44.2v	41.2v	43.0v	38.0v	58.1v	58.4v	84.5v	41.2v	29.2v	610.24v
618	Cdt G Griffiths	T	61.1v	41.2v	40.0v	40.0v	30.0v	42.4v	37.1v	36.2v	62.2v	64.2v	85.5v	34.0v	38.2v	610.21v
619	Mr HT Fearn	T	63.4v	42.3v	43.1v	41.1v	42.2v	38.2v	42.2v	40.1v	64.2v	63.4v	85.4v	38.2v	0.0v	601.28v
620	Miss IW Fraser	T	65.2v	41.2v	33.1v	37.2v	34.1v	41.0v	42.2v	41.1v	57.4v	55.1v	86.3v	34.1v	31.0v	597.20v
621	Dr AJ Browne	T	65.0v	38.1v	41.2v	40.3v	28.1v	47.1v	39.1v	34.0v	50.1v	61.5v	89.3v	34.0v	29.1v	595.19v
622	Mr GA Cann	A	72.7v	0.0v	0.0v	48.4v	45.3v	44.1v	48.3v	49.6v	72.7v	67.0v	100.7v	47.2v	0.0v	592.40v
623	Mr SE Fry	T	55.1v	39.1v	44.2v	43.3v	38.0v	42.2v	39.0v	21.0v	58.2v	54.0v	79.3v	39.2v	38.2v	589.18v
624	Mr RAH Vary	A	0.0v	49.6v	48.4v	46.3v	49.8v	48.8v	0.0v	0.0v	73.10v	73.11v	104.12v	47.4v	46.4v	583.70v
625	Mr EBDS Reis	O	74.9v	48.7v	48.3v	0.0v	0.0v	46.4v	50.5v	49.5v	72.6v	0.0v	101.11v	46.2v	32.3v	566.55v
626	Mr HS Jones	T	61.3v	37.1v	35.0v	44.1v	36.2v	36.0v	36.4v	35.1v	45.0v	58.2v	82.2v	34.0v	14.0v	553.16v
627	Mr GW Robinson	O	68.6v	47.4v	38.3v	45.2v	47.5v	0.0v	47.1v	49.6v	0.0v	66.4v	96.7v	0.0v	46.3v	549.41v
628	Cdt A Nishikawa	T	67.2v	43.3v	45.0v	47.4v	46.4v	0.0v	45.2v	47.3v	69.4v	61.1v	0.0v	42.1v	28.1v	540.25v
629	Mr AJT Key	O	0.0v	47.1v	46.2v	49.5v	47.5v	45.1v	0.0v	0.0v	70.6v	71.5v	76.3v	48.4v	37.3v	536.35v
630	Mrs MM Norman	O	73.6v	47.3v	50.5v	47.3v	49.4v	0.0v	49.4v	46.2v	0.0v	73.7v	32.0v	0.0v	43.2v	509.36v
631	Mr RD Ford	X	74.7v	50.8v	48.4v	48.5v	47.6v	0.0v	48.4v	50.7v	0.0v	72.9v	0.0v	0.0v	43.4v	480.54v

632	Mx AC Meagher	T	0.0v	46.2v	40.0v	44.1v	40.1v	34.0v	0.0v	0.0v	59.3v	49.3v	92.3v	22.0v	40.1v	466.14v
633	Mr C Fitzpatrick	A	71.8v	50.6v	48.6v	0.0v	48.5v	0.0v	50.8v	48.4v	0.0v	0.0v	101.9v	0.0v	47.5v	463.51v
634	Miss GI Williams	T	0.0v	0.0v	0.0v	0.0v	48.7v	47.4v	46.5v	48.6v	71.11v	0.0v	104.11v	47.4v	41.2v	452.50v
635	Mr Y Sakakibara	X	71.4v	47.3v	48.4v	40.0v	41.1v	0.0v	49.3v	46.2v	0.0v	64.3v	0.0v	0.0v	42.2v	448.22v
636	Mr N Kanayama	X	68.6v	46.4v	46.2v	45.3v	47.6v	0.0v	46.3v	43.0v	0.0v	63.4v	0.0v	0.0v	38.1v	442.29v
637	Mr HB Johnstone	T	0.0v	0.0v	0.0v	44.2v	46.3v	47.2v	0.0v	0.0v	73.9v	66.3v	102.13v	43.3v	0.0v	421.35v
638	Cdt I Noor	T	48.1v	0.0v	40.1v	50.4v	48.3v	45.2v	0.0v	0.0v	0.0v	65.3v	88.5v	0.0v	33.1v	417.20v
639	Ms B Moore	O	70.6v	48.5v	49.6v	0.0v	46.1v	0.0v	47.3v	46.1v	0.0v	64.1v	0.0v	0.0v	45.1v	415.24v
640	Mr D Chapman	T	0.0v	44.2v	38.0v	42.3v	44.3v	48.3v	0.0v	0.0v	67.6v	67.4v	60.2v	0.0v	0.0v	410.23v
641	Ms RJ Lusty	O	72.8v	48.4v	49.2v	45.2v	47.4v	0.0v	46.3v	49.6v	0.0v	0.0v	0.0v	0.0v	42.1v	398.30v
642	Miss EN Smith	T	0.0v	47.2v	46.2v	0.0v	45.3v	0.0v	0.0v	0.0v	0.0v	66.5v	0.0v	0.0v	36.2v	240.14v
643	Mr T Ishikawa	X	59.2v	44.0v	45.4v	0.0v	0.0v	0.0v	37.1v	37.1v	0.0v	0.0v	0.0v	0.0v	0.0v	222.8v
644	Miss LI Hughes	T	65.1v	0.0v	0.0v	0.0v	0.0v	0.0v	46.3v	43.2v	0.0v	0.0v	0.0v	0.0v	0.0v	154.6v
645	Miss ICN Cox	O	0.0v	0.0v	0.0v	0.0v	0.0v	46.4v	0.0v	0.0v	0.0v	0.0v	101.8v	0.0v	0.0v	147.12v
646	Miss JH Messer	X	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	103.11v	0.0v	0.0v	103.11v
647	Dr JC Jobling	O	0.0v	0.0v	0.0v	0.0v	39.1v	0.0v	0.0v	0.0v	64.1v	0.0v	0.0v	0.0v	0.0v	103.2v