

NRA 155th Imperial Meeting

Grand Aggregate (as at Tuesday, 23rd July 2024)

		DT	DM	Alex	DC	Times	Wimb	Doyle	Dgall	St. G.	PoW	King's I	Lovell	Corp	Total
1 Mr ERT Jeens	X	75.7v	50.6v	50.5v	49.6v	50.7v	49.8v	50.8v	50.8v	73.9v	74.8v	0.0v	49.5v	50.5v	669.82v
2 Miss CA Evans	X	75.14v	50.5v	50.9v	48.4v	49.6v	50.6v	50.9v	50.9v	74.11v	73.11v	0.0v	49.6v	48.5v	666.95v
3 Mr TJD Raincock	X	74.12v	50.10v	50.3v	47.4v	50.6v	50.9v	50.7v	49.7v	74.10v	74.8v	0.0v	49.6v	49.9v	666.91v
4 Mr MJ Ensor	X	74.12v	50.7v	50.6v	50.8v	50.4v	50.8v	50.5v	50.8v	75.12v	73.7v	0.0v	49.5v	45.2v	666.84v
5 Mr JC Underwood	X	75.10v	50.8v	50.6v	48.5v	49.6v	50.8v	49.7v	50.9v	74.11v	75.12v	0.0v	48.6v	47.3v	665.91v
6 Mr J Corbett	X	75.9v	50.9v	50.8v	48.7v	50.6v	49.7v	50.5v	49.4v	74.11v	75.8v	0.0v	45.2v	50.4v	665.80v
7 Mr MC Cooper	X	75.10v	50.7v	50.5v	47.3v	50.6v	50.6v	48.5v	49.3v	75.11v	74.7v	0.0v	50.6v	47.2v	665.71v
8 Mr DC Luckman	X	75.11v	49.5v	49.7v	48.6v	49.5v	50.5v	50.7v	50.7v	75.13v	74.11v	0.0v	48.6v	47.6v	664.89v
9 Capt NJ Ball	X	74.12v	50.7v	50.5v	49.5v	50.9v	49.5v	49.5v	48.7v	75.10v	73.5v	0.0v	50.8v	47.3v	664.81v
10 Mr ANR Walker	X	74.10v	50.7v	50.7v	48.5v	50.6v	48.3v	50.4v	50.8v	74.12v	73.8v	0.0v	48.6v	49.4v	664.80v
11 Mr BJ Le Cheminant	X	74.10v	50.8v	49.6v	49.7v	49.8v	50.8v	50.10v	49.8v	74.11v	73.8v	0.0v	46.3v	50.7v	663.94v
12 Mr D Lowe	A	74.12v	50.7v	47.4v	49.8v	49.7v	49.6v	50.7v	50.5v	74.9v	72.7v	0.0v	50.7v	49.6v	663.85v
13 Miss CE Choquette	A	75.11v	49.8v	50.9v	49.7v	49.5v	49.7v	50.8v	50.6v	75.9v	73.7v	0.0v	50.5v	44.3v	663.85v
14 Mrs SP Thorogood	A	75.7v	49.8v	50.8v	47.2v	49.6v	50.6v	50.7v	50.8v	75.12v	73.9v	0.0v	49.6v	46.3v	663.82v
15 Mr MRM Millar	X	75.9v	50.8v	49.6v	45.0v	49.3v	50.6v	50.6v	50.8v	75.8v	74.11v	0.0v	48.4v	48.5v	663.74v
16 Mr JM Di Bona	X	75.12v	50.8v	49.7v	45.4v	49.6v	50.8v	50.5v	50.9v	74.12v	74.6v	0.0v	48.4v	48.5v	662.86v
17 Mr PM Patel	X	74.11v	50.6v	50.9v	49.4v	49.9v	49.7v	50.6v	50.6v	75.13v	72.6v	0.0v	44.1v	50.3v	662.81v
18 Mr AR McLeod	X	75.12v	50.5v	50.6v	50.7v	50.5v	49.9v	49.9v	50.7v	72.8v	73.11v	0.0v	45.3v	48.8v	661.90v
19 Maj NT Healy	X	74.11v	50.8v	49.4v	48.6v	49.6v	49.7v	50.8v	50.8v	74.13v	73.8v	0.0v	48.3v	47.6v	661.88v
20 Mr D Calvert	X	73.6v	50.9v	50.6v	47.7v	50.5v	50.8v	50.8v	50.8v	75.11v	68.6v	0.0v	49.7v	49.6v	661.87v
21 Mr JEM Bellringer	X	75.8v	49.7v	48.4v	50.7v	50.10v	50.6v	47.1v	49.6v	74.12v	74.9v	0.0v	50.6v	45.4v	661.80v
22 Mr JD Warburton	X	74.9v	47.3v	49.6v	49.7v	50.9v	49.4v	50.8v	49.5v	74.10v	73.8v	0.0v	47.3v	50.7v	661.79v
23 Mr CJ Mitchell	X	75.13v	49.5v	50.6v	46.6v	50.6v	48.6v	48.3v	50.8v	75.8v	73.7v	0.0v	48.4v	49.5v	661.77v
24 Mr R Stewart	X	74.12v	50.6v	48.7v	49.2v	50.6v	48.5v	47.4v	50.7v	75.13v	74.9v	0.0v	47.6v	48.7v	660.84v
25 Mr NRJ Brasier	X	72.6v	50.9v	50.10v	49.3v	49.5v	47.5v	50.6v	50.7v	74.10v	74.6v	0.0v	49.5v	46.5v	660.77v
26 Mr PD Sykes	X	74.7v	49.4v	48.4v	49.4v	50.8v	50.6v	50.8v	50.8v	73.9v	72.9v	0.0v	47.3v	48.6v	660.76v
27 Mr MJ Keel	O	75.8v	49.5v	50.7v	44.2v	50.8v	50.5v	49.7v	49.6v	75.7v	72.7v	0.0v	48.6v	49.6v	660.74v
28 Mr SJ Whitby	O	75.10v	50.6v	50.7v	49.6v	47.4v	47.3v	50.9v	50.6v	74.5v	72.8v	0.0v	49.5v	47.4v	660.73v
29 Mr JWA Alexander	X	73.8v	49.3v	49.5v	48.5v	50.7v	49.7v	50.8v	49.5v	75.10v	71.6v	0.0v	47.3v	50.4v	660.71v
30 Mr AD Le Cheminant	X	75.11v	49.5v	49.7v	48.1v	49.3v	50.5v	50.8v	50.5v	73.10v	71.6v	0.0v	48.4v	48.5v	660.70v
31 Mr SME Hayton	X	75.13v	50.5v	49.5v	47.6v	49.6v	48.7v	49.4v	50.7v	74.11v	72.7v	0.0v	48.5v	48.7v	659.83v
32 Ms RL Furniss	X	75.11v	50.8v	49.7v	46.5v	47.2v	50.8v	50.7v	50.9v	72.9v	74.9v	0.0v	47.3v	49.5v	659.83v
33 Mr CD Heales	X	75.12v	49.6v	49.5v	49.6v	50.7v	49.5v	50.6v	50.8v	74.10v	73.10v	0.0v	43.1v	48.4v	659.80v
34 Mr JL Brooking	X	74.9v	50.7v	48.6v	49.6v	50.7v	50.8v	49.4v	49.5v	74.6v	74.9v	0.0v	48.5v	44.4v	659.76v
35 Mr RL Eayrs	A	74.10v	47.6v	49.6v	48.6v	50.8v	49.3v	50.4v	49.5v	74.9v	73.7v	0.0v	49.5v	47.2v	659.71v
36 Mr OR Farrell	A	73.11v	49.8v	50.4v	49.3v	50.7v	48.4v	50.6v	49.6v	74.5v	73.8v	0.0v	47.4v	47.2v	659.68v
37 Mr S Bland	X	73.8v	49.5v	49.4v	49.4v	50.7v	47.4v	48.4v	49.5v	74.9v	75.7v	0.0v	48.5v	48.4v	659.66v
38 Mr EA Sewell	X	75.10v	50.3v	50.8v	48.5v	49.5v	50.2v	49.5v	50.8v	75.6v	71.6v	0.0v	43.2v	49.3v	659.63v
39 Miss JM Hince	X	74.8v	50.10v	50.7v	46.3v	50.10v	50.8v	46.3v	50.9v	74.12v	72.7v	0.0v	48.5v	48.5v	658.87v
40 Mr MCJ Button	X	74.10v	50.5v	49.7v	46.6v	50.6v	50.3v	49.5v	48.7v	75.13v	72.8v	0.0v	49.7v	46.5v	658.82v
41 Mr EN Munro	A	75.14v	49.8v	50.6v	48.5v	49.6v	49.3v	48.6v	50.5v	75.12v	73.9v	0.0v	46.5v	46.3v	658.82v
42 Mr LVG OFlynn	X	74.11v	50.5v	49.5v	50.7v	47.4v	48.4v	50.9v	50.7v	74.11v	73.8v	0.0v	47.5v	46.3v	658.79v
43 Mr R Birtwistle	X	74.11v	48.6v	49.6v	49.3v	50.8v	50.5v	50.7v	50.9v	74.8v	74.6v	0.0v	45.2v	45.3v	658.74v

44	Mr KWD Ramsey	X	74.10v	48.4v	49.3v	50.4v	50.5v	50.4v	50.7v	50.6v	74.9v	73.8v	0.0v	42.1v	48.4v	658.65v
45	Mr AS Nanrey	O	74.8v	50.8v	48.5v	49.7v	47.4v	48.5v	49.7v	50.8v	73.10v	73.9v	0.0v	49.6v	47.3v	657.80v
46	Mr JA Bullock	X	75.8v	50.8v	49.3v	47.6v	48.4v	49.6v	49.6v	50.5v	75.12v	73.9v	0.0v	46.2v	46.4v	657.73v
47	Dr AM Jory	X	75.11v	49.8v	49.4v	47.6v	49.6v	48.5v	49.6v	48.3v	74.7v	74.6v	0.0v	47.6v	48.4v	657.72v
48	Mr TM Stevenson	A	73.7v	50.8v	48.3v	45.2v	49.6v	48.7v	50.6v	50.7v	75.10v	74.10v	0.0v	46.2v	49.4v	657.72v
49	Sgt SDJ Glanville	X	75.10v	49.7v	48.5v	46.3v	50.1v	50.3v	50.6v	48.5v	74.10v	72.8v	0.0v	48.7v	47.4v	657.69v
50	Mr RR Warren	X	73.9v	48.5v	50.5v	50.3v	47.4v	49.4v	50.4v	49.5v	72.7v	72.10v	0.0v	50.8v	47.4v	657.68v
51	Mr PA Hatfield	O	74.6v	50.3v	50.5v	49.6v	50.5v	50.6v	50.7v	48.7v	75.11v	72.5v	0.0v	46.5v	43.2v	657.68v
52	Mr P Bromley	X	75.10v	49.3v	50.7v	49.4v	48.4v	49.6v	48.5v	49.7v	74.10v	70.3v	0.0v	48.3v	48.5v	657.67v
53	Mr JA Watson	A	74.10v	50.5v	48.5v	45.2v	50.6v	48.4v	48.2v	50.8v	75.8v	73.8v	0.0v	50.4v	46.3v	657.65v
54	Mr DR Le Quesne	X	74.3v	49.7v	48.2v	49.6v	49.4v	50.5v	48.6v	50.6v	74.7v	70.7v	0.0v	49.6v	47.4v	657.63v
55	Mr MD Jenvey	A	75.10v	50.5v	48.5v	49.3v	49.5v	49.8v	48.3v	50.7v	72.5v	74.6v	0.0v	48.5v	45.0v	657.62v
56	Mr NJ Verduyn	X	71.8v	49.7v	47.7v	50.6v	50.7v	49.6v	49.4v	50.6v	75.12v	72.6v	0.0v	48.3v	46.2v	656.74v
57	Mr JR Tuck	X	75.9v	49.5v	47.4v	49.5v	49.8v	48.4v	49.8v	50.10v	75.4v	71.10v	0.0v	46.2v	48.4v	656.73v
58	Dr JO Ahrens	X	75.11v	49.8v	50.7v	47.3v	50.7v	50.8v	48.5v	49.3v	72.6v	73.9v	0.0v	48.5v	45.1v	656.73v
59	Mr NNT Kerins	X	74.5v	47.5v	49.6v	48.3v	50.7v	48.3v	50.7v	48.7v	75.14v	74.6v	0.0v	44.3v	49.5v	656.71v
60	Mr MI Buchanan	X	75.11v	50.7v	46.3v	46.3v	49.5v	49.7v	49.7v	48.6v	74.8v	75.4v	0.0v	47.5v	48.4v	656.70v
61	Mr K O'Loghlen	X	74.10v	50.6v	48.7v	49.3v	50.6v	50.7v	42.5v	50.4v	74.8v	74.7v	0.0v	49.4v	46.3v	656.70v
62	Mr HJ Golaszewski	X	75.13v	50.6v	50.7v	46.3v	47.5v	50.5v	50.8v	49.5v	73.8v	72.8v	0.0v	47.2v	47.0v	656.70v
63	Mr JAM Paton	X	72.6v	49.6v	49.7v	49.4v	48.3v	48.5v	50.6v	49.7v	75.10v	73.7v	0.0v	45.4v	49.4v	656.69v
64	Maj JME Cook	X	75.13v	50.7v	49.4v	48.3v	49.3v	47.3v	50.5v	50.6v	74.6v	74.10v	0.0v	47.5v	43.4v	656.69v
65	Mr ASO Stewart	A	75.8v	48.6v	49.5v	48.4v	50.5v	47.4v	48.2v	49.5v	74.9v	75.9v	0.0v	45.2v	48.1v	656.60v
66	Mr F Mohideen	X	73.7v	49.3v	50.6v	48.2v	50.2v	49.4v	48.6v	50.6v	73.9v	72.8v	0.0v	47.2v	47.1v	656.56v
67	Mr M Liversage	X	75.13v	49.7v	48.4v	50.5v	50.7v	50.5v	49.5v	49.7v	75.11v	70.6v	0.0v	48.6v	42.2v	655.78v
68	Mr DR Armstrong	X	73.7v	48.4v	49.6v	48.4v	49.7v	49.8v	50.7v	49.8v	74.10v	70.7v	0.0v	49.4v	47.3v	655.75v
69	Mr CJ Watson	X	73.9v	49.4v	50.9v	48.5v	50.6v	47.6v	49.4v	50.8v	74.8v	71.7v	0.0v	47.2v	47.6v	655.74v
70	Mr ER Welford	X	74.10v	50.9v	50.8v	48.4v	47.6v	49.6v	48.5v	49.3v	75.10v	73.6v	0.0v	48.4v	44.3v	655.74v
71	Maj J Clod	X	74.10v	49.5v	49.7v	48.6v	49.6v	48.5v	48.5v	50.7v	72.6v	71.6v	0.0v	47.2v	50.6v	655.71v
72	Mr RW Sandlant	X	71.8v	48.6v	48.5v	47.3v	49.1v	50.7v	50.6v	48.4v	74.11v	74.7v	0.0v	47.5v	49.5v	655.68v
73	Mr RJS Curtis	X	75.10v	50.7v	47.5v	50.6v	49.4v	49.5v	49.5v	50.6v	72.4v	73.10v	0.0v	48.3v	43.2v	655.67v
74	Mr CP Weeden	X	72.5v	50.5v	50.7v	47.7v	50.8v	49.5v	50.6v	49.3v	74.7v	72.6v	0.0v	46.4v	46.3v	655.66v
75	Mr JRW Postle	X	73.8v	50.7v	48.6v	45.4v	47.4v	50.7v	50.7v	49.6v	75.11v	72.8v	0.0v	48.6v	47.6v	654.80v
76	Mr AJ Leech	A	74.11v	50.8v	49.6v	46.2v	49.8v	48.5v	47.6v	49.7v	74.11v	74.10v	0.0v	47.2v	47.3v	654.79v
77	Mr RSF Shouler	X	75.10v	47.5v	49.5v	47.2v	50.9v	50.7v	48.7v	49.6v	74.11v	73.9v	0.0v	45.3v	47.3v	654.77v
78	Mr SP Harding	X	74.9v	50.5v	49.5v	48.3v	49.7v	49.4v	49.6v	48.6v	73.8v	74.12v	0.0v	46.5v	45.6v	654.76v
79	Mr DFP Richards	X	72.10v	49.6v	47.6v	49.5v	50.3v	47.6v	50.6v	49.5v	73.8v	73.8v	0.0v	47.4v	48.6v	654.73v
80	Mr T Cubitt	X	73.5v	47.5v	49.3v	49.7v	50.6v	47.5v	48.7v	47.5v	75.13v	75.7v	0.0v	48.4v	46.4v	654.71v
81	Dr CD Haley	A	73.7v	50.7v	48.6v	48.5v	49.5v	48.5v	49.6v	49.3v	73.10v	70.6v	0.0v	50.6v	47.4v	654.70v
82	Mr SH Wingrove	X	73.8v	50.5v	49.6v	48.4v	50.5v	47.5v	49.5v	49.6v	74.10v	71.6v	0.0v	47.4v	47.2v	654.66v
83	Mr JM Taylor	X	75.10v	48.4v	49.6v	50.4v	48.5v	49.6v	48.5v	48.2v	74.10v	74.8v	0.0v	45.2v	46.3v	654.65v
84	Mr RJSG Clark	A	74.11v	49.5v	49.5v	48.4v	50.5v	46.3v	50.9v	50.6v	74.7v	74.7v	0.0v	44.2v	46.1v	654.65v
85	Mr BP Creane	X	72.8v	50.5v	50.5v	48.4v	48.5v	48.7v	50.5v	49.3v	73.7v	74.9v	0.0v	47.3v	45.2v	654.63v
86	Mr CN Tremlett	X	75.10v	50.5v	48.5v	49.4v	47.5v	48.6v	48.5v	50.5v	73.6v	73.8v	0.0v	47.2v	46.1v	654.62v
87	Mr SM Negus	X	75.11v	50.9v	50.7v	42.6v	49.8v	50.8v	50.8v	50.8v	74.10v	71.7v	0.0v	49.4v	43.2v	653.88v
88	Mr RC Oxford	X	74.10v	48.7v	49.6v	48.6v	49.6v	50.10v	49.7v	48.6v	75.12v	68.3v	0.0v	46.2v	49.6v	653.81v
89	Mr JC Kent	X	72.10v	50.8v	47.5v	48.4v	49.7v	49.4v	49.7v	50.9v	74.8v	74.9v	0.0v	43.2v	48.7v	653.80v
90	Mr AD Hunter	X	73.12v	49.6v	46.1v	50.5v	50.7v	50.8v	48.8v	47.5v	73.11v	74.10v	0.0v	47.4v	46.2v	653.79v
91	Mr SJV Osmond	X	73.8v	50.6v	50.7v	49.5v	48.4v	49.7v	49.7v	49.7v	72.7v	73.7v	0.0v	47.6v	44.5v	653.76v
92	Mr TA Ringer	X	74.10v	49.7v	49.6v	49.4v	50.9v	48.7v	49.6v	47.4v	71.6v	72.7v	0.0v	49.3v	46.6v	653.75v
93	Mr WCP Richards	X	74.10v	50.7v	49.3v	48.7v	50.4v	48.7v	45.6v	48.4v	73.9v	72.6v	0.0v	48.4v	48.5v	653.72v
94	Mr DA Rose	X	75.5v	48.4v	50.5v	49.7v	48.4v	49.6v	47.4v	49.9v	74.9v	72.9v	0.0v	45.2v	47.3v	653.67v
95	Mr D Morris	A	74.6v	47.3v	49.8v	46.4v	49.5v	49.5v	48.4v	49.6v	75.10v	72.6v	0.0v	49.4v	46.2v	653.63v
96	Mr OEJ Spencer	X	73.8v	49.3v	48.5v	46.3v	48.4v	50.8v	48.5v	48.7v	72.6v	75.7v	0.0v	48.2v	48.4v	653.62v
97	Mr JEK Pepera-Hibbert	A	74.9v	50.5v	49.4v	45.3v	49.5v	46.4v	49.4v	49.5v	74.9v	72.6v	0.0v	49.2v	47.4v	653.60v
98	Mr J Mehta	A	72.6v	49.4v	49.5v	47.3v	47.2v	49.5v	49.4v	49.3v	73.8v	74.9v	0.0v	48.7v	47.3v	653.59v
99	Dr GP Nelson	X	75.10v	50.9v	49.7v	49.5v	49.4v	45.6v	50.8v	48.5v	74.10v	71.5v	0.0v	45.3v	47.6v	652.78v
100	Mr NC Mace	X	74.10v	49.7v	49.6v	49.7v	47.6v	48.7v	48.5v	47.3v	73.8v	70.5v	0.0v	49.5v	49.7v	652.76v
101	Mr RAV Hebblethwaite	A	74.12v	46.2v	50.7v	45.4v	50.6v	50.5v	49.7v	48.6v	73.10v	73.4v	0.0v	46.6v	48.6v	652.75v
102	Mr RT MacLeod	X	73.10v	49.5v	49.8v	45.3v	49.7v	50.8v	49.5v	48.5v	74.9v	73.8v	0.0v	44.4v	49.3v	652.75v

103	Miss NJ Sales Scott	O	73.10v	50.7v	49.4v	47.5v	49.5v	49.5v	48.6v	50.7v	74.11v	72.10v	0.0v	46.3v	45.2v	652.75v
104	Mr RM Roberts	A	74.10v	49.7v	49.7v	46.5v	49.5v	49.5v	50.5v	49.8v	72.6v	71.5v	0.0v	44.3v	50.3v	652.69v
105	Mr HB Thomson	A	73.8v	45.4v	49.6v	46.5v	50.6v	50.7v	50.9v	48.3v	74.6v	73.5v	0.0v	45.2v	49.4v	652.65v
106	Mr MJ Wilson	O	72.7v	49.6v	50.6v	48.7v	49.4v	48.4v	48.3v	50.6v	73.8v	72.6v	0.0v	48.3v	45.5v	652.65v
107	Mr GV Feast	A	70.6v	49.5v	49.7v	47.2v	50.7v	49.6v	48.5v	50.7v	75.8v	73.7v	0.0v	45.3v	47.1v	652.64v
108	Mr PJR Holden	X	73.11v	48.5v	49.7v	45.3v	50.7v	49.7v	49.7v	49.6v	75.12v	70.9v	0.0v	44.3v	50.7v	651.84v
109	Flt Lt LS Crisp	A	72.8v	50.7v	50.7v	47.2v	46.5v	48.8v	50.7v	49.6v	75.9v	72.8v	0.0v	48.6v	44.2v	651.75v
110	Miss AP Good	X	74.11v	49.6v	49.7v	49.3v	50.10v	50.9v	48.4v	50.8v	75.8v	70.4v	0.0v	41.2v	46.2v	651.74v
111	Mr AM Bullen	O	74.11v	48.5v	49.7v	45.4v	48.4v	50.8v	49.4v	50.5v	74.9v	71.5v	0.0v	46.3v	47.6v	651.71v
112	Mr G Woodman	X	75.7v	49.5v	48.6v	50.8v	50.7v	49.7v	47.4v	49.5v	72.8v	70.5v	0.0v	47.4v	45.3v	651.69v
113	Mr ML Millar	X	74.12v	50.6v	47.5v	48.3v	49.5v	49.6v	50.6v	48.5v	73.7v	70.6v	0.0v	48.3v	45.3v	651.67v
114	Mr EC Dickson	X	73.6v	50.8v	48.5v	46.3v	49.7v	48.3v	50.9v	50.6v	74.10v	72.4v	0.0v	46.2v	45.2v	651.65v
115	Lt CE Holland	A	74.7v	49.5v	47.3v	45.1v	48.5v	48.4v	49.7v	50.7v	75.9v	73.9v	0.0v	49.4v	44.3v	651.64v
116	Mr TL Bedwell	A	75.7v	49.7v	47.3v	48.1v	49.5v	48.6v	48.4v	48.5v	73.10v	70.5v	0.0v	48.6v	48.4v	651.63v
117	Mr SD Shouler	A	74.10v	50.8v	48.5v	46.2v	49.6v	50.5v	48.5v	50.7v	75.9v	72.3v	0.0v	44.0v	45.3v	651.63v
118	Mr JWE Lothian	O	74.8v	50.8v	50.2v	47.4v	49.6v	50.4v	50.7v	48.5v	72.8v	69.5v	0.0v	45.1v	47.3v	651.61v
119	LCpl HG Asquith-Beard	X	75.10v	50.8v	50.8v	44.3v	46.3v	44.8v	50.5v	50.8v	73.11v	71.5v	0.0v	49.6v	48.2v	650.77v
120	Mr CA Brook	X	73.13v	48.6v	50.7v	47.1v	50.7v	49.9v	48.6v	47.6v	72.9v	71.6v	0.0v	48.3v	47.2v	650.75v
121	Mr JRL Burch	X	75.10v	46.3v	50.8v	48.3v	50.7v	49.8v	48.5v	49.7v	74.12v	73.8v	0.0v	46.3v	42.1v	650.75v
122	Mr H Sanders	A	73.9v	48.4v	48.5v	48.4v	49.4v	47.6v	50.7v	48.4v	74.13v	74.11v	0.0v	45.3v	46.2v	650.72v
123	Mr AC Haley	X	73.7v	50.8v	50.6v	45.3v	48.3v	48.2v	48.7v	50.10v	75.12v	70.4v	0.0v	47.4v	46.3v	650.69v
124	Mr CES Dickenson	X	73.8v	49.6v	49.6v	48.3v	48.6v	49.5v	49.6v	47.5v	72.8v	72.5v	0.0v	44.4v	50.6v	650.68v
125	Mr RW Ramage	A	72.7v	47.4v	49.6v	48.4v	49.7v	49.5v	48.7v	49.6v	73.8v	74.7v	0.0v	49.5v	43.2v	650.68v
126	Mr C Mallett	X	74.7v	46.5v	50.4v	49.5v	50.7v	49.6v	47.5v	49.4v	72.6v	71.8v	0.0v	45.3v	48.6v	650.66v
127	Mr RJ Mace	X	73.10v	50.6v	46.4v	49.4v	50.5v	48.3v	48.5v	50.7v	71.5v	73.11v	0.0v	47.4v	45.2v	650.66v
128	Mr J Pugsley MRCVS	X	74.9v	49.5v	49.4v	49.4v	48.3v	48.6v	50.6v	50.8v	74.9v	69.4v	0.0v	48.4v	42.2v	650.64v
129	Mr RB Fitzsimmons	A	75.8v	48.5v	49.6v	48.3v	48.4v	46.5v	49.4v	49.8v	73.5v	72.8v	0.0v	48.3v	45.4v	650.63v
130	Lt Col RHG Riley	A	72.8v	47.4v	49.4v	48.5v	48.5v	49.5v	50.6v	47.3v	72.6v	73.6v	0.0v	47.3v	48.4v	650.59v
131	Mr TM Drysdale	X	75.8v	49.4v	49.7v	47.3v	48.1v	49.5v	50.7v	47.5v	75.7v	71.4v	0.0v	45.4v	45.3v	650.58v
132	Mr MJ Barlow	A	74.10v	49.7v	49.4v	49.4v	48.7v	48.5v	50.7v	48.7v	75.13v	69.6v	0.0v	48.6v	42.3v	649.79v
133	Dr JDS Langley	X	72.10v	50.9v	49.5v	43.2v	50.7v	49.7v	44.4v	49.5v	75.10v	71.7v	0.0v	49.7v	48.3v	649.76v
134	Dr HA Day	A	75.10v	48.7v	48.6v	47.6v	49.7v	45.2v	49.7v	50.8v	74.8v	70.7v	0.0v	47.4v	47.2v	649.74v
135	Mr JG Trembath	A	71.7v	49.7v	49.5v	49.5v	50.7v	48.3v	49.6v	47.6v	73.7v	70.7v	0.0v	46.5v	48.8v	649.73v
136	Mrs DE Negus	X	74.13v	50.9v	49.3v	47.4v	49.6v	50.7v	49.4v	49.4v	72.10v	68.7v	0.0v	47.3v	45.2v	649.72v
137	Mr PAE Charlton	A	74.10v	48.5v	49.4v	49.5v	47.6v	49.6v	49.3v	50.7v	73.10v	70.7v	0.0v	46.6v	45.2v	649.71v
138	Mr PS Holmes	A	74.9v	50.7v	48.5v	48.5v	47.4v	47.4v	50.5v	50.6v	73.7v	71.7v	0.0v	48.8v	43.3v	649.70v
139	Mr DJ Blake	X	73.8v	46.5v	48.4v	50.6v	49.7v	49.4v	49.7v	49.6v	74.10v	70.6v	0.0v	49.4v	43.2v	649.69v
140	Mr AR Radkovskii	A	75.9v	48.4v	48.3v	48.4v	50.9v	49.7v	48.4v	50.7v	70.7v	70.5v	0.0v	46.2v	47.6v	649.67v
141	Mr AT Mohideen	A	74.9v	49.5v	49.5v	48.3v	47.5v	47.3v	49.5v	49.7v	74.11v	72.5v	0.0v	45.6v	46.3v	649.67v
142	Ms AMG Ogilvie	A	74.8v	50.7v	49.5v	46.2v	49.8v	49.4v	50.8v	45.4v	70.7v	73.8v	0.0v	46.2v	48.2v	649.65v
143	Mr M Horton-Baker	A	74.8v	47.3v	50.5v	46.6v	49.6v	49.4v	49.6v	48.5v	75.9v	73.10v	0.0v	42.1v	47.2v	649.65v
144	Mr MJ Creber	O	75.10v	49.5v	49.4v	48.5v	48.4v	46.3v	47.4v	49.8v	68.7v	74.6v	0.0v	49.3v	47.3v	649.62v
145	Cpl JH Keates	X	74.8v	49.6v	47.4v	47.3v	44.2v	50.7v	48.4v	49.3v	74.5v	73.9v	0.0v	49.6v	45.2v	649.59v
146	Mr APW Daw	A	72.7v	49.4v	48.2v	48.3v	49.3v	48.4v	48.6v	47.0v	74.5v	73.11v	0.0v	46.1v	47.4v	649.50v
147	Mr BA Horwood	A	75.9v	49.3v	50.4v	47.2v	47.6v	50.2v	46.3v	49.4v	74.3v	71.8v	0.0v	45.4v	46.1v	649.49v
148	Mr WF Livesey	X	75.12v	46.4v	49.6v	41.1v	48.6v	49.9v	49.6v	50.6v	73.10v	74.7v	0.0v	47.7v	47.4v	648.78v
149	Mr WC Cowen	O	74.11v	48.7v	48.5v	48.3v	48.7v	49.6v	48.5v	48.6v	70.6v	74.10v	0.0v	47.5v	46.5v	648.76v
150	Mr NBS Logan	X	75.9v	47.6v	43.4v	48.7v	45.2v	47.3v	50.9v	47.5v	75.11v	75.8v	0.0v	46.3v	50.6v	648.73v

151	Mr AC Morley	A	75.10v	49.4v	45.6v	46.4v	49.7v	50.5v	50.4v	49.7v	71.6v	71.10v	0.0v	46.4v	47.4v	648.71v
152	Mr E Gauvin	X	75.8v	48.4v	48.4v	44.2v	48.7v	49.4v	50.8v	49.5v	73.10v	72.12v	0.0v	45.2v	47.4v	648.70v
153	Mr BMA Stevens	X	72.9v	47.3v	49.8v	49.6v	50.5v	47.3v	50.4v	49.8v	75.11v	69.5v	0.0v	45.4v	46.4v	648.70v
154	Mr TO Little	X	74.9v	47.4v	49.6v	50.4v	48.4v	47.4v	49.9v	45.5v	72.7v	72.10v	0.0v	47.3v	48.4v	648.69v
155	Mr JPL Sweet	O	71.7v	49.4v	49.6v	48.5v	50.8v	50.6v	47.3v	49.8v	74.8v	72.6v	0.0v	47.4v	42.3v	648.68v
156	Mr RW Hallows	X	73.11v	47.3v	49.6v	47.3v	50.6v	48.4v	50.9v	50.7v	74.7v	72.6v	0.0v	43.2v	45.3v	648.67v
157	Mr RJ Cooper	T	73.8v	49.6v	49.6v	50.4v	48.5v	48.5v	48.8v	50.5v	66.7v	73.7v	0.0v	49.2v	45.2v	648.65v
158	Mr CAJ Crosby	O	74.11v	49.4v	48.4v	43.2v	47.3v	50.6v	46.4v	49.6v	74.11v	75.9v	0.0v	45.2v	48.3v	648.65v
159	Dr JS Rennie	O	74.7v	49.6v	48.6v	48.3v	49.7v	50.6v	50.7v	50.7v	70.4v	68.6v	0.0v	46.4v	46.2v	648.65v
160	Mr JA Oakland	A	75.8v	48.3v	47.5v	47.3v	49.6v	49.6v	48.6v	49.5v	72.9v	75.7v	0.0v	41.1v	48.5v	648.64v
161	Cdt GM Bohn	T	73.9v	50.6v	49.4v	49.4v	50.5v	46.3v	48.5v	50.7v	72.10v	71.4v	0.0v	45.2v	45.4v	648.63v
162	Maj AW Gill	X	68.3v	44.3v	49.5v	50.6v	49.5v	50.9v	49.6v	50.5v	75.9v	73.7v	0.0v	47.2v	44.2v	648.62v
163	Mr GPC Bramwell	A	71.7v	49.2v	49.5v	48.3v	50.6v	48.5v	50.8v	50.6v	72.5v	73.7v	0.0v	50.8v	38.0v	648.62v
164	Mr RA Welford	X	70.5v	48.4v	49.3v	48.5v	49.8v	50.5v	50.5v	48.5v	75.4v	69.4v	0.0v	44.1v	48.7v	648.56v
165	Mr B Colman-Sadd	A	73.13v	49.6v	49.7v	48.4v	48.6v	48.7v	49.8v	49.7v	71.9v	71.10v	0.0v	43.2v	49.7v	647.86v
166	Fg Off S Livingston	O	73.8v	48.5v	47.4v	47.5v	48.5v	48.5v	48.6v	49.8v	73.9v	72.10v	0.0v	48.4v	46.4v	647.73v
167	Mr J Anderson	A	71.10v	50.6v	49.8v	47.2v	49.7v	50.7v	49.7v	50.8v	72.6v	70.6v	0.0v	44.1v	46.2v	647.70v
168	Mr PM de Voil	A	72.8v	48.5v	50.9v	46.5v	49.6v	50.6v	48.6v	49.6v	73.6v	72.7v	0.0v	43.1v	47.4v	647.69v
169	Mr MW Silver	A	73.5v	46.5v	49.5v	48.5v	47.5v	50.7v	50.5v	50.7v	73.11v	73.10v	0.0v	40.0v	48.4v	647.69v
170	Mr RM Hatcher	X	75.10v	50.6v	49.6v	48.3v	46.2v	47.5v	49.7v	49.5v	73.10v	73.9v	0.0v	42.1v	46.3v	647.67v
171	Mrs SV Luckman	X	75.8v	49.5v	47.3v	46.3v	48.3v	49.6v	49.6v	50.8v	75.12v	71.7v	0.0v	43.2v	45.2v	647.65v
172	Mr OJ Rolfe	O	71.8v	49.3v	48.6v	48.6v	49.5v	49.7v	48.2v	49.5v	73.9v	70.7v	0.0v	46.3v	47.3v	647.64v
173	Mr ND Stangroom	A	73.9v	50.6v	49.4v	47.2v	49.4v	49.6v	49.6v	50.5v	73.9v	71.9v	0.0v	40.1v	47.2v	647.63v
174	Miss KE Farley	A	74.9v	48.5v	50.7v	47.1v	48.8v	49.2v	48.6v	49.5v	73.9v	71.6v	0.0v	47.4v	43.0v	647.62v
175	Mr ATB Tompson	O	73.11v	48.6v	46.4v	48.5v	50.5v	50.7v	46.4v	46.3v	72.9v	73.1v	0.0v	49.3v	46.3v	647.61v
176	Mr B Bullock	X	74.10v	50.4v	49.4v	45.3v	49.4v	49.6v	50.7v	48.5v	72.7v	71.5v	0.0v	42.2v	48.4v	647.61v
177	Mr GD Palmer	A	72.9v	49.5v	47.4v	47.3v	50.6v	47.4v	49.6v	48.2v	73.9v	75.10v	0.0v	45.1v	45.2v	647.61v
178	Mr AG McLean	A	73.4v	49.7v	49.5v	47.5v	46.3v	49.6v	49.5v	49.6v	74.8v	69.5v	0.0v	46.2v	47.4v	647.60v
179	Mr GE Grosskreutz	A	72.4v	48.3v	49.4v	49.7v	49.4v	49.7v	48.4v	48.4v	72.7v	69.8v	0.0v	47.4v	47.3v	647.59v
180	Dr EL Sweet	O	73.6v	50.7v	48.4v	47.5v	48.6v	49.3v	50.5v	49.5v	72.7v	70.3v	0.0v	47.5v	44.3v	647.59v
181	Cdt A Patel	T	73.7v	48.4v	48.5v	50.4v	50.8v	49.5v	49.5v	47.4v	71.7v	71.3v	0.0v	45.3v	46.3v	647.58v
182	Mr TS Keen	X	73.9v	50.7v	49.2v	49.4v	49.3v	45.3v	48.4v	49.3v	74.9v	71.5v	0.0v	45.3v	45.4v	647.56v
183	Mrs AJ Carnell	A	74.8v	50.7v	50.5v	47.5v	49.5v	48.4v	46.3v	50.3v	75.6v	72.5v	0.0v	46.4v	40.1v	647.56v
184	Dr MR Horrell	A	72.8v	48.4v	49.5v	50.6v	48.5v	48.5v	47.4v	49.3v	74.6v	72.3v	0.0v	46.2v	44.2v	647.53v
185	Mr DH Acton	A	74.5v	46.2v	48.2v	50.2v	50.6v	46.2v	47.4v	50.6v	73.8v	71.5v	0.0v	46.3v	46.6v	647.51v
186	Mr MA Kirkillo-Stacewicz	O	74.11v	50.6v	48.5v	48.1v	47.4v	46.3v	50.3v	47.2v	72.4v	72.6v	0.0v	48.2v	45.2v	647.49v
187	Mr EWW Feast	A	72.7v	49.8v	48.6v	47.4v	50.7v	48.7v	50.5v	49.7v	71.7v	72.11v	0.0v	42.3v	48.3v	646.75v
188	Ms RA Wiltshire	O	75.12v	48.4v	48.6v	44.2v	46.5v	48.5v	49.9v	49.6v	72.8v	72.6v	0.0v	48.3v	47.4v	646.70v
189	Mr RA Dyball	A	75.11v	50.6v	49.8v	46.4v	49.7v	47.3v	50.5v	49.7v	72.7v	69.6v	0.0v	45.3v	45.3v	646.70v
190	Miss CH Cuming	X	75.7v	50.6v	49.5v	45.2v	48.6v	47.6v	47.7v	49.6v	75.9v	72.6v	0.0v	47.6v	42.3v	646.69v
191	Mrs LK Mace	A	75.8v	46.6v	47.4v	47.5v	48.7v	48.4v	50.8v	49.7v	72.8v	71.6v	0.0v	48.4v	45.1v	646.68v
192	Mr KO Pugh	X	72.7v	48.5v	50.7v	48.5v	48.4v	44.2v	50.6v	48.7v	74.9v	69.4v	0.0v	47.4v	48.6v	646.66v
193	Mr AC Thomson	X	71.7v	46.4v	50.6v	46.5v	50.7v	50.5v	49.5v	48.6v	72.8v	72.6v	0.0v	46.3v	46.2v	646.64v
194	Mr D de Vere	A	71.5v	46.1v	49.5v	48.5v	50.5v	49.7v	47.4v	49.7v	74.9v	71.1v	0.0v	45.4v	47.5v	646.58v
195	Mr JRJ Hinde	O	74.7v	49.4v	49.5v	45.3v	48.6v	49.4v	49.5v	48.4v	71.7v	72.7v	0.0v	46.4v	46.2v	646.58v
196	Mr BZ Danziger	X	74.8v	50.6v	46.1v	44.7v	48.5v	49.4v	49.4v	49.6v	75.11v	73.1v	0.0v	48.4v	41.0v	646.57v
197	Mr JMA Thompson	X	74.10v	46.2v	46.2v	48.3v	50.4v	48.6v	50.5v	50.5v	73.7v	71.6v	0.0v	46.3v	44.3v	646.56v
198	Mr GK Alexander	X	74.10v	48.3v	46.2v	46.2v	49.4v	49.5v	49.5v	49.8v	71.6v	73.3v	0.0v	45.3v	47.4v	646.55v
199	Mr PD Griggs	A	73.6v	46.4v	49.5v	47.2v	48.3v	49.2v	48.4v	49.4v	73.6v	68.6v	0.0v	48.4v	48.4v	646.50v
200	Mr JF Lawrie	A	73.10v	50.7v	48.6v	42.4v	50.3v	50.8v	49.6v	49.4v	73.8v	73.10v	0.0v	46.5v	42.0v	645.71v
201	Dr BJ Winney	X	69.11v	48.2v	49.7v	47.5v	50.8v	49.3v	48.5v	49.3v	66.9v	72.9v	0.0v	49.3v	49.5v	645.70v
202	Mr T Johnston	A	74.9v	48.6v	49.6v	49.6v	47.5v	45.1v	49.7v	47.4v	74.10v	73.8v	0.0v	43.1v	47.6v	645.69v
203	Mr DN Lindsay	O	74.10v	49.6v	46.4v	47.3v	47.5v	48.6v	49.9v	49.8v	74.6v	72.8v	0.0v	44.2v	46.1v	645.68v
204	Mr BN Craig	O	74.8v	50.6v	47.5v	47.5v	49.6v	49.3v	47.5v	49.6v	73.13v	71.5v	0.0v	47.3v	42.2v	645.67v
205	Mr DJ Studholme	T	73.8v	50.7v	49.4v	49.6v	47.5v	45.2v	48.5v	49.4v	72.8v	73.9v	0.0v	44.4v	46.2v	645.64v
206	Mr TJ Bullock	X	73.9v	49.5v	49.5v	45.2v	50.5v	46.3v	50.8v	50.6v	74.8v	70.7v	0.0v	46.3v	43.2v	645.63v
207	Mr SA Thomas	X	73.5v	49.5v	49.5v	44.5v	48.6v	49.6v	46.2v	48.3v	75.10v	72.6v	0.0v	45.4v	47.5v	645.62v
208	Mr NS Roberts	O	73.7v	50.4v	49.6v	48.5v	49.5v	46.3v	48.7v	47.5v	74.9v	69.6v	0.0v	45.2v	47.2v	645.61v
209	Miss LG Taylor	A	74.10v	48.7v	47.7v	47.2v	50.4v	48.3v	47.6v	49.2v	74.8v	69.3v	0.0v	46.4v	46.4v	645.60v
210	Mr RA Benest	O	74.6v	50.8v	47.5v	47.5v	48.3v	49.6v	48.3v	50.7v	74.9v	71.4v	0.0v	46.3v	41.1v	645.60v
211	Mr SC Postins	X	74.9v	48.7v	49.5v	49.3v	50.1v	47.2v	46.4v	47.7v	71.4v	72.7v	0.0v	45.3v	47.5v	645.57v

212	Mr HJ Hamlyn	T	73.6v	48.4v	46.1v	46.3v	50.7v	48.5v	47.4v	48.4v	74.7v	73.6v	0.0v	44.0v	48.1v	645.48v
213	Mr PM Hakim	X	73.8v	50.7v	48.6v	46.5v	47.5v	47.5v	47.6v	50.10v	72.6v	72.9v	0.0v	47.2v	45.3v	644.72v
214	Mr LA Reid	X	73.9v	49.9v	47.1v	44.2v	48.6v	49.8v	49.3v	50.6v	75.12v	69.6v	0.0v	49.6v	42.2v	644.70v
215	Mr JC Evans	A	73.5v	48.2v	49.7v	49.5v	49.8v	50.6v	49.7v	46.4v	71.6v	69.7v	0.0v	49.5v	42.3v	644.65v
216	Dr CI Johnston	X	75.11v	49.4v	47.4v	44.2v	46.4v	49.4v	48.4v	49.7v	73.10v	73.8v	0.0v	47.4v	44.3v	644.65v
217	Mr TM Booth	O	70.6v	46.5v	49.3v	48.3v	48.5v	48.4v	49.8v	50.6v	72.6v	70.6v	0.0v	46.4v	48.7v	644.63v
218	Mr BDW Parsons	O	70.5v	49.7v	49.7v	48.5v	49.7v	49.3v	46.4v	49.6v	74.6v	73.10v	0.0v	44.0v	44.3v	644.63v
219	Mr CRM Asquith	A	73.6v	48.6v	47.6v	44.3v	49.6v	49.6v	49.6v	49.5v	72.5v	71.6v	0.0v	45.2v	48.5v	644.62v
220	Mr TJ Bourne	T	74.7v	49.4v	50.7v	47.3v	50.8v	47.3v	50.6v	48.6v	71.8v	69.5v	0.0v	47.2v	42.3v	644.62v
221	Mr S Belither	X	73.6v	48.4v	50.6v	45.2v	47.1v	50.8v	48.5v	49.7v	74.8v	68.4v	0.0v	48.5v	44.4v	644.60v
222	Mr MG Whicher	X	68.8v	49.7v	49.4v	49.5v	49.4v	49.1v	50.5v	47.4v	74.7v	72.8v	0.0v	41.4v	47.2v	644.59v
223	Mr J Wallace	A	74.6v	49.6v	50.6v	46.2v	49.4v	48.3v	49.3v	48.8v	72.8v	71.7v	0.0v	45.2v	43.3v	644.58v
224	Lt Col AM Bell	A	74.11v	49.9v	48.4v	46.4v	48.8v	49.3v	47.5v	48.6v	71.6v	70.5v	0.0v	47.4v	46.5v	643.70v
225	Mr DG Young	X	72.10v	48.4v	48.6v	46.4v	49.5v	48.4v	49.6v	48.3v	73.7v	73.9v	0.0v	45.4v	44.3v	643.65v
226	Miss R Laird	X	73.12v	48.5v	49.5v	49.3v	48.7v	47.3v	49.7v	49.6v	71.4v	72.5v	0.0v	47.3v	41.3v	643.63v
227	Mr MR Fugeman	A	74.7v	45.3v	47.6v	43.1v	49.7v	47.7v	50.7v	49.6v	72.6v	72.6v	0.0v	48.4v	47.1v	643.61v
228	Sir C Sykes	A	72.6v	49.6v	48.2v	44.4v	48.5v	46.1v	49.7v	48.5v	74.9v	72.6v	0.0v	46.4v	47.6v	643.61v
229	Mr BA Young	O	72.6v	47.3v	45.5v	50.4v	47.3v	47.5v	49.4v	49.8v	73.7v	71.8v	0.0v	47.4v	46.4v	643.61v
230	Mr AM Sadler	A	74.10v	49.6v	48.4v	48.4v	45.2v	46.3v	48.7v	49.4v	73.8v	72.9v	0.0v	46.1v	45.3v	643.61v
231	Dr G Stewart	A	73.9v	50.6v	46.4v	47.5v	48.5v	47.3v	50.5v	49.6v	72.6v	73.6v	0.0v	44.3v	44.2v	643.60v
232	Cpl LKJ Leung	T	74.8v	48.4v	47.2v	45.4v	50.6v	50.6v	40.2v	49.5v	74.7v	73.7v	0.0v	46.4v	47.3v	643.58v
233	Mr AP Barnes	A	69.5v	49.4v	49.3v	43.2v	50.4v	48.5v	50.5v	49.8v	74.8v	73.10v	0.0v	46.3v	43.0v	643.57v
234	Mr M Rewston	O	74.10v	48.6v	50.5v	45.2v	49.4v	45.4v	48.4v	48.6v	74.6v	71.6v	0.0v	45.1v	46.2v	643.56v
235	Mr RK Edwards	A	73.8v	49.8v	47.4v	47.4v	48.4v	46.4v	48.2v	49.3v	72.3v	73.6v	0.0v	48.4v	43.1v	643.51v
236	Mr CB Cotillard	O	71.7v	48.7v	49.5v	48.7v	49.3v	48.6v	48.6v	48.7v	71.8v	73.9v	0.0v	45.4v	44.2v	642.71v
237	Mr PM Jory	X	72.6v	50.3v	48.6v	47.4v	47.6v	47.5v	50.8v	49.4v	67.5v	73.8v	0.0v	49.8v	43.3v	642.66v
238	Mr TP Shaw	X	71.7v	49.5v	48.6v	48.5v	48.5v	46.3v	47.5v	49.6v	74.9v	70.5v	0.0v	49.5v	43.1v	642.62v
239	Mr PJ Westlake	X	74.8v	49.5v	46.3v	48.7v	47.3v	48.5v	47.1v	50.8v	71.9v	73.10v	0.0v	43.0v	46.1v	642.60v
240	Pvt CR Vonchek	A	72.7v	49.5v	47.3v	49.5v	48.6v	49.7v	46.3v	47.3v	73.6v	70.6v	0.0v	47.4v	45.4v	642.59v
241	Mr CR hirst	O	69.2v	46.2v	48.4v	47.5v	48.3v	47.3v	49.4v	50.6v	75.10v	72.7v	0.0v	47.5v	44.3v	642.54v
242	Mr JHN Pattison	T	74.10v	48.3v	46.1v	46.3v	46.1v	48.3v	49.3v	46.3v	72.5v	70.6v	0.0v	49.5v	48.2v	642.45v
243	Mr DJ Curtis	A	75.10v	47.6v	50.3v	45.4v	50.7v	47.4v	50.7v	50.6v	73.11v	72.7v	0.0v	40.3v	42.3v	641.71v
244	Miss NI Barnes	O	74.7v	46.6v	48.5v	40.2v	50.7v	50.7v	48.4v	49.5v	74.10v	71.10v	0.0v	43.3v	48.4v	641.70v
245	Mr RA Webb	X	71.10v	48.2v	48.4v	46.3v	49.6v	47.3v	48.7v	49.4v	72.7v	71.7v	0.0v	46.6v	46.4v	641.63v
246	Mr AC Abrahams	O	73.8v	49.4v	48.6v	46.3v	47.3v	47.7v	48.4v	48.3v	73.8v	69.4v	0.0v	47.6v	46.2v	641.58v
247	Mr KB Hill	A	73.5v	49.4v	47.4v	45.4v	50.4v	47.4v	46.3v	48.4v	74.11v	69.6v	0.0v	47.6v	46.2v	641.57v
248	Mr LT Malcic	A	70.7v	49.2v	46.3v	47.6v	49.6v	48.4v	49.3v	50.5v	73.10v	69.5v	0.0v	47.5v	44.1v	641.57v
249	Mr T Steele	O	67.2v	49.6v	48.4v	47.5v	50.5v	46.3v	50.3v	49.4v	71.6v	71.5v	0.0v	48.4v	45.2v	641.49v
250	Mr JR Allum	A	74.6v	50.7v	50.7v	49.7v	48.5v	47.4v	46.5v	46.4v	72.7v	66.4v	0.0v	48.6v	44.2v	640.64v
251	Mr LR Braithwaite	X	75.8v	48.6v	49.5v	45.3v	49.5v	44.1v	50.6v	48.7v	74.9v	70.9v	0.0v	46.4v	42.1v	640.64v
252	Miss RE Warden	T	70.7v	46.2v	48.3v	45.5v	48.4v	46.3v	50.3v	49.7v	71.8v	69.9v	0.0v	50.3v	48.5v	640.59v
253	Mr RW Shaw	A	73.4v	47.2v	48.8v	48.4v	49.5v	47.4v	47.4v	49.6v	70.8v	70.7v	0.0v	45.2v	47.5v	640.59v
254	Mr CM Brooks	O	74.12v	50.6v	47.1v	47.5v	43.2v	49.3v	48.4v	48.6v	71.9v	71.5v	0.0v	46.4v	46.2v	640.59v
255	Mr RD Lindsay	O	75.10v	47.2v	48.7v	43.3v	50.3v	48.5v	49.5v	49.7v	73.10v	70.5v	0.0v	45.1v	43.1v	640.59v
256	Mr MD Joyce	O	71.7v	48.2v	50.6v	49.4v	48.4v	48.7v	45.4v	49.5v	72.8v	70.3v	0.0v	45.3v	45.3v	640.56v
257	Mr RR Grisenthwaite	A	74.9v	48.6v	45.1v	46.2v	48.4v	47.2v	49.7v	49.6v	71.6v	72.7v	0.0v	45.4v	46.1v	640.55v
258	Dr AE Bromley	X	73.10v	49.6v	46.3v	50.6v	48.4v	48.4v	46.1v	48.5v	74.6v	71.7v	0.0v	41.0v	46.2v	640.54v
259	Mr WJM Bacon	T	72.7v	49.3v	48.6v	47.4v	50.5v	47.3v	47.5v	48.4v	75.9v	71.7v	0.0v	45.1v	41.0v	640.54v
260	Miss CL Wiseman	T	72.8v	46.0v	48.3v	48.5v	48.3v	44.1v	49.3v	50.6v	71.8v	72.5v	0.0v	45.2v	47.3v	640.47v
261	Mr SF Oldridge	T	73.10v	48.6v	49.6v	43.2v	49.5v	47.5v	48.7v	50.6v	73.11v	70.9v	0.0v	44.2v	45.3v	639.72v
262	Mr DJ Gass	O	71.8v	48.6v	48.3v	47.7v	48.5v	50.7v	49.4v	48.7v	74.10v	71.7v	0.0v	43.3v	42.2v	639.69v
263	Mrs M Di Bona	O	75.10v	47.4v	47.4v	43.4v	47.4v	48.6v	47.5v	47.1v	73.8v	70.9v	0.0v	48.7v	47.5v	639.67v
264	Mr LG Skingley	O	74.12v	50.7v	47.1v	44.0v	48.6v	50.9v	47.3v	47.6v	72.7v	73.7v	0.0v	41.2v	46.4v	639.64v
265	Dr SS Horner	O	73.8v	49.6v	47.2v	44.2v	45.1v	48.6v	47.5v	50.8v	72.10v	70.8v	0.0v	47.4v	47.2v	639.62v
266	Mr DA Roberts	O	72.7v	47.4v	48.6v	49.5v	48.6v	47.6v	46.2v	48.5v	72.8v	72.8v	0.0v	44.2v	46.3v	639.62v
267	Mr MP Blythe	O	74.10v	49.5v	47.2v	42.4v	47.5v	48.4v	46.5v	48.2v	74.9v	72.5v	0.0v	48.6v	44.2v	639.59v
268	Mr G Bendik	X	74.11v	48.4v	48.3v	48.6v	47.5v	48.4v	45.2v	48.5v	72.7v	71.6v	0.0v	47.3v	43.2v	639.58v
269	Maj GR Jeal	A	73.8v	48.4v	47.5v	46.4v	48.3v	49.6v	49.6v	47.5v	69.6v	70.5v	0.0v	46.1v	47.4v	639.57v
270	Mr JM Picariello	T	70.3v	48.4v	46.2v	46.4v	49.7v	47.5v	47.3v	50.3v	74.8v	70.9v	0.0v	48.5v	44.2v	639.55v
271	Miss AA Weinberger	O	73.5v	47.2v	48.6v	47.2v	49.5v	48.5v	45.4v	49.7v	74.9v	72.8v	0.0v	42.1v	45.1v	639.55v

272	Mr SW Maris	O	74.3v	50.7v	48.5v	45.4v	44.3v	47.2v	49.7v	50.6v	71.4v	68.5v	0.0v	48.5v	45.3v	639.54v
273	Mr J Scheuerl	T	75.10v	48.4v	46.5v	46.1v	47.4v	48.6v	46.4v	47.1v	72.9v	73.5v	0.0v	48.3v	43.2v	639.54v
274	Mr PA Maher	A	72.7v	47.4v	47.4v	48.4v	48.3v	47.2v	49.3v	50.7v	72.8v	68.6v	0.0v	45.2v	46.3v	639.53v
275	Mr AI Brown	O	69.4v	48.3v	46.5v	49.4v	46.4v	48.4v	46.4v	49.4v	73.7v	70.4v	0.0v	49.6v	46.3v	639.52v
276	Mr HJM Awin	X	72.6v	44.1v	47.5v	49.5v	50.4v	45.4v	49.3v	48.5v	72.5v	74.8v	0.0v	43.3v	46.2v	639.51v
277	Mr JPM Stevens	O	73.6v	50.3v	49.3v	48.2v	47.5v	48.3v	47.4v	44.3v	73.5v	71.7v	0.0v	46.2v	43.2v	639.45v
278	Mr PJ Temperley	O	69.8v	50.5v	48.6v	48.5v	47.6v	46.5v	48.8v	49.6v	72.5v	71.6v	0.0v	48.5v	42.2v	638.67v
279	Mr RS Darwish	T	70.7v	49.6v	46.4v	47.7v	49.6v	49.5v	50.8v	49.3v	73.7v	69.4v	0.0v	47.7v	40.2v	638.66v
280	Mr ORW Russell	A	72.9v	49.5v	48.5v	46.3v	48.5v	47.5v	45.3v	48.5v	72.9v	74.6v	0.0v	45.2v	44.0v	638.57v
281	Mr MJ Stewart	O	74.9v	47.3v	46.3v	47.4v	49.6v	47.5v	48.3v	48.5v	71.8v	70.6v	0.0v	46.3v	45.1v	638.56v
282	Dr MW Wrigley	A	68.3v	48.3v	50.6v	46.5v	50.5v	47.3v	48.5v	48.4v	74.9v	66.3v	0.0v	48.5v	45.4v	638.55v
283	Mr EG Lawrence	O	71.6v	44.1v	48.3v	49.3v	48.4v	46.3v	47.3v	46.5v	74.11v	72.7v	0.0v	47.5v	46.3v	638.54v
284	Mr DE Nuthall	X	69.7v	50.3v	45.1v	48.4v	49.5v	49.8v	46.1v	48.5v	72.7v	70.5v	0.0v	48.3v	44.5v	638.54v
285	Mr RL Sampson	A	72.8v	44.0v	48.4v	48.5v	49.4v	48.3v	49.7v	49.5v	71.8v	72.8v	0.0v	43.1v	45.1v	638.54v
286	Mr FJS Reis	T	73.7v	50.5v	47.5v	45.3v	46.2v	46.2v	49.5v	49.6v	70.5v	73.6v	0.0v	48.4v	42.2v	638.52v
287	Mr CI Pawlik	O	73.8v	50.8v	48.3v	48.1v	47.3v	45.3v	47.4v	48.5v	69.6v	69.3v	0.0v	49.2v	45.1v	638.47v
288	Mrs HA Cook	X	75.10v	48.5v	47.6v	41.1v	48.7v	37.4v	50.5v	48.6v	75.9v	73.8v	0.0v	48.4v	47.6v	637.71v
289	Lt Col WDH Burden	O	75.14v	49.6v	48.6v	45.2v	46.4v	46.3v	44.3v	50.7v	72.6v	73.9v	0.0v	45.5v	44.3v	637.68v
290	Mr SAJ Dowley	X	73.7v	49.6v	47.6v	43.2v	48.4v	46.5v	49.4v	47.5v	72.8v	69.7v	0.0v	47.2v	47.8v	637.64v
291	Mr JM Baldwin	O	73.7v	48.6v	47.4v	44.2v	47.5v	45.6v	49.4v	49.8v	72.7v	71.8v	0.0v	45.3v	47.3v	637.63v
292	Mr FC Stewart	O	71.8v	48.5v	48.6v	45.4v	48.4v	48.5v	50.5v	49.6v	72.9v	68.5v	0.0v	45.3v	45.3v	637.63v
293	Mr OM Pryke	T	74.10v	49.7v	46.3v	49.5v	48.5v	47.4v	50.4v	48.6v	71.10v	71.7v	0.0v	44.1v	40.1v	637.63v
294	Mr JT Kennedy	O	72.8v	45.4v	49.3v	48.6v	50.5v	45.3v	46.4v	46.4v	74.13v	72.7v	0.0v	46.3v	44.2v	637.62v
295	Cdt LCpl R Celesia	O	72.5v	48.7v	49.6v	47.2v	49.7v	47.3v	48.4v	49.4v	73.9v	67.4v	0.0v	43.3v	45.5v	637.59v
296	Mr PJ Bysse	O	72.7v	49.4v	46.5v	48.6v	48.5v	47.5v	47.4v	47.2v	72.8v	70.7v	0.0v	47.4v	44.1v	637.58v
297	Mr WA Morriss	O	74.8v	48.5v	49.5v	45.2v	49.7v	50.5v	46.4v	50.6v	69.6v	71.5v	0.0v	43.1v	43.4v	637.58v
298	Mr SD Glen	X	73.9v	50.4v	44.3v	49.6v	47.4v	46.1v	49.6v	44.3v	72.8v	71.6v	0.0v	47.2v	45.2v	637.54v
299	Mr OM Hudson	A	75.9v	49.6v	46.3v	43.2v	48.3v	49.4v	47.5v	48.5v	74.7v	70.7v	0.0v	42.0v	46.3v	637.54v
300	Cdt OW Rankin	T	70.7v	48.5v	47.5v	48.5v	49.6v	43.0v	48.4v	47.2v	73.6v	71.4v	0.0v	47.3v	46.2v	637.49v
301	Mr AG Stewart	O	73.5v	46.4v	47.3v	45.2v	49.4v	48.4v	50.7v	49.5v	70.5v	68.6v	0.0v	45.2v	47.2v	637.49v
302	Mr AF Donald	O	71.4v	47.4v	50.7v	45.1v	48.4v	48.4v	49.6v	45.3v	68.3v	74.6v	0.0v	47.4v	45.1v	637.47v
303	Mr DE Simkin	O	71.5v	49.6v	48.2v	47.4v	48.1v	46.4v	49.3v	49.6v	69.4v	71.5v	0.0v	47.4v	43.3v	637.47v
304	Dr IT Matsumoto	A	73.5v	47.3v	50.5v	49.5v	47.3v	46.3v	46.2v	50.8v	75.7v	66.1v	0.0v	47.4v	41.0v	637.46v
305	Cdt Sgt B Morris	T	73.10v	48.7v	49.5v	42.0v	49.5v	50.9v	45.2v	48.4v	74.8v	72.7v	0.0v	49.8v	37.1v	636.66v
306	Mr RI Coventry	O	73.12v	48.3v	49.7v	48.6v	50.5v	47.4v	49.3v	49.8v	66.1v	72.9v	0.0v	43.4v	42.1v	636.63v
307	Mr H Percival	O	74.10v	45.1v	47.7v	48.4v	47.4v	48.3v	49.6v	50.9v	74.9v	69.6v	0.0v	41.3v	44.1v	636.63v
308	Mr AWC Lothian	X	71.8v	48.2v	49.5v	47.5v	48.6v	49.7v	47.6v	49.6v	72.8v	66.3v	0.0v	44.3v	46.2v	636.61v
309	Wg Cdr CJ Hockley OBE	O	70.6v	47.2v	48.4v	49.4v	47.4v	50.7v	48.4v	47.3v	70.6v	70.7v	0.0v	46.2v	44.4v	636.53v
310	Cdt LCpl A Cui	T	72.7v	47.4v	48.4v	48.5v	47.3v	46.3v	49.5v	47.3v	72.5v	72.9v	0.0v	43.1v	45.3v	636.52v
311	Cdt Cpl AL Moldoveanu	O	72.4v	47.2v	48.4v	48.3v	47.3v	49.6v	46.5v	47.4v	72.8v	70.4v	0.0v	42.4v	48.4v	636.51v
312	Mr OD de Gruchy	O	74.9v	47.2v	49.4v	46.4v	46.1v	47.3v	49.6v	46.3v	75.13v	67.4v	0.0v	46.2v	44.0v	636.51v
313	Mr JM Nippers	O	69.3v	48.7v	49.6v	47.4v	43.2v	48.5v	50.7v	49.1v	74.6v	69.4v	0.0v	44.3v	46.0v	636.48v
314	Mr RG Woodger	X	74.10v	48.6v	48.4v	47.6v	46.3v	50.5v	47.4v	49.4v	74.10v	66.7v	0.0v	40.2v	46.4v	635.65v
315	SSGT RH Kitson	X	72.5v	48.6v	45.3v	46.5v	48.6v	47.6v	50.6v	48.5v	70.5v	71.8v	0.0v	48.5v	42.4v	635.64v
316	Mr PW Glen	O	73.8v	47.4v	45.2v	49.5v	48.7v	45.4v	49.6v	48.4v	67.7v	73.7v	0.0v	42.2v	49.5v	635.61v
317	Mr RJ McQuillan	X	72.8v	44.1v	50.6v	47.6v	45.3v	50.3v	48.5v	44.4v	75.10v	73.7v	0.0v	43.1v	44.6v	635.60v
318	Mr CP Goad	O	73.9v	50.5v	47.4v	49.5v	48.4v	44.3v	49.7v	49.4v	73.7v	67.6v	0.0v	42.1v	44.4v	635.59v
319	Mr DJH Birrell	O	70.8v	48.7v	48.4v	44.4v	49.5v	46.3v	48.4v	49.5v	71.7v	68.3v	0.0v	46.4v	48.3v	635.57v
320	Miss RM Weinberger	T	73.7v	49.4v	48.3v	43.4v	49.4v	49.2v	49.5v	48.6v	70.5v	70.8v	0.0v	42.3v	45.5v	635.56v
321	Mr WP Cubitt	O	72.6v	46.5v	48.1v	43.2v	50.7v	48.3v	47.6v	47.5v	73.8v	71.7v	0.0v	46.3v	44.1v	635.54v
322	Mr P Persaud	X	70.6v	48.4v	49.4v	45.0v	46.4v	48.6v	48.5v	46.2v	73.6v	68.5v	0.0v	49.5v	45.4v	635.51v
323	Mr HEJ Welch	O	73.9v	47.4v	45.2v	43.1v	50.4v	49.4v	45.3v	48.4v	69.7v	74.5v	0.0v	49.3v	43.3v	635.49v
324	Mr SP OBrien	A	72.5v	49.7v	48.6v	47.3v	47.4v	47.3v	47.5v	48.6v	70.4v	72.3v	0.0v	46.3v	42.0v	635.49v
325	Mr NP Moxon	O	73.9v	48.3v	46.4v	43.2v	50.3v	49.6v	48.4v	48.7v	71.7v	69.6v	0.0v	48.4v	41.3v	634.58v
326	Mr TS Craig-Fleming	O	73.5v	49.6v	48.6v	42.0v	49.5v	48.7v	47.3v	50.7v	71.9v	70.3v	0.0v	45.4v	42.2v	634.57v
327	GP Capt WD Cooper	X	74.9v	46.5v	49.3v	45.4v	49.7v	48.4v	49.5v	49.8v	74.5v	67.5v	0.0v	44.1v	40.1v	634.57v
328	Mr CA Stewart	O	74.9v	48.3v	46.5v	45.4v	44.4v	49.7v	48.6v	44.2v	72.5v	72.4v	0.0v	46.1v	46.4v	634.54v
329	Mr IDC Brechin	O	72.5v	48.4v	49.5v	48.5v	46.3v	49.7v	46.5v	46.3v	71.7v	70.5v	0.0v	47.3v	42.2v	634.54v
330	Cdt PEV Osmond	O	74.7v	50.7v	45.2v	47.3v	47.4v	48.7v	50.3v	47.2v	69.6v	66.5v	0.0v	48.2v	43.3v	634.51v
331	Mr HM Wong Shui	X	73.8v	48.4v	45.1v	48.4v	47.4v	47.5v	47.1v	49.4v	72.8v	71.6v	0.0v	46.4v	41.0v	634.49v

332	Cdt Cpl TLM Flanagan	T	71.3v	49.7v	45.3v	43.4v	47.2v	48.5v	46.3v	46.4v	75.12v	70.4v	0.0v	47.3v	46.3v	633.53v
333	Mr G Childs	A	73.10v	49.7v	50.5v	47.3v	47.7v	48.1v	45.4v	44.1v	72.7v	71.5v	0.0v	46.2v	41.1v	633.53v
334	Mr J Myers	T	71.4v	47.3v	48.6v	42.2v	47.5v	49.2v	49.5v	50.5v	72.10v	71.3v	0.0v	44.2v	43.3v	633.50v
335	Mr RF Burden	O	72.7v	46.2v	48.4v	47.3v	46.4v	48.2v	48.6v	45.3v	73.6v	70.5v	0.0v	46.2v	44.1v	633.45v
336	Mr LM Peden	A	67.3v	47.3v	48.4v	45.2v	46.1v	49.5v	49.6v	49.4v	70.4v	70.5v	0.0v	47.2v	46.2v	633.41v
337	Mr N Anderson	A	73.10v	47.2v	47.4v	46.3v	49.5v	47.4v	46.4v	46.4v	68.3v	72.9v	0.0v	45.3v	46.5v	632.56v
338	Mrs KE Heath	A	71.6v	49.4v	49.6v	46.2v	48.2v	49.4v	46.3v	48.3v	71.10v	74.11v	0.0v	39.1v	42.2v	632.54v
339	Cdt HJ Purslow	O	72.6v	50.6v	46.4v	49.3v	48.6v	46.2v	48.6v	46.4v	70.5v	68.2v	0.0v	47.6v	42.3v	632.53v
340	Mr NM Duncan	O	74.7v	46.3v	44.2v	50.7v	43.1v	47.5v	48.4v	46.0v	73.11v	73.9v	0.0v	46.4v	42.0v	632.53v
341	Mr NA Mohideen	A	73.5v	48.6v	49.6v	46.3v	44.4v	44.3v	49.6v	49.6v	71.7v	71.4v	0.0v	45.1v	43.2v	632.53v
342	Mr WR Steward	O	71.6v	46.2v	48.3v	44.2v	48.7v	47.2v	44.0v	49.4v	72.10v	69.6v	0.0v	47.5v	47.3v	632.50v
343	Miss FE Purdy	O	72.9v	45.4v	46.1v	47.5v	49.1v	43.3v	49.6v	47.3v	71.4v	72.9v	0.0v	44.2v	47.3v	632.50v
344	Mr JAMM Ingham	T	72.9v	48.3v	45.4v	49.7v	44.4v	49.4v	48.6v	47.3v	71.6v	73.9v	0.0v	46.5v	39.3v	631.63v
345	Mr MDE Larcombe	A	72.12v	48.5v	45.4v	48.6v	48.5v	46.4v	49.3v	47.6v	74.10v	72.4v	0.0v	39.0v	43.4v	631.63v
346	Miss AE Jallot	T	74.10v	50.8v	45.1v	46.4v	49.4v	46.3v	49.7v	47.3v	70.6v	67.5v	0.0v	46.4v	42.3v	631.58v
347	Dr JR Deane	X	74.10v	48.5v	47.4v	48.2v	49.4v	49.6v	47.2v	50.7v	68.8v	69.6v	0.0v	38.1v	44.2v	631.57v
348	Miss JE Ouston	A	72.10v	47.4v	49.5v	42.2v	45.4v	48.6v	48.5v	46.2v	71.4v	71.4v	0.0v	46.4v	46.3v	631.53v
349	Mr SNS Penrose	X	75.9v	47.4v	45.4v	46.3v	46.1v	49.7v	48.4v	47.3v	72.4v	68.7v	0.0v	43.1v	45.4v	631.51v
350	Mr TJ Bryan	O	70.3v	45.2v	47.2v	49.4v	49.5v	46.5v	50.7v	49.7v	71.5v	70.6v	0.0v	41.1v	44.4v	631.51v
351	Mr AG Harrison	O	75.8v	48.6v	47.2v	44.2v	48.4v	47.4v	49.6v	49.2v	74.5v	67.4v	0.0v	37.3v	46.1v	631.47v
352	Cdt Cpl TZ Maxwell Randeria	T	72.8v	46.3v	45.3v	44.2v	48.8v	49.4v	48.6v	47.4v	69.5v	70.6v	0.0v	48.5v	44.2v	630.56v
353	Cdt LCpl OE Roussel	T	72.6v	48.2v	49.7v	46.4v	47.8v	45.1v	49.6v	46.5v	67.5v	69.3v	0.0v	46.1v	46.6v	630.54v
354	Miss ZNK Moir	T	73.7v	48.3v	43.2v	46.3v	49.6v	49.4v	48.4v	47.4v	69.4v	68.10v	0.0v	45.2v	45.3v	630.52v
355	Mr JRW Latimer	O	73.8v	48.5v	47.3v	45.3v	48.5v	47.2v	47.3v	49.5v	71.8v	66.4v	0.0v	46.3v	43.2v	630.51v
356	Dr AI Ashworth	O	71.7v	48.3v	49.6v	48.4v	47.4v	47.4v	49.6v	45.3v	70.7v	72.6v	0.0v	42.0v	42.1v	630.51v
357	Cdt JJ Weir	T	71.7v	46.3v	45.4v	48.3v	47.2v	47.5v	48.4v	47.2v	70.4v	72.7v	0.0v	47.6v	42.3v	630.50v
358	Miss NE Barnes	O	72.8v	48.7v	47.4v	48.2v	46.4v	48.6v	48.1v	46.3v	70.6v	72.6v	0.0v	42.1v	43.1v	630.49v
359	Mr DE Fields	X	70.8v	50.7v	43.1v	49.3v	46.5v	49.4v	48.4v	46.2v	71.5v	70.5v	0.0v	45.3v	43.1v	630.48v
360	Mr JGM Webster	X	71.7v	48.4v	47.5v	46.5v	49.5v	47.2v	42.0v	46.2v	73.7v	71.6v	0.0v	44.1v	46.2v	630.46v
361	Mr BJ Wood	O	65.3v	48.5v	48.3v	46.3v	46.2v	49.6v	49.3v	49.5v	72.5v	68.5v	0.0v	45.4v	45.1v	630.45v
362	Mr R le R Bird	O	71.6v	50.5v	47.2v	45.1v	47.4v	45.1v	49.3v	47.1v	70.6v	69.5v	0.0v	43.0v	47.2v	630.36v
363	Miss LK Crosby	T	75.10v	47.3v	46.4v	45.1v	47.6v	49.7v	46.5v	50.6v	72.9v	70.5v	0.0v	39.2v	43.3v	629.61v
364	Miss GC McCaig	T	73.9v	48.3v	44.3v	42.1v	49.6v	48.2v	48.6v	49.6v	73.10v	69.8v	0.0v	42.2v	44.2v	629.58v
365	Cdt AL Shine	T	74.7v	44.2v	46.3v	44.4v	46.5v	49.7v	48.5v	50.9v	72.5v	71.4v	0.0v	40.4v	45.3v	629.58v
366	Mr TJ Goodger	A	68.2v	50.4v	47.3v	49.5v	49.6v	45.3v	49.7v	48.5v	73.7v	72.8v	0.0v	42.3v	37.1v	629.54v
367	Miss AB Dorey	T	71.6v	48.5v	47.6v	43.0v	49.4v	49.2v	43.6v	48.5v	72.6v	70.6v	0.0v	43.2v	46.2v	629.50v
368	Mr GR Bowman	X	72.7v	48.5v	50.7v	48.5v	48.5v	45.3v	48.4v	46.4v	67.3v	66.1v	0.0v	44.1v	47.4v	629.49v
369	Lt ML Wilkins	O	73.7v	50.6v	47.1v	43.2v	47.5v	45.5v	47.4v	49.5v	69.8v	72.5v	0.0v	45.1v	42.0v	629.49v
370	Cdt S Franck	T	69.8v	50.7v	47.2v	45.1v	44.2v	48.3v	47.4v	48.3v	74.9v	68.4v	0.0v	47.3v	42.1v	629.47v
371	Mr ML Cotillard	O	70.5v	48.3v	47.5v	46.3v	47.5v	47.3v	47.5v	46.3v	69.5v	69.4v	0.0v	48.4v	45.0v	629.45v
372	Mr R Winney	O	69.0v	48.2v	46.3v	43.2v	49.5v	48.4v	47.5v	48.5v	71.6v	70.4v	0.0v	44.4v	46.4v	629.44v
373	Miss A Ross	O	74.11v	47.4v	43.1v	39.0v	50.7v	47.2v	48.6v	47.5v	73.8v	72.6v	0.0v	45.6v	43.3v	628.59v
374	Mr RPF McKenna	T	70.4v	48.5v	48.6v	45.8v	47.3v	45.4v	49.5v	49.5v	70.7v	66.2v	0.0v	49.4v	42.1v	628.54v
375	Mrs DE Curtis	O	68.6v	47.4v	47.4v	43.3v	48.4v	48.5v	47.4v	50.7v	69.7v	65.4v	0.0v	49.2v	47.3v	628.53v
376	Maj Gen AJW Sturrock	O	73.8v	45.4v	50.4v	47.4v	41.2v	48.5v	46.1v	49.6v	71.3v	66.7v	0.0v	47.4v	45.4v	628.52v
377	Mr PG Kelly	O	70.3v	47.4v	47.5v	45.3v	46.1v	46.5v	48.3v	46.5v	72.7v	70.7v	0.0v	46.3v	45.0v	628.46v
378	Miss S Ponter	A	71.7v	48.2v	45.2v	42.1v	49.4v	49.4v	50.6v	48.7v	69.6v	70.3v	0.0v	45.3v	42.1v	628.46v
379	Mr MHH John	O	72.3v	47.5v	47.3v	44.1v	48.3v	49.4v	49.4v	49.7v	72.7v	68.5v	0.0v	40.1v	43.1v	628.44v
380	Mr RM Culverwell	O	71.3v	47.5v	46.3v	49.5v	46.2v	46.2v	48.3v	49.3v	69.5v	66.4v	0.0v	46.2v	45.3v	628.40v
381	Mr M Clark	O	74.7v	49.4v	38.4v	48.6v	47.3v	44.2v	47.2v	47.5v	73.7v	71.9v	0.0v	46.4v	43.2v	627.55v
382	Miss HD Grindon	O	69.4v	47.5v	47.4v	42.1v	46.3v	50.7v	40.1v	49.7v	72.8v	73.8v	0.0v	46.3v	46.3v	627.54v
383	Mr IW Robertson	A	72.6v	47.5v	47.4v	50.6v	45.5v	43.2v	47.5v	48.5v	71.9v	66.2v	0.0v	44.3v	47.2v	627.54v
384	Lt Col CST Lehmann	O	73.8v	45.3v	47.5v	42.4v	48.5v	49.5v	50.4v	47.3v	68.4v	71.6v	0.0v	43.3v	44.4v	627.54v
385	Mr JBG Shepherd	X	70.6v	48.4v	46.4v	43.2v	48.4v	48.4v	48.5v	49.3v	71.7v	68.5v	0.0v	47.4v	41.2v	627.50v
386	Mr NJ Atkins	O	67.1v	46.5v	48.5v	47.4v	48.5v	45.3v	49.5v	48.3v	71.5v	70.7v	0.0v	45.1v	43.1v	627.45v
387	Mr JRJ Kennedy	O	71.8v	50.6v	48.4v	49.6v	45.3v	47.3v	46.4v	48.5v	69.8v	69.4v	0.0v	47.2v	37.2v	626.55v
388	Mr CHY Chan	T	72.7v	44.2v	47.3v	45.4v	47.3v	48.6v	47.6v	49.7v	74.7v	69.6v	0.0v	42.3v	42.1v	626.55v
389	Cdt GE Sanderson	T	71.5v	46.5v	48.4v	38.3v	48.7v	48.4v	47.2v	50.7v	74.9v	71.6v	0.0v	45.2v	40.0v	626.54v
390	Mr K McCamley	X	72.7v	45.2v	48.5v	44.2v	48.2v	48.4v	48.3v	44.2v	71.9v	67.5v	0.0v	45.4v	46.3v	626.48v
391	Mr J Nicholas	T	71.7v	46.4v	48.5v	46.4v	48.2v	48.3v	46.2v	48.3v	73.6v	67.4v	0.0v	44.2v	41.2v	626.44v

392	Mr J Tsai	T	70.3v	47.5v	45.2v	43.1v	48.3v	47.3v	47.4v	47.3v	69.7v	71.4v	0.0v	50.6v	42.2v	626.43v
393	Mr MR Clewer	O	68.2v	49.4v	47.3v	47.1v	44.3v	49.4v	48.5v	49.5v	71.5v	66.3v	0.0v	44.2v	44.1v	626.38v
394	Mr M Reid	O	73.9v	48.5v	46.2v	47.5v	49.6v	49.7v	48.3v	47.5v	64.3v	69.5v	0.0v	44.3v	41.1v	625.54v
395	Mr R Stebbings	X	73.10v	47.4v	43.3v	47.5v	49.6v	48.4v	46.4v	47.5v	71.5v	70.5v	0.0v	41.1v	43.2v	625.54v
396	Mr AR Le Quesne	T	74.5v	44.3v	47.4v	43.2v	49.7v	46.2v	48.7v	50.8v	70.6v	71.6v	0.0v	42.1v	41.2v	625.53v
397	Ms J Shen	T	73.9v	48.5v	47.5v	44.1v	49.7v	45.3v	46.3v	46.4v	72.7v	65.3v	0.0v	42.1v	48.3v	625.51v
398	Mr J Bideau	T	65.7v	46.3v	46.4v	49.6v	46.2v	45.3v	49.3v	49.8v	71.4v	71.5v	0.0v	45.3v	43.2v	625.50v
399	Mr A Zhang	T	70.2v	47.3v	45.4v	47.4v	42.1v	48.6v	45.5v	48.5v	68.2v	74.9v	0.0v	44.5v	47.1v	625.47v
400	Cdt RSM P Hobbs	O	73.7v	49.6v	48.4v	49.4v	43.3v	44.2v	44.2v	48.3v	71.6v	67.3v	0.0v	46.2v	43.3v	625.45v
401	Cdt M Griesemann	T	69.5v	47.0v	48.2v	49.5v	48.5v	46.4v	47.3v	47.3v	71.8v	70.5v	0.0v	46.3v	37.1v	625.44v
402	Mr KM Rivoallan	O	73.7v	45.4v	41.1v	47.2v	45.1v	45.2v	50.6v	46.5v	71.5v	70.4v	0.0v	44.2v	48.4v	625.43v
403	Miss N Murrin	O	72.9v	48.3v	50.6v	47.6v	48.5v	47.5v	50.6v	48.3v	70.7v	65.3v	0.0v	35.2v	44.2v	624.57v
404	Mr JR Stirland	O	72.5v	47.4v	43.3v	46.5v	47.5v	48.4v	48.2v	45.3v	72.9v	69.5v	0.0v	45.5v	42.1v	624.51v
405	Miss VM Churchouse	T	72.4v	49.2v	49.6v	47.5v	47.5v	43.2v	45.3v	42.1v	69.6v	66.4v	0.0v	49.6v	46.5v	624.49v
406	Mr JN Prout	T	67.2v	47.6v	44.3v	49.7v	48.2v	46.4v	49.6v	49.4v	70.7v	66.2v	0.0v	45.3v	44.2v	624.48v
407	Mr RE Pike	X	70.6v	46.5v	46.3v	47.3v	49.6v	43.0v	46.4v	44.3v	74.7v	68.4v	0.0v	45.3v	46.2v	624.46v
408	Mr AJ Le Cheminant	O	70.7v	48.2v	48.6v	45.2v	46.3v	43.1v	47.4v	49.3v	68.7v	70.7v	0.0v	45.2v	45.2v	624.46v
409	Mr RF Barrington	O	72.6v	46.3v	47.2v	46.3v	44.1v	45.5v	48.3v	45.3v	72.4v	73.9v	0.0v	40.2v	46.1v	624.42v
410	Mr CSP Gray	O	67.3v	47.6v	46.3v	44.2v	48.2v	42.2v	49.6v	45.5v	71.8v	71.7v	0.0v	49.8v	44.2v	623.54v
411	Mr D Colegate	O	72.9v	45.4v	48.3v	44.2v	48.3v	48.3v	48.7v	47.5v	68.3v	71.8v	0.0v	44.3v	40.1v	623.51v
412	Mr LT Wicker	O	74.11v	47.4v	47.4v	45.1v	49.4v	47.3v	48.5v	44.3v	67.9v	68.4v	0.0v	43.2v	44.0v	623.50v
413	Mr BAM Hebblethwaite	O	67.5v	49.4v	49.4v	47.2v	42.3v	46.3v	49.7v	47.4v	73.7v	71.7v	0.0v	37.1v	46.3v	623.50v
414	Mr P Johnson	O	70.9v	49.3v	42.3v	45.3v	48.8v	49.6v	48.4v	50.6v	69.3v	66.5v	0.0v	41.0v	45.2v	622.52v
415	Mrs R Merridew	O	73.8v	47.6v	48.3v	47.2v	45.3v	45.4v	46.4v	48.5v	70.7v	67.3v	0.0v	45.3v	41.1v	622.49v
416	Cdt Cpl KS Lynnyk-Ali	T	72.8v	49.7v	46.3v	46.4v	47.2v	48.4v	48.5v	48.3v	69.1v	66.4v	0.0v	46.5v	37.2v	622.48v
417	Mr GL Clarke	O	74.11v	48.5v	47.1v	44.4v	45.1v	49.3v	47.3v	45.4v	74.7v	69.7v	0.0v	44.2v	36.0v	622.48v
418	Mr MJJ Charlton	O	68.4v	48.3v	45.1v	47.5v	48.7v	48.4v	47.5v	45.1v	65.2v	71.7v	0.0v	42.1v	48.7v	622.47v
419	Mr LJ Smith	T	69.6v	44.3v	45.2v	43.2v	48.4v	45.1v	49.3v	48.3v	73.8v	68.4v	0.0v	47.5v	43.4v	622.45v
420	Mr CJ Monk	T	70.4v	50.3v	48.4v	48.6v	47.2v	46.1v	48.2v	48.6v	70.7v	66.5v	0.0v	36.1v	45.2v	622.43v
421	Mr AF Chidlow	T	71.4v	47.4v	49.5v	47.3v	44.4v	46.5v	46.4v	43.2v	69.5v	71.8v	0.0v	48.3v	40.1v	621.48v
422	Mr PS Gray	O	73.6v	49.2v	42.3v	46.4v	46.5v	45.3v	48.6v	46.4v	69.4v	67.5v	0.0v	46.1v	44.2v	621.45v
423	Mr MWS Oliver	A	70.7v	47.1v	47.4v	47.3v	49.4v	45.1v	49.5v	46.5v	67.4v	65.6v	0.0v	46.3v	43.0v	621.43v
424	Mr T Snaith	T	71.2v	48.5v	44.3v	44.2v	48.5v	45.1v	48.3v	47.5v	72.5v	71.7v	0.0v	42.2v	41.2v	621.42v
425	Cdt Cpl JJ Kahtava	T	74.7v	46.3v	47.3v	46.3v	43.1v	45.2v	45.3v	45.4v	69.7v	69.2v	0.0v	47.3v	45.3v	621.41v
426	Mr D Wild	T	70.5v	47.5v	47.6v	44.2v	49.7v	46.4v	43.2v	48.2v	72.10v	65.1v	0.0v	45.4v	44.6v	620.54v
427	Mr S Pasarkar	T	67.2v	46.4v	44.4v	48.6v	45.3v	50.7v	49.2v	48.6v	70.4v	66.4v	0.0v	44.3v	43.5v	620.50v
428	Mr B Vary	T	70.3v	46.3v	47.4v	46.4v	49.6v	47.5v	44.3v	49.6v	69.4v	67.3v	0.0v	43.3v	43.5v	620.49v
429	Miss MD Beaton-Jaramillo	X	73.8v	50.6v	40.2v	42.3v	49.4v	47.4v	47.6v	49.5v	75.11v	72.7v	0.0v	40.1v	35.1v	619.58v
430	Mr AS Hood	O	67.3v	44.4v	43.2v	44.3v	49.5v	48.5v	47.4v	48.4v	73.10v	71.6v	0.0v	39.2v	46.4v	619.52v
431	Mr TJG Hendriks	O	69.4v	47.4v	47.3v	43.2v	46.4v	49.5v	49.6v	48.7v	72.7v	69.5v	0.0v	43.3v	37.2v	619.52v
432	Mr MR Ebbetts	O	71.6v	48.7v	48.4v	43.3v	46.4v	46.5v	47.5v	46.4v	71.7v	68.1v	0.0v	41.0v	44.2v	619.48v
433	Dr NAD Pasternak-Albert	T	67.4v	49.4v	46.4v	47.4v	49.7v	47.3v	46.2v	48.4v	71.6v	66.3v	0.0v	45.6v	38.1v	619.48v
434	Mr ACM White	T	72.10v	45.3v	45.2v	48.2v	48.6v	45.2v	48.6v	44.2v	69.4v	70.5v	0.0v	46.4v	39.1v	619.47v
435	Miss KA Hinkly	O	70.1v	49.6v	47.2v	44.3v	49.3v	45.3v	48.6v	47.5v	72.7v	65.3v	0.0v	40.1v	43.1v	619.41v
436	Mr LM OGrady	T	71.7v	47.6v	46.3v	44.3v	48.4v	45.2v	48.6v	43.5v	72.11v	70.5v	0.0v	40.0v	44.2v	618.54v
437	Mr RW McVeigh	A	71.7v	48.5v	46.3v	46.5v	44.4v	47.5v	44.4v	50.4v	72.5v	67.3v	0.0v	47.4v	36.1v	618.50v
438	Miss N Tercjak	T	70.4v	49.7v	45.2v	45.4v	45.2v	46.4v	49.6v	49.5v	68.7v	69.6v	0.0v	38.1v	45.1v	618.49v
439	Cpl M Saberton	T	70.7v	47.5v	45.3v	44.4v	46.1v	48.3v	49.7v	43.0v	70.6v	70.4v	0.0v	46.4v	40.2v	618.46v
440	Miss EAV Barrett	T	71.5v	48.5v	48.6v	47.3v	46.1v	47.3v	47.4v	48.5v	72.8v	65.3v	0.0v	38.2v	41.1v	618.46v
441	Mr SH Dickson	O	70.5v	42.0v	46.4v	49.6v	49.5v	46.3v	47.5v	43.2v	69.6v	69.4v	0.0v	42.0v	46.5v	618.45v
442	Mr ARN Kinross	O	69.2v	46.3v	46.5v	43.1v	47.2v	43.1v	46.5v	48.5v	70.7v	73.7v	0.0v	44.3v	43.2v	618.43v
443	Mr GRP Shapland	O	72.8v	45.2v	48.4v	43.2v	43.1v	44.0v	46.5v	49.2v	71.7v	67.5v	0.0v	44.4v	46.2v	618.42v
444	Mr RA Tewari	A	72.6v	47.3v	46.1v	48.4v	45.4v	42.2v	47.6v	43.2v	72.6v	73.5v	0.0v	42.0v	41.2v	618.41v
445	Mr DTA Cobb	O	73.8v	47.1v	45.3v	46.3v	47.4v	46.1v	46.3v	46.3v	70.3v	65.5v	0.0v	45.3v	42.1v	618.38v
446	Mr LR Coventry	O	72.6v	42.2v	50.2v	49.6v	46.2v	45.2v	45.3v	47.3v	65.3v	68.2v	0.0v	46.4v	43.1v	618.36v
447	Mrs MJ Nathan	O	73.6v	44.1v	48.6v	38.2v	47.4v	44.4v	49.6v	47.2v	72.8v	66.5v	0.0v	47.4v	42.4v	617.52v
448	Mr GJ Maas	T	68.4v	48.5v	46.2v	39.0v	48.8v	48.3v	49.4v	50.7v	66.5v	68.4v	0.0v	43.3v	44.1v	617.46v
449	Wg Cdr CM Fopp	O	72.8v	46.3v	50.5v	42.4v	48.7v	45.5v	45.3v	49.6v	72.7v	66.4v	0.0v	40.3v	41.1v	616.56v
450	Miss OEC Ross	A	73.7v	47.2v	46.5v	46.5v	44.4v	46.2v	47.6v	47.4v	68.3v	66.4v	0.0v	46.4v	40.1v	616.47v
451	Miss A Downie	T	70.4v	45.2v	46.1v	48.6v	45.3v	47.4v	44.3v	44.2v	73.9v	72.8v	0.0v	45.3v	37.0v	616.45v

452	Wg Cdr CR Smith	O	71.5v	47.5v	47.4v	44.3v	48.4v	40.1v	47.3v	47.3v	70.4v	67.4v	0.0v	45.4v	43.3v	616.43v
453	Mr LC Schwarz	T	71.6v	45.3v	47.4v	46.4v	45.5v	46.2v	47.5v	45.4v	65.4v	72.3v	0.0v	43.2v	44.1v	616.43v
454	Cdt HS Jones	T	70.4v	45.3v	48.5v	48.1v	49.7v	47.3v	48.4v	47.3v	70.5v	62.5v	0.0v	41.2v	41.1v	616.43v
455	Mr O Polat	T	71.6v	46.2v	45.4v	48.4v	46.2v	46.2v	47.6v	45.3v	67.3v	70.6v	0.0v	45.1v	40.2v	616.41v
456	Air Cdre JA Ford	O	68.3v	46.4v	47.3v	41.1v	47.5v	47.5v	46.4v	49.3v	73.6v	63.3v	0.0v	45.1v	44.2v	616.40v
457	Mr EGH Atkins	O	67.4v	45.2v	47.2v	46.4v	41.1v	49.3v	47.5v	44.2v	70.6v	68.1v	0.0v	47.4v	45.3v	616.37v
458	Dr G Stevenson	O	68.4v	47.3v	45.0v	48.0v	47.2v	45.3v	45.2v	41.0v	70.5v	71.4v	0.0v	46.3v	43.2v	616.28v
459	Mr AD Robertson	T	73.5v	49.5v	48.6v	43.1v	48.4v	46.4v	48.4v	43.2v	71.5v	67.6v	0.0v	34.1v	45.4v	615.47v
460	Mr SA Felicien	A	72.8v	46.2v	44.7v	43.1v	45.1v	48.4v	45.4v	46.3v	70.5v	69.5v	0.0v	44.3v	43.2v	615.45v
461	Mr FWC Cowling	T	69.5v	48.4v	44.2v	44.2v	46.2v	45.3v	46.2v	48.5v	72.8v	73.4v	0.0v	33.2v	47.4v	615.43v
462	Miss JL Williams	T	72.4v	46.3v	47.5v	46.2v	48.6v	43.0v	46.3v	49.4v	65.5v	70.5v	0.0v	44.3v	39.1v	615.41v
463	Mr P Waldron	O	69.3v	47.4v	46.2v	42.1v	44.2v	47.5v	48.6v	46.3v	68.4v	69.2v	0.0v	47.2v	42.4v	615.38v
464	Mr G Wood	T	70.6v	47.4v	49.4v	38.2v	48.7v	47.4v	45.7v	45.4v	70.8v	66.3v	0.0v	46.3v	43.3v	614.55v
465	Mrs DA Thompson	O	71.8v	48.6v	45.3v	42.2v	49.7v	46.4v	48.4v	49.3v	73.9v	70.5v	0.0v	38.1v	35.0v	614.52v
466	Mr TM Green	O	68.4v	46.4v	43.1v	46.3v	47.6v	48.1v	40.3v	41.2v	72.8v	72.8v	0.0v	44.1v	47.2v	614.43v
467	Mr SD Spinney	X	70.3v	48.4v	47.5v	46.4v	41.0v	44.2v	49.6v	48.5v	63.2v	68.2v	0.0v	45.3v	45.3v	614.39v
468	Mr B Cunningham	T	69.5v	50.4v	44.4v	49.6v	46.5v	48.7v	44.2v	43.1v	72.11v	66.3v	0.0v	42.2v	40.0v	613.50v
469	Mr OJ Hughes	T	69.5v	49.6v	45.3v	47.5v	45.2v	45.4v	46.5v	49.4v	68.3v	65.5v	0.0v	42.1v	43.2v	613.45v
470	Cpl SE Watson	O	67.5v	48.5v	47.3v	45.1v	47.3v	46.3v	49.5v	41.2v	68.6v	65.3v	0.0v	41.1v	49.4v	613.41v
471	Mr H Bull	T	72.8v	46.3v	46.2v	47.3v	41.2v	45.1v	45.2v	49.2v	70.3v	71.1v	0.0v	42.3v	39.0v	613.30v
472	Miss ER Cunningham	T	71.3v	45.4v	44.2v	47.5v	48.5v	44.3v	39.2v	48.7v	71.5v	68.5v	0.0v	42.3v	45.3v	612.47v
473	Ms CAE Renart	T	68.5v	45.3v	44.3v	47.7v	43.1v	46.2v	47.4v	48.3v	69.7v	68.8v	0.0v	46.4v	41.0v	612.47v
474	Mr TD Bailey	T	72.6v	44.2v	40.1v	44.5v	46.4v	48.4v	49.8v	47.4v	66.2v	71.7v	0.0v	43.3v	42.1v	612.47v
475	Mr LA Lawrence	T	67.5v	46.4v	49.3v	48.2v	47.3v	44.4v	43.3v	48.4v	65.3v	71.5v	0.0v	42.2v	42.3v	612.41v
476	Mrs T Newbold	O	70.5v	47.2v	47.3v	45.1v	38.1v	49.4v	43.4v	44.3v	69.6v	69.4v	0.0v	49.4v	42.0v	612.37v
477	Dr C Freeman	O	69.6v	44.1v	46.5v	45.3v	48.3v	45.3v	49.2v	44.4v	68.2v	68.6v	0.0v	42.3v	43.2v	611.40v
478	Miss SO Brumby	T	71.6v	46.3v	43.2v	49.4v	44.3v	44.2v	45.3v	44.1v	70.6v	65.1v	0.0v	48.4v	42.3v	611.38v
479	Mr P Dawes	O	73.7v	48.5v	50.7v	42.1v	46.5v	46.3v	43.2v	40.1v	71.7v	68.6v	0.0v	41.0v	42.2v	610.46v
480	Miss AM Jones	T	67.5v	48.4v	45.4v	44.2v	47.3v	50.5v	46.3v	47.3v	71.6v	69.5v	0.0v	34.2v	42.4v	610.46v
481	Mr FJ Lawry	O	73.9v	46.3v	48.3v	45.3v	46.6v	48.3v	46.3v	46.4v	63.2v	69.4v	0.0v	42.1v	38.0v	610.41v
482	Mr AM Poulton	O	66.4v	47.4v	47.2v	48.6v	44.3v	46.4v	42.2v	48.5v	66.2v	72.6v	0.0v	42.3v	41.3v	609.44v
483	Cdt Cpl BJ Reeves	T	71.7v	47.6v	40.1v	46.1v	42.1v	48.5v	44.2v	45.2v	74.7v	73.8v	0.0v	43.1v	36.2v	609.43v
484	Cdt Cpl AJD Germain	T	68.6v	46.1v	46.1v	45.2v	45.5v	40.1v	48.6v	45.3v	71.4v	71.7v	0.0v	39.1v	45.5v	609.42v
485	Mr C Hughes	O	72.7v	48.6v	38.3v	45.1v	46.3v	47.4v	48.6v	48.4v	71.6v	68.7v	0.0v	43.1v	34.0v	608.48v
486	Mr BHC Whitley	T	72.7v	47.7v	43.1v	47.3v	50.4v	44.3v	46.3v	44.3v	69.4v	71.7v	0.0v	35.1v	39.0v	607.43v
487	Mr GJ Lake Coghlan	T	72.8v	48.4v	44.3v	41.2v	45.1v	44.2v	45.5v	47.1v	69.4v	67.5v	0.0v	45.3v	40.4v	607.42v
488	Mr IJ Saturley	T	71.4v	48.5v	43.3v	46.6v	47.1v	42.0v	46.4v	46.3v	64.3v	69.5v	0.0v	42.3v	43.2v	607.39v
489	Cdt ARB Curtis	T	65.4v	47.3v	47.1v	47.2v	46.1v	45.2v	37.0v	47.5v	74.9v	67.6v	0.0v	46.4v	39.1v	607.38v
490	Cdt EM Gibaut	T	70.4v	49.3v	45.3v	45.1v	45.4v	46.4v	43.2v	48.4v	66.3v	67.4v	0.0v	44.4v	39.1v	607.37v
491	Mr PJ Holden	O	69.5v	49.4v	48.2v	48.7v	45.2v	44.2v	48.3v	48.5v	61.1v	71.6v	0.0v	40.0v	36.0v	607.37v
492	Mr SL Cleveland	O	73.8v	49.6v	49.6v	0.0v	48.7v	50.9v	49.6v	48.3v	75.11v	70.5v	0.0v	45.4v	50.4v	606.69v
493	Mr EJ Harriss	O	68.5v	48.6v	45.4v	46.3v	42.2v	45.0v	45.5v	47.6v	69.5v	59.3v	0.0v	47.3v	45.3v	606.45v
494	Cdt Sgt SR Hall	T	67.4v	47.2v	47.2v	48.3v	47.5v	46.6v	47.4v	48.6v	66.5v	69.6v	0.0v	38.1v	36.0v	606.44v
495	Mr BD Scott Langley	T	69.5v	42.2v	46.2v	44.2v	44.2v	46.9v	46.4v	42.3v	69.4v	70.4v	0.0v	46.3v	42.2v	606.42v
496	Mr CH Kwok	T	69.4v	47.5v	48.6v	45.1v	44.3v	39.2v	46.3v	45.2v	68.5v	67.4v	0.0v	45.2v	43.3v	606.40v
497	Cdt GJ Baker	T	71.3v	42.0v	45.3v	46.2v	44.4v	49.7v	45.4v	49.6v	68.4v	69.6v	0.0v	35.0v	43.1v	606.40v
498	Mr RP Snaith	T	70.8v	50.4v	44.1v	47.4v	45.2v	48.5v	45.2v	44.3v	67.5v	62.3v	0.0v	43.1v	41.1v	606.39v
499	Cdt Cpl PS Abram	T	64.4v	47.4v	46.3v	43.3v	46.1v	47.2v	48.4v	40.2v	68.3v	71.7v	0.0v	45.3v	41.0v	606.36v
500	Cdt Sgt O Parkins	T	68.3v	47.1v	43.3v	43.2v	47.5v	46.3v	41.2v	41.1v	67.3v	72.7v	0.0v	47.2v	44.1v	606.33v
501	Mr ZZ Grosvenor	T	73.5v	47.3v	46.3v	46.4v	44.1v	47.5v	45.4v	41.2v	66.3v	68.4v	0.0v	44.3v	38.1v	605.38v
502	Mr JRD Clegg	O	70.7v	45.5v	48.5v	39.1v	44.4v	47.3v	47.4v	46.4v	67.3v	65.2v	0.0v	44.4v	42.1v	604.43v
503	Mr AC Barrell	O	68.6v	45.1v	44.0v	43.2v	48.4v	45.4v	47.7v	47.6v	71.5v	62.5v	0.0v	41.1v	42.3v	603.44v
504	Cdt LCpl EM Robinson	T	71.5v	44.2v	47.3v	45.3v	45.5v	46.5v	44.2v	43.3v	72.6v	65.3v	0.0v	38.1v	43.4v	603.42v
505	Mr TF Kurn	O	67.4v	43.2v	44.4v	47.3v	45.4v	47.4v	42.0v	49.4v	71.6v	63.4v	0.0v	45.1v	40.0v	603.36v
506	Cdt Sgt LFG Castro	T	69.3v	48.5v	45.5v	42.0v	45.3v	46.1v	48.4v	47.2v	70.6v	58.3v	0.0v	48.2v	37.0v	603.34v
507	Mr H Bishop	T	69.5v	46.3v	46.3v	44.2v	40.0v	47.5v	44.4v	46.4v	70.6v	66.6v	0.0v	42.1v	42.3v	602.42v
508	Mr A Wild	T	67.6v	47.4v	46.2v	48.4v	47.2v	45.3v	42.1v	48.6v	69.7v	57.3v	0.0v	47.2v	39.1v	602.41v
509	Mr AC Gauci	T	74.8v	49.5v	48.2v	42.1v	49.5v	38.1v	37.0v	46.4v	74.8v	71.5v	0.0v	32.0v	42.2v	602.41v
510	Mr K Gladding	O	73.7v	46.2v	49.3v	42.1v	45.2v	40.1v	44.2v	46.3v	72.8v	63.2v	0.0v	45.1v	37.0v	602.32v
511	Miss C Halleran	X	73.10v	49.6v	49.3v	47.3v	49.6v	50.4v	0.0v	48.7v	73.11v	73.6v	0.0v	47.5v	43.2v	601.63v

512	Mr PB Cutts	O	67.6v	44.2v	46.3v	40.0v	41.4v	48.5v	47.4v	44.2v	70.8v	65.5v	0.0v	44.3v	45.1v	601.43v
513	Mr PL Green	T	73.6v	45.1v	45.2v	46.2v	38.0v	48.5v	50.7v	36.0v	65.3v	70.7v	0.0v	43.2v	42.4v	601.39v
514	Mr L Vaz Pinto	T	67.3v	47.4v	46.4v	40.2v	40.2v	44.5v	45.3v	47.4v	70.4v	70.4v	0.0v	43.0v	42.2v	601.37v
515	Mr TS McDowell	O	67.6v	47.2v	44.1v	43.1v	44.2v	42.2v	44.4v	46.3v	71.5v	71.6v	0.0v	39.2v	43.1v	601.35v
516	Mr CSM Tuke	T	71.5v	46.2v	47.2v	43.2v	44.2v	48.4v	44.1v	47.4v	65.3v	70.2v	0.0v	41.0v	35.4v	601.31v
517	Mr ETB Redman	T	69.6v	46.1v	46.4v	37.2v	45.2v	45.3v	46.4v	48.6v	67.4v	67.3v	0.0v	43.3v	41.2v	600.40v
518	Mr A Bhagat	T	69.3v	44.2v	49.3v	47.3v	48.4v	47.2v	49.5v	48.4v	60.4v	69.8v	0.0v	35.0v	35.0v	600.38v
519	Mr OP Henry	A	64.4v	45.0v	45.5v	47.3v	45.2v	47.3v	48.6v	44.3v	68.7v	67.1v	0.0v	42.3v	38.0v	600.37v
520	Mr HL Yiu	T	71.8v	43.2v	46.1v	40.2v	47.3v	45.4v	47.5v	40.2v	68.1v	71.4v	0.0v	42.2v	40.2v	600.36v
521	Mr MA Chamings	T	68.5v	50.4v	41.2v	43.2v	44.1v	48.1v	44.2v	48.5v	68.4v	67.3v	0.0v	41.2v	38.1v	600.32v
522	Mr DJ Stewart	O	71.3v	44.3v	43.0v	45.3v	45.1v	45.3v	45.3v	46.6v	62.0v	70.1v	0.0v	43.1v	41.3v	600.27v
523	Mr SJ Bates	O	71.5v	46.4v	46.5v	43.2v	47.4v	46.4v	48.2v	47.3v	65.8v	69.7v	0.0v	30.1v	41.4v	599.49v
524	Mr M Nikolic	T	70.4v	47.5v	46.4v	46.4v	45.4v	44.2v	45.3v	43.4v	69.6v	65.3v	0.0v	37.1v	42.1v	599.41v
525	Mr TLW Kidner	X	67.3v	42.1v	44.1v	47.3v	47.3v	39.1v	49.5v	48.3v	69.6v	56.4v	0.0v	43.3v	48.5v	599.38v
526	Cdt LCpl C Sekine	T	69.4v	46.3v	45.2v	37.0v	46.6v	43.4v	48.2v	42.2v	68.5v	71.6v	0.0v	44.1v	40.2v	599.37v
527	Miss DF Harrison	T	69.6v	45.3v	49.3v	46.5v	45.2v	46.3v	47.5v	45.2v	70.4v	69.8v	0.0v	34.1v	33.2v	598.44v
528	Mr CW Dale	A	65.5v	42.1v	43.1v	46.3v	47.3v	44.2v	46.4v	45.3v	70.6v	65.2v	0.0v	44.1v	41.3v	598.34v
529	Cdt MML Holt	T	72.6v	47.2v	41.0v	47.3v	44.3v	44.3v	42.0v	46.6v	65.2v	72.5v	0.0v	40.1v	38.0v	598.31v
530	Mr MK Townsend	O	67.5v	44.0v	47.3v	48.3v	42.0v	44.0v	47.4v	43.1v	64.3v	66.5v	0.0v	46.3v	40.2v	598.29v
531	Cdt AG Simpson	T	67.5v	45.2v	42.1v	49.4v	40.1v	48.3v	44.3v	43.3v	64.1v	67.4v	0.0v	46.4v	42.1v	597.32v
532	Cdt ICL Bartlette	T	71.9v	48.4v	44.2v	41.2v	40.2v	41.3v	48.5v	49.6v	61.3v	69.4v	0.0v	45.2v	39.0v	596.42v
533	Mr T Pantke	O	72.4v	45.1v	38.1v	44.3v	48.6v	42.4v	45.4v	43.3v	66.0v	69.4v	0.0v	42.4v	42.3v	596.37v
534	Mr HP Nippers	O	63.2v	45.2v	46.2v	44.1v	47.5v	46.5v	46.2v	47.7v	67.1v	67.4v	0.0v	30.0v	48.4v	596.35v
535	Cdt Cpl KTA Tam	T	67.6v	48.5v	44.0v	43.2v	45.3v	42.2v	49.3v	39.0v	72.5v	69.5v	0.0v	43.2v	35.1v	596.34v
536	Cdt Cpl A Lebedeva	T	71.7v	50.6v	46.3v	46.4v	37.1v	47.4v	46.1v	50.4v	69.6v	70.2v	0.0v	30.1v	32.2v	594.41v
537	WO1 RNR G Kendall	T	66.1v	47.3v	47.3v	44.2v	43.1v	49.3v	45.4v	44.3v	59.4v	67.3v	0.0v	40.3v	43.3v	594.33v
538	Cpl S Farrow	T	70.4v	44.1v	43.1v	44.4v	45.4v	41.1v	48.4v	47.3v	67.7v	69.3v	0.0v	35.0v	41.1v	594.33v
539	Cdt LCpl O Witt	T	66.8v	41.2v	41.2v	49.3v	44.2v	43.0v	45.2v	47.5v	69.6v	65.1v	0.0v	46.3v	37.1v	593.35v
540	Mr JJ Parsons	A	72.8v	49.6v	50.5v	46.1v	47.2v	45.4v	46.6v	49.4v	73.8v	70.4v	0.0v	0.0v	45.2v	592.50v
541	Cdt Sgt HAB Cardozo	T	71.7v	43.1v	44.2v	43.2v	40.0v	47.5v	49.3v	43.2v	67.4v	68.4v	0.0v	44.1v	33.0v	592.31v
542	Mr RM Smith	T	66.1v	44.2v	49.7v	37.2v	43.3v	45.1v	47.5v	45.1v	62.2v	69.2v	0.0v	39.1v	46.2v	592.29v
543	Cdt Sgt W Viney	T	71.5v	47.3v	43.2v	43.2v	43.2v	44.3v	47.4v	44.1v	65.5v	68.5v	0.0v	32.2v	44.5v	591.39v
544	Mr M Ghorashi	T	65.1v	41.3v	45.3v	46.4v	46.5v	45.2v	46.3v	37.2v	67.4v	63.2v	0.0v	49.5v	41.3v	591.37v
545	Cpl LG Hetherington	T	72.9v	44.2v	43.3v	41.3v	44.2v	38.1v	43.1v	47.5v	63.2v	68.4v	0.0v	43.0v	45.5v	591.37v
546	Cdt IG Ogilvie Robinson	T	65.3v	48.5v	40.2v	42.2v	45.1v	42.2v	42.3v	43.2v	72.3v	71.7v	0.0v	41.2v	40.2v	591.34v
547	Mr T Starr	T	71.6v	43.1v	45.2v	40.1v	46.5v	47.3v	45.2v	42.1v	69.7v	68.5v	0.0v	33.0v	40.2v	589.35v
548	Mr CSTJ Marlow	O	69.6v	46.2v	48.6v	48.3v	43.2v	42.2v	45.3v	43.2v	61.3v	63.0v	0.0v	38.1v	43.3v	589.33v
549	Mr GH Oliver	T	62.3v	43.2v	46.4v	48.5v	43.2v	42.1v	47.3v	45.3v	72.5v	60.2v	0.0v	39.1v	42.2v	589.33v
550	Miss SL Josling	T	74.6v	45.1v	45.1v	43.2v	45.1v	43.3v	45.2v	42.1v	62.4v	65.3v	0.0v	37.1v	43.5v	589.30v
551	Mr NJ Harris	T	70.3v	45.1v	43.0v	46.2v	47.3v	47.2v	42.1v	43.2v	66.3v	63.3v	0.0v	35.2v	41.3v	588.25v
552	Miss TA Peters	T	66.4v	47.6v	43.2v	45.5v	48.5v	41.1v	46.5v	48.4v	61.1v	63.3v	0.0v	43.2v	36.3v	587.41v
553	Mr A Betts	X	71.3v	44.5v	48.4v	47.5v	49.5v	46.1v	49.6v	49.7v	70.9v	70.5v	0.0v	43.2v	0.0v	586.52v
554	Mr CA Shelley	T	69.7v	43.4v	45.3v	46.3v	44.3v	46.2v	45.2v	43.2v	64.5v	63.2v	0.0v	44.3v	33.1v	585.37v
555	Cdt MEF Bartlette	T	68.5v	47.3v	31.1v	45.2v	45.5v	44.0v	39.1v	44.3v	67.5v	69.7v	0.0v	43.2v	42.2v	584.36v
556	Mr I Cotillard	T	68.3v	46.4v	43.1v	41.0v	42.1v	42.3v	45.4v	44.4v	65.4v	59.3v	0.0v	47.4v	42.2v	584.33v
557	Mr H Dodds	T	68.3v	46.1v	42.5v	41.2v	47.3v	43.3v	42.0v	48.7v	66.3v	61.1v	0.0v	43.2v	37.0v	584.30v
558	Cdt Sgt N Luchmun	T	71.3v	45.4v	42.0v	44.2v	45.1v	39.1v	43.2v	40.4v	64.2v	67.4v	0.0v	42.0v	42.2v	584.25v
559	Mr RK Sheead	O	68.4v	45.3v	47.1v	42.1v	45.4v	42.2v	43.1v	42.0v	66.2v	66.4v	0.0v	42.1v	36.1v	584.24v
560	Mr OJ Christy	T	71.7v	48.4v	47.3v	43.1v	49.6v	46.3v	6.1v	48.4v	73.8v	67.2v	0.0v	47.4v	38.1v	583.44v
561	Lt Col TH Emck	O	67.5v	46.2v	46.2v	44.1v	46.4v	44.4v	44.2v	45.3v	61.5v	60.2v	0.0v	44.4v	36.0v	583.34v
562	Miss SA Dudler	T	68.5v	43.2v	45.0v	45.3v	40.1v	45.1v	46.4v	45.3v	60.1v	69.3v	0.0v	42.2v	35.0v	583.25v
563	Mr GR Thomas	O	70.5v	45.2v	42.2v	40.0v	45.1v	44.0v	43.0v	44.1v	67.5v	67.3v	0.0v	37.3v	39.1v	583.23v
564	Dr N Hart	O	65.2v	43.1v	44.3v	42.2v	47.6v	42.2v	44.3v	42.1v	66.5v	61.3v	0.0v	40.1v	46.4v	582.33v
565	Mr M Garcia-Oliver	T	71.8v	47.4v	43.2v	46.3v	39.0v	48.4v	35.0v	44.2v	71.3v	57.1v	0.0v	43.2v	38.0v	582.29v
566	Cdt Sgt HM Anselm	T	70.3v	47.3v	40.1v	39.1v	47.4v	45.2v	42.0v	39.1v	70.6v	63.2v	0.0v	38.3v	41.3v	581.29v
567	Mr M Grimsdell	O	66.3v	44.1v	42.1v	45.3v	45.2v	40.3v	41.0v	41.1v	63.4v	69.3v	0.0v	42.3v	43.1v	581.25v
568	Miss ZA Sayers	T	58.3v	48.6v	48.4v	43.0v	45.2v	43.2v	45.3v	50.6v	63.4v	66.3v	0.0v	39.1v	32.0v	580.34v
569	Mr RA Sampson	O	72.5v	43.3v	48.6v	41.0v	39.2v	32.0v	46.6v	48.6v	65.4v	65.4v	0.0v	38.2v	39.2v	576.40v
570	Cdt E Woodhead	T	65.4v	44.2v	45.2v	40.1v	45.1v	45.2v	43.0v	34.1v	71.8v	71.9v	0.0v	42.3v	31.1v	576.34v
571	Mr L Jack	T	68.4v	45.3v	44.2v	45.2v	46.5v	48.2v	44.2v	45.3v	62.2v	63.3v	0.0v	42.2v	24.0v	576.30v

572	Cdt LCpl L Warden	T	68.3v	46.0v	43.2v	41.0v	43.1v	44.3v	46.3v	34.0v	70.3v	59.2v	0.0v	45.1v	37.1v	576.19v
573	Miss IA Matson	T	71.5v	41.1v	48.2v	40.0v	44.3v	35.0v	39.1v	46.5v	67.7v	65.3v	0.0v	41.2v	38.1v	575.30v
574	Mr RA Monaghan	T	69.7v	45.3v	45.2v	37.2v	43.4v	40.1v	46.3v	46.3v	73.7v	65.2v	0.0v	28.0v	37.1v	574.35v
575	Cdt CD Hiles	T	65.2v	45.2v	33.0v	44.2v	45.4v	46.3v	41.1v	45.5v	68.3v	63.4v	0.0v	39.1v	39.1v	573.28v
576	Mr R Ellis	O	74.8v	49.3v	48.5v	49.6v	50.4v	47.3v	49.8v	49.5v	0.0v	71.5v	0.0v	42.0v	43.1v	571.48v
577	Mr J Fraser	X	61.1v	42.1v	43.2v	38.2v	42.2v	44.2v	43.1v	44.2v	68.3v	65.3v	0.0v	37.1v	44.2v	571.22v
578	Mr TDB Hebblethwaite	T	65.1v	44.3v	43.4v	38.2v	42.0v	40.1v	44.1v	43.2v	63.3v	66.3v	0.0v	41.2v	41.1v	570.23v
579	Mr N Stebbings	O	63.2v	46.3v	45.2v	44.1v	34.1v	44.1v	41.1v	45.3v	65.5v	66.4v	0.0v	43.2v	32.0v	568.25v
580	Miss GE Bush	T	66.2v	45.2v	45.5v	37.0v	42.1v	44.3v	47.6v	27.1v	67.1v	66.6v	0.0v	39.1v	42.1v	567.29v
581	Mr EJ Gadd-Chapman	T	67.2v	39.0v	42.1v	46.3v	42.2v	45.4v	48.5v	40.1v	62.0v	64.1v	0.0v	37.2v	35.2v	567.23v
582	Cdt CH Maxwell Randeria	T	70.0v	44.2v	39.0v	42.3v	42.1v	44.2v	45.1v	41.1v	63.3v	53.3v	0.0v	43.2v	41.1v	567.19v
583	Mr S Douglas	O	66.1v	40.0v	44.2v	45.4v	38.0v	42.1v	44.2v	44.2v	54.0v	66.5v	0.0v	40.2v	43.0v	566.19v
584	Miss AR Munday	T	70.5v	47.2v	41.4v	47.2v	44.3v	40.2v	45.1v	48.3v	73.4v	63.0v	0.0v	45.3v	0.0v	563.29v
585	Mr JWD Grace	T	66.5v	41.2v	43.1v	38.2v	42.2v	40.1v	46.3v	38.2v	66.1v	68.6v	0.0v	37.1v	38.0v	563.26v
586	Mr L Vitek	T	65.5v	36.0v	37.1v	45.3v	36.0v	40.0v	46.3v	43.0v	69.4v	68.4v	0.0v	46.3v	32.1v	563.24v
587	Mr DRM Tuke	T	61.1v	45.2v	31.1v	39.0v	46.3v	41.1v	46.3v	45.3v	70.7v	64.3v	0.0v	34.1v	40.2v	562.27v
588	Mr AJM Lyle	T	65.0v	40.0v	40.0v	43.3v	39.1v	47.4v	41.1v	44.2v	63.3v	62.1v	0.0v	38.1v	40.0v	562.16v
589	Cdt Ssgt PM Viney	T	65.1v	42.1v	43.2v	44.2v	40.2v	43.1v	46.3v	37.0v	62.1v	61.0v	0.0v	40.2v	38.1v	561.16v
590	Mrs SEP Kent	O	16.0v	44.1v	47.3v	46.3v	44.2v	49.2v	46.2v	45.4v	71.6v	70.8v	0.0v	46.4v	36.1v	560.36v
591	Mr RCG Thomas	T	70.5v	46.2v	43.4v	33.0v	45.2v	42.3v	46.4v	46.4v	69.6v	63.2v	0.0v	14.1v	42.2v	559.35v
592	Mr P Wright	O	71.6v	47.2v	44.2v	47.3v	45.4v	41.3v	44.4v	49.6v	63.3v	59.0v	0.0v	10.0v	39.0v	559.33v
593	Cdt Cpl DK Hakim	T	66.4v	40.0v	46.4v	36.0v	46.5v	35.1v	43.3v	40.3v	69.6v	61.3v	0.0v	39.0v	38.1v	559.30v
594	Mr E Chrystal	T	64.3v	45.2v	45.3v	44.2v	38.1v	47.6v	42.1v	39.1v	69.5v	70.6v	0.0v	13.0v	39.0v	555.30v
595	Mr A Coombs	T	64.1v	44.2v	37.0v	43.2v	38.1v	40.2v	46.2v	41.3v	62.5v	64.1v	0.0v	42.2v	34.0v	555.21v
596	Mr MH Shaw	O	73.8v	50.6v	46.4v	47.6v	46.6v	41.4v	49.4v	46.2v	0.0v	70.4v	0.0v	41.2v	45.1v	554.47v
597	Cdt Sgt R Barrett	T	64.2v	45.2v	41.1v	26.1v	41.2v	47.4v	43.2v	41.2v	62.2v	59.1v	0.0v	45.7v	40.2v	554.28v
598	Miss F Cheung	T	68.5v	45.3v	46.4v	37.1v	41.4v	43.3v	41.2v	46.1v	60.2v	53.1v	0.0v	35.2v	38.1v	553.29v
599	Mr JWE Lewis	X	72.9v	49.4v	44.3v	50.6v	47.5v	45.4v	49.3v	46.4v	68.5v	0.0v	0.0v	44.4v	38.2v	552.49v
600	Mr P Gillies	T	59.0v	43.0v	42.2v	41.2v	40.2v	41.2v	47.4v	42.1v	67.1v	65.2v	0.0v	29.1v	35.1v	551.18v
601	Mrs JM McQuillan	X	73.5v	49.5v	48.4v	46.3v	46.3v	0.0v	50.8v	47.2v	72.5v	72.7v	0.0v	0.0v	46.4v	549.46v
602	Cdt Ssgt J Viney	T	60.3v	39.1v	43.1v	40.0v	40.0v	41.1v	42.3v	35.0v	64.5v	64.4v	0.0v	43.2v	37.0v	548.20v
603	Cdt KM Chung	T	62.3v	39.1v	37.1v	44.1v	40.2v	40.3v	49.6v	40.0v	59.2v	62.4v	0.0v	35.1v	40.1v	547.25v
604	Mr DD Charles	O	60.1v	41.0v	45.2v	35.1v	39.3v	42.3v	35.0v	37.0v	68.5v	69.7v	0.0v	37.1v	38.2v	546.25v
605	Mr MJ Dowe	T	70.5v	46.1v	46.3v	50.5v	48.4v	46.4v	46.5v	41.0v	0.0v	67.4v	0.0v	45.4v	39.1v	544.36v
606	Cdt Sgt A Lerwill	T	60.1v	45.0v	39.1v	41.3v	41.0v	47.3v	41.1v	41.3v	66.6v	61.3v	0.0v	28.1v	33.2v	543.24v
607	Cdt A Nishikawa	T	67.2v	43.3v	45.0v	47.4v	46.4v	0.0v	45.2v	47.3v	69.4v	61.1v	0.0v	42.1v	28.1v	540.25v
608	Mr M Hannaford	X	66.1v	41.2v	45.1v	28.0v	38.0v	45.4v	47.3v	41.2v	65.2v	63.3v	0.0v	38.3v	23.0v	540.21v
609	Miss EG Button	T	64.2v	44.2v	42.1v	37.2v	32.1v	43.3v	45.4v	44.2v	65.4v	54.2v	0.0v	34.1v	35.2v	539.26v
610	Mr A Sainter	T	67.5v	42.1v	38.1v	44.1v	36.2v	36.1v	41.2v	38.0v	59.1v	59.3v	0.0v	48.3v	31.1v	539.21v
611	Mr JE White	O	68.6v	44.1v	46.4v	43.1v	48.2v	45.3v	46.5v	50.5v	67.5v	0.0v	0.0v	34.0v	41.3v	532.35v
612	Ms MMV James	O	64.3v	42.1v	33.0v	37.0v	41.1v	41.1v	43.4v	36.0v	65.3v	62.1v	0.0v	37.1v	30.1v	531.16v
613	Cdt LCpl AA Gardiner	T	54.1v	44.3v	36.1v	35.1v	47.5v	43.1v	33.0v	36.0v	60.2v	58.1v	0.0v	48.5v	33.1v	527.21v
614	Mr A Greenlees	T	56.1v	42.3v	43.2v	33.0v	44.2v	41.2v	43.0v	38.0v	58.1v	58.4v	0.0v	41.2v	29.2v	526.19v
615	Cdt G Griffiths	T	61.1v	41.2v	40.0v	40.0v	30.0v	42.4v	37.1v	36.2v	62.2v	64.2v	0.0v	34.0v	38.2v	525.16v
616	Mr DAF Parkinson	O	26.2v	43.1v	42.3v	42.3v	46.2v	39.1v	46.3v	39.1v	59.3v	58.1v	0.0v	42.0v	41.1v	523.21v
617	Miss EM Page	T	0.0v	47.3v	47.2v	27.2v	48.5v	46.2v	40.0v	49.5v	66.3v	68.3v	0.0v	41.1v	42.0v	521.26v
618	Cdt T Temperley	T	66.4v	43.1v	35.2v	44.3v	38.0v	48.4v	44.3v	36.1v	49.1v	49.1v	0.0v	36.2v	33.1v	521.23v
619	Mr HT Fearn	T	63.4v	42.3v	43.1v	41.1v	42.2v	38.2v	42.2v	40.1v	64.2v	63.4v	0.0v	38.2v	0.0v	516.24v
620	Mr WJD Broad	X	73.9v	0.0v	0.0v	48.4v	50.7v	48.6v	50.7v	50.7v	74.13v	71.6v	0.0v	48.4v	0.0v	512.63v
621	Miss IW Fraser	T	65.2v	41.2v	33.1v	37.2v	34.1v	41.0v	42.2v	41.1v	57.4v	55.1v	0.0v	34.1v	31.0v	511.17v
622	Mr SE Fry	T	55.1v	39.1v	44.2v	43.3v	38.0v	42.2v	39.0v	21.0v	58.2v	54.0v	0.0v	39.2v	38.2v	510.15v
623	Dr AJ Browne	T	65.0v	38.1v	41.2v	40.3v	28.1v	47.1v	39.1v	34.0v	50.1v	61.5v	0.0v	34.0v	29.1v	506.16v
624	Mr GA Cann	A	72.7v	0.0v	0.0v	48.4v	45.3v	44.1v	48.3v	49.6v	72.7v	67.0v	0.0v	47.2v	0.0v	492.33v
625	Mr RD Ford	X	74.7v	50.8v	48.4v	48.5v	47.6v	0.0v	48.4v	50.7v	0.0v	72.9v	0.0v	0.0v	43.4v	480.54v
626	Mr RAH Vary	A	0.0v	49.6v	48.4v	46.3v	49.8v	48.8v	0.0v	0.0v	73.10v	73.11v	0.0v	47.4v	46.4v	479.58v
627	Mrs MM Norman	O	73.6v	47.3v	50.5v	47.3v	49.4v	0.0v	49.4v	46.2v	0.0v	73.7v	0.0v	0.0v	43.2v	477.36v
628	Mr HS Jones	T	61.3v	37.1v	35.0v	44.1v	36.2v	36.0v	36.4v	35.1v	45.0v	58.2v	0.0v	34.0v	14.0v	471.14v
629	Mr EBDS Reis	O	74.9v	48.7v	48.3v	0.0v	0.0v	46.4v	50.5v	49.5v	72.6v	0.0v	0.0v	46.2v	32.3v	465.44v
630	Mr AJT Key	O	0.0v	47.1v	46.2v	49.5v	47.5v	45.1v	0.0v	0.0v	70.6v	71.5v	0.0v	48.4v	37.3v	460.32v
631	Mr GW Robinson	O	68.6v	47.4v	38.3v	45.2v	47.5v	0.0v	47.1v	49.6v	0.0v	66.4v	0.0v	0.0v	46.3v	453.34v

