

The Veterans Aggregate

DT DM Alex DC Times Wimb Doyle Dgall St. G. POW King's Lovell Corp Total

The Evan Price Challenge Cup and an NRA Gold Medal

1 Capt NJ Ball X 74.12v 50.7v 50.5v 49.5v 50.9v 49.5v 49.5v 48.7v 75.10v 73.5v 101.12v 50.8v 47.3v 765.93v

An NRA Silver Medal

2 Mr D Calvert X 73.6v 50.9v 50.6v 47.7v 50.5v 50.8v 50.8v 50.8v 75.11v 68.6v 103.12v 49.7v 49.6v 764.99v

An NRA Bronze Medal

3 Mr JD Warburton X 74.9v 47.3v 49.6v 49.7v 50.9v 49.4v 50.8v 49.5v 74.10v 73.8v 103.10v 47.3v 50.7v 764.89v

Next Best Scores

4 Mr JEM Bellringer X 75.8v 49.7v 48.4v 50.7v 50.10v 50.6v 47.1v 49.6v 74.12v 74.9v 102.12v 50.6v 45.4v 763.92v  
 5 Mr NRJ Brasier X 72.6v 50.9v 50.10v 49.3v 49.5v 47.5v 50.6v 50.7v 74.10v 74.6v 102.16v 49.5v 46.5v 762.93v  
 6 Mr CP Weeden X 72.5v 50.5v 50.7v 47.7v 50.8v 49.5v 50.6v 49.3v 74.7v 72.6v 105.16v 46.4v 46.3v 760.82v  
 7 Mr JR Tuck X 75.9v 49.5v 47.4v 49.5v 49.8v 48.4v 49.8v 50.10v 75.4v 71.10v 103.9v 46.2v 48.4v 759.82v  
 8 Mr K OLoghlen X 74.10v 50.6v 48.7v 49.3v 50.6v 50.7v 42.5v 50.4v 74.8v 74.7v 103.10v 49.4v 46.3v 759.80v  
 9 Mr AD Le Cheminant X 75.11v 49.5v 49.7v 48.1v 49.3v 50.5v 50.8v 50.5v 73.10v 71.6v 99.7v 48.4v 48.5v 759.77v  
 10 Mr RL Eayrs A 74.10v 47.6v 49.6v 48.6v 50.8v 49.3v 50.4v 49.5v 74.9v 73.7v 99.15v 49.5v 47.2v 758.86v  
 11 Mr NJ Verduyn X 71.8v 49.7v 47.7v 50.6v 50.7v 49.6v 49.4v 50.6v 75.12v 72.6v 102.12v 48.3v 46.2v 758.80v  
 12 Mr P Bromley X 75.10v 49.3v 50.7v 49.4v 48.4v 49.6v 48.5v 49.7v 74.10v 70.3v 101.12v 48.3v 48.5v 758.79v  
 13 Mr JM Taylor X 75.10v 48.4v 49.6v 50.4v 48.5v 49.6v 48.5v 48.2v 74.10v 74.8v 104.10v 45.2v 46.3v 758.75v  
 14 Mr CN Tremlett X 75.10v 50.5v 48.5v 49.4v 47.5v 48.6v 48.5v 50.5v 73.6v 73.8v 104.10v 47.2v 46.1v 758.72v  
 15 Mr MD Jenvey A 75.10v 50.5v 48.5v 49.3v 49.5v 49.8v 48.3v 50.7v 72.5v 74.6v 101.7v 48.5v 45.0v 758.69v  
 16 Mr SM Negus X 75.11v 50.9v 50.7v 42.6v 49.8v 50.8v 50.8v 50.8v 74.10v 71.7v 103.11v 49.4v 43.2v 756.99v  
 17 Mr WCP Richards X 74.10v 50.7v 49.3v 48.7v 50.4v 48.7v 45.6v 48.4v 73.9v 72.6v 103.11v 48.4v 48.5v 756.83v  
 18 Mr J Mehta A 72.6v 49.4v 49.5v 47.3v 47.2v 49.5v 49.4v 49.3v 73.8v 74.9v 103.12v 48.7v 47.3v 756.71v  
 19 Mr JAM Paton X 72.6v 49.6v 49.7v 49.4v 48.3v 48.5v 50.6v 49.7v 75.10v 73.7v 99.13v 45.4v 49.4v 755.82v  
 20 Mr RW Sandlant X 71.8v 48.6v 48.5v 47.3v 49.1v 50.7v 50.6v 48.4v 74.11v 74.7v 100.11v 47.5v 49.5v 755.79v  
 21 Mr ML Millar X 74.12v 50.6v 47.5v 48.3v 49.5v 49.6v 50.6v 48.5v 73.7v 70.6v 104.11v 48.3v 45.3v 755.78v  
 22 Mr CES Dickenson X 73.8v 49.6v 49.6v 48.3v 48.6v 49.5v 49.6v 47.5v 72.8v 72.5v 104.11v 44.4v 50.6v 754.79v  
 23 Mr RM Roberts A 74.10v 49.7v 49.7v 46.5v 49.5v 49.5v 50.5v 49.8v 72.6v 71.5v 101.10v 44.3v 50.3v 753.79v  
 24 Mr TL Bedwell A 75.7v 49.7v 47.3v 48.1v 49.5v 48.6v 48.4v 48.5v 73.10v 70.5v 100.10v 48.6v 48.4v 751.73v  
 25 Mr AG McLean A 73.4v 49.7v 49.5v 47.5v 46.3v 49.6v 49.5v 49.6v 74.8v 69.5v 103.11v 46.2v 47.4v 750.71v  
 26 Mr PAE Charlton A 74.10v 48.5v 49.4v 49.5v 47.6v 49.6v 49.3v 50.7v 73.10v 70.7v 100.11v 46.6v 45.2v 749.82v  
 27 Mr RM Hatcher X 75.10v 50.6v 49.6v 48.3v 46.2v 47.5v 49.7v 49.5v 73.10v 73.9v 102.7v 42.1v 46.3v 749.74v  
 28 Mr GD Palmer A 72.9v 49.5v 47.4v 47.3v 50.6v 47.4v 49.6v 48.2v 73.9v 75.10v 102.10v 45.1v 45.2v 749.71v  
 29 Mr PD Griggs A 73.6v 46.4v 49.5v 47.2v 48.3v 49.2v 48.4v 49.4v 73.6v 68.6v 103.10v 48.4v 48.4v 749.60v  
 30 Mr RA Benest O 74.6v 50.8v 47.5v 47.5v 48.3v 49.6v 48.3v 50.7v 74.9v 71.4v 103.9v 46.3v 41.1v 748.69v  
 31 Mr JMA Thompson X 74.10v 46.2v 46.2v 48.3v 50.4v 48.6v 50.5v 50.5v 73.7v 71.6v 102.8v 46.3v 44.3v 748.64v  
 32 Mr SA Thomas X 73.5v 49.5v 49.5v 44.5v 48.6v 49.6v 46.2v 48.3v 75.10v 72.6v 102.15v 45.4v 47.5v 747.77v  
 33 Dr G Stewart A 73.9v 50.6v 46.4v 47.5v 48.5v 47.3v 50.5v 49.6v 72.6v 73.6v 104.10v 44.3v 44.2v 747.70v  
 34 Mr RA Welford X 70.5v 48.4v 49.3v 48.5v 49.8v 50.5v 50.5v 48.5v 75.4v 69.4v 99.6v 44.1v 48.7v 747.62v  
 35 Mr DG Young X 72.10v 48.4v 48.6v 46.4v 49.5v 48.4v 49.6v 48.3v 73.7v 73.9v 103.11v 45.4v 44.3v 746.76v  
 36 Mr MR Fugeman A 74.7v 45.3v 47.6v 43.1v 49.7v 47.7v 50.7v 49.6v 72.6v 72.6v 103.9v 48.4v 47.1v 746.70v  
 37 Mr AC Morley A 75.10v 49.4v 45.6v 46.4v 49.7v 50.5v 50.4v 49.7v 71.6v 71.10v 97.7v 46.4v 47.4v 745.78v  
 38 Mr KO Pugh X 72.7v 48.5v 50.7v 48.5v 48.4v 44.2v 50.6v 48.7v 74.9v 69.4v 99.11v 47.4v 48.6v 745.77v  
 39 Mr GW Holliday X 73.6v 47.3v 49.5v 43.1v 46.4v 49.6v 50.3v 49.6v 72.7v 72.4v 104.15v 46.1v 45.3v 745.64v  
 40 Mr MD Joyce O 71.7v 48.2v 50.6v 49.4v 48.4v 48.7v 45.4v 49.5v 72.8v 70.3v 104.8v 45.3v 45.3v 744.64v  
 41 Mr CM Brooks O 74.12v 50.6v 47.1v 47.5v 43.2v 49.3v 48.4v 48.6v 71.9v 71.5v 102.13v 46.4v 46.2v 742.72v  
 42 Mr PA Maher A 72.7v 47.4v 47.4v 48.4v 48.3v 47.2v 49.3v 50.7v 72.8v 68.6v 101.10v 45.2v 46.3v 740.63v  
 43 Mr PJ Temperley O 69.8v 50.5v 48.6v 48.5v 47.6v 46.5v 48.8v 49.6v 72.5v 71.6v 101.9v 48.5v 42.2v 739.76v  
 44 Dr SS Horner O 73.8v 49.6v 47.2v 44.2v 45.1v 48.6v 47.5v 50.8v 72.10v 70.8v 99.10v 47.4v 47.2v 738.72v  
 45 Dr MW Wrigley A 68.3v 48.3v 50.6v 46.5v 50.5v 47.3v 48.5v 48.4v 74.9v 66.3v 100.11v 48.5v 45.4v 738.66v  
 46 Flt Lt NP Moxon O 73.9v 48.3v 46.4v 43.2v 50.3v 49.6v 48.4v 48.7v 71.7v 69.6v 103.12v 48.4v 41.3v 737.70v  
 47 Mr DE Simkin O 71.5v 49.6v 48.2v 47.4v 48.1v 46.4v 49.3v 49.6v 69.4v 71.5v 97.7v 47.4v 43.3v 734.54v  
 48 Dr JR Deane X 74.10v 48.5v 47.4v 48.2v 49.4v 49.6v 47.2v 50.7v 68.8v 69.6v 102.14v 38.1v 44.2v 733.71v

		DT	DM	Alex	DC	Times	Wimb	Doyle	Dgall	St. G.	POW	King's	Lovell	Corp	Total	
49	Mr BJ Wood	O	65.3v	48.5v	48.3v	46.3v	46.2v	49.6v	49.3v	49.5v	72.5v	68.5v	103.7v	45.4v	45.1v	<b>733.52v</b>
50	Mr TJ Bryan	O	70.3v	45.2v	47.2v	49.4v	49.5v	46.5v	50.7v	49.7v	71.5v	70.6v	99.5v	41.1v	44.4v	<b>730.56v</b>
51	Mr R le R Bird	O	71.6v	50.5v	47.2v	45.1v	47.4v	45.1v	49.3v	47.1v	70.6v	69.5v	100.9v	43.0v	47.2v	<b>730.45v</b>
52	Mr ML Cotillard	O	70.5v	48.3v	47.5v	46.3v	47.5v	47.3v	47.5v	46.3v	69.5v	69.4v	99.10v	48.4v	45.0v	<b>728.55v</b>
53	Mr RF Burden	O	72.7v	46.2v	48.4v	47.3v	46.4v	48.2v	48.6v	45.3v	73.6v	70.5v	95.4v	46.2v	44.1v	<b>728.49v</b>
54	Mr PG Kelly	O	70.3v	47.4v	47.5v	45.3v	46.1v	46.5v	48.3v	46.5v	72.7v	70.7v	96.10v	46.3v	45.0v	<b>724.56v</b>
55	Mr SNS Penrose	X	75.9v	47.4v	45.4v	46.3v	46.1v	49.7v	48.4v	47.3v	72.4v	68.7v	92.7v	43.1v	45.4v	<b>723.58v</b>
56	Mr LT Wicker	O	74.11v	47.4v	47.4v	45.1v	49.4v	47.3v	48.5v	44.3v	67.9v	68.4v	100.6v	43.2v	44.0v	<b>723.56v</b>
57	Mr RM Culverwell	O	71.3v	47.5v	46.3v	49.5v	46.2v	46.2v	48.3v	49.3v	69.5v	66.4v	95.7v	46.2v	45.3v	<b>723.47v</b>
58	Mr P Johnson	O	70.9v	49.3v	42.3v	45.3v	48.8v	49.6v	48.4v	50.6v	69.3v	66.5v	100.10v	41.0v	45.2v	<b>722.62v</b>
59	Mr IW Robertson	A	72.6v	47.5v	47.4v	50.6v	45.5v	43.2v	47.5v	48.5v	71.9v	66.2v	93.6v	44.3v	47.2v	<b>720.60v</b>
60	Mr PS Gray	O	73.6v	49.2v	42.3v	46.4v	46.5v	45.3v	48.6v	46.4v	69.4v	67.5v	99.7v	46.1v	44.2v	<b>720.52v</b>
61	Mr GL Clarke	O	74.11v	48.5v	47.1v	44.4v	45.1v	49.3v	47.3v	45.4v	74.7v	69.7v	97.8v	44.2v	36.0v	<b>719.56v</b>
62	Air Cdre JA Ford	O	68.3v	46.4v	47.3v	41.1v	47.5v	47.5v	46.4v	49.3v	73.6v	63.3v	102.8v	45.1v	44.2v	<b>718.48v</b>
63	Mr MR Ebbetts	O	71.6v	48.7v	48.4v	43.3v	46.4v	46.5v	47.5v	46.4v	71.7v	68.1v	97.9v	41.0v	44.2v	<b>716.57v</b>
64	Mr JGM Webster	X	71.7v	48.4v	47.5v	46.5v	49.5v	47.2v	42.0v	46.2v	73.7v	71.6v	86.2v	44.1v	46.2v	<b>716.48v</b>
65	Dr C Freeman	O	69.6v	44.1v	46.5v	45.3v	48.3v	45.3v	49.2v	44.4v	68.2v	68.6v	99.11v	42.3v	43.2v	<b>710.51v</b>
66	Mr P Dawes	O	73.7v	48.5v	50.7v	42.1v	46.5v	46.3v	43.2v	40.1v	71.7v	68.6v	99.10v	41.0v	42.2v	<b>709.56v</b>
67	Mr JRD Clegg	O	70.7v	45.5v	48.5v	39.1v	44.4v	47.3v	47.4v	46.4v	67.3v	65.2v	99.7v	44.4v	42.1v	<b>703.50v</b>
68	Mr OP Henry	A	64.4v	45.0v	45.5v	47.3v	45.2v	47.3v	48.6v	44.3v	68.7v	67.1v	94.5v	42.3v	38.0v	<b>694.42v</b>
69	Mr T Pantke	O	72.4v	45.1v	38.1v	44.3v	48.6v	42.4v	45.4v	43.3v	66.0v	69.4v	91.5v	42.4v	42.3v	<b>687.42v</b>
70	Mr MK Townsend	O	67.5v	44.0v	47.3v	48.3v	42.0v	44.0v	47.4v	43.1v	64.3v	66.5v	82.3v	46.3v	40.2v	<b>680.32v</b>
71	Wg Cdr CR Smith	O	71.5v	47.5v	47.4v	44.3v	48.4v	40.1v	47.3v	47.3v	70.4v	67.4v	62.3v	45.4v	43.3v	<b>678.46v</b>
72	Mr RK Sheead	O	68.4v	45.3v	47.1v	42.1v	45.4v	42.2v	43.1v	42.0v	66.2v	66.4v	94.5v	42.1v	36.1v	<b>678.29v</b>
73	Mr R Ellis	O	74.8v	49.3v	48.5v	49.6v	50.4v	47.3v	49.8v	49.5v	0.0v	71.5v	104.10v	42.0v	43.1v	<b>675.58v</b>
74	Mr DAF Parkinson	O	26.2v	43.1v	42.3v	42.3v	46.2v	39.1v	46.3v	39.1v	59.3v	58.1v	97.5v	42.0v	41.1v	<b>620.26v</b>
75	Mr GA Cann	A	72.7v	0.0v	0.0v	48.4v	45.3v	44.1v	48.3v	49.6v	72.7v	67.0v	100.7v	47.2v	0.0v	<b>592.40v</b>