

Total Entry: 708

		DT	DM	Alex	DC	Times	Wimb	Doyle	Dgall	St. G.	POW	King's I	Lovell	Corp	Total	
The DCRA Challenge Shield, The NRA Gold Cross, a Gold Bar and £200.00																
1	Mr R Stewart	X	75.9v	47.4v	50.9v	50.6v	50.9v	50.9v	50.9v	75.11v	74.8v	105.15v	49.6v	47.6v	772.110v	
The NRA Silver Cross, a Silver Bar and £175.00																
2	Dr GCD Barnett	XS	74.10v	50.8v	50.7v	50.5v	50.7v	50.8v	50.6v	50.7v	75.12v	73.8v	105.20v	47.1v	48.3v	772.102v £ 4
The NRA Bronze Cross, a Bronze Bar and £150.00																
3	Mr MRM Millar	XS	75.14v	50.5v	49.6v	50.6v	49.6v	49.7v	50.7v	49.9v	74.9v	74.8v	104.14v	49.8v	48.3v	770.102v £ 4
An NRA Bronze Cross, a Bronze Bar and £125.00																
4	Mr SL Cleveland	O	75.8v	49.2v	50.4v	49.6v	48.4v	50.7v	49.7v	50.4v	71.8v	75.9v	105.10v	49.5v	50.4v	770.78v
An NRA Bronze Cross, a Bronze Bar and £100.00																
5	Mr PM Patel	XS	73.10v	50.5v	50.8v	49.8v	50.9v	49.5v	50.9v	50.8v	73.9v	73.7v	105.17v	49.8v	47.4v	768.107v £ 4
6	Mr RB Fitzsimmons	AS	75.13v	48.5v	50.6v	48.6v	50.8v	50.4v	49.8v	50.7v	73.9v	74.5v	102.12v	49.4v	50.5v	768.92v £ 4
An NRA Bronze Cross, a Bronze Bar and £80.00																
7	Mr KWD Ramsey	XS	75.7v	47.3v	50.6v	50.6v	50.5v	50.9v	50.7v	50.7v	75.9v	73.7v	104.14v	48.5v	46.5v	768.90v £ 4
8	Mr J Corbett	X	75.13v	47.5v	49.5v	48.5v	50.6v	50.8v	50.9v	50.9v	75.14v	71.4v	104.14v	50.8v	48.8v	767.108v
9	Lt CE Holland	AS	75.10v	47.6v	48.7v	48.7v	50.6v	50.5v	50.8v	50.8v	75.11v	75.13v	105.12v	49.3v	45.4v	767.100v £ 4
The Salisbury Plain Trophy																
10	Mr SM Negus	XS	73.8v	49.3v	49.5v	46.6v	50.7v	50.5v	50.5v	50.8v	75.9v	74.8v	104.12v	50.6v	47.5v	767.87v £ 4
An NRA Bronze Cross, a Bronze Bar and 60.00																
11	Mr TA Ringer	XS	74.12v	48.6v	50.7v	49.3v	49.4v	49.4v	50.4v	50.5v	75.7v	75.9v	104.13v	48.4v	46.5v	767.83v £ 4
12	Mr MJ Ensor	X	73.11v	50.8v	50.6v	49.7v	47.6v	50.9v	50.8v	49.7v	73.9v	75.12v	102.11v	49.3v	49.3v	766.100v
13	Miss CA Evans	X	74.11v	48.4v	49.6v	49.7v	50.7v	49.8v	50.6v	50.8v	74.12v	74.9v	104.12v	47.5v	48.3v	766.98v
14	Mr D Calvert	X	75.10v	48.5v	50.7v	48.6v	50.8v	49.6v	48.6v	50.10v	75.11v	75.7v	103.12v	46.4v	49.5v	766.97v
15	Mr PD Sykes	XS	74.9v	49.5v	50.5v	50.8v	47.6v	50.7v	50.5v	50.6v	73.10v	72.7v	103.14v	49.5v	49.7v	766.94v £ 4
16	Mrs RL Furniss	XS	75.12v	50.8v	50.7v	49.5v	50.7v	49.9v	50.6v	49.8v	74.12v	72.6v	103.16v	46.6v	48.4v	765.106v £ 4
17	Mr JM Di Bona	XS	74.13v	47.5v	49.8v	49.6v	49.8v	50.10v	49.5v	49.7v	75.9v	73.8v	104.12v	50.8v	47.4v	765.103v
18	Miss CH Cuming	XS	74.11v	48.5v	48.4v	50.6v	48.3v	50.9v	50.8v	50.9v	75.9v	71.6v	105.18v	48.5v	48.7v	765.100v
The Olle Beckett Memorial Trophy																
19	Mr CJ Watson	XS	75.12v	49.3v	50.7v	45.5v	50.6v	50.7v	48.5v	49.6v	75.14v	74.9v	105.18v	45.2v	49.6v	764.100v
20	Mr DR Armstrong	X	75.11v	50.7v	50.6v	49.4v	49.7v	49.6v	49.8v	50.7v	75.13v	73.9v	105.15v	49.4v	41.3v	764.100v
An NRA Bronze Cross, a Bronze Bar and £40.00																
21	Mr BJ Emms	X	73.11v	48.4v	49.6v	48.5v	50.8v	49.8v	49.6v	50.8v	74.9v	73.6v	103.12v	49.7v	49.4v	764.94v
22	Mr JD Warburton	XS	73.10v	47.5v	50.8v	50.9v	49.6v	49.6v	49.5v	49.6v	75.11v	74.10v	105.11v	46.2v	48.4v	764.93v
23	Mr JC Underwood	X	75.11v	47.4v	49.3v	49.3v	49.8v	49.5v	47.4v	50.8v	75.11v	75.12v	104.14v	48.4v	47.5v	764.92v
24	Mr JW Alexander	X	73.8v	47.4v	48.5v	49.7v	49.5v	50.9v	50.7v	48.4v	75.12v	73.6v	105.10v	49.6v	48.6v	764.89v
25	Mr MG Whicher	A	75.10v	50.6v	50.7v	49.7v	49.7v	50.8v	49.6v	49.7v	74.7v	71.7v	103.13v	48.2v	47.2v	764.89v
26	Maj JME Cook	X	74.7v	49.6v	50.7v	49.5v	49.5v	49.7v	50.6v	48.3v	74.9v	72.9v	105.15v	49.7v	46.2v	764.88v
27	Mr DC Luckman	XS	74.11v	48.7v	49.7v	47.2v	49.6v	50.6v	48.7v	50.7v	74.10v	72.7v	105.14v	47.1v	50.7v	763.92v
28	Dr GP Nelson	XS	75.13v	49.2v	50.4v	45.5v	50.7v	50.8v	50.6v	49.8v	74.11v	71.8v	105.14v	48.3v	46.6v	762.95v
29	Dr AM Jory	X	74.6v	46.4v	49.7v	48.4v	50.7v	48.3v	49.8v	49.7v	73.7v	74.13v	104.13v	50.5v	48.5v	762.89v
30	Mr TO Little	X	74.10v	49.6v	50.6v	49.4v	47.6v	46.4v	50.5v	50.6v	75.12v	73.9v	104.14v	47.4v	48.3v	762.89v
31	Mr BZ Danziger	A	74.6v	48.4v	50.5v	49.5v	50.6v	48.6v	50.5v	50.8v	74.11v	69.6v	103.13v	48.4v	49.7v	762.86v
32	Mr SME Hayton	XS	75.9v	48.7v	50.8v	50.4v	49.8v	49.5v	49.6v	50.6v	73.8v	70.6v	104.15v	48.2v	47.2v	762.86v
33	Mr HJ Golaszewski	XS	75.9v	50.1v	50.8v	48.6v	49.3v	49.7v	49.4v	50.7v	75.8v	73.9v	102.13v	47.2v	45.1v	762.78v
34	Mr CJ Mitchell	XS	75.10v	50.3v	48.6v	48.2v	48.3v	50.10v	50.7v	50.7v	75.14v	72.9v	101.14v	48.6v	46.4v	761.95v
35	Mr LVG OFlynn	XS	73.6v	48.5v	50.8v	50.3v	48.4v	48.6v	50.7v	48.7v	75.12v	73.11v	105.14v	50.8v	43.4v	761.95v

		DT	DM	Alex	DC	Times	Wimb	Doyle	Dgall	St. G.	POW	King's I	Lovell	Corp	Total	
36	Dr CD Haley	A	74.12v	48.6v	49.5v	47.3v	48.4v	50.7v	50.7v	49.7v	75.8v	71.6v	105.15v	46.2v	49.7v	761.89v
37	Mr IT Jones	OS	75.11v	47.3v	48.4v	49.5v	49.5v	48.6v	49.5v	50.5v	73.10v	75.11v	103.10v	45.2v	50.3v	761.80v £ 4
38	Mr ANR Walker	XS	75.10v	48.3v	50.8v	46.3v	48.6v	49.7v	49.8v	49.8v	75.10v	72.10v	105.19v	47.4v	47.5v	760.101v
39	Capt NJ Ball	XS	74.11v	50.8v	50.9v	50.7v	49.3v	50.7v	50.8v	49.7v	74.9v	70.7v	102.14v	46.3v	46.3v	760.96v
40	Mr FWA Coetzee	XS	74.10v	50.5v	50.5v	49.5v	50.8v	50.9v	46.3v	48.4v	73.12v	73.9v	104.15v	46.3v	47.4v	760.92v
41	Miss CE Choquette	X	75.14v	48.3v	49.5v	48.3v	49.6v	50.6v	49.8v	49.8v	75.8v	72.9v	100.10v	47.6v	49.5v	760.91v
42	Mr AR McLeod	X	74.9v	50.5v	50.8v	47.5v	49.5v	50.9v	50.7v	49.7v	73.11v	74.7v	103.13v	46.3v	45.2v	760.91v
43	Dr HHG Pollock	AS	75.10v	49.4v	50.6v	46.5v	49.7v	49.7v	50.7v	49.7v	75.10v	71.5v	105.15v	44.2v	48.4v	760.89v £ 4
44	Mr TP Shaw	XS	75.9v	49.4v	50.7v	48.4v	50.8v	49.5v	48.5v	50.8v	74.12v	74.9v	105.14v	48.3v	40.1v	760.89v
45	Mr NC Mace	X	72.7v	48.3v	48.6v	50.8v	48.4v	50.4v	50.8v	50.7v	73.10v	75.12v	102.10v	49.5v	45.2v	760.86v
46	Mr HJM Awin	X	72.9v	48.4v	49.4v	48.4v	50.4v	49.6v	50.5v	50.5v	75.10v	72.6v	105.13v	49.8v	43.4v	760.82v
47	Maj NT Healy	X	75.10v	48.4v	50.8v	44.2v	49.9v	50.8v	48.8v	49.6v	73.12v	74.10v	103.12v	49.7v	47.3v	759.99v
48	Dr JDS Langley	XS	73.11v	46.2v	50.8v	49.7v	50.9v	49.6v	49.6v	49.8v	74.8v	74.11v	105.14v	48.4v	43.3v	759.97v
49	Mr MCJ Button	XS	74.9v	49.6v	48.6v	47.4v	48.6v	49.5v	49.7v	50.7v	72.8v	74.9v	104.14v	49.7v	46.4v	759.92v
50	Mr D de Vere	AS	74.11v	48.6v	47.3v	50.6v	48.5v	49.5v	50.7v	50.8v	75.9v	72.9v	104.13v	47.5v	45.4v	759.91v £ 4

Winner of a Bronze Bar

51	Capt MJ Purdy	X	74.9v	48.5v	50.8v	47.5v	50.8v	50.5v	47.3v	50.9v	74.9v	74.8v	102.15v	47.3v	46.3v	759.90v
52	Mrs SP Thorogood	X	75.8v	49.4v	49.5v	49.5v	49.9v	50.8v	49.8v	50.7v	74.11v	73.6v	102.12v	46.3v	44.4v	759.90v
53	Mr M Shepherd	OS	74.11v	44.3v	50.5v	47.3v	49.6v	48.5v	49.6v	50.7v	72.6v	75.12v	103.11v	50.7v	48.3v	759.85v £ 4
54	Mr PJR Holden	XS	73.10v	49.5v	49.5v	46.1v	49.5v	46.5v	50.6v	50.7v	75.9v	72.8v	105.16v	50.5v	45.2v	759.84v
55	Mr DA Rose	XS	75.11v	48.3v	49.5v	50.6v	49.7v	50.5v	48.3v	50.8v	72.9v	75.7v	102.12v	49.4v	42.1v	759.81v
56	Mr D Lowe	XS	74.11v	46.4v	49.9v	49.7v	48.6v	50.9v	49.5v	50.8v	75.11v	74.10v	102.14v	48.5v	44.6v	758.105v
57	Mr O Milanovic	X	75.13v	48.3v	50.7v	47.4v	48.5v	49.4v	50.7v	47.6v	73.10v	73.8v	104.15v	49.9v	45.4v	758.95v
58	Mr JM Wilson	XS	75.7v	46.3v	50.7v	49.7v	50.9v	49.8v	49.5v	48.5v	73.11v	72.7v	103.12v	47.5v	47.4v	758.90v
59	Flt Lt LS Crisp	AS	74.11v	47.3v	49.7v	46.3v	50.9v	48.5v	50.8v	50.6v	75.12v	71.4v	104.15v	46.4v	48.3v	758.90v £ 4
60	Mr SW Brindley	AS	74.12v	48.4v	49.7v	50.6v	49.6v	50.6v	47.3v	50.10v	75.9v	72.6v	105.12v	40.2v	49.5v	758.88v
61	Mr JRL Burch	X	74.6v	49.6v	46.4v	50.7v	48.6v	49.4v	50.2v	50.8v	72.7v	70.8v	104.16v	46.4v	50.7v	758.85v
62	Mr JEK Pepera-Hibbert	X	73.9v	48.6v	49.7v	48.2v	50.7v	50.6v	48.4v	50.7v	74.10v	69.4v	103.12v	48.4v	48.6v	758.84v
63	Mr JCT Kent	XS	74.9v	45.5v	49.4v	49.2v	48.6v	50.5v	50.7v	50.8v	75.6v	70.5v	104.10v	48.5v	46.3v	758.75v
64	Mr SH Wingrove	XS	73.6v	49.6v	48.2v	47.3v	47.3v	49.3v	50.6v	48.6v	73.10v	74.9v	104.12v	48.1v	48.3v	758.70v
65	Mr CB Cotillard	OS	73.9v	50.7v	49.4v	49.6v	48.4v	50.6v	50.7v	50.8v	74.11v	73.10v	102.11v	44.4v	45.4v	757.91v £ 4
66	Mr ASO Stewart	XS	75.10v	48.7v	49.3v	47.3v	50.6v	49.7v	49.8v	50.5v	74.9v	71.7v	103.14v	50.7v	42.4v	757.90v
67	Dr KA Fleck	A	74.10v	48.6v	49.4v	49.5v	48.5v	50.8v	49.6v	50.8v	75.8v	71.5v	104.14v	50.8v	40.1v	757.88v
68	Mr JA Watson	XS	74.9v	49.4v	49.4v	49.6v	48.5v	48.4v	50.10v	49.5v	73.8v	69.9v	105.14v	47.7v	47.2v	757.87v
69	Mrs DE Negus	XS	74.13v	49.5v	48.4v	44.3v	50.6v	48.3v	49.7v	50.5v	72.9v	73.9v	103.14v	50.7v	47.1v	757.86v
70	Mr T Cubitt	XS	72.7v	49.6v	49.4v	50.7v	48.5v	49.5v	49.6v	50.7v	73.5v	68.6v	105.16v	47.5v	48.7v	757.86v
71	Mr TM Drysdale	XS	74.5v	45.5v	50.4v	49.8v	48.5v	50.5v	47.3v	49.7v	71.7v	72.9v	104.14v	49.6v	49.7v	757.85v
72	Mr LS Otundo	OS	73.12v	49.4v	49.6v	49.7v	49.6v	50.4v	49.7v	47.1v	74.12v	73.7v	102.13v	47.4v	46.2v	757.85v £ 4
73	Mr SJV Osmond	XS	75.12v	49.4v	49.6v	46.6v	50.8v	45.2v	50.7v	50.6v	73.8v	73.8v	103.9v	48.5v	46.3v	757.84v
74	Mr FM Mohideen	X	73.7v	49.5v	50.8v	46.4v	50.8v	50.8v	48.5v	48.3v	73.11v	73.7v	104.11v	49.3v	44.3v	757.83v
75	Mr TJ Bullock	X	75.10v	49.4v	48.5v	45.1v	49.7v	50.6v	50.9v	48.6v	75.11v	72.7v	103.12v	46.1v	47.4v	757.83v
76	Mr DFP Richards	X	75.10v	48.5v	48.5v	48.6v	49.4v	50.4v	48.2v	48.6v	74.10v	74.11v	105.12v	46.3v	44.3v	757.81v
77	Mr EA Sewell	XS	72.6v	47.3v	50.4v	49.3v	47.6v	49.8v	49.6v	50.7v	74.10v	73.5v	104.12v	49.5v	44.3v	757.78v
78	Mr AR Radkovskii	AS	74.8v	50.5v	49.6v	49.8v	45.1v	49.4v	49.7v	49.6v	74.8v	74.5v	103.10v	42.5v	50.3v	757.76v
79	Mr T Smith	AS	72.6v	49.3v	49.4v	47.2v	50.5v	49.6v	50.8v	48.5v	74.10v	72.5v	102.13v	48.3v	47.4v	757.74v
80	Mr RCT Jeens	XS	70.8v	50.7v	50.8v	49.5v	49.7v	49.7v	49.5v	49.4v	74.10v	72.4v	104.14v	47.4v	44.3v	756.86v
81	Miss HPC Bramwell	O	75.10v	48.3v	50.8v	48.6v	49.7v	49.6v	46.4v	49.7v	75.8v	72.9v	105.11v	46.3v	44.3v	756.85v
82	Mr RJ Mace	X	74.9v	50.7v	48.4v	49.6v	49.5v	50.5v	48.7v	49.8v	75.10v	71.7v	104.11v	46.3v	43.1v	756.83v
83	Mrs N Rossignol	X	73.10v	48.2v	49.4v	47.5v	50.9v	48.5v	49.3v	50.6v	75.10v	74.10v	102.12v	48.4v	43.2v	756.82v
84	Mr JBG Shepherd	X	75.10v	49.5v	50.7v	47.4v	49.8v	50.4v	50.7v	48.4v	70.5v	71.8v	103.7v	46.4v	48.7v	756.80v
85	Mr B Morris	TS	74.7v	48.4v	49.5v	48.6v	49.7v	49.7v	47.1v	50.8v	73.9v	72.8v	105.13v	47.4v	45.1v	756.80v £ 4
86	Mr CES Dickenson	X	74.11v	48.6v	50.6v	47.5v	49.3v	49.4v	50.7v	50.6v	73.9v	71.7v	104.11v	46.4v	45.0v	756.79v
87	Mr BK Green	XS	74.12v	46.5v	49.7v	50.8v	50.9v	47.2v	50.7v	50.8v	73.11v	75.15v	104.17v	48.3v	39.3v	755.107v
88	Mr MC Cooper	X	74.12v	47.5v	49.8v	49.4v	49.7v	49.7v	50.8v	50.6v	74.13v	71.6v	101.11v	46.3v	46.4v	755.94v
89	Mr LA Reid	XS	74.8v	48.6v	50.7v	50.9v	48.5v	49.8v	50.6v	48.3v	74.10v	69.6v	103.13v	46.5v	46.4v	755.90v
90	Mr RS Darwish	OS	74.12v	45.2v	50.6v	49.7v	48.5v	50.6v	50.9v	49.7v	71.3v	70.8v	104.15v	49.6v	46.2v	755.88v £ 4
91	Mr JRW Postle	XS	75.9v	48.3v	50.7v	49.6v	48.5v	50.8v	50.7v	50.9v	68.5v	72.7v	104.13v	48.7v	43.1v	755.87v
92	Mr RM Geange	XS	73.12v	48.3v	46.4v	48.7v	48.7v	47.5v	49.5v	50.8v	73.9v	74.9v	102.8v	48.4v	49.4v	755.85v
93	Sgt SDJ Glanville	X	75.10v	49.7v	49.6v	46.3v	50.8v	48.6v	48.4v	50.6v	74.10v	75.9v	103.12v	49.2v	39.2v	755.85v
94	Mr ITG Shaw	XS	72.6v	47.5v	49.8v	47.6v	50.7v	48.4v	49.6v	49.7v	74.5v	71.7v	104.13v	48.4v	47.5v	755.83v
95	Mr RW Ramage	AS	75.9v	47.6v	48.7v	49.5v	50.8v	48.4v	50.8v	45.5v	75.7v	72.6v	101.9v	46.2v	49.6v	755.82v
96	Mr RW Sandlant	XS	73.6v	48.5v	50.6v	49.6v	47.3v	50.7v	50.6v	45.1v	73.10v	72.7v	103.12v	48.5v	47.4v	755.78v

		DT	DM	Alex	DC	Times	Wimb	Doyle	Dgall	St. G.	POW	King's I	Lovell	Corp	Total		
97	Mr AJ Leech	A	70.4v	48.6v	50.7v	48.5v	50.6v	49.6v	49.6v	50.8v	71.6v	74.4v	101.11v	49.7v	46.2v	755.78v	
98	Mr M Liversage	X	73.5v	50.4v	50.8v	49.7v	50.6v	47.2v	49.5v	48.7v	75.12v	74.5v	103.9v	43.1v	44.3v	755.74v	
99	Mr AM Poulton	OS	73.6v	47.5v	50.7v	47.4v	50.7v	49.4v	48.5v	50.7v	73.5v	72.6v	104.6v	46.2v	46.4v	755.68v	£ 4
100	Mr AM Sadler	A	72.10v	49.8v	50.5v	46.4v	46.5v	50.8v	49.7v	48.6v	74.8v	70.8v	105.13v	47.5v	48.4v	754.91v	
101	Mr R Oxford	X	72.8v	49.6v	49.8v	42.5v	49.5v	49.5v	50.4v	49.5v	75.11v	74.8v	105.15v	47.4v	44.2v	754.86v	
102	Mr CD Heales	X	74.11v	47.3v	48.5v	46.3v	49.6v	50.7v	49.7v	48.7v	74.9v	72.5v	104.11v	46.2v	47.5v	754.81v	
103	Mr RSF Shouler	XS	75.10v	48.5v	49.9v	46.6v	49.7v	49.5v	50.6v	48.5v	74.7v	71.7v	104.10v	50.2v	41.2v	754.81v	
104	Maj AW Gill	X	75.9v	49.4v	49.6v	48.5v	46.3v	50.7v	48.2v	48.5v	75.13v	74.4v	102.14v	45.3v	45.5v	754.80v	
105	Mr RJH Birtwistle	X	72.6v	48.4v	50.6v	50.5v	48.7v	48.6v	50.7v	49.7v	74.6v	69.2v	103.11v	49.4v	44.3v	754.74v	
106	Mr RAV Hebblethwaite	X	72.7v	48.3v	45.3v	49.4v	49.4v	50.7v	50.8v	48.3v	72.8v	72.8v	105.13v	49.4v	45.0v	754.72v	
107	Mrs LE Haley	OS	73.9v	49.4v	48.4v	48.6v	48.4v	50.6v	50.6v	49.3v	75.8v	69.3v	102.10v	44.5v	49.3v	754.71v	£ 4
108	Mr EN Munro	X	75.13v	48.6v	49.6v	46.4v	50.5v	47.5v	47.6v	50.8v	74.11v	71.8v	104.12v	49.5v	43.2v	753.91v	
109	Mrs SV Luckman	X	75.9v	48.5v	48.6v	46.2v	48.6v	49.6v	50.6v	49.5v	73.10v	70.6v	100.13v	47.4v	50.5v	753.83v	
110	Miss AP Good	XS	74.10v	49.4v	50.5v	48.7v	49.5v	49.6v	46.3v	49.6v	75.11v	74.7v	103.11v	46.4v	41.2v	753.81v	
111	Mr TJD Raincock	XS	74.9v	47.5v	46.3v	50.5v	49.3v	50.6v	49.4v	50.7v	69.5v	73.9v	102.14v	47.3v	47.5v	753.78v	
112	Mr NJ Verduyn	AS	74.10v	49.5v	49.7v	47.3v	49.6v	48.4v	48.4v	50.7v	72.7v	74.10v	101.9v	47.3v	45.3v	753.78v	
113	Mr JM Taylor	A	74.10v	48.4v	49.6v	47.5v	49.5v	48.6v	49.3v	48.7v	71.6v	75.9v	101.7v	47.2v	47.4v	753.74v	
114	Mr BN Craig	X	75.9v	49.4v	46.4v	46.3v	50.6v	48.6v	48.3v	48.5v	73.7v	75.7v	104.12v	49.6v	42.1v	753.73v	
115	Mr ND Stangroom	O	73.8v	47.6v	48.4v	50.6v	49.3v	49.5v	50.6v	49.7v	72.5v	75.9v	100.10v	47.3v	44.1v	753.73v	
116	Miss C Halleran	X	74.9v	48.4v	45.3v	48.6v	48.4v	49.4v	49.5v	49.2v	73.6v	71.7v	102.10v	49.6v	48.4v	753.70v	
117	Mr JAM Paton	XS	70.9v	49.8v	49.9v	46.1v	48.5v	50.9v	48.5v	49.5v	71.9v	75.8v	104.13v	48.5v	45.2v	752.88v	
118	Miss KE Farley	A	74.12v	48.7v	45.5v	47.4v	50.6v	50.5v	49.5v	49.6v	74.9v	70.11v	104.10v	48.5v	44.3v	752.88v	
119	Mr JEM Bellringer	XS	72.10v	48.4v	47.5v	46.4v	50.7v	49.5v	49.6v	50.6v	75.10v	75.10v	104.13v	48.5v	39.1v	752.86v	
120	Mr AC Haley	XS	75.9v	47.4v	47.6v	49.8v	48.4v	49.7v	48.2v	47.6v	73.10v	71.5v	105.14v	48.5v	45.5v	752.85v	
121	Flt Lt S Livingston	X	75.12v	46.3v	50.7v	48.5v	46.5v	48.5v	50.4v	47.5v	74.9v	75.12v	104.11v	45.3v	44.3v	752.84v	
122	Miss LG Taylor	AS	75.10v	48.6v	50.6v	48.6v	49.5v	49.4v	45.4v	50.8v	72.9v	72.7v	98.10v	49.3v	47.3v	752.81v	
123	Mr JO Ahrens	XS	74.8v	48.3v	48.2v	50.6v	50.9v	48.5v	49.5v	44.3v	72.9v	74.9v	104.16v	47.4v	44.2v	752.81v	
124	Mr TJ Bourne	A	73.7v	45.1v	49.4v	47.7v	50.7v	50.7v	49.3v	46.4v	71.8v	72.6v	105.19v	47.4v	48.3v	752.80v	
125	Mr GED Hart	X	74.8v	49.3v	49.7v	47.3v	48.6v	50.7v	49.7v	45.3v	73.9v	70.8v	103.15v	47.2v	48.2v	752.80v	
126	Mr RR Grisenthwaite	O	73.10v	45.3v	50.6v	50.6v	48.5v	50.6v	49.6v	48.2v	73.6v	71.9v	101.12v	48.6v	46.3v	752.80v	
127	Mr CP Weeden	X	73.5v	49.6v	49.4v	49.5v	49.6v	47.4v	47.2v	50.6v	74.11v	71.12v	101.9v	47.7v	46.3v	752.80v	
128	Mr DR Le Quesne	XS	73.10v	48.3v	49.5v	49.4v	48.3v	50.5v	48.4v	45.3v	75.11v	72.8v	104.16v	45.3v	46.3v	752.78v	
129	Mr J Wallace	AS	74.8v	46.4v	49.8v	47.3v	47.4v	50.5v	48.3v	48.5v	74.10v	72.8v	101.13v	46.1v	50.4v	752.76v	
130	Mr AS Nanrey	XS	71.7v	48.6v	46.2v	49.3v	50.6v	47.5v	50.6v	47.6v	75.8v	75.8v	103.11v	48.6v	43.2v	752.76v	
131	Mr NBS Logan	X	74.7v	48.2v	49.6v	47.1v	49.6v	44.5v	47.3v	48.6v	74.10v	74.7v	103.14v	48.3v	47.5v	752.75v	
132	Ms RA Woodhouse	OS	73.8v	48.6v	50.5v	49.5v	49.6v	50.7v	50.5v	45.3v	73.7v	69.5v	104.10v	48.6v	44.2v	752.75v	£ 4
133	Mr EC Dickson	X	73.9v	49.4v	48.5v	48.5v	50.5v	49.5v	49.6v	50.6v	69.7v	74.7v	104.12v	42.2v	47.2v	752.75v	
134	Mr DA Richardson	X	74.8v	47.2v	49.8v	46.2v	48.4v	48.6v	47.6v	49.3v	73.9v	74.7v	102.11v	46.3v	49.5v	752.74v	
135	Mr RR Warren	XS	75.8v	45.4v	50.6v	46.4v	50.5v	48.5v	50.6v	50.8v	72.3v	70.8v	104.10v	48.3v	44.4v	752.74v	
136	Mr BJ Le Cheminant	X	74.9v	48.5v	50.8v	49.4v	48.4v	49.6v	50.4v	46.3v	73.6v	70.4v	101.9v	47.4v	47.3v	752.69v	
137	Mr PA Hatfield	A	73.7v	49.9v	49.0v	47.3v	48.4v	50.5v	49.5v	49.4v	73.10v	73.5v	100.10v	45.3v	47.3v	752.68v	
138	Mr CL Gordon	X	75.10v	48.1v	49.4v	47.2v	50.6v	50.7v	50.7v	46.5v	74.10v	75.11v	102.13v	45.3v	40.1v	751.80v	
139	Mr ORW Russell	A	74.11v	50.3v	48.4v	47.3v	48.4v	50.10v	48.5v	48.4v	73.9v	68.7v	105.16v	47.1v	45.2v	751.79v	
140	Mr J Brooking	X	72.10v	48.2v	49.4v	47.4v	46.4v	49.8v	48.6v	49.5v	73.9v	72.4v	102.12v	48.6v	48.3v	751.77v	
141	Miss AA Weinberger	O	74.8v	47.2v	49.5v	48.4v	50.8v	49.1v	50.4v	49.6v	75.8v	71.9v	103.14v	41.5v	45.3v	751.77v	
142	Mr JRJ Hinde	OS	69.4v	46.2v	48.7v	50.6v	49.6v	49.8v	50.4v	49.7v	73.9v	72.9v	104.7v	48.5v	44.2v	751.76v	£ 4
143	Mr RM Roberts	AS	74.10v	48.3v	48.5v	46.4v	48.3v	50.8v	49.5v	49.7v	73.10v	71.4v	103.8v	46.5v	46.3v	751.75v	
144	Mr B Colman-Sadd	X	75.10v	49.2v	50.5v	45.2v	49.4v	50.6v	48.5v	50.7v	72.11v	73.6v	102.13v	47.4v	41.0v	751.75v	
145	1P D Kirui	OS	72.8v	48.4v	49.3v	49.5v	48.5v	48.5v	49.5v	49.5v	73.10v	70.6v	103.13v	44.0v	49.3v	751.72v	£ 4
146	Mr JR Tuck	XS	72.10v	49.3v	48.2v	49.6v	49.4v	49.5v	49.2v	49.4v	72.10v	69.6v	100.12v	48.2v	48.5v	751.71v	
147	Dr AJ Pilgrim	A	74.7v	48.4v	47.2v	47.4v	46.3v	50.9v	47.3v	50.5v	74.7v	66.4v	105.11v	48.3v	49.4v	751.66v	
148	Mr MJ Barlow	AS	72.6v	50.5v	47.3v	50.4v	50.6v	50.8v	39.2v	49.8v	74.10v	74.9v	103.11v	48.7v	44.5v	750.84v	
149	Mr PJ Westlake	XS	74.10v	47.4v	49.7v	47.3v	46.5v	50.6v	47.2v	47.5v	75.6v	73.9v	103.15v	48.4v	44.2v	750.78v	
150	Mr SP Harding	XS	75.10v	49.5v	49.6v	47.3v	49.4v	44.4v	49.8v	50.5v	72.8v	73.9v	101.9v	47.3v	45.3v	750.77v	

151	Mr APW Daw	A	73.9v	50.8v	48.4v	48.6v	49.4v	48.6v	44.3v	49.3v	71.7v	72.3v	102.10v	50.5v	46.4v	750.72v
152	Mr RJS Curtis	A	75.10v	48.6v	49.7v	50.1v	50.3v	48.6v	50.5v	49.8v	73.9v	69.3v	103.11v	45.2v	41.0v	750.71v
153	Mr SP OBrien	O	73.9v	48.4v	49.4v	47.4v	49.3v	49.5v	49.5v	50.6v	73.10v	74.6v	101.10v	43.2v	45.2v	750.70v
154	Mr R Sampson	O	73.9v	49.4v	48.6v	45.4v	48.4v	48.6v	47.3v	49.3v	75.10v	71.7v	103.8v	45.2v	49.2v	750.68v
155	Mr DJ Gass	A	74.4v	47.4v	49.4v	46.4v	48.4v	49.5v	50.8v	46.2v	73.8v	73.9v	104.10v	47.3v	44.0v	750.65v
156	Mr C Sykes	A	75.10v	47.3v	48.6v	47.7v	47.5v	49.8v	49.5v	48.5v	72.8v	73.9v	102.13v	45.3v	47.4v	749.86v
157	Mr JR Allum	A	74.11v	48.7v	48.5v	44.1v	48.3v	47.6v	49.6v	48.6v	74.9v	71.7v	104.14v	48.6v	46.3v	749.84v
158	Miss LK Crosby	T	75.7v	48.7v	48.5v	47.4v	48.6v	50.4v	49.5v	49.9v	73.8v	72.6v	104.13v	46.4v	40.2v	749.80v
159	Mr M Horton-Baker	X	74.9v	47.5v	49.5v	46.5v	48.7v	48.6v	48.3v	49.5v	74.11v	73.9v	105.10v	46.2v	42.2v	749.79v
160	Mr AD Le Cheminant	X	73.7v	46.5v	50.7v	49.3v	48.4v	48.3v	47.5v	49.8v	74.8v	67.5v	103.11v	48.7v	47.3v	749.76v
161	Mr SAJ Dowley	X	73.8v	48.5v	50.7v	50.4v	47.5v	49.8v	46.3v	48.4v	72.7v	73.9v	103.9v	48.5v	42.2v	749.76v
162	Miss JH Messer	X	74.9v	48.3v	50.7v	46.4v	48.7v	49.7v	50.4v	45.2v	73.6v	71.8v	102.11v	49.5v	44.2v	749.75v
163	Mr RJ McQuillan	X	74.7v	46.3v	48.5v	47.5v	46.4v	49.5v	50.5v	48.4v	73.9v	75.10v	101.9v	46.4v	46.4v	749.74v
164	Lt Col AM Bell	O	73.5v	45.1v	50.6v	48.2v	49.5v	50.8v	50.6v	49.7v	71.7v	73.8v	101.13v	46.3v	44.3v	749.74v
165	Cdt Sgt TZ Maxwell Randeria	T	75.12v	49.5v	48.4v	48.4v	49.6v	48.7v	47.4v	49.6v	73.8v	70.3v	102.10v	45.2v	46.2v	749.73v
166	Mr RA Dix	O	75.11v	48.3v	48.4v	46.6v	49.5v	48.4v	46.1v	50.7v	73.8v	74.8v	103.9v	45.3v	44.4v	749.73v
167	Mrs HA Cook	X	75.7v	48.4v	50.7v	49.6v	45.3v	49.7v	50.4v	50.5v	74.7v	71.4v	103.13v	41.3v	44.3v	749.73v
168	Mr RJ Lygoe	X	73.9v	46.3v	49.6v	47.4v	49.3v	49.6v	49.6v	48.4v	73.7v	71.7v	104.13v	44.2v	47.2v	749.72v
169	Mr SJ Whitby	X	72.5v	49.5v	48.6v	49.3v	47.5v	48.5v	48.6v	49.6v	74.8v	73.8v	99.7v	47.4v	46.3v	749.71v
170	Mr BA Horwood	A	71.6v	49.6v	49.6v	46.4v	50.6v	48.1v	47.6v	48.5v	73.9v	74.5v	101.12v	45.0v	48.5v	749.71v
171	Mr BDW Parsons	A	71.5v	49.7v	49.6v	49.4v	49.7v	48.4v	49.6v	49.6v	74.8v	72.7v	101.8v	47.1v	42.2v	749.71v
172	Mr PM Jory	X	75.7v	48.2v	47.4v	44.3v	49.4v	49.5v	49.8v	50.6v	72.6v	73.7v	101.10v	48.4v	44.4v	749.70v
173	Cdt AP Patel	O	72.7v	50.4v	48.7v	48.5v	46.5v	49.3v	50.5v	47.3v	72.5v	71.5v	105.14v	46.5v	45.2v	749.70v
174	Mr LMD Cheek	A	73.10v	48.4v	48.4v	46.4v	46.6v	49.6v	50.5v	48.5v	73.7v	70.5v	103.9v	47.3v	48.1v	749.69v
175	Mr WR Naismith	X	74.10v	47.3v	48.7v	50.4v	47.6v	50.5v	48.5v	48.4v	73.12v	68.7v	102.13v	47.6v	46.6v	748.88v
176	Mr OEJ Spencer	X	74.9v	48.4v	48.2v	48.3v	48.4v	49.4v	49.8v	49.7v	72.9v	73.8v	104.12v	45.4v	41.5v	748.79v
177	Mr G Childs	A	74.10v	49.5v	47.4v	50.6v	47.3v	47.7v	47.5v	49.9v	72.7v	71.3v	104.13v	48.4v	43.1v	748.77v
178	Mr JF Van Niekerk	A	75.8v	46.5v	49.4v	44.4v	49.3v	50.7v	49.6v	46.4v	71.7v	73.7v	101.11v	47.4v	48.4v	748.74v
179	Mr JPM Stevens	O	73.10v	49.7v	47.4v	48.3v	47.3v	49.4v	49.6v	48.4v	70.4v	72.8v	103.10v	46.5v	47.5v	748.73v
180	Mr DJ Studholme	T	74.11v	47.5v	49.7v	50.6v	50.6v	46.5v	49.4v	49.8v	72.6v	66.5v	102.11v	46.5v	47.2v	747.81v
181	Mr ML Millar	X	73.11v	49.3v	48.8v	45.2v	47.5v	48.3v	50.8v	47.5v	74.12v	74.6v	103.10v	46.6v	43.1v	747.80v
182	Maj RCG Knight	X	74.9v	44.1v	48.7v	48.5v	46.4v	49.6v	49.7v	47.6v	72.7v	73.4v	104.11v	47.7v	46.5v	747.79v
183	Mr BA Young	O	72.4v	47.5v	48.4v	45.3v	50.4v	47.5v	48.7v	48.7v	71.10v	71.8v	104.11v	48.4v	48.5v	747.77v
184	Mr JGM Webster	X	73.9v	47.6v	50.7v	49.7v	45.2v	49.6v	50.5v	44.1v	73.9v	73.8v	103.9v	46.4v	45.3v	747.76v
185	Mr C Fitzpatrick	A	75.11v	48.5v	49.7v	44.2v	47.5v	50.7v	50.6v	49.6v	72.7v	71.3v	104.15v	45.1v	43.1v	747.76v
186	Mr DG Young	X	71.9v	47.2v	49.6v	42.2v	49.6v	49.6v	50.7v	49.7v	71.8v	74.7v	103.7v	49.6v	44.2v	747.75v
187	Mr ER Welford	X	73.6v	46.4v	47.3v	48.4v	47.3v	49.4v	50.3v	48.6v	72.8v	72.10v	103.15v	49.5v	43.3v	747.74v
188	Dr NW Hocking	X	73.9v	47.4v	50.6v	47.4v	48.6v	48.3v	48.4v	48.6v	73.10v	72.2v	100.12v	49.5v	44.2v	747.73v
189	Mr JG Trembath	A	74.9v	45.3v	47.6v	49.5v	49.8v	49.7v	49.3v	47.1v	73.8v	71.8v	102.10v	47.4v	45.1v	747.73v
190	Mr B Bullock	X	73.8v	49.4v	50.4v	50.6v	49.5v	47.6v	46.4v	48.5v	73.8v	74.6v	101.9v	48.6v	39.2v	747.73v
191	Mr DJ Blake	X	74.10v	49.3v	49.3v	45.4v	47.4v	49.6v	48.5v	49.3v	74.9v	70.7v	102.12v	46.1v	45.4v	747.71v
192	Mr JA Oakland	A	72.8v	47.5v	48.6v	45.2v	49.4v	50.5v	50.6v	48.4v	70.6v	72.6v	105.10v	44.2v	47.5v	747.69v
193	Miss VM Churchouse	O	71.7v	46.5v	48.2v	49.5v	49.6v	50.8v	47.6v	50.4v	72.6v	69.5v	102.10v	49.2v	45.2v	747.68v
194	Mr AC Abrahams	O	73.8v	48.3v	47.4v	48.5v	48.3v	48.5v	48.7v	47.3v	70.6v	73.7v	100.7v	48.6v	49.3v	747.67v
195	Mr PS Holmes	A	71.7v	48.4v	48.6v	47.4v	47.4v	46.3v	50.7v	49.3v	73.7v	70.5v	103.10v	47.4v	48.3v	747.67v
196	Mr AR Le Quesne	O	72.10v	49.4v	44.2v	46.2v	49.6v	50.5v	50.9v	50.6v	73.10v	68.7v	102.15v	49.4v	44.1v	746.81v
197	Maj GR Jeal	A	74.8v	49.6v	48.5v	48.5v	50.5v	50.8v	43.3v	47.3v	73.8v	74.9v	104.14v	44.3v	42.1v	746.78v
198	Mr FW Cowling	T	74.6v	48.4v	48.7v	48.3v	47.7v	50.5v	49.7v	49.5v	70.8v	69.4v	103.14v	47.5v	44.2v	746.77v
199	Mr AC Morley	A	74.10v	45.4v	47.1v	48.5v	50.6v	49.5v	50.6v	50.7v	71.6v	72.8v	96.10v	46.4v	48.4v	746.76v
200	Mr MJ Wilson	A	69.4v	47.3v	45.1v	50.7v	49.5v	50.6v	49.8v	47.3v	73.11v	71.8v	105.14v	46.3v	45.2v	746.75v
201	Dr HA Day	A	71.6v	50.7v	49.4v	48.4v	48.6v	48.4v	49.0v	49.8v	71.5v	72.10v	104.13v	45.3v	42.1v	746.71v
202	Mr AL Moldoveanu	O	73.3v	45.3v	50.4v	48.4v	45.4v	47.3v	49.5v	49.5v	74.10v	72.7v	103.13v	46.3v	45.2v	746.66v
203	Mr CAJ Crosby	O	72.7v	48.4v	48.3v	50.5v	50.3v	46.4v	46.4v	47.5v	74.8v	69.2v	101.8v	46.4v	49.7v	746.64v
204	Air Cdre WD Cooper	X	72.5v	48.4v	49.5v	46.2v	45.2v	50.4v	50.7v	49.4v	75.10v	71.7v	97.8v	46.3v	48.3v	746.64v
205	Mr AC Thomson	X	74.8v	47.3v	49.6v	45.3v	47.2v	50.5v	48.2v	48.5v	75.7v	70.6v	105.12v	47.0v	41.2v	746.61v
206	Mr DAJ Talbot	O	71.6v	50.8v	49.2v	50.3v	50.5v	48.2v	48.4v	48.4v	72.6v	74.7v	100.9v	42.4v	44.1v	746.61v
207	Mr JA Bullock	X	72.7v	48.3v	49.9v	46.4v	48.6v	50.7v	50.6v	49.6v	70.8v	69.7v	96.5v	49.6v	49.6v	745.80v
208	Mr T Steele	O	71.10v	49.5v	48.6v	49.5v	47.6v	48.3v	47.3v	47.3v	73.7v	71.6v	103.14v	44.3v	48.6v	745.77v
209	Mr TS Craig-Fleming	O	74.9v	49.5v	47.3v	44.4v	47.4v	50.6v	50.7v	49.5v	74.9v	70.3v	101.14v	46.4v	44.2v	745.75v
210	Mr WCP Richards	X	73.7v	46.3v	50.5v	44.2v	48.5v	50.7v	50.6v	50.6v	75.12v	73.5v	102.12v	43.1v	41.2v	745.73v
211	Mr MJ Keel	X	73.8v	47.6v	49.5v	47.4v	50.9v	48.5v	45.3v	48.4v	72.10v	71.4v	101.7v	48.5v	46.2v	745.72v

212	Cdt GM Bohn	O	73.7v	47.4v	49.7v	49.6v	48.4v	50.8v	47.4v	47.3v	75.8v	71.3v	103.11v	46.4v	40.2v	745.71v
213	Mr GPC Bramwell	O	74.8v	50.5v	48.5v	45.1v	47.3v	48.5v	42.1v	50.7v	73.8v	74.8v	100.7v	48.6v	46.5v	745.69v
214	Dr JR Deane	O	74.10v	47.3v	48.7v	49.5v	47.3v	46.5v	50.6v	48.4v	72.4v	73.6v	102.10v	47.3v	42.2v	745.68v
215	Miss GFRW Clarke	O	69.7v	46.4v	47.3v	46.2v	49.5v	49.5v	49.4v	50.3v	73.7v	70.4v	103.12v	46.4v	48.2v	745.62v
216	Mr R Kloosterman	A	71.6v	46.2v	47.3v	49.2v	49.5v	47.3v	49.6v	48.2v	73.3v	73.11v	98.9v	49.6v	46.2v	745.60v
217	Mr OJ Rolfe	O	70.4v	45.1v	49.6v	47.6v	48.5v	48.3v	50.6v	49.4v	72.5v	71.4v	103.11v	48.2v	45.3v	745.60v
218	Mr AM Bullen	A	71.7v	47.4v	48.4v	47.4v	49.2v	50.4v	50.8v	48.5v	73.6v	71.3v	102.7v	47.5v	42.1v	745.60v
219	Mr CN Tremlett	X	70.8v	49.7v	49.8v	44.2v	46.4v	42.3v	50.4v	49.6v	75.12v	72.8v	104.15v	48.4v	46.5v	744.86v
220	Mr CRM Asquith	O	72.6v	49.6v	49.5v	50.7v	47.5v	50.6v	50.7v	48.6v	73.9v	69.7v	100.9v	41.4v	46.3v	744.80v
221	Mr HJ Waldern	X	75.10v	48.6v	49.5v	43.3v	49.6v	50.5v	48.5v	50.7v	74.6v	69.5v	104.16v	43.2v	42.2v	744.78v
222	Miss JM Hince	X	72.5v	47.5v	47.4v	49.5v	49.6v	49.6v	47.3v	47.4v	73.10v	70.7v	100.11v	48.6v	46.3v	744.75v
223	Mr N Anderson	A	70.5v	47.5v	50.6v	46.5v	48.4v	49.4v	48.3v	50.8v	69.9v	70.7v	104.14v	47.2v	46.2v	744.74v
224	Lt KJA Johnson	A	74.11v	47.5v	50.4v	47.3v	47.6v	49.4v	48.6v	50.8v	72.7v	72.6v	102.10v	48.2v	38.1v	744.73v
225	Mr J Pugsley MRCVS	A	72.6v	49.7v	46.6v	45.5v	48.5v	44.6v	45.2v	49.3v	74.9v	75.9v	104.10v	48.3v	45.1v	744.72v
226	Mr E Gauvin	X	74.9v	48.3v	47.4v	44.3v	50.6v	49.6v	48.5v	50.8v	73.7v	73.5v	100.12v	46.3v	42.1v	744.72v
227	Mr AF Chidlow	T	71.10v	46.4v	45.2v	49.2v	47.5v	50.5v	48.7v	50.9v	71.4v	74.6v	103.12v	47.3v	43.2v	744.71v
228	Mr GV Feast	A	73.7v	45.5v	49.4v	50.5v	48.3v	47.2v	47.3v	50.6v	71.6v	72.9v	102.13v	46.4v	44.3v	744.70v
229	Mr MM Wachira	O	72.8v	49.5v	50.6v	48.5v	50.3v	46.2v	43.1v	47.5v	75.10v	73.10v	100.9v	46.4v	45.1v	744.69v
230	Mr TS Keen	A	74.8v	48.4v	47.3v	42.2v	50.8v	47.4v	49.5v	50.6v	72.5v	71.9v	103.10v	46.1v	45.3v	744.68v
231	Mr OM Pryke	O	73.7v	47.4v	48.4v	45.2v	47.6v	48.5v	50.4v	49.7v	74.11v	70.3v	105.8v	44.2v	44.2v	744.65v
232	Mr RA Welford	O	73.6v	48.4v	49.4v	48.4v	46.2v	43.2v	49.5v	50.5v	73.7v	74.7v	102.11v	43.1v	46.5v	744.63v
233	Ms KAN Jack	A	74.6v	45.2v	49.4v	44.3v	50.5v	48.3v	45.2v	49.2v	73.7v	73.8v	104.14v	44.3v	46.0v	744.59v
234	Mr RH Kitson	X	73.4v	48.2v	50.5v	49.7v	48.3v	50.7v	48.3v	46.5v	65.2v	69.2v	102.10v	48.5v	48.3v	744.58v
235	Miss LKJ Leung	A	75.5v	47.3v	50.4v	47.3v	48.5v	42.0v	49.4v	50.7v	74.5v	69.7v	103.12v	44.1v	46.1v	744.57v
236	Mr FJS Reis	O	73.6v	48.3v	49.2v	46.2v	46.4v	49.5v	49.4v	48.2v	71.8v	69.2v	102.11v	47.3v	47.1v	744.53v
237	Mr S Belither	X	73.9v	46.2v	49.8v	48.4v	47.4v	47.2v	49.5v	48.8v	73.8v	73.10v	102.11v	48.5v	40.2v	743.78v
238	Mr RA Benest	A	74.9v	46.4v	49.9v	47.6v	49.6v	49.6v	47.2v	50.6v	74.8v	72.9v	102.11v	44.1v	40.0v	743.77v
239	Mr RA Dyball	A	74.10v	46.4v	48.3v	43.2v	46.1v	47.2v	49.5v	50.9v	72.8v	73.9v	104.16v	47.5v	44.2v	743.76v
240	Mr J Myers	T	72.8v	49.6v	48.6v	46.6v	50.6v	50.6v	46.3v	50.6v	71.6v	73.6v	103.15v	48.2v	37.0v	743.76v
241	Cpl M Saberton	T	72.9v	50.9v	48.4v	47.4v	46.4v	47.2v	44.4v	48.6v	70.6v	75.9v	103.13v	48.3v	45.1v	743.74v
242	Lt Col RHG Riley	A	74.12v	46.4v	48.5v	45.4v	48.6v	49.6v	50.7v	48.5v	72.3v	72.4v	100.12v	47.2v	44.3v	743.73v
243	Ms RJ Lusty	O	74.10v	48.6v	49.4v	43.2v	48.3v	50.5v	49.7v	45.5v	74.10v	70.6v	102.12v	47.2v	44.1v	743.73v
244	Miss S Ponter	A	75.10v	49.5v	44.3v	49.6v	49.6v	50.7v	49.4v	44.2v	71.8v	71.6v	104.12v	44.3v	44.1v	743.73v
245	Mr JJ Culshaw	X	74.11v	48.5v	50.7v	49.5v	49.4v	47.3v	47.3v	46.1v	74.10v	70.6v	102.10v	49.7v	38.1v	743.73v
246	Col CO Bohlman	X	67.6v	48.4v	46.3v	49.5v	46.4v	47.3v	50.7v	48.4v	74.9v	71.6v	104.13v	46.3v	47.4v	743.71v
247	Mr TL Bedwell	A	71.6v	46.4v	50.5v	48.6v	49.5v	46.4v	48.3v	46.2v	72.8v	74.8v	103.14v	47.3v	43.2v	743.70v
248	Lt Col WDH Burden	O	71.10v	44.1v	48.7v	49.3v	49.6v	48.4v	48.3v	50.8v	74.10v	72.6v	103.9v	44.1v	43.2v	743.70v
249	Mr WR Steward	O	73.5v	46.2v	49.7v	46.3v	48.5v	48.3v	49.5v	47.4v	70.5v	74.7v	102.12v	47.7v	44.4v	743.69v
250	Mr DN Lindsay	O	73.10v	46.4v	49.4v	50.7v	47.4v	47.5v	49.6v	49.5v	72.8v	70.4v	101.6v	46.1v	44.2v	743.66v
251	Mr C Mallett	X	74.11v	48.3v	49.6v	47.5v	46.3v	47.3v	49.5v	46.2v	74.6v	72.4v	103.11v	45.2v	43.3v	743.64v
252	Mr JJ Sauer	A	71.3v	47.1v	49.6v	46.4v	48.6v	50.4v	47.3v	49.7v	73.7v	70.5v	99.8v	48.4v	46.3v	743.61v
253	Mr PD Griggs	A	73.6v	49.3v	47.6v	49.4v	48.3v	45.1v	48.6v	50.5v	68.5v	70.5v	100.9v	49.3v	47.4v	743.60v
254	Mr AI Brown	O	73.7v	47.6v	49.5v	48.6v	45.3v	49.4v	48.3v	50.8v	70.8v	69.6v	102.11v	45.2v	47.6v	742.75v
255	Ms JE Ouston	O	73.9v	46.4v	47.3v	45.6v	49.3v	47.6v	49.5v	48.4v	71.6v	73.8v	103.12v	49.5v	42.1v	742.72v
256	Mr CM Brooks	O	69.6v	47.7v	47.5v	47.2v	47.5v	50.8v	48.5v	48.3v	67.4v	73.7v	103.10v	49.1v	47.6v	742.69v
257	Mr OE Roussel	T	74.10v	48.4v	46.3v	42.1v	49.4v	50.8v	48.4v	48.5v	73.8v	71.7v	102.8v	50.6v	41.1v	742.69v
258	Maj HCM Bennett	X	66.7v	47.4v	49.6v	43.4v	47.4v	50.7v	50.3v	47.5v	72.5v	73.7v	102.5v	50.7v	46.4v	742.68v
259	Mr DJ Curtis	A	72.8v	45.0v	49.7v	43.2v	49.5v	50.8v	47.4v	49.6v	71.11v	72.8v	102.6v	45.1v	48.2v	742.68v
260	Mr G Wood	T	74.12v	48.3v	49.7v	48.3v	46.4v	49.2v	48.5v	50.7v	70.6v	68.3v	101.9v	47.3v	44.3v	742.67v
261	Mr D Colegate	O	73.9v	47.2v	48.5v	46.2v	48.6v	48.3v	49.4v	48.4v	73.3v	70.4v	99.6v	46.3v	47.4v	742.55v
262	Mr MP Blythe	A	73.10v	46.4v	50.9v	47.3v	48.8v	48.4v	41.3v	49.6v	74.12v	73.8v	103.10v	47.4v	42.3v	741.84v
263	Mr RCG Thomas	T	72.8v	48.6v	50.5v	42.1v	50.7v	49.3v	46.3v	49.7v	72.6v	70.8v	99.13v	46.6v	48.6v	741.79v
264	Mr PB Bromley	X	74.11v	49.6v	50.5v	47.4v	48.6v	50.9v	49.6v	50.5v	70.7v	69.5v	100.10v	41.2v	44.2v	741.78v
265	Miss GI Williams	A	72.8v	47.4v	49.6v	46.2v	48.5v	50.7v	49.5v	50.8v	74.9v	69.7v	104.13v	38.1v	45.2v	741.77v
266	Mr L Malcic	A	73.8v	44.3v	50.7v	50.4v	50.7v	49.7v	46.3v	48.6v	71.6v	70.7v	100.8v	44.3v	46.4v	741.73v
267	Mr C Cowen	A	71.9v	48.4v	48.5v	42.2v	47.4v	47.3v	49.7v	49.6v	72.7v	73.9v	104.10v	48.4v	43.1v	741.71v
268	C1 C Koros	O	74.7v	48.3v	48.4v	46.4v	47.2v	49.6v	48.4v	49.5v	73.7v	68.3v	100.8v	46.6v	45.5v	741.64v
269	Sgt MG Maingi	O	72.4v	49.4v	49.9v	46.1v	47.4v	49.5v	45.3v	48.5v	73.7v	67.4v	102.10v	47.4v	47.3v	741.63v
270	Mr K McCamley	A	74.8v	50.4v	48.4v	48.3v	44.3v	49.4v	47.4v	48.4v	71.6v	69.8v	99.8v	48.4v	46.2v	741.62v
271	Mr AWC Lothian	X	70.7v	47.3v	49.3v	41.2v	50.7v	49.3v	49.5v	49.6v	71.5v	70.6v	103.11v	48.2v	45.0v	741.60v

272	Mr RW Hallows	X	73.6v	46.4v	49.7v	49.2v	49.4v	49.2v	47.4v	50.6v	71.1v	73.6v	102.12v	46.5v	37.1v	741.60v
273	Flt Lt NP Moxon	O	73.11v	47.3v	47.3v	42.4v	48.3v	46.3v	50.3v	44.5v	75.8v	72.8v	101.12v	47.6v	48.1v	740.70v
274	Mr M Raiber	X	74.7v	46.3v	49.4v	44.1v	46.4v	45.8v	50.7v	50.7v	72.7v	70.4v	102.11v	44.2v	48.4v	740.69v
275	Mr PEV Osmond	O	73.8v	47.5v	47.2v	43.2v	47.5v	48.5v	47.3v	49.8v	70.6v	74.4v	101.10v	49.7v	45.3v	740.68v
276	1P WA Odhiambo	O	74.8v	47.5v	49.5v	49.5v	49.6v	49.3v	49.7v	46.4v	70.5v	66.3v	100.9v	46.4v	46.3v	740.67v
277	Miss R Cameron	X	71.8v	47.4v	48.5v	48.3v	48.4v	46.5v	46.4v	47.4v	70.7v	74.8v	103.10v	46.1v	46.4v	740.67v
278	Maj Gen AJW Sturrock	O	73.8v	46.3v	50.4v	49.3v	47.6v	49.4v	43.2v	50.8v	75.9v	66.3v	99.8v	43.2v	50.6v	740.66v
279	Mr BP Creane	A	73.11v	47.1v	50.4v	45.4v	49.6v	49.5v	44.1v	48.3v	74.10v	72.6v	104.11v	46.3v	39.1v	740.66v
280	Miss DS Hume	O	73.6v	50.7v	50.4v	49.2v	49.5v	47.5v	46.5v	49.3v	72.8v	71.7v	99.10v	44.3v	41.0v	740.65v
281	Mr AG McLean	O	74.8v	47.3v	47.4v	49.4v	47.4v	48.6v	48.2v	48.5v	72.6v	69.2v	101.10v	47.5v	43.2v	740.61v
282	Miss RM Weinberger	O	74.7v	48.3v	49.2v	47.4v	49.7v	48.3v	50.4v	48.6v	71.3v	68.5v	103.11v	45.1v	40.3v	740.59v
283	Mr RJSG Clark	A	72.6v	46.3v	47.0v	47.2v	49.5v	48.2v	48.3v	49.4v	71.7v	71.6v	101.11v	45.2v	46.1v	740.52v
284	Mrs LK Mace	X	74.9v	48.4v	48.5v	48.7v	46.4v	46.6v	49.8v	47.4v	74.8v	72.7v	97.10v	46.2v	44.3v	739.77v
285	Mr KO Pugh	X	68.9v	49.7v	49.3v	48.6v	47.3v	50.7v	49.8v	48.3v	71.7v	70.5v	97.11v	46.1v	47.4v	739.74v
286	Mr WJM Bacon	T	72.8v	48.5v	49.7v	49.8v	47.3v	47.2v	43.1v	50.6v	73.7v	71.6v	103.13v	42.4v	45.4v	739.74v
287	Mr FC Stewart	O	72.6v	48.1v	48.5v	48.5v	50.6v	48.2v	47.5v	49.6v	73.7v	69.8v	101.10v	45.4v	41.0v	739.65v
288	Mr IDC Brechin	O	72.6v	47.3v	48.4v	47.1v	46.5v	49.4v	48.5v	49.3v	71.7v	69.5v	102.14v	47.5v	44.1v	739.63v
289	Miss MD Beaton-Jaramillo	A	72.5v	46.2v	47.4v	47.3v	46.4v	49.6v	48.4v	47.4v	73.8v	75.8v	102.11v	46.4v	41.0v	739.63v
290	Mr JPL Sweet	O	71.6v	48.3v	49.6v	50.5v	47.4v	47.4v	47.3v	46.3v	73.4v	73.7v	99.9v	49.6v	40.2v	739.62v
291	Mr M Hartung	X	71.6v	47.2v	48.2v	49.1v	48.1v	49.5v	45.8v	49.5v	71.7v	72.4v	102.10v	47.6v	41.3v	739.60v
292	Mr MJ Creber	A	73.7v	48.3v	48.5v	48.5v	50.9v	50.3v	48.2v	45.2v	66.3v	71.5v	99.6v	48.2v	45.1v	739.53v
293	Mr A Bhagat	T	75.10v	46.6v	47.6v	43.3v	50.8v	49.7v	45.3v	44.2v	75.11v	73.5v	101.10v	48.3v	42.3v	738.77v
294	Mr J Halahan	O	73.8v	44.4v	48.6v	44.1v	48.6v	49.7v	46.3v	50.8v	73.10v	72.5v	101.13v	46.2v	44.2v	738.75v
295	Mr MWS Oliver	A	71.7v	49.7v	46.2v	46.0v	47.5v	49.2v	49.6v	49.7v	72.7v	71.7v	98.6v	46.5v	45.2v	738.63v
296	Mr TM Booth	O	73.7v	46.3v	48.2v	45.3v	48.4v	48.5v	50.4v	48.9v	71.5v	70.5v	99.10v	47.2v	45.2v	738.61v
297	1P CK Kiptarus	A	72.8v	47.2v	38.0v	49.6v	47.3v	49.7v	50.6v	48.4v	71.9v	73.6v	101.13v	48.4v	44.1v	737.69v
298	Mr SNS Penrose	A	73.6v	46.2v	48.4v	49.4v	49.4v	45.5v	50.9v	46.4v	68.4v	68.6v	104.13v	43.2v	48.4v	737.67v
299	Miss EC Brindley	O	71.4v	47.4v	46.4v	48.5v	48.4v	49.4v	45.3v	50.6v	70.9v	71.6v	101.11v	47.4v	44.2v	737.66v
300	Mr NN Thompson	X	72.6v	46.5v	48.4v	44.5v	49.6v	49.5v	47.4v	49.6v	74.7v	73.6v	96.6v	48.5v	42.1v	737.66v
301	Mr KB Hill	O	70.5v	46.4v	43.4v	48.5v	47.3v	46.2v	47.3v	48.5v	74.6v	73.8v	102.10v	46.5v	47.5v	737.65v
302	Mr RC Bourne	T	70.5v	49.5v	48.5v	48.4v	49.3v	49.4v	47.5v	47.4v	71.9v	69.3v	101.10v	44.3v	45.4v	737.64v
303	Mr MR Rewston	O	71.4v	48.3v	48.8v	45.2v	48.6v	48.7v	48.2v	50.4v	71.7v	69.5v	102.10v	43.2v	46.4v	737.64v
304	Mr RL Eayrs	X	72.9v	48.6v	49.8v	46.3v	49.5v	48.6v	46.5v	49.4v	74.12v	73.9v	102.15v	44.5v	36.1v	736.88v
305	Maj CP Judge	O	74.9v	45.2v	48.4v	47.3v	47.2v	47.5v	47.4v	49.5v	73.11v	71.9v	97.6v	47.7v	44.1v	736.68v
306	Miss AE Hoile	X	68.4v	48.4v	50.4v	47.4v	47.6v	48.6v	46.3v	50.5v	72.7v	73.8v	101.9v	46.5v	40.3v	736.68v
307	Mr SW Maris	O	68.3v	49.6v	46.2v	46.4v	48.5v	48.4v	50.8v	48.5v	73.8v	69.5v	99.9v	44.3v	48.5v	736.67v
308	Miss R Laird	X	70.3v	50.5v	45.4v	44.2v	47.6v	48.4v	45.4v	50.5v	75.9v	70.8v	104.13v	44.2v	44.2v	736.67v
309	Mr D Wild	T	74.8v	47.3v	47.4v	45.3v	48.4v	50.7v	45.3v	50.5v	72.7v	71.6v	104.11v	45.3v	38.2v	736.66v
310	Mr JWE Lewis	A	71.5v	48.5v	47.5v	49.6v	48.2v	49.5v	48.4v	50.9v	72.8v	67.3v	99.7v	44.3v	44.3v	736.65v
311	Mr GK Alexander	X	71.6v	48.4v	49.5v	48.5v	45.4v	49.4v	46.4v	49.3v	70.7v	71.6v	101.10v	47.3v	42.1v	736.62v
312	Mr DH Acton	O	71.6v	46.4v	49.6v	45.1v	49.5v	49.5v	48.5v	49.3v	73.8v	72.5v	100.9v	42.1v	43.1v	736.59v
313	Mr RA Webb	X	73.7v	47.4v	47.2v	46.5v	45.5v	46.4v	49.7v	49.5v	71.7v	67.3v	103.11v	48.6v	44.5v	735.71v
314	Mr RN Stebbings	O	74.9v	49.4v	45.1v	46.4v	46.3v	48.7v	43.5v	45.7v	72.7v	74.4v	104.13v	44.2v	45.4v	735.70v
315	Mr JHN Pattison	A	71.7v	46.3v	47.6v	46.1v	49.8v	48.4v	48.3v	46.3v	73.13v	72.8v	100.6v	44.3v	45.1v	735.66v
316	Dr MR Horrell	A	70.6v	47.3v	47.2v	46.6v	47.3v	48.4v	49.6v	49.8v	70.5v	67.7v	100.7v	47.4v	48.3v	735.64v
317	Miss RE Warden	O	70.5v	44.5v	47.5v	45.1v	47.4v	50.5v	48.4v	48.6v	73.5v	70.5v	100.10v	48.4v	45.5v	735.64v
318	Mr BHC Whitley	T	75.10v	48.3v	49.5v	48.4v	49.4v	45.4v	49.6v	43.3v	73.10v	72.4v	95.6v	43.1v	46.4v	735.64v
319	Mr R Edwards	A	70.7v	44.4v	50.3v	44.4v	48.3v	48.3v	50.4v	49.5v	71.5v	69.6v	101.11v	47.3v	44.2v	735.60v
320	Mr RC Gill	X	74.12v	48.3v	48.6v	46.6v	50.7v	46.3v	42.4v	47.5v	69.5v	73.7v	103.11v	44.0v	44.3v	734.72v
321	Miss LI Brindley	X	72.7v	47.3v	47.5v	47.4v	49.6v	49.5v	47.2v	49.9v	72.8v	70.5v	104.14v	46.2v	35.2v	734.72v
322	Mr JA Bideau	O	73.6v	48.7v	45.3v	46.3v	49.6v	48.5v	49.6v	50.7v	73.5v	71.6v	101.11v	43.2v	38.1v	734.68v
323	Mr CK Saina	A	73.8v	47.3v	48.4v	48.6v	50.7v	49.4v	41.3v	43.0v	68.9v	74.8v	102.10v	47.3v	44.2v	734.67v
324	Mr CP Maher	O	74.7v	50.7v	48.5v	46.4v	49.8v	49.5v	46.5v	41.2v	74.8v	65.2v	102.11v	45.1v	45.2v	734.67v
325	Mr MJJ Charlton	O	70.5v	46.2v	47.4v	47.5v	49.7v	50.6v	48.7v	48.2v	72.6v	69.6v	97.9v	43.1v	48.6v	734.66v
326	Mr CA Stewart	X	73.7v	45.1v	48.4v	49.3v	48.5v	47.6v	48.6v	49.5v	70.6v	71.7v	101.10v	46.2v	39.1v	734.63v
327	Mrs MJ Nathan	O	74.7v	48.4v	43.2v	46.3v	49.4v	47.4v	47.5v	47.5v	69.6v	69.5v	104.11v	45.3v	46.2v	734.61v
328	Mr RI Coventry	O	74.13v	46.4v	48.4v	47.3v	47.1v	50.7v	49.4v	43.2v	68.5v	69.5v	101.9v	45.1v	47.2v	734.60v
329	Mr A Eckardt	A	71.5v	47.6v	50.5v	45.2v	49.5v	49.3v	48.5v	49.4v	71.4v	67.3v	100.10v	41.2v	47.4v	734.58v
330	Mr GW Rowe	X	72.6v	48.4v	45.2v	45.4v	47.3v	48.5v	45.1v	47.1v	72.8v	67.5v	104.12v	48.4v	46.2v	734.57v
331	Mr MH Lane	O	71.7v	47.5v	47.2v	47.7v	48.5v	47.3v	49.5v	46.0v	70.4v	71.5v	98.9v	48.3v	45.1v	734.56v

332	Cpl PLR Champagne	X	75.9v	46.6v	49.9v	46.3v	49.3v	47.5v	50.6v	46.6v	71.7v	69.7v	99.8v	46.4v	40.1v	733.74v
333	Mr NS Roberts	A	71.6v	46.5v	42.0v	48.6v	46.4v	50.6v	49.8v	49.5v	70.5v	72.7v	100.11v	47.3v	43.2v	733.68v
334	Dr SS Horner	O	71.7v	48.5v	46.5v	44.2v	48.7v	47.6v	46.3v	48.5v	73.8v	73.5v	100.10v	46.4v	43.1v	733.68v
335	Mr EJ Harriss	O	68.6v	48.4v	48.6v	47.5v	47.4v	49.4v	46.2v	50.5v	71.8v	73.6v	98.6v	43.3v	45.2v	733.61v
336	Miss AR Xu	T	72.5v	45.3v	50.6v	47.7v	48.4v	48.3v	48.4v	49.6v	70.2v	71.5v	100.11v	47.4v	38.1v	733.61v
337	Ms CAE Renart	T	73.5v	48.5v	48.3v	45.1v	48.4v	49.5v	44.3v	48.5v	71.6v	70.3v	100.11v	45.4v	44.3v	733.58v
338	Cpl SG Benson	T	72.4v	48.4v	48.6v	46.2v	46.2v	49.2v	49.7v	49.4v	73.9v	71.5v	100.9v	40.1v	42.3v	733.58v
339	Mr JM Nippers	A	71.5v	46.3v	50.5v	46.4v	44.1v	50.7v	47.4v	48.3v	70.5v	68.5v	100.10v	45.1v	48.4v	733.57v
340	Mr DE Nuthall	X	75.9v	47.4v	48.2v	44.3v	46.3v	49.6v	44.2v	49.7v	74.8v	71.10v	103.11v	41.4v	41.1v	732.70v
341	Mr AP Barnes	A	70.8v	46.3v	46.6v	45.3v	49.5v	49.5v	48.3v	49.5v	72.8v	70.5v	104.16v	46.1v	38.1v	732.69v
342	Cdt Cpl AC Cui	O	69.7v	48.1v	47.5v	47.6v	47.1v	48.3v	47.5v	50.8v	72.8v	69.6v	96.8v	45.1v	47.6v	732.65v
343	Mr AM Norman	A	75.7v	46.4v	49.4v	47.3v	47.4v	46.2v	50.6v	46.3v	70.6v	70.6v	98.11v	43.1v	45.2v	732.59v
344	Mr K Shomber	X	73.6v	47.2v	46.4v	48.4v	50.3v	49.6v	48.4v	49.6v	69.4v	72.9v	100.7v	43.0v	38.1v	732.56v
345	Mr BAM Hebblethwaite	O	71.4v	47.1v	44.2v	48.1v	48.6v	50.4v	49.4v	49.6v	68.8v	63.2v	100.9v	45.1v	50.5v	732.53v
346	Mr LR Coventry	O	75.6v	46.3v	46.3v	47.4v	48.5v	48.4v	48.3v	46.5v	71.9v	69.4v	102.10v	43.3v	42.3v	731.62v
347	Mr JRJ Kennedy	O	73.6v	46.2v	48.3v	43.4v	46.5v	50.6v	47.3v	48.4v	71.8v	71.5v	97.8v	48.4v	43.2v	731.60v
348	Cpl D Mutunga	O	70.7v	45.3v	42.2v	49.5v	49.8v	48.4v	48.2v	49.4v	74.7v	71.6v	98.9v	44.1v	44.2v	731.60v
349	Mr PJ Temperley	O	72.8v	48.4v	46.4v	45.2v	47.3v	48.5v	49.4v	47.4v	68.4v	72.7v	101.7v	48.4v	40.2v	731.58v
350	Mr PD Basil	O	74.10v	48.3v	47.1v	45.4v	49.4v	49.5v	47.3v	49.5v	71.8v	62.2v	102.10v	47.1v	41.2v	731.58v
351	Mr T Snaith	T	73.5v	47.3v	48.5v	45.3v	45.1v	49.5v	48.5v	45.2v	71.7v	67.6v	100.8v	47.4v	46.2v	731.56v
352	Mr PW Glen	O	69.4v	47.2v	48.2v	44.1v	50.4v	50.4v	44.4v	49.6v	74.7v	70.4v	101.6v	46.4v	39.0v	731.48v
353	Cdt GE Sanderson	A	74.12v	46.1v	47.4v	45.3v	41.1v	50.5v	49.5v	50.9v	70.5v	71.7v	101.10v	44.4v	42.2v	730.68v
354	Miss S Rorison	O	73.8v	44.3v	48.6v	47.2v	47.4v	49.6v	49.3v	48.7v	71.3v	61.5v	101.10v	44.3v	48.6v	730.66v
355	Mr D Morris	A	72.8v	45.1v	45.3v	43.5v	48.4v	49.4v	48.5v	48.5v	72.7v	70.5v	100.11v	44.1v	46.5v	730.64v
356	Mr ML Cotillard	O	73.11v	48.4v	48.2v	47.4v	49.5v	48.4v	42.3v	48.6v	72.7v	72.2v	98.9v	45.2v	40.2v	730.61v
357	Cpl SE Watson	O	72.8v	47.5v	49.5v	46.3v	48.4v	46.6v	47.5v	44.3v	68.5v	68.5v	103.8v	46.2v	46.1v	730.60v
358	Mr MD Joyce	O	72.11v	44.2v	47.2v	49.4v	46.3v	47.5v	48.5v	48.3v	69.4v	67.4v	99.7v	46.4v	48.3v	730.57v
359	Mr DJ Sharp	X	71.3v	49.6v	48.3v	43.2v	48.4v	47.5v	47.6v	46.3v	70.7v	70.3v	101.7v	45.3v	45.3v	730.55v
360	Mrs MM Norman	O	70.2v	49.7v	42.1v	46.2v	46.3v	49.4v	47.3v	45.2v	72.5v	69.8v	102.9v	47.3v	46.3v	730.52v
361	Mr LJ Smith	T	72.5v	47.3v	50.2v	43.2v	49.4v	49.6v	48.5v	45.3v	70.6v	71.7v	97.8v	47.0v	42.1v	730.52v
362	Mr EWW Feast	A	69.8v	46.1v	43.5v	48.5v	50.6v	48.5v	48.7v	48.3v	73.12v	72.4v	102.13v	40.1v	42.3v	729.73v
363	SSGT BA Opondo	O	73.11v	44.3v	49.8v	42.5v	48.4v	49.4v	50.9v	49.5v	69.6v	69.3v	98.8v	46.5v	43.0v	729.71v
364	Mr WA Morriss	O	73.12v	47.6v	46.1v	46.2v	49.3v	49.7v	45.4v	48.7v	71.8v	69.6v	101.9v	41.1v	44.3v	729.69v
365	Mr S Pasarkar	T	68.7v	48.3v	45.5v	49.6v	47.6v	47.4v	48.2v	48.6v	73.10v	72.5v	102.11v	45.3v	37.1v	729.69v
366	Miss CL Wiseman	O	70.6v	48.4v	47.1v	45.3v	47.4v	50.8v	50.4v	49.6v	72.9v	70.8v	99.10v	40.0v	42.1v	729.64v
367	SLt CC McKenzie	T	73.6v	48.3v	47.5v	38.6v	46.5v	49.6v	49.6v	47.3v	72.6v	68.2v	99.8v	47.3v	46.4v	729.63v
368	Miss AE Jallot	O	75.10v	46.2v	47.5v	48.4v	47.3v	48.4v	44.3v	46.5v	73.3v	70.5v	94.9v	45.3v	46.2v	729.58v
369	WO2 J Chebii	O	69.7v	45.2v	47.3v	43.2v	49.6v	46.5v	48.3v	48.4v	73.8v	71.5v	99.7v	46.1v	45.3v	729.56v
370	Miss KA Hinkly	O	71.6v	46.2v	50.7v	48.2v	45.1v	46.2v	49.4v	46.3v	70.7v	68.6v	101.7v	47.4v	42.2v	729.53v
371	C1 GL Rantile	A	71.2v	47.4v	49.5v	46.5v	44.3v	48.5v	46.4v	48.1v	72.8v	71.4v	98.4v	45.2v	44.4v	729.51v
372	Mr B Soelzer	T	72.7v	48.4v	49.3v	46.3v	47.2v	49.3v	48.4v	47.6v	67.3v	71.7v	97.3v	49.3v	39.0v	729.48v
373	Mr CST Lehmann	O	72.4v	47.5v	47.3v	46.4v	50.6v	47.3v	46.3v	45.1v	72.0v	73.6v	96.6v	45.2v	43.4v	729.47v
374	Mr PA Maher	A	73.8v	48.6v	47.4v	44.4v	47.4v	47.3v	42.3v	49.5v	72.6v	68.7v	101.11v	43.2v	47.6v	728.69v
375	Mr TJG Hendriks	O	72.7v	47.5v	43.3v	49.8v	49.5v	48.6v	49.5v	42.1v	74.7v	70.6v	101.11v	43.3v	41.2v	728.69v
376	Mr NM Duncan	A	74.9v	44.3v	46.3v	46.4v	45.3v	45.5v	48.2v	45.4v	69.7v	72.6v	103.12v	45.2v	46.4v	728.64v
377	Mr JF Bakies III	X	72.4v	43.2v	48.5v	46.4v	48.4v	47.4v	46.5v	45.5v	70.5v	70.4v	102.13v	49.5v	42.0v	728.60v
378	Miss ZKN Moir	T	73.10v	49.6v	46.3v	48.4v	46.4v	49.6v	46.2v	45.5v	71.7v	70.4v	100.6v	41.1v	44.2v	728.60v
379	Mr LS Parkins	O	69.5v	48.5v	48.5v	48.5v	50.8v	45.2v	49.5v	47.3v	72.3v	73.10v	99.7v	37.1v	43.1v	728.60v
380	Mr JJ Kahtava	T	72.7v	49.5v	45.3v	48.5v	45.2v	48.5v	49.3v	45.3v	68.5v	69.7v	98.7v	50.5v	42.2v	728.59v
381	Miss NI Barnes	O	69.4v	45.3v	49.5v	48.2v	50.8v	42.0v	48.6v	45.5v	69.4v	72.7v	99.10v	49.4v	43.0v	728.58v
382	Mr JJ Mehta	A	66.4v	47.5v	48.2v	44.1v	45.1v	47.4v	49.4v	47.4v	68.6v	71.6v	104.11v	48.6v	44.1v	728.55v
383	Cdt AG Simpson	T	72.7v	46.2v	48.5v	49.8v	48.4v	35.1v	49.5v	46.1v	73.9v	70.8v	104.15v	42.2v	45.4v	727.71v
384	Mr J Anderson	A	71.8v	49.5v	47.6v	45.2v	48.6v	49.8v	50.4v	48.4v	71.7v	72.5v	93.6v	45.1v	39.3v	727.65v
385	Miss C Sheppard	T	71.5v	46.3v	46.5v	46.3v	46.4v	47.5v	48.4v	48.5v	72.5v	71.5v	95.12v	45.2v	46.5v	727.63v
386	Miss NJ Sales Scott	A	71.7v	47.3v	45.2v	48.4v	48.7v	47.5v	46.2v	49.5v	71.7v	70.4v	98.10v	45.5v	42.1v	727.62v
387	Mr PM Kiveleeti	X	71.7v	45.3v	47.6v	45.5v	43.1v	49.8v	48.4v	48.2v	71.7v	71.4v	100.7v	48.1v	41.3v	727.58v
388	Mr AF Donald	O	73.4v	47.2v	49.6v	38.0v	46.4v	46.2v	49.3v	49.7v	68.4v	70.6v	99.8v	48.5v	45.3v	727.54v
389	Mr KM Rivoallan	O	74.6v	45.2v	49.5v	45.4v	47.4v	45.4v	47.4v	47.3v	70.5v	71.3v	96.5v	48.3v	43.3v	727.51v
390	WO2 P Mwema	O	72.5v	47.4v	49.4v	44.2v	49.4v	47.4v	46.3v	45.4v	70.5v	68.4v	100.7v	44.1v	46.3v	727.50v
391	Mr O Polat	T	71.7v	46.1v	48.3v	46.2v	48.3v	46.4v	46.3v	46.5v	72.5v	70.5v	100.7v	45.1v	43.2v	727.48v

392	Mr JT Kennedy	O	71.7v	43.2v	47.4v	48.5v	46.4v	46.5v	48.5v	46.3v	72.7v	68.6v	101 .9v	42.1v	48.2v	726.60v
393	Mr MR Clewer	O	72.5v	47.2v	49.6v	46.3v	43.4v	47.6v	47.4v	48.4v	70.5v	67.2v	101 .11v	42.3v	47.5v	726.60v
394	Mr R Shaw	A	74.6v	49.6v	43.3v	43.4v	49.7v	47.2v	47.5v	46.5v	74.6v	70.4v	96 .2v	46.3v	42.1v	726.54v
395	Mr CI Pawlik	O	71.3v	48.4v	42.2v	44.4v	47.5v	41.1v	48.5v	49.3v	74.9v	73.7v	101 .4v	48.2v	40.1v	726.50v
396	Mr M Garcia-Oliver	T	73.8v	47.6v	48.3v	44.3v	48.6v	48.5v	46.5v	48.5v	70.3v	67.5v	96 .6v	47.2v	43.2v	725.59v
397	Mr EBDS Reis	O	72.7v	49.5v	48.5v	46.1v	44.0v	47.5v	49.5v	46.3v	67.3v	70.8v	102 .12v	43.2v	42.1v	725.57v
398	Mr B Lok	X	70.5v	48.6v	48.3v	46.3v	44.3v	45.3v	48.5v	46.5v	72.5v	71.6v	100 .8v	46.1v	41.1v	725.54v
399	Miss NE Barnes	O	71.8v	48.7v	48.6v	44.1v	46.2v	50.5v	48.3v	48.3v	69.5v	69.4v	99 .9v	42.1v	43.0v	725.54v
400	Mr AJ Le Cheminant	O	73.6v	48.4v	49.4v	46.3v	49.4v	46.3v	49.5v	49.7v	68.2v	67.5v	93 .5v	47.3v	41.2v	725.53v
401	Mr CR Vonchek	A	69.3v	48.2v	48.4v	48.7v	43.1v	49.4v	48.4v	44.1v	67.3v	70.5v	97 .8v	49.2v	45.2v	725.46v
402	Mr PM de Voil	O	71.5v	45.1v	48.4v	45.4v	45.3v	49.6v	46.4v	48.8v	70.7v	69.2v	99 .8v	46.5v	43.1v	724.58v
403	Mr GE Grosskreutz	X	71.4v	47.2v	46.5v	41.3v	48.5v	46.2v	48.4v	47.5v	72.8v	65.3v	104 .13v	43.1v	46.3v	724.58v
404	Mr LC Schwarz	T	71.8v	38.1v	48.4v	47.2v	47.4v	48.5v	47.3v	50.5v	68.5v	71.5v	99 .7v	44.3v	46.4v	724.56v
405	Mr R Burden	O	70.8v	47.4v	44.1v	44.3v	44.2v	48.4v	47.1v	49.4v	71.3v	70.2v	102 .12v	47.3v	41.3v	724.50v
406	Mr MD Jenvey	A	69.3v	48.4v	48.5v	44.2v	46.4v	47.5v	44.5v	49.5v	69.3v	72.8v	99 .10v	47.4v	41.2v	723.60v
407	Miss A Ross	O	73.7v	48.3v	50.6v	42.2v	46.4v	49.6v	41.2v	46.4v	69.6v	69.2v	104 .10v	41.2v	45.5v	723.59v
408	Mr LT Wicker	O	70.4v	46.4v	50.7v	47.3v	47.5v	47.5v	43.3v	46.2v	71.7v	69.6v	101 .8v	43.2v	43.3v	723.59v
409	Mr A Katona	X	70.3v	48.5v	47.5v	49.5v	46.2v	47.5v	42.3v	48.6v	72.10v	68.4v	102 .7v	44.3v	40.0v	723.58v
410	Dr M Wrigley	A	70.7v	46.1v	49.3v	44.4v	43.1v	49.6v	47.5v	46.3v	71.6v	69.6v	100 .6v	43.1v	46.3v	723.52v
411	Mr JR Stirland	O	73.6v	45.3v	44.2v	47.5v	41.3v	47.5v	49.8v	49.5v	68.4v	72.9v	100 .11v	46.2v	41.4v	722.67v
412	Mr R Hirst	O	73.8v	44.3v	46.3v	42.2v	44.3v	47.5v	47.4v	48.4v	70.7v	71.5v	101 .12v	44.3v	45.1v	722.60v
413	Cdt Sgt KS Lynnyk-Ali	T	72.7v	47.3v	48.5v	44.2v	46.3v	47.3v	47.4v	47.5v	71.3v	69.8v	95 .6v	46.3v	43.5v	722.57v
414	Mr DA Smith	O	67.5v	47.2v	44.2v	48.6v	47.5v	45.2v	45.4v	47.3v	72.5v	70.5v	101 .14v	43.2v	46.2v	722.57v
415	Mr SR Hall	T	71.7v	45.1v	46.5v	46.3v	48.3v	44.4v	48.6v	45.4v	71.5v	70.5v	96 .6v	48.4v	44.1v	722.54v
416	Dr BJ Winney	X	72.6v	45.1v	49.6v	46.2v	45.2v	48.5v	46.4v	44.4v	73.8v	69.7v	96 .4v	43.1v	46.2v	722.52v
417	Miss ICN Cox	O	70.5v	47.6v	49.6v	43.2v	47.6v	43.0v	45.4v	45.4v	68.5v	73.8v	102 .10v	47.4v	42.1v	721.61v
418	Mr V Sytnik	T	68.5v	48.3v	44.3v	45.4v	47.4v	49.5v	49.6v	45.6v	70.3v	67.2v	101 .12v	46.5v	42.2v	721.60v
419	Mr MP Watkins	O	70.6v	48.2v	49.7v	45.4v	46.3v	45.2v	45.4v	46.4v	69.7v	70.4v	98 .6v	43.3v	47.6v	721.58v
420	Sgt N Lengorien	O	69.5v	46.4v	47.3v	49.4v	46.4v	49.3v	49.5v	45.3v	69.7v	73.9v	92 .5v	46.2v	41.0v	721.54v
421	Mr PJ Dudzinski	O	73.7v	47.5v	48.2v	45.3v	47.5v	47.3v	47.5v	48.3v	70.4v	69.4v	96 .7v	39.2v	45.2v	721.52v
422	Mr RF Barrington	O	70.6v	48.5v	40.0v	49.4v	47.4v	47.3v	46.2v	48.4v	69.5v	70.5v	96 .5v	45.2v	46.5v	721.50v
423	Ms SC Sindoi	O	72.4v	46.5v	39.1v	47.6v	49.4v	49.4v	48.2v	48.5v	72.7v	67.2v	99 .7v	42.2v	43.1v	721.50v
424	Cdt B Reeves	T	69.7v	44.3v	47.4v	45.3v	44.2v	48.4v	46.4v	48.4v	69.8v	66.6v	102 .12v	44.2v	48.5v	720.64v
425	Mr J Nicholas	T	75.9v	49.5v	49.3v	46.2v	47.6v	48.4v	48.5v	47.5v	68.3v	70.7v	99 .11v	34.0v	40.1v	720.61v
426	Mr NC Granger	O	72.8v	45.3v	47.4v	45.2v	47.3v	48.6v	45.3v	44.4v	71.4v	72.6v	99 .9v	40.0v	45.4v	720.56v
427	Mr P Wilkinson	T	65.1v	46.2v	45.3v	41.4v	47.4v	50.6v	45.3v	49.3v	74.8v	71.8v	103 .8v	45.3v	39.1v	720.54v
428	Mr L Romalho	O	68.4v	44.3v	47.4v	48.5v	45.2v	47.2v	45.2v	48.4v	72.6v	72.9v	98 .8v	46.2v	40.2v	720.53v
429	Dr AI Ashworth	O	67.7v	47.3v	49.4v	45.1v	49.4v	47.2v	47.3v	49.7v	66.1v	72.5v	101 .11v	43.2v	38.3v	720.53v
430	Mr JAMM Ingham	T	70.5v	48.3v	49.3v	45.4v	46.3v	49.4v	44.3v	46.3v	70.5v	71.7v	98 .9v	44.1v	40.1v	720.51v
431	Mr JN McLaren	A	67.2v	48.2v	49.6v	48.3v	42.2v	49.4v	43.2v	47.5v	69.5v	70.7v	98 .8v	47.3v	43.0v	720.49v
432	Mr RPF McKenna	T	69.5v	48.7v	43.2v	43.4v	43.2v	43.4v	49.5v	49.6v	68.4v	72.8v	102 .9v	48.4v	42.3v	719.63v
433	Mr TJ Bryan	O	71.9v	44.1v	49.6v	44.4v	41.2v	47.4v	44.4v	46.2v	72.7v	74.7v	99 .8v	48.4v	40.2v	719.60v
434	Mr O Christy	T	70.5v	45.3v	49.5v	46.2v	46.3v	46.4v	50.7v	47.5v	70.9v	69.4v	94 .8v	47.2v	40.2v	719.59v
435	Lt M Wilkins	O	72.6v	48.2v	44.1v	43.3v	48.3v	47.3v	47.4v	48.4v	72.6v	70.8v	100 .9v	42.1v	38.3v	719.53v
436	Miss CES Wiltshire	T	71.4v	46.2v	47.2v	48.2v	47.2v	46.5v	47.6v	46.4v	69.7v	62.2v	99 .8v	43.1v	48.6v	719.51v
437	Mr RLR Bird	O	72.10v	47.4v	45.3v	48.5v	46.4v	49.5v	49.3v	47.4v	71.11v	68.5v	100 .8v	42.2v	34.1v	718.65v
438	Mr B Everett	T	69.4v	49.5v	48.5v	41.2v	46.5v	47.5v	43.3v	39.2v	69.5v	73.8v	99 .10v	47.2v	48.3v	718.59v
439	Mr JD Magalhaes	T	70.3v	47.5v	49.4v	47.6v	46.5v	47.2v	43.3v	48.3v	69.9v	68.3v	98 .9v	45.3v	41.3v	718.58v
440	Mr JRW Latimer	O	71.7v	45.4v	47.6v	45.3v	48.2v	49.5v	48.7v	47.3v	68.2v	64.4v	97 .6v	50.7v	39.1v	718.57v
441	Cpl PW Mburu	O	69.6v	46.4v	46.5v	46.2v	46.3v	48.5v	46.3v	47.5v	73.8v	68.7v	98 .7v	44.1v	41.0v	718.56v
442	Capt AG Stewart	O	70.6v	47.3v	48.4v	42.2v	49.5v	44.3v	48.3v	48.3v	69.5v	69.7v	99 .8v	40.1v	45.2v	718.52v
443	Mr CHY Chan	T	72.7v	40.0v	48.2v	46.3v	45.3v	48.5v	49.5v	43.1v	69.7v	71.6v	97 .4v	48.5v	42.1v	718.49v
444	Mr LG Skingley	O	73.7v	47.5v	48.3v	43.2v	46.3v	44.3v	45.1v	48.1v	70.6v	70.7v	102 .7v	42.2v	40.1v	718.48v
445	Mr ACM White	T	67.6v	47.7v	46.2v	48.3v	46.2v	43.0v	44.3v	45.2v	71.6v	70.4v	99 .9v	46.1v	46.2v	718.47v
446	Mr TJ Goodger	O	73.8v	45.4v	43.6v	47.4v	46.5v	46.4v	46.3v	47.3v	71.6v	66.3v	97 .8v	44.3v	46.2v	717.59v
447	Mr WJK Samuel	T	72.6v	47.3v	47.4v	43.4v	48.6v	47.3v	48.6v	47.3v	67.5v	69.6v	95 .8v	43.0v	44.2v	717.56v
448	Mr RM Culverwell	O	70.6v	46.3v	46.1v	46.5v	49.5v	48.6v	48.5v	44.2v	72.7v	66.6v	96 .4v	42.2v	44.3v	717.55v
449	Mr JM Baldwin	O	70.5v	46.4v	46.3v	45.4v	43.2v	48.2v	47.4v	44.0v	67.4v	69.4v	100 .8v	44.2v	48.4v	717.46v
450	Mr OD de Gruchy	O	73.4v	45.2v	49.5v	46.4v	47.4v	45.3v	45.3v	48.3v	62.0v	69.5v	98 .7v	47.3v	43.1v	717.44v
451	Mr AJ Haggerty	O	67.5v	45.4v	46.2v	46.4v	45.2v	48.3v	45.4v	45.5v	71.9v	69.5v	96 .6v	46.3v	47.2v	716.54v

452	Mr SD Glen	X	75.7v	47.2v	49.4v	41.3v	44.4v	50.5v	42.2v	44.2v	71.6v	68.4v	101.8v	39.2v	45.3v	716.52v
453	Mr L Braithwaite	A	69.5v	48.2v	46.1v	46.3v	48.5v	47.4v	47.2v	47.4v	74.11v	70.3v	102.11v	47.4v	24.2v	715.57v
454	SSGT HD Quilliam	A	74.6v	47.5v	46.2v	42.0v	47.4v	45.2v	49.6v	48.2v	70.8v	66.4v	93.6v	45.4v	43.2v	715.51v
455	Mr CS Lamont	O	67.3v	47.5v	48.3v	42.2v	47.2v	46.2v	48.4v	47.2v	65.2v	64.2v	100.9v	46.4v	48.4v	715.44v
456	Cdt ER Marsden	T	68.1v	46.3v	48.4v	41.2v	45.2v	46.2v	43.4v	49.2v	74.5v	66.5v	102.9v	43.1v	44.1v	715.41v
457	Mr FJ Lawry	O	72.5v	46.4v	46.4v	45.2v	40.2v	47.2v	48.4v	47.4v	69.4v	73.8v	100.10v	46.5v	35.1v	714.55v
458	Cdt M Griesemann	T	69.4v	45.2v	48.4v	40.1v	47.6v	45.1v	49.4v	48.4v	71.10v	65.1v	92.7v	49.4v	46.3v	714.51v
459	Mr AJT Key	O	70.5v	45.1v	46.2v	47.2v	46.5v	49.5v	42.3v	44.3v	69.4v	69.7v	100.8v	47.3v	40.3v	714.51v
460	Mr NJ Harris	T	74.7v	49.2v	45.5v	47.4v	38.0v	46.3v	48.4v	47.4v	67.3v	72.6v	97.5v	41.3v	43.1v	714.47v
461	Miss AB Dorey	T	69.5v	43.1v	47.4v	47.3v	44.2v	47.5v	46.5v	42.1v	72.8v	69.6v	98.6v	47.5v	42.2v	713.53v
462	Mr CH Kwok	T	72.7v	47.3v	46.1v	47.2v	47.5v	48.5v	47.4v	47.2v	70.7v	66.3v	94.8v	48.5v	34.0v	713.52v
463	Dr NAD Pasternak-Albert	T	70.6v	45.3v	46.3v	45.3v	48.6v	47.3v	48.3v	45.2v	69.7v	67.4v	95.5v	41.2v	47.4v	713.51v
464	SSGT FK Muhamed	O	66.1v	48.4v	48.3v	43.2v	48.7v	48.7v	50.6v	46.4v	69.4v	65.3v	91.4v	45.1v	45.1v	712.47v
465	Mr NRJ Brasier	X	75.10v	47.4v	50.8v	48.7v	50.6v	0.0v	48.7v	50.6v	72.7v	72.9v	103.14v	50.7v	46.5v	711.90v
466	Mr J Huber	T	70.8v	49.6v	47.4v	44.1v	48.6v	47.3v	44.3v	38.0v	71.11v	66.3v	100.7v	46.2v	41.1v	711.55v
467	Mr HP Nippers	O	72.6v	47.3v	44.3v	44.3v	48.4v	45.2v	43.1v	46.5v	66.3v	67.5v	104.11v	43.1v	42.2v	711.49v
468	Miss HM Anselm	T	68.3v	44.3v	47.4v	43.2v	44.3v	46.2v	46.1v	45.2v	72.4v	71.4v	95.5v	45.4v	45.6v	711.43v
469	Mr AF Jenvey	O	68.4v	46.2v	48.4v	48.4v	46.5v	49.5v	48.6v	45.6v	64.3v	70.4v	96.7v	42.2v	40.3v	710.55v
470	Mr PJ Bysse	O	67.3v	48.5v	46.4v	47.3v	46.4v	46.4v	48.6v	44.3v	69.5v	70.3v	92.7v	47.4v	40.1v	710.52v
471	Mr SJ Bates	O	69.8v	47.3v	46.2v	44.3v	48.3v	46.3v	45.3v	48.3v	66.4v	72.7v	91.7v	43.2v	45.2v	710.50v
472	AS1 OT Gray	T	70.6v	44.0v	44.2v	46.4v	44.1v	46.2v	48.7v	47.5v	69.5v	70.4v	94.6v	43.3v	45.3v	710.48v
473	Mr ETB Redman	T	66.5v	44.2v	45.2v	46.1v	46.2v	46.1v	45.2v	47.4v	69.6v	67.2v	100.11v	45.4v	44.2v	710.44v
474	Mr JRD Clegg	O	69.5v	47.2v	46.3v	44.0v	47.3v	48.3v	44.1v	47.3v	63.3v	68.1v	96.5v	44.2v	47.2v	710.33v
475	Mr JN Prout	O	70.5v	46.4v	44.4v	44.3v	42.5v	45.2v	47.3v	47.6v	70.6v	68.5v	97.3v	49.4v	40.2v	709.52v
476	Cdt JB Zu Bentheim	T	70.5v	47.2v	45.2v	47.5v	45.2v	47.4v	47.4v	50.6v	70.2v	67.6v	102.11v	39.3v	33.0v	709.52v
477	Mr PA Goubert	O	61.3v	47.5v	45.3v	46.3v	44.4v	46.3v	45.3v	47.3v	73.4v	64.6v	100.7v	47.3v	44.4v	709.51v
478	Mr WN Bartlett	T	70.6v	41.2v	50.8v	47.5v	44.1v	45.1v	46.4v	46.5v	65.3v	67.5v	100.5v	44.2v	44.4v	709.51v
479	Mr R Winney	O	69.4v	45.2v	48.5v	44.2v	45.4v	44.3v	49.5v	47.3v	68.7v	68.5v	97.7v	42.1v	43.3v	709.51v
480	Mr DWG Samuel	T	66.3v	45.3v	48.4v	49.5v	44.1v	48.5v	47.2v	44.3v	70.6v	70.6v	96.6v	41.2v	41.2v	709.48v
481	Miss SL Josling	T	70.6v	48.4v	47.4v	44.3v	44.1v	46.2v	48.4v	44.1v	69.4v	66.5v	97.6v	41.3v	45.3v	709.46v
482	Wg Cdr JR Lindsay	O	71.3v	46.0v	46.3v	45.2v	45.2v	49.7v	46.5v	41.3v	69.3v	69.5v	100.8v	42.3v	40.1v	709.45v
483	Mr S Hentschel	T	72.6v	50.6v	42.1v	42.3v	46.3v	46.2v	47.3v	49.6v	74.4v	67.6v	93.9v	41.1v	39.2v	708.52v
484	Mr EGH Atkins	O	67.4v	48.5v	46.4v	45.2v	45.4v	46.3v	47.1v	42.2v	66.3v	69.6v	97.9v	47.4v	43.3v	708.50v
485	Cdt Sgt KTA Tam	A	65.4v	50.3v	47.5v	41.3v	47.5v	46.3v	44.1v	46.3v	71.8v	68.4v	101.8v	37.2v	45.0v	708.49v
486	Mr C Abbott	T	69.3v	43.1v	46.4v	47.4v	47.2v	48.3v	45.1v	44.1v	72.4v	68.2v	97.10v	41.1v	41.3v	708.39v
487	Mr OJ Hughes	T	69.5v	45.3v	45.1v	48.5v	45.2v	46.4v	45.4v	46.6v	66.7v	65.5v	95.5v	47.2v	45.2v	707.51v
488	Mrs DE Curtis	O	70.5v	42.2v	49.5v	44.4v	44.1v	43.2v	46.1v	48.6v	69.3v	68.6v	98.7v	49.5v	37.2v	707.49v
489	Mr Y Aruran	T	64.2v	43.3v	44.2v	45.4v	48.3v	48.5v	49.3v	46.2v	70.7v	70.4v	96.8v	44.3v	40.1v	707.47v
490	Miss EAV Barrett	T	71.6v	43.1v	45.4v	47.1v	42.2v	46.4v	49.7v	44.1v	71.3v	70.6v	101.6v	34.2v	44.4v	707.47v
491	Miss SM Nicolussi	T	72.7v	45.1v	47.3v	42.1v	41.1v	47.3v	46.4v	38.0v	72.6v	70.2v	101.8v	45.2v	41.3v	707.41v
492	Miss KF Noble	T	65.2v	48.5v	44.1v	47.3v	47.3v	48.4v	45.1v	43.0v	68.5v	68.4v	102.8v	43.1v	39.2v	707.39v
493	Mr AD Robertson	T	70.4v	49.6v	47.5v	47.1v	46.3v	47.3v	45.4v	48.4v	74.10v	46.8v	100.11v	43.1v	44.2v	706.62v
494	Cdt Sgt O Witt	T	70.5v	46.3v	45.2v	41.0v	45.1v	46.5v	48.5v	47.3v	67.4v	68.5v	101.13v	42.3v	40.1v	706.50v
495	Mr MR Fugeman	A	72.5v	43.2v	47.2v	45.1v	50.6v	47.5v	43.2v	45.2v	70.8v	69.5v	101.10v	45.1v	29.1v	706.50v
496	Mr IJ Saturley	T	68.3v	45.3v	48.0v	46.4v	48.4v	42.3v	47.4v	46.3v	65.0v	68.2v	96.6v	45.3v	42.1v	706.36v
497	Mr J Tsai	T	67.4v	44.0v	46.1v	45.2v	41.1v	47.3v	48.2v	45.3v	68.5v	68.3v	100.7v	42.1v	45.1v	706.33v
498	Mrs H Bayer	T	71.5v	44.2v	50.7v	32.5v	48.7v	47.6v	47.6v	39.3v	70.8v	66.3v	102.8v	43.3v	46.1v	705.64v
499	Mr N Watson	A	69.4v	46.3v	50.5v	45.4v	50.6v	45.5v	46.3v	48.6v	73.6v	68.4v	87.6v	43.2v	35.2v	705.56v
500	Mr DJ Meakings-Clark	T	74.11v	47.5v	45.4v	42.2v	44.2v	49.4v	46.4v	41.0v	69.3v	67.5v	99.8v	42.2v	40.1v	705.51v
501	Cdt Z Wang	T	64.1v	45.2v	44.1v	43.2v	41.2v	50.4v	44.1v	46.4v	69.6v	65.2v	101.12v	45.4v	48.2v	705.43v
502	Mr A Zhang	T	66.3v	48.3v	47.4v	43.4v	47.4v	46.3v	43.5v	36.1v	70.2v	70.2v	99.7v	44.0v	46.3v	705.41v
503	Sig B Xue	T	73.4v	44.2v	47.3v	42.3v	49.6v	45.4v	45.1v	44.1v	65.3v	71.4v	94.5v	43.2v	43.3v	705.41v
504	Mr RL Kaczmarczyk	T	68.4v	48.4v	44.3v	47.1v	45.3v	42.1v	44.4v	48.3v	69.3v	67.2v	98.4v	41.7v	44.2v	705.41v
505	Cdt K Chung	T	67.2v	42.2v	45.3v	44.3v	46.2v	46.4v	47.7v	44.3v	69.4v	67.1v	98.3v	47.0v	43.3v	705.37v
506	Mr O Parkins	T	68.6v	47.5v	48.5v	47.2v	44.0v	48.2v	47.3v	44.2v	65.3v	67.3v	93.4v	45.0v	42.2v	705.37v
507	Cdt PE Hobbs	O	48.5v	48.3v	49.6v	48.5v	46.1v	46.3v	46.3v	44.2v	71.7v	72.7v	101.8v	42.2v	43.2v	704.54v
508	Miss E Gelain-Sohn	T	71.5v	43.4v	49.3v	45.1v	45.2v	47.3v	44.2v	47.2v	58.4v	68.2v	95.4v	46.3v	46.3v	704.38v
509	Cdt EM Gibaut	T	69.2v	46.4v	47.4v	41.1v	45.2v	48.3v	48.4v	48.4v	67.4v	66.3v	102.10v	39.2v	37.1v	703.44v
510	Mr RE Pike	X	69.4v	45.2v	46.1v	44.3v	47.3v	44.1v	48.7v	45.2v	68.4v	64.1v	95.5v	48.5v	40.3v	703.41v
511	Mr CPP Brewin	O	68.5v	44.0v	44.2v	47.2v	45.2v	47.5v	45.3v	47.4v	65.1v	65.1v	97.6v	43.2v	46.5v	703.38v

512	Mr HL Yiu	T	72.5v	46.3v	45.0v	42.2v	48.1v	42.1v	46.2v	44.5v	73.3v	64.6v	96 .7v	43.2v	42.1v	703.38v
513	Mr TDB Hebblethwaite	T	69.5v	47.4v	48.4v	45.5v	44.2v	46.2v	47.2v	43.3v	66.1v	65.1v	94 .3v	44.3v	45.2v	703.37v
514	Mr M Ghorashi	T	72.8v	47.2v	44.1v	46.5v	40.1v	47.7v	48.5v	46.3v	70.6v	69.6v	94 .5v	38.0v	41.3v	702.52v
515	Miss LI Warden	T	70.5v	46.1v	46.3v	45.3v	46.3v	46.2v	43.0v	40.1v	71.7v	73.6v	95 .6v	45.4v	36.1v	702.42v
516	Mr PB Cutts	O	69.2v	43.1v	44.3v	44.2v	46.2v	45.3v	45.3v	46.4v	70.3v	68.3v	92 .5v	43.0v	47.2v	702.33v
517	Lt TH Dodds	X	74.12v	47.4v	48.4v	47.4v	48.6v	49.8v	50.8v	0.0v	74.10v	74.10v	104 .20v	49.8v	37.0v	701.94v
518	Mr JMA Thompson	A	70.5v	48.7v	49.8v	49.7v	48.5v	50.8v	50.5v	0.0v	72.3v	71.8v	100 .9v	48.4v	46.2v	701.71v
519	Mr IW Robertson	A	65.2v	44.3v	45.2v	45.3v	44.5v	46.3v	47.5v	41.2v	67.1v	67.7v	100 .10v	44.3v	46.6v	701.52v
520	Mr D Stronge	T	71.3v	47.4v	46.1v	43.1v	47.4v	47.6v	47.5v	40.1v	69.5v	68.6v	98 .8v	40.1v	38.4v	701.49v
521	Mr MR Ebbetts	O	73.4v	44.4v	45.2v	45.0v	44.3v	44.1v	48.6v	45.5v	70.6v	64.2v	97 .8v	35.0v	47.3v	701.44v
522	C1 MM Ngaira	O	68.3v	47.5v	50.4v	38.3v	41.2v	49.8v	44.2v	46.2v	70.4v	70.4v	98 .6v	38.0v	42.1v	701.44v
523	Mr CP Goad	O	72.5v	44.2v	46.2v	45.2v	47.2v	48.4v	35.0v	46.2v	70.4v	69.6v	99 .9v	42.2v	38.1v	701.41v
524	Mr EJ Schofield	T	71.7v	46.4v	47.3v	46.6v	45.4v	46.3v	37.4v	43.3v	71.4v	69.6v	92 .3v	45.4v	42.3v	700.54v
525	Mr MA Chammings	T	70.8v	49.7v	46.3v	43.3v	44.4v	48.5v	45.1v	49.5v	65.4v	61.2v	98 .3v	41.0v	41.2v	700.47v
526	WO NH Luchmun	T	65.3v	38.1v	46.1v	44.2v	47.4v	44.2v	47.6v	43.2v	72.7v	68.5v	99 .7v	45.3v	42.1v	700.44v
527	Mr DJH Birrell	O	70.6v	46.4v	47.1v	40.3v	49.3v	48.6v	45.3v	42.0v	68.1v	67.3v	97 .7v	44.3v	37.1v	700.41v
528	Mr HT Fearn	T	64.3v	44.0v	47.4v	43.2v	50.3v	44.2v	46.1v	48.5v	58.3v	69.4v	99 .4v	44.3v	44.0v	700.34v
529	Dr CW Freeman	O	67.5v	45.3v	50.3v	45.2v	44.5v	45.0v	43.5v	43.3v	68.7v	65.1v	100 .8v	42.2v	42.1v	699.45v
530	Ms CG Friend	T	68.6v	42.2v	44.2v	44.1v	47.2v	44.1v	48.5v	44.2v	67.3v	69.5v	95 .7v	41.3v	46.3v	699.42v
531	Mr D Chapman	T	68.4v	47.2v	46.3v	41.1v	45.3v	46.0v	36.0v	46.4v	70.3v	67.6v	95 .4v	46.4v	46.2v	699.36v
532	Mr FJ Tuffrey	T	61.0v	44.2v	47.3v	50.3v	44.2v	45.1v	47.5v	37.1v	68.3v	68.5v	99 .4v	42.3v	47.3v	699.35v
533	SSGT P Muriithy	O	68.3v	45.3v	47.5v	45.1v	49.3v	48.3v	47.3v	45.4v	70.6v	68.6v	88 .9v	41.1v	37.1v	698.48v
534	Mr AC Barrell	O	70.2v	44.3v	45.3v	46.1v	46.5v	47.4v	50.4v	43.3v	65.2v	63.2v	99 .7v	39.0v	41.3v	698.39v
535	Ms ZE Friend	T	73.9v	46.4v	39.0v	43.3v	42.3v	48.6v	44.4v	45.1v	64.2v	71.6v	94 .7v	46.2v	42.2v	697.49v
536	Mr M Goncharuk	T	66.3v	48.5v	45.2v	44.3v	45.4v	47.4v	47.4v	40.1v	63.2v	68.7v	100 .11v	42.0v	42.2v	697.48v
537	Mr GAK Ahmed	T	69.5v	44.3v	48.5v	40.0v	45.1v	43.3v	42.3v	45.3v	70.3v	71.7v	94 .6v	44.3v	42.2v	697.44v
538	Mr T Starr	T	70.8v	44.3v	44.2v	44.4v	41.1v	47.3v	46.1v	48.4v	69.5v	63.3v	95 .6v	45.2v	41.2v	697.44v
539	Mr MCD Bailey	T	69.4v	43.1v	48.5v	43.1v	44.2v	47.4v	47.3v	43.2v	65.2v	66.2v	100 .10v	46.6v	36.0v	697.42v
540	Cdt Sgt WPC Viney	T	67.3v	47.3v	45.4v	45.3v	44.3v	41.1v	45.3v	40.1v	67.7v	67.3v	101 .5v	46.1v	42.1v	697.38v
541	Miss IL Faissola	T	62.1v	46.3v	44.2v	43.1v	47.4v	48.1v	45.4v	44.2v	68.4v	73.7v	93 .5v	40.0v	44.2v	697.36v
542	Mr LC Wilkin	T	70.5v	45.2v	44.1v	45.2v	50.4v	47.4v	45.3v	48.4v	70.5v	61.4v	90 .5v	38.1v	43.3v	696.43v
543	Miss FPY Cheung	T	67.3v	47.2v	47.5v	43.1v	44.4v	44.4v	45.2v	44.1v	64.5v	71.4v	95 .5v	40.3v	44.4v	695.43v
544	Mr ISL Dampney	O	67.4v	46.3v	38.0v	46.2v	46.3v	46.4v	43.3v	48.6v	68.3v	65.3v	95 .4v	39.1v	48.3v	695.39v
545	Mr PJ Johnson	O	67.3v	46.3v	48.4v	48.4v	44.3v	41.1v	48.5v	45.3v	63.3v	60.1v	95 .2v	45.3v	44.2v	694.37v
546	WO W Kerema	O	69.3v	42.2v	46.1v	43.3v	40.4v	47.4v	45.5v	46.5v	71.7v	70.5v	99 .9v	44.2v	31.1v	693.51v
547	Mr EHB Ervine	T	72.8v	45.3v	43.1v	42.2v	44.3v	48.3v	45.3v	44.2v	71.7v	67.5v	92 .8v	41.1v	39.0v	693.46v
548	Mr EJ Gadd-Chapman	T	67.5v	41.1v	44.1v	45.4v	45.2v	46.0v	49.5v	47.3v	68.5v	62.4v	91 .3v	47.3v	41.0v	693.36v
549	Mr G Scarr	T	71.7v	46.1v	44.1v	47.3v	35.1v	42.3v	45.2v	46.2v	64.2v	70.3v	91 .5v	47.3v	45.1v	693.34v
550	Mr GR Thomas	O	68.4v	43.1v	46.2v	45.2v	42.1v	48.4v	47.4v	41.0v	70.4v	68.3v	92 .6v	43.2v	40.0v	693.33v
551	Dr AJ Browne	T	63.3v	45.4v	45.2v	39.2v	48.6v	48.6v	42.2v	41.0v	69.7v	71.5v	94 .6v	43.3v	44.3v	692.49v
552	Mr P Waldron	O	70.4v	42.1v	42.1v	44.3v	43.2v	46.3v	48.6v	45.3v	69.5v	66.6v	89 .5v	45.2v	43.2v	692.43v
553	Mr S Steer	T	69.2v	45.3v	47.4v	39.1v	45.1v	47.4v	37.1v	45.1v	73.5v	68.2v	98 .10v	43.1v	36.1v	692.36v
554	Dr DA Thompson	O	70.6v	48.7v	47.2v	46.3v	50.6v	48.7v	49.5v	0.0v	72.6v	73.9v	101 .9v	45.1v	42.0v	691.61v
555	Mr C Hughes	O	65.1v	44.4v	49.7v	41.2v	47.4v	46.1v	43.0v	39.1v	71.4v	71.7v	102 .12v	37.1v	36.0v	691.44v
556	Cdt BCT Banks	T	73.7v	44.2v	48.4v	48.2v	43.2v	48.4v	33.1v	49.7v	67.4v	54.4v	95 .4v	41.1v	48.1v	691.43v
557	Mr MGA McDowell	T	70.4v	47.4v	41.2v	45.2v	47.3v	40.1v	46.3v	42.2v	66.1v	70.3v	93 .6v	45.4v	39.2v	691.37v
558	Cdt Sgt SM Kilbey	T	65.1v	49.5v	46.5v	46.5v	42.3v	47.5v	43.1v	40.2v	68.4v	69.4v	94 .6v	43.2v	38.2v	690.45v
559	Mr M Nikolic	T	69.2v	45.2v	46.3v	46.2v	44.2v	46.2v	45.3v	44.0v	62.3v	63.1v	90 .3v	46.1v	44.2v	690.26v
560	Mr BJ Richardson	O	66.3v	47.4v	46.2v	45.3v	44.4v	44.5v	48.2v	43.2v	70.5v	61.2v	89 .2v	44.2v	42.2v	689.38v
561	Cdt JD Matthews	T	71.4v	37.0v	48.4v	46.3v	48.2v	43.3v	45.3v	43.3v	66.2v	62.3v	94 .3v	43.1v	43.3v	689.34v
562	WO MD Kilta	O	68.3v	45.1v	41.1v	44.1v	42.0v	46.2v	48.5v	48.3v	56.0v	67.4v	100 .6v	43.2v	41.2v	689.30v
563	Mr MH Shaw	O	68.3v	48.3v	46.5v	46.3v	46.3v	34.1v	47.4v	43.2v	62.3v	70.4v	90 .7v	43.3v	45.5v	688.46v
564	Miss IW Fraser	T	69.4v	45.2v	43.2v	43.1v	47.3v	47.4v	47.2v	40.1v	69.2v	68.5v	93 .6v	37.1v	40.1v	688.34v
565	Mr KR Trowbridge	O	70.6v	48.3v	46.2v	47.3v	48.3v	48.6v	47.4v	0.0v	70.9v	69.3v	100 .7v	47.4v	47.3v	687.53v
566	Mr TD Bailey	T	70.4v	43.2v	45.5v	34.1v	46.1v	44.4v	47.4v	48.6v	67.7v	65.3v	95 .5v	41.3v	42.2v	687.47v
567	Mr GL Clarke	O	69.6v	47.4v	47.3v	45.5v	33.1v	45.5v	45.1v	41.1v	67.1v	61.3v	98 .9v	45.2v	43.1v	686.42v
568	Mr DP Chalmers	T	67.1v	40.1v	44.3v	38.0v	43.2v	49.8v	46.3v	42.2v	68.4v	64.2v	99 .5v	46.3v	40.2v	686.36v
569	Mr CA Shelley	T	64.2v	41.0v	41.1v	47.0v	44.1v	44.4v	49.4v	45.3v	63.4v	67.3v	92 .5v	47.3v	42.3v	686.33v
570	Mr RK Sheead	O	64.1v	42.0v	48.4v	44.2v	45.3v	44.1v	43.0v	43.1v	66.3v	71.3v	95 .5v	42.2v	39.1v	686.26v
571	Mr RP Snaith	T	67.5v	43.1v	45.5v	42.1v	44.4v	45.5v	46.2v	45.2v	66.3v	68.4v	97 .6v	37.2v	40.1v	685.41v

572	Miss SO Brumby	O	66.2v	43.3v	43.3v	45.2v	39.0v	45.2v	45.3v	38.0v	71.6v	67.3v	96 .6v	42.3v	45.1v	685.34v
573	Mr J Hine	T	68.3v	46.3v	47.4v	43.1v	46.3v	46.4v	44.1v	40.1v	68.8v	67.2v	94 .2v	33.1v	43.1v	685.34v
574	Mr HJ Purslow	O	70.4v	43.1v	43.1v	46.2v	35.1v	41.1v	43.0v	43.2v	73.5v	68.6v	99 .6v	43.0v	38.2v	685.31v
575	Miss HM Read	T	72.8v	45.3v	37.2v	42.3v	44.1v	45.3v	45.2v	48.3v	67.5v	67.3v	95 .6v	42.3v	35.2v	684.44v
576	Cdt CD Hiles	T	63.3v	41.2v	43.2v	45.4v	49.4v	44.3v	47.5v	43.3v	67.2v	64.3v	88 .7v	43.2v	45.0v	682.40v
577	Mr I Cotillard	T	66.2v	44.3v	46.4v	45.2v	44.4v	45.2v	43.0v	45.3v	63.2v	63.4v	95 .6v	40.2v	43.3v	682.37v
578	Miss A Li	T	62.2v	46.2v	47.1v	45.2v	43.2v	43.2v	45.3v	47.4v	50.1v	68.3v	93 .6v	44.1v	48.3v	681.32v
579	Miss IG Ford	T	72.10v	48.4v	45.3v	43.1v	47.3v	47.6v	43.3v	24.1v	69.5v	70.5v	98 .5v	38.1v	36.2v	680.49v
580	Mr PJ Holden	O	63.2v	44.3v	41.2v	50.6v	39.2v	42.4v	46.3v	45.2v	69.4v	62.4v	90 .4v	46.2v	43.0v	680.38v
581	Mr A Nishikawa	T	68.8v	43.2v	43.1v	44.2v	42.0v	42.1v	43.1v	42.2v	67.3v	70.5v	97 .7v	41.1v	38.3v	680.36v
582	Mr D Mathieson	O	67.2v	47.3v	37.0v	45.1v	45.1v	46.3v	42.1v	46.2v	71.4v	71.3v	85 .4v	40.1v	38.1v	680.26v
583	Mr MI Buchanan	X	75.14v	49.5v	49.8v	45.2v	0.0v	50.8v	49.7v	17.0v	74.9v	74.9v	104 .12v	48.5v	45.2v	679.81v
584	Mr M Reid	O	75.6v	45.2v	46.2v	44.2v	46.2v	49.3v	46.4v	0.0v	72.7v	70.5v	97 .10v	48.1v	41.1v	679.45v
585	Mrs R Merridew	O	72.8v	44.4v	47.3v	47.8v	46.3v	49.4v	0.0v	44.3v	68.4v	69.6v	102 .8v	46.4v	44.2v	678.57v
586	Mr K Serpant	T	69.3v	45.3v	44.3v	45.2v	41.1v	46.2v	47.6v	38.1v	66.2v	67.5v	92 .7v	40.2v	38.0v	678.37v
587	Mr LA Lawrence	T	65.2v	42.2v	45.3v	44.1v	42.2v	47.5v	38.0v	44.2v	68.4v	64.4v	91 .3v	45.3v	43.2v	678.33v
588	Mr A Wild	T	71.6v	47.2v	46.5v	42.2v	48.5v	45.3v	0.0v	49.5v	68.2v	70.6v	101 .13v	46.2v	44.1v	677.52v
589	Mr F Aleem	T	65.2v	41.1v	47.3v	41.1v	42.2v	46.3v	47.1v	42.1v	65.4v	67.5v	95 .7v	38.1v	41.2v	677.33v
590	Miss ER Cunningham	T	67.4v	47.3v	48.3v	46.2v	49.7v	44.1v	45.3v	45.4v	69.7v	69.6v	65 .3v	40.3v	42.2v	676.48v
591	Dr N Hart	O	64.3v	41.0v	44.3v	45.3v	42.4v	44.1v	48.3v	47.2v	66.2v	61.1v	91 .4v	41.2v	42.1v	676.29v
592	Mr N Nicolle	T	68.3v	45.3v	45.5v	44.2v	40.1v	47.3v	42.2v	47.4v	60.2v	65.5v	87 .4v	46.2v	39.0v	675.36v
593	Miss I Estebanez Hoyos	T	67.5v	45.2v	49.4v	37.1v	49.4v	44.2v	44.0v	45.3v	66.4v	65.4v	79 .3v	42.0v	43.3v	675.35v
594	WO2 G Mwangi	O	67.3v	41.0v	44.1v	43.3v	48.2v	45.0v	43.1v	43.0v	66.4v	67.2v	92 .4v	38.0v	38.1v	675.21v
595	Mr RA Sampson	O	67.3v	43.0v	46.4v	41.2v	43.1v	44.4v	45.1v	40.1v	67.4v	65.4v	91 .5v	43.1v	39.2v	674.32v
596	Miss DF Harrison	O	68.5v	42.2v	45.4v	35.2v	46.3v	47.2v	42.2v	44.2v	69.5v	65.2v	91 .5v	37.0v	41.0v	672.34v
597	Mr BA Vary	T	71.5v	45.3v	45.2v	43.4v	50.6v	46.1v	43.1v	47.3v	68.3v	64.2v	66 .6v	41.3v	42.2v	671.41v
598	Miss K Charlton	T	66.4v	40.1v	47.3v	32.1v	39.2v	45.2v	46.2v	44.1v	64.3v	68.2v	95 .6v	44.1v	41.1v	671.29v
599	Mr PL Green	T	63.0v	44.3v	40.1v	48.4v	39.1v	45.3v	40.1v	44.1v	66.6v	68.5v	91 .5v	39.3v	43.1v	670.34v
600	Mr AL Ryan	T	68.5v	45.2v	40.0v	44.1v	46.4v	48.2v	44.3v	39.1v	66.1v	64.2v	89 .5v	39.2v	38.2v	670.30v
601	Miss H Martin	T	60.0v	45.1v	42.1v	42.2v	43.3v	42.3v	44.3v	39.3v	67.1v	69.4v	91 .5v	45.0v	41.2v	670.28v
602	Mr CJ Marlow	O	69.3v	43.2v	43.3v	35.2v	40.3v	43.1v	46.2v	40.1v	66.3v	68.4v	92 .5v	42.4v	42.3v	669.36v
603	Mr JWD Grace	T	68.3v	42.0v	43.1v	35.2v	44.2v	48.3v	42.1v	42.0v	64.4v	68.4v	99 .6v	38.0v	36.0v	669.26v
604	Miss Y Kang	T	70.7v	43.3v	45.2v	37.1v	36.0v	42.2v	46.4v	39.1v	70.3v	65.2v	94 .5v	40.1v	41.1v	668.32v
605	Mr DN Webber	O	68.4v	45.2v	46.4v	43.1v	45.2v	46.4v	46.3v	0.0v	68.7v	70.6v	101 .8v	43.4v	46.5v	667.50v
606	Miss EG Button	T	65.0v	45.3v	42.1v	44.1v	45.2v	42.2v	31.2v	39.2v	68.5v	69.7v	96 .3v	44.4v	37.1v	667.33v
607	Mr HM Dodds	T	65.1v	41.2v	47.5v	46.1v	40.1v	44.2v	43.1v	45.1v	62.2v	66.4v	92 .4v	40.1v	36.1v	667.26v
608	Mr HF Hunter	T	60.3v	43.2v	46.4v	45.4v	46.1v	48.5v	37.0v	42.3v	68.3v	64.6v	99 .11v	40.0v	28.0v	666.42v
609	Miss K Marndreja	T	66.2v	46.4v	47.4v	41.2v	44.1v	49.4v	43.1v	35.1v	61.0v	63.4v	97 .8v	38.1v	36.2v	666.34v
610	Miss V Chee	T	64.3v	45.1v	42.1v	41.3v	45.2v	36.0v	47.4v	46.2v	68.4v	64.4v	79 .3v	45.5v	43.2v	665.34v
611	Mr RW McVeigh	A	72.4v	44.2v	45.5v	44.2v	46.4v	46.3v	46.2v	5.1v	69.5v	67.5v	94 .5v	44.3v	42.3v	664.44v
612	Mr PG Kelly	O	71.2v	47.2v	47.2v	46.4v	47.5v	46.2v	43.1v	0.0v	71.8v	70.5v	99 .6v	41.1v	36.1v	664.39v
613	Mr RM Smith	T	69.3v	45.1v	44.3v	43.2v	45.4v	39.1v	44.2v	35.0v	63.4v	66.2v	91 .4v	44.1v	36.1v	664.28v
614	Cdt HG Johnson	T	62.2v	43.3v	43.4v	45.3v	47.4v	41.1v	46.3v	39.2v	62.3v	66.5v	92 .4v	38.1v	38.2v	662.37v
615	Mr SJ Le Huray	T	66.2v	45.2v	45.3v	44.3v	37.0v	41.2v	41.2v	43.3v	56.0v	64.1v	91 .6v	44.3v	44.1v	661.28v
616	Mr GW Robinson	O	70.7v	41.1v	0.0v	41.1v	49.3v	46.8v	42.2v	48.7v	71.5v	70.4v	96 .7v	44.2v	42.1v	660.48v
617	Mr HS Jones	T	64.4v	44.3v	38.0v	42.2v	43.0v	48.5v	43.2v	44.4v	60.2v	62.3v	83 .4v	42.1v	46.2v	659.32v
618	Mr P Dawes	O	71.9v	45.1v	44.4v	40.1v	47.4v	48.1v	46.6v	0.0v	69.4v	71.3v	95 .8v	44.2v	38.0v	658.43v
619	Mr ND Gomez	O	62.2v	31.1v	41.1v	44.2v	40.1v	45.3v	40.2v	43.0v	67.2v	68.2v	97 .5v	41.2v	39.3v	658.26v
620	Cdt ME Mousley	T	64.1v	44.1v	37.0v	35.2v	47.2v	41.0v	44.2v	37.2v	67.2v	65.1v	94 .4v	37.1v	45.2v	657.20v
621	Ms AMG Ogilvie	A	75.12v	46.5v	48.5v	45.2v	47.4v	0.0v	50.7v	47.3v	73.9v	72.5v	103 .12v	0.0v	50.2v	656.66v
622	Mr R Ellis	O	75.8v	46.3v	50.6v	49.8v	46.2v	48.3v	15.0v	0.0v	73.6v	73.10v	103 .10v	39.3v	39.0v	656.59v
623	Mr AG Harrison	O	64.4v	48.4v	46.4v	44.2v	48.6v	49.4v	45.1v	0.0v	67.2v	67.4v	98 .10v	37.3v	43.1v	656.45v
624	Ms MMV James	O	68.4v	43.2v	47.2v	44.3v	43.3v	48.4v	34.1v	47.3v	72.6v	70.4v	96 .6v	44.0v	0.0v	656.38v
625	Mr DD Charles	O	73.5v	47.3v	49.6v	36.1v	45.2v	44.6v	45.4v	49.5v	64.2v	67.4v	90 .5v	0.0v	46.6v	655.49v
626	Mrs V Chamberlain-Evans	T	66.0v	47.2v	0.0v	40.2v	47.6v	47.5v	45.2v	44.5v	69.3v	63.2v	101 .7v	42.1v	44.3v	655.38v
627	Mr JB Jones	T	69.6v	42.0v	46.2v	43.4v	30.0v	38.1v	45.2v	45.0v	58.1v	62.3v	90 .4v	43.1v	42.2v	653.26v
628	Mr B Cunningham	T	63.2v	43.2v	42.1v	37.2v	43.1v	48.4v	48.3v	39.1v	62.0v	68.2v	89 .6v	40.0v	30.0v	652.24v
629	Cdt Cpl CH Maxwell Randeria	T	68.6v	40.0v	48.4v	43.3v	46.3v	38.0v	43.3v	46.3v	69.4v	65.3v	64 .6v	44.3v	37.1v	651.39v
630	Miss LG Hetherington	T	63.4v	46.3v	40.0v	35.1v	40.1v	43.2v	47.3v	33.0v	68.3v	71.5v	90 .5v	39.2v	36.2v	651.31v
631	Wg Cdr CM Fopp	O	67.4v	44.2v	26.1v	46.2v	46.2v	47.6v	22.1v	50.5v	66.2v	60.1v	98 .9v	37.1v	40.2v	649.38v

632	Miss LKJ Walters	T	63.2v	45.1v	44.3v	43.0v	45.4v	40.2v	45.0v	42.1v	60.1v	57.1v	87.4v	37.1v	41.2v	649.22v
633	Miss P Davis	T	68.3v	45.3v	45.1v	37.0v	47.4v	46.6v	27.2v	43.0v	69.5v	67.4v	66.4v	47.3v	40.2v	647.37v
634	Mr GW Kershaw-Houghton	T	63.3v	42.2v	38.0v	44.4v	39.1v	45.3v	42.0v	37.2v	64.3v	66.1v	84.4v	47.1v	36.1v	647.25v
635	Mr N Stebbings	O	65.3v	42.3v	37.1v	41.0v	44.0v	40.1v	45.2v	42.1v	66.2v	60.4v	81.1v	41.0v	43.1v	647.19v
636	Mr J Bowater	T	71.6v	46.4v	43.1v	42.2v	36.0v	44.0v	0.0v	43.3v	68.3v	68.3v	96.8v	44.3v	42.1v	643.34v
637	Mr J Viney	T	64.3v	42.1v	43.1v	42.1v	37.0v	41.4v	43.3v	45.2v	55.2v	57.2v	94.5v	44.4v	36.1v	643.29v
638	Mr ZZ Grosvenor	T	63.1v	44.1v	47.3v	42.3v	40.0v	38.0v	39.1v	23.0v	67.5v	66.5v	92.4v	41.1v	41.3v	643.27v
639	Mr M Hannaford	T	70.3v	47.3v	43.2v	35.1v	43.3v	35.2v	24.0v	43.0v	68.7v	67.5v	96.6v	37.1v	34.1v	642.34v
640	Mr D Gerhard	T	60.1v	43.3v	44.1v	47.4v	40.3v	44.2v	38.1v	31.0v	64.5v	59.0v	89.2v	44.1v	39.2v	642.25v
641	Miss IG Ogilvie Robertson	T	66.5v	45.2v	41.0v	37.1v	35.0v	41.3v	40.1v	37.1v	74.7v	63.3v	95.3v	38.0v	29.0v	641.26v
642	Mr SD Spinney	X	69.4v	46.4v	48.3v	36.3v	44.1v	49.2v	47.4v	0.0v	67.6v	69.4v	95.6v	27.1v	43.1v	640.39v
643	Mr ARN Kinross	O	69.5v	42.2v	41.2v	43.2v	43.1v	47.3v	46.3v	37.3v	66.4v	70.4v	92.3v	44.2v	0.0v	640.34v
644	Cdt LCpl E Andrew-Flint	T	64.5v	42.1v	44.2v	48.4v	38.3v	39.0v	40.0v	47.5v	63.1v	64.3v	58.2v	45.4v	48.3v	640.33v
645	Mr A Kauderer	T	68.5v	42.3v	46.4v	10.0v	33.1v	42.4v	40.0v	43.1v	64.4v	64.3v	99.10v	41.2v	45.2v	637.39v
646	Miss C Schmidt	T	66.2v	42.1v	43.3v	48.2v	45.2v	45.2v	42.2v	0.0v	58.2v	69.5v	94.6v	39.2v	42.0v	633.29v
647	Mr LR Dabbs	T	59.2v	42.2v	39.1v	42.0v	39.1v	40.0v	36.0v	39.2v	69.6v	53.2v	92.7v	43.3v	39.2v	632.28v
648	Miss C Sekine	T	64.2v	46.2v	0.0v	41.1v	41.3v	45.6v	42.0v	38.1v	69.4v	70.4v	98.10v	44.2v	31.1v	629.36v
649	Mx A Newton	T	61.1v	44.3v	39.0v	42.2v	33.0v	39.1v	41.0v	43.2v	60.1v	62.1v	89.5v	37.1v	38.2v	628.19v
650	Cdt Sgt D McCully	T	66.2v	47.4v	39.3v	32.0v	42.4v	42.1v	44.3v	40.0v	57.3v	63.2v	93.4v	41.0v	18.0v	624.26v
651	Mr F Maltby	T	68.4v	43.1v	36.1v	45.0v	39.2v	43.1v	34.0v	38.0v	54.0v	57.5v	85.4v	42.2v	36.0v	620.20v
652	Cdt Sgt G Richardson-Bridge	T	61.0v	43.2v	42.2v	36.1v	37.0v	42.2v	38.1v	39.0v	51.1v	65.3v	85.2v	43.3v	38.2v	620.19v
653	Mr I Kwon	T	67.4v	47.3v	45.4v	40.0v	47.2v	46.3v	44.4v	39.1v	0.0v	66.2v	93.5v	45.2v	39.2v	618.32v
654	Mrs LCP-L Healy	A	71.4v	47.4v	49.5v	45.3v	47.4v	50.6v	49.3v	48.7v	73.7v	0.0v	102.7v	0.0v	34.1v	615.51v
655	Mr JS Ritchie	O	72.5v	41.1v	38.1v	46.3v	43.2v	47.3v	41.1v	43.3v	68.5v	66.1v	29.1v	38.1v	43.4v	615.31v
656	Mr GRP Shapland	O	72.9v	43.1v	44.2v	45.3v	45.0v	46.4v	0.0v	0.0v	69.4v	70.5v	96.5v	44.3v	39.2v	613.38v
657	Mr JT Foster	X	72.5v	47.2v	48.3v	48.4v	45.4v	50.9v	0.0v	33.1v	73.7v	72.7v	39.5v	45.3v	39.2v	611.52v
658	Mr MR Frost	A	74.9v	46.2v	46.3v	47.3v	49.5v	47.4v	47.6v	0.0v	69.5v	73.5v	31.1v	44.1v	38.1v	611.45v
659	Mr JE White	O	67.5v	45.2v	47.3v	46.2v	47.4v	48.7v	0.0v	0.0v	72.4v	64.4v	96.6v	45.3v	34.1v	611.41v
660	Mr J Meadows	T	60.0v	42.3v	39.2v	39.1v	35.3v	40.1v	38.0v	41.2v	55.0v	52.4v	88.4v	37.3v	45.2v	611.25v
661	Mr AC Gauci	O	0.0v	46.2v	46.3v	46.5v	45.1v	44.4v	36.2v	48.5v	62.2v	71.4v	91.4v	38.1v	37.3v	610.36v
662	Mr KW Yang	T	65.3v	40.3v	43.3v	43.2v	43.2v	47.4v	42.3v	44.2v	68.4v	65.2v	27.0v	42.1v	40.1v	609.30v
663	Mrs KE Purcell	O	66.5v	45.3v	0.0v	48.3v	44.4v	46.2v	0.0v	39.3v	65.2v	69.5v	92.4v	48.2v	45.1v	607.34v
664	Ms G Griffiths	T	59.1v	46.3v	44.2v	45.1v	39.3v	45.2v	45.1v	30.0v	60.5v	68.3v	92.4v	0.0v	34.1v	607.26v
665	Cdt PIJ Derrick	T	59.1v	29.0v	35.3v	35.0v	44.2v	41.3v	36.2v	42.1v	62.3v	63.3v	85.3v	38.1v	38.2v	607.24v
666	Mr HJ Hamlyn	O	72.7v	0.0v	0.0v	45.3v	47.0v	45.5v	42.2v	49.4v	75.10v	74.7v	101.14v	50.3v	0.0v	600.55v
667	O Cdt Y Bobko	T	50.8v	42.2v	42.1v	41.1v	44.1v	40.2v	36.2v	20.0v	72.7v	67.1v	94.5v	36.1v	14.0v	598.31v
668	Mr M Townsend	O	64.2v	43.2v	0.0v	45.4v	43.5v	45.1v	48.3v	0.0v	65.3v	58.0v	93.6v	44.0v	47.3v	595.29v
669	Miss JL Williams	T	69.6v	45.3v	49.6v	0.0v	44.3v	49.4v	44.2v	47.6v	72.6v	63.2v	28.2v	41.1v	42.1v	593.42v
670	Miss M Wong Murelidaran	T	66.2v	46.5v	43.2v	42.3v	44.3v	40.2v	5.0v	44.2v	59.5v	72.6v	88.3v	35.0v	8.0v	592.33v
671	Mr AW Sainter	O	61.0v	43.4v	42.3v	39.1v	37.1v	40.0v	34.1v	44.0v	60.2v	57.2v	89.6v	41.3v	0.0v	587.23v
672	Ms ME Sargeson	T	63.3v	41.2v	38.1v	39.2v	38.3v	32.1v	40.1v	36.0v	59.3v	61.4v	52.1v	43.2v	41.1v	583.24v
673	Dr G Stewart	A	74.9v	48.7v	49.6v	50.3v	48.6v	0.0v	49.4v	48.5v	66.5v	72.9v	0.0v	43.2v	35.0v	582.56v
674	Cdt Sgt C Doherty	T	7.0v	40.1v	40.1v	43.2v	36.0v	49.2v	32.2v	32.0v	68.3v	60.4v	93.5v	33.0v	30.1v	563.21v
675	Mr M Grimsdell	O	65.4v	41.0v	41.2v	39.2v	35.2v	45.3v	0.0v	0.0v	67.5v	53.1v	95.5v	45.2v	36.1v	562.27v
676	Cdt Sgt R Celesia	O	69.3v	48.6v	49.5v	50.5v	45.1v	0.0v	47.3v	50.9v	74.7v	68.5v	0.0v	0.0v	47.7v	547.51v
677	Mr S Franck	O	73.6v	47.4v	50.6v	50.5v	47.3v	0.0v	47.1v	49.4v	73.8v	67.4v	0.0v	0.0v	44.3v	547.44v
678	Miss M Chee	T	56.0v	39.1v	40.2v	42.2v	41.0v	35.1v	35.1v	29.1v	56.1v	63.2v	67.1v	29.1v	10.0v	542.13v
679	Miss A McCay	T	65.2v	35.0v	41.3v	43.0v	38.2v	45.4v	36.1v	29.0v	58.2v	0.0v	77.3v	42.1v	23.0v	532.18v
680	Miss L Hunter	T	60.1v	0.0v	41.1v	0.0v	44.2v	47.3v	44.4v	34.1v	62.2v	63.1v	91.5v	0.0v	40.0v	526.20v
681	Miss Y Li	T	0.0v	48.3v	44.2v	43.1v	34.0v	40.1v	0.0v	34.1v	57.2v	55.3v	86.4v	35.0v	44.3v	520.20v
682	Mr J de Bruijn	X	68.5v	46.2v	44.1v	43.2v	40.1v	43.2v	0.0v	0.0v	64.1v	66.5v	0.0v	44.1v	44.1v	502.21v
683	Mr TM Green	O	62.2v	47.3v	47.6v	48.4v	40.1v	46.3v	39.1v	0.0v	65.3v	65.6v	0.0v	32.0v	0.0v	491.29v
684	Mr DGM Coleman	A	72.6v	48.6v	47.5v	49.4v	0.0v	0.0v	0.0v	0.0v	70.8v	72.8v	31.1v	45.4v	41.1v	475.43v
685	Mr ACP Dawnay	T	71.2v	47.6v	45.4v	48.4v	38.2v	0.0v	48.4v	47.6v	66.3v	65.4v	0.0v	0.0v	0.0v	475.35v
686	Dr G Stevenson	O	0.0v	45.3v	0.0v	49.3v	45.4v	48.5v	0.0v	0.0v	62.1v	66.2v	99.6v	41.1v	0.0v	455.25v
687	Cdt Sgt TLM Flanagan	T	71.6v	23.0v	47.2v	42.2v	40.1v	46.4v	0.0v	46.4v	72.4v	0.0v	59.1v	0.0v	0.0v	446.24v
688	Mr JJ Parsons	A	74.8v	0.0v	0.0v	47.4v	0.0v	49.4v	0.0v	0.0v	71.7v	73.10v	100.11v	0.0v	0.0v	414.44v
689	Mr OW Rankin	O	0.0v	35.1v	43.2v	42.3v	41.0v	40.3v	41.3v	0.0v	16.1v	71.6v	0.0v	44.3v	38.1v	411.23v
690	Mr M Carlo	X	0.0v	0.0v	0.0v	45.2v	46.4v	46.6v	0.0v	0.0v	69.5v	62.2v	94.5v	43.3v	0.0v	405.27v
691	Mr T Burton	T	68.4v	45.1v	45.3v	0.0v	45.2v	0.0v	45.3v	31.0v	0.0v	71.7v	0.0v	0.0v	43.1v	393.21v

692 Mr NJ Atkins	O	69.4v	44.0v	44.1v	0.0v	0.0v	0.0v	49.7v	47.4v	0.0v	0.0v	97.4v	0.0v	41.1v	391.21v
693 Miss A Wang	T	0.0v	40.1v	39.2v	39.0v	0.0v	0.0v	0.0v	38.2v	64.4v	67.4v	28.1v	39.1v	32.1v	386.16v
694 Mr T Gorvett	T	0.0v	0.0v	0.0v	0.0v	46.4v	47.3v	0.0v	0.0v	75.6v	68.4v	94.5v	42.2v	0.0v	372.24v
695 Mr GJ Lake Coghlan	T	67.3v	0.0v	46.5v	0.0v	0.0v	0.0v	0.0v	46.4v	0.0v	0.0v	101.6v	0.0v	47.4v	307.22v
696 Mr TS McDowell	O	64.1v	0.0v	0.0v	42.2v	44.1v	0.0v	0.0v	42.1v	0.0v	0.0v	96.7v	0.0v	0.0v	288.12v
697 Mrs JC Scott Langley	O	74.6v	0.0v	0.0v	0.0v	0.0v	0.0v	45.3v	50.5v	0.0v	0.0v	92.6v	0.0v	0.0v	261.20v
698 Mr MA Kirkillo-Stacewicz	O	72.6v	0.0v	45.4v	0.0v	0.0v	0.0v	50.8v	46.3v	0.0v	0.0v	0.0v	0.0v	0.0v	213.21v
699 Dr JC Jobling	O	0.0v	36.2v	0.0v	0.0v	39.2v	0.0v	0.0v	35.1v	60.2v	0.0v	29.4v	0.0v	0.0v	199.11v
700 Mr TJ Smith	O	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	45.5v	0.0v	0.0v	0.0v	0.0v	0.0v	45.5v
701 Cdt MMS Fuller	T	0.0v	0.0v	8.0v	0.0v	0.0v	20.0v	0.0v	0.0v	0.0v	0.0v	10.0v	0.0v	0.0v	38.0v