

The Veterans Aggregate

	DT	DM	Alex	DC	Times	Wimb	Doyle	Dgall	St. G.	POW	King's	Lovell	Corp	Total
--	----	----	------	----	-------	------	-------	-------	--------	-----	--------	--------	------	-------

The Evan Price Challenge Cup and an NRA Gold Medal

1 Mr D Calvert	X	75.10v	48.5v	50.7v	48.6v	50.8v	49.6v	48.6v	50.10v	75.11v	75.7v	103.12v	46.4v	49.5v	766.97v
----------------	---	--------	-------	-------	-------	-------	-------	-------	--------	--------	-------	---------	-------	-------	---------

An NRA Silver Medal

2 Mr JD Warburton	X	73.10v	47.5v	50.8v	50.9v	49.6v	49.6v	49.5v	49.6v	75.11v	74.10v	105.11v	46.2v	48.4v	764.93v
-------------------	---	--------	-------	-------	-------	-------	-------	-------	-------	--------	--------	---------	-------	-------	---------

An NRA Bronze Medal

3 Capt NJ Ball	X	74.11v	50.8v	50.9v	50.7v	49.3v	50.7v	50.8v	49.7v	74.9v	70.7v	102.14v	46.3v	46.3v	760.96v
----------------	---	--------	-------	-------	-------	-------	-------	-------	-------	-------	-------	---------	-------	-------	---------

Next Best Scores

4 Mr SW Brindley	A	74.12v	48.4v	49.7v	50.6v	49.6v	50.6v	47.3v	50.10v	75.9v	72.6v	105.12v	40.2v	49.5v	758.88v
5 Mr DFP Richards	X	75.10v	48.5v	48.5v	48.6v	49.4v	50.4v	48.2v	48.6v	74.10v	74.11v	105.12v	46.3v	44.3v	757.81v
6 Mr CES Dickenson	X	74.11v	48.6v	50.6v	47.5v	49.3v	49.4v	50.7v	50.6v	73.9v	71.7v	104.11v	46.4v	45.0v	756.79v
7 Mr RW Sandlant	X	73.6v	48.5v	50.6v	49.6v	47.3v	50.7v	50.6v	45.1v	73.10v	72.7v	103.12v	48.5v	47.4v	755.78v
8 Mr NJ Verduyn	A	74.10v	49.5v	49.7v	47.3v	49.6v	48.4v	48.4v	50.7v	72.7v	74.10v	101.9v	47.3v	45.3v	753.78v
9 Mr JM Taylor	A	74.10v	48.4v	49.6v	47.5v	49.5v	48.6v	49.3v	48.7v	71.6v	75.9v	101.7v	47.2v	47.4v	753.74v
10 Mr JO Ahrens	X	74.8v	48.3v	48.2v	50.6v	50.9v	48.5v	49.5v	44.3v	72.9v	74.9v	104.16v	47.4v	44.2v	752.81v
11 Mr CP Weeden	X	73.5v	49.6v	49.4v	49.5v	49.6v	47.4v	47.2v	50.6v	74.11v	71.12v	101.9v	47.7v	46.3v	752.80v
12 Mr BJ Le Cheminant	X	74.9v	48.5v	50.8v	49.4v	48.4v	49.6v	50.4v	46.3v	73.6v	70.4v	101.9v	47.4v	47.3v	752.69v
13 Mr RM Roberts	A	74.10v	48.3v	48.5v	46.4v	48.3v	50.8v	49.5v	49.7v	73.10v	71.4v	103.8v	46.5v	46.3v	751.75v
14 Mr JR Tuck	X	72.10v	49.3v	48.2v	49.6v	49.4v	49.5v	49.2v	49.4v	72.10v	69.6v	100.12v	48.2v	48.5v	751.71v
15 Mr AD Le Cheminant	X	73.7v	46.5v	50.7v	49.3v	48.4v	48.3v	47.5v	49.8v	74.8v	67.5v	103.11v	48.7v	47.3v	749.76v
16 Mr ML Millar	X	73.11v	49.3v	48.8v	45.2v	47.5v	48.3v	50.8v	47.5v	74.12v	74.6v	103.10v	46.6v	43.1v	747.80v
17 Mr JGM Webster	X	73.9v	47.6v	50.7v	49.7v	45.2v	49.6v	50.5v	44.1v	73.9v	73.8v	103.9v	46.4v	45.3v	747.76v
18 Mr C Fitzpatrick	A	75.11v	48.5v	49.7v	44.2v	47.5v	50.7v	50.6v	49.6v	72.7v	71.3v	104.15v	45.1v	43.1v	747.76v
19 Mr DG Young	X	71.9v	47.2v	49.6v	42.2v	49.6v	49.6v	50.7v	49.7v	71.8v	74.7v	103.7v	49.6v	44.2v	747.75v
20 Mr AC Morley	A	74.10v	45.4v	47.1v	48.5v	50.6v	49.5v	50.6v	50.7v	71.6v	72.8v	96.10v	46.4v	48.4v	746.76v
21 Dr JR Deane	O	74.10v	47.3v	48.7v	49.5v	47.3v	46.5v	50.6v	48.4v	72.4v	73.6v	102.10v	47.3v	42.2v	745.68v
22 Mr CN Tremlett	X	70.8v	49.7v	49.8v	44.2v	46.4v	42.3v	50.4v	49.6v	75.12v	72.8v	104.15v	48.4v	46.5v	744.86v
23 Mr RA Welford	O	73.6v	48.4v	49.4v	48.4v	46.2v	43.2v	49.5v	50.5v	73.7v	74.7v	102.11v	43.1v	46.5v	744.63v
24 Mr S Belither	X	73.9v	46.2v	49.8v	48.4v	47.4v	47.2v	49.5v	48.8v	73.8v	73.10v	102.11v	48.5v	40.2v	743.78v
25 Mr TL Bedwell	A	71.6v	46.4v	50.5v	48.6v	49.5v	46.4v	48.3v	46.2v	72.8v	74.8v	103.14v	47.3v	43.2v	743.70v
26 Mr C Mallett	X	74.11v	48.3v	49.6v	47.5v	46.3v	47.3v	49.5v	46.2v	74.6v	72.4v	103.11v	45.2v	43.3v	743.64v
27 Mr PD Griggs	A	73.6v	49.3v	47.6v	49.4v	48.3v	45.1v	48.6v	50.5v	68.5v	70.5v	100.9v	49.3v	47.4v	743.60v
28 Mr CM Brooks	O	69.6v	47.7v	47.5v	47.2v	47.5v	50.8v	48.5v	48.3v	67.4v	73.7v	103.10v	49.1v	47.6v	742.69v
29 Mr PB Bromley	X	74.11v	49.6v	50.5v	47.4v	48.6v	50.9v	49.6v	50.5v	70.7v	69.5v	100.10v	41.2v	44.2v	741.78v
30 Mr AWC Lothian	X	70.7v	47.3v	49.3v	41.2v	50.7v	49.3v	49.5v	49.6v	71.5v	70.6v	103.11v	48.2v	45.0v	741.60v
31 Flt Lt NP Moxon	O	73.11v	47.3v	47.3v	42.4v	48.3v	46.3v	50.3v	44.5v	75.8v	72.8v	101.12v	47.6v	48.1v	740.70v
32 Mr AG McLean	O	74.8v	47.3v	47.4v	49.4v	47.4v	48.6v	48.2v	48.5v	72.6v	69.2v	101.10v	47.5v	43.2v	740.61v
33 Mr RJSG Clark	A	72.6v	46.3v	47.0v	47.2v	49.5v	48.2v	48.3v	49.4v	71.7v	71.6v	101.11v	45.2v	46.1v	740.52v
34 Mr KO Pugh	X	68.9v	49.7v	49.3v	48.6v	47.3v	50.7v	49.8v	48.3v	71.7v	70.5v	97.11v	46.1v	47.4v	739.74v
35 Mr J Halahan	O	73.8v	44.4v	48.6v	44.1v	48.6v	49.7v	46.3v	50.8v	73.10v	72.5v	101.13v	46.2v	44.2v	738.75v
36 Mr SNS Penrose	A	73.6v	46.2v	48.4v	49.4v	49.4v	45.5v	50.9v	46.4v	68.4v	68.6v	104.13v	43.2v	48.4v	737.67v
37 Mr KB Hill	O	70.5v	46.4v	43.4v	48.5v	47.3v	46.2v	47.3v	48.5v	74.6v	73.8v	102.10v	46.5v	47.5v	737.65v
38 Mr RL Eayrs	X	72.9v	48.6v	49.8v	46.3v	49.5v	48.6v	46.5v	49.4v	74.12v	73.9v	102.15v	44.5v	36.1v	736.88v
39 Mr CP Maher	O	74.7v	50.7v	48.5v	46.4v	49.8v	49.5v	46.5v	41.2v	74.8v	65.2v	102.11v	45.1v	45.2v	734.67v
40 Dr SS Horner	O	71.7v	48.5v	46.5v	44.2v	48.7v	47.6v	46.3v	48.5v	73.8v	73.5v	100.10v	46.4v	43.1v	733.68v
41 Mr PD Basil	O	74.10v	48.3v	47.1v	45.4v	49.4v	49.5v	47.3v	49.5v	71.8v	62.2v	102.10v	47.1v	41.2v	731.58v
42 Mr MD Joyce	O	72.11v	44.2v	47.2v	49.4v	46.3v	47.5v	48.5v	48.3v	69.4v	67.4v	99.7v	46.4v	48.3v	730.57v
43 Mr DJ Sharp	X	71.3v	49.6v	48.3v	43.2v	48.4v	47.5v	47.6v	46.3v	70.7v	70.3v	101.7v	45.3v	45.3v	730.55v
44 Mr CST Lehmann	O	72.4v	47.5v	47.3v	46.4v	50.6v	47.3v	46.3v	45.1v	72.0v	73.6v	96.6v	45.2v	43.4v	729.47v
45 Mr PA Maher	A	73.8v	48.6v	47.4v	44.4v	47.4v	47.3v	42.3v	49.5v	72.6v	68.7v	101.11v	43.2v	47.6v	728.69v
46 Mr JJ Mehta	A	66.4v	47.5v	48.2v	44.1v	45.1v	47.4v	49.4v	47.4v	68.6v	71.6v	104.11v	48.6v	44.1v	728.55v
47 Mr MD Jenvey	A	69.3v	48.4v	48.5v	44.2v	46.4v	47.5v	44.5v	49.5v	69.3v	72.8v	99.10v	47.4v	41.2v	723.60v
48 Mr LT Wicker	O	70.4v	46.4v	50.7v	47.3v	47.5v	47.5v	43.3v	46.2v	71.7v	69.6v	101.8v	43.2v	43.3v	723.59v

		DT	DM	Alex	DC	Times	Wimb	Doyle	Dgall	St. G.	POW	King's	Lovell	Corp	Total	
49	Dr M Wrigley	A	70.7v	46.1v	49.3v	44.4v	43.1v	49.6v	47.5v	46.3v	71.6v	69.6v	100.6v	43.1v	46.3v	723.52v
50	Mr DA Smith	O	67.5v	47.2v	44.2v	48.6v	47.5v	45.2v	45.4v	47.3v	72.5v	70.5v	101.14v	43.2v	46.2v	722.57v
51	Mr PJ Dudzinski	O	73.7v	47.5v	48.2v	45.3v	47.5v	47.3v	47.5v	48.3v	70.4v	69.4v	96.7v	39.2v	45.2v	721.52v
52	Mr JN McLaren	A	67.2v	48.2v	49.6v	48.3v	42.2v	49.4v	43.2v	47.5v	69.5v	70.7v	98.8v	47.3v	43.0v	720.49v
53	Mr TJ Bryan	O	71.9v	44.1v	49.6v	44.4v	41.2v	47.4v	44.4v	46.2v	72.7v	74.7v	99.8v	48.4v	40.2v	719.60v
54	Mr RLR Bird	O	72.10v	47.4v	45.3v	48.5v	46.4v	49.5v	49.3v	47.4v	71.11v	68.5v	100.8v	42.2v	34.1v	718.65v
55	Mr JRW Latimer	O	71.7v	45.4v	47.6v	45.3v	48.2v	49.5v	48.7v	47.3v	68.2v	64.4v	97.6v	50.7v	39.1v	718.57v
56	Mr RM Culverwell	O	70.6v	46.3v	46.1v	46.5v	49.5v	48.6v	48.5v	44.2v	72.7v	66.6v	96.4v	42.2v	44.3v	717.55v
57	Mr NRJ Brasier	X	75.10v	47.4v	50.8v	48.7v	50.6v	0.0v	48.7v	50.6v	72.7v	72.9v	103.14v	50.7v	46.5v	711.90v
58	Mr MR Fugeman	A	72.5v	43.2v	47.2v	45.1v	50.6v	47.5v	43.2v	45.2v	70.8v	69.5v	101.10v	45.1v	29.1v	706.50v
59	Mr N Watson	A	69.4v	46.3v	50.5v	45.4v	50.6v	45.5v	46.3v	48.6v	73.6v	68.4v	87.6v	43.2v	35.2v	705.56v
60	Mr WCP Richards	X	73.7v	46.3v	50.5v	44.2v	48.5v	50.7v	50.6v	50.6v	75.12v	73.5v	102.12v	43.1v	41.2v	702.72v
61	Mr JMA Thompson	A	70.5v	48.7v	49.8v	49.7v	48.5v	50.8v	50.5v	0.0v	72.3v	71.8v	100.9v	48.4v	46.2v	701.71v
62	Mr IW Robertson	A	65.2v	44.3v	45.2v	45.3v	44.5v	46.3v	47.5v	41.2v	67.1v	67.7v	100.10v	44.3v	46.6v	701.52v
63	Dr CW Freeman	O	67.5v	45.3v	50.3v	45.2v	44.5v	45.0v	43.5v	43.3v	68.7v	65.1v	100.8v	42.2v	42.1v	699.45v
64	Mr AC Barrell	O	70.2v	44.3v	45.3v	46.1v	46.5v	47.4v	50.4v	43.3v	65.2v	63.2v	99.7v	39.0v	41.3v	698.39v
65	Mr PJ Johnson	O	67.3v	46.3v	48.4v	48.4v	44.3v	41.1v	48.5v	45.3v	63.3v	60.1v	95.2v	45.3v	44.2v	694.37v
66	Mr GR Thomas	O	68.4v	43.1v	46.2v	45.2v	42.1v	48.4v	47.4v	41.0v	70.4v	68.3v	92.6v	43.2v	40.0v	693.33v
67	Mr C Hughes	O	65.1v	44.4v	49.7v	41.2v	47.4v	46.1v	43.0v	39.1v	71.4v	71.7v	102.12v	37.1v	36.0v	691.44v
68	Mr RK Sheead	O	64.1v	42.0v	48.4v	44.2v	45.3v	44.1v	43.0v	43.1v	66.3v	71.3v	95.5v	42.2v	39.1v	686.26v
69	Mr MI Buchanan	X	75.14v	49.5v	49.8v	45.2v	0.0v	50.8v	49.7v	17.0v	74.9v	74.9v	104.12v	48.5v	45.2v	679.81v
70	Mr GW Robinson	O	70.7v	41.1v	0.0v	41.1v	49.3v	46.8v	42.2v	48.7v	71.5v	70.4v	96.7v	44.2v	42.1v	660.48v
71	Mr P Dawes	O	71.9v	45.1v	44.4v	40.1v	47.4v	48.1v	46.6v	0.0v	69.4v	71.3v	95.8v	44.2v	38.0v	658.43v
72	Mr GL Clarke	O	69.6v	47.4v	47.3v	45.5v	33.1v	45.5v	45.1v	41.1v	67.1v	61.3v	98.9v	45.2v	43.1v	619.41v
73	Mr M Townsend	O	64.2v	43.2v	0.0v	45.4v	43.5v	45.1v	48.3v	0.0v	65.3v	58.0v	93.6v	44.0v	47.3v	595.29v