

Grand Aggregate

		DT	DM	Alex	DC	Times	Wimb	Doyle	Dgall	St. G.	POW	King's I	Lovell	Corp	Total		
The DCRA Challenge Shield, The NRA Gold Cross, a Gold Bar and £200.00																	
1	Mr DC Luckman	XS	75.8v	50.6v	50.9v	50.8v	50.9v	48.5v	49.6v	49.7v	73.4v	75.9v	104.16v	44.3v	49.5v	766.95v	£ 4
The NRA Silver Cross, a Silver Bar and £175.00																	
2	Mr J Corbett	X	74.10v	49.5v	47.4v	48.4v	48.6v	49.6v	50.4v	50.8v	75.12v	75.9v	105.17v	48.6v	47.3v	765.94v	
The NRA Bronze Cross, a Bronze Bar and £150.00																	
3	Lt THD Dodds	XS	73.7v	48.3v	49.6v	48.6v	49.4v	49.4v	48.5v	50.7v	75.11v	73.7v	105.10v	47.3v	46.5v	760.78v	£ 4
An NRA Bronze Cross, a Bronze Bar and £125.00																	
4	Mr DA Rose	XS	75.6v	48.4v	48.6v	48.6v	50.4v	49.4v	47.3v	50.8v	72.5v	74.8v	103.13v	49.5v	46.2v	759.74v	£ 4
An NRA Bronze Cross, a Bronze Bar and £100.00																	
5	Mr ERT Jeens	X	71.7v	50.6v	50.8v	49.7v	48.7v	49.9v	48.0v	50.9v	74.11v	71.4v	104.15v	48.3v	45.1v	757.87v	
6	Dr GCD Barnett	XS	72.8v	50.6v	49.6v	48.1v	50.8v	45.1v	47.4v	50.8v	75.12v	72.9v	105.15v	47.4v	47.4v	757.86v	£ 4
An NRA Bronze Cross, a Bronze Bar and £80.00																	
7	Mr MRM Millar	XS	74.10v	47.5v	49.6v	50.9v	50.8v	49.3v	46.5v	50.9v	74.9v	72.4v	104.15v	47.4v	44.2v	756.89v	£ 4
8	Mr PM Patel	XS	75.9v	49.4v	48.6v	48.5v	50.5v	47.3v	49.4v	49.5v	75.14v	70.5v	104.14v	47.6v	44.2v	755.82v	£ 4
9	Mr J Brooking	X	70.5v	49.7v	49.6v	49.4v	47.5v	47.3v	50.8v	48.5v	74.11v	72.5v	103.15v	50.3v	46.4v	754.81v	
10	Miss HD Grindon	OS	72.8v	46.2v	48.6v	48.7v	50.6v	47.3v	50.6v	50.5v	74.9v	74.7v	102.11v	47.5v	45.4v	753.79v	£ 4
The Olle Beckett Memorial Trophy																	
An NRA Bronze Cross, a Bronze Bar and 60.00																	
11	Mr R Stewart	X	71.5v	50.8v	50.3v	48.0v	50.8v	47.6v	46.3v	49.5v	74.9v	74.11v	103.10v	46.4v	45.3v	753.75v	
12	Mr PG Thurtell	XS	73.7v	48.4v	49.7v	47.3v	50.6v	48.3v	49.5v	47.5v	73.9v	74.6v	101.13v	45.2v	49.4v	753.74v	£ 4
13	Mr MK Shepherd	AS	70.7v	49.3v	46.4v	46.3v	50.6v	49.5v	50.9v	48.3v	75.10v	67.2v	105.15v	48.5v	49.5v	752.77v	£ 4
14	Mr LVG OFlynn	XS	70.3v	49.4v	45.3v	47.5v	50.7v	49.7v	48.4v	50.6v	74.8v	75.8v	104.16v	45.3v	46.3v	752.77v	£ 4
15	Mr SW Brindley	XS	72.7v	49.5v	50.5v	43.2v	50.6v	47.4v	48.6v	50.7v	75.8v	72.8v	103.9v	48.5v	45.4v	752.76v	£ 4
16	Mr TJD Raincock	XS	75.9v	45.2v	48.2v	48.8v	49.4v	48.5v	47.3v	48.5v	73.6v	75.7v	103.13v	46.3v	47.2v	752.69v	£ 4
17	Mr OEJ Spencer	X	72.2v	50.7v	49.6v	46.4v	50.6v	49.5v	47.3v	50.8v	73.5v	71.7v	104.9v	45.3v	46.2v	752.67v	
18	Mr A Ringer	XS	74.8v	50.8v	49.3v	43.1v	49.7v	50.6v	46.2v	50.9v	74.10v	74.8v	100.9v	47.3v	45.3v	751.77v	£ 4
19	Mr SME Hayton	XS	74.9v	49.6v	47.3v	48.6v	49.2v	49.4v	47.3v	48.6v	73.9v	68.5v	104.12v	48.5v	47.5v	751.75v	
20	Mr LS Otundo	XS	74.10v	48.5v	47.2v	48.6v	49.4v	48.6v	47.5v	49.8v	73.6v	73.9v	105.13v	46.4v	43.4v	750.82v	
An NRA Bronze Cross, a Bronze Bar and £40.00																	
21	Miss AP Good	XS	73.8v	47.4v	49.5v	48.7v	48.4v	49.6v	47.5v	48.7v	74.8v	74.6v	104.14v	48.4v	41.2v	750.80v	
22	Mr JO Ahrens	XS	72.8v	45.2v	49.5v	47.3v	49.5v	49.9v	47.5v	50.7v	74.6v	74.4v	105.15v	49.5v	40.4v	750.78v	
23	Mr O Milanovic	X	73.8v	47.6v	50.8v	50.8v	49.3v	49.7v	47.3v	49.4v	69.6v	70.6v	101.10v	49.2v	47.5v	750.76v	
24	Mr N Guernsey	XS	72.9v	47.2v	48.7v	49.4v	49.6v	48.6v	50.5v	46.4v	72.9v	71.4v	103.12v	48.1v	47.6v	750.75v	
25	Mr D Calvert	XS	70.4v	48.5v	49.5v	50.7v	50.5v	48.5v	45.3v	49.4v	74.10v	72.6v	104.9v	50.6v	41.1v	750.70v	
26	Mr J Warburton	XS	72.8v	49.5v	49.4v	48.4v	50.7v	46.4v	48.5v	49.7v	71.7v	73.5v	103.15v	45.3v	46.4v	749.78v	
27	Mr PD Sykes	XS	74.9v	48.3v	48.4v	46.5v	48.5v	48.5v	50.6v	46.4v	75.8v	74.9v	105.13v	44.3v	43.3v	749.77v	
28	Mr JP Bailey	X	71.4v	48.3v	49.5v	46.3v	50.6v	49.5v	49.7v	48.7v	75.10v	69.7v	102.15v	47.2v	46.1v	749.75v	
29	Mr MJ Ensor	XS	73.10v	48.6v	47.2v	49.6v	50.7v	47.3v	46.3v	48.5v	73.7v	74.9v	102.12v	48.3v	44.2v	749.75v	
30	Mr AD Hunter	XS	74.6v	49.6v	49.4v	46.4v	49.6v	45.2v	47.6v	50.8v	73.7v	74.9v	102.12v	46.3v	45.2v	749.75v	
31	Miss CH Cuming	XS	72.10v	46.3v	49.6v	49.7v	49.8v	50.5v	45.0v	50.6v	75.11v	71.7v	105.13v	45.3v	42.2v	748.81v	
32	Miss CA Evans	X	73.9v	46.3v	50.6v	46.2v	48.5v	50.8v	49.9v	49.6v	72.11v	71.3v	103.14v	44.1v	47.3v	748.80v	
33	Mr JW Alexander	XS	69.7v	48.7v	47.3v	47.4v	49.3v	48.6v	49.6v	49.7v	73.7v	73.8v	103.12v	47.5v	46.4v	748.79v	
34	Mr D Lowe	XS	69.3v	49.3v	45.2v	49.6v	50.5v	49.6v	47.3v	47.5v	73.8v	72.6v	105.14v	44.2v	49.6v	748.69v	
35	Mr JM Di Bona	XS	70.5v	49.4v	48.6v	46.3v	49.7v	46.4v	49.6v	48.4v	73.6v	75.9v	104.10v	45.3v	46.2v	748.69v	
An NRA Bronze Cross, a Bronze Bar and £20.00																	
36	Mr AC Haley	XS	72.8v	47.5v	49.7v	47.6v	49.5v	46.2v	48.3v	50.7v	75.9v	70.9v	103.12v	49.4v	42.1v	747.78v	

		DT	DM	Alex	DC	Times	Wimb	Doyle	Dgall	St. G.	POW	King's I	Lovell	Corp	Total
37	Mr HJ Golaszewski	XS	74.5v	47.4v	48.5v	46.3v	46.4v	47.4v	50.7v	49.5v	73.12v	71.4v 105.18v	46.2v	45.2v	747.75v
38	Mr CJ Mitchell	XS	72.6v	48.5v	45.3v	47.5v	47.5v	50.6v	48.3v	50.7v	73.6v	72.7v 104.16v	48.2v	43.3v	747.74v
39	Mr SJ Whitby	XS	71.5v	47.4v	44.3v	46.4v	47.3v	49.6v	49.5v	49.5v	73.9v	72.7v 103.12v	49.3v	48.6v	747.72v
40	Mr CD Heales	X	75.8v	48.7v	49.8v	47.6v	50.8v	46.3v	47.4v	48.7v	68.5v	73.5v 101.12v	47.4v	47.1v	746.78v
41	Mr SM Negus	XS	74.10v	48.4v	45.2v	48.7v	50.6v	48.4v	48.6v	47.6v	74.9v	71.4v 103.13v	46.4v	44.1v	746.76v
42	Mr SH Wingrove	XS	72.7v	48.5v	49.6v	47.4v	45.2v	48.4v	49.5v	46.4v	74.10v	73.10v102.10v	47.5v	46.3v	746.75v
43	Mr RC Oxford	X	73.9v	45.4v	49.5v	46.2v	49.5v	49.7v	50.8v	49.7v	73.5v	72.5v 103.10v	42.1v	46.4v	746.72v
44	Mr EWV Feast	A	72.6v	48.4v	49.7v	46.5v	50.8v	48.5v	48.3v	50.4v	74.7v	69.4v 102.11v	47.3v	43.4v	746.71v
45	Miss LG Taylor	AS	71.5v	49.5v	47.2v	47.3v	48.5v	47.4v	48.5v	49.2v	74.9v	73.11v104.11v	42.3v	47.5v	746.70v £ 4
46	Mr JEK Pepera-Hibbert	XS	71.5v	48.5v	48.6v	49.4v	49.6v	48.4v	50.8v	49.4v	72.8v	67.2v 104.8v	45.2v	46.4v	746.66v
47	Mr JRJ Hinde	AS	69.6v	50.7v	50.10v	47.4v	48.5v	48.4v	49.6v	49.6v	74.7v	71.7v 103.9v	45.5v	42.3v	745.79v £ 4
48	Mr CN Tremlett	XS	73.7v	47.4v	47.5v	45.3v	49.2v	50.5v	47.5v	50.6v	74.8v	67.3v 103.16v	49.4v	44.2v	745.70v
49	Dr CD Haley	XS	69.9v	47.4v	48.4v	49.5v	47.3v	47.5v	48.5v	49.6v	74.10v	71.3v 101.8v	47.2v	48.2v	745.66v
50	Mr DR Armstrong	XS	69.3v	47.1v	49.4v	45.3v	50.8v	46.4v	50.6v	49.3v	72.9v	72.6v 103.11v	46.3v	47.3v	745.64v

Winner of a Bronze Bar

51	Mr ADH Cameron	AS	72.5v	47.6v	48.3v	48.5v	48.7v	47.5v	50.7v	50.7v	71.9v	71.8v 103.13v	43.3v	46.3v	744.81v £ 4
52	Mrs RLE Furniss	XS	72.10v	47.5v	49.6v	48.6v	48.6v	49.6v	46.3v	50.7v	74.10v	72.5v 103.11v	41.2v	45.3v	744.80v
53	Lt Col AM Bell	O	70.4v	49.5v	50.5v	45.3v	48.4v	49.4v	48.6v	49.4v	74.10v	73.9v 101.13v	44.4v	44.1v	744.72v
54	Mr PD Basil	OS	72.5v	48.4v	48.5v	48.2v	49.6v	48.5v	47.6v	49.6v	70.6v	74.10v102.8v	45.3v	44.2v	744.68v £ 4
55	Mr E Welford	AS	73.7v	47.5v	50.2v	47.4v	48.7v	49.7v	47.3v	49.5v	72.6v	72.6v 103.12v	44.2v	43.1v	744.67v £ 4
56	Mr SJV Osmond	XS	70.5v	48.5v	47.6v	48.3v	47.6v	47.5v	49.3v	49.4v	73.6v	71.7v 105.10v	47.2v	43.4v	744.66v
57	Mr ML Millar	XS	68.6v	50.5v	46.3v	50.6v	50.5v	49.4v	45.1v	49.4v	73.7v	72.10v103.9v	45.1v	44.3v	744.64v
58	Mr MJ Wilson	XS	69.4v	49.4v	47.5v	45.4v	50.2v	47.5v	47.1v	48.4v	74.6v	73.7v 101.8v	46.2v	48.5v	744.57v
59	Mrs N Rossignol	X	72.10v	49.5v	48.7v	48.6v	48.4v	48.5v	46.4v	50.8v	73.8v	71.7v 101.10v	45.4v	44.4v	743.82v
60	Mr MP Blythe	A	72.8v	48.6v	49.5v	49.2v	49.4v	49.7v	50.7v	47.2v	74.9v	69.5v 101.13v	44.3v	42.1v	743.72v
61	Mr R Hebblethwaite	X	71.7v	49.5v	48.4v	49.6v	48.3v	48.3v	49.4v	48.4v	73.7v	71.8v 99.8v	44.5v	46.3v	743.67v
62	Mr M Horton-Baker	X	68.3v	49.2v	47.2v	46.6v	49.3v	48.6v	50.4v	49.5v	73.9v	70.6v 99.9v	48.3v	47.3v	743.61v
63	Mrs SV Luckman	XS	72.7v	50.5v	48.4v	46.1v	47.7v	49.4v	46.2v	50.7v	72.5v	73.6v 101.7v	44.2v	45.4v	743.61v
64	Mrs H Cook	X	72.8v	46.0v	49.7v	48.5v	50.7v	49.5v	47.4v	49.4v	74.8v	73.6v 102.4v	45.2v	39.0v	743.60v
65	Mr WH Putter	OS	72.6v	48.6v	43.4v	46.2v	49.7v	48.5v	48.4v	49.6v	74.12v	70.7v 102.11v	45.2v	48.4v	742.76v £ 4
66	Mr ANR Walker	XS	71.8v	49.7v	49.7v	46.4v	50.7v	48.7v	49.4v	47.5v	73.11v	70.3v 101.6v	43.1v	46.5v	742.75v
67	Mr K Crabtree	OS	70.8v	48.2v	47.4v	44.3v	50.7v	47.6v	47.6v	50.6v	73.7v	74.6v 104.14v	42.2v	46.4v	742.75v £ 4
68	Mr RJSG Clark	A	75.10v	48.4v	47.5v	48.5v	50.5v	49.6v	47.5v	48.5v	73.7v	71.8v 102.11v	42.2v	42.1v	742.74v
69	Mr JCT Kent	XS	73.10v	47.4v	47.5v	47.5v	48.5v	45.2v	48.3v	50.6v	72.7v	71.8v 99.10v	48.3v	47.5v	742.73v
70	Mr C Mallett	X	72.5v	48.4v	48.6v	47.6v	47.4v	48.5v	49.5v	49.6v	73.9v	72.8v 102.8v	42.2v	45.4v	742.72v
71	Miss RL Laird	X	73.9v	47.2v	47.3v	47.4v	49.4v	47.3v	48.1v	49.2v	71.6v	72.9v 102.11v	49.4v	41.2v	742.60v
72	Maj NT Healy	XS	71.4v	49.6v	49.3v	48.1v	49.5v	48.4v	44.1v	50.2v	72.7v	72.4v 101.11v	43.2v	46.0v	742.50v
73	Mr BJ Emms	X	73.4v	48.4v	50.7v	45.3v	46.4v	47.5v	46.4v	50.8v	74.13v	71.7v 102.12v	44.2v	45.3v	741.76v
74	Mr IT Jones	XS	71.7v	47.5v	50.6v	48.4v	47.4v	47.3v	48.7v	47.3v	72.8v	73.6v 102.12v	46.5v	43.2v	741.72v
75	Mr RT MacLeod	XS	72.11v	48.5v	48.1v	48.5v	50.5v	45.5v	49.5v	46.5v	70.5v	72.10v100.8v	47.3v	46.3v	741.71v
76	Mr TO Little	X	73.7v	48.5v	49.5v	45.1v	48.6v	48.5v	48.6v	48.3v	71.10v	72.8v 103.6v	44.1v	44.3v	741.66v
77	LCpl TJ Roberts	AS	69.4v	47.4v	49.7v	47.3v	46.3v	49.6v	49.3v	49.5v	71.6v	71.6v 102.7v	45.3v	47.4v	741.61v
78	Dr GP Nelson	XS	67.7v	47.5v	49.6v	47.5v	48.5v	49.3v	48.6v	50.9v	73.7v	73.9v 102.14v	46.3v	41.1v	740.80v
79	Mr R Shouler	X	72.9v	48.5v	50.5v	47.7v	47.4v	46.5v	50.6v	46.2v	74.9v	73.9v 101.12v	43.1v	43.0v	740.74v
80	Mr MCJ Button	XS	72.6v	47.2v	47.2v	50.5v	47.5v	49.7v	47.5v	45.3v	68.4v	70.4v 102.12v	50.7v	46.5v	740.67v
81	Mr C Fitzpatrick	A	73.6v	45.3v	47.4v	47.4v	49.6v	45.2v	49.4v	50.6v	71.4v	72.9v 101.12v	47.5v	44.0v	740.65v
82	Mr JRW Postle	XS	74.10v	48.3v	46.2v	46.2v	49.5v	48.4v	44.2v	49.6v	73.8v	69.5v 100.11v	50.2v	44.3v	740.63v
83	Miss LR McKerrrell	X	69.6v	49.4v	47.3v	47.1v	48.4v	48.5v	44.2v	48.5v	74.10v	71.4v 103.9v	49.4v	43.0v	740.57v
84	Mr B Morris	AS	72.7v	46.4v	48.2v	45.2v	49.8v	49.3v	49.5v	48.5v	72.7v	69.4v 100.14v	46.4v	46.3v	739.68v
85	Mr TJ Bullock	X	69.6v	49.7v	49.6v	48.5v	47.3v	48.2v	45.2v	49.4v	74.10v	72.4v 104.10v	39.2v	46.4v	739.65v
86	Mr MJ Barlow	XS	74.11v	41.3v	46.3v	48.6v	48.2v	47.6v	45.3v	49.6v	74.9v	72.7v 104.16v	46.5v	44.1v	738.78v
87	Mr RB Fitzsimmons	X	71.7v	48.6v	49.7v	47.5v	49.7v	48.5v	48.4v	49.6v	75.7v	63.2v 103.15v	44.2v	44.3v	738.76v
88	Mr NRJ Brasier	XS	73.8v	47.4v	48.5v	48.4v	49.7v	47.6v	47.6v	46.4v	71.7v	71.6v 101.13v	46.3v	44.2v	738.75v
89	Mr TS Keen	A	70.5v	47.3v	48.4v	49.6v	49.7v	47.5v	49.4v	47.5v	72.8v	71.8v 104.11v	40.2v	45.3v	738.71v
90	Mr TP Shaw	XS	70.7v	48.6v	47.5v	49.6v	48.6v	50.4v	48.4v	49.5v	73.8v	71.5v 103.12v	35.2v	47.1v	738.71v
91	Mr NBS Logan	X	71.6v	49.6v	48.6v	46.5v	48.5v	47.2v	50.6v	49.5v	70.6v	69.6v 101.8v	45.3v	45.4v	738.68v
92	Mr D Clark	OS	69.4v	49.3v	47.5v	49.3v	48.6v	46.3v	44.4v	49.9v	74.8v	70.5v 103.10v	45.4v	45.3v	738.67v £ 4
93	Mr TC Cubitt	XS	73.10v	49.7v	47.5v	46.3v	47.3v	49.3v	47.4v	48.2v	73.7v	71.5v 102.12v	47.5v	39.1v	738.67v
94	Mr AJ Leech	AS	73.7v	46.3v	47.3v	47.4v	48.5v	50.6v	47.4v	50.5v	73.6v	66.3v 103.15v	45.1v	43.4v	738.66v
95	Lt CE Holland	XS	71.8v	48.5v	47.3v	48.2v	48.5v	49.5v	49.4v	50.3v	75.9v	68.5v 103.13v	37.1v	45.3v	738.66v
96	Mr RJ Mace	X	73.9v	44.2v	49.6v	46.2v	47.3v	47.6v	47.3v	49.1v	71.8v	71.9v 102.9v	45.4v	47.3v	738.65v
97	Flt Lt LS Crisp	AS	72.5v	47.1v	47.5v	47.5v	46.5v	47.2v	48.4v	48.7v	72.7v	71.8v 104.12v	44.0v	45.3v	738.64v

		DT	DM	Alex	DC	Times	Wimb	Doyle	Dgall	St. G.	POW	King's I	Lovell	Corp	Total
98	Miss EC Brindley	O	70.3v	48.4v	49.5v	46.2v	46.4v	47.4v	49.4v	75.10v	72.5v	103.13v	44.1v	43.0v	738.59v
99	Mr ASO Stewart	XS	74.7v	49.5v	50.7v	47.3v	49.6v	46.6v	48.5v	73.9v	69.4v	101.9v	43.2v	42.3v	737.72v
100	Mr RW Ramage	X	73.9v	48.4v	48.6v	47.6v	47.3v	49.5v	47.4v	71.7v	68.6v	101.10v	43.3v	48.4v	737.70v
101	Mr JF Van Niekerk	OS	73.10v	49.3v	47.6v	48.4v	45.3v	47.4v	48.5v	72.8v	70.6v	104.9v	45.2v	45.2v	737.66v £ 4
102	Mr RR Warren	XS	74.12v	50.3v	45.3v	44.4v	48.3v	43.1v	49.8v	74.9v	74.4v	102.10v	41.0v	45.1v	737.65v
103	Mr TM Drysdale	X	74.9v	48.4v	47.5v	50.3v	50.8v	47.6v	47.3v	71.7v	72.9v	100.6v	42.1v	39.0v	737.65v
104	Mr AD Le Cheminant	XS	71.8v	49.4v	45.3v	47.5v	47.5v	48.4v	43.2v	70.8v	71.6v	101.8v	47.2v	49.6v	737.64v
105	Mrs DE Negus	XS	75.9v	47.2v	45.2v	45.3v	48.2v	47.4v	48.4v	74.8v	69.6v	103.14v	47.5v	41.0v	737.63v
106	Mr JJ Sauer	A	71.8v	46.4v	47.3v	44.3v	48.5v	50.4v	48.4v	71.7v	71.6v	103.8v	45.1v	43.2v	737.61v
107	Mr HJM Awin	X	72.7v	47.4v	49.6v	46.2v	48.2v	46.3v	46.4v	73.9v	70.5v	101.8v	43.2v	48.4v	737.59v
108	Mr EN Munro	XS	75.9v	45.3v	47.1v	46.3v	49.6v	48.2v	48.2v	70.6v	73.7v	102.10v	40.2v	45.1v	737.59v
109	Mr OR Farrell	X	74.8v	44.2v	49.6v	45.1v	48.6v	46.2v	47.4v	73.8v	72.5v	102.9v	45.1v	44.2v	737.57v
110	Mr J Halahan	O	72.8v	47.3v	47.3v	42.3v	49.7v	45.1v	48.6v	73.9v	73.10v	102.9v	44.1v	44.5v	736.71v
111	Mr RJH Birtwistle	X	71.5v	48.5v	46.3v	45.5v	49.5v	47.4v	47.4v	72.11v	70.6v	104.10v	43.4v	46.4v	736.70v
112	Mr FW Cowling	TS	67.2v	49.7v	48.7v	50.1v	48.4v	46.3v	48.3v	74.9v	66.6v	102.11v	44.3v	44.2v	736.65v £ 4
113	Flt Lt S Livingston	X	74.6v	48.5v	47.3v	47.3v	49.7v	44.3v	47.6v	72.6v	71.5v	104.12v	40.0v	46.4v	736.63v
114	Mr LA Reid	XS	74.9v	47.4v	48.5v	47.2v	47.4v	47.4v	50.5v	72.5v	65.3v	102.11v	44.3v	47.3v	736.59v
115	Miss CL Wiseman	OS	68.2v	48.3v	48.3v	43.2v	47.3v	47.4v	46.2v	73.8v	67.4v	104.13v	50.5v	46.4v	736.56v £ 4
116	Mr S Belither	AS	69.6v	47.2v	49.7v	45.3v	50.7v	47.6v	46.4v	70.3v	72.4v	102.13v	49.7v	41.4v	735.73v
117	Mr DR Le Quesne	XS	67.4v	48.5v	46.5v	49.5v	47.6v	46.4v	47.7v	75.11v	71.6v	102.8v	43.2v	46.3v	735.68v
118	Mr WR Steward	O	70.4v	48.6v	48.6v	47.5v	47.3v	46.3v	47.4v	73.6v	66.4v	102.13v	47.3v	45.4v	735.67v
119	Mr JR Tuck	X	71.4v	48.4v	48.4v	49.3v	48.3v	47.2v	47.5v	72.9v	68.6v	98.14v	45.3v	45.3v	735.67v
120	Mr AP Patel	OS	72.7v	46.4v	47.4v	47.4v	48.5v	45.3v	48.6v	73.11v	72.5v	102.11v	43.2v	46.2v	735.67v £ 4
121	Mr JA Watson	XS	72.8v	49.6v	48.3v	50.5v	50.5v	47.6v	47.5v	71.7v	70.5v	101.6v	39.1v	45.2v	735.63v
122	Mr PA Hatfield	AS	72.6v	45.5v	49.3v	49.6v	46.6v	46.2v	43.5v	75.7v	72.6v	103.10v	46.3v	42.0v	735.62v
123	Mr SP Harding	XS	73.11v	48.4v	47.3v	42.1v	49.5v	46.4v	49.5v	75.9v	71.4v	102.10v	40.1v	47.3v	735.62v
124	Mr PJR Holden	XS	70.5v	50.5v	49.4v	47.6v	47.3v	49.2v	46.5v	71.5v	70.6v	100.9v	48.4v	43.1v	735.61v
125	Capt NJ Ball	X	65.3v	47.3v	47.4v	49.4v	45.3v	46.5v	49.5v	71.6v	71.4v	105.14v	47.4v	43.1v	735.61v
126	Mr DJ Blake	X	72.5v	50.6v	49.4v	44.3v	49.5v	43.3v	47.2v	72.7v	72.3v	100.7v	48.3v	39.1v	735.54v
127	Col C Bohlman	XS	75.10v	50.8v	50.4v	43.3v	48.5v	47.5v	44.2v	70.5v	74.8v	99.9v	46.3v	43.3v	734.69v
128	Mr JRL Burch	XS	72.7v	48.4v	47.4v	49.7v	46.3v	44.2v	48.4v	70.7v	71.9v	100.12v	46.4v	45.2v	734.66v
129	Mr JR Allum	A	72.9v	47.3v	49.4v	49.5v	48.5v	45.3v	48.7v	69.2v	69.7v	103.11v	46.2v	42.3v	734.65v
130	Dr JHN Pattison	A	73.9v	47.6v	49.5v	47.1v	48.5v	46.1v	49.3v	73.7v	70.8v	102.9v	45.4v	39.1v	734.63v
131	Mr JPL Sweet	OS	73.7v	45.2v	50.6v	46.4v	46.3v	49.3v	43.1v	73.8v	73.8v	102.9v	44.4v	41.1v	734.61v £ 4
132	Mr A Rieger	OS	72.6v	48.4v	45.1v	49.4v	49.6v	50.4v	44.2v	73.8v	68.3v	101.9v	45.2v	42.3v	734.58v £ 4
133	Mr RA Webb	A	70.4v	48.2v	48.6v	44.3v	46.2v	47.2v	50.4v	71.6v	70.4v	103.11v	47.5v	43.1v	734.55v
134	Mr GK Alexander	X	71.6v	47.2v	46.3v	48.3v	48.2v	46.3v	46.2v	72.8v	69.3v	102.12v	46.1v	47.4v	734.52v
135	Mr TZ Maxwell Randeria	AS	66.2v	47.2v	48.4v	48.4v	47.1v	46.6v	46.3v	73.6v	68.2v	101.8v	45.1v	50.3v	734.45v
136	Mr MJ Purdy	X	74.12v	48.6v	48.6v	45.4v	50.6v	48.7v	45.3v	71.9v	66.3v	104.10v	46.5v	39.5v	733.84v
137	Miss V Churchouse	OS	72.6v	44.3v	46.4v	48.3v	48.5v	48.4v	49.6v	72.11v	73.11v	101.9v	43.2v	43.2v	733.71v £ 4
138	Miss IJ Cameron	AS	72.6v	49.7v	47.3v	45.4v	47.6v	47.3v	48.7v	72.5v	69.6v	102.8v	41.2v	45.2v	733.67v
139	Mr JC Underwood	XS	69.5v	48.6v	48.6v	45.4v	49.3v	48.6v	50.6v	71.4v	68.4v	104.12v	45.2v	39.0v	733.66v
140	LCpl HG Asquith-Beard	A	74.8v	48.5v	46.4v	49.6v	46.4v	48.4v	46.0v	73.8v	68.4v	98.11v	45.3v	45.2v	733.65v
141	Mr MJ Keel	XS	72.7v	45.1v	46.4v	43.1v	47.5v	48.2v	48.3v	74.9v	70.5v	102.11v	48.5v	41.3v	733.61v
142	Mr S Bland	XS	72.5v	45.1v	49.5v	48.3v	50.8v	49.7v	45.3v	74.9v	72.6v	102.5v	40.2v	40.3v	733.60v
143	Mr BJ Semmler	XS	70.7v	44.3v	47.3v	46.4v	49.5v	48.6v	47.4v	73.12v	66.5v	104.11v	48.5v	42.2v	732.73v
144	Mr EA Sewell	XS	70.7v	46.1v	49.5v	45.3v	50.5v	44.5v	46.4v	73.6v	74.11v	101.11v	45.4v	41.2v	732.68v
145	Mr M Liversage	X	71.7v	47.3v	49.4v	42.2v	46.2v	49.6v	48.4v	72.8v	69.4v	100.13v	47.4v	43.3v	732.67v
146	Mr RCT Jeens	XS	71.8v	47.4v	48.3v	43.2v	49.5v	48.5v	46.6v	69.6v	71.5v	102.11v	44.2v	44.3v	732.66v
147	Mr JWE Lewis	AS	69.4v	49.5v	47.5v	48.4v	44.4v	48.4v	47.4v	71.7v	70.5v	99.11v	45.3v	46.3v	732.65v
148	Mr G Holliday	XS	69.5v	50.6v	48.3v	49.6v	46.4v	48.3v	42.1v	71.7v	73.7v	99.12v	44.1v	44.2v	732.63v
149	Mr RH Kitson	XS	73.6v	47.4v	46.3v	48.6v	47.4v	46.3v	43.1v	73.7v	71.6v	102.12v	44.2v	42.1v	732.61v
150	Mr SAJ Dowley	XS	71.8v	47.3v	46.4v	47.4v	49.6v	48.2v	46.2v	69.4v	70.8v	100.7v	47.3v	43.3v	732.59v

151	Miss JH Messer	X	69.6v	46.4v	47.5v	48.4v	47.3v	49.5v	45.3v	49.4v	71.7v	72.5v	99.11v	46.0v	44.2v	732.59v
152	Mr RW Sandlant	X	72.7v	47.4v	45.4v	47.4v	47.3v	47.2v	48.4v	48.6v	73.7v	68.4v	101.9v	45.3v	44.2v	732.59v
153	Mrs SP Thorogood	X	72.5v	45.2v	48.5v	47.3v	47.3v	44.3v	49.4v	47.5v	72.8v	71.4v	99.9v	45.3v	46.4v	732.58v
154	Mr LG Skingley	O	73.7v	49.4v	44.2v	46.2v	49.3v	46.4v	46.4v	46.4v	73.8v	70.5v	100.8v	43.1v	47.4v	732.56v
155	Mrs HV Golaszewski	O	72.9v	47.3v	48.3v	45.1v	47.5v	47.3v	47.3v	48.4v	68.6v	69.5v	100.4v	47.3v	47.4v	732.53v
156	Mr RA Welford	O	70.6v	46.4v	47.4v	49.4v	49.7v	46.4v	47.4v	42.1v	73.9v	72.7v	101.11v	43.4v	46.2v	731.67v
157	Mr NS Gibbins	X	74.9v	49.7v	48.4v	43.3v	49.6v	46.2v	46.4v	48.7v	74.9v	70.4v	98.5v	41.4v	45.1v	731.65v
158	Mr JAM Paton	X	69.3v	48.5v	45.2v	46.5v	49.4v	47.5v	47.4v	48.6v	72.8v	67.5v	99.9v	46.3v	48.5v	731.64v
159	Mr TL Bedwell	A	68.3v	47.4v	47.6v	47.2v	48.4v	48.4v	48.4v	49.8v	71.8v	70.8v	97.7v	48.5v	43.1v	731.64v
160	Maj HCM Bennett	O	70.7v	47.4v	46.2v	46.5v	48.0v	47.5v	47.4v	49.5v	67.7v	70.7v	104.11v	47.5v	43.1v	731.63v
161	Mr ND Stangroom	O	73.6v	41.3v	47.3v	46.3v	49.5v	48.2v	46.4v	49.5v	73.7v	68.6v	103.10v	46.3v	42.3v	731.60v
162	Lt Col DG Hindmarsh	X	69.5v	48.4v	49.6v	49.4v	46.4v	45.2v	47.4v	48.3v	72.7v	73.6v	102.10v	41.2v	42.3v	731.60v
163	Mr DG Young	X	74.8v	46.4v	48.2v	47.2v	49.5v	47.5v	45.2v	50.6v	72.6v	70.7v	100.8v	43.2v	40.3v	731.60v
164	Mr DFP Richards	X	65.3v	48.4v	44.3v	45.3v	49.5v	49.5v	49.5v	48.7v	73.4v	68.2v	102.14v	45.2v	46.2v	731.59v
165	Mr RM Hatcher	X	68.3v	48.3v	47.5v	47.4v	48.6v	48.1v	45.3v	50.4v	74.7v	69.1v	101.13v	48.5v	38.1v	731.56v
166	Mr AR Radkovskii	X	73.4v	47.4v	48.3v	48.4v	46.4v	47.3v	46.2v	49.5v	71.8v	70.5v	96.6v	45.2v	45.5v	731.55v
167	Mr JL Iliff	X	73.9v	48.5v	48.5v	47.5v	48.6v	50.4v	48.5v	47.5v	70.7v	66.3v	99.10v	42.1v	44.3v	730.68v
168	Miss NJ Sales Scott	A	72.4v	44.2v	49.7v	45.4v	50.7v	46.5v	45.2v	50.7v	72.7v	71.7v	97.7v	46.4v	43.1v	730.64v
169	Mr AC Thomson	A	73.4v	47.5v	48.5v	40.2v	49.5v	50.6v	48.5v	48.6v	71.8v	67.3v	99.8v	44.2v	46.2v	730.61v
170	Mr AM Bullen	A	70.6v	46.6v	49.5v	47.3v	46.5v	44.3v	47.4v	46.6v	74.6v	67.3v	100.9v	49.2v	45.1v	730.59v
171	Mr M Ghorashi	T	71.4v	46.4v	49.5v	44.2v	48.6v	46.4v	49.1v	46.3v	68.6v	71.6v	103.12v	46.4v	43.2v	730.59v
172	Mr CP Weeden	X	68.1v	47.3v	46.2v	45.3v	49.6v	47.4v	45.3v	46.2v	70.9v	74.6v	102.14v	45.1v	46.3v	730.57v
173	Mr WDH Burden	A	72.4v	47.2v	49.5v	49.5v	46.2v	45.3v	44.4v	46.2v	73.8v	73.8v	99.7v	46.2v	41.4v	730.56v
174	Air Cdre WD Cooper	X	69.5v	49.2v	42.1v	45.4v	46.2v	49.5v	47.6v	49.5v	71.6v	71.5v	103.7v	45.2v	44.5v	730.55v
175	Miss DF Harrison	O	73.7v	45.2v	48.5v	47.0v	48.4v	44.3v	43.3v	48.5v	74.7v	67.5v	101.8v	43.0v	49.3v	730.52v
176	Mr J Wallace	A	71.4v	49.2v	45.2v	46.5v	49.8v	47.5v	47.2v	45.2v	70.4v	71.4v	101.7v	44.0v	45.5v	730.50v
177	Mr OJ Rolfe	O	67.1v	49.3v	48.5v	47.3v	46.2v	45.2v	49.5v	49.4v	73.6v	68.6v	99.6v	44.0v	46.1v	730.44v
178	Mr HJ Hamlyn	O	71.8v	47.5v	48.5v	46.5v	48.3v	43.4v	47.6v	47.4v	71.10v	70.8v	104.11v	44.2v	43.3v	729.74v
179	Mr CB Cotillard	A	73.11v	46.3v	47.3v	41.1v	49.8v	45.3v	47.5v	50.7v	72.9v	69.8v	100.8v	48.2v	42.4v	729.72v
180	Dr NW Hocking	X	70.7v	48.5v	47.7v	45.1v	47.5v	48.5v	43.3v	49.5v	74.11v	71.7v	97.9v	45.4v	45.2v	729.71v
181	Mr T Craig-Fleming	A	73.7v	46.3v	47.5v	40.2v	48.6v	49.3v	48.6v	45.3v	74.7v	71.5v	98.11v	45.5v	45.4v	729.67v
182	Mr EC Dickson	A	68.3v	48.1v	48.6v	45.2v	48.7v	47.4v	48.5v	48.7v	73.7v	72.9v	99.10v	42.2v	43.1v	729.64v
183	Mr M Hartung	O	70.5v	45.1v	46.5v	47.2v	47.2v	46.2v	49.6v	48.5v	71.8v	69.6v	100.9v	44.1v	47.3v	729.55v
184	Mr CES Dickenson	X	71.4v	45.0v	49.5v	45.3v	48.5v	47.5v	47.5v	48.7v	69.5v	71.2v	100.8v	46.3v	43.2v	729.54v
185	Mr HL Yiu	T	69.5v	48.4v	45.1v	49.5v	47.4v	45.3v	46.2v	48.4v	70.7v	73.5v	102.10v	44.2v	43.2v	729.54v
186	Dr JR Deane	O	70.1v	48.4v	49.7v	45.4v	46.4v	46.2v	46.3v	50.5v	73.7v	72.5v	100.9v	47.0v	37.2v	729.53v
187	Mr J Pugsley MRCVS	A	69.5v	48.1v	48.2v	49.6v	49.6v	45.3v	46.2v	44.2v	74.11v	69.1v	99.7v	43.3v	46.3v	729.52v
188	Mr JM Wilson	X	70.5v	49.6v	49.6v	44.2v	48.6v	44.1v	47.4v	49.6v	74.11v	68.5v	101.10v	45.3v	40.2v	728.67v
189	Mr W Cowen	A	68.5v	46.3v	49.6v	47.5v	48.5v	43.1v	45.4v	49.7v	71.6v	69.5v	103.9v	49.5v	41.3v	728.64v
190	Mr T Smith	A	70.7v	49.6v	48.4v	45.3v	49.5v	45.2v	43.2v	48.5v	69.5v	70.8v	100.7v	48.4v	44.3v	728.61v
191	Mr WG Woodman	X	70.8v	49.4v	48.5v	47.6v	49.6v	46.4v	48.3v	49.3v	69.5v	68.4v	98.8v	42.2v	45.2v	728.60v
192	Mr R Edwards	O	67.6v	45.4v	47.4v	44.3v	50.8v	48.4v	49.3v	49.4v	72.4v	66.4v	101.8v	49.5v	41.1v	728.58v
193	Sgt SDJ Glanville	X	73.9v	45.3v	49.4v	42.3v	50.2v	50.8v	41.2v	46.3v	73.6v	72.7v	102.9v	44.1v	41.0v	728.57v
194	Mr A Bhagat	A	74.6v	48.5v	44.1v	48.4v	50.6v	43.2v	44.3v	48.6v	74.9v	64.1v	104.11v	45.0v	42.2v	728.56v
195	Miss RM Weinberger	O	70.4v	45.2v	50.1v	48.3v	48.5v	46.5v	45.4v	48.6v	71.7v	71.5v	98.7v	43.1v	45.5v	728.55v
196	Mr R Celesia	O	71.6v	42.0v	48.3v	48.6v	49.7v	45.1v	48.4v	48.3v	68.6v	71.6v	102.6v	46.2v	42.1v	728.51v
197	Mrs LE Haley	A	69.4v	47.4v	47.3v	47.4v	46.4v	47.4v	45.2v	49.7v	73.10v	69.8v	98.8v	47.6v	43.2v	727.66v
198	Mr TJ Bourne	A	68.3v	47.6v	47.3v	45.5v	48.6v	50.3v	45.3v	49.5v	71.6v	68.4v	101.9v	44.2v	44.2v	727.57v
199	Mr ERG Phillips	T	74.10v	44.4v	46.4v	49.3v	50.4v	45.2v	42.0v	47.3v	71.4v	68.7v	100.9v	47.3v	44.3v	727.56v
200	Dr AE Hoile	X	72.6v	48.4v	48.6v	47.4v	47.3v	43.1v	46.6v	48.5v	72.7v	70.4v	99.7v	43.1v	44.2v	727.56v
201	Cdre Y Roberts	X	71.6v	48.4v	49.5v	46.1v	49.2v	46.4v	46.2v	48.2v	73.10v	69.4v	95.8v	45.4v	42.3v	727.55v
202	Mr FJS Reis	O	67.4v	50.6v	49.4v	43.2v	47.2v	50.4v	45.1v	49.6v	74.8v	68.4v	101.7v	43.1v	41.3v	727.52v
203	Maj GR Jeal	A	69.6v	48.2v	47.6v	47.2v	48.4v	48.3v	46.2v	45.4v	71.7v	68.5v	99.5v	46.3v	45.2v	727.51v
204	Mr BJ Le Cheminant	X	67.2v	49.1v	48.5v	45.6v	46.4v	44.2v	48.1v	49.3v	70.5v	70.3v	99.7v	44.2v	48.5v	727.46v
205	Mr NE Harvey	O	67.2v	49.4v	45.2v	48.3v	47.3v	46.2v	45.3v	49.7v	70.3v	69.2v	101.5v	46.3v	45.2v	727.41v
206	Mr AP Barnes	A	71.7v	45.3v	46.1v	45.3v	49.5v	45.5v	47.4v	47.6v	71.9v	71.5v	105.13v	47.2v	37.3v	726.66v
207	Mr JEM Bellringer	X	68.6v	48.3v	50.5v	47.3v	50.4v	39.0v	45.3v	47.4v	73.10v	67.5v	98.11v	47.3v	47.3v	726.60v
208	Mr BA Young	O	70.6v	48.5v	48.5v	47.5v	49.4v	45.3v	44.2v	47.4v	71.5v	68.4v	100.12v	45.2v	44.3v	726.60v
209	Mr M Rewston	O	69.4v	46.4v	49.3v	47.4v	43.2v	45.5v	48.3v	50.3v	74.12v	69.3v	105.12v	47.4v	34.1v	726.60v
210	Mr G Wood	O	71.7v	47.3v	45.3v	47.4v	48.4v	48.2v	45.3v	49.5v	73.8v	68.5v	104.11v	42.2v	39.2v	726.59v
211	Sir CF Sykes	O	69.6v	45.3v	50.5v	45.1v	48.4v	45.5v	46.3v	48.4v	73.10v	69.3v	99.6v	44.4v	45.4v	726.58v

212	Mr JA Bullock	X	69.2v	47.4v	49.7v	46.4v	47.5v	49.3v	47.5v	48.7v	72.7v	65.3v	101.7v	43.2v	43.1v	726.57v
213	Mr H Sanders	A	71.9v	47.2v	48.5v	47.5v	50.5v	44.2v	47.3v	49.4v	73.8v	65.1v	100.10v	42.3v	43.0v	726.57v
214	Mrs LK Mace	X	69.6v	47.3v	46.4v	49.5v	47.5v	49.4v	46.4v	47.2v	68.6v	68.5v	100.8v	45.1v	45.3v	726.56v
215	Mrs R Merridew	O	72.6v	48.2v	46.3v	43.3v	48.4v	49.4v	48.7v	47.5v	68.7v	69.4v	99.7v	47.1v	42.0v	726.53v
216	Mr MG Maingi	O	72.1v	44.3v	47.3v	44.1v	49.7v	50.4v	46.2v	47.0v	71.7v	71.6v	97.7v	44.4v	44.3v	726.48v
217	Mr MI Buchanan	A	71.7v	48.6v	50.5v	45.1v	46.2v	47.4v	46.5v	45.2v	73.10v	69.6v	97.7v	44.5v	44.6v	725.66v
218	Mr NC Mace	X	69.7v	45.3v	48.5v	48.4v	47.4v	46.3v	44.2v	47.6v	69.3v	69.7v	104.13v	45.2v	44.2v	725.61v
219	Mr N Anderson	O	72.6v	49.7v	43.3v	47.4v	47.3v	45.2v	46.5v	46.0v	69.7v	72.7v	101.11v	45.3v	43.1v	725.59v
220	Miss KE Farley	A	72.7v	48.5v	47.6v	47.2v	49.2v	47.4v	48.5v	48.4v	71.6v	69.7v	100.9v	41.1v	38.0v	725.58v
221	Mr BMA Stevens	A	71.5v	45.3v	49.4v	47.4v	46.0v	44.2v	47.4v	45.5v	73.7v	70.6v	101.13v	46.1v	41.1v	725.55v
222	Miss AR Xu	T	67.5v	48.5v	45.1v	46.3v	47.6v	48.5v	48.3v	47.4v	72.7v	70.5v	102.7v	47.0v	38.1v	725.52v
223	Mr BZ Danziger	X	73.10v	49.5v	50.6v	47.2v	48.5v	46.5v	46.7v	49.5v	73.11v	74.6v	99.9v	42.3v	28.2v	724.76v
224	Mr D Wild	O	73.8v	46.3v	43.4v	50.8v	46.5v	49.5v	45.3v	46.5v	70.6v	72.7v	96.6v	46.3v	42.3v	724.66v
225	Mr GED Hart	X	71.4v	45.2v	50.8v	44.3v	47.3v	49.5v	40.1v	49.5v	73.10v	71.7v	105.13v	43.2v	37.0v	724.63v
226	Mr MD Joyce	O	72.5v	45.1v	45.1v	45.5v	47.4v	47.6v	47.5v	47.3v	74.12v	64.5v	100.10v	45.2v	46.3v	724.62v
227	Mr PM de Voil	O	73.8v	48.4v	48.4v	44.3v	49.4v	46.3v	45.3v	45.1v	71.3v	70.7v	97.7v	45.3v	43.4v	724.54v
228	Mr WCP Richards	X	72.7v	47.4v	45.2v	45.3v	47.3v	47.3v	42.3v	50.6v	69.1v	67.5v	104.8v	45.4v	44.3v	724.52v
229	Mr D Morris	A	69.7v	47.2v	48.3v	40.3v	48.3v	48.2v	49.6v	48.4v	70.5v	70.4v	99.9v	44.3v	44.1v	724.52v
230	Mr NN Thompson	A	68.5v	47.5v	48.4v	47.3v	46.2v	48.3v	47.5v	46.1v	70.3v	69.5v	97.9v	47.4v	44.1v	724.50v
231	Mr CK Saina	X	68.4v	47.4v	46.3v	48.4v	46.5v	45.2v	49.5v	47.0v	71.2v	67.5v	101.8v	46.4v	43.0v	724.46v
232	Mr JT Foster	X	71.5v	46.2v	42.2v	45.4v	47.3v	48.2v	49.3v	47.3v	71.6v	70.5v	102.8v	46.2v	40.1v	724.46v
233	Mr SD Shouler	A	66.5v	47.3v	46.2v	48.8v	47.6v	46.2v	47.5v	49.5v	68.6v	72.10v	99.8v	46.1v	42.3v	723.64v
234	Capt KJA Johnson	O	67.4v	49.4v	49.6v	46.4v	46.3v	48.6v	47.2v	50.6v	69.7v	68.1v	98.9v	42.2v	44.4v	723.58v
235	Mr D de Vere	X	72.8v	44.2v	47.3v	47.2v	46.5v	45.2v	48.3v	49.7v	73.8v	71.8v	100.8v	38.1v	43.1v	723.58v
236	Mr SNS Penrose	A	72.6v	45.3v	46.4v	35.1v	49.2v	46.3v	48.3v	45.3v	73.8v	70.7v	102.11v	47.4v	45.2v	723.57v
237	Mr JGM Webster	A	67.4v	47.4v	47.2v	46.3v	46.4v	44.3v	48.4v	47.4v	69.4v	67.7v	103.13v	47.3v	45.2v	723.57v
238	Mr WJM Bacon	O	71.7v	48.7v	46.5v	42.0v	49.4v	46.5v	44.3v	47.2v	73.5v	70.6v	100.10v	45.3v	42.0v	723.57v
239	Mr APW Daw	A	68.3v	45.3v	49.3v	46.0v	48.5v	46.4v	48.6v	49.8v	71.3v	69.6v	100.7v	46.5v	38.1v	723.54v
240	Dr AM Jory	X	72.7v	47.4v	46.2v	48.8v	48.4v	46.3v	46.2v	45.3v	74.7v	66.2v	102.9v	41.0v	42.2v	723.53v
241	Mr B Soelzer	T	68.4v	47.2v	46.1v	46.5v	49.3v	47.4v	46.4v	45.4v	70.4v	73.2v	97.9v	44.4v	45.1v	723.47v
242	Miss AA Weinberger	A	72.5v	47.3v	36.1v	47.5v	48.7v	48.4v	50.8v	49.7v	73.8v	71.6v	99.10v	45.4v	37.2v	722.70v
243	Mr RJS Curtis	A	67.3v	48.6v	43.2v	48.5v	50.7v	50.7v	46.3v	47.5v	70.8v	66.1v	103.13v	43.4v	41.1v	722.65v
244	Mr JA Bideau	O	69.6v	49.7v	47.4v	47.3v	49.4v	47.4v	44.5v	48.6v	72.8v	71.4v	101.10v	38.2v	40.1v	722.64v
245	Mr SA Hunting	O	71.7v	46.3v	50.7v	45.3v	47.3v	41.3v	43.2v	49.5v	72.9v	65.2v	101.10v	47.4v	45.4v	722.62v
246	Ms RA Woodhouse	A	71.9v	45.2v	48.5v	48.7v	47.4v	44.4v	45.3v	48.2v	72.3v	69.7v	102.11v	43.1v	40.3v	722.61v
247	Dr HPC Bramwell	A	73.10v	45.2v	48.3v	47.3v	46.5v	49.4v	46.2v	48.5v	72.8v	68.4v	98.7v	46.2v	36.1v	722.56v
248	Mr KWD Ramsey	X	65.1v	46.2v	46.2v	47.5v	49.4v	46.3v	49.3v	44.2v	72.9v	69.7v	103.9v	40.2v	46.4v	722.53v
249	Maj AW Gill	X	66.3v	47.3v	50.4v	45.3v	48.4v	46.3v	46.3v	50.5v	72.10v	69.3v	102.10v	40.2v	41.0v	722.53v
250	Mr CA Skellett	O	72.7v	46.4v	48.5v	45.3v	46.3v	48.3v	45.3v	46.3v	69.3v	71.7v	100.8v	43.2v	43.1v	722.52v
251	Mr AG Simpson	T	74.6v	49.3v	47.6v	46.2v	46.3v	47.3v	48.4v	46.5v	70.5v	70.4v	102.7v	34.1v	43.1v	722.50v
252	Mr EBDs Reis	O	67.2v	47.4v	49.4v	45.1v	47.3v	44.2v	48.3v	48.3v	70.6v	71.5v	103.12v	45.3v	38.1v	722.49v
253	Dr B Winney	O	70.5v	47.2v	44.3v	47.2v	47.3v	48.3v	46.4v	45.2v	72.8v	70.2v	101.10v	46.3v	39.1v	722.48v
254	Mr MCS Breitmeyer	T	67.1v	47.2v	45.0v	48.4v	48.3v	45.3v	46.2v	48.5v	69.7v	68.5v	98.8v	45.3v	48.4v	722.47v
255	Mr BWG Everett	O	72.7v	47.4v	46.5v	38.1v	48.4v	46.4v	49.7v	48.5v	73.9v	69.8v	103.11v	38.4v	44.3v	721.72v
256	Mr GL Rantile	X	74.8v	41.0v	47.5v	47.5v	49.6v	46.1v	48.6v	44.3v	71.7v	72.8v	99.9v	40.2v	43.4v	721.64v
257	Mr JM Taylor	A	71.10v	45.2v	50.2v	45.5v	46.4v	46.4v	46.4v	47.4v	71.6v	71.7v	101.11v	40.2v	42.1v	721.62v
258	Dr KA Fleck	X	73.9v	47.5v	47.2v	41.2v	48.3v	49.7v	46.3v	46.5v	71.6v	64.1v	100.9v	46.4v	43.3v	721.59v
259	Mr IDC Brechin	O	72.7v	47.3v	47.4v	49.6v	49.5v	47.2v	39.1v	49.4v	70.6v	68.7v	103.11v	45.1v	36.2v	721.59v
260	Mr WA Morris	O	66.5v	48.6v	50.5v	47.4v	46.3v	43.1v	45.3v	48.6v	70.4v	73.8v	97.0v	42.0v	46.2v	721.47v
261	Mr AM Poulton	X	72.8v	48.6v	44.2v	46.3v	45.3v	48.5v	46.3v	49.4v	72.11v	70.6v	102.10v	45.6v	33.0v	720.67v
262	Miss KF Noble	T	71.7v	46.5v	50.5v	44.1v	48.5v	49.4v	45.5v	45.3v	68.6v	70.5v	99.12v	43.2v	42.1v	720.61v
263	Mr RR Grisenthwaite	A	68.5v	46.2v	42.2v	41.2v	48.5v	47.3v	47.7v	47.7v	72.6v	71.6v	97.6v	46.5v	48.3v	720.59v
264	Miss ZKN Moir	T	68.3v	48.4v	50.7v	49.6v	49.4v	46.3v	41.0v	49.8v	68.3v	72.6v	102.10v	42.2v	36.1v	720.57v
265	Mr AM Sadler	A	73.8v	44.3v	48.2v	49.2v	46.4v	44.3v	46.4v	49.4v	70.9v	70.7v	98.7v	43.3v	40.0v	720.56v
266	Mr E Chapman-Sheath	T	72.3v	47.2v	48.4v	47.4v	47.5v	45.3v	41.3v	44.1v	71.7v	70.9v	99.9v	45.2v	44.3v	720.55v
267	Mr J Nicholas	O	72.5v	44.4v	47.5v	45.1v	49.2v	48.3v	44.3v	48.5v	71.6v	71.5v	97.11v	43.4v	41.1v	720.55v
268	Mrs SR Hinde	O	67.5v	46.3v	46.0v	47.4v	46.4v	44.2v	46.4v	47.2v	74.8v	71.7v	98.8v	43.3v	45.3v	720.53v
269	Mr BA Vary	T	72.4v	45.2v	50.7v	48.2v	45.4v	47.6v	45.2v	49.6v	70.4v	71.7v	99.6v	39.0v	40.3v	720.53v
270	Mr MR Clewer	O	69.2v	46.1v	48.4v	50.6v	46.4v	48.3v	39.1v	47.3v	72.8v	71.7v	95.5v	45.4v	44.2v	720.50v
271	Mr JS Mehta	A	72.5v	45.2v	42.1v	46.3v	48.7v	46.5v	46.1v	46.7v	71.3v	69.6v	100.6v	45.2v	44.2v	720.50v

272	Mr MJ OLeary	O	70.2v	47.2v	48.6v	46.3v	47.3v	47.1v	46.5v	43.2v	73.9v	69.6v	102.8v	43.1v	39.1v	720.49v
273	Mr Al Brown	O	70.4v	47.4v	48.3v	48.3v	46.2v	44.1v	45.4v	49.5v	73.8v	68.4v	100.7v	40.2v	42.1v	720.48v
274	Mr DN Lindsay	O	71.5v	48.4v	44.1v	44.3v	47.1v	47.2v	47.3v	46.4v	71.5v	66.3v	103.9v	43.1v	43.2v	720.43v
275	Mr BDW Parsons	A	74.9v	50.4v	46.5v	43.4v	48.7v	44.4v	47.3v	40.4v	74.8v	67.5v	103.10v	41.1v	42.3v	719.67v
276	Mr RA Dyball	A	68.6v	48.6v	44.3v	48.4v	48.5v	47.5v	47.4v	49.4v	74.7v	67.1v	100.9v	38.0v	41.3v	719.57v
277	Mr OM Pryke	A	72.7v	48.4v	49.5v	44.0v	48.7v	44.3v	46.4v	45.2v	69.4v	70.8v	99.6v	38.1v	47.5v	719.56v
278	Mr P Chapman-Sheath	X	67.5v	45.0v	49.6v	46.3v	45.2v	48.6v	46.5v	47.4v	73.8v	69.7v	99.7v	45.2v	40.1v	719.56v
279	Mr RE Jackson	A	71.4v	45.2v	48.6v	43.4v	45.1v	46.5v	48.5v	45.3v	72.3v	72.6v	102.12v	47.4v	35.1v	719.56v
280	Mr NJ Verduyn	A	70.7v	48.3v	44.2v	45.2v	48.6v	45.2v	47.6v	47.6v	72.4v	67.5v	97.5v	43.2v	46.4v	719.54v
281	Mr G Childs	A	75.6v	47.4v	44.4v	45.2v	42.2v	45.4v	50.6v	47.3v	73.8v	64.2v	97.7v	47.4v	43.0v	719.52v
282	Mr SP OBrien	O	67.1v	47.5v	46.4v	45.1v	45.2v	47.3v	47.4v	48.4v	73.8v	68.4v	101.11v	45.3v	40.0v	719.50v
283	Mr AF Donald	O	68.3v	47.3v	48.5v	47.2v	47.1v	47.2v	46.3v	44.3v	71.6v	71.6v	99.7v	42.2v	42.1v	719.44v
284	Mr OM Hudson	O	69.4v	49.7v	45.6v	46.6v	45.3v	47.4v	49.2v	46.3v	69.7v	65.5v	100.10v	46.3v	42.2v	718.62v
285	Miss AE Jallot	O	71.6v	44.1v	49.7v	41.3v	47.4v	46.4v	50.7v	43.4v	73.9v	67.3v	103.9v	45.3v	39.1v	718.61v
286	Mr RW Hallows	X	67.2v	46.5v	50.6v	45.2v	47.4v	47.4v	42.3v	50.5v	72.6v	71.8v	100.11v	44.4v	37.1v	718.61v
287	Ms MF Fletcher	X	71.9v	50.5v	47.2v	46.3v	49.6v	47.5v	49.3v	47.2v	71.5v	68.6v	99.12v	40.1v	34.2v	718.61v
288	Miss JL Williams	T	71.5v	46.4v	45.4v	48.5v	46.5v	46.4v	44.1v	43.2v	69.4v	69.5v	99.9v	47.5v	45.6v	718.59v
289	Mr C Kiptarus	X	68.7v	48.5v	49.4v	48.6v	48.6v	45.3v	43.1v	49.4v	69.4v	73.9v	101.8v	44.2v	33.0v	718.59v
290	Mr WA Odhiambo	X	74.7v	45.2v	45.2v	44.2v	43.3v	37.1v	48.5v	47.4v	74.4v	71.10v	100.11v	44.4v	46.1v	718.56v
291	Mr DJG Phillips	T	68.6v	49.3v	49.7v	46.2v	45.2v	48.4v	40.2v	49.6v	70.6v	69.5v	103.11v	42.1v	40.1v	718.56v
292	Dr G Stewart	A	70.5v	44.2v	49.4v	44.3v	45.4v	45.3v	47.3v	48.7v	69.5v	67.4v	102.9v	45.3v	43.2v	718.54v
293	Miss LS Nichol	T	72.4v	45.4v	48.5v	43.1v	49.8v	45.2v	48.2v	48.6v	73.9v	68.6v	101.5v	46.1v	32.1v	718.54v
294	Mr K Shomber	X	68.7v	47.4v	45.1v	48.3v	44.0v	46.3v	47.4v	49.6v	72.9v	70.7v	101.7v	39.1v	42.0v	718.52v
295	Mr RM Roberts	A	69.5v	46.3v	48.5v	48.4v	48.4v	44.3v	47.4v	45.3v	74.7v	71.3v	101.9v	38.1v	39.1v	718.52v
296	Mrs MJ Nathan	O	68.5v	49.3v	43.2v	45.3v	48.7v	42.2v	45.3v	49.5v	68.2v	70.2v	98.8v	46.4v	47.3v	718.49v
297	Miss SR Holden	T	67.2v	47.4v	47.7v	41.2v	48.4v	45.2v	45.1v	47.4v	73.6v	68.3v	103.9v	45.1v	42.1v	718.46v
298	Mr LR Coventry	O	67.4v	49.5v	47.4v	45.3v	44.3v	47.4v	48.4v	48.2v	73.5v	72.7v	94.3v	39.1v	45.1v	718.46v
299	Mr BG Harrigan	O	71.5v	46.1v	41.2v	48.2v	47.3v	46.2v	45.1v	46.5v	68.4v	71.7v	99.6v	45.3v	45.3v	718.44v
300	Dr I Ashworth	O	68.2v	47.1v	45.3v	47.3v	44.2v	46.2v	46.6v	48.5v	71.6v	68.4v	97.4v	47.1v	44.3v	718.42v
301	Capt N Lowe	T	68.2v	48.4v	45.2v	41.2v	48.3v	47.2v	44.2v	45.1v	72.7v	72.4v	102.7v	43.1v	43.4v	718.41v
302	Miss NE Barnes	O	70.7v	40.0v	47.2v	46.5v	46.6v	46.2v	48.4v	48.3v	71.7v	71.8v	100.13v	45.4v	39.0v	717.61v
303	Mr GW Rowe	X	68.6v	48.4v	49.4v	44.2v	48.3v	48.5v	36.0v	50.5v	69.7v	69.5v	100.11v	48.5v	40.2v	717.59v
304	Mr PA Maher	A	72.8v	46.3v	47.3v	40.2v	47.3v	40.1v	49.5v	50.6v	72.6v	70.6v	99.10v	45.4v	40.0v	717.57v
305	Mr D Raiber	O	70.5v	44.1v	47.6v	44.4v	47.5v	45.4v	49.3v	46.5v	71.6v	68.4v	102.9v	46.2v	38.2v	717.56v
306	Mr DK Kirui	A	69.3v	46.3v	46.2v	47.3v	44.1v	47.7v	48.3v	48.6v	70.5v	66.5v	99.7v	48.6v	39.1v	717.52v
307	Mr JJ Chebii	O	68.4v	46.4v	47.5v	48.5v	46.3v	47.2v	43.3v	48.3v	72.6v	71.3v	96.9v	41.1v	44.3v	717.51v
308	Miss ER Cunningham	T	70.5v	45.3v	48.4v	44.4v	47.2v	48.3v	44.1v	49.3v	74.6v	64.3v	101.9v	39.2v	44.1v	717.46v
309	Mr PS Holmes	O	67.7v	43.1v	48.5v	47.4v	46.4v	45.3v	44.3v	49.5v	73.7v	67.3v	100.10v	44.2v	43.1v	716.55v
310	Miss S Ponter	A	68.4v	48.3v	45.6v	43.4v	49.3v	44.2v	47.4v	47.4v	72.6v	69.5v	101.8v	40.2v	43.3v	716.54v
311	Mr TM Booth	O	71.4v	46.3v	50.7v	49.4v	49.5v	46.2v	39.2v	49.4v	69.5v	67.6v	98.7v	42.1v	41.3v	716.53v
312	Mr TJ Snaith	T	72.4v	50.7v	46.2v	45.4v	45.1v	47.3v	42.0v	45.2v	71.7v	72.11v	100.7v	45.2v	36.0v	716.50v
313	Mr AG Morawitz	T	72.7v	49.5v	47.2v	42.1v	46.2v	46.3v	44.2v	45.2v	72.8v	68.3v	100.10v	41.2v	44.1v	716.48v
314	Mr B Sampson	O	69.3v	47.2v	47.6v	44.2v	49.7v	45.5v	49.4v	47.4v	72.3v	68.3v	96.7v	42.1v	41.1v	716.48v
315	Mr MJ Stewart	O	65.3v	48.2v	47.3v	47.5v	43.2v	47.3v	45.2v	45.1v	69.5v	72.6v	99.10v	47.2v	42.2v	716.46v
316	Mr BP Creane	X	72.5v	48.3v	46.1v	43.2v	49.6v	44.2v	43.3v	47.6v	71.3v	67.3v	99.8v	44.3v	43.0v	716.45v
317	Mr JPM Stevens	A	68.6v	47.1v	45.4v	43.3v	47.4v	47.5v	46.2v	49.6v	72.7v	68.6v	100.10v	37.2v	46.2v	715.58v
318	Mr IW Robertson	O	68.5v	49.2v	48.7v	47.4v	49.7v	41.1v	46.1v	47.5v	73.9v	64.5v	92.4v	43.2v	48.4v	715.56v
319	Mr DE Nuthall	X	73.9v	46.3v	49.5v	43.4v	47.2v	47.4v	46.4v	48.3v	73.7v	71.6v	99.6v	39.1v	34.2v	715.56v
320	Mr L Wicker	O	71.4v	46.4v	49.6v	46.4v	41.3v	46.4v	44.0v	48.6v	66.7v	68.4v	101.7v	46.1v	43.5v	715.55v
321	Mr CR Vonchek	O	70.2v	45.2v	46.2v	46.4v	45.5v	44.5v	47.3v	48.5v	72.4v	64.3v	100.9v	45.4v	43.2v	715.50v
322	Mr M Raiber	X	70.7v	47.5v	46.4v	46.2v	47.3v	45.2v	44.1v	46.2v	71.7v	65.3v	99.7v	46.4v	43.2v	715.49v
323	Mr AW Lothian	O	68.4v	46.2v	44.3v	47.3v	46.5v	47.3v	46.2v	47.4v	69.5v	68.3v	97.6v	43.4v	47.4v	715.48v
324	Mr J Mead	T	67.2v	46.2v	44.3v	47.4v	47.5v	48.4v	49.4v	47.2v	71.4v	64.5v	98.8v	44.3v	43.1v	715.47v
325	Mr BAR Cunningham	T	69.3v	48.3v	47.3v	47.4v	47.3v	38.2v	49.4v	39.2v	73.7v	71.6v	100.7v	41.0v	46.3v	715.47v
326	Miss ER Marsden	T	69.6v	44.2v	45.1v	44.2v	49.5v	43.2v	45.1v	47.2v	70.3v	70.5v	98.10v	48.4v	43.2v	715.45v
327	Mr MP Watkins	O	72.6v	47.5v	44.3v	43.2v	43.1v	48.6v	42.4v	48.6v	71.9v	66.2v	98.6v	46.4v	46.4v	714.58v
328	Mr NS Roberts	A	72.6v	47.4v	48.4v	46.4v	43.2v	46.3v	46.5v	45.5v	68.7v	69.3v	101.10v	42.2v	41.2v	714.57v
329	Mr BN Craig	X	72.5v	46.3v	45.3v	46.1v	47.2v	48.4v	39.2v	45.4v	71.8v	68.4v	99.8v	46.7v	42.3v	714.54v
330	Miss GI Williams	A	73.8v	48.6v	43.1v	44.1v	48.5v	42.3v	47.4v	47.3v	72.7v	70.5v	100.5v	41.1v	39.3v	714.52v
331	Sgt S Dimov	T	67.4v	45.1v	43.4v	45.3v	50.3v	48.5v	46.5v	47.1v	71.7v	66.4v	99.7v	44.2v	43.1v	714.47v

332	Mr S Hentschel	T	69.3v	46.2v	48.5v	43.3v	47.5v	49.3v	47.5v	50.5v	68.5v	68.3v	98.7v	41.0v	40.1v	714.47v
333	Mr RAH Vary	O	68.5v	44.1v	46.5v	44.5v	45.4v	44.3v	47.2v	43.0v	72.8v	69.2v	99.5v	50.4v	43.2v	714.46v
334	Mr K McCamley	A	72.6v	49.4v	48.3v	44.4v	47.6v	44.2v	46.2v	46.1v	66.6v	65.2v	99.6v	44.2v	44.2v	714.46v
335	Mr A Eckardt	A	74.3v	45.3v	46.1v	46.2v	44.2v	47.1v	43.0v	46.3v	72.6v	70.5v	98.8v	43.1v	40.0v	714.35v
336	FLT LT N Moxon	O	71.4v	48.5v	48.4v	45.1v	47.6v	43.3v	45.5v	49.6v	72.7v	65.4v	98.6v	43.4v	39.3v	713.58v
337	Mr PAE Charlton	X	70.7v	43.4v	49.6v	48.4v	41.1v	45.2v	49.6v	48.6v	72.6v	66.4v	101.9v	42.2v	39.1v	713.58v
338	Miss GM Bohn	A	67.3v	49.5v	44.3v	44.4v	43.3v	49.4v	50.5v	48.5v	72.7v	70.5v	100.8v	37.2v	40.2v	713.56v
339	Mr SC Postins	O	67.4v	49.7v	44.4v	48.5v	47.3v	43.3v	46.1v	49.5v	70.5v	63.3v	99.10v	42.2v	46.2v	713.54v
340	Mr DJ Gass	A	68.6v	47.3v	48.5v	45.1v	41.3v	45.3v	45.3v	48.3v	73.7v	69.5v	98.6v	44.3v	42.3v	713.51v
341	Mr JM Baldwin	O	66.1v	47.4v	44.2v	47.5v	47.2v	46.3v	46.2v	44.3v	70.7v	66.4v	99.7v	45.2v	46.4v	713.46v
342	Mr JR Stirland	O	69.6v	46.1v	47.3v	45.4v	45.1v	45.2v	47.1v	48.5v	71.6v	67.4v	102.10v	43.2v	38.1v	713.46v
343	Mr AJ Le Cheminant	O	68.4v	49.4v	44.3v	46.2v	46.4v	43.2v	47.0v	44.3v	68.2v	68.5v	100.5v	43.3v	47.3v	713.40v
344	Miss KA Hinkly	O	71.7v	46.6v	47.2v	44.4v	46.3v	48.4v	48.4v	47.5v	70.8v	70.4v	101.11v	40.1v	34.1v	712.60v
345	Mr MDE Larcombe	X	68.6v	47.6v	48.6v	43.1v	47.2v	41.1v	47.6v	49.5v	71.6v	67.6v	101.10v	41.0v	42.2v	712.57v
346	Mr RW Shaw	A	68.5v	46.4v	44.3v	46.6v	47.5v	45.3v	45.2v	49.6v	65.4v	64.4v	103.8v	45.2v	45.2v	712.54v
347	Miss SO Brumby	T	70.5v	46.4v	47.3v	37.1v	47.2v	47.6v	46.2v	47.3v	73.7v	69.5v	101.10v	43.4v	39.1v	712.53v
348	Mr JR Jacobs	T	69.4v	45.3v	48.3v	43.4v	45.4v	48.3v	45.1v	47.4v	71.7v	63.3v	98.7v	49.2v	41.3v	712.48v
349	Mr G Grosskreutz	A	65.1v	49.6v	44.2v	48.3v	46.1v	44.1v	45.3v	48.6v	73.9v	67.5v	98.8v	42.2v	43.0v	712.47v
350	Mr BA Opondo	O	69.6v	48.5v	45.4v	44.2v	41.1v	44.3v	47.6v	49.5v	71.7v	69.1v	95.8v	44.4v	45.0v	711.52v
351	Mr RM Culverwell	O	70.6v	46.1v	48.5v	44.2v	48.4v	45.0v	46.6v	47.3v	68.5v	71.2v	95.6v	46.5v	37.1v	711.46v
352	Miss FE Purdy	O	69.4v	43.3v	49.4v	43.4v	48.4v	46.3v	42.3v	40.1v	73.8v	69.5v	99.10v	47.2v	42.2v	710.53v
353	Mr TJG Hendriks	O	67.3v	44.3v	46.3v	41.1v	46.2v	44.3v	47.4v	46.3v	71.6v	66.5v	98.9v	48.5v	46.2v	710.49v
354	Dr DA Thompson	O	70.4v	47.6v	46.3v	49.4v	45.3v	49.3v	42.4v	47.3v	70.5v	64.1v	100.8v	40.1v	41.2v	710.47v
355	Mr MJ Creber	A	66.4v	48.5v	48.3v	46.3v	46.3v	47.3v	47.4v	44.1v	69.5v	67.3v	97.5v	46.2v	39.3v	710.44v
356	Mr A Katona	X	71.4v	46.1v	49.6v	46.4v	42.1v	45.1v	45.3v	46.2v	70.4v	68.4v	97.8v	46.3v	39.2v	710.43v
357	Mr RCG Thomas	O	71.6v	46.2v	49.5v	47.3v	48.4v	43.0v	38.0v	47.3v	73.7v	66.1v	99.5v	41.2v	42.1v	710.39v
358	Mr CH Kwok	T	70.3v	44.2v	47.0v	41.3v	46.2v	46.1v	43.2v	47.2v	68.3v	72.5v	99.5v	43.3v	44.1v	710.32v
359	Mr GR Cassidy	X	71.5v	48.5v	46.3v	44.0v	47.4v	46.4v	45.6v	44.4v	71.9v	67.4v	97.4v	41.3v	42.3v	709.54v
360	Mr CM Brooks	O	71.5v	48.5v	48.4v	48.4v	46.5v	47.4v	42.2v	49.5v	73.6v	64.1v	95.6v	44.2v	34.1v	709.50v
361	Mr DJH Birrell	O	73.8v	44.1v	44.1v	43.2v	48.2v	48.6v	45.4v	45.4v	68.2v	65.4v	94.8v	48.4v	44.3v	709.49v
362	Mr MW Silver	A	67.3v	45.3v	47.4v	49.4v	47.4v	49.2v	41.4v	47.4v	69.3v	74.8v	101.8v	40.1v	33.1v	709.49v
363	Mr OT Gray	T	66.1v	44.1v	45.3v	41.1v	50.6v	44.2v	43.3v	47.5v	73.5v	66.5v	101.8v	44.5v	45.3v	709.48v
364	Mr SG Benson	T	65.2v	44.5v	46.2v	42.0v	45.3v	46.3v	49.8v	48.5v	72.5v	70.4v	99.8v	45.1v	38.2v	709.48v
365	Mr WR Cairns	T	70.4v	45.1v	44.3v	42.2v	45.4v	47.3v	44.2v	46.3v	69.7v	68.5v	99.7v	46.2v	44.4v	709.47v
366	Mr EJ Schofield	T	71.4v	46.4v	47.5v	43.2v	45.3v	48.5v	46.4v	43.2v	68.3v	66.4v	100.4v	47.4v	39.1v	709.45v
367	Mr F Chapman-Sheath	T	71.5v	46.2v	48.3v	45.3v	44.1v	44.2v	46.2v	45.2v	71.5v	71.2v	93.5v	39.2v	46.2v	709.36v
368	Mr LS Parkins	O	71.10v	44.0v	47.6v	43.1v	46.5v	47.4v	46.4v	43.2v	71.5v	67.7v	96.7v	43.3v	44.1v	708.55v
369	Dr SS Horner	O	70.6v	48.4v	47.2v	43.1v	43.3v	43.2v	49.6v	48.3v	67.4v	70.7v	100.12v	42.1v	38.2v	708.53v
370	Cdt Sgt KS Lynnyk-Ali	T	70.4v	45.2v	48.6v	47.5v	47.4v	47.5v	46.5v	43.1v	69.4v	67.5v	101.7v	38.0v	40.4v	708.52v
371	Mr P Dawes	O	66.4v	44.2v	45.3v	50.5v	43.2v	46.4v	44.3v	48.2v	67.6v	63.1v	101.4v	48.3v	43.4v	708.43v
372	Miss LI Warden	T	72.4v	45.2v	46.2v	46.2v	46.1v	42.2v	46.4v	44.0v	69.5v	66.4v	103.9v	45.3v	38.1v	708.39v
373	Mr S McGinnis	X	67.3v	44.0v	47.6v	44.3v	49.7v	48.6v	45.1v	50.6v	71.9v	70.8v	101.9v	38.0v	33.2v	707.60v
374	Mr NM Duncan	A	71.3v	47.4v	47.3v	48.4v	40.2v	46.3v	44.3v	46.3v	71.7v	62.6v	102.13v	40.1v	43.6v	707.58v
375	Mr TJ Bryan	O	67.6v	46.4v	49.5v	46.4v	44.4v	46.0v	44.1v	48.4v	72.8v	61.4v	100.10v	40.2v	44.4v	707.56v
376	Miss C Halleran	X	68.6v	45.3v	48.5v	48.5v	46.5v	44.3v	46.2v	48.4v	71.10v	66.0v	98.9v	40.2v	39.1v	707.55v
377	Mr L Braithwaite	X	72.6v	46.4v	48.3v	42.1v	46.6v	45.3v	45.2v	46.4v	71.5v	66.3v	100.12v	43.2v	37.1v	707.52v
378	Miss JEP Lindsay	T	69.7v	45.1v	44.0v	46.4v	49.5v	45.2v	39.3v	48.5v	70.5v	69.3v	97.9v	46.4v	40.0v	707.48v
379	Mr CRM Asquith	A	71.5v	43.2v	44.5v	38.1v	45.2v	46.3v	46.2v	49.3v	71.8v	72.3v	98.6v	42.1v	42.3v	707.44v
380	Mr MJJ Charlton	O	66.2v	47.3v	48.3v	35.0v	47.3v	45.2v	44.2v	48.4v	73.5v	65.5v	100.9v	47.4v	42.1v	707.43v
381	Mr I Cotillard	T	68.3v	47.1v	42.3v	47.3v	48.3v	45.0v	45.5v	44.5v	66.4v	68.4v	99.7v	45.3v	43.1v	707.42v
382	Mr PEV Osmond	O	65.3v	44.3v	45.3v	45.4v	42.1v	47.4v	46.4v	45.3v	73.5v	67.7v	100.13v	47.2v	40.1v	706.53v
383	Cpl SE Watson	O	69.6v	47.5v	47.6v	46.3v	45.4v	43.3v	48.4v	44.1v	67.6v	67.4v	97.7v	47.3v	39.0v	706.52v
384	Mr G Garro	X	67.4v	44.3v	45.4v	43.3v	47.3v	45.2v	43.3v	46.3v	70.5v	71.6v	99.7v	42.3v	44.4v	706.50v
385	Mr HK Hatib	X	71.8v	48.4v	47.4v	45.2v	48.3v	39.0v	43.1v	46.5v	71.8v	64.3v	96.5v	44.2v	44.1v	706.46v
386	Mr RE Pike	X	66.5v	45.3v	48.5v	46.4v	48.4v	44.2v	45.1v	48.2v	67.5v	71.4v	97.5v	39.1v	42.3v	706.44v
387	Mr F Mwema	X	69.3v	49.2v	43.1v	48.3v	46.5v	45.4v	45.3v	45.1v	66.1v	63.3v	99.6v	42.2v	46.3v	706.37v
388	Mr MWS Oliver	O	67.5v	42.2v	48.4v	43.1v	46.1v	46.4v	47.1v	46.4v	70.4v	66.3v	98.2v	44.1v	43.2v	706.34v
389	Mr JT Kennedy	O	68.3v	48.4v	47.5v	43.2v	46.4v	41.1v	44.1v	48.5v	72.8v	73.6v	101.9v	43.4v	31.1v	705.53v
390	Mr DJ Curtis	A	70.4v	46.3v	47.4v	47.4v	48.6v	42.3v	47.2v	47.4v	70.6v	70.6v	99.7v	38.1v	34.2v	705.52v
391	Mr PB Cutts	O	66.3v	45.3v	49.3v	48.7v	46.5v	45.2v	47.4v	43.2v	69.3v	67.6v	98.7v	42.1v	40.4v	705.50v

392	Mr JR Mitchell	A	72.5v	43.1v	49.4v	43.3v	42.1v	45.0v	45.4v	48.5v	70.7v	65.3v	100.9v	43.3v	40.2v	705.47v
393	Mr AG Stewart	O	66.2v	43.2v	48.1v	46.1v	45.4v	49.5v	42.2v	45.4v	70.3v	63.4v	103.8v	43.3v	42.5v	705.44v
394	Mr OC Ridges	T	71.4v	46.2v	48.5v	47.5v	46.4v	46.1v	41.2v	47.3v	71.4v	67.3v	95.7v	43.3v	37.0v	705.43v
395	Miss CR Sheppard	T	66.4v	41.0v	47.4v	42.2v	49.0v	47.2v	47.2v	48.5v	70.5v	66.4v	100.10v	44.1v	38.1v	705.40v
396	Mr GW Robinson	O	68.4v	50.6v	43.2v	46.3v	43.0v	48.1v	45.1v	45.1v	67.3v	70.5v	97.6v	44.1v	39.0v	705.33v
397	Mr JRJ Kennedy	O	68.5v	46.4v	47.6v	47.3v	47.4v	44.3v	36.0v	46.5v	71.4v	69.5v	101.9v	42.3v	40.1v	704.52v
398	Mr RA Benest	A	69.7v	44.2v	46.4v	46.5v	46.4v	45.3v	44.2v	47.4v	70.6v	71.6v	99.8v	39.1v	38.0v	704.52v
399	Mr AF Chidlow	O	73.9v	44.3v	44.3v	40.3v	49.4v	44.2v	43.1v	47.3v	68.6v	64.2v	100.9v	44.2v	44.4v	704.51v
400	Lt Col CST Lehmann	O	68.5v	46.4v	47.1v	45.5v	44.4v	48.6v	46.2v	43.1v	70.5v	68.3v	95.7v	40.1v	44.1v	704.45v
401	Mr R Knapstein	O	68.3v	43.3v	33.1v	48.2v	49.2v	45.2v	45.2v	47.2v	74.6v	68.5v	93.5v	43.3v	48.4v	704.40v
402	Mr B Iwanczyk	T	68.3v	47.5v	43.0v	45.1v	48.5v	42.3v	45.4v	44.2v	71.7v	64.2v	100.10v	43.3v	43.3v	703.48v
403	Cdt Sgt CH Maxwell Randeria	T	68.3v	47.4v	47.1v	42.3v	49.7v	43.4v	40.0v	48.5v	67.3v	67.7v	98.8v	45.1v	42.0v	703.46v
404	Dr AJ Browne	T	66.3v	46.1v	44.3v	48.4v	47.5v	45.1v	46.4v	47.4v	68.5v	60.3v	101.10v	43.2v	42.1v	703.46v
405	Flt Lt RJ Clegg	T	67.5v	44.3v	43.2v	49.5v	46.3v	45.2v	41.2v	44.3v	71.6v	68.5v	100.7v	42.2v	43.1v	703.46v
406	Mr M Garcia-Oliver	T	74.9v	47.3v	46.5v	47.2v	45.2v	49.4v	47.3v	46.3v	66.4v	65.5v	98.3v	30.1v	43.1v	703.45v
407	Mr A Cui	O	71.5v	45.2v	46.4v	42.2v	49.4v	45.4v	44.0v	48.5v	71.4v	69.3v	97.5v	38.1v	38.2v	703.41v
408	Mr LT Quentrec	T	67.5v	42.1v	42.1v	45.4v	48.3v	44.1v	45.4v	49.4v	69.3v	70.5v	94.7v	47.0v	41.1v	703.39v
409	Mr HP Nippers	O	72.3v	44.2v	49.5v	47.4v	48.2v	42.3v	47.4v	45.1v	66.2v	63.1v	97.6v	44.1v	39.1v	703.35v
410	Mr JM Nippers	A	69.5v	42.1v	48.6v	46.3v	45.2v	46.2v	43.0v	46.3v	71.10v	62.4v	97.9v	43.3v	44.5v	702.53v
411	Mr CGS Lewis	T	68.5v	45.4v	44.2v	46.3v	46.3v	46.2v	40.3v	44.3v	71.7v	71.5v	99.9v	45.4v	37.0v	702.50v
412	Mr M Ogenda	O	66.2v	43.1v	47.4v	45.4v	46.4v	44.3v	46.3v	46.5v	72.7v	69.6v	96.6v	43.1v	39.2v	702.48v
413	Mr N Watson	O	71.3v	43.1v	45.2v	43.1v	49.6v	44.4v	46.5v	46.3v	72.6v	62.1v	98.8v	46.3v	37.2v	702.45v
414	Mr RL Kaczmarczyk	T	69.5v	46.1v	47.3v	41.3v	45.5v	45.3v	48.4v	48.6v	71.7v	63.1v	99.6v	40.3v	39.0v	701.47v
415	Mr RC Bourne	O	68.4v	45.3v	46.3v	39.2v	45.3v	44.2v	48.5v	43.3v	69.5v	69.7v	100.6v	45.2v	40.1v	701.46v
416	Mr KR Trowbridge	O	71.6v	50.4v	47.4v	48.4v	48.5v	40.3v	42.3v	46.1v	68.3v	70.6v	93.5v	41.1v	37.1v	701.46v
417	Mr JY Zu Bentheim	T	68.5v	45.4v	49.5v	44.3v	47.3v	47.2v	43.2v	48.3v	72.4v	68.3v	100.11v	38.1v	32.0v	701.46v
418	Mr R Ellis	O	68.4v	46.2v	44.4v	43.1v	45.1v	48.2v	50.5v	41.1v	69.5v	67.4v	91.7v	42.4v	47.5v	701.45v
419	Maj Gen AJW Sturrock	O	71.7v	42.1v	46.3v	46.3v	46.3v	42.1v	47.4v	45.3v	72.4v	62.1v	99.10v	42.2v	41.2v	701.44v
420	Miss JR Hinde	T	70.5v	47.3v	45.1v	40.1v	45.2v	46.4v	44.4v	48.3v	72.6v	68.5v	97.6v	40.1v	39.2v	701.43v
421	Mr RI Coventry	O	69.2v	44.0v	47.7v	47.3v	46.3v	46.3v	43.3v	46.2v	70.7v	66.4v	100.8v	39.0v	38.1v	701.43v
422	Mr BW Macdonald	O	63.5v	40.1v	44.2v	47.5v	48.6v	47.1v	44.1v	46.2v	66.4v	69.6v	101.7v	44.0v	42.2v	701.42v
423	Mr PD Griggs	A	71.7v	40.1v	46.3v	46.4v	46.2v	46.4v	46.2v	46.3v	67.6v	63.2v	100.6v	40.2v	44.0v	701.42v
424	Mr R Kloosterman	A	69.2v	43.1v	48.5v	44.5v	48.2v	45.1v	42.2v	41.1v	72.5v	67.5v	99.10v	42.0v	41.1v	701.40v
425	Mr OHT Witt	T	72.9v	45.3v	48.3v	35.1v	42.2v	46.5v	50.3v	41.2v	72.6v	68.4v	101.11v	46.4v	34.0v	700.53v
426	Mr D Webber	O	66.4v	47.3v	48.6v	42.2v	43.1v	45.3v	45.2v	45.2v	72.7v	63.3v	99.11v	47.4v	38.0v	700.48v
427	Mr E Harriss	O	68.6v	39.1v	48.5v	45.3v	47.6v	44.2v	48.4v	46.2v	70.4v	63.3v	100.10v	44.1v	38.1v	700.48v
428	Mr RS Darwish	A	62.1v	48.4v	48.5v	39.2v	42.3v	49.4v	44.3v	47.2v	71.6v	70.9v	100.5v	44.1v	36.0v	700.45v
429	Miss GFRW Clarke	O	68.5v	46.2v	41.2v	42.2v	49.7v	47.5v	45.2v	46.1v	72.7v	65.2v	98.8v	40.1v	41.0v	700.44v
430	Cdt Sgt EM Gibaut	T	69.3v	45.4v	49.5v	45.3v	44.4v	44.2v	46.0v	47.4v	70.5v	68.2v	99.7v	36.1v	38.2v	700.42v
431	Mr N Lengorien	O	74.4v	46.2v	45.4v	43.3v	47.1v	46.4v	42.2v	45.2v	66.5v	69.4v	97.8v	43.0v	37.1v	700.40v
432	Miss PR Davis	T	69.2v	48.3v	44.1v	46.3v	44.3v	45.2v	46.4v	46.4v	67.4v	66.3v	96.9v	37.0v	46.1v	700.39v
433	Mr ACP Dawney	T	65.5v	47.2v	46.3v	44.3v	44.2v	45.3v	44.1v	47.5v	72.6v	64.2v	99.11v	40.1v	42.4v	699.48v
434	Wg Cdr CR Smith	O	68.3v	43.2v	47.3v	45.4v	46.4v	44.1v	44.1v	47.6v	63.3v	71.6v	98.7v	45.4v	38.2v	699.46v
435	Wg Cdr CR Smith	O	68.3v	43.2v	47.3v	45.4v	46.4v	44.1v	44.1v	47.6v	63.3v	71.6v	98.7v	45.4v	38.2v	699.46v
436	Mr C Hughes	O	68.3v	48.3v	49.7v	44.2v	47.6v	47.3v	45.3v	45.3v	66.5v	63.3v	94.5v	42.1v	41.1v	699.45v
437	Mr PG Kelly	O	71.6v	43.2v	46.2v	46.3v	47.6v	47.3v	43.2v	47.4v	69.2v	65.4v	96.7v	41.0v	38.3v	699.44v
438	Mr OJ Hughes	T	68.4v	46.5v	46.2v	42.2v	45.4v	48.4v	47.6v	45.1v	67.2v	66.2v	97.7v	40.1v	42.2v	699.42v
439	Mr HD Werner	O	67.3v	47.1v	46.1v	44.1v	46.5v	46.0v	48.4v	40.2v	70.4v	67.2v	93.3v	43.0v	42.3v	699.29v
440	Mr V Sytnik	T	71.8v	43.4v	46.4v	43.3v	49.5v	46.4v	44.2v	46.6v	65.3v	66.7v	98.6v	40.2v	41.1v	698.55v
441	Wg Cdr JR Lindsay	O	70.4v	47.3v	44.2v	42.1v	48.3v	48.3v	42.4v	49.5v	63.3v	65.4v	96.5v	40.0v	44.1v	698.38v
442	Mr RI Hogg	X	70.4v	46.3v	46.5v	44.2v	44.1v	46.6v	45.2v	48.3v	68.3v	64.0v	99.6v	35.1v	43.2v	698.38v
443	Mr LM Irungu	X	69.4v	45.0v	48.3v	45.1v	42.3v	48.2v	43.3v	45.3v	70.3v	67.3v	95.7v	42.4v	39.0v	698.36v
444	Mr J Huber	T	67.2v	46.2v	46.4v	43.1v	45.2v	45.3v	42.1v	49.1v	70.7v	67.3v	96.5v	41.2v	41.2v	698.35v
445	Mr FJ Tuffrey	T	66.3v	47.3v	44.1v	45.3v	45.1v	46.0v	40.1v	45.4v	70.3v	69.3v	100.9v	39.1v	41.2v	697.34v
446	Dr M Wrigley	A	72.6v	41.0v	47.2v	43.4v	43.4v	39.0v	49.3v	49.5v	67.8v	67.3v	100.10v	41.2v	38.2v	696.49v
447	Miss SL Josling	T	68.5v	45.2v	40.2v	46.4v	46.2v	47.3v	42.4v	44.2v	67.5v	71.7v	94.8v	44.1v	42.2v	696.47v
448	Mr P Muriithy	O	64.3v	48.3v	46.3v	48.6v	44.3v	45.1v	46.4v	46.2v	67.4v	66.3v	93.6v	41.2v	42.4v	696.44v
449	Mr M Cotillard	O	71.6v	47.3v	44.3v	43.1v	48.2v	45.1v	44.1v	44.1v	74.6v	66.2v	101.9v	36.1v	33.1v	696.37v
450	Mr SJ Bates	O	72.5v	45.1v	48.3v	48.3v	42.1v	46.1v	41.0v	49.4v	68.6v	61.1v	96.6v	42.2v	38.2v	696.35v
451	Miss E Gelain-Sohn	T	70.7v	44.2v	44.1v	42.0v	41.1v	45.2v	48.6v	46.0v	66.4v	67.2v	98.3v	43.0v	42.2v	696.30v

452	Mr WN Bartlett	T	66.3v	44.4v	48.4v	40.2v	46.2v	44.3v	44.3v	46.5v	67.5v	68.6v	104.11v	40.0v	38.1v	695.49v
453	Mr CHY Chan	O	70.5v	48.5v	44.2v	40.2v	43.2v	44.1v	48.4v	45.4v	72.7v	64.2v	96.7v	38.1v	43.2v	695.44v
454	Miss JE Ouston	O	71.8v	45.3v	45.3v	43.1v	46.3v	46.3v	42.1v	45.1v	65.5v	68.3v	99.7v	43.3v	37.0v	695.41v
455	Mr NW Chebukuyi	X	67.3v	47.2v	49.2v	46.3v	46.5v	47.5v	45.3v	44.3v	73.4v	63.3v	93.6v	41.1v	34.0v	695.40v
456	Mr O de Gruchy	O	67.3v	47.3v	45.3v	40.0v	45.3v	44.1v	46.2v	49.5v	66.3v	67.4v	94.2v	38.1v	47.5v	695.35v
457	Mr B Xue	T	68.1v	47.3v	41.1v	45.4v	46.2v	44.3v	49.3v	48.2v	67.5v	59.0v	95.5v	41.2v	45.3v	695.34v
458	Mr PM Walters	X	69.5v	46.4v	46.4v	43.2v	44.4v	45.3v	42.5v	41.1v	68.6v	68.5v	101.6v	44.2v	37.0v	694.47v
459	Sgt M Saberton	O	69.6v	42.2v	49.3v	47.3v	47.2v	45.3v	45.1v	48.5v	71.5v	65.6v	96.7v	36.1v	34.3v	694.47v
460	Dr MR Horrell	A	69.5v	46.3v	40.2v	48.6v	41.1v	42.3v	45.2v	46.4v	70.5v	67.3v	95.8v	46.2v	39.1v	694.45v
461	Mr FC Stewart	O	66.3v	41.1v	47.3v	46.1v	45.4v	44.4v	41.3v	47.5v	68.4v	66.2v	99.8v	45.3v	39.2v	694.43v
462	Mr M Reid	O	67.5v	46.2v	47.2v	42.1v	42.2v	49.3v	46.3v	47.4v	63.3v	64.2v	98.5v	41.3v	42.2v	694.37v
463	Capt JF Vaughan	T	67.4v	45.2v	41.0v	41.1v	44.2v	43.1v	43.1v	44.3v	72.6v	67.4v	101.8v	42.2v	44.2v	694.36v
464	Mr IJ Saturley	T	70.7v	42.1v	45.3v	44.4v	43.3v	47.6v	45.3v	49.6v	64.3v	69.5v	95.3v	41.1v	39.2v	693.47v
465	Mr TD Madden	T	70.3v	44.3v	45.4v	46.3v	47.5v	45.4v	42.2v	45.2v	66.5v	69.3v	92.6v	44.1v	38.2v	693.43v
466	Mr P Goubert	O	69.3v	46.4v	48.3v	43.1v	45.3v	44.4v	42.3v	44.3v	69.4v	67.3v	97.9v	42.1v	37.1v	693.42v
467	Mr JRW Latimer	O	67.3v	44.1v	47.4v	42.2v	43.3v	44.6v	49.5v	43.2v	70.7v	66.2v	98.7v	33.1v	46.3v	692.46v
468	Miss LK Crosby	O	69.3v	48.4v	46.3v	40.2v	45.0v	42.1v	48.4v	46.1v	69.6v	61.6v	100.6v	43.2v	35.2v	692.40v
469	Ms MG Fallaize	T	66.5v	48.3v	39.2v	41.3v	47.3v	48.5v	45.3v	48.6v	70.5v	69.6v	99.9v	29.0v	42.3v	691.53v
470	Miss CF Schmidt	T	66.7v	47.4v	47.2v	43.2v	47.5v	44.2v	43.2v	47.1v	73.8v	66.3v	91.3v	41.2v	36.2v	691.43v
471	Mr BD Scott Langley	T	66.5v	43.2v	45.1v	43.3v	38.0v	44.1v	47.3v	44.2v	71.6v	69.5v	95.9v	40.1v	46.2v	691.40v
472	Mr P Wilkinson	A	66.2v	46.1v	44.3v	45.3v	46.3v	46.3v	47.5v	39.1v	65.4v	70.3v	95.7v	42.3v	40.1v	691.39v
473	Mr A Niblett	T	64.2v	42.3v	43.3v	48.5v	42.2v	45.5v	45.3v	42.2v	70.6v	67.2v	92.6v	42.1v	48.5v	690.45v
474	Mr ARN Kinross	O	70.7v	47.4v	49.5v	43.2v	45.1v	47.5v	43.0v	45.2v	69.4v	65.4v	96.8v	35.0v	36.1v	690.43v
475	Mr OJ Christy	T	68.5v	44.3v	36.1v	48.3v	45.2v	44.2v	44.2v	48.6v	72.4v	68.5v	92.5v	42.2v	39.1v	690.41v
476	Mr T Goodger	O	70.4v	48.2v	47.2v	42.3v	45.2v	43.2v	46.5v	49.6v	64.2v	66.4v	99.7v	40.2v	31.0v	690.41v
477	Miss V Tremblay	X	61.3v	43.4v	45.3v	44.2v	43.2v	45.1v	44.2v	46.1v	71.5v	68.6v	94.5v	40.2v	46.3v	690.39v
478	Mr HT Fearn	T	66.2v	46.2v	40.3v	48.3v	45.3v	44.1v	44.1v	48.5v	65.2v	64.1v	96.8v	43.3v	41.3v	690.37v
479	Mr MD Jenvey	A	70.8v	47.4v	47.2v	47.6v	45.5v	47.2v	43.1v	49.7v	72.8v	66.3v	68.5v	45.3v	43.2v	689.56v
480	Mr BA OMahony	T	69.5v	46.5v	49.4v	43.3v	45.4v	42.1v	42.2v	42.2v	71.6v	69.5v	96.4v	37.0v	38.0v	689.41v
481	Mr C Rousseau	X	67.3v	45.3v	43.3v	43.3v	44.3v	48.3v	45.4v	48.4v	67.3v	65.4v	96.6v	43.0v	35.0v	689.39v
482	Mr NFA Khan	T	62.1v	46.2v	43.1v	46.2v	48.6v	44.3v	45.1v	44.2v	71.8v	65.3v	99.4v	30.0v	46.4v	689.37v
483	Mr CP Goad	O	69.5v	44.3v	44.2v	46.1v	47.4v	47.2v	42.3v	41.2v	66.2v	62.1v	94.4v	45.3v	42.4v	689.36v
484	Mr TS McDowell	O	70.3v	45.3v	49.6v	42.3v	45.3v	44.2v	43.3v	45.2v	66.2v	67.4v	95.4v	41.0v	37.1v	689.36v
485	Capt GW Kershaw-Houghton	T	69.6v	47.2v	44.3v	47.3v	48.2v	45.2v	39.1v	46.4v	65.4v	68.4v	90.1v	40.0v	41.3v	689.35v
486	Ms CG Friend	T	67.3v	47.3v	43.3v	48.2v	49.4v	41.1v	40.1v	44.4v	64.2v	66.2v	96.4v	43.1v	41.2v	689.32v
487	Mr R Klidge	O	68.4v	46.3v	43.1v	45.3v	43.2v	46.1v	48.3v	44.2v	62.1v	65.2v	93.5v	44.3v	42.0v	689.30v
488	Miss KM Chung	T	69.2v	47.3v	44.2v	44.2v	49.5v	43.3v	42.3v	48.5v	65.4v	66.4v	96.10v	44.2v	31.1v	688.46v
489	Mr KJ Hickling	T	63.2v	46.2v	48.3v	46.5v	47.6v	46.5v	43.2v	42.2v	66.2v	63.3v	99.7v	39.2v	40.2v	688.43v
490	Mr BCT Banks	T	64.4v	44.3v	46.6v	47.3v	42.1v	45.3v	45.4v	46.4v	67.4v	65.1v	95.6v	43.1v	39.1v	688.41v
491	Mr DA Smith	O	63.1v	49.5v	44.3v	42.0v	47.2v	43.3v	40.3v	45.3v	66.4v	68.6v	100.8v	39.0v	42.2v	688.40v
492	Mr MR Fugeman	A	68.3v	44.0v	49.2v	47.4v	46.3v	42.2v	44.1v	42.3v	69.4v	70.5v	99.6v	31.2v	37.1v	688.36v
493	Mr MA Kirkillo-Stacewicz	O	68.2v	48.4v	43.2v	43.4v	48.2v	46.2v	46.3v	47.3v	64.2v	65.3v	94.5v	41.1v	35.1v	688.34v
494	Mr AC Morley	A	72.7v	45.2v	49.8v	44.4v	47.5v	49.7v	47.5v	44.2v	73.9v	75.10v	101.13v	41.1v	0.0v	687.73v
495	Mr BJ Richardson	O	69.4v	43.1v	45.4v	42.1v	44.3v	46.4v	47.6v	41.1v	63.3v	66.3v	99.8v	42.2v	40.1v	687.41v
496	Miss EG Button	T	71.4v	44.1v	47.4v	44.3v	48.4v	41.2v	44.2v	42.2v	67.4v	65.3v	98.5v	41.1v	35.0v	687.35v
497	Mr GL Clar	O	70.4v	42.2v	42.1v	39.1v	47.2v	43.2v	42.1v	47.2v	69.6v	64.3v	99.7v	42.0v	40.1v	686.32v
498	WO2 CM Hughes	T	62.2v	44.3v	46.4v	45.3v	42.3v	43.2v	42.1v	45.2v	71.6v	67.4v	92.5v	41.4v	45.5v	685.44v
499	Mr SJA Fielding-Isaacs	O	62.3v	41.1v	46.4v	37.2v	41.1v	49.4v	47.5v	47.7v	67.4v	68.4v	97.5v	42.2v	41.0v	685.42v
500	Miss T Quentrec	T	68.3v	41.2v	45.3v	44.4v	42.2v	41.2v	42.3v	39.2v	71.9v	69.4v	96.4v	41.1v	46.0v	685.39v
501	Mr R Winney	O	67.1v	45.3v	43.0v	44.3v	46.1v	40.2v	43.1v	45.3v	66.3v	65.2v	101.5v	40.1v	40.2v	685.27v
502	Mr JMA Thompson	A	73.9v	48.4v	45.1v	49.2v	47.4v	0.0v	47.4v	49.4v	71.5v	66.5v	100.10v	47.5v	42.1v	684.54v
503	Mr SM NDAMBUKI	X	70.4v	43.4v	46.4v	37.0v	44.2v	46.3v	46.5v	45.3v	70.7v	67.3v	92.7v	40.2v	38.2v	684.46v
504	Mr S Maris	O	67.0v	42.0v	46.3v	43.2v	40.3v	48.4v	38.4v	44.3v	70.5v	66.4v	100.10v	42.0v	38.2v	684.40v
505	Mr IR Kalina	T	73.6v	45.1v	47.3v	43.3v	46.1v	40.2v	41.4v	42.1v	64.3v	68.6v	92.4v	44.1v	39.2v	684.37v
506	Mr EJ Gadd-Chapman	T	69.5v	40.3v	47.3v	46.2v	43.1v	45.3v	43.1v	45.4v	66.2v	67.3v	95.6v	40.2v	38.1v	684.36v
507	Miss ME Mousley	T	70.4v	44.1v	44.3v	40.0v	47.2v	44.4v	44.0v	46.4v	67.2v	72.5v	95.9v	41.0v	30.1v	684.35v
508	Mr S Pasarkar	T	71.7v	42.1v	44.2v	42.2v	43.1v	45.2v	45.4v	46.2v	63.4v	67.6v	97.7v	43.2v	35.1v	683.41v
509	Mr P Mwema	O	63.1v	47.3v	40.1v	40.3v	44.1v	45.3v	39.3v	45.4v	70.7v	68.3v	97.6v	41.2v	44.2v	683.39v
510	Mr M Raps	O	66.3v	46.0v	48.3v	47.3v	44.3v	38.1v	44.3v	45.2v	64.4v	63.4v	95.7v	40.2v	42.1v	682.36v
511	Mr SE Yates	T	66.2v	43.4v	48.3v	42.1v	44.2v	42.0v	45.3v	46.4v	68.3v	63.2v	98.10v	43.1v	34.1v	682.36v

512	Mr AL Ryan	T	67.4v	43.1v	42.2v	40.0v	43.2v	45.4v	47.4v	46.3v	69.4v	65.3v	94.4v	41.0v	40.3v	682.34v
513	Mr JN Prout	O	68.3v	43.2v	45.2v	47.4v	44.3v	39.1v	45.2v	47.5v	63.3v	67.1v	94.6v	44.3v	35.1v	681.36v
514	Mr BW Watson	T	69.3v	44.0v	46.2v	41.2v	36.0v	48.4v	45.2v	43.3v	70.5v	62.2v	99.8v	44.3v	34.1v	681.35v
515	Mr BAM Hebblethwaite	O	73.8v	0.0v	43.0v	46.5v	49.6v	47.6v	47.4v	43.2v	73.6v	70.3v	100.10v	47.2v	42.3v	680.55v
516	Mr MA Chammings	T	67.4v	42.2v	48.5v	45.6v	46.2v	47.4v	46.3v	40.1v	68.4v	60.1v	94.5v	42.1v	35.0v	680.38v
517	Mr S Glen	X	70.4v	44.1v	44.2v	42.0v	46.4v	45.3v	42.0v	43.1v	67.4v	63.1v	97.4v	46.1v	31.0v	680.25v
518	Mr CP Maher	O	68.2v	49.5v	47.2v	45.4v	45.2v	0.0v	49.8v	48.4v	74.7v	68.5v	101.8v	43.4v	42.1v	679.52v
519	Miss PG Thomson	T	73.7v	46.2v	46.4v	39.1v	47.5v	43.4v	43.3v	36.1v	63.3v	69.5v	91.4v	44.2v	39.1v	679.42v
520	Mr DD Charles	O	66.2v	45.3v	49.7v	46.3v	46.4v	39.1v	44.4v	42.3v	71.5v	64.2v	81.2v	44.3v	42.2v	679.41v
521	Mr GAK Ahmed	T	67.4v	47.4v	45.3v	47.4v	46.1v	45.3v	41.1v	42.4v	59.2v	65.2v	96.4v	41.3v	38.2v	679.37v
522	Mr F Hijink	T	64.4v	47.0v	41.1v	45.1v	44.2v	44.2v	43.2v	46.5v	70.4v	63.4v	98.9v	41.1v	33.1v	679.36v
523	Mr NLR Nicolle	T	70.4v	38.0v	42.2v	43.3v	47.1v	46.2v	42.4v	47.3v	68.2v	64.0v	99.8v	44.2v	29.0v	679.31v
524	Miss EM Barrow	T	63.1v	45.2v	46.1v	41.1v	44.2v	44.2v	39.2v	43.3v	69.5v	66.2v	95.7v	38.1v	45.2v	678.31v
525	Mr M Clark	X	70.4v	45.2v	44.3v	41.2v	49.5v	36.2v	46.3v	45.3v	67.5v	66.4v	85.5v	41.3v	42.2v	677.43v
526	Mr MR Ebbetts	O	59.0v	43.2v	44.3v	46.3v	48.3v	45.3v	46.3v	39.1v	68.6v	65.4v	99.7v	42.1v	33.0v	677.36v
527	Mr JB Jones	T	66.3v	46.2v	45.3v	41.1v	35.1v	42.2v	48.5v	42.1v	64.1v	66.3v	98.8v	42.1v	42.1v	677.32v
528	Mr MH Shaw	O	64.0v	44.3v	45.1v	44.3v	44.2v	44.1v	43.2v	45.2v	62.3v	68.4v	97.7v	44.3v	33.0v	677.31v
529	Mr TM Cotillard	T	67.3v	45.1v	48.7v	38.3v	43.1v	48.1v	44.4v	42.2v	66.3v	59.0v	93.7v	46.3v	37.2v	676.37v
530	Mr A Luk	T	69.2v	42.3v	43.3v	40.3v	42.1v	45.2v	47.4v	41.0v	73.6v	64.4v	92.6v	43.2v	35.0v	676.36v
531	Mr VL Chalk	T	69.4v	45.2v	42.4v	47.2v	43.1v	45.3v	42.2v	49.4v	67.4v	67.4v	96.6v	35.0v	27.1v	674.37v
532	Mr P Koskey	O	67.7v	44.3v	46.3v	43.2v	42.2v	44.1v	45.3v	42.2v	67.3v	63.3v	86.3v	40.1v	45.3v	674.36v
533	Miss NI Barnes	O	68.4v	44.3v	47.5v	48.3v	47.5v	41.4v	47.4v	48.4v	71.6v	66.3v	67.7v	42.0v	37.0v	673.48v
534	Mr N Granger	O	66.2v	46.3v	46.3v	43.3v	46.5v	44.2v	43.2v	42.2v	71.10v	67.6v	93.5v	37.1v	29.0v	673.44v
535	Mr CA Brook	X	71.6v	46.0v	49.3v	44.2v	0.0v	40.1v	50.6v	46.3v	67.7v	68.2v	98.4v	48.5v	46.3v	673.42v
536	Mr M Klein	O	64.2v	48.6v	45.2v	46.4v	36.1v	46.2v	35.0v	40.2v	72.6v	71.4v	92.5v	43.3v	35.2v	673.39v
537	Mr OH Engleman	T	68.7v	46.1v	43.0v	47.3v	48.4v	43.2v	42.2v	39.2v	69.3v	66.2v	98.8v	37.1v	27.1v	673.36v
538	Mr A Chapman-Sheath	T	68.3v	44.1v	48.2v	42.2v	44.3v	26.0v	44.4v	47.1v	73.5v	62.3v	95.6v	43.3v	37.0v	673.33v
539	Mr HR Hunter	T	65.2v	43.3v	46.3v	40.2v	47.2v	44.3v	45.2v	36.2v	69.3v	59.1v	97.4v	43.1v	39.0v	673.28v
540	Mr RP Snaith	T	66.4v	43.1v	45.2v	44.2v	42.1v	44.2v	38.0v	43.2v	65.3v	65.3v	93.4v	42.0v	43.1v	673.25v
541	Mr JD Matthews	T	70.4v	45.1v	42.0v	42.3v	43.2v	44.2v	40.3v	41.1v	64.3v	68.3v	96.7v	43.2v	34.0v	672.31v
542	Mr CA Stewart	A	70.9v	45.3v	48.4v	42.2v	47.3v	47.2v	46.2v	0.0v	71.6v	65.2v	101.11v	46.1v	43.3v	671.48v
543	Ms MMV James	O	67.4v	44.2v	44.1v	44.4v	42.1v	46.2v	45.1v	32.0v	71.6v	71.4v	87.3v	37.1v	41.2v	671.31v
544	Miss OM Lynch	T	57.1v	47.5v	45.3v	45.4v	45.1v	48.1v	42.2v	43.2v	66.3v	72.4v	81.0v	41.3v	39.0v	671.29v
545	Miss M Wong Murelidaran	T	68.2v	45.4v	46.2v	44.3v	48.2v	42.0v	42.2v	31.0v	67.5v	65.4v	95.2v	44.2v	34.1v	671.29v
546	Dr G Stevenson	O	68.2v	42.1v	44.2v	42.1v	47.2v	43.1v	47.5v	41.1v	61.0v	65.2v	88.4v	42.1v	41.1v	671.23v
547	Mr DW Campbell	O	71.3v	44.0v	45.4v	39.2v	46.2v	47.2v	43.1v	45.4v	73.6v	69.4v	101.8v	46.4v	0.0v	669.40v
548	Mr A Li	T	69.5v	43.0v	44.3v	47.4v	48.3v	39.1v	38.3v	48.4v	65.1v	63.2v	96.5v	37.1v	32.1v	669.33v
549	Dr CW Freeman	O	68.3v	44.4v	47.3v	43.1v	44.2v	44.1v	44.1v	45.4v	67.5v	61.2v	88.4v	42.0v	32.1v	669.31v
550	Mr T Steele	O	65.2v	46.2v	47.2v	46.4v	39.1v	43.2v	43.0v	44.2v	68.4v	63.1v	90.4v	40.2v	35.0v	669.26v
551	Mr T Starr	T	73.6v	40.1v	45.3v	47.5v	48.3v	45.4v	39.1v	44.3v	66.4v	61.1v	94.5v	39.0v	27.0v	668.36v
552	Mr EJ Nestle-Fox	T	67.3v	43.1v	40.0v	42.1v	45.2v	43.1v	43.0v	46.4v	68.3v	66.5v	93.6v	41.1v	31.0v	668.27v
553	Miss MV Blagoeva	T	67.6v	40.0v	41.1v	44.3v	39.1v	48.4v	40.2v	43.1v	64.5v	65.3v	95.3v	38.1v	43.2v	667.32v
554	Mr CSM Tuke	T	64.6v	40.1v	44.1v	45.4v	43.2v	45.5v	43.3v	44.2v	66.3v	65.2v	86.5v	42.2v	39.2v	666.38v
555	Mr A Wild	T	67.6v	38.1v	44.2v	46.3v	44.3v	46.4v	36.1v	44.2v	71.4v	63.4v	90.5v	43.1v	34.0v	666.36v
556	Mr HM Dodds	T	64.3v	44.3v	45.3v	41.3v	43.0v	40.2v	40.2v	46.2v	68.5v	62.4v	90.1v	42.0v	39.1v	664.29v
557	Mr JJ Fawcett	T	70.2v	43.1v	46.3v	43.2v	43.1v	43.2v	28.0v	43.3v	64.2v	67.4v	100.13v	41.4v	32.0v	663.37v
558	Cpl JM Kenny	T	57.1v	41.1v	46.4v	45.1v	42.1v	46.4v	42.3v	42.5v	67.4v	66.3v	100.8v	36.2v	33.0v	663.37v
559	Mr DP Chalmers	T	63.2v	46.3v	46.3v	40.1v	43.1v	39.1v	45.4v	41.0v	68.5v	67.4v	90.4v	36.0v	39.2v	663.30v
560	Ms AMG Ogilvie	X	73.7v	48.2v	47.7v	44.1v	47.4v	47.6v	50.4v	46.6v	72.7v	0.0v	102.11v	45.2v	40.1v	661.58v
561	Mr E Thurley	T	66.4v	45.2v	45.3v	43.3v	44.2v	46.3v	43.4v	40.3v	61.4v	62.4v	80.4v	44.1v	42.1v	661.38v
562	Mr CD Hiles	T	68.3v	42.2v	42.1v	38.2v	43.1v	42.3v	48.2v	46.0v	64.4v	63.4v	88.3v	39.1v	36.2v	659.28v
563	Mr R Tuke	T	62.3v	47.3v	44.2v	44.3v	46.5v	41.1v	42.1v	40.1v	62.4v	57.1v	91.4v	40.1v	42.2v	658.31v
564	Mr M Geernaert-Davies	O	64.7v	44.1v	47.4v	47.3v	41.2v	37.2v	42.2v	43.0v	63.1v	53.1v	94.8v	43.3v	39.0v	657.34v
565	Mr JS Ritchie	O	62.1v	42.2v	45.2v	46.3v	40.2v	43.3v	45.2v	38.1v	69.2v	58.3v	93.6v	38.0v	37.3v	656.30v
566	Mr C Mulongo	X	68.5v	44.4v	41.1v	40.1v	42.1v	41.1v	40.0v	47.6v	61.2v	68.5v	86.1v	44.3v	33.1v	655.31v
567	Mr ZZ Grosvenor	T	63.1v	41.1v	48.6v	40.1v	48.5v	40.1v	44.2v	44.1v	67.4v	63.3v	87.4v	40.2v	30.0v	655.31v
568	Mr RM Smith	T	67.2v	45.3v	41.1v	38.0v	45.4v	40.1v	39.1v	43.5v	65.3v	67.3v	84.5v	41.1v	39.1v	654.30v
569	Mr SM Kilbey	T	61.0v	47.5v	41.1v	44.2v	43.4v	39.2v	40.1v	42.2v	60.3v	67.1v	88.3v	39.3v	43.2v	654.29v
570	Mr H de Bruijn	X	70.8v	45.1v	45.1v	42.1v	46.4v	45.1v	45.3v	45.4v	63.1v	65.3v	63.4v	41.2v	38.1v	653.34v
571	Mr OJH Peterson	T	65.4v	43.1v	44.3v	39.1v	39.2v	44.0v	40.0v	44.2v	61.5v	63.3v	93.7v	41.0v	37.1v	653.29v

572	Mr N Stebbings	O	68.5v	46.2v	44.0v	37.0v	37.1v	41.2v	43.2v	43.3v	64.5v	62.2v	95.3v	38.0v	34.0v	652.25v
573	Mr GJH Scarr	T	66.2v	46.2v	41.0v	42.1v	43.0v	42.2v	31.1v	41.2v	67.3v	69.4v	96.3v	39.1v	28.0v	651.21v
574	Mr CSJ Marlow	O	66.1v	44.2v	43.2v	37.1v	44.2v	39.0v	37.1v	44.2v	67.1v	60.2v	90.5v	38.0v	41.1v	650.20v
575	Miss AR Churchouse	T	62.0v	46.3v	40.0v	47.2v	40.2v	39.1v	39.3v	39.1v	65.5v	63.4v	95.6v	44.3v	29.0v	648.30v
576	Mr LD Colley	T	63.3v	46.2v	42.2v	42.2v	45.1v	43.3v	40.0v	34.2v	64.2v	66.4v	97.4v	33.1v	33.0v	648.26v
577	Miss PIS Derrick	T	63.3v	40.2v	40.3v	36.1v	42.1v	39.2v	46.1v	44.2v	65.3v	66.2v	99.6v	37.1v	30.0v	647.27v
578	Ms ZE Friend	T	64.3v	44.2v	43.0v	46.3v	44.2v	43.0v	40.0v	37.1v	59.1v	59.3v	84.2v	44.2v	38.1v	645.20v
579	Mr E Gauvin	X	72.8v	48.5v	47.6v	45.4v	50.8v	47.1v	49.6v	46.3v	74.9v	73.7v	0.0v	45.3v	48.3v	644.63v
580	Mr R Melling	X	68.1v	44.0v	40.0v	45.4v	45.4v	41.2v	43.4v	43.2v	64.2v	66.5v	101.7v	44.5v	0.0v	644.36v
581	Mr PL Green	T	63.1v	46.4v	41.1v	42.1v	37.0v	39.3v	40.0v	44.2v	62.1v	62.2v	90.4v	42.1v	36.2v	644.22v
582	Mr SH Dickson	O	66.1v	0.0v	45.3v	46.5v	42.1v	42.2v	45.3v	43.2v	69.7v	61.3v	99.5v	41.2v	44.3v	643.37v
583	Mr SWH Steer	T	69.3v	0.0v	45.1v	46.4v	44.2v	44.0v	41.1v	46.1v	66.2v	65.3v	101.7v	37.1v	38.0v	642.25v
584	Mr PJ Holden	O	65.3v	40.0v	44.3v	38.1v	45.2v	37.0v	28.0v	46.2v	63.1v	57.1v	93.7v	41.2v	44.2v	641.24v
585	Mr ET Bailey	T	60.1v	38.1v	41.3v	41.2v	46.1v	41.1v	44.3v	47.5v	67.7v	62.2v	85.4v	35.0v	33.0v	640.30v
586	Mr IC Simpson	T	66.2v	36.0v	39.0v	42.1v	45.2v	43.1v	38.1v	39.2v	63.3v	60.1v	86.2v	43.2v	40.0v	640.17v
587	Mr JA Steuart Fotheringham	T	59.0v	39.0v	45.1v	42.3v	41.3v	46.4v	37.3v	41.3v	60.2v	64.1v	91.4v	39.2v	35.0v	639.26v
588	Miss M Hussain	T	68.3v	43.1v	44.3v	46.5v	40.1v	39.2v	44.3v	37.1v	55.0v	60.1v	89.5v	41.0v	33.0v	639.25v
589	Miss V Chee	T	67.4v	44.2v	47.2v	35.2v	42.2v	39.3v	45.0v	44.3v	61.6v	55.2v	83.2v	32.2v	42.5v	636.35v
590	Mr W Sainter	O	65.2v	40.3v	41.1v	42.1v	42.3v	42.3v	36.0v	40.1v	55.1v	62.4v	93.2v	37.0v	41.1v	636.22v
591	Miss LG Hetherington	T	66.0v	41.1v	34.0v	34.1v	44.3v	42.0v	37.2v	45.1v	65.4v	62.1v	81.1v	45.3v	37.1v	633.18v
592	Mr HG Johnson	T	67.3v	39.0v	48.3v	43.3v	44.4v	41.0v	41.1v	37.2v	54.0v	59.3v	88.2v	35.1v	35.1v	631.23v
593	Mr JD Grimshaw	T	63.1v	40.1v	37.2v	37.0v	45.2v	44.1v	36.0v	45.2v	46.1v	59.2v	98.9v	43.3v	37.1v	630.25v
594	Mr HS Jones	T	59.1v	47.1v	43.4v	44.2v	35.0v	35.1v	42.2v	48.5v	63.2v	55.1v	90.4v	35.1v	34.1v	630.25v
595	Mr RW McVeigh	O	66.3v	42.2v	41.3v	37.2v	44.2v	41.1v	46.3v	41.1v	67.5v	61.5v	93.5v	42.0v	0.0v	621.32v
596	Miss ME Button	T	61.3v	44.0v	36.2v	40.0v	41.0v	32.1v	39.0v	35.0v	66.2v	63.2v	91.4v	40.2v	31.1v	619.17v
597	Mr N Kanayama	O	0.0v	41.1v	45.4v	46.3v	46.2v	37.0v	41.0v	46.3v	68.5v	67.4v	98.6v	46.2v	36.0v	617.30v
598	Mr GPC Bramwell	A	68.4v	47.6v	48.4v	35.1v	46.4v	49.5v	50.3v	49.8v	72.12v	70.5v	0.0v	43.4v	37.0v	614.56v
599	Mr M Grimsdell	O	60.1v	42.1v	36.0v	36.1v	44.1v	37.0v	39.1v	40.0v	63.2v	56.2v	79.0v	35.1v	43.2v	610.12v
600	Mrs DE Curtis	O	0.0v	43.1v	44.1v	41.1v	45.3v	45.3v	47.5v	43.2v	67.5v	63.1v	92.5v	38.1v	41.2v	609.30v
601	Mr AC Abrahams	O	74.8v	44.4v	49.5v	46.2v	0.0v	47.5v	46.3v	45.4v	71.3v	0.0v	101.9v	43.2v	42.1v	608.46v
602	Mr TM Green	O	60.2v	42.1v	45.1v	42.4v	42.0v	42.1v	45.4v	44.3v	70.8v	62.2v	28.2v	42.2v	42.2v	606.32v
603	Mr BM Davison	T	63.3v	41.0v	40.2v	43.1v	36.0v	35.1v	42.2v	41.2v	49.0v	55.1v	81.2v	38.2v	32.0v	596.16v
604	Mr KTA Tam	A	61.0v	42.2v	39.0v	0.0v	43.1v	40.1v	44.3v	41.4v	67.5v	68.6v	96.6v	24.0v	30.1v	595.29v
605	Mr G Strachan	T	59.0v	40.2v	41.0v	42.1v	40.2v	35.2v	24.0v	38.1v	57.3v	67.4v	86.0v	42.2v	23.0v	594.17v
606	Mr TF Kurn	O	64.1v	46.3v	0.0v	47.2v	43.3v	42.2v	40.1v	43.2v	69.3v	60.4v	95.6v	37.0v	0.0v	586.27v
607	Mr ND Gomez	O	62.1v	42.1v	47.3v	0.0v	46.5v	45.3v	38.2v	44.4v	69.3v	59.0v	98.7v	0.0v	35.0v	585.29v
608	Mr JA Pedder	T	65.4v	46.2v	44.1v	43.2v	48.4v	43.2v	43.1v	45.2v	70.6v	59.1v	0.0v	45.2v	34.0v	585.27v
609	Mr GM Smith	T	63.3v	42.1v	24.1v	45.3v	37.2v	27.1v	29.2v	40.2v	57.2v	62.4v	78.5v	38.1v	41.2v	583.29v
610	Mr TN Maynard	X	62.1v	45.2v	38.0v	39.0v	45.5v	43.2v	40.0v	41.1v	67.3v	61.1v	26.1v	39.0v	34.2v	580.18v
611	Mr A Strachan	T	61.1v	41.1v	41.1v	33.0v	34.1v	34.0v	29.0v	42.0v	60.1v	65.1v	87.6v	31.1v	13.0v	571.13v
612	Mr GR Thomas	O	62.2v	44.5v	44.3v	35.1v	38.2v	0.0v	44.2v	45.3v	69.7v	55.2v	96.4v	0.0v	37.1v	569.32v
613	Mr EDS McBain	T	66.0v	40.2v	41.2v	37.1v	35.1v	40.2v	31.1v	33.1v	44.1v	50.0v	83.1v	42.2v	26.0v	568.14v
614	Mr AR Le Quesne	O	0.0v	47.3v	49.3v	46.4v	48.4v	45.6v	0.0v	0.0v	74.8v	67.2v	99.5v	46.2v	42.1v	563.38v
615	Mr GE Shepherd	T	54.0v	41.2v	38.2v	40.0v	32.1v	41.1v	29.0v	29.0v	65.5v	60.1v	69.0v	35.0v	29.0v	562.12v
616	Mr AG Harrison	X	66.4v	32.0v	44.3v	39.1v	42.1v	0.0v	31.1v	45.4v	59.2v	61.4v	95.7v	42.2v	0.0v	556.29v
617	Mr RA Sampson	X	69.5v	45.2v	46.1v	44.3v	44.3v	0.0v	49.4v	44.3v	0.0v	67.2v	92.5v	0.0v	38.2v	538.30v
618	Mr JRD Williams	T	51.0v	33.1v	38.1v	38.1v	37.2v	43.3v	40.1v	33.0v	45.1v	59.3v	69.0v	24.0v	27.1v	537.14v
619	Mr JL Riou	T	52.0v	26.0v	36.1v	44.3v	33.0v	33.0v	38.2v	34.2v	48.2v	43.0v	79.3v	35.0v	34.1v	535.14v
620	Mr SD Spinney	X	62.1v	42.1v	44.3v	44.2v	41.1v	0.0v	40.1v	48.2v	0.0v	63.3v	93.6v	0.0v	43.3v	520.23v
621	Mr JME Cook	X	0.0v	0.0v	46.6v	47.6v	0.0v	0.0v	50.4v	50.6v	71.9v	69.4v	100.10v	42.3v	42.3v	517.51v
622	Miss KE McGuigan	O	65.4v	37.0v	33.1v	42.2v	42.2v	0.0v	46.2v	45.4v	46.2v	57.2v	28.0v	35.0v	36.0v	512.19v
623	Mr SL Cleveland	X	71.6v	47.5v	50.8v	48.3v	46.3v	0.0v	46.2v	47.3v	0.0v	73.7v	0.0v	0.0v	41.2v	469.39v
624	Miss DS Hume	O	0.0v	0.0v	48.4v	47.6v	46.4v	44.1v	46.4v	45.2v	0.0v	0.0v	104.10v	41.2v	45.4v	466.37v
625	Dr AJ Pilgrim	A	0.0v	0.0v	0.0v	41.1v	47.4v	41.1v	0.0v	0.0v	73.6v	72.6v	102.13v	43.3v	0.0v	419.34v
626	Mr C Hurst	T	53.0v	26.0v	24.0v	32.0v	24.0v	31.2v	36.1v	17.0v	40.0v	45.1v	68.1v	23.1v	0.0v	419.6v
627	Mr CPP Brewin	O	66.4v	0.0v	37.1v	0.0v	0.0v	42.2v	44.1v	24.1v	62.4v	0.0v	96.6v	0.0v	0.0v	371.19v
628	Mr S Douglas	X	51.0v	41.1v	39.1v	0.0v	0.0v	0.0v	38.2v	42.0v	63.2v	0.0v	89.1v	0.0v	0.0v	363.7v
629	Mr MK Townsend	O	0.0v	0.0v	0.0v	47.4v	0.0v	0.0v	46.1v	43.2v	68.3v	0.0v	58.1v	38.1v	42.2v	342.14v
630	Ms TLM Flanagan	T	63.3v	42.0v	44.2v	0.0v	0.0v	0.0v	0.0v	0.0v	64.2v	0.0v	94.5v	0.0v	34.1v	341.13v
631	Mr M Persaud	X	55.0v	39.0v	28.0v	0.0v	8.0v	32.2v	0.0v	38.0v	51.0v	0.0v	72.1v	0.0v	0.0v	323.3v

632 Mr L Romalho	X	70.7v	45.4v	45.2v	0.0v	0.0v	0.0v	44.4v	44.2v	0.0v	0.0v	0.0v	0.0v	34.2v	282.21v
633 Miss RJH Piper	T	56.1v	41.0v	43.1v	0.0v	46.4v	0.0v	0.0v	32.1v	0.0v	58.3v	0.0v	0.0v	0.0v	276.10v
634 Mr TH Emck MBE	O	65.4v	0.0v	0.0v	44.2v	34.0v	0.0v	46.2v	40.0v	0.0v	0.0v	0.0v	0.0v	0.0v	229.8v
635 Mr RF Barrington	O	0.0v	0.0v	0.0v	0.0v	43.0v	0.0v	0.0v	0.0v	71.7v	0.0v	97.7v	0.0v	0.0v	211.14v
636 Mr P Tremblay	X	67.4v	0.0v	0.0v	0.0v	0.0v	0.0v	45.1v	46.2v	0.0v	0.0v	0.0v	0.0v	0.0v	158.7v
637 Wg Cdr CM Fopp	O	65.2v	0.0v	0.0v	0.0v	0.0v	0.0v	40.3v	49.5v	0.0v	0.0v	0.0v	0.0v	0.0v	154.10v
638 Mr A McLeod	X	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	46.2v	0.0v	0.0v	0.0v	0.0v	0.0v	46.2v