

NRA 134th Imperial Meeting
Grand Aggregate (as at Monday, 14th July 2003)

		DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	Corp	POW	Total
1	Mr E Praslick III	X	74.11v	75.9v	49.4v	50.8v	50.6v	50.4v	49.8v	0.0v	0.0v	0.0v	397.50v
2	Zulkeflee Hamsan	X	74.11v	75.11v	50.7v	50.8v	49.7v	48.4v	50.7v	0.0v	0.0v	0.0v	396.55v
3	Mr B Bullock	X	74.10v	75.10v	50.6v	50.8v	50.6v	47.3v	50.7v	0.0v	0.0v	0.0v	396.50v
4	Dr PM Patel	X	75.7v	75.11v	49.6v	50.6v	50.5v	49.7v	48.6v	0.0v	0.0v	0.0v	396.48v
5	Mr DC Luckman	X	75.13v	75.10v	50.6v	49.7v	50.8v	47.5v	49.7v	0.0v	0.0v	0.0v	395.56v
6	Mr PR Wheeler	O	75.13v	75.10v	49.7v	47.5v	50.9v	50.7v	49.4v	0.0v	0.0v	0.0v	395.55v
7	Mr AJ Luckman	X	73.11v	75.10v	48.5v	48.7v	50.7v	50.6v	50.6v	0.0v	0.0v	0.0v	394.52v
8	Mr R Stewart	X	74.9v	75.11v	49.8v	49.5v	49.6v	49.7v	49.5v	0.0v	0.0v	0.0v	394.51v
9	Mr JG Du Toit	X	75.14v	73.10v	49.7v	50.5v	50.5v	48.3v	49.5v	0.0v	0.0v	0.0v	394.49v
10	Sqn Ldr SC Williamson	X	72.7v	75.11v	49.6v	50.5v	50.9v	48.6v	50.3v	0.0v	0.0v	0.0v	394.47v
11	Mr C Mallett	X	74.10v	74.8v	50.5v	50.6v	49.5v	47.2v	50.8v	0.0v	0.0v	0.0v	394.44v
12	Mr KWD Ramsey	A	75.13v	74.8v	48.3v	50.4v	47.4v	50.6v	50.5v	0.0v	0.0v	0.0v	394.43v
13	Mr ITG Shaw	X	75.9v	74.8v	48.3v	49.5v	49.5v	50.6v	49.2v	0.0v	0.0v	0.0v	394.38v
14	Mr S Belither	X	73.11v	74.10v	48.4v	49.8v	50.7v	50.4v	49.4v	0.0v	0.0v	0.0v	393.48v
15	Mr RJ Lygoe	A	73.8v	74.9v	50.6v	48.7v	49.8v	50.4v	49.6v	0.0v	0.0v	0.0v	393.48v
16	Mr PAR Chapman	X	75.10v	73.7v	48.5v	50.7v	48.5v	50.5v	49.4v	0.0v	0.0v	0.0v	393.43v
17	Mr DR Armstrong	X	75.12v	75.10v	48.3v	49.5v	50.7v	50.3v	46.2v	0.0v	0.0v	0.0v	393.42v
18	Mr J Pugsley	X	73.6v	74.6v	50.6v	48.5v	50.5v	49.4v	49.5v	0.0v	0.0v	0.0v	393.37v
19	Mr JC Underwood	X	74.11v	72.8v	49.4v	50.8v	50.6v	47.5v	50.6v	0.0v	0.0v	0.0v	392.48v
20	Mr DMC Dodds	X	73.9v	74.10v	50.5v	49.8v	49.4v	47.4v	50.8v	0.0v	0.0v	0.0v	392.48v
21	Mrs N Tompkins- Gallagher	X	75.9v	74.8v	47.6v	49.6v	50.10v	48.4v	49.4v	0.0v	0.0v	0.0v	392.47v
22	Mr BA Rollins	X	73.8v	74.10v	50.6v	48.2v	50.7v	48.5v	49.6v	0.0v	0.0v	0.0v	392.44v
23	Mr JDI Hossack	A	72.7v	74.11v	47.4v	50.3v	49.6v	50.7v	50.5v	0.0v	0.0v	0.0v	392.43v
24	Miss A van Zyl	O	73.10v	75.11v	49.6v	47.5v	50.5v	49.2v	49.4v	0.0v	0.0v	0.0v	392.43v
25	Mr TA Ringer	X	75.6v	72.7v	50.6v	49.7v	49.4v	48.6v	49.5v	0.0v	0.0v	0.0v	392.41v
26	Mr SM Negus	X	73.7v	73.10v	49.4v	49.2v	49.8v	50.4v	49.4v	0.0v	0.0v	0.0v	392.39v
27	Mr TP Hammond	X	73.10v	74.4v	49.6v	48.6v	50.4v	49.4v	49.5v	0.0v	0.0v	0.0v	392.39v
28	Mr G Williams	X	73.6v	71.7v	50.6v	48.2v	50.6v	50.5v	50.5v	0.0v	0.0v	0.0v	392.37v
29	Wg Cdr DP Calvert	X	74.11v	74.11v	50.8v	48.6v	49.8v	50.7v	46.5v	0.0v	0.0v	0.0v	391.56v
30	Mr JAM Paton	X	73.8v	74.9v	49.7v	48.6v	49.7v	49.7v	49.6v	0.0v	0.0v	0.0v	391.50v
31	Mr NF Crawford	X	75.9v	72.9v	49.6v	47.3v	48.6v	50.7v	50.8v	0.0v	0.0v	0.0v	391.48v
32	Mr DS Murray	X	75.11v	73.7v	48.6v	48.5v	49.6v	49.6v	49.6v	0.0v	0.0v	0.0v	391.47v
33	Mr TJD Raincock	O	73.4v	73.5v	49.6v	48.7v	49.8v	50.9v	49.6v	0.0v	0.0v	0.0v	391.45v
34	Dr GCD Barnett	X	75.8v	74.10v	50.8v	50.6v	50.6v	50.4v	42.3v	0.0v	0.0v	0.0v	391.45v
35	Miss JH Messer	X	74.9v	73.7v	48.4v	48.3v	50.8v	50.7v	48.6v	0.0v	0.0v	0.0v	391.44v
36	Mr CP Weeden	X	74.8v	74.11v	50.7v	47.6v	49.7v	50.2v	47.3v	0.0v	0.0v	0.0v	391.44v
37	Miss AMG Ogilvie	X	73.8v	71.7v	50.8v	48.5v	49.4v	50.7v	50.4v	0.0v	0.0v	0.0v	391.43v
38	Mr JPS Bloomfield	X	74.10v	72.10v	48.7v	49.2v	50.4v	49.5v	49.5v	0.0v	0.0v	0.0v	391.43v
39	Mr DGM Coleman	X	73.8v	75.10v	48.5v	47.1v	50.4v	50.8v	48.5v	0.0v	0.0v	0.0v	391.41v
40	Mr PRD Stock	X	74.12v	73.8v	47.4v	49.6v	49.1v	50.5v	49.4v	0.0v	0.0v	0.0v	391.40v
41	Flt Lt BN Roth	O	72.7v	74.12v	48.3v	49.5v	49.4v	50.2v	49.6v	0.0v	0.0v	0.0v	391.39v
42	Mr MJ Brister	A	75.7v	72.5v	49.4v	47.4v	50.7v	49.5v	49.3v	0.0v	0.0v	0.0v	391.35v
43	Maj AG McLean	X	75.5v	71.5v	50.0v	49.2v	49.6v	47.3v	50.5v	0.0v	0.0v	0.0v	391.26v
44	Mr PB Bromley	X	75.12v	74.9v	50.8v	44.3v	50.9v	49.5v	48.6v	0.0v	0.0v	0.0v	390.52v
45	Mr NRJ Brasier	X	75.12v	74.8v	47.5v	49.6v	50.5v	50.5v	45.5v	0.0v	0.0v	0.0v	390.46v
46	Mr PD Sykes	X	74.11v	72.7v	50.6v	47.4v	48.4v	50.6v	49.7v	0.0v	0.0v	0.0v	390.45v
47	Zainal Abidin Md Zain	X	69.7v	75.11v	49.7v	49.4v	50.6v	49.3v	49.6v	0.0v	0.0v	0.0v	390.44v
48	Mr JGM Webster	X	71.5v	74.11v	49.4v	48.4v	50.7v	49.5v	49.8v	0.0v	0.0v	0.0v	390.44v
49	Mr MP Garcia	X	74.10v	72.5v	49.6v	49.6v	49.6v	50.6v	47.4v	0.0v	0.0v	0.0v	390.43v
50	EW Pintard	X	73.6v	75.11v	48.6v	48.3v	49.6v	49.5v	48.6v	0.0v	0.0v	0.0v	390.43v
51	Cpl SJ East	X	74.9v	71.7v	49.5v	50.6v	48.5v	49.4v	49.6v	0.0v	0.0v	0.0v	390.42v
52	Mr MWT Walton	X	73.5v	71.8v	49.3v	48.4v	50.8v	50.6v	49.8v	0.0v	0.0v	0.0v	390.42v
53	Mr J Payne	X	72.6v	75.13v	47.4v	49.4v	49.7v	50.5v	48.3v	0.0v	0.0v	0.0v	390.42v
54	Mr R de V Chase	X	73.7v	73.4v	49.7v	49.5v	49.6v	49.7v	48.5v	0.0v	0.0v	0.0v	390.41v
55	Maj AR McLeod	X	73.8v	74.9v	49.6v	48.3v	50.5v	48.4v	48.5v	0.0v	0.0v	0.0v	390.40v
56	Mr MCJ Button	X	73.4v	73.5v	49.7v	46.4v	50.9v	49.6v	50.4v	0.0v	0.0v	0.0v	390.39v
57	Dr AM Jory	X	74.8v	73.7v	48.4v	48.3v	49.5v	49.6v	49.4v	0.0v	0.0v	0.0v	390.37v
58	Mr D Davies	X	74.12v	72.10v	50.7v	48.4v	49.8v	48.3v	48.6v	0.0v	0.0v	0.0v	389.50v
59	Mr BA Horwood	X	74.11v	74.12v	49.5v	48.3v	49.7v	48.6v	47.3v	0.0v	0.0v	0.0v	389.47v

60	Mr NC Mace	X	72.6v	73.10v	48.7v	47.5v	50.10v	49.6v	50.2v	0.0v	0.0v	0.0v	0.0v	389.46v
61	Mr ML Millar	X	74.11v	74.11v	46.2v	49.5v	50.6v	49.9v	47.2v	0.0v	0.0v	0.0v	0.0v	389.46v
62	Mr SA Wotherspoon	X	74.10v	75.12v	48.6v	47.3v	49.5v	47.4v	49.5v	0.0v	0.0v	0.0v	0.0v	389.45v
63	Mr SA Thomas	X	75.7v	74.11v	48.4v	48.6v	48.7v	47.2v	49.6v	0.0v	0.0v	0.0v	0.0v	389.43v
64	Dr AJ Pilgrim	X	73.8v	74.7v	50.6v	48.5v	50.8v	46.3v	48.5v	0.0v	0.0v	0.0v	0.0v	389.42v
65	Mr JWE Lewis	A	73.10v	73.9v	49.5v	47.5v	49.4v	50.4v	48.5v	0.0v	0.0v	0.0v	0.0v	389.42v
66	Dr HHG Pollock	X	71.7v	74.8v	49.7v	49.4v	49.5v	49.5v	48.5v	0.0v	0.0v	0.0v	0.0v	389.41v
67	Mr JP Bailey	X	74.11v	70.6v	49.3v	50.3v	50.8v	49.6v	47.4v	0.0v	0.0v	0.0v	0.0v	389.41v
68	Mr DG Simpson	X	75.11v	73.5v	48.4v	46.5v	50.6v	48.5v	49.5v	0.0v	0.0v	0.0v	0.0v	389.41v
69	Mr TP Clarke	X	75.10v	74.6v	49.4v	45.4v	50.8v	48.6v	48.3v	0.0v	0.0v	0.0v	0.0v	389.41v
70	Mr PJS Bysshe	A	74.8v	73.8v	46.4v	49.5v	49.4v	49.6v	49.5v	0.0v	0.0v	0.0v	0.0v	389.40v
71	Mrs LK Mace	A	72.6v	74.9v	49.4v	47.2v	49.7v	49.6v	49.6v	0.0v	0.0v	0.0v	0.0v	389.40v
72	Mr DE Simkin	X	73.9v	73.7v	48.5v	49.2v	48.7v	48.5v	50.4v	0.0v	0.0v	0.0v	0.0v	389.39v
73	G Woodman	X	73.8v	73.7v	47.4v	47.3v	50.5v	49.4v	50.8v	0.0v	0.0v	0.0v	0.0v	389.39v
74	Maj P Mathenge	X	73.6v	74.7v	49.6v	48.3v	49.6v	47.7v	49.4v	0.0v	0.0v	0.0v	0.0v	389.39v
75	Mr CK Martin	O	75.8v	74.5v	49.5v	49.6v	49.6v	49.6v	44.3v	0.0v	0.0v	0.0v	0.0v	389.39v
76	Mr AG Mitchell	A	74.7v	73.7v	47.4v	48.5v	49.7v	49.4v	49.4v	0.0v	0.0v	0.0v	0.0v	389.38v
77	Mr AK Henderson	A	73.9v	73.7v	50.6v	47.2v	49.7v	50.5v	47.2v	0.0v	0.0v	0.0v	0.0v	389.38v
78	Mr RS Shouler	X	75.10v	72.9v	49.3v	47.3v	50.7v	50.4v	46.1v	0.0v	0.0v	0.0v	0.0v	389.37v
79	PB Church	X	72.6v	74.8v	50.6v	45.2v	50.5v	49.5v	49.4v	0.0v	0.0v	0.0v	0.0v	389.36v
80	E Gauvin	A	72.6v	73.4v	48.6v	50.2v	50.8v	47.3v	49.5v	0.0v	0.0v	0.0v	0.0v	389.34v
81	Mr K Westling	X	73.12v	75.11v	45.1v	50.7v	49.6v	48.7v	48.7v	0.0v	0.0v	0.0v	0.0v	388.51v
82	Mr SNS Penrose	X	73.11v	72.8v	48.4v	48.4v	49.7v	50.7v	48.5v	0.0v	0.0v	0.0v	0.0v	388.46v
83	Mr LM Peden	X	74.10v	72.10v	47.2v	47.4v	49.8v	50.7v	49.4v	0.0v	0.0v	0.0v	0.0v	388.45v
84	Mr RJ van Rensburg	O	72.10v	74.12v	49.8v	47.4v	48.4v	49.4v	49.3v	0.0v	0.0v	0.0v	0.0v	388.45v
85	Lt J Cload	A	75.7v	72.8v	50.8v	50.9v	49.7v	47.3v	45.3v	0.0v	0.0v	0.0v	0.0v	388.45v
86	Mr TF Breedt	X	71.9v	74.9v	49.7v	46.2v	49.8v	50.5v	49.5v	0.0v	0.0v	0.0v	0.0v	388.45v
87	Mr RK Sheead	A	73.7v	74.10v	50.6v	47.6v	49.8v	49.5v	46.3v	0.0v	0.0v	0.0v	0.0v	388.45v
88	Mr FO Pinyon	X	74.7v	72.9v	50.6v	49.6v	48.4v	48.7v	47.5v	0.0v	0.0v	0.0v	0.0v	388.44v
89	FS MW Silver	A	75.8v	74.12v	49.4v	47.4v	49.8v	48.4v	46.4v	0.0v	0.0v	0.0v	0.0v	388.44v
90	Mr PM Jory	X	73.7v	75.11v	47.4v	49.6v	49.6v	48.5v	47.4v	0.0v	0.0v	0.0v	0.0v	388.43v
91	Mr TG Rylands	X	70.8v	75.7v	50.9v	49.4v	50.9v	49.5v	45.1v	0.0v	0.0v	0.0v	0.0v	388.43v
92	Mr JA Watson	X	74.12v	74.8v	49.6v	45.1v	49.7v	49.5v	48.4v	0.0v	0.0v	0.0v	0.0v	388.43v
93	Flt Lt NP Moxon	O	72.5v	71.9v	49.8v	49.3v	50.7v	49.7v	48.3v	0.0v	0.0v	0.0v	0.0v	388.42v
94	Mr GK Alexander	A	71.6v	74.10v	50.5v	46.4v	50.9v	47.4v	50.4v	0.0v	0.0v	0.0v	0.0v	388.42v
95	Mr DC Dyson	X	71.6v	75.7v	49.6v	48.6v	50.8v	49.4v	46.5v	0.0v	0.0v	0.0v	0.0v	388.42v
96	Mr EE Stigant	X	73.9v	73.6v	48.4v	48.8v	50.8v	47.4v	49.2v	0.0v	0.0v	0.0v	0.0v	388.41v
97	Mr RM Roberts	X	74.9v	73.9v	49.5v	50.5v	50.6v	46.5v	46.2v	0.0v	0.0v	0.0v	0.0v	388.41v
98	Mr GE Rasmussen	X	72.7v	73.10v	50.4v	49.5v	48.4v	48.6v	48.4v	0.0v	0.0v	0.0v	0.0v	388.40v
99	Mr GA Cann	X	73.11v	74.8v	47.6v	48.3v	49.6v	49.3v	48.3v	0.0v	0.0v	0.0v	0.0v	388.40v
100	Mr O Vallis	A	73.7v	73.8v	49.3v	47.5v	49.5v	50.7v	47.5v	0.0v	0.0v	0.0v	0.0v	388.40v
101	Flt Lt IW Robertson	X	73.9v	74.8v	50.5v	48.6v	48.3v	50.7v	45.2v	0.0v	0.0v	0.0v	0.0v	388.40v
102	Miss SV Kent	A	73.10v	72.8v	49.6v	49.1v	50.5v	49.6v	46.3v	0.0v	0.0v	0.0v	0.0v	388.39v
103	Mr CJ Watson	A	75.10v	74.5v	45.2v	47.6v	49.6v	49.5v	49.4v	0.0v	0.0v	0.0v	0.0v	388.38v
104	Mr BD Mehrdens	X	75.6v	74.8v	48.6v	49.4v	47.4v	49.4v	46.4v	0.0v	0.0v	0.0v	0.0v	388.36v
105	Mr CA White	O	74.11v	71.3v	50.6v	50.4v	49.6v	49.3v	45.3v	0.0v	0.0v	0.0v	0.0v	388.36v
106	Mr ME Buckley	X	74.9v	75.7v	48.4v	49.3v	50.7v	47.3v	45.2v	0.0v	0.0v	0.0v	0.0v	388.35v
107	Mr RG Best	X	74.12v	73.9v	48.6v	48.5v	48.5v	48.6v	48.4v	0.0v	0.0v	0.0v	0.0v	387.47v
108	Mr RL Mundy	O	73.8v	73.8v	49.7v	48.5v	50.9v	46.4v	48.5v	0.0v	0.0v	0.0v	0.0v	387.46v
109	Mr AH Bowden	X	73.12v	72.4v	49.7v	48.6v	49.9v	50.4v	46.4v	0.0v	0.0v	0.0v	0.0v	387.46v
110	Mr M Dunia	X	74.6v	75.12v	48.5v	47.6v	48.6v	48.5v	47.5v	0.0v	0.0v	0.0v	0.0v	387.45v
111	Lt Col BAR Scott	X	73.10v	75.10v	47.5v	45.4v	49.5v	50.8v	48.3v	0.0v	0.0v	0.0v	0.0v	387.45v
112	GD Paetkau	X	73.10v	73.8v	46.4v	49.2v	50.8v	48.6v	48.6v	0.0v	0.0v	0.0v	0.0v	387.44v
113	MR WA Botha	X	72.8v	75.11v	45.3v	49.7v	50.6v	50.6v	46.3v	0.0v	0.0v	0.0v	0.0v	387.44v
114	Mr GJ Cleary	X	72.10v	74.9v	48.6v	46.3v	50.5v	49.7v	48.4v	0.0v	0.0v	0.0v	0.0v	387.44v
115	Mr DB Lubbe	X	74.8v	72.8v	50.7v	48.6v	49.5v	48.5v	46.4v	0.0v	0.0v	0.0v	0.0v	387.43v
116	Mr RW Sandlant	X	74.11v	72.6v	48.4v	47.5v	49.4v	48.5v	49.7v	0.0v	0.0v	0.0v	0.0v	387.42v
117	Mr MGB Wilson	O	74.7v	74.9v	47.4v	48.4v	47.7v	49.7v	48.4v	0.0v	0.0v	0.0v	0.0v	387.42v
118	Mr RW Rush	X	74.8v	72.7v	49.4v	48.6v	49.4v	48.8v	47.5v	0.0v	0.0v	0.0v	0.0v	387.42v
119	Mr DW Gardiner	X	75.7v	73.8v	49.7v	48.3v	49.6v	47.6v	46.5v	0.0v	0.0v	0.0v	0.0v	387.42v
120	Miss SJ Gallagher	X	74.8v	70.6v	50.6v	48.4v	50.8v	49.7v	46.3v	0.0v	0.0v	0.0v	0.0v	387.42v
121	Mr JEM Bellringier	X	72.8v	74.10v	49.8v	46.4v	50.7v	48.3v	48.2v	0.0v	0.0v	0.0v	0.0v	387.42v
122	Mr AP Sykes	X	72.9v	74.10v	48.0v	47.5v	49.8v	49.6v	48.3v	0.0v	0.0v	0.0v	0.0v	387.41v
123	Mr JP Mackay	A	69.5v	72.9v	50.8v	49.2v	48.6v	49.3v	50.7v	0.0v	0.0v	0.0v	0.0v	387.40v
124	Mr JS Collings	X	74.10v	74.9v	48.3v	48.4v	48.6v	49.5v	46.3v	0.0v	0.0v	0.0v	0.0v	387.40v
125	Mr MG Whicher	O	73.10v	73.6v	46.4v	49.4v	49.7v	48.3v	49.5v	0.0v	0.0v	0.0v	0.0v	387.39v
126	Lt Col CR Claridge	A	71.5v	75.9v	48.4v	49.7v	48.4v	48.7v	48.3v	0.0v	0.0v	0.0v	0.0v	387.39v
127	Mr PR Thompson	O	74.5v	74.9v	50.4v	49.5v	48.6v	45.3v	47.7v	0.0v	0.0v	0.0v	0.0v	387.39v
128	Miss KAN Jack	A	73.8v	72.8v	48.5v	49.4v	50.6v	48.5v	47.3v	0.0v	0.0v	0.0v	0.0v	387.39v
129	CD Haley	X	73.8v	73.9v	47.2v	49.6v	50.6v	48.4v	47.2v	0.0v	0.0v	0.0v	0.0v	387.37v
130	Mr GC Childs	O	72.6v	73.6v	50.6v	46.2v	50.7v	50.7v	46.3v	0.0v	0.0v	0.0v	0.0v	387.37v
131	Mr PJ van der Walt	O	73.8v	72.5v	48.4v	48.3v	48.4v	48.6v	50.5v	0.0v	0.0v	0.0v	0.0v	387.35v
132	Mr RP Rosling	A	71.9v	72.5v	49.5v	50.3v	49.6v	48.3v	48.4v	0.0v	0.0v	0.0v	0.0v	387.35v
133	Mr CB Cottillard	X	69.6v	73.4v	48.3v	49.5v	49.6v	49.5v	50.5v	0.0v	0.0v	0.0v	0.0v	387.34v
134	Dr JG Robertson	X	71.8v	73.10v	50.6v	49.7v	50.7v	44.3v	49.5v	0.0v	0.0v	0.0v	0.0v	386.46v
135	Mr TLW													

154	EC Biggar	X	69.5v	74.8v	50.4v	48.6v	48.6v	47.2v	50.5v	0.0v	0.0v	0.0v	0.0v	386.36v
155	Mr B Logan	A	74.8v	72.7v	48.3v	46.0v	50.5v	49.8v	47.5v	0.0v	0.0v	0.0v	0.0v	386.36v
156	Mr WHC Alexander	O	69.6v	74.6v	47.6v	49.5v	49.5v	49.2v	49.5v	0.0v	0.0v	0.0v	0.0v	386.35v
157	Mr RF Barrington	X	72.6v	73.8v	49.4v	49.3v	47.6v	49.4v	47.4v	0.0v	0.0v	0.0v	0.0v	386.35v
158	Mr GV Feast	A	72.6v	75.10v	47.4v	46.0v	47.6v	49.4v	50.5v	0.0v	0.0v	0.0v	0.0v	386.35v
159	Ms HM Griffiths	X	75.9v	71.6v	49.3v	47.5v	50.6v	46.2v	48.4v	0.0v	0.0v	0.0v	0.0v	386.35v
160	Mr RA Jones	X	73.6v	71.5v	50.4v	48.4v	50.7v	47.6v	47.3v	0.0v	0.0v	0.0v	0.0v	386.35v
161	Mr CMS Dawes	A	73.8v	73.8v	45.2v	48.2v	50.6v	50.6v	47.3v	0.0v	0.0v	0.0v	0.0v	386.35v
162	Mr APW Daw	A	72.5v	73.6v	48.5v	48.4v	50.7v	49.7v	46.1v	0.0v	0.0v	0.0v	0.0v	386.35v
163	Mr RL Schlam	O	73.3v	74.7v	50.6v	48.6v	50.6v	46.4v	45.3v	0.0v	0.0v	0.0v	0.0v	386.35v
164	Mr ARH Jones	X	70.5v	73.6v	48.5v	48.3v	49.6v	48.4v	50.5v	0.0v	0.0v	0.0v	0.0v	386.34v
165	Mr MR Fugeman	O	73.5v	72.6v	49.5v	49.4v	50.6v	46.5v	47.3v	0.0v	0.0v	0.0v	0.0v	386.34v
166	DR Flaharty	X	71.5v	74.8v	48.5v	48.3v	49.6v	48.5v	48.2v	0.0v	0.0v	0.0v	0.0v	386.34v
167	Mr RM Hatcher	X	71.3v	75.9v	48.5v	49.4v	48.6v	49.4v	46.3v	0.0v	0.0v	0.0v	0.0v	386.34v
168	Flt Sgt B Jones	O	73.5v	73.6v	49.5v	45.4v	50.6v	48.5v	48.3v	0.0v	0.0v	0.0v	0.0v	386.34v
169	Mr RA Benest	X	73.8v	72.6v	48.4v	47.2v	50.3v	48.6v	48.4v	0.0v	0.0v	0.0v	0.0v	386.33v
170	DN Crawford	X	74.6v	72.9v	50.7v	47.0v	50.6v	49.2v	44.3v	0.0v	0.0v	0.0v	0.0v	386.33v
171	Mr GJP Burger	X	71.5v	72.6v	49.4v	47.5v	50.5v	48.1v	49.6v	0.0v	0.0v	0.0v	0.0v	386.32v
172	Mr TM Green	X	71.3v	73.3v	50.6v	46.3v	50.6v	46.4v	50.7v	0.0v	0.0v	0.0v	0.0v	386.32v
173	Cdt JP Seegolun	O	72.8v	74.10v	47.4v	47.2v	50.3v	48.4v	48.1v	0.0v	0.0v	0.0v	0.0v	386.32v
174	Mr GR Duncan	X	72.6v	73.7v	49.4v	48.2v	49.4v	50.3v	45.3v	0.0v	0.0v	0.0v	0.0v	386.29v
175	Mr ATB Tompson	X	75.13v	73.8v	48.7v	47.7v	49.7v	47.6v	46.4v	0.0v	0.0v	0.0v	0.0v	385.52v
176	Mr FWA Coetzee	X	68.10v	74.10v	50.9v	48.4v	49.6v	49.5v	47.6v	0.0v	0.0v	0.0v	0.0v	385.50v
177	Mr RA Jobson	X	74.13v	74.11v	48.5v	48.7v	49.6v	48.6v	44.2v	0.0v	0.0v	0.0v	0.0v	385.50v
178	Mr IT Jones	X	73.11v	74.10v	48.6v	46.4v	48.7v	46.4v	50.7v	0.0v	0.0v	0.0v	0.0v	385.49v
179	Mrs GD Webb-Enslin	X	74.8v	74.10v	48.6v	45.4v	47.6v	48.7v	49.7v	0.0v	0.0v	0.0v	0.0v	385.48v
180	Mrs JA Cane	A	67.8v	73.7v	50.7v	49.3v	49.8v	48.5v	49.7v	0.0v	0.0v	0.0v	0.0v	385.45v
181	Mrs NJ Zinsmaster-Mayo	X	75.13v	68.5v	49.6v	50.4v	49.9v	46.2v	48.6v	0.0v	0.0v	0.0v	0.0v	385.45v
182	Mr PG Kent	X	71.7v	73.12v	49.4v	48.7v	49.5v	47.5v	48.3v	0.0v	0.0v	0.0v	0.0v	385.43v
183	Mr A McCullough	X	71.9v	73.8v	50.8v	47.6v	47.4v	50.5v	47.3v	0.0v	0.0v	0.0v	0.0v	385.43v
184	Mr KM Willingale	O	75.10v	73.6v	47.4v	48.8v	49.7v	49.5v	44.3v	0.0v	0.0v	0.0v	0.0v	385.43v
185	Mr RA Dix	O	69.5v	74.8v	48.4v	50.6v	49.8v	47.5v	48.6v	0.0v	0.0v	0.0v	0.0v	385.42v
186	Mr DFP Richards	A	72.9v	74.8v	46.2v	48.6v	50.7v	47.6v	48.4v	0.0v	0.0v	0.0v	0.0v	385.42v
187	Miss JF Hossack	X	72.7v	70.4v	50.7v	48.6v	48.3v	49.8v	48.6v	0.0v	0.0v	0.0v	0.0v	385.41v
188	Mr JM Taylor	X	72.7v	73.11v	47.3v	48.4v	47.4v	49.6v	49.4v	0.0v	0.0v	0.0v	0.0v	385.39v
189	S Riles	X	72.8v	70.7v	49.7v	49.4v	48.7v	49.3v	48.3v	0.0v	0.0v	0.0v	0.0v	385.39v
190	Maj B Taylor	A	71.5v	72.8v	50.5v	46.5v	48.5v	49.5v	49.6v	0.0v	0.0v	0.0v	0.0v	385.39v
191	Mr C Johnston	A	72.5v	74.8v	45.3v	49.4v	47.6v	49.4v	49.8v	0.0v	0.0v	0.0v	0.0v	385.38v
192	Mr MJM Black	X	71.6v	73.8v	49.7v	48.4v	49.5v	47.4v	48.4v	0.0v	0.0v	0.0v	0.0v	385.38v
193	Sqn Ldr RJS Clark	X	72.9v	74.6v	49.7v	46.4v	50.5v	47.2v	47.5v	0.0v	0.0v	0.0v	0.0v	385.38v
194	Mr DJ Fourie	X	71.4v	74.10v	49.5v	48.3v	49.5v	46.5v	48.5v	0.0v	0.0v	0.0v	0.0v	385.37v
195	Pi Tremblay	X	71.6v	75.10v	48.7v	49.6v	48.4v	44.2v	50.1v	0.0v	0.0v	0.0v	0.0v	385.36v
196	SJ Williams	X	73.6v	73.6v	46.6v	48.3v	47.4v	49.6v	49.5v	0.0v	0.0v	0.0v	0.0v	385.36v
197	Mr PN Hinchliffe	O	74.8v	69.5v	48.6v	48.4v	49.5v	49.5v	48.3v	0.0v	0.0v	0.0v	0.0v	385.36v
198	Mr JA Curd	O	69.5v	73.9v	48.6v	48.4v	50.6v	49.4v	48.2v	0.0v	0.0v	0.0v	0.0v	385.36v
199	Mr JP Tapster	X	75.10v	73.8v	47.3v	49.4v	48.4v	48.5v	45.2v	0.0v	0.0v	0.0v	0.0v	385.36v
200	Mr DGF Evans	A	75.10v	73.8v	48.2v	45.1v	49.6v	47.6v	48.3v	0.0v	0.0v	0.0v	0.0v	385.36v