

NRA 134th Imperial Meeting

Grand Aggregate (as at Tuesday, 15th July 2003)

		DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	Corp	POW	Total	
1	Mr E Praslick III	X	74.11v	75.9v	49.4v	50.8v	50.6v	50.4v	49.8v	75.13v	0.0v	0.0v	0.0v	472.63v
2	Zulkeflee Hamsan	X	74.11v	75.11v	50.7v	50.8v	49.7v	48.4v	50.7v	75.8v	0.0v	0.0v	0.0v	471.63v
3	Dr PM Patel	X	75.7v	75.11v	49.6v	50.6v	50.5v	49.7v	48.6v	75.13v	0.0v	0.0v	0.0v	471.61v
4	Mr DC Luckman	X	75.13v	75.10v	50.6v	49.7v	50.8v	47.5v	49.7v	74.12v	0.0v	0.0v	0.0v	469.68v
5	Mr B Bullock	X	74.10v	75.10v	50.6v	50.8v	50.6v	47.3v	50.7v	73.8v	0.0v	0.0v	0.0v	469.58v
6	Mr ITG Shaw	X	75.9v	74.8v	48.3v	49.5v	49.5v	50.6v	49.2v	75.10v	0.0v	0.0v	0.0v	469.48v
7	Mr PR Wheeler	O	75.13v	75.10v	49.7v	47.5v	50.9v	50.7v	49.4v	73.8v	0.0v	0.0v	0.0v	468.63v
8	Mr AJ Luckman	X	73.11v	75.10v	48.5v	48.7v	50.7v	50.6v	50.6v	74.10v	0.0v	0.0v	0.0v	468.62v
9	Mr R Stewart	X	74.9v	75.11v	49.8v	49.5v	49.6v	49.7v	49.5v	74.11v	0.0v	0.0v	0.0v	468.62v
10	Mr DR Armstrong	X	75.12v	75.10v	48.3v	49.5v	50.7v	50.3v	46.2v	75.12v	0.0v	0.0v	0.0v	468.54v
11	Mr C Mallett	X	74.10v	74.8v	50.5v	50.6v	49.5v	47.2v	50.8v	74.8v	0.0v	0.0v	0.0v	468.52v
12	Mr J Pugsley	X	73.6v	74.6v	50.6v	48.5v	50.5v	49.4v	49.5v	75.12v	0.0v	0.0v	0.0v	468.49v
13	Mr JC Underwood	X	74.11v	72.8v	49.4v	50.8v	50.6v	47.5v	50.6v	75.13v	0.0v	0.0v	0.0v	467.61v
14	Mr JG Du Toit	X	75.14v	73.10v	49.7v	50.5v	50.5v	48.3v	49.5v	73.9v	0.0v	0.0v	0.0v	467.58v
15	Mr S Belither	X	73.11v	74.10v	48.4v	49.8v	50.7v	50.4v	49.4v	74.10v	0.0v	0.0v	0.0v	467.58v
16	Mr KWD Ramsey	A	75.13v	74.8v	48.3v	50.4v	47.4v	50.6v	50.5v	73.10v	0.0v	0.0v	0.0v	467.53v
17	Mr TA Ringer	X	75.6v	72.7v	50.6v	49.7v	49.4v	48.6v	49.5v	75.11v	0.0v	0.0v	0.0v	467.52v
18	Wg Cdr DP Calvert	X	74.11v	74.11v	50.8v	48.6v	49.8v	50.7v	46.5v	75.10v	0.0v	0.0v	0.0v	466.66v
19	Mrs N Tompkins- Gallagher	X	75.9v	74.8v	47.6v	49.6v	50.10v	48.4v	49.4v	74.12v	0.0v	0.0v	0.0v	466.59v
20	Mr RJ Lygoe	A	73.8v	74.9v	50.6v	48.7v	49.8v	50.4v	49.6v	73.11v	0.0v	0.0v	0.0v	466.59v
21	Mr DMC Dodds	X	73.9v	74.10v	50.5v	49.8v	49.4v	47.4v	50.8v	74.10v	0.0v	0.0v	0.0v	466.58v
22	Mr CP Weeden	X	74.8v	74.11v	50.7v	47.6v	49.7v	50.2v	47.3v	75.13v	0.0v	0.0v	0.0v	466.57v
23	Miss JH Messer	X	74.9v	73.7v	48.4v	48.3v	50.8v	50.7v	48.6v	75.11v	0.0v	0.0v	0.0v	466.55v
24	Mr BA Rollins	X	73.8v	74.10v	50.6v	48.2v	50.7v	48.5v	49.6v	74.9v	0.0v	0.0v	0.0v	466.53v
25	Mr DGM Coleman	X	73.8v	75.10v	48.5v	47.1v	50.4v	50.8v	48.5v	75.11v	0.0v	0.0v	0.0v	466.52v
26	Mr TP Hammond	X	73.10v	74.4v	49.6v	48.6v	50.4v	49.4v	49.5v	74.12v	0.0v	0.0v	0.0v	466.51v
27	Mr JDI Hossack	A	72.7v	74.11v	47.4v	50.3v	49.6v	50.7v	50.5v	74.7v	0.0v	0.0v	0.0v	466.50v
28	Mr PAR Chapman	X	75.10v	73.7v	48.5v	50.7v	48.5v	50.5v	49.4v	73.6v	0.0v	0.0v	0.0v	466.49v
29	Mr G Williams	X	73.6v	71.7v	50.6v	48.2v	50.6v	50.5v	50.5v	74.8v	0.0v	0.0v	0.0v	466.45v
30	Mr MJ Brister	A	75.7v	72.5v	49.4v	47.4v	50.7v	49.5v	49.3v	75.9v	0.0v	0.0v	0.0v	466.44v
31	Mr PB Bromley	X	75.12v	74.9v	50.8v	44.3v	50.9v	49.5v	48.6v	75.10v	0.0v	0.0v	0.0v	466.62v
32	Mr TJD Raincock	O	73.9v	73.5v	49.6v	48.7v	49.8v	50.9v	49.6v	74.11v	0.0v	0.0v	0.0v	466.61v
33	Mr JAM Paton	X	73.8v	74.9v	49.7v	48.6v	49.7v	49.7v	49.6v	74.10v	0.0v	0.0v	0.0v	466.60v
34	Mr PD Sykes	X	74.11v	72.7v	50.6v	47.4v	48.4v	50.6v	49.7v	75.13v	0.0v	0.0v	0.0v	466.58v
35	Mr DS Murray	X	75.11v	73.7v	48.6v	48.5v	49.6v	49.6v	49.6v	74.9v	0.0v	0.0v	0.0v	466.56v
36	Sqn Ldr SC Williamson	X	72.7v	75.11v	49.6v	50.5v	50.9v	48.6v	50.3v	71.8v	0.0v	0.0v	0.0v	465.55v
37	Zainal Abidin Md Zain	X	69.7v	75.11v	49.7v	49.4v	50.6v	49.3v	49.6v	75.11v	0.0v	0.0v	0.0v	465.55v
38	Dr GCD Barnett	X	75.8v	74.10v	50.8v	50.6v	50.6v	50.4v	42.3v	74.10v	0.0v	0.0v	0.0v	465.55v
39	Miss AMG Ogilvie	X	73.8v	71.7v	50.8v	48.5v	49.4v	50.7v	50.4v	74.10v	0.0v	0.0v	0.0v	465.53v
40	Cpl SJ East	X	74.9v	71.7v	49.5v	50.6v	48.5v	49.4v	49.6v	75.10v	0.0v	0.0v	0.0v	465.52v
41	EW Pintard	X	73.6v	75.11v	48.6v	48.3v	49.6v	49.5v	48.6v	75.9v	0.0v	0.0v	0.0v	465.52v
42	Maj AR McLeod	X	73.8v	74.9v	49.6v	48.3v	50.5v	48.4v	48.5v	75.11v	0.0v	0.0v	0.0v	465.51v
43	Mr PRD Stock	X	74.12v	73.8v	47.4v	49.6v	49.1v	50.5v	49.4v	74.9v	0.0v	0.0v	0.0v	465.49v
44	Mr SM Negus	X	73.7v	73.10v	49.4v	49.2v	49.8v	50.4v	49.4v	73.9v	0.0v	0.0v	0.0v	465.48v
45	Maj AG McLean	X	75.5v	71.5v	50.0v	49.2v	49.6v	47.3v	50.5v	74.9v	0.0v	0.0v	0.0v	465.35v
46	Mr NC Mace	X	72.6v	73.10v	48.7v	47.5v	50.10v	49.6v	50.2v	75.13v	0.0v	0.0v	0.0v	464.59v
47	Mr BA Howard	X	74.11v	74.12v	49.5v	48.3v	49.7v	48.6v	47.3v	75.12v	0.0v	0.0v	0.0v	464.59v
48	Mr D Davies	X	74.12v	72.10v	50.7v	48.4v	49.8v	48.3v	48.6v	75.8v	0.0v	0.0v	0.0v	464.58v
49	Mr NF Crawford	X	75.9v	72.9v	49.6v	47.3v	48.6v	50.7v	50.8v	73.6v	0.0v	0.0v	0.0v	464.54v
50	Mr JGM Webster	X	71.5v	74.11v	49.4v	48.4v	50.7v	49.5v	49.8v	74.8v	0.0v	0.0v	0.0v	464.52v
51	Mr JP Bailey	X	74.11v	70.6v	49.3v	50.3v	50.8v	49.6v	47.4v	75.11v	0.0v	0.0v	0.0v	464.52v
52	Mr DE Simkin	X	73.9v	73.7v	48.5v	49.2v	48.7v	48.5v	50.4v	75.12v	0.0v	0.0v	0.0v	464.51v
53	Mr JPS Bloomfield	X	74.10v	72.10v	48.7v	49.2v	50.4v	49.5v	49.5v	73.8v	0.0v	0.0v	0.0v	464.51v
54	Dr AJ Pilgrim	X	73.8v	74.7v	50.6v	48.5v	50.8v	46.3v	48.5v	75.9v	0.0v	0.0v	0.0v	464.51v
55	Miss A van Zyl	O	73.10v	75.11v	49.6v	47.5v	50.5v	49.2v	49.4v	72.8v	0.0v	0.0v	0.0v	464.51v
56	Flt Lt BN Roth	O	72.7v	74.12v	48.3v	49.5v	49.4v	50.2v	49.6v	73.10v	0.0v	0.0v	0.0v	464.49v
57	Mr PJS Bysshe	A	74.8v	73.8v	46.4v	49.5v	49.4v	49.6v	49.5v	75.9v	0.0v	0.0v	0.0v	464.49v
58	Dr HHG Pollock	X	71.7v	74.8v	49.7v	49.4v	49.4v	49.5v	48.5v	75.8v	0.0v	0.0v	0.0v	464.49v
59	Mr MP Garcia	X	74.10v	72.5v	49.6v	49.6v	49.6v	50.6v	47.4v	74.6v	0.0v	0.0v	0.0v	464.49v

154	Mr IT Jones	X	73.11v	74.10v	48.6v	46.4v	48.7v	46.4v	50.7v	74.10v	0.0v	0.0v	0.0v	459.59v
155	Mrs JA Cane	A	67.8v	73.7v	50.7v	49.3v	49.8v	48.5v	49.7v	74.8v	0.0v	0.0v	0.0v	459.53v
156	Mr M Dunia	X	74.6v	75.12v	48.5v	47.6v	48.6v	48.5v	47.5v	72.8v	0.0v	0.0v	0.0v	459.53v
157	Mr JA Watson	X	74.12v	74.8v	49.6v	45.1v	49.7v	49.5v	48.4v	71.10v	0.0v	0.0v	0.0v	459.53v
158	Mrs NJ Zinsmaster-Mayo	X	75.13v	68.5v	49.6v	50.4v	49.9v	46.2v	48.6v	74.7v	0.0v	0.0v	0.0v	459.52v
159	Mr RL Mundy	O	73.8v	73.8v	49.7v	48.5v	50.9v	46.4v	48.5v	72.6v	0.0v	0.0v	0.0v	459.52v
160	A Marion	X	75.11v	72.8v	48.5v	46.4v	50.4v	48.4v	45.3v	75.12v	0.0v	0.0v	0.0v	459.51v
161	Mr RP Elvins	O	73.10v	71.7v	50.6v	45.4v	49.5v	48.7v	48.5v	75.6v	0.0v	0.0v	0.0v	459.50v
162	Mr C Johnston	A	72.5v	74.8v	45.3v	49.4v	47.6v	49.4v	49.8v	74.11v	0.0v	0.0v	0.0v	459.49v
163	Mr MG Whicher	O	73.10v	73.6v	46.4v	49.4v	49.7v	48.3v	49.5v	72.10v	0.0v	0.0v	0.0v	459.49v
164	Cdt JAR Park	O	73.10v	73.9v	48.6v	48.4v	49.6v	47.2v	46.5v	75.7v	0.0v	0.0v	0.0v	459.49v
165	Mr PG Kent	X	71.7v	73.12v	49.4v	48.7v	49.5v	47.5v	48.3v	74.5v	0.0v	0.0v	0.0v	459.48v
166	Lt NJ Ball	X	74.10v	73.9v	48.6v	45.2v	49.8v	48.2v	47.2v	75.9v	0.0v	0.0v	0.0v	459.48v
167	Mr GK Alexander	A	71.6v	74.10v	50.5v	46.4v	50.9v	47.4v	50.4v	71.5v	0.0v	0.0v	0.0v	459.47v
168	Mr MJM Black	X	71.6v	73.8v	49.7v	48.4v	49.5v	47.4v	48.4v	74.9v	0.0v	0.0v	0.0v	459.47v
169	Sqn Ldr RJS Clark	X	72.9v	74.6v	49.7v	46.4v	50.5v	47.2v	47.5v	74.9v	0.0v	0.0v	0.0v	459.47v
170	Mr JP Mackay	A	69.5v	72.9v	50.8v	49.2v	48.6v	49.3v	50.7v	72.6v	0.0v	0.0v	0.0v	459.46v
171	Mr A Chown	A	72.6v	70.3v	48.4v	50.8v	50.8v	46.4v	48.2v	75.11v	0.0v	0.0v	0.0v	459.46v
172	Mr SJ Bissonnette	X	73.5v	75.12v	48.4v	47.4v	48.4v	45.4v	48.5v	75.7v	0.0v	0.0v	0.0v	459.45v
173	Mr RA Jones	X	73.6v	71.5v	50.4v	48.4v	50.7v	47.6v	47.3v	73.10v	0.0v	0.0v	0.0v	459.45v
174	Mr WHC Alexander	O	69.6v	74.6v	47.6v	49.5v	49.5v	49.2v	49.5v	73.9v	0.0v	0.0v	0.0v	459.44v
175	SJ Williams	X	73.6v	73.6v	46.6v	48.3v	47.4v	49.6v	49.5v	74.8v	0.0v	0.0v	0.0v	459.44v
176	Mr RL Schlam	O	73.3v	74.7v	50.6v	48.6v	50.6v	46.4v	45.3v	73.9v	0.0v	0.0v	0.0v	459.44v
177	Mr PD Bramley	X	75.9v	74.5v	48.4v	45.1v	48.5v	49.6v	45.1v	75.13v	0.0v	0.0v	0.0v	459.44v
178	Mr B Logan	A	74.8v	72.7v	48.3v	46.0v	50.5v	49.8v	47.5v	73.7v	0.0v	0.0v	0.0v	459.43v
179	CD Haley	X	73.8v	73.9v	47.2v	49.6v	50.6v	48.4v	47.2v	72.5v	0.0v	0.0v	0.0v	459.42v
180	Mr CN McEachran	O	72.7v	73.7v	49.5v	46.1v	49.6v	50.6v	46.3v	74.7v	0.0v	0.0v	0.0v	459.42v
181	Mr JPM Stevens	A	74.5v	72.7v	47.3v	46.2v	49.5v	49.7v	48.3v	74.9v	0.0v	0.0v	0.0v	459.41v
182	Mr J Graves	X	71.8v	70.6v	50.6v	49.5v	49.3v	48.2v	48.1v	74.9v	0.0v	0.0v	0.0v	459.40v
183	Mr AC Speirs	X	74.9v	71.3v	47.4v	48.4v	49.2v	48.4v	47.3v	75.11v	0.0v	0.0v	0.0v	459.40v
184	Miss S-J Binder	O	72.4v	73.5v	50.6v	44.1v	46.2v	50.7v	49.5v	75.10v	0.0v	0.0v	0.0v	459.40v
185	Mr GR Duncan	X	72.6v	73.7v	49.4v	48.2v	49.4v	50.3v	45.3v	73.9v	0.0v	0.0v	0.0v	459.38v
186	Mrs GD Webb-Enslin	X	74.8v	74.10v	48.6v	45.4v	47.6v	48.7v	49.7v	73.7v	0.0v	0.0v	0.0v	458.55v
187	Mr JAR Hodge	X	74.8v	68.5v	48.5v	46.5v	48.4v	50.6v	49.5v	75.14v	0.0v	0.0v	0.0v	458.52v
188	Mr P Kerr	X	69.5v	73.6v	50.8v	50.5v	47.4v	48.6v	47.4v	74.12v	0.0v	0.0v	0.0v	458.50v
189	Mr PS Gray	A	73.10v	71.6v	48.4v	49.5v	49.5v	45.3v	49.8v	74.8v	0.0v	0.0v	0.0v	458.49v
190	S Riles	X	72.8v	70.7v	49.7v	49.4v	48.7v	49.3v	48.3v	73.10v	0.0v	0.0v	0.0v	458.49v
191	Mr HRT Jeens	A	73.7v	73.10v	47.4v	48.4v	49.5v	47.5v	47.5v	74.9v	0.0v	0.0v	0.0v	458.49v
192	Flt Lt NP Moxon	O	72.5v	71.9v	49.8v	49.3v	50.7v	49.7v	48.3v	70.6v	0.0v	0.0v	0.0v	458.48v
193	Mr MR Cosway	X	73.7v	74.8v	48.6v	50.6v	49.5v	49.6v	43.1v	72.9v	0.0v	0.0v	0.0v	458.48v
194	Lt Col CR Claridge	A	71.5v	75.9v	48.4v	49.7v	48.4v	48.7v	48.3v	71.8v	0.0v	0.0v	0.0v	458.47v
195	Miss TJ Fitzsimons	X	69.6v	70.6v	48.5v	47.4v	50.6v	50.8v	49.3v	75.9v	0.0v	0.0v	0.0v	458.47v
196	Mr SL Cleveland	O	73.12v	72.5v	48.4v	49.3v	49.7v	46.4v	47.2v	74.10v	0.0v	0.0v	0.0v	458.47v
197	Mr SJ Cane	X	74.8v	72.7v	49.4v	47.3v	49.7v	46.3v	47.4v	74.11v	0.0v	0.0v	0.0v	458.47v
198	BR Kaufman	X	74.8v	72.6v	49.7v	48.6v	50.3v	48.3v	42.3v	75.11v	0.0v	0.0v	0.0v	458.47v
199	Mr GD Palmer	X	73.9v	74.5v	49.6v	48.4v	47.4v	45.4v	48.4v	74.9v	0.0v	0.0v	0.0v	458.45v
200	DR Flaharty	X	71.5v	74.8v	48.5v	48.3v	49.6v	48.5v	48.2v	72.11v	0.0v	0.0v	0.0v	458.45v