

NRA 134th Imperial Meeting

Total Entry: 467

Toye, Kenning & Spencer Aggregate

		D'gall	Lovell	DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	Corp	POW		
1	Dr PM Patel	XS	50.7v	49.4v	75.7v	75.11v	49.6v	50.6v	50.5v	49.7v	48.6v	75.13v	105.17v	47.4v	74.7v	796.100v £
2	Mr DC Luckman	XS	49.8v	49.5v	75.13v	75.10v	50.6v	49.7v	50.8v	47.5v	49.7v	74.12v	105.18v	47.5v	73.9v	792.113v £
3	Dr GCD Barnett	XS	50.4v	48.6v	75.8v	74.10v	50.8v	50.6v	50.6v	50.4v	42.3v	74.10v	105.20v	50.6v	74.6v	792.97v £
4	Mr R Stewart	X	50.8v	49.6v	74.9v	75.11v	49.8v	49.5v	49.6v	49.7v	49.5v	74.11v	103.10v	47.4v	73.6v	790.96v
5	Mr S Belither	XS	49.5v	49.6v	73.11v	74.10v	48.4v	49.8v	50.7v	50.4v	49.4v	74.10v	105.14v	44.2v	75.11v	789.96v £
6	Wg Cdr DP Calvert	XS	49.8v	46.2v	74.11v	74.11v	50.8v	48.6v	49.8v	50.7v	46.5v	75.10v	105.16v	49.6v	72.7v	787.105v £
7	Mr TA Ringer	XS	48.7v	46.5v	75.6v	72.7v	50.6v	49.7v	49.4v	48.6v	49.5v	75.11v	105.18v	48.4v	73.8v	787.94v £
8	Mr JS Collings	X	50.7v	49.3v	74.10v	74.9v	48.3v	48.4v	48.6v	49.5v	46.3v	74.9v	105.16v	48.1v	74.8v	787.84v
9	Mr DGM Coleman	XS	49.5v	47.3v	73.8v	75.10v	48.5v	47.1v	50.4v	50.8v	48.5v	75.11v	105.10v	48.4v	72.6v	787.80v £
10	Mr PR Wheeler	OS	47.5v	50.5v	75.13v	75.10v	49.7v	47.5v	50.9v	50.7v	49.4v	73.8v	104.12v	46.5v	71.6v	786.96v £
11	Mr C Mallett	XS	49.7v	46.2v	74.10v	74.8v	50.5v	50.6v	49.5v	47.2v	50.8v	74.8v	102.10v	48.6v	73.9v	786.86v £
12	Mr NC Mace	XS	50.9v	48.6v	72.6v	73.10v	48.7v	47.5v	50.10v	49.6v	50.2v	75.13v	102.14v	48.6v	73.11v	785.105v £
13	Mr FO Pinyon	XS	49.5v	50.6v	74.7v	72.9v	50.6v	49.6v	48.4v	48.7v	47.5v	75.11v	102.13v	47.5v	74.10v	785.94v £
14	Mr JAM Paton	XS	48.4v	48.3v	73.8v	74.9v	49.7v	48.6v	49.7v	49.7v	49.6v	74.10v	101.4v	50.6v	73.10v	785.87v £
15	Mr JDI Hossack	AS	47.7v	49.4v	72.7v	74.11v	47.4v	50.3v	49.6v	50.7v	50.5v	74.7v	103.12v	47.3v	73.11v	785.87v £
16	Mr J Pugsley	XS	47.2v	49.7v	73.6v	74.6v	50.6v	48.5v	50.5v	49.4v	49.5v	75.12v	105.18v	47.5v	69.3v	785.84v £
17	Mr ITG Shaw	XS	47.4v	46.4v	75.9v	74.8v	48.3v	49.5v	49.5v	50.6v	49.2v	75.10v	103.11v	46.5v	74.9v	785.81v £
18	Mr JC Underwood	XS	49.8v	42.3v	74.11v	72.8v	49.4v	50.8v	50.6v	47.5v	50.6v	75.13v	103.16v	49.2v	74.8v	784.98v
19	Mr PM Jory	X	49.7v	49.4v	73.7v	75.11v	47.4v	49.6v	49.6v	48.5v	47.4v	73.12v	104.16v	48.5v	73.9v	784.96v
20	Mr AJ Luckman	XS	50.5v	40.1v	73.11v	75.10v	48.5v	48.7v	50.7v	50.6v	50.6v	74.10v	104.16v	49.5v	73.6v	784.95v
21	Mr SNS Penrose	X	48.6v	46.2v	73.11v	72.8v	48.4v	48.4v	49.7v	50.7v	48.5v	74.9v	105.15v	49.4v	74.4v	784.86v
22	Mr CP Weeden	XS	47.3v	48.4v	74.8v	74.11v	50.7v	47.6v	49.7v	50.2v	47.3v	75.13v	103.12v	47.0v	73.8v	784.84v
23	Miss JH Messer	XS	50.6v	47.7v	74.9v	73.7v	48.4v	48.3v	50.8v	50.7v	48.6v	75.11v	105.17v	44.0v	71.7v	783.92v
24	Mr TJD Raincock	OS	49.6v	47.2v	73.9v	73.5v	49.6v	48.7v	49.8v	50.9v	49.6v	74.11v	105.14v	48.3v	69.5v	783.91v £
25	Mr JG Du Toit	X	49.8v	43.1v	75.14v	73.10v	49.7v	50.5v	50.5v	48.3v	49.5v	73.9v	103.12v	48.3v	73.8v	783.90v
26	Mr E Praslick III	XS	47.6v	42.3v	74.11v	75.9v	49.4v	50.8v	50.6v	50.4v	49.8v	75.13v	105.18v	48.3v	71.7v	783.90v
27	Lt NJ Ball	XS	50.7v	46.2v	74.10v	73.9v	48.6v	45.2v	49.8v	48.2v	47.2v	75.9v	105.18v	50.4v	73.8v	783.87v
28	Mr JP Bailey	XS	49.5v	46.1v	74.11v	70.6v	49.3v	50.3v	50.8v	49.6v	47.4v	75.11v	101.8v	50.6v	73.6v	783.78v
29	Mr PB Bromley	XS	50.6v	46.3v	75.12v	74.9v	50.8v	44.3v	50.9v	49.5v	48.6v	75.10v	103.13v	45.0v	73.8v	782.92v
30	Mr DS Murray	X	49.6v	45.1v	75.11v	73.7v	48.6v	48.5v	49.6v	49.6v	49.6v	74.9v	103.13v	47.4v	73.8v	782.88v
31	Mr SA Witherspoon	X	49.4v	48.3v	74.10v	75.12v	48.6v	47.3v	49.5v	47.4v	49.5v	74.11v	105.12v	46.4v	71.7v	782.86v
32	G Woodman	XS	48.4v	46.3v	73.8v	73.7v	47.4v	47.3v	50.5v	49.4v	50.8v	74.12v	105.11v	48.6v	72.8v	782.83v
33	Mr TP Hammond	X	48.4v	46.3v	73.10v	74.4v	49.6v	48.6v	50.4v	49.4v	49.5v	74.12v	103.13v	48.3v	71.7v	782.81v
34	Mr GA Cann	XS	49.5v	47.4v	73.11v	74.8v	47.6v	48.3v	49.6v	49.3v	48.3v	74.6v	105.10v	45.1v	74.8v	782.74v
35	Mr DMC Dodds	X	47.6v	45.1v	73.9v	74.10v	50.5v	49.8v	49.4v	47.4v	50.8v	74.10v	105.14v	44.3v	74.8v	781.90v
36	Mr WP Grenness	XS	49.5v	48.3v	70.5v	75.11v	47.4v	49.6v	50.4v	48.4v	47.4v	74.9v	105.16v	45.4v	74.9v	781.84v
37	Mr DW Gardiner	X	49.5v	48.4v	75.7v	73.8v	49.7v	48.3v	49.6v	47.6v	46.5v	75.10v	103.14v	47.4v	72.3v	781.82v
38	Mr RJS Scoones	XS	50.7v	50.6v	73.5v	70.7v	48.4v	45.3v	49.6v	49.4v	49.6v	74.8v	103.14v	47.2v	74.9v	781.81v
39	Mr DE Simkin	XS	50.10v	44.5v	73.9v	73.7v	48.5v	49.2v	48.7v	48.5v	50.4v	75.12v	103.13v	47.4v	72.5v	780.88v
40	Mr SJ Cane	X	49.6v	48.3v	74.8v	72.7v	49.4v	47.3v	49.7v	46.3v	47.4v	74.11v	104.13v	47.6v	74.9v	780.84v
41	Dr AJ Pilgrim	XS	50.7v	44.1v	73.8v	74.7v	50.6v	48.5v	50.8v	46.3v	48.5v	75.9v	102.12v	48.4v	72.8v	780.83v
42	Mr NRJ Brasier	XS	50.5v	47.4v	75.12v	74.8v	47.5v	49.6v	50.5v	50.5v	45.5v	73.5v	103.11v	46.3v	71.8v	780.82v
43	Miss SV Kent	AS	50.6v	45.2v	73.10v	72.8v	49.6v	49.1v	50.5v	49.6v	46.3v	75.7v	105.17v	44.2v	73.9v	780.82v £
44	Mr MP Garcia	XS	49.9v	47.4v	74.10v	72.5v	49.6v	49.6v	49.6v	50.6v	47.4v	74.6v	104.10v	45.3v	71.6v	780.81v
45	Mr RP Rosling	AS	50.6v	48.4v	71.9v	72.5v	49.5v	50.3v	49.6v	48.3v	48.4v	73.9v	103.6v	46.5v	73.11v	780.76v £
46	Mr CJ Watson	A	49.5v	48.3v	75.10v	74.5v	45.2v	47.6v	49.6v	49.5v	49.4v	73.6v	101.9v	46.2v	75.8v	780.71v
47	Mr ML Millar	XS	50.4v	45.2v	74.11v	74.11v	46.2v	49.5v	50.6v	49.9v	47.2v	74.12v	101.15v	46.3v	74.9v	779.91v
48	Mr C Johnston	AS	49.6v	49.4v	72.5v	74.8v	45.3v	49.4v	47.6v	49.4v	49.8v	74.11v	104.17v	45.2v	73.8v	779.86v £
49	Mr JWE Lewis	AS	48.6v	45.3v	73.10v	73.9v	49.5v	47.5v	49.4v	50.4v	48.5v	74.6v	103.14v	47.5v	73.10v	779.86v £
50	Mr JGM Webster	XS	49.4v	44.1v	71.5v	74.11v	49.4v	48.4v	50.7v	49.5v	49.8v	74.8v	103.14v	45.3v	74.10v	779.84v
51	Mr DG Simpson	XS	49.7v	46.1v	75.11v	73.5v	48.4v	46.5v	50.6v	48.5v	49.5v	74.9v	103.16v	48.2v	70.5v	779.81v
52	Miss AMG Ogilvie	XS	50.4v	45.2v	73.8v	71.7v	50.8v	48.5v	49.4v	50.7v	50.4v	74.10v	104.13v	44.2v	71.6v	779.80v
53	Mr KWD Ramsey	AS	48.5v	44.3v	75.13v	74.8v	48.3v	50.4v	47.4v	50.6v	50.5v	73.10v	103.10v	44.1v	72.8v	778.80v
54	Mr MR Fugeman	OS	48.4v	48.5v	73.5v	72.6v	49.5v	49.4v	50.6v	46.5v	47.3v	74.9v	102.11v	46.3v	74.9v	778.75v £
55	Lt J Cload	AS	49.6v	45.3v	75.7v	72.8v	50.8v	50.9v	49.7v	47.3v	45.3v	75.12v	105.12v	44.4v	71.6v	777.88v
56	Flt Lt BN Roth	OS	48.5v	44.1v	72.7v	74.12v	48.3v	49.5v	49.4v	50.2v	49.6v	73.10v	103.13v	46.3v	72.9v	777.80v £
57	Lt Col CR Claridge	AS	49.4v	46.4v	71.5v	75.9v	48.4v	49.7v	48.4v	48.7v	48.3v	71.8v	103.11v	47.4v	73.10v	777.80v
58	Mr MJ O'Leary	AS	50.5v	46.4v	72.7v	72.11v	49.5v	49.5v	48.3v	50.4v	46.2v	72.7v	104.14v	46.3v	72.8v	776.78v
59	Mr AK Henderson	AS	48.3v	43.3v	73.9v	73.7v	50.6v	47.2v	49.7v	50.5v	47.2v	75.8v	105.13v	45.2v	71.7v	776.74v
60	Mrs LK Mace	AS	46.5v	46.5v	72.6v	74.9v	49.4v	47.2v	49.7v	49.6v	49.6v	73.8v	102.12v	46.3v	72.7v	774.80v
61	Mr RA Dawson	OS	47.6v	47.2v	73.5v	71.7v	46.3v	46.2v	48.4v	49.5v	49.4v	73.10v	105.15v	46.5v	74.8v	774.76v £
62	Mr B Logan	A	49.4v	47.1v	74.8v	72.7v	48.3v	46.0v	50.5v	49.8v	47.5v	73.7v	103.14v	45.4v	71.4v	774.70v
63	Mr RJ van Rensburg	O	49.6v	46.4v	72.10v	74.12v	49.8v	47.4v	48.4v	49.4v	49.3v	74.7v	102.13v	41.0v	73.8v	773.83v
64	Mr A Chown	AS	49.5v	41.0v	72.6v	70.3v	48.4v	50.8v	50.8v	46.4v	48.2v	75.11v	104.14v	46.3v	74.11v	773.79v
65	Mr MG Whicher	OS	49.4v	47.6v	73.10v	73.6v	46.4v	49.4v	49.7v	48.3v	49.5v	72.10v	102.9v	43.2v	73.7v	773.77v £
66	Mr CA White	OS	49.6v	47.4v	74.11v	71.3v	50.6v	50.4v	49.6v	49.3v	45.3v	72.9v	103.15v	44.2v	70.3v	773.75v £
67	Mr JM Holmes	O	49.5v	45.2v	72.8v	75.9v	49.6v	45.3v	50.7v	46.4v	49.2v	74.12v	103.9v	41.1v	74.12v	772.80v
68	Mr RA Welford	OS	47.4v	47.6v	72.5v	72.5v	49.5v	48.6v	48.5v	49.7v	46.4v	72.8v	102.11v	46.1v	74.9v	772.76v
69	Mr RL Schlam	OS	48.6v	48.4v	73.3v	74.7v	50.6v	48.6v	50.6v	46.4v	45.3v	73.9v	104.10v	46.3v	67.2v	772.69v
70	Mr WHC Alexander	O	48.4v	46.4v	69.6v	74.6v	47.6v	49.5v	49.5v	49.2v	49.5v	73.9v	102.8v	44.3v	73.4v	772.67v

Date and Time of Posting

Chief Statistical Officer

Entry Summary

Total Entry:	467			
Class X Entry:	222	Class X Sweeps:	142	Sweep Prizes: 13
Class A Entry:	71	Class A Sweeps:	48	Sweep Prizes: 5
Class O Entry:	133	Class O Sweeps:	75	Sweep Prizes: 7
Class T Entry:	39	Class T Sweeps:	8	Sweep Prizes: 1
Class F Entry:	2	Class F Sweeps:		Sweep Prizes: 0