

NRA 134th Imperial Meeting

The World Individual Championship (as at Tuesday, 15th July 2003)

		D'gall	Lovell	DT	Times	DM	DC	St.G	Alex	Doyle	Wimb	Queens	Corp	POW	Total	
1	Dr PM Patel	X	50.7v	49.4v	75.7v	50.5v	75.11v	50.6v	75.13v	49.6v	48.6v	49.7v	0.0v	0.0v	0.0v	570.72v
2	Mr B Bullock	X	50.6v	49.3v	74.10v	50.6v	75.10v	50.8v	73.8v	50.6v	50.7v	47.3v	0.0v	0.0v	0.0v	568.67v
3	Mr DC Luckman	X	49.8v	49.5v	75.13v	50.8v	75.10v	49.7v	74.12v	50.6v	49.7v	47.5v	0.0v	0.0v	0.0v	567.81v
4	Mr R Stewart	X	50.8v	49.6v	74.9v	49.6v	75.11v	49.5v	74.11v	49.8v	49.5v	49.7v	0.0v	0.0v	0.0v	567.76v
5	Mr DR Armstrong	X	50.7v	48.6v	75.12v	50.7v	75.10v	49.5v	75.12v	48.3v	46.2v	50.3v	0.0v	0.0v	0.0v	566.67v
6	Mr PR Wheeler	O	47.5v	50.5v	75.13v	50.9v	75.10v	47.5v	73.8v	49.7v	49.4v	50.7v	0.0v	0.0v	0.0v	565.73v
7	Zulkeflee Hamsan	X	49.7v	45.1v	74.11v	49.7v	75.11v	50.8v	75.8v	50.7v	50.7v	48.4v	0.0v	0.0v	0.0v	565.71v
8	Mr S Belither	X	49.5v	49.6v	73.11v	50.7v	74.10v	49.8v	74.10v	48.4v	49.4v	50.4v	0.0v	0.0v	0.0v	565.69v
9	Mr J Pugsley	X	47.2v	49.7v	73.6v	50.5v	74.6v	48.5v	75.12v	50.6v	49.5v	49.4v	0.0v	0.0v	0.0v	564.58v
10	Miss JH Messer	X	50.6v	47.7v	74.9v	50.8v	73.7v	48.3v	75.11v	48.4v	48.6v	50.7v	0.0v	0.0v	0.0v	563.68v
11	Dr GCD Barnett	X	50.4v	48.6v	75.8v	50.6v	74.10v	50.6v	74.10v	50.8v	42.3v	50.4v	0.0v	0.0v	0.0v	563.65v
12	Sqn Ldr SC Williamson	X	50.7v	48.3v	72.7v	50.9v	75.11v	50.5v	71.8v	49.6v	50.3v	48.6v	0.0v	0.0v	0.0v	563.65v
13	Mr C Mallett	X	49.7v	46.2v	74.10v	49.5v	74.8v	50.6v	74.8v	50.5v	50.8v	47.2v	0.0v	0.0v	0.0v	563.61v
14	Mr NC Mace	X	50.9v	48.6v	72.6v	50.10v	73.10v	47.5v	75.13v	48.7v	50.2v	49.6v	0.0v	0.0v	0.0v	562.74v
15	Mr FO Pinyon	X	49.5v	50.6v	74.7v	48.4v	72.9v	49.6v	75.11v	50.6v	47.5v	48.7v	0.0v	0.0v	0.0v	562.66v
16	Mr JDI Hossack	A	47.7v	49.4v	72.7v	49.6v	74.11v	50.3v	74.7v	47.4v	50.5v	50.7v	0.0v	0.0v	0.0v	562.61v
17	Mr DGM Coleman	X	49.5v	47.3v	73.8v	50.4v	75.10v	47.1v	75.11v	48.5v	48.5v	50.8v	0.0v	0.0v	0.0v	562.60v
18	Mr ITG Shaw	X	47.4v	46.4v	75.9v	49.5v	74.8v	49.5v	75.10v	48.3v	49.2v	50.6v	0.0v	0.0v	0.0v	562.56v
19	Mr G Williams	X	49.6v	47.3v	73.6v	50.6v	71.7v	48.2v	74.8v	50.6v	50.5v	50.5v	0.0v	0.0v	0.0v	562.54v
20	Wg Cdr DP Calvert	X	49.8v	46.2v	74.11v	49.8v	74.11v	48.6v	75.10v	50.8v	46.5v	50.7v	0.0v	0.0v	0.0v	561.76v
21	Mr E Praslick III	X	47.6v	42.3v	74.11v	50.6v	75.9v	50.8v	75.13v	49.4v	49.8v	50.4v	0.0v	0.0v	0.0v	561.72v
22	Mr PB Bromley	X	50.6v	46.3v	75.12v	50.9v	74.9v	44.3v	75.10v	50.8v	48.6v	49.5v	0.0v	0.0v	0.0v	561.71v
23	Mr TJD Raincock	O	49.6v	47.2v	73.9v	49.8v	73.5v	48.7v	74.11v	49.6v	49.6v	50.9v	0.0v	0.0v	0.0v	561.69v
24	Mr JAM Paton	X	48.4v	48.3v	73.8v	49.7v	74.9v	48.6v	74.10v	49.7v	49.6v	49.7v	0.0v	0.0v	0.0v	561.67v
25	Mr RJ Lygoe	A	48.4v	47.4v	73.8v	49.8v	74.9v	48.7v	73.11v	50.6v	49.6v	50.4v	0.0v	0.0v	0.0v	561.67v
26	Mr CP Weeden	X	47.3v	48.4v	74.8v	49.7v	74.11v	47.6v	75.13v	50.7v	47.3v	50.2v	0.0v	0.0v	0.0v	561.64v
27	Mr TA Ringer	X	48.7v	46.5v	75.6v	49.4v	72.7v	49.7v	75.11v	50.6v	49.5v	48.6v	0.0v	0.0v	0.0v	561.64v
28	Mr EE Stigant	X	49.7v	50.7v	73.9v	50.8v	73.6v	48.8v	74.8v	48.4v	49.2v	47.4v	0.0v	0.0v	0.0v	561.63v
29	Mr MJ Brister	A	47.4v	48.3v	75.7v	50.7v	72.5v	47.4v	75.9v	49.4v	49.3v	49.5v	0.0v	0.0v	0.0v	561.51v
30	Mr D Davies	X	50.6v	46.2v	74.12v	49.8v	72.10v	48.4v	75.8v	50.7v	48.6v	48.3v	0.0v	0.0v	0.0v	560.66v
31	Mr NF Crawford	X	48.5v	48.5v	75.9v	48.6v	72.9v	47.3v	73.6v	49.6v	50.8v	50.7v	0.0v	0.0v	0.0v	560.64v
32	Mr SA Witherspoon	X	49.4v	48.3v	74.10v	49.5v	75.12v	47.3v	74.11v	48.6v	49.5v	47.4v	0.0v	0.0v	0.0v	560.63v
33	Mr MP Garcia	X	49.9v	47.4v	74.10v	49.6v	72.5v	49.6v	74.6v	49.6v	47.4v	50.6v	0.0v	0.0v	0.0v	560.62v
34	Mr NRJ Brasier	X	50.5v	47.4v	75.12v	50.5v	74.8v	49.6v	73.5v	47.5v	45.5v	50.5v	0.0v	0.0v	0.0v	560.60v
35	Cpl SJ East	X	49.6v	46.2v	74.9v	48.5v	71.7v	50.6v	75.10v	49.5v	49.6v	49.4v	0.0v	0.0v	0.0v	560.60v
36	Mr JS Collings	X	50.7v	49.3v	74.10v	48.6v	74.9v	48.4v	74.9v	48.3v	46.3v	49.5v	0.0v	0.0v	0.0v	560.59v
37	Miss AMG Ogilvie	X	50.4v	45.2v	73.8v	49.4v	71.7v	48.5v	74.10v	50.8v	50.4v	50.7v	0.0v	0.0v	0.0v	560.59v
38	Mr TP Hammond	X	48.4v	46.3v	73.10v	50.4v	74.4v	48.6v	74.12v	49.6v	49.5v	49.4v	0.0v	0.0v	0.0v	560.58v
39	Mr SM Negus	X	49.6v	46.3v	73.7v	49.8v	73.10v	49.2v	73.9v	49.4v	49.4v	50.4v	0.0v	0.0v	0.0v	560.57v
40	Mr PAR Chapman	X	49.6v	45.2v	75.10v	48.5v	73.7v	50.7v	73.6v	48.5v	49.4v	50.5v	0.0v	0.0v	0.0v	560.57v
41	Mr ME Buckley	X	49.6v	49.5v	74.9v	50.7v	75.7v	49.3v	74.9v	48.4v	45.2v	47.3v	0.0v	0.0v	0.0v	560.55v
42	Mr JG Du Toit	X	49.8v	43.1v	75.14v	50.5v	73.10v	50.5v	73.9v	49.7v	49.5v	48.3v	0.0v	0.0v	0.0v	559.67v
43	Mr PM Jory	X	49.7v	49.4v	73.7v	49.6v	75.11v	49.6v	73.12v	47.4v	47.4v	48.5v	0.0v	0.0v	0.0v	559.66v
44	Mr BA Horwood	X	49.6v	46.1v	74.11v	49.7v	74.12v	48.3v	75.12v	49.5v	47.3v	48.6v	0.0v	0.0v	0.0v	559.66v
45	Mr DS Murray	X	49.6v	45.1v	75.11v	49.6v	73.7v	48.5v	74.9v	48.6v	49.6v	49.6v	0.0v	0.0v	0.0v	559.63v
46	Mr DW Gardiner	X	49.5v	48.4v	75.7v	49.6v	73.8v	48.3v	75.10v	49.7v	46.5v	47.6v	0.0v	0.0v	0.0v	559.61v
47	Mr TF Breedt	X	49.2v	47.3v	71.9v	49.8v	74.9v	46.2v	75.11v	49.7v	49.5v	50.5v	0.0v	0.0v	0.0v	559.61v
48	Mr KWD Ramsey	A	48.5v	44.3v	75.13v	47.4v	74.8v	50.4v	73.10v	48.3v	50.5v	50.6v	0.0v	0.0v	0.0v	559.61v
49	Mr BA Rollins	X	49.5v	44.3v	73.8v	50.7v	74.10v	48.2v	74.9v	50.6v	49.6v	48.5v	0.0v	0.0v	0.0v	559.61v
50	Miss A van Zyl	O	48.5v	47.4v	73.10v	50.5v	75.11v	47.5v	72.8v	49.6v	49.4v	49.2v	0.0v	0.0v	0.0v	559.60v
51	Mr JP Bailey	X	49.5v	46.1v	74.11v	50.8v	70.6v	50.3v	75.11v	49.3v	47.4v	49.6v	0.0v	0.0v	0.0v	559.58v
52	E Gauvin	A	50.7v	46.4v	72.6v	50.8v	73.4v	50.2v	74.12v	48.6v	49.5v	47.3v	0.0v	0.0v	0.0v	559.57v
53	Mr BD Mehrstens	X	49.4v	48.4v	75.6v	47.4v	74.8v	49.4v	74.8v	48.6v	46.4v	49.4v	0.0v	0.0v	0.0v	559.52v
54	Maj AG McLean	X	49.5v	45.3v	75.5v	49.6v	71.5v	49.2v	74.9v	50.0v	50.5v	47.3v	0.0v	0.0v	0.0v	559.43v
55	Mr JC Underwood	X	49.8v	42.3v	74.11v	50.6v	72.8v	50.8v	75.13v	49.4v	50.6v	47.5v	0.0v	0.0v	0.0v	558.72v
56	Mr AJ Luckman	X	50.5v	40.1v	73.11v	50.7v	75.10v	48.7v	74.10v	48.5v	50.6v	50.6v	0.0v	0.0v	0.0v	558.68v
57	Mr LM Peden	X	50.8v	45.2v	74.10v	49.8v	72.10v	47.4v	75.12v	47.2v	49.4v	50.7v	0.0v	0.0v	0.0v	558.67v
58	Mr DE Simkin	X	50.10v	44.5v	73.9v	48.7v	73.7v	49.2v	75.12v	48.5v	50.4v	48.5v	0.0v	0.0v	0.0v	558.66v
59	Mr DMC Dodds	X	47.6v	45.1v	73.9v	49.4v	74.10v	49.8v	74.10v	50.5v	50.8v	47.4v	0.0v	0.0v	0.0v	558.65v
60	Mr ML Millar	X	50.4v	45.2v	74.11v	50.6v	74.11v	49.5v	74.12v	46.2v	47.2v	49.9v	0.0v	0.0v	0.0v	558.64v
61	GD Paetkau	X	50.7v	47.5v	73.10v	50.8v	73.8v	49.2v	74.7v	46.4v	48.6v	48.6v	0.0v	0.0v	0.0v	558.63v
62	Flt Lt IW Robertson	X	47.5v	48.4v	73.9v	48.3v	74.8v	48.6v	75.12v	50.5v	45.2v	50.7v	0.0v	0.0v	0.0v	558.61v
63	Mr CK Martin	O	48.5v	47.5v	75.8v	49.6v	74.5v	49.6v	74.11v	49.5v	44.3v	49.6v	0.0v	0.0v	0.0v	558.60v
64	Mr RW Sandlant	X	50.4v	46.2v	74.11v	49.4v	72.6v	47.5v	75.12v	48.4v	49.7v	48.5v	0.0v	0.0v	0.0v	558.60v
65	Dr AJ Pilgrim	X	50.7v	44.1v	73.8v	50.8v	74.7v	48.5v	75.9v	50.6v	48.5v	46.3v	0.0v	0.0v	0.0v	558.59v
66	Mr GE Rasmussen	X	47.4v	48.4v	72.7v	48.4v	73.10v	49.5v	75.10v	50.4v	48.4v	48.6v	0.0v	0.0v	0.0v	558.58v
67	Mr DG Simpson	X	49.7v	46.1v	75.11v	50.6v	73.5v	46.5v	74.9v	48.4v	49.5v	48.5v	0.0v	0.0v	0.0v	558.58v
68	Maj AR McLeod	X	48.4v	45.3v	73.8v	50.5v	74.9v	48.3v	75.11v	49.6v	48.5v	48.4v	0.0v	0.0v	0.0v	558.58v
69	Mr RA Jones	X	50.7v	49.5v	73.6v	50.7v	71.5v	48.4v	73.10v	50.4v	47.3v	47.6v	0.0v	0.0v	0.0v	558.57v
70	PB Church	X	49.8v	45.2v	72.6v	50.5v	74.8v	45.2v	75.11v	50.6v	49.4v	49.5v	0.0v	0.0v	0.0v	558.57v
71	Mr GA Cann	X	49.5v	47.4v	73.11v	49.6v	74.8v	48.3v	74.6v	47.6v	48.3v	49.3v	0.0v	0.0v	0.0v	558.55v
72	Mr RP Rosling	A	50.6v	48.4v	71.9v	49.6v	72.5v	50.3v	73.9v	49.5v	48.4v	48.3v	0.0v	0.0v	0.0v	558.54v
73	Mr RS Shouler	X	49.6v	47.4v	75.10v	50.7v	72.9v	47.3v	73.7v	49.3v	46.1v					

87	Mr C Johnston	A	49.6v	49.4v	72.5v	47.6v	74.8v	49.4v	74.11v	45.3v	49.8v	49.4v	0.0v	0.0v	0.0v	557.59v
88	Mr JMA Thompson	X	49.6v	47.4v	73.10v	49.4v	74.9v	46.3v	75.11v	49.2v	48.6v	47.4v	0.0v	0.0v	0.0v	557.59v
89	Mr GV Feast	A	50.8v	47.4v	72.6v	47.6v	75.10v	46.0v	74.11v	47.4v	50.5v	49.4v	0.0v	0.0v	0.0v	557.58v
90	G Woodman	X	48.4v	46.3v	73.8v	50.5v	73.7v	47.3v	74.12v	47.4v	50.8v	49.4v	0.0v	0.0v	0.0v	557.58v
91	Mr PJS Bysse	A	48.6v	45.2v	74.8v	49.4v	73.8v	49.5v	75.9v	46.4v	49.5v	49.6v	0.0v	0.0v	0.0v	557.57v
92	Mr JGM Webster	X	49.4v	44.1v	71.5v	50.7v	74.11v	48.4v	74.8v	49.4v	49.8v	49.5v	0.0v	0.0v	0.0v	557.57v
93	Mr RJS Scoones	X	50.7v	50.6v	73.5v	49.6v	70.7v	45.3v	74.8v	48.4v	49.6v	49.4v	0.0v	0.0v	0.0v	557.56v
94	Mr WP Grenness	X	49.5v	48.3v	70.5v	50.4v	73.1v	49.6v	74.9v	47.4v	48.4v	48.4v	0.0v	0.0v	0.0v	557.55v
95	Mrs N Tompkins- Gallagher	X	49.9v	41.1v	75.9v	50.10v	74.8v	49.6v	74.12v	47.6v	49.4v	48.4v	0.0v	0.0v	0.0v	556.69v
96	Mr SNS Penrose	X	48.6v	46.2v	73.11v	49.7v	72.8v	48.4v	74.9v	48.4v	48.5v	50.7v	0.0v	0.0v	0.0v	556.63v
97	Mr O Vallis	A	48.5v	45.4v	73.7v	49.5v	73.8v	47.5v	75.11v	49.3v	47.5v	50.7v	0.0v	0.0v	0.0v	556.60v
98	Mr R de V Chase	X	47.4v	47.3v	73.7v	49.6v	73.4v	49.5v	72.10v	49.7v	48.5v	49.7v	0.0v	0.0v	0.0v	556.58v
99	Mr JWE Lewis	A	48.6v	45.3v	73.10v	49.4v	73.9v	47.5v	74.6v	49.5v	48.5v	50.4v	0.0v	0.0v	0.0v	556.57v
100	Mr PG Kent	X	49.5v	48.3v	71.7v	49.5v	73.12v	48.7v	74.5v	49.4v	48.3v	47.5v	0.0v	0.0v	0.0v	556.56v
101	Mr J Graves	X	49.9v	48.6v	71.8v	49.3v	70.6v	49.5v	74.9v	50.6v	48.1v	48.2v	0.0v	0.0v	0.0v	556.55v
102	Mr CA White	O	49.6v	47.4v	74.11v	49.6v	71.3v	50.4v	72.9v	50.6v	45.3v	49.3v	0.0v	0.0v	0.0v	556.55v
103	Flt Lt BN Roth	O	48.5v	44.1v	72.7v	49.4v	74.12v	49.5v	73.10v	48.3v	49.6v	50.2v	0.0v	0.0v	0.0v	556.55v
104	Mr CMS Dawes	A	49.6v	46.2v	73.8v	50.6v	73.8v	48.2v	75.10v	45.2v	47.3v	50.6v	0.0v	0.0v	0.0v	556.53v
105	Mr MR Fugeman	O	48.4v	48.5v	73.5v	50.6v	72.6v	49.4v	74.9v	49.5v	47.3v	46.5v	0.0v	0.0v	0.0v	556.52v
106	Mr PM Hakim	X	49.5v	46.3v	73.8v	48.5v	75.6v	45.3v	75.10v	49.4v	47.4v	49.4v	0.0v	0.0v	0.0v	556.52v
107	Mr RA Benest	X	50.3v	46.1v	73.8v	50.3v	72.6v	47.2v	74.11v	48.4v	48.4v	48.6v	0.0v	0.0v	0.0v	556.48v
108	Mr JA Watson	X	50.6v	46.6v	74.12v	49.7v	74.8v	45.1v	71.10v	49.6v	48.4v	49.5v	0.0v	0.0v	0.0v	555.65v
109	Dr JO Ahrens	X	50.7v	45.5v	74.9v	48.7v	73.8v	50.6v	74.8v	47.4v	46.5v	48.4v	0.0v	0.0v	0.0v	555.63v
110	Mr PD Sykes	X	48.5v	42.0v	74.11v	48.4v	72.7v	47.4v	75.13v	50.6v	49.7v	50.6v	0.0v	0.0v	0.0v	555.63v
111	Mr P Kerr	X	49.7v	48.5v	69.5v	47.4v	73.6v	50.5v	74.12v	50.8v	47.4v	48.6v	0.0v	0.0v	0.0v	555.62v
112	Mr MGB Wilson	O	50.9v	44.2v	74.7v	47.7v	74.9v	48.4v	74.9v	47.4v	48.4v	49.7v	0.0v	0.0v	0.0v	555.62v
113	FS MW Silver	A	48.2v	47.5v	75.8v	49.8v	74.12v	47.4v	72.10v	49.4v	46.4v	48.4v	0.0v	0.0v	0.0v	555.61v
114	MR WA Botha	X	46.3v	47.3v	72.8v	50.6v	75.11v	49.7v	75.10v	45.3v	46.3v	50.6v	0.0v	0.0v	0.0v	555.60v
115	Mr MG Whicher	O	49.4v	47.6v	73.10v	49.7v	73.6v	49.4v	72.10v	46.4v	49.5v	48.3v	0.0v	0.0v	0.0v	555.59v
116	Mr PRD Stock	X	47.6v	43.3v	74.12v	49.1v	73.8v	49.6v	74.9v	47.4v	49.4v	50.5v	0.0v	0.0v	0.0v	555.58v
117	Lt NJ Ball	X	50.7v	46.2v	74.10v	49.8v	73.9v	45.2v	75.9v	48.6v	47.2v	48.2v	0.0v	0.0v	0.0v	555.57v
118	Mr SJ Cane	X	49.6v	48.3v	74.8v	49.7v	72.7v	47.3v	74.11v	49.4v	47.4v	46.3v	0.0v	0.0v	0.0v	555.56v
119	Mr RL Schlam	O	48.6v	48.4v	73.3v	50.6v	74.7v	48.6v	73.9v	50.6v	45.3v	46.4v	0.0v	0.0v	0.0v	555.54v
120	Mr SJ Bissonnette	X	50.7v	46.2v	73.5v	48.4v	75.12v	47.4v	75.7v	48.4v	48.5v	45.4v	0.0v	0.0v	0.0v	555.54v
121	Mr JP Tapster	X	48.8v	47.0v	75.10v	48.4v	73.8v	49.4v	75.9v	47.3v	45.2v	48.5v	0.0v	0.0v	0.0v	555.53v
122	Mr J Payne	X	47.4v	45.1v	72.6v	49.7v	75.13v	49.4v	73.6v	47.4v	48.3v	50.5v	0.0v	0.0v	0.0v	555.53v
123	Mr AK Henderson	A	48.3v	43.3v	73.9v	49.7v	73.7v	47.2v	75.8v	50.6v	47.2v	50.5v	0.0v	0.0v	0.0v	555.52v
124	Mr JP Barry	X	47.4v	48.3v	74.8v	49.4v	72.6v	47.3v	74.7v	47.5v	48.4v	49.7v	0.0v	0.0v	0.0v	555.51v
125	SJ Williams	X	50.4v	46.3v	73.6v	47.4v	73.6v	48.3v	74.8v	46.6v	49.5v	49.6v	0.0v	0.0v	0.0v	555.51v
126	Mr B Logan	A	49.4v	47.1v	74.8v	50.5v	72.7v	46.0v	73.7v	48.3v	47.5v	49.8v	0.0v	0.0v	0.0v	555.48v
127	Mr C Higginbottom	A	49.6v	44.5v	74.8v	50.9v	71.8v	48.6v	75.10v	49.7v	46.4v	48.3v	0.0v	0.0v	0.0v	554.66v
128	Mr RG Best	X	48.5v	45.2v	74.12v	48.5v	73.9v	48.5v	74.7v	48.6v	48.4v	48.6v	0.0v	0.0v	0.0v	554.61v
129	Mrs NJ Zinsmaster-Mayo	X	50.6v	45.2v	75.13v	49.9v	68.5v	50.4v	74.7v	49.6v	48.6v	46.2v	0.0v	0.0v	0.0v	554.60v
130	Mrs LK Mace	A	46.5v	46.5v	72.6v	49.7v	74.9v	47.2v	73.8v	49.4v	49.6v	49.6v	0.0v	0.0v	0.0v	554.58v
131	Mr JM Holmes	O	49.5v	45.2v	72.8v	50.7v	75.9v	45.3v	74.12v	49.6v	49.2v	46.4v	0.0v	0.0v	0.0v	554.58v
132	Mr RM Roberts	X	46.4v	47.3v	74.9v	50.6v	73.9v	50.5v	73.8v	49.5v	46.2v	46.5v	0.0v	0.0v	0.0v	554.56v
133	Mr MWT Walton	X	45.1v	46.4v	73.5v	50.8v	71.8v	48.4v	73.9v	49.3v	49.8v	50.6v	0.0v	0.0v	0.0v	554.56v
134	Mr SA Thomas	X	50.7v	43.0v	75.7v	48.7v	74.11v	48.6v	72.6v	48.4v	49.6v	47.2v	0.0v	0.0v	0.0v	554.56v
135	Mr M Persaud	X	50.4v	49.6v	70.7v	50.7v	71.8v	49.4v	74.10v	46.1v	48.4v	47.3v	0.0v	0.0v	0.0v	554.54v
136	EC Biggar	X	48.4v	46.4v	69.5v	48.6v	74.8v	48.6v	74.9v	50.4v	50.5v	47.2v	0.0v	0.0v	0.0v	554.53v
137	Mr MJ O'Leary	A	50.5v	46.4v	72.7v	48.3v	72.11v	49.5v	72.7v	49.5v	46.2v	50.4v	0.0v	0.0v	0.0v	554.53v
138	Mr PD Griggs	A	49.5v	48.6v	68.5v	48.4v	74.4v	48.2v	72.11v	49.5v	48.4v	50.6v	0.0v	0.0v	0.0v	554.52v
139	Mr AG Mitchell	A	48.3v	45.4v	74.7v	49.7v	73.7v	48.5v	72.7v	47.4v	49.4v	49.4v	0.0v	0.0v	0.0v	554.52v
140	Mr RM Hatcher	X	50.7v	43.1v	71.3v	48.6v	75.9v	49.4v	75.10v	48.5v	46.3v	49.4v	0.0v	0.0v	0.0v	554.52v
141	Mr JPM Stevens	A	49.6v	46.3v	74.5v	49.5v	72.7v	46.2v	74.9v	47.3v	48.3v	49.7v	0.0v	0.0v	0.0v	554.50v
142	Mr GJP Burger	X	50.6v	43.0v	71.5v	50.5v	72.6v	47.5v	75.12v	49.4v	49.6v	48.1v	0.0v	0.0v	0.0v	554.50v
143	Cdt JP Seegolun	O	50.7v	46.1v	72.8v	50.3v	74.10v	47.2v	72.5v	47.4v	48.1v	48.4v	0.0v	0.0v	0.0v	554.45v
144	Mr RA Pitcairn	X	48.3v	49.4v	73.6v	48.5v	72.8v	45.3v	74.5v	49.2v	48.3v	48.3v	0.0v	0.0v	0.0v	554.42v
145	Lt Col BAR Scott	X	50.6v	42.2v	73.10v	49.5v	75.10v	45.4v	74.11v	47.5v	48.3v	50.8v	0.0v	0.0v	0.0v	553.64v
146	Mr GJ Cleary	X	48.6v	44.2v	72.10v	50.5v	74.9v	46.3v	74.11v	48.6v	48.4v	49.7v	0.0v	0.0v	0.0v	553.63v
147	Mr TJ Whitaker	X	49.7v	44.4v	70.5v	50.7v	72.8v	48.5v	74.9v	49.6v	48.8v	49.3v	0.0v	0.0v	0.0v	553.62v
148	Mrs JA Cane	A	48.5v	46.3v	67.8v	49.8v	73.7v	49.3v	74.8v	50.7v	49.7v	48.5v	0.0v	0.0v	0.0v	553.61v
149	Flt Lt NP Moxon	O	48.7v	47.4v	72.5v	50.7v	71.9v	49.3v	70.6v	49.8v	48.3v	49.7v	0.0v	0.0v	0.0v	553.59v
150	A Marion	X	48.4v	46.4v	75.11v	50.4v	72.8v	46.4v	75.12v	48.5v	45.3v	48.4v	0.0v	0.0v	0.0v	553.59v
151	Mr M Dunia	X	48.4v	46.2v	74.6v	48.6v	75.12v	47.6v	72.8v	48.5v	47.5v	48.5v	0.0v	0.0v	0.0v	553.59v
152	Mr TP Clarke	X	49.8v	41.1v	75.10v	50.8v	74.6v	45.4v	74.9v	49.4v	48.3v	48.6v	0.0v	0.0v	0.0v	553.59v
153	Mr KM Willingale	O	48.2v	48.5v	75.10v	49.7v	73.6v	48.8v	72.8v	47.4v	44.3v	49.5v	0.0v	0.0v	0.0v	553.58v
154	Sqn Ldr RJS Clark	X	49.8v	45.3v	72.9v	50.5v	74.6v	46.4v	74.9v	49.7v	47.5v	47.2v	0.0v	0.0v	0.0v	553.58v
155	Mr R Birtwistle	A	49.5v	49.7v	70.3v	49.9v	73.5v	48.4v	74.8v	48.7v	49.6v	44.3v	0.0v	0.0v	0.0v	553.57v
156	Mr PAE Charlton	X	48.8v	48.2v	72.7v	47.6v	74.10v	48.3v	73.10v	49.4v	47.4v	47.3v	0.0v	0.0v	0.0v	553.57v
157	Mr G Atkinson	O	49.5v	48.3v	75.7v	50.9v	72.7v	42.2v	74.9v	49.6v	46.4v	48.3v	0.0v	0.0v	0.0v	553.55v
158	Mr RCT Jeens	O	50.4v	47.1v	71.9v	49.6v	74.8v	48.3v	72.8v	49.5v	47.7v	46.4v	0.0v	0.0v	0.0v	553.55v
159	Lt Col CR Claridge	A	49.4v	46.4v	71.5v	48.4v	75.9v	49.7v	71.8v	48.4v	48.3v	48.7v	0.0v	0.0v	0.0v	553.55v
160	Mr MR Cosway	X	48.4v	47.2v	73.7v	49.5v	74.8v	50.6v	72.9v	48.6v	43.1v	49.6v	0.0v	0.0v	0.0v	553.54v
161																

181	Mr RF Barrington	X	49.3v	47.6v	72.6v	47.6v	73.8v	49.3v	70.6v	49.4v	47.4v	49.4v	0.0v	0.0v	0.0v	552.50v
182	Mr NW Penn	X	49.5v	47.6v	74.7v	48.4v	72.3v	49.4v	72.7v	49.5v	44.4v	48.4v	0.0v	0.0v	0.0v	552.49v
183	CD Haley	X	47.5v	46.2v	73.8v	50.6v	73.9v	49.6v	72.5v	47.2v	47.2v	48.4v	0.0v	0.0v	0.0v	552.49v
184	Mr PA Bennison	X	50.6v	45.3v	74.6v	50.8v	72.8v	45.2v	73.3v	47.4v	46.3v	50.6v	0.0v	0.0v	0.0v	552.49v
185	Mr MJ Dodson	X	50.8v	45.2v	71.8v	48.4v	74.3v	50.7v	72.6v	46.3v	47.1v	49.6v	0.0v	0.0v	0.0v	552.48v
186	Mr FWA Coetzee	X	49.6v	42.2v	68.10v	49.6v	74.10v	48.4v	75.10v	50.9v	47.6v	49.5v	0.0v	0.0v	0.0v	551.68v
187	Mrs GD Webb-Enslin	X	48.5v	45.4v	74.8v	47.6v	74.10v	45.4v	73.7v	48.6v	49.7v	48.7v	0.0v	0.0v	0.0v	551.64v
188	Mr AC McCready	O	48.5v	48.5v	73.7v	49.9v	72.6v	49.6v	74.10v	48.6v	47.4v	43.2v	0.0v	0.0v	0.0v	551.60v
189	Mr JEM Bellringer	X	48.6v	46.4v	72.8v	50.7v	74.10v	46.4v	70.8v	49.8v	48.2v	48.3v	0.0v	0.0v	0.0v	551.60v
190	Mr PA LaBerge	X	49.6v	45.3v	72.9v	47.4v	72.8v	46.3v	75.10v	50.8v	49.5v	46.4v	0.0v	0.0v	0.0v	551.60v
191	Mr JM Taylor	X	49.6v	46.6v	72.7v	47.4v	73.11v	48.4v	71.8v	47.3v	49.4v	49.6v	0.0v	0.0v	0.0v	551.59v
192	Mr AP Barnes	A	49.6v	45.4v	73.7v	50.8v	74.7v	48.7v	75.10v	47.3v	43.2v	47.5v	0.0v	0.0v	0.0v	551.59v
193	Cdt ORW Russell	T	49.6v	47.5v	72.7v	48.3v	73.8v	46.3v	72.6v	48.7v	46.5v	50.8v	0.0v	0.0v	0.0v	551.58v
194	CWO3 PE Rucks Jr	X	49.6v	48.1v	73.11v	49.7v	74.8v	48.5v	71.10v	48.5v	44.1v	47.2v	0.0v	0.0v	0.0v	551.56v
195	Mr RP Elvins	O	48.5v	44.1v	73.10v	49.5v	71.7v	45.4v	75.6v	50.6v	48.5v	48.7v	0.0v	0.0v	0.0v	551.56v
196	Mr MF Martel	X	47.4v	48.4v	73.11v	48.2v	73.11v	49.5v	73.7v	48.3v	46.5v	46.3v	0.0v	0.0v	0.0v	551.55v
197	Mr JH Franklin	X	48.6v	46.5v	72.3v	49.5v	72.7v	45.4v	75.12v	48.4v	48.4v	48.5v	0.0v	0.0v	0.0v	551.55v
198	Maj P Mathenge	X	45.4v	43.1v	73.6v	49.6v	74.7v	48.3v	74.11v	49.6v	49.4v	47.7v	0.0v	0.0v	0.0v	551.55v
199	Pa Tremblay	X	48.7v	48.3v	70.5v	49.6v	70.5v	48.3v	74.10v	47.4v	49.7v	48.4v	0.0v	0.0v	0.0v	551.54v
200	Maj B Taylor	A	50.3v	45.3v	71.5v	48.5v	72.8v	46.5v	71.9v	50.5v	49.6v	49.5v	0.0v	0.0v	0.0v	551.54v

Date and Time of Posting

Chief Statistical Officer