

# NRA 134th Imperial Meeting

## The World Individual Championship (as at Wednesday, 16th July 2003)

		D'gall	Lovell	DT	Times	DM	DC	St.G	Alex	Doyle	Wimb	Queens	Corp	POW	Total	
1	Dr PM Patel	X	50.7v	49.4v	75.7v	50.5v	75.11v	50.6v	75.13v	49.6v	48.6v	49.7v	105.17v	47.4v	0.0v	722.93v
2	Mr DC Luckman	X	49.8v	49.5v	75.13v	50.8v	75.10v	49.7v	74.12v	50.6v	49.7v	47.5v	105.18v	47.5v	0.0v	719.104v
3	Mr B Bullock	X	50.6v	49.3v	74.10v	50.6v	75.10v	50.8v	73.8v	50.6v	50.7v	47.3v	103.12v	48.2v	0.0v	719.81v
4	Dr GCD Barnett	X	50.4v	48.6v	75.8v	50.6v	74.10v	50.6v	74.10v	50.8v	42.3v	50.4v	105.20v	50.6v	0.0v	718.91v
5	Mr R Stewart	X	50.8v	49.6v	74.9v	49.6v	75.11v	49.5v	74.11v	49.8v	49.5v	49.7v	103.10v	47.4v	0.0v	717.90v
6	Mr J Pugsley	X	47.2v	49.7v	73.6v	50.5v	74.6v	48.5v	75.12v	50.6v	49.5v	49.4v	105.18v	47.5v	0.0v	716.81v
7	Wg Cdr DP Calvert	X	49.8v	46.2v	74.11v	49.8v	74.11v	48.6v	75.10v	50.8v	46.5v	50.7v	105.16v	49.6v	0.0v	715.98v
8	Mr PR Wheeler	O	47.5v	50.5v	75.13v	50.9v	75.10v	47.5v	73.8v	49.7v	49.4v	50.7v	104.12v	46.5v	0.0v	715.90v
9	Mr DGM Coleman	X	49.5v	47.3v	73.8v	50.4v	75.10v	47.1v	75.11v	48.5v	48.5v	50.8v	105.10v	48.4v	0.0v	715.74v
10	Mr TJD Raincock	O	49.6v	47.2v	73.9v	49.8v	73.5v	48.7v	74.11v	49.6v	49.6v	50.9v	105.14v	48.3v	0.0v	714.86v
11	Mr TA Ringer	X	48.7v	46.5v	75.6v	49.4v	72.7v	49.7v	75.11v	50.6v	49.5v	48.6v	105.18v	48.4v	0.0v	714.86v
12	Mr S Belither	X	49.5v	49.6v	73.11v	50.7v	74.10v	49.8v	74.10v	48.4v	49.4v	50.4v	105.14v	44.2v	0.0v	714.85v
13	Mr DR Armstrong	X	50.7v	48.6v	75.12v	50.7v	75.10v	49.5v	75.12v	48.3v	46.2v	50.3v	104.12v	44.1v	0.0v	714.80v
14	Zulkeflee Hamsan	X	49.7v	45.1v	74.11v	49.7v	75.11v	50.8v	75.8v	50.7v	50.7v	48.4v	104.12v	44.2v	0.0v	713.85v
15	Mr C Mallett	X	49.7v	46.2v	74.10v	49.5v	74.8v	50.6v	74.8v	50.5v	50.8v	47.2v	102.10v	48.6v	0.0v	713.77v
16	Mr JS Collings	X	50.7v	49.3v	74.10v	48.6v	74.9v	48.4v	74.9v	48.3v	46.3v	49.5v	105.16v	48.1v	0.0v	713.76v
17	Mr NC Mace	X	50.9v	48.6v	72.6v	50.10v	73.10v	47.5v	75.13v	48.7v	50.2v	49.6v	102.14v	48.6v	0.0v	712.94v
18	Sqn Ldr SC Williamson	X	50.7v	48.3v	72.7v	50.9v	75.11v	50.5v	71.8v	49.6v	50.3v	48.6v	104.16v	45.4v	0.0v	712.85v
19	Miss JH Messer	X	50.6v	47.7v	74.9v	50.8v	73.7v	48.3v	75.11v	48.4v	48.6v	50.7v	105.17v	44.0v	0.0v	712.85v
20	Mr E Praslick III	X	47.6v	42.3v	74.11v	50.6v	75.9v	50.8v	75.13v	49.4v	49.8v	50.4v	103.8v	48.3v	0.0v	712.83v
21	Mr JAM Paton	X	48.4v	48.3v	73.8v	49.7v	74.9v	48.6v	74.10v	49.7v	49.6v	49.7v	101.4v	50.6v	0.0v	712.77v
22	Mr JDI Hossack	A	47.7v	49.4v	72.7v	49.6v	74.11v	50.3v	74.7v	47.4v	50.5v	50.7v	103.12v	47.3v	0.0v	712.76v
23	Mr AJ Luckman	X	50.5v	40.1v	73.11v	50.7v	75.10v	48.7v	74.10v	48.5v	50.6v	50.6v	104.16v	49.5v	0.0v	711.89v
24	Mr PM Jory	X	49.7v	49.4v	73.7v	49.6v	75.11v	49.6v	73.12v	47.4v	47.4v	48.5v	104.16v	48.5v	0.0v	711.87v
25	Mr FO Pinyon	X	49.5v	50.6v	74.7v	48.4v	72.9v	49.6v	75.11v	50.6v	47.5v	48.7v	102.13v	47.5v	0.0v	711.84v
26	Mr SA Witherspoon	X	49.4v	48.3v	74.10v	49.5v	75.12v	47.3v	74.11v	48.6v	49.5v	47.4v	105.12v	46.4v	0.0v	711.79v
27	Mr RW Sandlant	X	50.4v	46.2v	74.11v	49.4v	72.6v	47.5v	75.12v	48.4v	49.7v	48.5v	105.13v	48.5v	0.0v	711.78v
28	Mr CP Weeden	X	47.3v	48.4v	74.8v	49.7v	74.11v	47.6v	75.13v	50.7v	47.3v	50.2v	103.12v	47.0v	0.0v	711.76v
29	Mr TP Hammond	X	48.4v	46.3v	73.10v	50.4v	74.4v	48.6v	74.12v	49.6v	49.5v	49.4v	103.13v	48.3v	0.0v	711.74v
30	Mr ITG Shaw	X	47.4v	46.4v	75.9v	49.5v	74.8v	49.5v	75.10v	48.3v	49.2v	50.6v	103.11v	46.5v	0.0v	711.72v
31	Mr JC Underwood	X	49.8v	42.3v	74.11v	50.6v	72.8v	50.8v	75.13v	49.4v	50.6v	47.5v	103.16v	49.2v	0.0v	710.90v
32	Mr SNS Penrose	X	48.6v	46.2v	73.11v	49.7v	72.8v	48.4v	74.9v	48.4v	48.5v	50.7v	105.15v	49.4v	0.0v	710.82v
33	Mr JPS Bloomfield	X	47.6v	46.3v	74.10v	50.4v	72.10v	49.2v	73.8v	48.7v	49.5v	49.5v	105.17v	48.5v	0.0v	710.82v
34	Mr JG Du Toit	X	49.8v	43.1v	75.14v	50.5v	73.10v	50.5v	73.9v	49.7v	49.5v	48.3v	103.12v	48.3v	0.0v	710.82v
35	GD Paetkau	X	50.7v	47.5v	73.10v	50.8v	73.8v	49.2v	74.7v	46.4v	48.6v	48.6v	104.14v	48.3v	0.0v	710.80v
36	EW Pintard	X	48.8v	44.3v	73.6v	49.6v	75.11v	48.3v	75.9v	48.6v	48.6v	49.5v	104.13v	49.4v	0.0v	710.80v
37	Lt NJ Ball	X	50.7v	46.2v	74.10v	49.8v	73.9v	45.2v	75.9v	48.6v	47.2v	48.2v	105.18v	50.4v	0.0v	710.79v
38	Mr EE Stigant	X	49.7v	50.7v	73.9v	50.8v	73.6v	48.8v	74.8v	48.4v	49.2v	47.4v	103.12v	46.2v	0.0v	710.77v
39	Mr GE Rasmussen	X	47.4v	48.4v	72.7v	48.4v	73.10v	49.5v	75.10v	50.4v	48.4v	48.6v	104.14v	48.3v	0.0v	710.75v
40	G Woodman	X	48.4v	46.3v	73.8v	50.5v	73.7v	47.3v	74.12v	47.4v	50.8v	49.4v	105.11v	48.6v	0.0v	710.75v
41	Mr JP Bailey	X	49.5v	46.1v	74.11v	50.8v	70.6v	50.3v	75.11v	49.3v	47.4v	49.6v	101.8v	50.6v	0.0v	710.72v
42	Dr JG Robertson	X	50.7v	46.2v	71.8v	50.7v	73.10v	49.7v	75.12v	50.6v	49.5v	44.3v	103.14v	49.5v	0.0v	709.86v
43	Mr BA Horwood	X	49.6v	46.1v	74.11v	49.7v	74.12v	48.3v	75.12v	49.5v	47.3v	48.6v	104.13v	46.5v	0.0v	709.84v
44	Mr PB Bromley	X	50.6v	46.3v	75.12v	50.9v	74.9v	44.3v	75.10v	50.8v	48.6v	49.5v	103.13v	45.0v	0.0v	709.84v
45	Mr DS Murray	X	49.6v	45.1v	75.11v	49.6v	73.7v	48.5v	74.9v	48.6v	49.6v	49.6v	103.13v	47.4v	0.0v	709.80v
46	Mr DW Gardiner	X	49.5v	48.4v	75.7v	49.6v	73.8v	48.3v	75.10v	49.7v	46.5v	47.6v	103.14v	47.4v	0.0v	709.79v
47	Cpl SJ East	X	49.6v	46.2v	74.9v	48.5v	71.7v	50.6v	75.10v	49.5v	49.6v	49.4v	104.16v	45.2v	0.0v	709.78v
48	Mr DG Simpson	X	49.7v	46.1v	75.11v	50.6v	73.5v	46.5v	74.9v	48.4v	49.5v	48.5v	103.16v	48.2v	0.0v	709.76v
49	Mr MP Garcia	X	49.9v	47.4v	74.10v	49.6v	72.5v	49.6v	74.6v	49.6v	47.4v	50.6v	104.10v	45.3v	0.0v	709.75v
50	Mr NRJ Brasier	X	50.5v	47.4v	75.12v	50.5v	74.8v	49.6v	73.5v	47.5v	45.5v	50.5v	103.11v	46.3v	0.0v	709.74v
51	Mr BD Mehrtens	X	49.4v	48.4v	75.6v	47.4v	74.8v	49.4v	74.8v	48.6v	46.4v	49.4v	103.12v	47.3v	0.0v	709.67v
52	Mr DE Simkin	X	50.10v	44.5v	73.9v	48.7v	73.7v	49.2v	75.12v	48.5v	50.4v	48.5v	103.13v	47.4v	0.0v	708.83v
53	Mr CK Martin	O	48.5v	47.5v	75.8v	49.6v	74.5v	49.6v	74.11v	49.5v	44.3v	49.6v	103.16v	47.3v	0.0v	708.79v
54	Dr AJ Pilgrim	X	50.7v	44.1v	73.8v	50.8v	74.7v	48.5v	75.9v	50.6v	48.5v	46.3v	102.12v	48.4v	0.0v	708.75v
55	Mr TF Breedt	X	49.2v	47.3v	71.9v	49.8v	74.9v	46.2v	75.11v	49.7v	49.5v	50.5v	102.11v	47.2v	0.0v	708.74v
56	Miss AMG Ogilvie	X	50.4v	45.2v	73.8v	49.4v	71.7v	48.5v	74.10v	50.8v	50.4v	50.7v	104.13v	44.2v	0.0v	708.74v
57	Miss A van Zyl	O	48.5v	47.4v	73.10v	50.5v	75.11v	47.5v	72.8v	49.6v	49.4v	49.2v	68.7v	47.0v	0.0v	708.71v
58	Mr SM Negus	X	49.6v	46.3v	73.7v	49.8v	73.10v	49.2v	73.9v	49.4v	49.4v	50.4v	101.9v	47.5v	0.0v	708.71v
59	Mr GA Cann	X	49.5v	47.4v	73.11v	49.6v	74.8v	48.3v	74.6v	47.6v	48.3v	49.3v	105.10v	45.1v	0.0v	708.66v
60	Mr IT Jones	X	49.8v	49.4v	73.11v	48.7v	74.10v	46.4v	74.10v	48.6v	50.7v	46.4v	105.17v	45.2v	0.0v	707.90v
61	Mr P Kerr	X	49.7v	48.5v	69.5v	47.4v	73.6v	50.5v	74.12v	50.8v	47.4v	48.6v	105.15v	47.5v	0.0v	707.82v
62	Mr DMC Dodds	X	47.6v	45.1v	73.9v	49.4v	74.10v	49.8v	74.10v	50.5v	50.8v	47.4v	105.14v	44.3v	0.0v	707.82v
63	Mr WP Grenness	X	49.5v	48.3v	70.5v	50.4v	75.11v	49.6v	74.9v	47.4v	47.4v	48.4v	105.16v	45.4v	0.0v	707.75v
64	Mr O Vallis	A	48.5v	45.4v	73.7v	49.5v	73.8v	47.5v	75.11v	49.3v	47.5v	50.7v	105.12v	46.1v	0.0v	707.73v
65	Miss SV Kent	A	50.6v	45.2v	73.10v	50.5v	72.8v	49.1v	75.7v	49.6v	46.3v	49.6v	105.17v	44.2v	0.0v	707.73v
66	Mr RJS Scoones	X	50.7v	50.6v	73.5v	49.6v	70.7v	45.3v	74.8v	48.4v	49.6v	49.4v	103.14v	47.2v	0.0v	707.72v
67	E Gauvin	A	50.7v	46.4v	72.6v	50.8v	73.4v	50.2v	74.12v	48.6v	49.5v	47.3v	103.8v	45.5v	0.0v	707.70v
68	Mr G Williams	X	49.6v	47.3v	73.6v	50.6v	71.7v	48.2v	74.8v	50.6v	50.5v	50.5v	100.10v	45.5v	0.0v	707.69v
69	Mr PM Hakim	X	49.5v	46.3v	73.8v	48.5v	75.6v	45.3v	75.10v	49.4v	47.4v	49.4v	102.10v	49.3v	0.0v	707.65v
70	Mr RP Rosling	A	50.6v	48.4v	71.9v	49.6v	72.5v	50.3v	73.9v	49.5v	48.4v	48.3v	103.6v	46.5v	0.0v	707.65v
71	Mr MJ Brister	A	47.4v	48.3v	75.7v	50.7v	72.5v	47.4v	75.9v	49.4v	49.3v	49.5v	101.10v	45.3v	0.0v	707.64v
72																

87	Mr ML Millar	X	50.4v	45.2v	74.11v	50.6v	74.11v	49.5v	74.12v	46.2v	47.2v	49.9v	101.15v	46.3v	0.0v	705.82v
88	Flt Lt IW Robertson	X	47.5v	48.4v	73.9v	48.3v	74.8v	48.6v	75.12v	50.5v	45.2v	50.7v	104.16v	43.3v	0.0v	705.80v
89	Mr PD Sykes	X	48.5v	42.0v	74.11v	48.4v	72.7v	47.4v	75.13v	50.6v	49.7v	50.6v	104.10v	46.4v	0.0v	705.77v
90	Mr JGM Webster	X	49.4v	44.1v	71.5v	50.7v	74.11v	48.4v	74.8v	49.4v	49.8v	49.5v	103.14v	45.3v	0.0v	705.74v
91	Zainal Abidin Md Zain	X	49.4v	43.1v	69.7v	50.6v	75.11v	49.4v	75.11v	49.7v	49.6v	49.3v	105.11v	43.2v	0.0v	705.73v
92	Mr GV Feast	A	50.8v	47.4v	72.6v	47.6v	75.10v	46.0v	74.11v	47.4v	50.5v	49.4v	101.10v	47.4v	0.0v	705.72v
93	Flt Lt BN Roth	O	48.5v	44.1v	72.7v	49.4v	74.12v	49.5v	73.10v	48.3v	49.6v	50.2v	103.13v	46.3v	0.0v	705.71v
94	Mr RL Schlam	O	48.6v	48.4v	73.3v	50.6v	74.7v	48.6v	73.9v	50.6v	45.3v	46.4v	104.10v	46.3v	0.0v	705.67v
95	Mr AK Henderson	A	48.3v	43.3v	73.9v	49.7v	73.7v	47.2v	75.8v	50.6v	47.2v	50.5v	105.13v	45.2v	0.0v	705.67v
96	Mr CJ Watson	A	49.5v	48.3v	75.10v	49.6v	74.5v	47.6v	73.6v	45.2v	49.4v	49.5v	101.9v	46.2v	0.0v	705.63v
97	Mr RA Benest	X	50.3v	46.1v	73.8v	50.3v	72.6v	47.2v	74.11v	48.4v	48.4v	48.6v	105.10v	44.2v	0.0v	705.60v
98	Mr RJ Lygoe	A	48.4v	47.4v	73.8v	49.8v	74.9v	48.7v	73.11v	50.6v	49.6v	50.4v	95.14v	48.7v	0.0v	704.88v
99	Lt Col BAR Scott	X	50.6v	42.2v	73.10v	49.5v	75.10v	45.4v	74.11v	47.5v	48.3v	50.8v	104.15v	47.4v	0.0v	704.83v
100	Mr RJ Cleary	X	48.6v	44.2v	72.10v	50.5v	74.9v	46.3v	74.11v	48.6v	48.4v	49.7v	103.13v	48.5v	0.0v	704.81v
101	Mr RG Best	X	48.5v	45.2v	74.12v	48.5v	73.9v	48.5v	74.7v	48.6v	48.4v	48.6v	101.10v	49.6v	0.0v	704.77v
102	Mr PRD Stock	X	47.6v	43.3v	74.12v	49.1v	73.8v	49.6v	74.9v	47.4v	49.4v	50.5v	103.14v	46.5v	0.0v	704.77v
103	Mr CES Dickenson	A	47.4v	46.3v	73.6v	49.7v	73.7v	46.2v	75.12v	47.3v	46.4v	48.8v	105.14v	49.5v	0.0v	704.75v
104	Mr NF Crawford	X	48.5v	48.5v	75.9v	48.6v	72.9v	47.3v	73.6v	49.6v	50.8v	50.7v	102.7v	42.4v	0.0v	704.75v
105	Mr BA Rollins	X	49.5v	44.3v	73.8v	50.7v	74.10v	48.2v	74.9v	50.6v	49.6v	48.5v	101.13v	44.1v	0.0v	704.75v
106	Dr AM Jory	X	49.8v	41.2v	74.8v	49.5v	73.7v	48.3v	72.9v	48.4v	49.4v	49.6v	104.12v	48.6v	0.0v	704.74v
107	Mr RM Roberts	X	46.4v	47.3v	74.9v	50.6v	73.9v	50.5v	73.8v	49.5v	46.2v	46.5v	104.11v	46.5v	0.0v	704.72v
108	Mr MWT Walton	X	45.1v	46.4v	73.5v	50.8v	71.8v	48.4v	73.9v	49.3v	49.8v	50.6v	103.14v	47.2v	0.0v	704.72v
109	Mr MJ O'Leary	A	50.5v	46.4v	72.7v	48.3v	72.11v	49.5v	72.7v	49.5v	46.2v	50.4v	104.14v	46.3v	0.0v	704.70v
110	Mr M Persaud	X	50.4v	49.6v	70.7v	50.7v	71.8v	49.4v	74.10v	46.1v	48.4v	47.3v	102.12v	48.2v	0.0v	704.68v
111	DR Flaharty	X	50.5v	45.1v	71.5v	49.6v	74.8v	48.3v	72.11v	48.5v	48.2v	48.5v	105.13v	46.3v	0.0v	704.67v
112	Mr MR Fugeman	O	48.4v	48.5v	73.5v	50.6v	72.6v	49.4v	74.9v	49.5v	47.3v	46.5v	102.11v	46.3v	0.0v	704.66v
113	Mr R McQuillan	A	50.5v	47.3v	73.6v	48.2v	72.4v	47.3v	73.12v	50.2v	47.3v	46.4v	105.15v	46.5v	0.0v	704.64v
114	Mr JA Watson	X	50.6v	46.6v	74.12v	49.7v	74.8v	45.1v	71.10v	49.6v	48.4v	49.5v	103.13v	45.4v	0.0v	703.82v
115	Mrs JA Cane	A	48.5v	46.3v	67.8v	49.8v	73.7v	49.3v	74.8v	50.7v	49.7v	48.5v	103.16v	47.4v	0.0v	703.81v
116	Mr TJ Whitaker	X	49.7v	44.4v	70.5v	50.7v	72.8v	48.5v	74.9v	49.6v	48.8v	49.3v	105.16v	45.1v	0.0v	703.79v
117	Mr JAR Hodge	X	48.4v	46.5v	74.8v	48.4v	68.5v	46.5v	75.14v	48.5v	49.5v	50.6v	104.14v	47.2v	0.0v	703.77v
118	Miss JF Hossack	X	49.5v	46.4v	72.7v	48.3v	70.4v	48.6v	72.6v	50.7v	48.6v	49.8v	104.13v	47.6v	0.0v	703.75v
119	Mr RCT Jeens	O	50.4v	47.1v	71.9v	49.6v	74.8v	48.3v	72.8v	49.5v	47.7v	46.4v	102.14v	48.4v	0.0v	703.73v
120	Mr DJ Fourie	X	47.3v	47.2v	71.4v	49.5v	74.10v	48.3v	72.9v	49.5v	48.5v	46.5v	103.16v	49.5v	0.0v	703.72v
121	Mr CA White	O	49.6v	47.4v	74.11v	49.6v	71.3v	50.4v	72.9v	50.6v	45.3v	49.3v	103.15v	44.2v	0.0v	703.72v
122	Mr PJS Bysshe	A	48.6v	45.2v	74.8v	49.4v	73.8v	49.5v	75.9v	46.4v	49.5v	49.6v	104.14v	42.1v	0.0v	703.72v
123	Pa Tremblay	X	48.7v	48.3v	70.5v	49.6v	70.5v	48.3v	74.10v	47.4v	49.7v	48.4v	103.10v	49.7v	0.0v	703.71v
124	Lt Col CR Claridge	A	49.4v	46.4v	71.5v	48.4v	75.9v	49.7v	71.8v	48.4v	48.3v	48.7v	103.11v	47.4v	0.0v	703.70v
125	Miss KAN Jack	A	50.6v	40.1v	73.8v	50.6v	72.8v	49.4v	74.6v	48.5v	47.3v	48.5v	105.13v	47.4v	0.0v	703.69v
126	Mr CB Cottillard	X	47.6v	43.2v	69.6v	49.6v	73.4v	49.5v	74.10v	48.3v	50.5v	49.5v	104.13v	48.2v	0.0v	703.67v
127	Mr B Logan	A	49.4v	47.1v	74.8v	50.5v	72.7v	46.0v	73.7v	48.3v	47.5v	49.8v	103.14v	45.4v	0.0v	703.66v
128	Mr DC Dyson	X	49.2v	42.2v	71.6v	50.8v	75.7v	48.6v	73.10v	49.6v	46.5v	49.4v	104.9v	47.1v	0.0v	703.66v
129	Mr JP Tapster	X	48.8v	47.0v	75.10v	48.4v	73.8v	49.4v	75.9v	47.3v	45.2v	48.5v	103.12v	45.0v	0.0v	703.65v
130	Mr CMS Dawes	A	49.6v	46.2v	73.8v	50.6v	73.8v	48.2v	75.10v	45.2v	47.3v	50.6v	103.9v	44.2v	0.0v	703.64v
131	Mr JEM Bellringer	X	48.6v	46.4v	72.8v	50.7v	74.10v	46.4v	70.8v	49.8v	48.2v	48.3v	104.13v	47.5v	0.0v	702.78v
132	Mr HRT Jeens	A	48.5v	41.3v	73.7v	49.5v	73.10v	48.4v	74.9v	47.4v	47.5v	47.5v	105.15v	50.6v	0.0v	702.78v
133	Mr AP Barnes	A	49.6v	45.4v	73.7v	50.8v	74.7v	48.7v	75.10v	47.3v	43.2v	47.5v	104.14v	47.3v	0.0v	702.76v
134	A Marion	X	48.4v	46.4v	75.11v	50.4v	72.8v	46.4v	75.12v	48.5v	45.3v	48.4v	101.12v	48.3v	0.0v	702.74v
135	Mr BHG Boehme	A	49.5v	44.7v	71.6v	49.1v	74.9v	46.3v	74.11v	49.5v	48.4v	46.3v	104.14v	48.5v	0.0v	702.73v
136	Mrs LK Mace	A	46.5v	46.5v	72.6v	49.7v	74.9v	47.2v	73.8v	49.4v	49.6v	49.6v	102.12v	46.3v	0.0v	702.73v
137	Mr JMA Thompson	X	49.6v	47.4v	73.10v	49.4v	74.9v	46.3v	75.11v	49.2v	48.6v	47.4v	104.13v	41.0v	0.0v	702.72v
138	Mr PAR Chapman	X	49.6v	45.2v	75.10v	48.5v	73.7v	50.7v	73.6v	48.5v	49.4v	50.5v	102.12v	40.3v	0.0v	702.72v
139	Maj P Mathenge	X	45.4v	43.1v	73.6v	49.6v	74.7v	48.3v	74.11v	49.6v	49.4v	47.7v	104.12v	47.4v	0.0v	702.71v
140	Mr SA Thomas	X	50.7v	43.0v	75.7v	48.7v	74.11v	48.6v	72.6v	48.4v	49.6v	47.2v	104.12v	44.3v	0.0v	702.71v
141	Mr PJ Westlake	X	48.4v	48.3v	73.6v	46.4v	72.5v	48.3v	75.11v	47.6v	47.2v	49.6v	102.13v	47.7v	0.0v	702.70v
142	Miss S Pagel	X	48.5v	46.5v	74.9v	49.6v	72.7v	46.3v	74.8v	47.3v	47.4v	48.3v	104.14v	47.3v	0.0v	702.70v
143	Mr J Graves	X	49.9v	48.6v	71.8v	49.3v	70.6v	49.5v	74.9v	50.6v	48.1v	48.2v	104.14v	42.1v	0.0v	702.70v
144	Mr RA Jones	X	50.7v	49.5v	73.6v	50.7v	71.5v	48.4v	73.10v	50.4v	47.3v	47.6v	102.10v	42.2v	0.0v	702.69v
145	Mr AG Mitchell	A	48.3v	45.4v	74.7v	49.7v	73.7v	48.5v	72.7v	47.4v	49.4v	49.4v	103.12v	45.3v	0.0v	702.67v
146	Mr WJ Rowland	A	50.7v	47.3v	74.10v	47.4v	74.5v	46.2v	71.6v	50.6v	47.3v	47.5v	102.11v	47.4v	0.0v	702.66v
147	DN Crawford	X	46.6v	46.2v	74.6v	50.6v	72.9v	47.0v	74.12v	50.7v	44.3v	49.2v	102.11v	48.2v	0.0v	702.66v
148	Mr PA Bennison	X	50.6v	45.3v	74.6v	50.8v	72.8v	45.2v	73.3v	47.4v	46.3v	50.6v	105.16v	45.1v	0.0v	702.66v
149	PB Church	X	49.8v	45.2v	72.6v	50.5v	74.8v	45.2v	75.11v	50.6v	49.4v	49.5v	102.7v	42.2v	0.0v	702.66v
150	CD Haley	X	47.5v	46.2v	73.8v	50.6v	73.9v	49.6v	72.5v	47.2v	47.2v	48.4v	105.7v	45.1v	0.0v	702.57v
151	Mrs N Tompkins- Gallagher	X	49.9v	41.1v	75.9v	50.10v	74.8v	49.6v	74.12v	47.6v	49.4v	48.4v	101.12v	44.3v	0.0v	701.84v
152	Mrs GD Webb-Enslin	X	48.5v	45.4v	74.8v	47.6v	74.10v	45.4v	73.7v	48.6v	49.7v	48.7v	103.12v	47.4v	0.0v	701.80v
153	Dr JD Warburton	X	48.4v	47.5v	71.4v	48.6v	72.9v	47.5v	72.6v	48.4v	47.5v	49.7v	104.16v	48.3v	0.0v	701.74v
154	Miss SJ Gallagher	X	49.6v	48.4v	74.8v	50.8v	70.6v	48.4v	73.9v	50.6v	46.3v	49.7v	104.11v	40.2v	0.0v	701.74v
155	Maj B Taylor	A	50.3v	45.3v	71.5v	48.5v	72.8v	46.5v	71.9v	50.5v	49.6v	49.5v	104.13v	46.4v	0.0v	701.71v
156	Mr PG Kent	X	49.5v	48.3v	71.7v	49.5v	73.12v	48.7v	74.5v	49.4v	48.3v	47.5v	104.13v	41.2v	0.0v	701.71v
157	Mr PR Bain	A	50.8v	45.1v	74.9v	49.5v	69.7v	47.4v	74.8v	48.3v	45.2v	49.6v	103.12v	48.5v	0.0v	701.70v
158	Mr JF Snowden	X	49.5v	44.1v	72.10v	50.8v	74.7v	46.2v	75.13v	45.3v	46.4v	48.2v	104.12v	48.3v	0.0v	701.70v
159	Mr MJM Black	X	47.5v	43.4v	71.6v	49.5v										

181	Mr PJ Chance	A	46.3v	47.2v	73.6v	49.4v	74.7v	47.3v	71.8v	48.2v	47.6v	45.2v	103.9v	50.8v	0.0v	700.60v
182	Mr NW Penn	X	49.5v	47.6v	74.7v	48.4v	72.3v	49.4v	72.7v	49.5v	44.4v	48.4v	102.9v	46.2v	0.0v	700.60v
183	Mr PJR Holden	X	49.6v	46.1v	72.4v	50.7v	73.5v	47.5v	70.6v	49.5v	45.4v	47.3v	104.10v	48.3v	0.0v	700.59v
184	Miss AK Freebairn	X	46.4v	47.3v	70.5v	49.5v	73.4v	49.6v	72.7v	49.3v	48.4v	47.4v	104.9v	46.4v	0.0v	700.58v
185	Dr AF Aspin	A	47.2v	49.4v	72.7v	49.3v	70.5v	48.4v	73.6v	48.3v	47.5v	47.1v	103.7v	47.3v	0.0v	700.50v
186	Mr FWA Coetzee	X	49.6v	42.2v	68.10v	49.6v	74.10v	48.4v	75.10v	50.9v	47.6v	49.5v	105.14v	43.2v	0.0v	699.84v
187	Mr PA LaBerge	X	49.6v	45.3v	72.9v	47.4v	72.8v	46.3v	75.10v	50.8v	49.5v	46.4v	104.17v	44.3v	0.0v	699.80v
188	Mr AP Moller	X	50.4v	42.2v	71.6v	50.9v	70.3v	46.3v	75.10v	50.10v	46.2v	48.7v	104.13v	47.4v	0.0v	699.73v
189	Mr JC Peachy	A	47.3v	45.3v	71.8v	48.7v	70.8v	46.3v	75.9v	48.5v	49.4v	47.2v	104.12v	49.6v	0.0v	699.70v
190	Mr R de V Chase	X	47.4v	47.3v	73.7v	49.6v	73.4v	49.5v	72.10v	49.7v	48.5v	49.7v	100.10v	43.1v	0.0v	699.69v
191	Mr PD Bramley	X	47.5v	45.3v	75.9v	48.5v	74.5v	45.1v	75.13v	48.4v	45.1v	49.6v	103.13v	45.3v	0.0v	699.68v
192	Mr A Chown	A	49.5v	41.0v	72.6v	50.8v	70.3v	50.8v	75.11v	48.4v	48.2v	46.4v	104.14v	46.3v	0.0v	699.68v
193	Mr AP Sykes	X	46.2v	47.3v	72.9v	49.8v	74.10v	47.5v	73.6v	48.0v	48.3v	49.6v	104.13v	42.2v	0.0v	699.67v
194	Mr JA Haward	A	48.7v	48.2v	72.4v	49.7v	73.9v	46.1v	71.8v	49.5v	44.2v	49.5v	104.13v	46.2v	0.0v	699.65v
195	Mr J Payne	X	47.4v	45.1v	72.6v	49.7v	75.13v	49.4v	73.6v	47.4v	48.3v	50.5v	99.8v	45.3v	0.0v	699.64v
196	Mr WHC Alexander	O	48.4v	46.4v	69.6v	49.5v	74.6v	49.5v	73.9v	47.6v	49.5v	49.2v	102.8v	44.3v	0.0v	699.63v
197	Mr JPM Stevens	A	49.6v	46.3v	74.5v	49.5v	72.7v	46.2v	74.9v	47.3v	48.3v	49.7v	103.13v	42.0v	0.0v	699.63v
198	Mr RA Pitcairn	X	48.3v	49.4v	73.6v	48.5v	72.8v	45.3v	74.5v	49.2v	48.3v	48.3v	98.14v	47.6v	0.0v	699.62v
199	MR DV Enslin	X	48.7v	48.4v	72.5v	49.5v	74.7v	45.3v	72.8v	46.3v	47.4v	50.5v	101.5v	47.1v	0.0v	699.57v
200	Mr C Higginbottom	A	49.6v	44.5v	74.8v	50.9v	71.8v	48.6v	75.10v	49.7v	46.4v	48.3v	103.14v	41.1v	0.0v	698.81v

**Date and Time of Posting**

**Chief Statistical Officer**