

NRA 135th Imperial Meeting

Grand Aggregate (as at Wednesday, 21st July 2004)

			DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	Corp	POW	Total
1	Mr AJ Luckman	X	73.10v	74.12v	50.8v	49.5v	49.6v	50.7v	48.5v	75.9v	105.15v	48.3v	0.0v	621.80v
2	Mr TLW Kidner	X	75.10v	75.9v	50.6v	50.5v	49.7v	49.4v	48.4v	74.11v	103.12v	48.5v	0.0v	621.73v
3	Mr ARH Jones	X	74.9v	74.6v	49.5v	50.5v	50.5v	48.5v	48.6v	75.10v	105.12v	47.4v	0.0v	620.67v
4	Mr ITG Shaw	X	72.11v	71.3v	50.7v	50.5v	50.6v	50.3v	49.4v	74.12v	105.8v	49.6v	0.0v	620.65v
5	Mr JAM Paton	X	73.7v	72.6v	50.7v	50.6v	49.6v	49.7v	50.5v	75.12v	105.15v	46.5v	0.0v	619.76v
6	Mr CN Tremlett	X	74.8v	74.10v	50.7v	50.6v	48.6v	50.7v	49.7v	73.5v	102.13v	49.5v	0.0v	619.74v
7	Capt J Cload	X	74.8v	72.5v	50.5v	50.7v	50.6v	48.5v	50.6v	74.12v	105.15v	46.3v	0.0v	619.72v
8	Mr CP Weeden	X	75.10v	73.8v	50.6v	49.6v	50.7v	50.5v	48.5v	73.8v	103.10v	48.2v	0.0v	619.67v
9	Dr GCD Barnett	X	74.11v	73.5v	50.8v	49.7v	49.6v	50.7v	48.5v	74.12v	103.15v	48.4v	0.0v	618.80v
10	Mr MJ O'Leary	A	72.8v	71.7v	49.4v	50.8v	50.4v	50.6v	49.6v	74.10v	103.14v	50.5v	0.0v	618.72v
11	Miss MZJ Boston	X	72.10v	75.9v	49.8v	49.4v	49.5v	48.7v	48.4v	75.10v	105.12v	48.3v	0.0v	618.72v
12	Mr SNS Penrose	X	75.11v	72.10v	50.9v	49.7v	49.2v	49.3v	49.3v	73.7v	103.12v	49.5v	0.0v	618.69v
13	Mr DC Luckman	X	74.11v	74.8v	49.6v	48.4v	48.4v	50.5v	48.7v	74.11v	105.17v	47.3v	0.0v	617.76v
14	Mr JC Underwood	X	73.10v	75.10v	50.7v	49.5v	48.6v	50.8v	47.4v	75.11v	103.10v	47.4v	0.0v	617.75v
15	Mr HRT Jeens	A	75.10v	75.11v	48.6v	46.3v	50.6v	49.4v	46.7v	74.9v	104.10v	50.5v	0.0v	617.71v
16	Flt Lt DP Calvert	X	73.8v	73.8v	50.4v	50.7v	50.8v	47.3v	47.4v	75.10v	104.12v	48.7v	0.0v	617.71v
17	Mr DGM Coleman	X	74.11v	74.10v	50.7v	50.6v	50.5v	49.6v	48.6v	74.9v	103.8v	45.3v	0.0v	617.71v
18	Mr PM Hakim	X	73.4v	74.10v	50.6v	50.6v	49.4v	48.2v	48.5v	75.8v	101.12v	49.4v	0.0v	617.61v
19	Miss JH Messer	X	72.10v	72.7v	50.8v	48.3v	46.3v	50.4v	50.3v	75.12v	104.14v	49.5v	0.0v	616.69v
20	Mr JS Collings	X	73.11v	75.9v	50.8v	50.6v	49.4v	49.6v	49.5v	72.8v	105.16v	43.1v	0.0v	615.74v
21	Dr JDS Langley	X	74.10v	73.9v	49.6v	49.3v	49.8v	49.6v	48.5v	73.8v	103.15v	48.3v	0.0v	615.73v
22	Mr GS Cotton	A	74.10v	73.7v	49.5v	50.7v	49.8v	48.5v	48.5v	74.8v	103.15v	47.3v	0.0v	615.73v
23	Mr JM Holmes	A	73.9v	73.11v	49.5v	48.5v	48.7v	48.6v	49.5v	74.6v	104.14v	49.4v	0.0v	615.72v
24	Mr TG Rylands	X	75.9v	74.9v	50.5v	50.5v	46.4v	46.4v	50.8v	75.11v	103.10v	46.4v	0.0v	615.69v
25	Mr WJG Dixon	X	70.6v	74.7v	50.7v	47.4v	50.7v	48.6v	47.3v	75.13v	105.11v	49.4v	0.0v	615.68v
26	Mr AJ Woodward	O	75.11v	72.8v	49.7v	50.5v	48.4v	50.7v	46.2v	75.8v	102.11v	48.3v	0.0v	615.66v
27	Mr A Powell	X	73.10v	75.13v	50.7v	48.5v	49.7v	49.6v	49.4v	72.9v	105.11v	44.3v	0.0v	614.75v
28	Mr AD Le Cheminant	X	74.10v	75.12v	50.7v	49.6v	47.4v	49.3v	46.7v	74.7v	100.11v	50.5v	0.0v	614.72v
29	Mr DFP Richards	A	72.6v	73.9v	48.6v	50.8v	49.6v	48.3v	50.8v	75.11v	103.12v	46.3v	0.0v	614.72v
30	Mr AC Speirs	X	75.6v	73.10v	50.6v	49.5v	48.5v	48.4v	47.4v	74.11v	104.13v	46.2v	0.0v	614.66v
31	Mr R Stewart	X	73.10v	75.11v	48.4v	49.5v	48.5v	48.7v	48.4v	75.12v	103.10v	46.2v	0.0v	613.70v
32	Mr MD Joyce	X	74.7v	73.9v	49.6v	48.5v	49.7v	50.4v	50.7v	73.11v	102.11v	45.3v	0.0v	613.70v
33	Mr LM Peden	X	72.7v	74.9v	48.3v	50.6v	48.6v	49.4v	48.5v	74.10v	103.13v	47.6v	0.0v	613.69v
34	Flt Lt CJ Morton	X	72.5v	73.9v	49.6v	49.4v	49.6v	49.5v	49.6v	72.8v	105.14v	46.2v	0.0v	613.65v
35	Miss AMG Ogilvie	X	73.10v	75.13v	48.3v	46.2v	49.5v	50.4v	48.5v	74.8v	104.11v	46.3v	0.0v	613.64v
36	Mr A Chown	A	72.6v	73.6v	49.4v	49.4v	49.6v	50.7v	48.4v	75.9v	100.10v	48.4v	0.0v	613.60v
37	Mr SA Thomas	X	75.13v	75.10v	50.9v	46.5v	48.5v	47.4v	46.3v	75.12v	104.18v	46.5v	0.0v	612.84v
38	Dr JD Warburton	X	73.8v	74.9v	48.4v	50.8v	49.5v	45.4v	48.6v	74.9v	103.12v	48.6v	0.0v	612.71v
39	Lt NJ Ball	X	68.3v	71.6v	50.6v	49.6v	50.8v	50.5v	48.8v	75.9v	105.14v	46.2v	0.0v	612.67v
40	Mr PM Jory	X	71.5v	72.5v	49.5v	49.6v	50.7v	50.5v	48.4v	73.8v	102.16v	48.5v	0.0v	612.66v
41	Mr RCT Jeens	O	73.9v	72.6v	48.4v	50.6v	48.7v	48.6v	49.1v	74.9v	103.14v	47.3v	0.0v	612.65v
42	Zulkeflee Hamsan	X	71.6v	72.5v	50.6v	50.8v	49.4v	49.4v	49.4v	73.9v	103.11v	46.5v	0.0v	612.62v
43	Mr JE White	O	73.7v	73.9v	48.5v	49.6v	49.5v	49.6v	49.3v	73.4v	103.13v	46.3v	0.0v	612.61v
44	Dr AJ Pilgrim	X	75.10v	74.6v	48.7v	49.3v	48.3v	48.5v	48.3v	73.7v	102.13v	47.3v	0.0v	612.60v
45	Miss S-J Binder	A	71.6v	73.5v	50.3v	49.7v	50.6v	47.4v	50.7v	73.7v	104.12v	45.3v	0.0v	612.60v
46	Dr AM Jory	X	71.4v	73.7v	50.5v	49.5v	49.5v	47.5v	50.6v	73.10v	102.8v	48.4v	0.0v	612.59v
47	Mr JP Barry	X	73.8v	71.5v	49.4v	50.6v	48.5v	47.3v	49.4v	75.9v	103.11v	47.2v	0.0v	612.57v
48	Mr TA Ringer	X	69.5v	72.5v	50.5v	49.5v	47.5v	49.5v	50.5v	74.6v	105.10v	47.5v	0.0v	612.56v
49	Mr S Belither	X	74.11v	73.8v	45.2v	50.9v	48.6v	49.7v	47.6v	75.10v	104.14v	46.3v	0.0v	611.76v
50	Mr SJ Bissonnette	X	73.9v	73.8v	50.7v	49.5v	48.5v	48.4v	50.7v	73.10v	103.14v	44.4v	0.0v	611.73v
51	Mr JR Tuck	A	73.10v	74.10v	49.7v	50.7v	49.5v	50.6v	49.6v	74.9v	102.11v	41.1v	0.0v	611.72v
52	Mr JA Watson	A	74.10v	74.7v	48.5v	46.4v	49.8v	50.4v	49.6v	75.13v	103.11v	43.1v	0.0v	611.69v
53	Mr BA Horwood	X	72.6v	71.6v	50.6v	49.5v	48.4v	47.5v	48.5v	75.10v	104.16v	47.5v	0.0v	611.68v
54	Mr PD Griggs	A	72.9v	73.10v	49.2v	48.5v	48.5v	50.6v	48.6v	75.11v	101.9v	47.4v	0.0v	611.67v
55	Mr GC Childs	A	74.9v	73.7v	47.5v	49.3v	49.6v	47.4v	49.6v	73.7v	104.14v	46.5v	0.0v	611.66v
56	Sqn Ldr SC Williamson	X	74.9v	74.10v	47.3v	47.3v	48.7v	48.6v	49.3v	75.10v	103.10v	46.5v	0.0v	611.66v
57	Mr MR Ball	X	72.9v	72.10v	49.5v	48.4v	48.6v	49.3v	47.0v	74.10v	104.16v	48.2v	0.0v	611.65v
58	Mr RW Sandlant	X	74.9v	73.10v	48.6v	49.6v	48.4v	48.3v	50.5v	74.8v	101.11v	46.3v	0.0v	611.65v
59	Mr RA Dix	O	71.6v	73.9v	48.5v	48.5v	49.6v	48.4v	46.3v	74.9v	104.13v	50.4v	0.0v	611.64v
60	Mr MH Shaw	O	72.6v	73.10v	50.6v	47.2v	49.4v	46.5v	48.6v	73.6v	104.14v	49.5v	0.0v	611.64v
61	Maj AG McLean	X	71.6v	71.4v	50.7v	48.5v	49.5v	49.7v	50.4v	72.8v	103.15v	48.3v	0.0v	611.64v
62	Mr MC Parker	X	73.10v	71.6v	50.7v	46.1v	50.8v	50.7v	49.6v	75.2v	102.12v	45.4v	0.0v	611.63v
63	Mr RM Hatcher	A	73.6v	74.10v	49.5v	46.3v	49.5v	48.5v	48.5v	74.8v	104.12v	46.2v	0.0v	611.61v
64	Mr JPM Stevens	A	71.6v	71.4v	49.6v	48.7v	50.4v	47.1v	49.5v	75.9v	103.15v	48.3v	0.0v	611.60v
65	Miss E McMullan	A	73.10v	71.5v	48.7v	50.3v	48.7v	50.7v	49.4v	74.5v	104.9v	44.2v	0.0v	611.59v

66	Mr R Winney	A	73.3v	72.6v	49.6v	49.6v	49.5v	48.3v	49.7v	71.7v	103.12v	48.3v	0.0v	611.58v
67	Mrs LK Mace	A	72.7v	72.7v	50.8v	50.4v	48.5v	48.3v	47.5v	74.6v	102.8v	48.4v	0.0v	611.57v
68	Mr SJ Cane	X	72.5v	74.9v	49.7v	49.7v	46.5v	49.4v	49.8v	75.11v	103.9v	44.3v	0.0v	610.68v
69	Mr DG Young	A	73.8v	73.8v	46.3v	49.5v	49.5v	47.5v	47.3v	74.10v	104.12v	48.4v	0.0v	610.63v
70	Mr P Patel	X	71.7v	70.6v	49.5v	49.4v	48.3v	48.4v	47.6v	75.10v	105.15v	48.3v	0.0v	610.63v
71	Dr JR Deane	X	74.9v	73.8v	48.4v	47.4v	50.7v	50.7v	48.5v	72.5v	103.11v	45.3v	0.0v	610.63v
72	Mrs LA Johnson	O	71.6v	71.7v	50.7v	47.3v	48.8v	48.2v	49.3v	74.10v	103.12v	49.4v	0.0v	610.62v
73	Mr TJD Raincock	X	71.8v	72.5v	50.6v	48.6v	47.2v	46.3v	49.5v	75.13v	104.11v	48.2v	0.0v	610.61v
74	Mr MCJ Button	X	73.6v	74.10v	49.7v	48.5v	49.5v	47.3v	49.5v	75.8v	99.9v	47.3v	0.0v	610.61v
75	Mr PJR Holden	X	73.10v	75.8v	50.7v	50.7v	49.1v	47.5v	48.5v	72.8v	101.9v	45.1v	0.0v	610.61v
76	Mr RJ Booth	X	73.4v	71.5v	50.7v	50.3v	50.7v	47.4v	49.5v	71.7v	104.15v	45.3v	0.0v	610.60v
77	Mr GV Feast	A	73.10v	73.7v	48.3v	47.3v	50.4v	48.6v	48.5v	73.10v	100.10v	50.1v	0.0v	610.59v
78	WO MW Silver	A	72.7v	72.6v	49.7v	49.3v	50.8v	47.2v	47.3v	73.10v	103.11v	48.2v	0.0v	610.59v
79	Flt Lt NP Moxon	A	73.5v	71.8v	49.6v	50.5v	48.7v	50.7v	47.3v	72.6v	103.9v	47.3v	0.0v	610.59v
80	Mr RAH Vary	X	73.5v	72.10v	48.7v	48.5v	50.4v	48.3v	47.4v	73.8v	103.11v	48.1v	0.0v	610.58v
81	Mr RC Oxford	O	74.8v	73.8v	48.4v	50.6v	49.6v	50.4v	44.1v	75.12v	104.9v	43.0v	0.0v	610.58v
82	Mr J Payne	X	74.6v	74.9v	49.6v	47.2v	49.3v	49.2v	47.4v	74.9v	101.12v	46.2v	0.0v	610.55v
83	Mr RBC Baker	A	70.5v	72.3v	49.6v	49.4v	50.4v	48.3v	49.3v	73.8v	103.12v	47.1v	0.0v	610.49v
84	Mr IT Jones	X	71.7v	74.9v	49.5v	48.8v	50.6v	48.3v	47.4v	75.11v	103.12v	44.5v	0.0v	609.70v
85	Ms KA Berman	X	75.10v	71.9v	50.4v	49.5v	49.4v	49.8v	48.1v	73.9v	104.17v	41.3v	0.0v	609.70v
86	Mr PD Sykes	X	74.8v	74.8v	48.6v	49.5v	46.2v	48.7v	45.3v	73.9v	104.13v	48.8v	0.0v	609.69v
87	Mr RJ Lygoe	X	72.8v	73.8v	49.5v	43.4v	49.6v	48.6v	48.2v	75.13v	104.14v	48.2v	0.0v	609.68v
88	Mr AR Langley	X	71.5v	72.6v	49.5v	50.7v	49.7v	47.5v	48.8v	74.9v	103.14v	46.1v	0.0v	609.67v
89	Mr I Davison	X	75.11v	71.7v	49.6v	46.2v	48.6v	48.6v	47.5v	73.6v	104.14v	48.2v	0.0v	609.65v
90	Hamdan Rahmat	X	70.6v	74.8v	49.7v	48.3v	50.6v	48.7v	49.6v	73.7v	102.12v	46.3v	0.0v	609.65v
91	Pte JO Grant-Jones	O	73.7v	74.7v	47.4v	46.3v	49.5v	47.2v	49.5v	75.11v	105.18v	44.3v	0.0v	609.65v
92	Miss SIM Anderson	O	74.7v	71.6v	49.7v	50.4v	47.3v	48.4v	47.4v	72.9v	104.17v	47.3v	0.0v	609.64v
93	Maj AR McLeod	X	73.8v	73.7v	48.4v	48.4v	49.6v	49.6v	49.4v	72.9v	102.14v	46.2v	0.0v	609.64v
94	Dr CD Haley	X	73.8v	73.7v	48.4v	48.5v	49.8v	49.5v	48.5v	73.8v	105.13v	43.1v	0.0v	609.64v
95	Mr JEM Bellringer	X	73.8v	71.8v	50.6v	48.4v	49.5v	49.5v	47.3v	73.7v	102.11v	47.6v	0.0v	609.63v
96	Eur Ing CA Painting	A	72.7v	73.8v	49.7v	49.5v	47.4v	50.6v	49.5v	74.8v	100.10v	46.3v	0.0v	609.63v
97	Mr SJ Green	A	72.6v	75.9v	48.4v	48.7v	48.4v	49.5v	50.7v	71.5v	100.12v	48.3v	0.0v	609.62v
98	Mr AW Lothian	X	72.7v	74.7v	49.1v	50.7v	47.3v	49.6v	46.5v	73.11v	103.12v	46.2v	0.0v	609.61v
99	Mr ES Compton	A	72.8v	74.6v	50.5v	49.5v	49.6v	50.6v	44.1v	73.12v	104.10v	44.2v	0.0v	609.61v
100	Mr CK Martin	X	71.3v	74.8v	49.7v	50.5v	49.4v	46.1v	48.3v	73.9v	105.15v	44.4v	0.0v	609.59v
101	Miss TJ Fitzsimons	X	71.6v	74.7v	50.7v	47.5v	49.4v	49.6v	48.3v	73.6v	102.10v	46.4v	0.0v	609.58v
102	Mr GE Morris	X	71.4v	72.10v	49.3v	50.9v	50.3v	47.6v	48.4v	74.8v	104.10v	44.1v	0.0v	609.58v
103	Mr H Sanders	O	70.4v	75.8v	49.5v	49.3v	49.5v	50.3v	46.4v	75.9v	99.8v	47.5v	0.0v	609.54v
104	Mr RJR Mott	X	71.8v	74.6v	49.4v	49.6v	46.4v	50.6v	50.4v	71.6v	104.8v	45.2v	0.0v	609.54v
105	Mr BL Thomson	A	73.4v	73.7v	49.4v	49.5v	47.2v	50.5v	47.4v	72.4v	101.11v	48.2v	0.0v	609.48v
106	Mr RA Benest	X	73.9v	75.9v	47.5v	49.6v	45.7v	49.7v	49.6v	74.11v	102.13v	45.1v	0.0v	608.74v
107	Mr ML Millar	X	70.8v	71.7v	49.7v	48.5v	50.7v	49.9v	48.6v	72.7v	104.11v	47.4v	0.0v	608.71v
108	Mr KR Trowbridge	A	74.7v	70.6v	49.6v	49.7v	49.6v	48.5v	48.5v	72.11v	102.10v	47.3v	0.0v	608.66v
109	Mr TM Green	A	70.4v	73.7v	49.7v	50.8v	49.6v	49.4v	47.5v	71.9v	103.9v	47.6v	0.0v	608.65v
110	Mr GA Cann	X	71.8v	74.9v	50.8v	47.5v	46.2v	47.5v	49.5v	75.10v	103.10v	46.2v	0.0v	608.64v
111	Mr J Pugsley	X	73.8v	72.10v	50.4v	49.3v	48.5v	49.5v	48.4v	74.11v	101.11v	44.2v	0.0v	608.63v
112	Mr ER Welford	O	75.8v	72.9v	48.5v	50.6v	45.1v	48.4v	49.6v	71.7v	103.10v	47.5v	0.0v	608.61v
113	Mr J Corbett	X	73.7v	73.9v	49.4v	49.6v	50.7v	47.4v	47.5v	71.4v	103.11v	46.4v	0.0v	608.61v
114	Mr WJ Rowland	A	73.7v	73.8v	48.6v	50.4v	49.7v	47.4v	50.8v	72.6v	103.9v	43.2v	0.0v	608.61v
115	Mr R de V Chase	X	71.2v	74.9v	50.7v	48.4v	48.5v	48.7v	44.4v	74.8v	104.11v	47.2v	0.0v	608.59v
116	Mr LT Wicker	A	73.12v	71.7v	48.6v	50.5v	47.3v	50.7v	48.5v	73.5v	102.5v	46.3v	0.0v	608.58v
117	Mr C Mallett	X	72.6v	75.10v	49.3v	47.4v	49.7v	45.3v	46.4v	74.5v	103.10v	48.4v	0.0v	608.56v
118	Mr R Kloosterman	X	70.4v	73.7v	48.5v	49.6v	49.2v	47.5v	50.5v	73.8v	103.12v	46.2v	0.0v	608.56v
119	Mr AJ Burton	X	74.12v	72.4v	50.3v	47.4v	47.3v	50.7v	45.2v	72.6v	103.10v	48.4v	0.0v	608.55v
120	Mr NC Mace	X	70.7v	73.9v	49.5v	48.6v	48.3v	49.4v	46.5v	74.11v	104.14v	46.5v	0.0v	607.69v
121	Mr RSF Shouler	X	72.10v	70.5v	49.4v	49.7v	49.5v	49.6v	49.6v	73.10v	101.11v	46.4v	0.0v	607.68v
122	Mr B Logan	A	71.9v	74.5v	50.8v	50.7v	49.6v	49.5v	46.5v	74.10v	101.10v	43.2v	0.0v	607.67v
123	Mr DC Dyson	X	72.5v	73.4v	46.5v	50.9v	49.5v	48.5v	46.6v	74.11v	101.13v	48.3v	0.0v	607.66v
124	Mr PJ Johnson	X	73.11v	73.9v	49.5v	47.3v	47.3v	49.4v	50.8v	73.6v	102.12v	44.4v	0.0v	607.65v
125	Mr CC Mallett Jnr	X	70.8v	71.3v	49.6v	48.5v	48.5v	49.6v	49.7v	74.8v	103.12v	46.4v	0.0v	607.64v
126	Mr SE Hind	X	74.7v	73.8v	49.4v	48.7v	50.4v	48.5v	48.6v	72.7v	105.14v	43.1v	0.0v	607.63v
127	Mr RA Merton Jones	O	74.9v	74.6v	49.4v	46.3v	47.5v	47.4v	48.5v	74.11v	101.11v	44.3v	0.0v	607.61v
128	Mr GW Clarke	O	72.9v	72.8v	48.4v	49.4v	48.3v	48.6v	49.5v	74.8v	105.12v	42.2v	0.0v	607.61v
129	Mr O Henry	A	72.7v	75.7v	48.2v	49.5v	48.6v	48.4v	48.7v	70.6v	104.13v	45.3v	0.0v	607.60v
130	Mr CA Brook	X	74.8v	72.3v	47.4v	49.3v	48.5v	46.5v	49.5v	72.8v	102.12v	48.5v	0.0v	607.58v
131	Mr JA Dallas	O	73.10v	73.5v	50.5v	49.2v	48.3v	48.5v	49.5v	70.8v	100.8v	47.4v	0.0v	607.55v
132	Mr TL Bedwell	A	72.9v	71.7v	49.4v	50.3v	47.6v	47.6v	47.3v	74.5v	104.9v	46.3v	0.0v	607.55v
133	Mr D Davies	X	71.7v	75.8v	47.4v	48.4v	49.5v	50.5v	47.4v	72.5v	104.11v	44.2v	0.0v	607.55v
134	Mr SJ East	X	69.4v	73.6v	48.3v	45.1v	49.4v	49.3v	50.4v	74.5v	103.12v	47.5v	0.0v	607.47v
135	Mr P Schumann	O	72.10v	74.10v	48.4v	48.6v	47.2v	50.8v	47.4v	73.9v	102.11v	45.1v	0.0v	606.65v
136	Mr CES Dickenson	X	74.10v	74.5v	49.5v	48.5v	49.8v	47.5v	49.5v	69.6v	99.11v	48.4v	0.0v	606.64v
137	Mr C Fitzpatrick	O	72.9v	72.7v	48.3v	50.6v	47.6v	49.7v	48.4v	74.10v	100.7v	46.5v	0.0v	606.64v
138	Mr SJ Comins	O	70.9v	73.8v	49.6v	50.8v	49.7v	49.1v	47.5v	72.3v	102.12v	45.5v	0.0v	606.64v
139	Miss A Van Zyl	A	73.9v	74.6v	49.8v	49.4v	49.8v	44.3v	48.3v	74.9v	104.10v	42.3v	0.0v	606.63v
140	Miss DS Hume	X	73.7v	68.3v	47.2v	49.6v	48.7v	49.4v	50.8v	72.9v	103.14v	47.2v	0.0v	606.62v
141	Mr EC Wood	A	72.7v	75.10v	47.4v	49.4v	48.4v	48.6v	47.4v	74.11v	100.8v	46.3v	0.0v	606.61v
142	Mr PAE Charlton	X	72.7v	71.8v	50.5v	49.6v	49.4v	46.3v	50.5v	74.13v	100.8v	45.2v	0.0v	606.61v
143	Dr KW Genders	O	72.7v	71.7v	49.8v	49.6v	48.4v	48.4v	49.4v	73.9v	104.12v	43.0v	0.0v	606.61v
144	Mr ASH McCullough	X	74.7v	71.8v	49.5v	47.4v	47.5v	49.6v	50.5v	74.5v	105.13v	40.3v	0.0v	606.61v
145	Mr RP Elvins	A	72.7v	72.8v	50.8v	49.4v	49.4v	47.5v	48.4v	70.6v	100.8v	49.6v	0.0v	606.60v
146	Mr TR Webster	X	73.7v	71.8v	48.5v	47.3v	48.5v	48.3v	46.3v	73.5v	105.15v	47.6v	0.0v	606.60v
147	Mr M Buchanan	A	74.7v	72.6v	50.4v	50.7v	49.2v	48.5v	49.6v	72.8v	97.13v	45.2v	0.0v	606.60v
148	Mr RAV Hebblethwaite	O	75.7v	68.6v	50.6v	47.6v								

149	Zainal Abidin Md Zain	X	74.5v	74.8v	49.8v	47.5v	46.5v	49.5v	48.6v	72.6v	101.8v	46.2v	0.0v	606.58v
150	Mr DH Allen	X	72.6v	70.6v	50.7v	50.7v	50.6v	48.5v	49.4v	73.7v	98.9v	46.1v	0.0v	606.58v
151	Mr MJ Brister	X	73.8v	74.11v	49.5v	49.4v	49.5v	46.4v	49.5v	74.5v	102.10v	41.1v	0.0v	606.58v
152	Mr A Mabon	O	70.1v	71.6v	50.5v	46.6v	48.5v	49.3v	50.3v	72.9v	104.12v	46.3v	0.0v	606.53v
153	Mr DR Niblett	O	72.4v	71.5v	49.4v	48.4v	48.2v	49.3v	49.7v	74.11v	101.10v	45.1v	0.0v	606.51v
154	Prof AR Horrocks	X	73.11v	73.9v	50.7v	47.4v	49.4v	46.4v	48.4v	73.9v	102.11v	44.2v	0.0v	605.65v
155	Mr CRF Leather	X	73.10v	71.7v	48.5v	48.5v	48.7v	48.6v	48.6v	75.6v	103.12v	43.1v	0.0v	605.65v
156	Kamaruddin Mat Noh	X	69.7v	73.7v	48.6v	48.5v	49.6v	48.7v	49.4v	72.9v	103.10v	46.3v	0.0v	605.64v
157	Mr JF Jackman	O	72.6v	70.8v	48.5v	49.4v	48.7v	49.6v	49.6v	73.7v	101.11v	46.3v	0.0v	605.63v
158	Mr AD Hunter	X	72.7v	73.7v	50.7v	44.5v	48.4v	48.2v	49.5v	75.13v	101.9v	45.3v	0.0v	605.62v
159	Mr KWD Ramsey	A	71.5v	72.8v	50.8v	48.5v	50.3v	48.7v	48.3v	74.11v	101.11v	43.1v	0.0v	605.62v
160	Mr BN Roth	A	71.5v	72.10v	49.3v	50.6v	50.6v	44.4v	49.6v	73.9v	103.10v	44.1v	0.0v	605.60v
161	Mr DJ Blake	T	69.5v	73.8v	46.4v	50.7v	48.3v	48.6v	49.4v	75.11v	102.8v	45.3v	0.0v	605.59v
162	Mr JPS Bloomfield	X	73.9v	72.6v	49.4v	46.3v	48.7v	50.3v	44.3v	75.8v	103.13v	45.3v	0.0v	605.59v
163	Mr DJ Gass	X	70.4v	74.5v	50.3v	50.4v	49.8v	45.2v	47.6v	74.11v	101.13v	45.2v	0.0v	605.58v
164	Mr MJM Black	X	68.3v	74.9v	49.5v	49.6v	49.8v	45.2v	47.3v	75.11v	104.11v	45.0v	0.0v	605.58v
165	Mr JM Taylor	X	72.9v	71.6v	50.3v	49.4v	46.4v	46.2v	47.5v	74.10v	103.12v	47.2v	0.0v	605.57v
166	Mr B Langille	X	72.3v	74.9v	48.3v	49.4v	48.6v	47.3v	45.4v	75.8v	104.13v	43.3v	0.0v	605.56v
167	Mr RP Rosling	A	72.6v	70.4v	49.3v	50.6v	49.5v	46.5v	49.5v	73.8v	101.10v	46.2v	0.0v	605.54v
168	Mr PG Oxnam	O	72.5v	72.4v	49.5v	49.3v	49.7v	47.4v	49.8v	71.4v	102.11v	45.3v	0.0v	605.54v
169	Cdt FL Beadle	O	73.3v	73.7v	50.2v	49.4v	47.5v	47.4v	47.3v	74.7v	99.12v	46.2v	0.0v	605.49v
170	Mr B Langille	X	66.5v	74.8v	49.5v	48.3v	49.6v	47.1v	48.3v	75.7v	103.13v	47.3v	0.0v	605.48v
171	Mr GW Robinson	O	73.8v	72.9v	48.4v	47.1v	49.4v	49.2v	49.4v	71.7v	104.7v	43.1v	0.0v	605.47v
172	Mr ND Gomez	O	74.6v	71.6v	49.8v	49.5v	49.6v	49.9v	46.5v	73.10v	101.9v	43.2v	0.0v	604.66v
173	Dr HHG Pollock	X	74.10v	72.7v	48.6v	50.6v	47.6v	47.4v	46.3v	71.5v	101.13v	48.4v	0.0v	604.64v
174	Lt Col CR Claridge	A	73.7v	72.7v	47.6v	49.4v	47.3v	45.3v	50.5v	75.11v	103.15v	43.3v	0.0v	604.64v
175	Miss JC Farnan	X	70.7v	73.7v	45.4v	49.7v	47.5v	49.5v	50.4v	74.10v	104.13v	43.2v	0.0v	604.64v
176	Mr JJ Norman	X	71.6v	72.8v	49.8v	48.6v	48.6v	48.5v	46.3v	73.11v	102.8v	47.2v	0.0v	604.63v
177	Mr DP Cole	A	71.9v	71.8v	49.5v	50.8v	46.3v	48.6v	47.3v	73.5v	103.14v	46.2v	0.0v	604.63v
178	Mr NJ Curtis	A	69.5v	73.9v	46.4v	47.4v	50.5v	47.4v	49.8v	74.8v	100.12v	49.3v	0.0v	604.62v
179	Miss JM Rankin	A	72.7v	74.10v	48.4v	47.3v	48.4v	48.6v	47.4v	70.8v	103.10v	47.4v	0.0v	604.60v
180	Mr RJ Scaglione	O	73.10v	73.6v	49.3v	48.4v	49.7v	47.6v	47.5v	73.7v	101.11v	44.1v	0.0v	604.60v
181	Mr PG Kent	X	70.7v	71.6v	50.7v	47.2v	46.6v	47.4v	49.6v	71.7v	105.9v	48.5v	0.0v	604.59v
182	Mr NJ Verduyn	A	73.5v	74.9v	48.4v	49.2v	49.6v	47.3v	44.2v	75.13v	100.11v	45.4v	0.0v	604.59v
183	Mr APW Daw	O	71.9v	72.6v	48.3v	49.4v	45.2v	47.2v	47.5v	74.10v	104.13v	47.4v	0.0v	604.58v
184	Wg Cdr CJ Hockley	A	71.6v	70.6v	48.5v	49.4v	50.8v	48.5v	48.4v	74.9v	101.9v	45.2v	0.0v	604.58v
185	Mr RA Jobson	X	71.6v	71.5v	49.6v	48.4v	48.5v	50.9v	48.5v	73.10v	101.7v	45.1v	0.0v	604.58v
186	Mr MA Kirkillo-Stacewicz	O	73.6v	70.4v	46.4v	50.7v	49.4v	49.8v	49.3v	71.5v	101.10v	46.4v	0.0v	604.55v
187	Mr MWT Walton	X	70.5v	74.9v	50.7v	50.3v	49.3v	46.2v	50.5v	71.8v	101.11v	43.2v	0.0v	604.55v
188	Mr AMC Wilson	O	72.5v	71.2v	48.4v	49.4v	50.6v	45.4v	49.4v	71.6v	103.14v	46.4v	0.0v	604.53v
189	Mr JMA Thompson	X	71.7v	71.4v	44.0v	49.5v	49.6v	50.7v	50.6v	73.8v	102.8v	45.2v	0.0v	604.53v
190	Cdt TF Newsome	T	73.5v	69.4v	50.8v	50.2v	50.8v	47.2v	47.1v	75.9v	100.8v	43.2v	0.0v	604.49v
191	Mr ND Stangroom	X	71.1v	73.6v	50.5v	42.2v	48.4v	48.5v	48.3v	74.9v	102.8v	48.2v	0.0v	604.45v
192	Mr PB Bromley	X	70.6v	70.5v	48.7v	48.7v	48.6v	50.8v	47.3v	74.11v	105.13v	43.1v	0.0v	603.67v
193	Mr NW Penn	X	70.2v	73.10v	47.3v	50.8v	48.7v	48.5v	46.5v	71.7v	103.13v	47.3v	0.0v	603.63v
194	Mr AP Barnes	X	73.7v	70.5v	49.6v	48.4v	46.5v	49.5v	50.5v	73.10v	101.12v	44.3v	0.0v	603.62v
195	Mr TP Hammond	X	74.10v	70.6v	49.2v	48.4v	49.7v	47.5v	49.6v	72.8v	98.10v	47.3v	0.0v	603.61v
196	Lt Col CCC Cheshire	A	69.5v	72.7v	49.7v	49.5v	49.4v	47.4v	48.6v	73.7v	102.10v	45.4v	0.0v	603.59v
197	Mr ME Buckley	X	70.7v	74.8v	48.5v	46.1v	46.4v	47.5v	49.3v	74.9v	101.13v	48.3v	0.0v	603.58v
198	Mr PD Halford	T	74.6v	73.7v	50.7v	49.5v	49.7v	44.5v	47.3v	70.8v	100.8v	47.2v	0.0v	603.58v
199	Mr NRJ Brasier	X	73.8v	69.4v	49.6v	50.6v	50.5v	49.5v	46.1v	71.7v	101.14v	45.2v	0.0v	603.58v
200	Mr D Lowe	O	72.2v	71.6v	48.7v	49.8v	46.3v	44.3v	47.4v	73.7v	103.11v	50.6v	0.0v	603.57v