

NRA 136th Imperial Meeting

Grand Aggregate

		DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	Corp	POW	Total
1 Mr JC Underwood	X	75.10v	75.13v	50.6v	49.7v	50.7v	49.6v	49.5v	75.5v	101.11v	48.6v	72.7v	693.83v
2 Miss JH Messer	X	74.13v	75.9v	50.7v	49.5v	50.5v	49.7v	47.3v	74.6v	103.15v	48.5v	74.7v	693.82v
3 Mr JS Collings	X	74.12v	75.8v	49.6v	50.9v	50.7v	50.7v	47.3v	73.10v	103.10v	47.3v	73.8v	691.83v
4 Mr ASH McCullough	X	75.13v	74.10v	49.4v	50.7v	49.7v	48.4v	49.7v	73.7v	104.10v	47.3v	73.5v	691.77v
5 Mr DC Luckman	X	74.10v	74.11v	48.8v	49.7v	50.10v	49.7v	45.3v	75.6v	102.8v	50.6v	74.12v	690.88v
6 Flt Lt DP Calvert	X	75.9v	74.10v	50.6v	48.7v	49.6v	50.5v	44.4v	75.12v	104.12v	47.6v	72.6v	688.83v
7 Mr ITG Shaw	X	71.8v	75.6v	49.7v	50.6v	49.7v	49.6v	48.3v	74.11v	102.9v	46.4v	74.10v	687.77v
8 Mr RP Elvins	A	75.9v	74.8v	47.3v	48.5v	49.8v	49.4v	47.4v	74.10v	102.9v	46.5v	74.7v	685.72v
9 Mr AJ Luckman	X	75.14v	74.9v	48.4v	49.4v	50.6v	49.7v	46.4v	75.12v	98.6v	46.3v	74.7v	684.76v
10 Mr NC Mace	X	72.7v	73.4v	50.8v	46.4v	48.5v	49.6v	49.7v	75.8v	102.11v	48.4v	72.10v	684.74v
11 Capt J Cload	X	75.9v	73.11v	50.8v	47.4v	49.8v	46.2v	47.2v	74.11v	102.6v	49.3v	72.7v	684.71v
12 Mr WCP Richards	A	74.9v	74.9v	50.5v	49.3v	49.3v	48.5v	48.6v	75.11v	100.6v	44.1v	73.8v	684.66v
13 Mr JAM Paton	X	73.11v	75.10v	47.4v	49.6v	50.10v	50.7v	45.1v	73.7v	101.11v	47.4v	73.9v	683.80v
14 Mr AH Bowden	A	75.10v	74.9v	49.6v	48.5v	49.5v	49.5v	47.3v	75.9v	99.13v	46.4v	72.11v	683.80v
15 Mr PB Bromley	X	74.9v	73.9v	49.4v	50.7v	49.8v	49.4v	45.4v	75.5v	98.12v	46.3v	75.12v	683.77v
16 Dr JDS Langley	X	74.8v	74.6v	49.6v	50.7v	47.3v	49.6v	44.2v	75.12v	102.7v	46.3v	73.11v	683.71v
17 Mr HRT Jeens	X	75.11v	71.6v	47.4v	47.5v	50.6v	47.2v	47.4v	74.6v	104.10v	49.7v	72.3v	683.64v
18 Mr P Patel	X	75.11v	73.10v	50.4v	48.6v	50.7v	48.6v	44.2v	75.13v	103.15v	42.3v	74.10v	682.87v
19 Lt NJ Ball	X	73.9v	73.6v	50.7v	48.4v	50.5v	50.6v	42.2v	75.12v	102.12v	46.5v	73.9v	682.77v
20 Mr ERT Jeens	O	72.5v	74.8v	48.4v	47.1v	49.5v	50.4v	48.7v	74.13v	100.8v	48.3v	72.8v	682.66v
21 Mr DJ Gass	X	74.6v	75.10v	49.6v	47.4v	49.5v	49.8v	46.5v	75.11v	99.10v	46.2v	72.11v	681.78v
22 Mr J Corbett	X	75.10v	72.6v	49.7v	49.4v	48.7v	49.7v	49.4v	72.8v	99.10v	47.4v	72.6v	681.73v
23 Mr ML Millar	X	73.7v	73.11v	50.8v	47.4v	50.9v	48.5v	45.5v	72.8v	102.6v	47.2v	74.7v	681.72v
24 Mr KWD Ramsey	A	74.5v	75.11v	49.5v	48.7v	50.7v	47.4v	47.4v	74.9v	100.10v	44.0v	73.8v	681.70v
25 Mr RJ McQuillan	A	74.7v	72.5v	46.5v	49.4v	50.8v	50.7v	46.2v	74.7v	102.14v	47.4v	71.5v	681.68v
26 Mr LM Peden	X	73.8v	75.9v	48.6v	49.5v	49.5v	50.2v	41.1v	74.12v	101.11v	47.3v	74.6v	681.68v
27 Mr MJ MacKeith	X	73.8v	74.9v	50.5v	48.6v	48.6v	49.4v	49.6v	72.5v	98.5v	48.5v	72.6v	681.65v
28 Dr GCD Barnett	X	74.9v	74.9v	48.5v	47.2v	50.10v	48.4v	44.4v	74.9v	101.10v	46.3v	74.10v	680.75v
29 Mr CN Tremlett	X	74.13v	73.5v	49.5v	47.3v	49.6v	48.6v	43.2v	74.9v	101.10v	48.5v	74.9v	680.73v
30 Mr ATB Tompson	X	73.8v	74.11v	50.7v	49.5v	50.6v	49.4v	42.1v	74.8v	102.8v	46.4v	71.8v	680.70v
31 Mr RCT Jeens	X	73.8v	72.8v	48.7v	47.3v	48.4v	49.5v	48.4v	74.5v	104.12v	46.4v	71.8v	680.68v
32 Lt Col CCC Cheshire	A	74.9v	70.7v	48.3v	48.4v	49.3v	50.5v	45.2v	74.8v	99.8v	48.6v	75.9v	680.64v
33 Mr DR Armstrong	X	74.9v	75.7v	48.6v	50.9v	50.6v	49.7v	44.2v	75.8v	97.7v	45.3v	72.10v	679.74v
34 Mr TG Rylands	X	71.7v	74.11v	50.7v	47.3v	49.8v	50.6v	44.1v	74.7v	103.11v	45.2v	72.10v	679.73v
35 Mr DGM Coleman	X	72.8v	74.4v	50.8v	46.5v	49.6v	50.3v	46.3v	74.10v	101.12v	47.4v	70.8v	679.71v
36 Zainal Abidin Md Zain	X	72.4v	75.10v	50.5v	46.3v	50.7v	50.7v	48.2v	75.10v	97.8v	45.1v	71.4v	679.61v
37 Mr JMA Thompson	A	68.3v	72.5v	48.5v	50.6v	46.2v	48.4v	47.4v	75.11v	103.9v	47.4v	75.7v	679.60v
38 Flt Lt CJ Morton	X	73.7v	75.13v	48.7v	50.6v	49.6v	49.6v	46.2v	71.7v	102.13v	44.2v	71.8v	678.77v
39 GW Woodman	X	75.10v	71.7v	49.4v	45.4v	48.5v	49.6v	47.4v	74.13v	99.6v	47.3v	74.11v	678.73v
40 Mr S Belither	X	74.10v	73.7v	49.4v	49.4v	50.8v	47.5v	46.3v	74.11v	100.11v	45.3v	71.6v	678.72v
41 Mrs MM Norman	X	73.10v	74.11v	49.7v	48.3v	44.5v	47.3v	46.3v	75.4v	102.9v	47.7v	73.9v	678.71v
42 Dr AM Jory	X	72.9v	73.6v	50.7v	50.5v	50.9v	44.3v	46.1v	75.12v	102.7v	48.4v	68.6v	678.69v
43 Maj AG McLean	X	73.8v	74.10v	48.4v	47.5v	49.4v	50.7v	43.2v	74.8v	102.9v	46.3v	72.8v	678.68v
44 Mr JA Bullock	A	74.7v	71.8v	48.6v	48.5v	49.6v	48.6v	43.4v	74.13v	104.6v	46.0v	73.6v	678.67v
45 Mr JA Anderson	X	72.7v	74.7v	50.7v	46.3v	49.7v	49.7v	48.4v	73.5v	98.8v	47.4v	72.6v	678.65v
46 Mr LE King	A	73.6v	75.13v	50.5v	46.3v	47.2v	49.4v	49.3v	72.7v	99.9v	50.6v	68.6v	678.64v
47 Mr I Davison	A	75.9v	71.6v	48.8v	47.4v	49.6v	48.4v	49.4v	75.7v	98.8v	47.2v	71.5v	678.63v
48 Mr JJ Bruwer	A	74.11v	73.7v	50.4v	48.4v	50.6v	47.2v	46.3v	73.6v	99.9v	44.3v	74.8v	678.63v
49 Col D Cooper	O	70.6v	72.6v	49.6v	50.4v	49.6v	46.5v	45.2v	71.5v	104.11v	49.2v	73.9v	678.62v
50 Mr RJ Lygoe	X	74.7v	74.6v	50.6v	46.2v	47.5v	47.4v	49.6v	74.10v	100.7v	44.3v	73.6v	678.62v
51 Mr DFP Richards	X	74.9v	74.5v	49.3v	48.3v	49.4v	46.3v	45.1v	74.11v	102.9v	44.3v	73.5v	678.56v
52 Mr SJ Green	A	74.7v	72.5v	50.9v	48.4v	48.8v	49.7v	44.4v	72.8v	104.11v	49.4v	67.8v	677.75v
53 Mr CJ Watson	X	74.10v	72.8v	50.5v	47.4v	49.5v	48.5v	48.6v	73.9v	100.10v	44.3v	72.9v	677.74v
54 Mr RA Benest	X	74.9v	74.10v	49.3v	47.1v	50.8v	45.1v	43.3v	74.12v	101.11v	47.7v	73.7v	677.72v
55 Mr R Stewart	X	74.9v	74.11v	50.5v	46.3v	48.5v	48.5v	45.2v	74.11v	102.10v	46.4v	70.6v	677.71v
56 Zulkeflee Hamsan	X	72.8v	72.6v	49.8v	50.5v	49.7v	47.4v	45.1v	73.10v	101.12v	46.3v	73.7v	677.71v
57 Sqn Ldr SC Williamson	X	73.9v	71.9v	49.4v	47.3v	49.7v	49.5v	43.2v	75.8v	102.11v	48.2v	71.6v	677.66v
58 Mr GE Morris	X	72.7v	70.7v	49.8v	48.5v	50.6v	48.5v	49.6v	72.8v	98.8v	48.4v	72.10v	676.74v
59 Flt Lt BN Roth	X	74.11v	71.9v	49.5v	49.5v	48.3v	49.8v	44.3v	73.11v	101.12v	48.4v	70.3v	676.74v
60 Dr JR Deane	X	72.10v	73.9v	48.6v	48.4v	50.7v	48.7v	48.3v	70.4v	101.9v	47.4v	71.6v	676.69v
61 Mr BN Carter	X	70.7v	74.8v	49.3v	47.4v	50.7v	49.5v	44.4v	73.6v	101.11v	47.5v	72.7v	676.67v
62 Mr ES Compton	A	74.9v	73.9v	50.4v	47.4v	49.5v	48.6v	50.4v	74.10v	95.6v	46.4v	70.4v	676.65v
63 Mr C Mallett	X	72.9v	73.8v	48.4v	48.5v	50.5v	50.5v	46.4v	72.8v	101.6v	46.3v	70.8v	676.65v
64 Mr JA Watson	X	74.7v	74.11v	49.8v	46.3v	50.5v	47.5v	50.5v	74.7v	98.4v	47.3v	67.6v	676.64v
65 Dr JS Rennie	O	72.10v	72.3v	50.5v	49.3v	47.5v	49.6v	48.4v	72.8v	102.11v	46.4v	69.5v	676.64v
66 Mr JEM Bellringer	X	73.7v	73.6v	49.7v	47.4v	48.6v	49.5v	47.6v	74.9v	100.9v	46.2v	70.3v	676.64v
67 Mr J Peachey	X	72.5v	74.5v	47.5v	49.3v	49.9v	50.7v	44.3v	72.7v	99.9v	49.2v	71.6v	676.61v
68 Mr JF Snowden	X	72.8v	73.5v	49.7v	48.5v	50.5v	50.4v	46.3v	73.6v	101.9v	44.2v	70.6v	676.60v

664	Mr AM Bullen	O	67.2v	71.7v	45.2v	45.1v	46.4v	47.6v	44.2v	70.6v	89.4v	39.1v	70.2v	633.37v
665	Mr RJ Dare	O	71.6v	68.4v	45.1v	44.4v	46.2v	47.3v	40.1v	65.2v	96.7v	45.2v	66.4v	633.36v
666	Mr MR Place	O	65.2v	72.5v	47.4v	43.2v	43.1v	43.3v	42.1v	70.6v	99.5v	41.0v	68.5v	633.34v
667	Cdt TP Wharram	T	66.6v	68.5v	49.4v	48.5v	46.4v	44.3v	40.3v	69.7v	95.8v	41.0v	66.4v	632.49v
668	Mr RW Hallows	O	72.9v	66.4v	49.6v	34.0v	47.3v	48.4v	39.2v	68.6v	97.6v	43.3v	69.3v	632.46v
669	Mr P Chapman-Sheath	O	69.5v	66.2v	49.4v	45.3v	49.6v	46.4v	38.0v	72.5v	91.5v	44.4v	63.5v	632.43v
670	Mr RW Needham	O	66.5v	69.5v	49.5v	49.2v	47.2v	43.3v	41.2v	69.6v	94.5v	42.2v	63.2v	632.39v
671	Mr MG Grimdsell	O	68.3v	71.5v	47.5v	42.1v	44.2v	47.5v	40.0v	71.7v	95.7v	41.2v	66.1v	632.38v
672	Mr DM Smith	O	69.5v	68.5v	47.4v	44.2v	46.4v	49.2v	31.0v	70.5v	97.5v	45.3v	66.2v	632.37v
673	Mr MJ Moran	O	70.3v	69.4v	41.2v	45.3v	47.2v	47.5v	41.2v	71.5v	92.5v	40.0v	69.6v	632.37v
674	Mrs RKE Penrose	O	70.5v	70.4v	43.1v	42.3v	45.2v	46.2v	45.1v	70.8v	96.5v	37.1v	68.3v	632.35v
675	Mr AE Le Page	X	67.3v	69.4v	45.3v	47.3v	46.3v	47.5v	45.1v	63.2v	92.5v	42.1v	69.3v	632.33v
676	Lt MDA Bentata	O	67.1v	68.4v	46.3v	46.3v	41.1v	48.4v	39.2v	70.2v	99.4v	39.2v	69.6v	632.32v
677	Cdt K Boustead	T	71.7v	69.6v	45.4v	47.4v	49.5v	40.3v	42.3v	72.7v	98.8v	41.1v	57.2v	631.50v
678	Mr GK Goodwin	A	70.5v	70.9v	45.2v	40.0v	47.3v	47.4v	33.2v	74.9v	95.6v	44.3v	66.6v	631.49v
679	Mr MR Gregory	O	70.8v	65.4v	46.1v	46.5v	46.3v	45.4v	33.2v	71.5v	94.8v	47.2v	68.6v	631.48v
680	Cdt M MacInnis	T	69.4v	71.7v	45.2v	48.7v	46.6v	44.3v	41.1v	70.4v	91.3v	37.1v	69.9v	631.47v
681	Cdt HM Taylor	T	72.8v	68.4v	44.4v	41.1v	49.7v	46.3v	38.0v	70.6v	96.4v	38.1v	69.7v	631.45v
682	Cdr MF Jordan	O	70.5v	71.9v	44.3v	47.4v	46.2v	42.1v	45.1v	68.4v	89.5v	42.2v	67.6v	631.42v
683	Cdt SHJ Harley	T	67.4v	67.2v	43.2v	42.1v	49.7v	46.6v	42.1v	74.9v	97.5v	39.3v	65.2v	631.42v
684	Cdt CM White	T	68.3v	61.1v	44.3v	49.7v	49.8v	46.5v	45.3v	67.3v	95.4v	40.2v	67.2v	631.41v
685	Mr RJA Ritchie	T	66.6v	68.6v	42.2v	45.2v	44.2v	42.1v	41.1v	72.4v	97.7v	45.1v	69.7v	631.39v
686	Cdr CJT Ridley	T	68.6v	71.5v	46.4v	42.2v	48.3v	48.4v	42.3v	69.2v	93.7v	35.0v	69.3v	631.39v
687	Cdt LW Naylor	T	68.2v	70.8v	45.1v	42.2v	46.3v	46.4v	42.1v	67.3v	92.3v	48.6v	65.3v	631.36v
688	Mr BN Craig	T	68.3v	67.5v	45.3v	45.1v	45.2v	46.1v	45.2v	68.4v	94.5v	46.4v	62.2v	631.32v
689	Mr PR Sirett	X	68.2v	67.3v	45.3v	43.2v	43.1v	46.2v	44.2v	68.3v	94.7v	47.2v	66.1v	631.28v
690	Mr RE Clarke	O	70.8v	70.3v	41.4v	49.5v	46.2v	47.2v	33.0v	70.6v	95.7v	43.4v	66.1v	630.42v
691	Mr CJ McCallum	O	70.6v	69.6v	46.5v	44.4v	43.1v	44.3v	39.1v	69.4v	98.6v	40.0v	68.6v	630.42v
692	Mr AC Grant	O	70.6v	69.5v	49.3v	46.2v	48.3v	44.5v	40.2v	69.6v	91.2v	36.1v	68.5v	630.40v
693	Mr DMC Sharp	O	70.6v	72.6v	43.3v	41.2v	47.3v	45.4v	43.1v	67.2v	95.5v	40.1v	67.3v	630.36v
694	J/Cpl JR Marshall	X	70.2v	68.3v	49.5v	40.1v	47.5v	43.2v	35.0v	70.5v	90.3v	47.2v	71.7v	630.35v
695	Mr F Bilton	O	67.1v	71.6v	44.2v	41.1v	48.4v	44.3v	43.2v	73.10v	94.10v	31.0v	73.7v	629.46v
696	Mnr RG Nortier	T	72.9v	68.4v	44.2v	44.3v	47.4v	41.1v	45.2v	69.5v	93.4v	42.4v	64.4v	629.42v
697	Miss CML Macintosh	O	67.5v	70.3v	48.5v	41.2v	44.1v	48.3v	45.4v	67.4v	96.8v	43.1v	60.4v	629.40v
698	Mr T Fitzgerald	T	70.5v	68.6v	44.2v	43.0v	48.4v	42.2v	43.2v	60.4v	93.4v	47.2v	71.7v	629.38v
699	Mr PA Tonkin	O	67.2v	67.4v	44.3v	49.6v	45.1v	43.4v	47.3v	63.3v	92.5v	45.3v	67.4v	629.38v
700	Sgt S Letoiya	X	68.3v	67.5v	47.5v	41.1v	47.3v	49.2v	36.3v	69.3v	92.3v	44.3v	69.5v	629.36v
701	Mr JA Borland	O	66.2v	71.6v	48.5v	46.3v	47.4v	45.3v	40.0v	71.4v	97.5v	36.0v	62.1v	629.33v
702	Mr JA De Beer	O	69.2v	68.4v	46.1v	44.3v	46.4v	44.0v	45.2v	68.5v	88.2v	45.1v	66.5v	629.29v
703	S/Sgt N Batai	X	69.2v	69.4v	47.3v	40.1v	44.1v	46.1v	46.1v	70.5v	91.4v	42.2v	65.3v	629.27v
704	Mr MT West	T	72.10v	74.8v	49.4v	38.0v	50.6v	49.3v	44.2v	73.8v	95.7v	17.0v	67.5v	628.53v
705	Mr RS Pool	O	68.4v	70.4v	44.0v	48.3v	45.3v	43.4v	43.2v	68.7v	92.11v	40.2v	67.6v	628.46v
706	Lt Cdr B Witts	O	69.5v	68.5v	47.3v	45.2v	46.3v	46.3v	45.4v	68.6v	91.6v	42.2v	61.5v	628.44v
707	Mr JJ Custance Baker	O	66.5v	67.4v	45.4v	42.2v	47.3v	47.5v	44.2v	64.4v	97.7v	41.1v	68.7v	628.44v
708	Mr FA Bird	O	67.1v	70.5v	46.4v	44.3v	49.7v	45.5v	40.6v	72.6v	90.2v	41.0v	64.3v	628.42v
709	Mr N Stebbings	T	69.4v	70.5v	45.2v	48.3v	47.4v	42.3v	41.1v	74.4v	89.5v	39.1v	64.3v	628.35v
710	Mr PDC Turner	O	71.6v	72.6v	50.6v	45.4v	49.7v	39.1v	28.0v	71.4v	95.8v	42.0v	65.3v	627.45v
711	Mr VK Thickett	T	70.5v	71.5v	47.4v	43.2v	46.5v	42.2v	39.1v	64.6v	97.6v	45.2v	63.2v	627.40v
712	Mr BG Bailey	T	68.5v	65.3v	46.4v	47.4v	44.2v	48.4v	36.0v	68.3v	93.7v	42.1v	70.5v	627.38v
713	Mr T Galliers	O	72.7v	72.5v	45.2v	45.4v	42.1v	44.2v	42.1v	68.5v	92.5v	39.3v	66.3v	627.38v
714	Mr JSW Hunter	O	65.4v	70.5v	38.1v	45.4v	49.2v	45.2v	40.0v	69.4v	60.4v	46.2v	68.7v	627.37v
715	Mr A Burgess	T	71.3v	71.6v	47.2v	43.3v	46.3v	43.1v	32.0v	71.6v	93.7v	42.1v	68.4v	627.36v
716	Cdt C Clapham	T	65.3v	66.4v	47.3v	46.3v	45.2v	45.4v	48.2v	64.1v	94.7v	40.1v	67.3v	627.33v
717	Mr GH Porter	X	70.7v	63.2v	42.1v	44.1v	44.3v	47.6v	40.0v	71.6v	94.8v	45.2v	66.6v	626.42v
718	Cdt EJ Giron Marquez	T	69.6v	69.6v	44.4v	45.4v	48.5v	46.2v	44.2v	63.4v	93.4v	45.2v	60.2v	626.41v
719	PC A Gitonga	X	66.4v	69.4v	46.1v	42.1v	48.4v	44.4v	35.1v	73.7v	97.9v	40.2v	66.4v	626.41v
720	Cdt A Lauzon	T	68.4v	71.3v	46.2v	37.1v	45.2v	47.4v	42.2v	72.8v	93.7v	40.1v	65.6v	626.40v
721	LCpl ED Halford	T	69.3v	69.6v	44.3v	47.2v	40.0v	45.1v	38.3v	71.7v	93.6v	41.1v	69.6v	626.38v
722	Mr GRH Smith	X	66.2v	71.4v	47.3v	45.3v	42.1v	42.2v	37.0v	65.1v	91.9v	47.4v	73.8v	626.37v
723	Mrs SM Mott	T	70.4v	69.3v	42.2v	46.4v	44.2v	47.2v	36.0v	66.5v	92.7v	48.4v	66.3v	626.36v
724	Mr FE Neale	O	71.7v	69.5v	46.3v	43.3v	46.5v	41.0v	44.0v	68.2v	92.4v	43.2v	63.5v	626.36v
725	Cdt NJ Branch	T	67.4v	69.4v	42.1v	45.1v	45.2v	46.4v	40.2v	71.8v	97.4v	37.1v	67.3v	626.34v
726	Cdt Cpl W Lewis	T	68.4v	69.7v	47.3v	44.2v	49.3v	47.2v	34.0v	64.3v	94.4v	45.2v	65.3v	626.33v
727	WOII E Muleyi	X	70.4v	68.3v	42.1v	46.4v	42.2v	44.3v	45.3v	68.2v	91.3v	43.1v	67.3v	626.29v
728	Spr KJ Potter	T	65.3v	70.5v	41.1v	45.1v	45.4v	45.3v	37.2v	68.3v	93.7v	46.4v	70.9v	625.42v
729	Cdt RS Jelley	T	70.5v	70.5v	44.3v	44.3v	44.1v	46.5v	29.2v	72.8v	93.5v	45.1v	68.2v	625.40v
730	JCpl SG Hunter	T	66.5v	69.2v	48.4v	42.1v	43.2v	42.2v	43.0v	69.5v	98.5v	38.1v	67.6v	625.33v
731	Cdt EC Lamont	T	70.5v	69.4v	49.4v	37.2v	46.3v	44.2v	40.2v	67.2v	91.4v	45.0v	66.2v	624.30v
732	Mr MG Hargreaves	O	67.3v	68.2v	45.0v	41.1v	43.3v	43.1v	37.0v	70.6v	97.5v	45.2v	68.5v	624.28v
733	Cpl J Gatore	X	63.2v	72.5v	46.4v	45.3v	47.6v	47.7v	43.3v	69.5v	86.4v	42.1v	63.2v	623.42v
734	Mr H Mooiman	X	68.3v	63.3v	48.5v	39.1v	48.3v	47.6v	40.3v	70.5v	95.7v	42.3v	63.1v	623.40v
735	Mr JY O'Leary	O	62.4v	67.4v	44.1v	44.4v	47.4v	44.2v	38.0v	70.7v	95.6v	46.1v	66.6v	623.39v
736	Mr AD Jackman	O	69.6v	70.6v	46.4v	44.2v	44.1v	47.5v	41.1v	68.5v	98.7v	38.1v	58.1v	623.39v
737	Mr DS Goodwin	O	65.3v	72.6v	44.2v	42.2v	47.3v	46.4v	38.2v	68.5v	95.6v	40.1v	66.4v	623.38v
738	Cdt ST Illsley	O	67.5v	68.7v	46.3v	42.0v	46.4v	45.1v	45.1v	69.3v	89.5v	40.2v	66.6v	623.37v
739	Mr TJ Roberts	T	66.5v	68.4v	42.4v	46.0v	47.3v	47.7v	41.0v	66.2v	95.7v	41.2v	64.1v	623.35v
740	Miss TH Young	T	70.6v	66.4v	46.1v	43.3v	45.3v	45.4v	43.2v	67.4v	93.5v	37.1v	68.2v	623.35v
741	Mr J Fong Yew	O	68.4v	68.4v	41.2v	46.1v	44.2v	45.2v	43.1v	69.6v	93.5v	44.4v	62.3v	623.34v
742	Mr K Taylor	O	68.3v	66.2v	47.3v	47.2v	39.1v	45.4v	40.2v	68.5v	90.2v	48.4v	65.4v	623.32v
743	Mr TTW McBride	T	69.2v	66.2v	39.0v	43.1v	40.1v	45.1v	43.3v	71.8v	97.5v	38.1v	72.4v	623.28v
744	Cdt AGC Baudains	T	65.3v	68.6v	49.6v	45.1v	45.3v	42.2v	43.2v	64.5v	92.5v	43.3v	66.3v	622.39v
745	Mr P B Jacques	O	71.6v	65.4v	45.4v	41.1v	48.4v	46.2v	43.1v	68.5v	95.8v	42.2v	58.1v	622.38v
746	Cdt B Ebbetts	T	63.0v	67.1v	45.4v	42.3v	48.6v	47.5v	44.3v	66.4v	92.7v</			

749	Mr DF Nesbitt	O	69.3v	70.3v	46.3v	46.1v	45.1v	39.1v	41.0v	69.5v	90.5v	45.3v	62.5v	622.30v
750	Mrs CM Noyes	O	73.5v	72.6v	49.2v	46.4v	49.6v	48.5v	40.1v	65.4v	0.0v	46.2v	72.7v	621.45v
751	Mrs JG Adamson	T	64.5v	72.7v	48.4v	42.1v	44.1v	45.1v	41.3v	66.3v	94.8v	45.2v	60.3v	621.38v
752	Mr JA Horton	O	71.4v	71.4v	41.3v	43.4v	47.5v	40.0v	41.2v	71.5v	89.2v	41.3v	66.4v	621.36v
753	Mr S Mortimer	T	71.6v	67.3v	49.3v	40.1v	47.5v	46.2v	42.3v	64.2v	94.3v	38.2v	63.5v	621.35v
754	Mr J Parker	O	68.4v	66.1v	46.4v	42.2v	44.1v	47.5v	43.1v	64.2v	92.6v	44.4v	65.1v	621.31v
755	Mr EPJ Harrison	O	70.4v	66.4v	46.2v	45.5v	40.1v	43.2v	42.1v	67.5v	94.4v	43.1v	65.0v	621.29v
756	Mr COA Berntsen	O	67.7v	70.2v	43.4v	41.1v	47.3v	42.1v	40.2v	68.8v	89.6v	41.2v	72.8v	620.44v
757	Mr BH Yates	T	67.1v	71.3v	46.3v	49.3v	43.4v	44.2v	33.1v	69.3v	90.7v	42.0v	66.3v	620.30v
758	Mr PJ Holden	O	63.2v	67.4v	48.4v	42.2v	48.4v	44.1v	45.2v	69.2v	94.6v	38.0v	62.1v	620.28v
759	Mr M Ayling	O	68.5v	70.6v	47.3v	39.2v	45.5v	43.2v	41.1v	69.4v	89.7v	40.1v	68.2v	619.38v
760	Mr HB Kamp	X	70.7v	70.7v	45.2v	37.1v	44.4v	44.3v	40.0v	69.5v	94.5v	43.2v	63.0v	619.36v
761	Cdt OC Newhouse	O	70.4v	72.6v	28.0v	45.1v	47.3v	42.3v	44.3v	73.8v	92.4v	40.1v	66.3v	619.36v
762	J/Cpl RD McCall	T	68.3v	69.5v	43.3v	41.2v	47.4v	46.3v	44.2v	68.5v	85.3v	46.1v	62.4v	619.35v
763	Mr JJ Spencer	T	57.3v	68.3v	47.4v	38.0v	46.2v	47.5v	45.3v	66.1v	95.7v	42.2v	68.4v	619.34v
764	Mr EJH Pullen	O	70.3v	65.1v	49.7v	37.1v	44.4v	45.3v	40.3v	65.1v	95.5v	42.2v	67.4v	619.34v
765	Mr JJ Le Roux	O	68.1v	67.4v	49.5v	48.5v	46.3v	43.1v	41.3v	61.2v	86.2v	41.1v	69.3v	619.30v
766	Mr WA O'Dair	O	68.1v	66.2v	42.2v	45.2v	45.3v	44.1v	41.3v	67.5v	90.4v	43.3v	68.3v	619.29v
767	Mr SJ Ayres	O	66.2v	69.4v	48.4v	42.1v	45.3v	45.2v	43.0v	68.6v	87.4v	39.0v	67.3v	619.29v
768	Mr R Solomon	T	65.3v	62.2v	45.3v	42.0v	47.3v	45.1v	39.1v	72.6v	95.5v	40.1v	67.3v	619.28v
769	Mr PJ Amy	O	66.4v	63.1v	44.1v	43.3v	47.3v	42.1v	43.1v	67.2v	96.6v	46.3v	62.2v	619.27v
770	Capt D Morris	O	69.2v	68.4v	41.0v	44.2v	45.3v	46.4v	37.0v	69.5v	92.3v	40.1v	68.3v	619.27v
771	Cdt J Winchester	T	66.3v	70.6v	43.1v	48.5v	46.3v	43.3v	37.1v	64.3v	90.4v	44.4v	67.4v	618.37v
772	Miss S Cheslyn-Curtis	T	64.2v	64.1v	44.5v	44.2v	47.5v	42.2v	38.1v	71.5v	96.8v	43.3v	65.3v	618.37v
773	Mr RB White	O	68.6v	67.3v	48.6v	36.1v	46.2v	44.4v	43.1v	69.4v	90.5v	42.2v	65.3v	618.37v
774	Mr D Mitchell	T	63.3v	65.4v	44.2v	45.3v	48.4v	41.1v	38.2v	64.1v	93.5v	46.3v	71.6v	618.34v
775	Sgt N Argo	T	68.5v	72.5v	41.3v	42.1v	47.1v	45.3v	43.4v	72.4v	96.3v	30.0v	62.2v	618.31v
776	Mr SJ Reddish	T	68.7v	68.4v	43.1v	40.1v	46.3v	44.0v	39.0v	68.4v	95.5v	38.1v	69.3v	618.29v
777	Mr IT Tucker	O	65.5v	65.5v	48.6v	44.2v	45.4v	43.1v	45.2v	66.5v	87.3v	43.5v	66.4v	617.42v
778	Cpl F Ndungu	X	71.5v	69.6v	40.1v	47.2v	47.4v	43.1v	32.1v	67.6v	93.6v	44.1v	64.3v	617.36v
779	Cdt A Davies	T	69.8v	67.5v	45.3v	44.0v	46.4v	44.2v	32.0v	65.5v	95.6v	41.1v	69.2v	617.36v
780	Miss ME Wicker	O	69.7v	70.5v	48.5v	41.2v	44.0v	42.2v	41.2v	68.5v	90.4v	40.0v	64.3v	617.35v
781	Mrs A Dixon	T	67.2v	69.4v	45.3v	45.3v	43.3v	45.4v	47.4v	63.3v	89.5v	37.1v	67.3v	617.35v
782	Dr R Pizer	O	68.2v	68.5v	43.3v	43.2v	43.2v	46.3v	43.2v	65.2v	93.6v	39.0v	66.6v	617.33v
783	Mr NS Salomon	X	67.5v	67.5v	44.2v	42.2v	45.1v	41.1v	45.3v	67.2v	93.3v	41.2v	65.5v	617.31v
784	Cdt K McKenna	T	65.4v	70.6v	42.2v	47.3v	47.2v	45.3v	36.0v	66.2v	91.2v	42.2v	66.4v	617.30v
785	Mr S Dawes	O	69.7v	67.1v	45.3v	46.1v	38.0v	43.3v	38.0v	65.4v	94.3v	42.1v	70.6v	617.29v
786	Mr AJ Bolton King	T	63.2v	69.5v	46.3v	42.2v	44.2v	46.3v	43.1v	67.6v	88.3v	42.0v	67.1v	617.28v
787	Mr MW Hallows	O	69.7v	60.3v	47.3v	44.5v	49.2v	46.6v	45.3v	64.3v	82.4v	43.2v	67.6v	616.44v
788	Mr KC Marshall	O	70.6v	64.3v	46.4v	45.3v	45.1v	45.2v	38.2v	64.2v	88.4v	46.4v	65.1v	616.32v
789	Cdt RE Molloy	T	66.3v	68.5v	46.5v	43.1v	47.4v	46.3v	47.2v	67.3v	82.6v	38.3v	65.3v	615.38v
790	Cdt C Hillier	T	70.7v	71.5v	47.3v	35.1v	47.4v	44.4v	44.1v	59.2v	93.4v	40.1v	65.5v	615.37v
791	Bdr WC Hall	T	66.3v	65.4v	44.3v	43.1v	44.2v	45.3v	46.2v	62.7v	92.4v	42.2v	66.5v	615.36v
792	Mr NR Wells	O	68.3v	68.4v	47.4v	42.0v	43.4v	44.3v	41.3v	60.1v	88.4v	43.4v	71.4v	615.34v
793	Cdt Cpl RL Laird	T	64.3v	70.3v	47.5v	42.1v	49.4v	44.1v	42.2v	70.5v	90.4v	34.2v	63.3v	615.33v
794	Cdt S Balbach	T	69.9v	68.5v	44.4v	43.3v	45.3v	47.6v	41.2v	64.2v	82.2v	44.1v	67.3v	614.40v
795	PC M Muya	X	67.4v	67.2v	45.5v	43.1v	49.9v	47.3v	32.0v	71.5v	98.7v	31.1v	61.3v	614.40v
796	Cdt CE Briscoe	T	65.5v	68.5v	44.3v	45.3v	40.2v	42.2v	41.1v	72.8v	94.5v	38.3v	65.1v	614.38v
797	Mr CW King	T	65.0v	70.7v	44.1v	48.5v	47.5v	45.3v	33.2v	61.2v	91.6v	43.3v	67.1v	614.35v
798	Mr IE Stolk	X	67.4v	70.3v	42.1v	47.4v	41.0v	47.6v	39.0v	67.5v	89.6v	41.0v	64.5v	614.34v
799	Cdt GM Kohler	T	68.7v	66.3v	42.0v	41.3v	45.3v	41.1v	44.4v	69.4v	90.2v	45.5v	63.1v	614.33v
800	Cdt MP Bateman	T	67.3v	65.4v	48.4v	45.3v	46.3v	45.2v	35.1v	65.1v	88.4v	44.2v	66.5v	614.32v
801	Mr BJ Adams	T	66.4v	71.6v	47.5v	49.5v	40.1v	45.3v	35.2v	67.2v	94.3v	33.0v	67.1v	614.32v
802	Cdt EC Dickson	O	69.2v	55.1v	44.1v	43.1v	47.5v	40.1v	44.4v	68.7v	95.2v	39.0v	70.5v	614.29v
803	Cdt JW Anderson	T	67.4v	67.1v	44.1v	46.3v	46.3v	47.6v	32.1v	63.1v	96.5v	42.2v	64.1v	614.28v
804	Cdt Sgt GR Jeal	T	66.4v	69.3v	43.3v	45.4v	44.3v	40.2v	37.2v	67.4v	95.7v	35.1v	72.8v	613.41v
805	Cdt MC Lariviere	T	69.4v	66.2v	47.4v	36.0v	49.5v	43.1v	35.1v	64.4v	94.7v	39.0v	71.4v	613.32v
806	Mr AM Rainbow	O	65.2v	69.5v	45.0v	46.3v	48.3v	41.1v	44.2v	67.3v	89.6v	33.2v	66.5v	613.32v
807	Cdt JP Laursen	T	65.1v	63.2v	44.3v	44.3v	45.3v	47.4v	42.3v	67.4v	90.4v	43.1v	63.3v	613.31v
808	Miss CJ Dee	T	62.2v	68.4v	44.4v	44.2v	47.1v	43.2v	39.1v	69.3v	88.5v	43.2v	66.3v	613.29v
809	Mr DB Harrison	O	67.1v	63.0v	45.3v	39.1v	44.3v	42.0v	46.2v	66.3v	93.7v	41.2v	67.3v	613.25v
810	Mr DAN Elliott	O	68.4v	70.4v	46.5v	48.4v	46.3v	45.1v	40.3v	70.8v	0.0v	46.3v	72.3v	612.39v
811	Cdt P Livingston	T	69.3v	73.4v	45.4v	47.2v	45.5v	44.3v	25.0v	65.4v	97.8v	42.0v	60.4v	612.37v
812	Mr T Horsfield	O	70.5v	67.5v	49.3v	47.2v	45.0v	45.3v	38.2v	69.6v	85.6v	39.1v	58.0v	612.33v
813	MEA AP Biggs	O	70.6v	70.6v	42.2v	46.3v	46.5v	45.3v	41.1v	55.0v	89.2v	40.2v	68.1v	612.31v
814	Cdt WS Stewart	T	68.4v	61.3v	42.1v	46.3v	47.2v	47.1v	46.3v	58.6v	94.3v	42.1v	61.3v	612.30v
815	Mr JL Poulin	O	67.4v	71.5v	48.3v	37.0v	44.3v	44.3v	42.2v	66.4v	91.3v	41.0v	61.3v	612.30v
816	Mr J Gould	O	72.4v	69.5v	44.2v	47.3v	47.6v	47.5v	0.0v	71.10v	98.10v	44.0v	72.6v	611.51v
817	Miss LMA Bogie	T	69.6v	59.1v	47.3v	46.3v	44.1v	46.5v	42.1v	70.6v	92.6v	32.0v	64.4v	611.36v
818	Mr DRS George	O	67.3v	61.1v	44.2v	44.2v	46.4v	45.2v	34.1v	71.6v	92.4v	39.2v	68.2v	611.29v
819	Mr MA Kirkillo-Stacewicz	A	72.7v	68.2v	47.2v	44.3v	48.6v	0.0v	48.5v	73.8v	96.10v	42.0v	72.5v	610.48v
820	Mr O Williams	T	68.4v	70.4v	45.0v	43.6v	44.3v	38.1v	36.1v	67.6v	93.7v	42.4v	64.2v	610.38v
821	Cdt TPW Gibson	O	72.5v	69.6v	44.2v	44.4v	43.4v	42.2v	43.2v	60.2v	87.3v	39.2v	67.5v	610.37v
822	Mr TW Harrison	O	68.4v	65.2v	46.4v	43.3v	49.6v	46.2v	29.1v	68.6v	95.6v	40.0v	61.2v	610.36v
823	Cdt JW Du Feu	T	70.5v	68.5v	47.2v	40.1v	45.5v	37.2v	42.1v	67.4v	88.5v	43.1v	63.1v	610.32v
824	Mr HCG Ives	O	61.0v	68.2v	47.3v	47.4v	43.3v	47.2v	28.2v	66.6v	91.4v	41.0v	71.6v	610.32v
825	Mr DM Jory	X	61.2v	66.4v	46.3v	43.2v	46.2v	42.3v	46.0v	67.5v	89.3v	38.1v	66.5v	610.30v
826	Mr BGS Bush	O	69.5v	71.4v	48.5v	43.4v	45.2v	39.1v	40.2v	67.1v	83.2v	37.1v	68.3v	610.30v
827	Mr AW Sainter Jnr	O	67.3v	63.2v	44.3v	41.1v	44.2v	41.2v	48.2v	64.3v	87.3v	43.3v	68.4v	610.28v
828	Cdt JARF Roulston	O	66.2v	67.6v	40.1v	44.0v	44.4v	44.0v	42.2v	63.1v	92.5v	45.2v	63.3v	610.26v
829	Mr JT Rayner	O	65.3v	63.4v	47.1v	46.3v	46.6v	45.1v	37.1v	69.6v	93.4v	37.1v	61.5v	609.35v
830	PC E Nyaga	X	70.5v	70.5v	43.1v	45.2v	49.1v	48.4v	40.2v	69.4v	65.3v	43.2v	67.4v	609.33v
831	Cdt RJ Waters	T	64.1v	66.3v	42.1v	42.1v	46.2v	45.3v	35.2v	70.7v	90.5v	43.2v	66.4v</	

834	Mr T S McDowell	T	68.6v	64.4v	46.2v	47.3v	46.4v	42.0v	37.1v	67.3v	89.3v	37.0v	66.2v	609.28v
835	Cdt PT Skelton	T	61.5v	66.4v	46.5v	46.4v	48.5v	49.7v	39.3v	63.0v	87.5v	38.1v	65.3v	608.42v
836	Mr AS Seifried	X	72.6v	63.1v	47.4v	45.4v	45.5v	47.3v	35.2v	68.6v	85.2v	32.1v	68.5v	607.39v
837	Cdt TP Millar	T	66.6v	66.7v	42.3v	46.2v	47.4v	46.6v	34.0v	61.0v	96.8v	39.1v	64.1v	607.38v
838	Sgt TEC Jowett	O	73.7v	65.1v	47.3v	32.1v	44.1v	47.4v	36.1v	66.1v	91.7v	46.2v	60.2v	607.30v
839	OCdt SJ Burden	T	64.3v	72.5v	42.3v	41.2v	46.4v	42.0v	39.1v	65.3v	88.3v	40.0v	68.6v	607.30v
840	Mr AR Webster	T	64.1v	66.2v	41.3v	30.0v	49.4v	46.2v	44.4v	72.4v	88.3v	44.3v	63.3v	607.29v
841	Sgt WM Wood	T	68.3v	68.3v	46.3v	40.1v	45.5v	44.2v	38.2v	71.4v	94.8v	34.1v	58.2v	606.34v
842	Cdt AC Lean	T	68.5v	67.4v	41.2v	42.3v	44.4v	44.2v	43.1v	68.5v	89.3v	36.0v	64.4v	606.33v
843	Mr CJH Heckstall-Smith	T	66.2v	66.1v	47.4v	44.3v	48.4v	47.5v	44.1v	60.3v	90.4v	44.1v	50.1v	606.29v
844	Cdt TC Richmond	T	69.6v	66.1v	43.3v	49.4v	37.0v	45.4v	41.3v	67.4v	89.3v	45.2v	61.4v	605.32v
845	Cdt JR Green	T	64.2v	68.3v	46.4v	43.2v	44.2v	41.2v	44.3v	72.6v	92.6v	32.0v	58.1v	604.31v
846	Cdt RE Knight	T	68.1v	69.3v	44.2v	42.2v	43.1v	47.2v	41.4v	72.6v	89.4v	36.1v	53.1v	604.27v
847	Mr J Holmes	O	74.4v	69.3v	48.6v	44.6v	46.5v	45.1v	0.0v	70.8v	97.13v	40.2v	70.2v	603.50v
848	Mrs KM Young	T	70.5v	70.6v	44.2v	49.4v	43.2v	48.6v	41.1v	67.5v	0.0v	41.3v	72.10v	603.47v
849	Mr MC Mercer	T	71.5v	68.3v	45.2v	42.2v	48.5v	39.2v	41.1v	46.4v	96.7v	35.0v	72.6v	603.37v
850	Cpl A Ndungu	X	67.3v	71.7v	45.3v	48.2v	44.3v	48.4v	44.4v	68.2v	93.4v	16.0v	59.2v	603.34v
851	Cdt SR Friling	O	64.4v	63.1v	47.6v	44.1v	40.0v	43.1v	41.2v	63.3v	91.9v	38.0v	69.4v	603.31v
852	Mr PDB Ayre	T	66.4v	67.3v	42.1v	45.1v	38.1v	45.4v	36.1v	65.1v	92.4v	45.1v	62.4v	603.25v
853	Mr NRJ Brasier	X	73.7v	73.10v	49.7v	46.4v	50.7v	48.3v	44.3v	72.8v	102.8v	45.4v	0.0v	602.61v
854	Mr JRJ Hinde	A	74.4v	0.0v	50.7v	48.4v	48.1v	46.6v	45.5v	73.7v	99.9v	47.5v	72.5v	602.53v
855	J/Cpl HCG Sutton	T	70.7v	69.5v	35.1v	46.3v	48.3v	47.6v	38.2v	63.5v	89.5v	37.2v	60.3v	602.42v
856	Mr HC Morton	O	70.3v	65.3v	50.6v	40.1v	45.3v	47.5v	40.0v	61.2v	90.6v	37.0v	57.4v	602.33v
857	Mr C St J Marlow	O	61.3v	66.5v	47.4v	45.2v	42.2v	45.3v	41.3v	64.3v	91.4v	42.1v	58.2v	602.32v
858	Mr BW Cairns	O	68.3v	65.2v	42.2v	48.6v	47.4v	37.2v	43.2v	70.4v	91.3v	36.0v	55.0v	602.28v
859	Cdt C Charters	T	67.4v	68.3v	46.0v	42.1v	43.0v	43.2v	43.2v	63.5v	95.7v	30.2v	62.2v	602.28v
860	Miss SM Bates	O	63.1v	65.0v	43.2v	41.2v	46.3v	44.3v	45.4v	68.4v	84.2v	45.2v	58.1v	602.24v
861	Miss CL Clarke	O	71.2v	59.1v	45.3v	44.1v	44.2v	47.3v	39.1v	62.2v	86.2v	41.1v	64.3v	602.21v
862	Mr RJ Wayman	T	68.3v	67.2v	45.2v	40.1v	44.1v	41.0v	35.2v	69.4v	90.2v	41.1v	62.2v	602.20v
863	Cdt J Boyd	T	65.1v	66.3v	48.5v	43.5v	42.2v	41.0v	39.2v	67.5v	86.1v	41.2v	63.5v	601.31v
864	Mr RCP Elgood	O	63.3v	71.6v	48.3v	41.1v	44.2v	43.3v	47.3v	65.8v	82.1v	38.0v	59.1v	601.31v
865	Cdt CJ Coupland	T	67.5v	63.2v	44.4v	42.3v	46.3v	42.1v	41.1v	69.5v	84.2v	42.1v	61.1v	601.28v
866	OCdt RTS Holtom	T	61.3v	66.3v	46.4v	42.1v	44.3v	43.2v	38.0v	68.4v	89.2v	37.1v	67.5v	601.28v
867	Cdt BRF Perkins	T	68.5v	67.1v	43.2v	42.1v	35.1v	40.1v	37.0v	71.5v	90.5v	42.2v	66.2v	601.25v
868	Mr CM Palmer	T	66.5v	68.6v	40.1v	42.4v	44.4v	41.2v	43.2v	66.4v	84.4v	42.3v	64.7v	600.42v
869	Mr S Ennon	O	68.2v	71.6v	47.5v	0.0v	46.3v	46.3v	45.3v	70.5v	98.7v	48.2v	61.3v	600.39v
870	Cdt TEW Ward	T	73.5v	66.2v	47.6v	45.3v	31.2v	28.0v	45.4v	72.6v	82.6v	44.1v	67.3v	600.38v
871	Mr PL Dingle	T	68.4v	64.7v	48.5v	39.1v	48.5v	44.1v	35.0v	67.5v	89.4v	31.1v	67.3v	600.36v
872	Cdt S Merchant	T	65.5v	65.4v	41.1v	43.2v	37.1v	44.2v	40.1v	57.2v	98.7v	43.1v	67.2v	600.28v
873	Mr R Garside	O	66.3v	67.5v	45.1v	44.1v	40.1v	45.2v	36.0v	64.3v	86.6v	48.1v	59.2v	600.25v
874	Dr WLJ Price	O	66.3v	69.5v	45.3v	40.0v	44.1v	43.1v	33.0v	62.2v	88.4v	43.2v	67.2v	600.23v
875	Cdt KJA Painter	T	71.5v	68.3v	43.2v	39.2v	44.3v	36.1v	43.3v	58.1v	95.7v	33.1v	69.5v	599.33v
876	Mr LE Messer	O	62.2v	64.4v	44.2v	43.2v	42.1v	44.2v	38.2v	68.3v	87.5v	46.2v	61.4v	599.29v
877	Mr AT Collins	T	57.2v	56.1v	43.0v	39.1v	49.3v	44.3v	41.2v	68.2v	91.3v	46.3v	65.2v	599.22v
878	Mr AJ Monro	T	69.5v	65.3v	35.2v	39.1v	44.1v	44.3v	41.2v	65.5v	91.5v	41.1v	64.3v	598.31v
879	Cdt ER Johnson	T	63.4v	68.4v	44.3v	45.5v	44.2v	43.1v	35.2v	62.4v	90.2v	39.1v	64.3v	597.31v
880	Mr W Deschacht	X	67.2v	65.3v	39.1v	44.0v	44.1v	43.1v	33.1v	66.1v	92.4v	39.2v	65.4v	597.20v
881	Cpl S Glanville	T	68.4v	67.4v	43.2v	40.2v	43.1v	45.2v	30.1v	61.4v	95.3v	43.1v	61.2v	596.26v
882	Mr PCT Meatyard	O	62.1v	68.1v	44.2v	42.1v	44.2v	47.5v	32.2v	62.2v	88.3v	41.3v	66.3v	596.25v
883	Miss DL Griffin	O	65.1v	64.2v	38.0v	45.2v	44.2v	46.3v	38.0v	65.1v	92.4v	36.0v	63.2v	596.17v
884	Mr N Cole-Hawkins	A	70.3v	68.6v	48.7v	47.4v	49.6v	49.4v	46.5v	0.0v	101.8v	47.2v	70.6v	595.51v
885	LCpl S Ward	T	70.5v	73.8v	46.2v	45.3v	44.0v	46.2v	39.1v	63.3v	86.4v	16.0v	67.5v	595.33v
886	Mr DC Chalker	X	67.5v	70.5v	39.1v	47.2v	40.0v	42.3v	41.2v	68.3v	80.1v	39.0v	62.2v	595.24v
887	Mr DF Hazelton	O	61.2v	66.2v	46.2v	35.0v	45.1v	40.1v	45.1v	66.3v	89.4v	39.0v	62.1v	594.17v
888	Mr SLG Husheer	T	65.2v	70.6v	38.1v	39.3v	42.0v	43.1v	41.3v	68.6v	86.3v	39.0v	61.3v	592.28v
889	Mr PA Wilson	T	60.2v	63.2v	40.2v	35.3v	42.2v	45.5v	42.4v	63.1v	92.6v	43.2v	66.5v	591.34v
890	Mr JPA Paul	T	63.2v	60.3v	42.1v	40.2v	43.2v	38.2v	42.1v	69.3v	83.4v	40.4v	70.4v	590.28v
891	Mr R Turvey	O	69.3v	69.5v	45.2v	35.0v	47.2v	44.1v	0.0v	68.4v	94.7v	47.5v	71.4v	589.33v
892	Mme M Chombart	O	67.5v	63.2v	36.2v	45.2v	40.2v	43.2v	36.1v	56.4v	88.4v	46.3v	69.4v	589.31v
893	Cdt ML Wiscombe	O	67.4v	59.0v	38.2v	41.2v	44.3v	43.2v	35.0v	67.4v	89.5v	42.2v	64.3v	589.27v
894	Mr R Parsons	T	63.2v	69.6v	44.4v	41.0v	43.0v	39.1v	34.1v	71.5v	85.2v	37.1v	63.2v	589.24v
895	Mr GW Clarke	A	71.5v	72.7v	46.2v	48.5v	50.7v	47.6v	43.2v	72.5v	98.5v	41.1v	0.0v	588.45v
896	Mr PR Edwards	O	63.2v	68.4v	44.2v	39.1v	46.4v	44.3v	35.1v	64.1v	92.6v	35.1v	58.0v	588.25v
897	Cdt NW McKendrick	O	63.3v	63.1v	43.2v	43.1v	38.0v	47.0v	36.1v	58.1v	94.5v	40.1v	63.5v	588.20v
898	L/Cpl RAB Cook	T	67.1v	68.5v	41.1v	37.3v	41.2v	43.2v	45.1v	64.4v	93.0v	34.1v	55.0v	588.20v
899	Cdt J Bryson	T	65.2v	64.5v	41.1v	45.5v	43.0v	40.0v	43.2v	69.5v	90.5v	21.0v	66.4v	587.29v
900	Mr JF Boussaingault	O	42.3v	67.1v	43.2v	40.2v	44.3v	45.3v	36.0v	71.4v	91.2v	47.5v	61.2v	587.27v
901	Cdt AW Davies	T	68.3v	66.3v	39.1v	44.2v	37.0v	39.3v	34.1v	71.6v	93.4v	33.1v	63.3v	587.27v
902	Cdt AJ McKenzie	T	64.0v	63.2v	42.2v	39.1v	41.1v	40.1v	43.3v	64.4v	88.4v	42.1v	61.6v	587.25v
903	Mr DJ Pay	T	65.3v	59.2v	41.2v	42.0v	47.3v	40.1v	36.2v	64.4v	95.6v	38.0v	60.2v	587.25v
904	Cpl ML Robeson	T	65.2v	68.3v	38.1v	36.2v	41.2v	46.0v	43.1v	60.1v	86.2v	42.1v	61.0v	586.15v
905	Sgt M Dida	X	67.3v	65.6v	45.3v	43.1v	44.3v	38.2v	42.2v	63.6v	82.3v	36.0v	60.1v	585.30v
906	Mr TJ Paterson	T	63.2v	68.0v	41.2v	47.3v	42.2v	42.3v	39.0v	65.5v	77.3v	41.2v	60.1v	585.23v
907	Mr C Kennish	O	69.6v	67.5v	47.1v	41.3v	45.3v	44.2v	0.0v	69.6v	93.4v	43.1v	66.4v	584.35v
908	Cdt G Cahill	T	68.1v	61.2v	43.2v	40.3v	35.0v	44.2v	34.1v	67.2v	93.3v	34.0v	64.2v	583.18v
909	Mr J Glover	T	0.0v	70.8v	46.2v	47.2v	47.3v	44.1v	44.2v	73.6v	97.6v	44.3v	70.3v	582.36v
910	Miss JE Harris	O	64.4v	62.2v	46.2v	45.3v	36.1v	43.2v	30.0v	68.7v	94.2v	37.1v	57.1v	582.25v
911	LW Gray	O	71.7v	73.6v	47.4v	45.3v	47.5v	47.6v	45.1v	69.5v	94.10v	43.1v	0.0v	581.48v
912	Mr JD Pitt	O	65.3v	66.3v	47.1v	46.3v	48.3v	45.2v	26.1v	68.4v	0.0v	44.4v	67.4v	581.30v
913	Mr TJC Caulfield	T	65.3v	67.4v	47.3v	38.1v	41.1v	42.0v	30.0v	66.4v	94.8v	41.2v	50.1v	581.27v
914	Mr CB Stone	O	63.1v	63.3v	43.2v	41.2v	37.1v	38.1v	39.1v	66.5v	85.0v	46.1v	60.2v	581.19v
915	C/Sgt AL Kamli	T	65.3v	62.2v	45.3v	43.2v	43.2v	44.2v	38.0v	63.2v	83.2v	32.0v	62.2v	580.20v
916	Cdt BD Chamberlain	T	62.5v	68.7v	43.2v	40.1v	37.2v	44.2v	40.2v	58.0v	82.2v	38.1v	65.5v	

919	LSgt JPJ Parker	T	68.4v	72.6v	00v	41.2v	49.6v	45.5v	47.2v	49.4v	95.7v	41.2v	69.5v	576.43v
920	Mrs LA Johnson	A	72.6v	69.7v	47.3v	40.1v	49.7v	50.2v	40.0v	68.4v	98.9v	43.3v	0.0v	576.42v
921	Cdt SL McIlreavy	T	66.4v	64.3v	39.1v	40.1v	40.0v	43.2v	38.1v	62.0v	81.2v	43.1v	60.2v	576.17v
922	Mr RH Kitson	O	71.7v	70.4v	48.5v	47.6v	48.6v	46.4v	31.0v	71.6v	100.10v	42.2v	0.0v	574.50v
923	Mr SJ Clark	O	0.0v	69.3v	43.2v	46.1v	45.1v	46.3v	43.2v	73.8v	91.3v	47.3v	69.2v	572.28v
924	Mrs I Piche	O	64.3v	67.6v	41.1v	32.1v	44.2v	43.2v	37.1v	55.1v	78.3v	44.2v	66.3v	571.25v
925	Mr G Herter	X	66.4v	67.3v	37.0v	40.1v	42.1v	40.0v	32.0v	61.4v	82.1v	42.4v	62.2v	571.20v
926	Miss CE Marwood	T	64.2v	59.1v	32.0v	45.2v	33.1v	47.3v	38.1v	61.1v	91.4v	41.0v	60.3v	571.18v
927	Mr JJ Bleakley	O	65.2v	65.4v	0.0v	38.1v	42.2v	43.2v	46.3v	70.4v	90.9v	43.5v	67.2v	569.34v
928	Mr AP Sienkiewicz	T	65.3v	70.5v	0.0v	45.1v	46.3v	42.2v	38.0v	69.1v	90.4v	37.3v	67.2v	569.24v
929	Dr C De Beer	O	64.2v	66.7v	47.2v	50.6v	44.2v	44.3v	37.0v	58.1v	0.0v	37.0v	63.3v	568.27v
930	Miss ERL Coombs	T	58.1v	62.2v	50.5v	37.0v	36.1v	41.0v	38.1v	58.0v	83.5v	40.4v	64.3v	567.22v
931	Mr DN Naumann	T	68.5v	68.3v	49.5v	44.2v	45.2v	50.5v	38.0v	72.5v	93.7v	39.2v	0.0v	566.36v
932	Cdt SKC Hunter	T	68.4v	70.6v	40.3v	38.2v	47.4v	44.2v	16.0v	51.0v	95.7v	35.1v	62.2v	566.31v
933	Mr CA Stewart	O	68.1v	66.4v	44.1v	46.2v	47.3v	44.2v	43.3v	0.0v	97.7v	42.0v	67.2v	564.25v
934	Mr BR Shouler	O	67.2v	71.5v	44.0v	45.2v	45.2v	49.4v	41.4v	71.7v	88.2v	41.2v	0.0v	562.30v
935	Cdt DM Sherville	T	69.3v	72.6v	48.5v	45.4v	45.2v	45.1v	37.1v	63.3v	94.4v	43.3v	0.0v	561.32v
936	Mr MJ Whatton	A	71.3v	72.5v	46.3v	45.1v	45.4v	50.2v	45.3v	75.10v	0.0v	46.2v	0.0v	560.39v
937	Cdt S Paterson	T	61.3v	65.2v	41.2v	42.2v	46.2v	43.1v	37.1v	55.2v	78.2v	38.0v	54.1v	560.18v
938	Mr CRF Leather	X	64.4v	67.4v	48.3v	40.1v	46.3v	48.3v	43.2v	68.5v	89.3v	46.2v	0.0v	559.30v
939	Mr AJ Ball	O	69.5v	63.3v	40.1v	0.0v	45.1v	46.2v	36.1v	67.2v	93.4v	40.2v	60.2v	559.23v
940	RSM WR Howard	T	65.3v	66.4v	47.4v	39.2v	45.2v	49.3v	39.0v	71.4v	0.0v	39.1v	68.8v	558.33v
941	Miss CJ Gomez	O	64.2v	65.1v	45.3v	45.3v	43.2v	42.2v	42.0v	67.5v	50.1v	41.1v	54.1v	558.21v
942	Mr GAY McBride	O	64.2v	65.0v	47.5v	39.1v	34.0v	44.5v	0.0v	60.2v	93.4v	46.1v	65.3v	557.23v
943	Mr GG Thompson	O	65.3v	56.1v	45.1v	44.1v	38.1v	39.0v	31.1v	60.3v	78.2v	38.1v	62.0v	556.14v
944	Mr AD Scates	O	38.5v	69.6v	43.2v	43.3v	42.2v	46.4v	0.0v	72.7v	92.6v	41.1v	69.3v	555.39v
945	Cdt HC Born	T	61.2v	67.5v	41.3v	38.1v	47.4v	47.2v	0.0v	67.4v	89.4v	36.1v	62.1v	555.27v
946	Mr GE Stewart	T	66.3v	66.2v	46.2v	41.1v	44.3v	45.3v	42.3v	68.1v	89.5v	48.3v	0.0v	555.26v
947	Mr H Sanders	A	69.6v	72.8v	50.7v	49.3v	50.8v	46.2v	44.4v	73.11v	0.0v	39.2v	0.0v	554.54v
948	Cdt GCB Brett	T	0.0v	70.6v	48.3v	36.0v	45.2v	45.5v	45.3v	67.3v	91.4v	41.2v	66.3v	554.31v
949	Miss EM Dunnet	T	62.2v	60.3v	42.2v	37.1v	40.0v	35.0v	37.0v	56.0v	89.2v	38.0v	57.1v	553.11v
950	A Faruki	X	65.0v	68.5v	44.2v	45.3v	42.2v	48.5v	43.4v	64.3v	96.10v	35.2v	0.0v	550.36v
951	OCdt R Hebb	T	66.4v	64.1v	41.2v	41.0v	43.1v	43.1v	42.3v	56.0v	88.4v	0.0v	65.4v	549.20v
952	Cdt EJ Robertson	T	60.0v	63.4v	34.0v	42.1v	35.1v	39.1v	37.0v	59.2v	84.3v	39.1v	56.1v	548.14v
953	Mr IF Coventry	O	63.3v	57.0v	41.2v	43.5v	44.2v	38.2v	28.0v	58.1v	82.3v	27.0v	60.0v	541.18v
954	Cdt G Kershaw	T	60.1v	68.3v	41.0v	37.1v	36.0v	45.1v	38.0v	60.1v	73.3v	31.1v	52.3v	541.14v
955	Cpl S Leonard	T	67.4v	68.5v	44.3v	34.2v	38.1v	43.1v	41.0v	51.0v	71.3v	32.1v	50.0v	539.20v
956	Cdt DH Muckle	O	66.2v	61.2v	0.0v	41.2v	40.1v	47.4v	36.0v	66.4v	90.4v	32.1v	59.3v	538.23v
957	Mr B Gower	T	72.6v	64.4v	0.0v	0.0v	40.1v	47.3v	44.2v	64.0v	97.5v	40.1v	69.3v	537.25v
958	Miss DE Andrews	T	64.4v	56.3v	45.3v	43.2v	39.3v	0.0v	41.2v	63.3v	83.2v	41.0v	60.3v	535.25v
959	Sgt J Richardson	T	60.2v	0.0v	44.3v	45.2v	41.1v	47.0v	40.1v	64.1v	86.3v	42.2v	66.2v	535.17v
960	Cdt SH Williams	T	66.3v	54.2v	45.2v	32.2v	37.1v	42.0v	46.2v	48.0v	80.3v	26.0v	58.1v	534.16v
961	Mr BJA Parke	T	66.3v	65.0v	38.1v	34.1v	38.0v	44.2v	38.1v	57.0v	55.4v	39.2v	57.4v	531.18v
962	C/Cpl A Moskovich	T	43.2v	61.1v	41.0v	38.1v	43.0v	41.1v	41.2v	56.2v	77.0v	27.1v	59.2v	527.12v
963	Mr PH Gardner	O	61.2v	63.1v	0.0v	41.1v	39.1v	39.1v	41.4v	65.1v	80.2v	33.0v	61.3v	523.16v
964	Mr TA Hill	O	65.5v	55.6v	43.3v	39.1v	45.4v	41.3v	37.1v	67.5v	88.3v	39.0v	0.0v	519.31v
965	Mr WR Steward	O	71.7v	66.3v	47.2v	47.4v	48.5v	46.2v	46.2v	0.0v	98.6v	46.4v	0.0v	515.35v
966	Mr JMF Ford	T	55.1v	68.3v	39.0v	30.0v	30.0v	29.1v	37.3v	45.1v	76.1v	36.2v	69.2v	514.14v
967	Cdt TJLG Garton	T	51.0v	61.3v	32.0v	32.0v	27.0v	23.1v	32.0v	69.3v	82.5v	29.0v	68.5v	506.17v
968	Cdt JDR Vincent	T	62.3v	67.3v	46.4v	0.0v	45.4v	45.3v	36.0v	49.2v	88.4v	0.0v	65.4v	503.27v
969	CP Judge	T	68.3v	63.1v	36.0v	41.2v	28.0v	42.3v	38.0v	60.3v	94.2v	33.0v	0.0v	503.14v
970	Cdt Cpl LA Harris	T	48.2v	59.2v	35.1v	42.2v	36.0v	32.1v	36.1v	49.0v	64.1v	42.1v	59.1v	502.12v
971	Cdt G Nixon	T	58.0v	58.2v	41.2v	26.1v	26.0v	33.0v	36.1v	53.1v	75.1v	39.0v	57.2v	502.10v
972	Mr NB Alliston	O	69.3v	68.3v	47.4v	40.1v	44.2v	44.3v	0.0v	71.6v	0.0v	48.6v	67.3v	498.31v
973	Cdt PR McCurley	T	63.1v	68.3v	0.0v	0.0v	47.2v	38.0v	38.2v	67.3v	92.5v	24.2v	56.6v	493.24v
974	J Le Cheminant	O	60.0v	59.1v	0.0v	42.3v	35.0v	38.2v	40.1v	60.3v	78.1v	33.1v	47.1v	492.13v
975	Cdt Slater	T	56.1v	60.0v	41.3v	42.1v	40.2v	38.0v	29.0v	56.4v	28.1v	38.1v	63.3v	491.16v
976	Cdt L Doddington-Boyes	T	62.2v	63.3v	40.3v	35.0v	37.0v	40.2v	23.0v	32.0v	69.1v	39.1v	50.0v	490.12v
977	Mr RJ Van Lingen	A	71.4v	45.4v	45.5v	48.3v	0.0v	0.0v	44.3v	74.6v	99.8v	0.0v	63.3v	489.36v
978	Mr MRT Garnier	O	0.0v	69.8v	46.4v	47.2v	46.3v	45.4v	43.0v	68.3v	86.5v	39.3v	0.0v	489.32v
979	Miss ZE Woodroffe	T	60.3v	52.1v	35.1v	31.0v	36.1v	37.2v	34.2v	42.1v	81.3v	30.1v	50.0v	488.15v
980	Cdt BM Ellis	T	0.0v	60.3v	37.2v	0.0v	39.1v	42.1v	40.0v	60.2v	88.2v	41.2v	69.2v	476.15v
981	Mr WJ Lowe	T	59.4v	64.1v	41.1v	32.0v	34.1v	38.3v	32.1v	56.2v	87.1v	32.0v	0.0v	475.14v
982	Cdt ML Williams	T	0.0v	65.4v	45.5v	33.1v	47.5v	47.4v	42.1v	67.4v	93.5v	33.0v	0.0v	472.29v
983	Mr RIC Denman	O	65.2v	58.2v	36.2v	44.1v	43.5v	33.1v	0.0v	66.4v	83.1v	40.2v	0.0v	468.20v
984	JUO MJ Judge	T	0.0v	62.2v	42.1v	42.3v	37.0v	44.2v	40.2v	61.3v	91.3v	47.3v	0.0v	466.19v
985	Cdt SW Noble	O	0.0v	67.4v	0.0v	45.2v	48.6v	45.2v	41.2v	63.2v	93.2v	0.0v	60.2v	462.22v
986	Mr OK Weber	A	70.4v	67.5v	45.3v	46.3v	43.1v	47.3v	0.0v	63.3v	0.0v	42.1v	0.0v	454.24v
987	Cdt CD Paterson	T	53.0v	63.2v	22.0v	7.0v	35.1v	43.0v	24.0v	51.1v	78.1v	20.1v	49.2v	445.8v
988	Mr N Thorburn	O	62.2v	68.3v	46.3v	37.1v	35.0v	33.0v	28.0v	64.4v	0.0v	43.2v	0.0v	443.17v
989	Mr AJCB de Launay	O	69.4v	70.5v	48.5v	48.4v	49.7v	46.2v	0.0v	67.4v	0.0v	44.2v	0.0v	441.33v
990	BJN Newman	T	66.3v	55.3v	42.3v	3.0v	38.2v	34.1v	37.2v	60.4v	74.1v	32.2v	0.0v	441.21v
991	Mr CS Lamont	O	71.3v	67.5v	47.2v	43.4v	0.0v	47.5v	0.0v	69.4v	93.3v	0.0v	0.0v	437.26v
992	C/Cpl N Atkin	T	52.1v	65.4v	34.1v	42.2v	40.1v	40.2v	33.0v	59.3v	0.0v	26.2v	39.0v	430.16v
993	Mr T Lilley	O	73.5v	71.8v	44.0v	49.4v	0.0v	43.1v	0.0v	0.0v	99.7v	46.3v	0.0v	425.28v
994	Cpl CW Campbell	T	58.1v	66.2v	0.0v	45.1v	35.0v	43.2v	0.0v	54.0v	81.2v	41.0v	0.0v	423.8v
995	MTD Read	O	73.8v	71.4v	0.0v	40.0v	47.3v	0.0v	47.4v	0.0v	99.5v	37.0v	0.0v	414.24v
996	Mr PS Quinn	T	45.4v	65.2v	46.3v	19.0v	43.3v	40.1v	0.0v	59.0v	0.0v	37.1v	0.0v	408.17v
997	Miss S-J Binder	A	73.5v	0.0v	48.5v	44.3v	0.0v	0.0v	0.0v	71.6v	98.6v	0.0v	67.3v	401.28v
998	Cdt AJ Maltby	T	57.1v	0.0v	36.0v	36.1v	35.0v	36.1v	42.3v	56.2v	72.1v	25.1v	0.0v	395.10v
999	Mr CP Moon	A	64.1v	56.2v	43.5v	31.0v	39.1v	0.0v	0.0v	70.1v	0.0v	43.1v	0.0v	372.13v
1000	Mr JD Llewellyn	O	65.2v	0.0v	48.2v	41.1v	0.0v	0.0v	42.2v	0.0v	91.4v	0.0v	69.4v	356.15v
1001	Lt (A) PS Rowell	O	67.5v	0.0v	0.0v	0.0v	0.0v	0.0v	42.3v	72.7v	100.4v	0.0v	66.3v	347.22v
1002	Cdt OJ Peggram	T	64.3v	65.2v	41.2v	43.2v	45.3v	40.1v	0					

