

NRA 137th Imperial Meeting
Grand Aggregate (as at Monday, 17th July 2006)

		DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	Corp	POW	Total
1 Mr P Patel	X	75.12v	74.7v	50.8v	49.6v	50.8v	49.6v	0.0v	0.0v	0.0v	48.6v	0.0v	395.53v
2 Mr JD Warburton	X	74.6v	74.9v	50.5v	49.3v	50.8v	48.5v	0.0v	0.0v	0.0v	50.8v	0.0v	395.44v
3 Mr S Young	O	74.10v	75.5v	50.5v	48.6v	50.4v	49.3v	0.0v	0.0v	0.0v	49.7v	0.0v	395.40v
4 Dr JDS Langley	X	74.8v	75.7v	48.3v	49.5v	50.6v	50.5v	0.0v	0.0v	0.0v	49.4v	0.0v	395.38v
5 Mr PAE Charlton	X	71.7v	75.11v	50.8v	49.3v	50.8v	49.6v	0.0v	0.0v	0.0v	50.8v	0.0v	394.51v
6 Mr TJD Raincock	X	74.9v	74.12v	50.6v	50.8v	50.9v	50.4v	0.0v	0.0v	0.0v	46.3v	0.0v	394.51v
7 Mr R Stewart	X	74.10v	74.11v	50.4v	50.8v	48.5v	50.7v	0.0v	0.0v	0.0v	48.5v	0.0v	394.50v
8 Mr CJ Morton	X	71.7v	74.5v	49.7v	50.8v	50.9v	50.7v	0.0v	0.0v	0.0v	50.4v	0.0v	394.47v
9 Mr ITG Shaw	X	75.8v	73.8v	50.6v	48.7v	50.5v	50.7v	0.0v	0.0v	0.0v	48.5v	0.0v	394.46v
10 Mr D Luckman	X	73.10v	74.13v	50.7v	50.7v	50.8v	50.6v	0.0v	0.0v	0.0v	46.4v	0.0v	393.55v
11 Mr C Fitzpatrick	X	75.12v	71.7v	50.7v	47.3v	50.8v	50.4v	0.0v	0.0v	0.0v	50.8v	0.0v	393.49v
12 Mr JC Underwood	X	73.10v	75.7v	49.8v	48.7v	50.7v	49.5v	0.0v	0.0v	0.0v	49.5v	0.0v	393.49v
13 Mr T Rylands	X	73.5v	74.9v	50.9v	49.5v	50.7v	50.10v	0.0v	0.0v	0.0v	47.3v	0.0v	393.48v
14 Rozli Mohamad	X	74.11v	74.9v	50.5v	49.8v	49.7v	48.3v	0.0v	0.0v	0.0v	49.4v	0.0v	393.47v
15 Mr A Powell	X	71.6v	74.11v	50.8v	50.5v	49.4v	50.5v	0.0v	0.0v	0.0v	49.4v	0.0v	393.43v
16 Mr I Davison	X	74.8v	75.11v	48.3v	49.6v	50.7v	49.3v	0.0v	0.0v	0.0v	48.5v	0.0v	393.43v
17 Kamaruddin Mat Noh	X	74.8v	74.7v	48.6v	50.3v	49.5v	48.8v	0.0v	0.0v	0.0v	50.4v	0.0v	393.41v
18 Mr MR Woolger	A	75.12v	74.9v	50.8v	48.7v	49.6v	48.5v	0.0v	0.0v	0.0v	48.4v	0.0v	392.51v
19 Mr DP Calvert	X	74.10v	74.11v	47.5v	50.6v	50.8v	48.6v	0.0v	0.0v	0.0v	49.3v	0.0v	392.49v
20 WO MW Silver	A	75.11v	73.10v	49.4v	50.3v	48.7v	49.5v	0.0v	0.0v	0.0v	48.6v	0.0v	392.46v
21 Flt Lt IW Robertson	A	74.8v	73.10v	50.7v	48.5v	50.6v	49.4v	0.0v	0.0v	0.0v	48.5v	0.0v	392.45v
22 Mr J Pugsley	X	72.5v	75.9v	49.6v	49.4v	49.8v	49.6v	0.0v	0.0v	0.0v	49.6v	0.0v	392.44v
23 Mr DGM Coleman	X	74.9v	73.7v	50.7v	47.3v	50.5v	50.7v	0.0v	0.0v	0.0v	48.4v	0.0v	392.42v
24 Mr JMA Thompson	X	71.9v	75.10v	50.7v	47.2v	50.9v	49.5v	0.0v	0.0v	0.0v	49.7v	0.0v	391.49v
25 Mr JA Watson	X	75.10v	73.8v	48.4v	48.3v	50.9v	48.7v	0.0v	0.0v	0.0v	49.7v	0.0v	391.48v
26 Mr CN Tremlett	X	74.8v	73.8v	50.7v	49.6v	50.7v	49.6v	0.0v	0.0v	0.0v	46.2v	0.0v	391.44v
27 Mr TA Ringer	X	75.12v	73.5v	50.7v	50.7v	50.6v	48.5v	0.0v	0.0v	0.0v	45.1v	0.0v	391.43v
28 Mr KR Trowbridge	X	74.10v	71.3v	49.6v	49.6v	49.4v	49.6v	0.0v	0.0v	0.0v	50.4v	0.0v	391.39v
29 Hamdan Rahmat	X	74.6v	74.7v	49.5v	47.3v	49.7v	48.6v	0.0v	0.0v	0.0v	50.4v	0.0v	391.38v
30 Mr TL Bedwell	A	73.11v	74.8v	49.8v	49.7v	49.7v	50.5v	0.0v	0.0v	0.0v	46.5v	0.0v	390.51v
31 Zulkeflee Hamsan	X	75.8v	72.10v	49.6v	50.5v	50.9v	48.6v	0.0v	0.0v	0.0v	46.3v	0.0v	390.47v
32 Mr C Mallett	X	75.11v	73.8v	49.4v	48.6v	48.7v	48.5v	0.0v	0.0v	0.0v	49.4v	0.0v	390.45v
33 Flt Lt NP Moxon	X	74.10v	73.8v	50.7v	47.2v	49.5v	49.6v	0.0v	0.0v	0.0v	48.7v	0.0v	390.45v
34 Mr AJ Luckman	X	73.9v	73.9v	50.7v	49.4v	50.8v	47.5v	0.0v	0.0v	0.0v	48.3v	0.0v	390.45v
35 Mr PB Bromley	X	72.8v	72.10v	49.5v	49.5v	49.5v	50.7v	0.0v	0.0v	0.0v	49.4v	0.0v	390.44v
36 Mr A McCullough	X	74.9v	73.9v	50.6v	50.5v	49.8v	49.4v	0.0v	0.0v	0.0v	45.2v	0.0v	390.43v
37 Miss M Boston	X	74.8v	73.7v	49.3v	50.5v	50.8v	50.8v	0.0v	0.0v	0.0v	44.4v	0.0v	390.43v
38 Mr JWE Lewis	X	72.7v	73.6v	49.6v	49.5v	50.6v	47.6v	0.0v	0.0v	0.0v	50.5v	0.0v	390.41v
39 Mr SJ East	X	73.5v	73.10v	47.4v	49.5v	50.5v	50.8v	0.0v	0.0v	0.0v	48.4v	0.0v	390.41v
40 Mr RW Sandlant	X	74.11v	73.10v	49.6v	48.1v	49.6v	48.3v	0.0v	0.0v	0.0v	49.3v	0.0v	390.40v
41 Mr RA Benest	X	75.8v	73.8v	50.7v	49.4v	50.5v	48.4v	0.0v	0.0v	0.0v	45.2v	0.0v	390.38v
42 Mr S Murray	X	74.9v	74.8v	50.3v	48.5v	50.6v	48.3v	0.0v	0.0v	0.0v	46.3v	0.0v	390.37v
43 Mr WJ Rowland	A	74.7v	74.7v	48.4v	47.3v	49.6v	49.4v	0.0v	0.0v	0.0v	49.4v	0.0v	390.35v
44 Mr DJ Gass	X	72.11v	73.10v	49.6v	48.3v	49.6v	49.7v	0.0v	0.0v	0.0v	49.4v	0.0v	389.47v
45 Mr LM Peden	X	74.10v	73.9v	49.7v	48.4v	49.5v	49.5v	0.0v	0.0v	0.0v	47.6v	0.0v	389.46v
46 Mr RCT Jeens	X	72.8v	73.9v	49.4v	49.5v	50.9v	50.5v	0.0v	0.0v	0.0v	46.6v	0.0v	389.46v
47 Mr TLW Kidner	X	74.12v	73.6v	46.3v	50.6v	49.8v	49.6v	0.0v	0.0v	0.0v	48.4v	0.0v	389.45v
48 Mr ML Millar	X	73.8v	73.8v	49.8v	48.4v	50.7v	48.4v	0.0v	0.0v	0.0v	48.5v	0.0v	389.44v
49 Mr PM Jory	X	72.4v	73.8v	50.9v	49.5v	49.5v	48.5v	0.0v	0.0v	0.0v	48.7v	0.0v	389.43v
50 Mr JA Bullock	X	74.11v	71.7v	48.5v	49.4v	50.5v	50.7v	0.0v	0.0v	0.0v	47.4v	0.0v	389.43v
51 Mr GA Cann	X	72.8v	73.10v	49.6v	48.5v	49.4v	49.7v	0.0v	0.0v	0.0v	49.2v	0.0v	389.42v
52 Mr JGM Webster	X	75.8v	74.10v	49.5v	47.5v	48.5v	49.6v	0.0v	0.0v	0.0v	47.3v	0.0v	389.42v
53 Mr NRJ Brasier	X	73.10v	74.8v	48.4v	48.3v	49.8v	49.5v	0.0v	0.0v	0.0v	48.3v	0.0v	389.41v
54 Lt Col CCC Cheshire	X	71.6v	73.8v	50.6v	47.2v	49.5v	50.4v	0.0v	0.0v	0.0v	49.6v	0.0v	389.37v
55 Mr RJR Mott	A	68.5v	75.5v	50.8v	50.6v	50.4v	48.4v	0.0v	0.0v	0.0v	48.5v	0.0v	389.37v
56 Miss GC O'Leary	A	73.6v	74.11v	49.6v	47.3v	50.3v	49.5v	0.0v	0.0v	0.0v	47.3v	0.0v	389.37v
57 Mr G Gilpin	X	74.8v	72.5v	50.6v	49.4v	49.7v	49.4v	0.0v	0.0v	0.0v	46.3v	0.0v	389.37v
58 Mr CA White	O	71.7v	73.7v	50.6v	48.4v	50.7v	49.2v	0.0v	0.0v	0.0v	48.3v	0.0v	389.36v

59 Mr SJ Cane	X	73.5v	73.9v	49.6v	49.4v	49.7v	47.1v	0.0v	0.0v	0.0v	49.3v	0.0v	389.35v
60 Cdt N Poirier	O	73.7v	74.9v	49.4v	47.1v	49.4v	49.3v	0.0v	0.0v	0.0v	48.4v	0.0v	389.32v
61 Mr PJ Johnson	A	73.10v	74.14v	50.8v	48.6v	50.4v	45.4v	0.0v	0.0v	0.0v	48.6v	0.0v	388.52v
62 Capt J Cload	X	72.6v	75.9v	50.9v	47.6v	49.8v	48.6v	0.0v	0.0v	0.0v	47.4v	0.0v	388.48v
63 Mr JM Holmes	X	74.12v	74.9v	49.6v	47.4v	50.10v	49.4v	0.0v	0.0v	0.0v	45.2v	0.0v	388.47v
64 Mr JEM Bellringer	X	71.8v	73.9v	49.5v	48.4v	49.7v	49.6v	0.0v	0.0v	0.0v	49.5v	0.0v	388.44v
65 Miss AMG Ogilvie	X	73.7v	75.11v	49.6v	48.6v	50.6v	45.2v	0.0v	0.0v	0.0v	48.5v	0.0v	388.43v
66 Mr E Gauvin	X	75.10v	74.8v	50.7v	45.1v	47.5v	47.6v	0.0v	0.0v	0.0v	50.4v	0.0v	388.41v
67 Mr AK Henderson	X	73.10v	73.8v	49.6v	47.2v	50.6v	48.4v	0.0v	0.0v	0.0v	48.5v	0.0v	388.41v
68 Mr GE Morris	X	73.5v	73.8v	49.6v	48.7v	48.5v	48.3v	0.0v	0.0v	0.0v	49.6v	0.0v	388.40v
69 Mr DC Dyson	A	70.6v	75.6v	50.6v	49.5v	49.7v	50.6v	0.0v	0.0v	0.0v	45.4v	0.0v	388.40v
70 Miss JK Brekke	O	74.7v	71.4v	49.5v	47.3v	49.6v	49.7v	0.0v	0.0v	0.0v	49.7v	0.0v	388.39v
71 Dr JR Neace	A	73.11v	74.8v	49.4v	47.3v	49.3v	47.3v	0.0v	0.0v	0.0v	49.7v	0.0v	388.39v
72 Mr NC Mace	X	75.6v	73.12v	48.5v	48.4v	49.5v	49.5v	0.0v	0.0v	0.0v	46.2v	0.0v	388.39v
73 Mr PJR Holden	X	72.11v	72.4v	49.2v	46.4v	49.5v	50.6v	0.0v	0.0v	0.0v	50.5v	0.0v	388.37v
74 Mr AJ Nowacki	O	72.8v	74.5v	48.3v	49.4v	49.9v	47.5v	0.0v	0.0v	0.0v	49.2v	0.0v	388.36v
75 Mr GW Robinson	X	71.7v	74.8v	49.5v	48.4v	49.3v	49.4v	0.0v	0.0v	0.0v	48.5v	0.0v	388.36v
76 Mr B Bowden	X	73.6v	75.11v	49.6v	48.4v	49.5v	48.3v	0.0v	0.0v	0.0v	46.1v	0.0v	388.36v
77 Mr NJ Leaper	O	72.8v	73.6v	49.3v	50.7v	49.5v	49.3v	0.0v	0.0v	0.0v	46.3v	0.0v	388.35v
78 Mr D Rose	O	70.6v	72.9v	49.5v	49.5v	49.6v	50.8v	0.0v	0.0v	0.0v	48.7v	0.0v	387.46v
79 Miss KAN Jack	A	71.8v	74.10v	48.5v	48.4v	49.8v	50.6v	0.0v	0.0v	0.0v	47.5v	0.0v	387.46v
80 Azemi Othman	X	71.5v	74.9v	48.5v	49.7v	49.7v	47.6v	0.0v	0.0v	0.0v	49.6v	0.0v	387.45v
81 Dr PD Sykes	X	75.10v	73.8v	48.7v	42.2v	50.7v	49.4v	0.0v	0.0v	0.0v	50.5v	0.0v	387.43v
82 Mr A Marion	X	73.9v	75.12v	49.7v	45.0v	50.6v	47.4v	0.0v	0.0v	0.0v	48.4v	0.0v	387.42v
83 Mr J Haward	X	74.12v	72.7v	49.3v	45.4v	49.6v	49.6v	0.0v	0.0v	0.0v	49.3v	0.0v	387.41v
84 Miss S-J Binder	A	74.8v	69.4v	49.6v	48.4v	50.8v	49.6v	0.0v	0.0v	0.0v	48.3v	0.0v	387.39v
85 Mr RAH Vary	A	71.3v	73.9v	50.6v	48.5v	49.6v	47.2v	0.0v	0.0v	0.0v	49.6v	0.0v	387.37v
86 Mr F Mohideen	A	75.6v	73.4v	48.5v	48.5v	49.7v	45.4v	0.0v	0.0v	0.0v	49.5v	0.0v	387.36v
87 Mr P Lucey	O	73.7v	72.6v	50.6v	48.3v	49.5v	48.4v	0.0v	0.0v	0.0v	47.5v	0.0v	387.36v
88 Mr HRT Jeens	X	71.7v	73.10v	50.2v	47.2v	49.5v	50.6v	0.0v	0.0v	0.0v	47.4v	0.0v	387.36v
89 Mr ERT Jeens	X	71.5v	74.9v	49.4v	50.4v	50.6v	48.4v	0.0v	0.0v	0.0v	45.4v	0.0v	387.36v
90 Mr MH Shaw	X	71.5v	72.7v	50.7v	46.4v	50.7v	49.2v	0.0v	0.0v	0.0v	49.3v	0.0v	387.35v
91 Dr AF Aspin	O	73.5v	74.7v	49.5v	46.5v	49.4v	50.5v	0.0v	0.0v	0.0v	46.4v	0.0v	387.35v
92 Cdt Sgt HA Foster	O	71.8v	75.8v	49.5v	50.6v	49.4v	46.1v	0.0v	0.0v	0.0v	47.2v	0.0v	387.34v
93 Mrs MM Norman	X	72.7v	74.6v	47.6v	48.3v	50.4v	50.5v	0.0v	0.0v	0.0v	46.2v	0.0v	387.33v
94 Zainal Abidin Md Zain	X	72.6v	74.6v	50.4v	46.2v	50.7v	48.2v	0.0v	0.0v	0.0v	47.5v	0.0v	387.32v
95 Lt Col CR Claridge	A	74.4v	73.6v	50.7v	47.4v	47.6v	49.2v	0.0v	0.0v	0.0v	47.3v	0.0v	387.32v
96 Mr RA Dyball	O	73.4v	73.8v	50.4v	47.3v	47.6v	49.3v	0.0v	0.0v	0.0v	48.3v	0.0v	387.31v
97 Mr ANR Walker	A	71.10v	71.7v	49.4v	49.9v	49.7v	49.6v	0.0v	0.0v	0.0v	48.2v	0.0v	386.45v
98 Mr R Dix	A	73.9v	71.6v	48.6v	48.4v	50.8v	49.8v	0.0v	0.0v	0.0v	47.4v	0.0v	386.45v
99 Mr D Le Quesne	X	73.10v	75.12v	49.6v	48.6v	48.5v	47.5v	0.0v	0.0v	0.0v	46.1v	0.0v	386.45v
100 Mr MJ O'Leary	X	72.10v	71.5v	49.7v	47.3v	50.9v	48.4v	0.0v	0.0v	0.0v	49.5v	0.0v	386.43v
101 Mr DC Crispin	A	72.7v	74.13v	47.4v	47.4v	49.4v	50.8v	0.0v	0.0v	0.0v	47.3v	0.0v	386.43v
102 Miss SV Kent	X	73.9v	72.8v	49.5v	49.5v	48.7v	49.6v	0.0v	0.0v	0.0v	46.3v	0.0v	386.43v
103 Mr E Compton	A	74.10v	72.8v	49.6v	49.7v	49.5v	48.4v	0.0v	0.0v	0.0v	45.3v	0.0v	386.43v
104 Mr P Westlake	X	75.10v	74.8v	49.7v	45.4v	47.3v	49.7v	0.0v	0.0v	0.0v	47.3v	0.0v	386.42v
105 Mr RJ McQuillan	X	74.9v	74.11v	47.5v	48.2v	50.7v	47.3v	0.0v	0.0v	0.0v	46.5v	0.0v	386.42v
106 Mr SL Larter-Whitcher	O	71.5v	74.11v	48.5v	48.3v	50.6v	49.7v	0.0v	0.0v	0.0v	46.4v	0.0v	386.41v
107 Ms HM Griffiths	X	72.6v	73.9v	50.6v	49.6v	49.6v	49.5v	0.0v	0.0v	0.0v	44.3v	0.0v	386.41v
108 Mr JR Tuck	X	75.13v	72.5v	49.1v	47.5v	50.7v	44.3v	0.0v	0.0v	0.0v	49.6v	0.0v	386.40v
109 Mr S Cleveland	A	72.8v	75.10v	50.7v	46.3v	49.6v	46.1v	0.0v	0.0v	0.0v	48.5v	0.0v	386.40v
110 Mr RJS Curtis	A	73.7v	71.7v	50.5v	45.5v	50.6v	49.5v	0.0v	0.0v	0.0v	48.5v	0.0v	386.40v
111 Mr S Belither	X	72.7v	74.9v	50.9v	47.1v	50.8v	46.3v	0.0v	0.0v	0.0v	47.3v	0.0v	386.40v
112 Mr P Bain	A	75.11v	75.10v	49.5v	45.1v	49.7v	47.3v	0.0v	0.0v	0.0v	46.3v	0.0v	386.40v
113 Mr DL Wiles	O	71.5v	75.12v	50.2v	50.7v	48.3v	47.3v	0.0v	0.0v	0.0v	45.5v	0.0v	386.37v
114 Mr ER Welford	A	68.3v	74.4v	49.4v	48.5v	49.6v	49.6v	0.0v	0.0v	0.0v	49.7v	0.0v	386.35v
115 Mr RCQ Martin	O	71.3v	73.9v	49.7v	48.2v	50.6v	47.4v	0.0v	0.0v	0.0v	48.4v	0.0v	386.35v
116 Eurlng CA Painting	X	72.6v	71.5v	50.6v	50.5v	48.5v	48.3v	0.0v	0.0v	0.0v	47.5v	0.0v	386.35v
117 Mr GK Alexander	A	70.5v	73.6v	48.5v	48.5v	50.4v	49.3v	0.0v	0.0v	0.0v	48.5v	0.0v	386.33v
118 Mr CC Mallett Jnr	X	72.7v	74.7v	50.6v	45.1v	49.5v	49.5v	0.0v	0.0v	0.0v	47.2v	0.0v	386.33v
119 Mr RBC Baker	A	72.7v	73.5v	48.6v	48.2v	49.5v	50.5v	0.0v	0.0v	0.0v	46.3v	0.0v	386.33v
120 Mr JJ Norman	X	75.5v	72.6v	48.4v	49.7v	48.4v	47.3v	0.0v	0.0v	0.0v	47.3v	0.0v	386.32v
121 Mr DA Friend	O	73.7v	73.8v	50.5v	49.2v	50.5v	46.2v	0.0v	0.0v	0.0v	45.3v	0.0v	386.32v
122 Mr RSF Shouler	A	73.10v	72.8v	48.7v	49.8v	50.8v	49.5v	0.0v	0.0v	0.0v	44.2v	0.0v	385.48v
123 Mr JS Collings	X	71.7v	73.8v	49.6v	49.7v	47.5v	50.7v	0.0v	0.0v	0.0v	46.4v	0.0v	385.44v
124 Mr T Hunter	X	71.7v	74.11v	50.5v	48.5v	50.8v	50.5v	0.0v	0.0v	0.0v	42.2v	0.0v	385.43v
125 Mr SD Shouler	O	72.10v	73.9v	50.6v	44.1v	50.7v	46.4v	0.0v	0.0v	0.0v	50.4v	0.0v	385.41v
126 Mr WDH Burden	O	74.10v	70.6v	48.7v	49.5v	47.3v	50.7v	0.0v	0.0v	0.0v	47.3v	0.0v	385.41v
127 Mr N Ball	X	74.7v	72.7v	50.7v	44.3v	49.6v	49.8v	0.0v	0.0v	0.0v	47.3v	0.0v	385.41v
128 Mr A Wilde	A	73.10v	74.11v	50.4v	48.4v	48.6v	50.5v	0.0v	0.0v	0.0v	42.1v	0.0v	385.41v
129 Mr PRD Stock	X	73.9v	72.8v	49.8v	47.2v	49.4v	46.4v	0.0v	0.0v	0.0v	49.5v	0.0v	385.40v
130 Mr SE Frost	X	71.9v	71.7v	50.3v	46.3v	50.9v	50.6v	0.0v	0.0v	0.0v	47.3v	0.0v	385.40v
131 Mr R Booth	X	74.10v	73.7v	48.4v	45.3v	50.8v	49.5v	0.0v	0.0v	0.0v	46.3v	0.0v	385.40v
132 Mr SMC Wilson	O	72.8v	74.10v	49.4v	47.4v	48.5v	46.3v	0.0v	0.0v	0.0v	49.5v	0.0v	385.39v
133 Mr JAM Paton	X	74.8v	71.3v	50.9v	47.4v	50.9v	46.2v	0.0v	0.0v	0.0v	47.4v	0.0v	385.39v
134 Mr RE Ellis	A	73.7v	71.7v	49.6v	47.4v	49.6v	49.6v	0.0v	0.0v	0.0v	47.3v	0.0v	385.39v
135 Maj AR McLeod	X	69.5v	74.10v	50.3v	46.3v	50.9v	48.4v	0.0v	0.0v	0.0v	48.4v	0.0v	385.38v

136 Ms BM Moore	O	72.10v	75.8v	46.3v	47.3v	50.7v	48.3v	0.0v	0.0v	0.0v	47.3v	0.0v	385.37v
137 Mr WA Langley	X	72.7v	71.4v	48.7v	47.4v	50.7v	50.6v	0.0v	0.0v	0.0v	47.2v	0.0v	385.37v
138 Cdt CMJ Redburn	O	75.6v	72.7v	50.7v	46.5v	49.4v	48.6v	0.0v	0.0v	0.0v	45.2v	0.0v	385.37v
139 Mr FR Rahman	O	73.8v	73.6v	47.4v	44.2v	50.4v	49.7v	0.0v	0.0v	0.0v	49.5v	0.0v	385.36v
140 Mr AC Thomson	X	73.7v	72.8v	48.3v	49.4v	50.6v	47.4v	0.0v	0.0v	0.0v	46.4v	0.0v	385.36v
141 Wg Cdr CJ Hockley	A	74.7v	72.7v	49.6v	47.3v	50.7v	47.3v	0.0v	0.0v	0.0v	46.3v	0.0v	385.36v
142 Mr J McKellar	X	70.6v	73.5v	50.8v	50.5v	50.7v	47.1v	0.0v	0.0v	0.0v	45.4v	0.0v	385.36v
143 Mr MR Cosway	A	72.6v	72.9v	49.5v	48.3v	50.6v	49.4v	0.0v	0.0v	0.0v	45.3v	0.0v	385.36v
144 Professor AR Horrocks	A	75.11v	72.5v	48.5v	47.3v	49.3v	48.5v	0.0v	0.0v	0.0v	46.3v	0.0v	385.35v
145 Mr MCJ Button	A	72.8v	72.6v	49.3v	48.3v	49.6v	48.5v	0.0v	0.0v	0.0v	47.3v	0.0v	385.34v
146 Mr PS Gray	A	74.8v	74.6v	47.4v	47.3v	50.4v	47.4v	0.0v	0.0v	0.0v	46.4v	0.0v	385.33v
147 Miss DS Hume	X	72.7v	74.7v	50.5v	46.2v	49.6v	48.4v	0.0v	0.0v	0.0v	46.2v	0.0v	385.33v
148 Mrs LJ Brister	A	72.6v	72.5v	48.3v	49.4v	50.8v	49.3v	0.0v	0.0v	0.0v	45.4v	0.0v	385.33v
149 Mr DA Richardson	X	71.4v	72.6v	50.6v	47.3v	50.6v	48.3v	0.0v	0.0v	0.0v	47.3v	0.0v	385.31v
150 Mr BJ Page	X	70.4v	74.6v	49.4v	49.5v	48.5v	49.4v	0.0v	0.0v	0.0v	46.2v	0.0v	385.30v
151 Mr RA Welford	A	73.5v	72.8v	48.2v	46.2v	48.3v	49.5v	0.0v	0.0v	0.0v	49.1v	0.0v	385.26v
152 Mr AJ Woodward	X	73.8v	71.10v	49.7v	50.7v	49.9v	47.1v	0.0v	0.0v	0.0v	45.4v	0.0v	384.46v
153 Major AG McLean	X	73.8v	73.10v	47.5v	47.4v	50.7v	50.7v	0.0v	0.0v	0.0v	44.4v	0.0v	384.45v
154 Mr RM Roberts	A	75.11v	72.8v	47.5v	48.5v	50.8v	47.4v	0.0v	0.0v	0.0v	45.2v	0.0v	384.43v
155 Mr MJ Brister	X	71.8v	74.9v	49.6v	47.3v	49.8v	48.5v	0.0v	0.0v	0.0v	46.3v	0.0v	384.42v
156 Mr K Ramsey	X	73.7v	74.12v	49.6v	49.5v	48.5v	48.5v	0.0v	0.0v	0.0v	43.2v	0.0v	384.42v
157 Colonel, The Rev D Cooper	X	73.9v	73.10v	50.5v	43.3v	49.5v	50.6v	0.0v	0.0v	0.0v	46.3v	0.0v	384.41v
158 Mr APW Daw	A	72.7v	75.10v	50.6v	48.5v	46.3v	48.6v	0.0v	0.0v	0.0v	45.4v	0.0v	384.41v
159 Mr RM Hatcher	X	73.7v	74.9v	50.7v	48.6v	48.6v	47.4v	0.0v	0.0v	0.0v	44.2v	0.0v	384.41v
160 Mr JCB Peachey	X	74.9v	72.8v	48.4v	49.7v	49.7v	48.5v	0.0v	0.0v	0.0v	44.1v	0.0v	384.41v
161 Mr DR Armstrong	X	72.9v	74.7v	48.6v	50.6v	48.4v	49.5v	0.0v	0.0v	0.0v	43.4v	0.0v	384.41v
162 Mr MWT Walton	X	71.5v	73.10v	48.3v	49.7v	49.7v	49.4v	0.0v	0.0v	0.0v	45.4v	0.0v	384.40v
163 Cdt JD Cromarty	O	73.6v	74.12v	49.4v	48.4v	50.6v	50.7v	0.0v	0.0v	0.0v	40.1v	0.0v	384.40v
164 Mr R Kloosterman	X	73.8v	74.8v	47.4v	48.5v	47.5v	47.5v	0.0v	0.0v	0.0v	48.4v	0.0v	384.39v
165 Mr SJ Comins	A	71.10v	74.9v	48.4v	48.4v	48.6v	48.4v	0.0v	0.0v	0.0v	47.2v	0.0v	384.39v
166 Mr HL Hunter	O	74.7v	73.9v	47.4v	47.3v	50.7v	47.6v	0.0v	0.0v	0.0v	46.3v	0.0v	384.39v
167 Mr JP Barry	X	72.7v	70.4v	50.6v	49.7v	48.6v	50.6v	0.0v	0.0v	0.0v	45.3v	0.0v	384.39v
168 Mr M Stewart	T	73.9v	72.6v	49.5v	44.1v	49.7v	48.5v	0.0v	0.0v	0.0v	49.5v	0.0v	384.38v
169 Mr PD Griggs	X	75.7v	73.9v	48.5v	49.6v	47.4v	45.3v	0.0v	0.0v	0.0v	47.4v	0.0v	384.38v
170 Mr J Anderson	X	71.8v	73.4v	49.5v	49.5v	49.5v	50.7v	0.0v	0.0v	0.0v	43.4v	0.0v	384.38v
171 Cdt HC Ball	T	72.5v	72.7v	49.6v	47.5v	49.4v	48.6v	0.0v	0.0v	0.0v	47.4v	0.0v	384.37v
172 Mr AJ Burton	X	72.6v	73.10v	49.6v	47.5v	49.4v	48.4v	0.0v	0.0v	0.0v	46.2v	0.0v	384.37v
173 Mr SA Thomas	X	75.11v	69.7v	50.9v	47.1v	50.5v	48.3v	0.0v	0.0v	0.0v	45.1v	0.0v	384.37v
174 Mr N Healy	T	73.9v	74.4v	50.6v	45.5v	49.8v	48.5v	0.0v	0.0v	0.0v	45.0v	0.0v	384.37v
175 Mr N Cole-Hawkins	O	73.7v	75.13v	47.3v	43.2v	48.4v	49.3v	0.0v	0.0v	0.0v	49.4v	0.0v	384.36v
176 Mr SM Friling	A	72.6v	73.7v	47.6v	47.2v	49.8v	47.4v	0.0v	0.0v	0.0v	49.3v	0.0v	384.36v
177 Cpl ML Lekalaile	X	70.8v	75.11v	48.5v	47.4v	50.5v	47.0v	0.0v	0.0v	0.0v	47.3v	0.0v	384.36v
178 Mr CA Leece	O	72.10v	74.7v	49.6v	45.0v	50.6v	47.3v	0.0v	0.0v	0.0v	47.3v	0.0v	384.35v
179 Mr HN Watson	O	71.3v	70.7v	48.4v	50.4v	49.7v	50.8v	0.0v	0.0v	0.0v	46.2v	0.0v	384.35v
180 Mr AC Speirs	X	74.10v	74.8v	48.4v	47.2v	49.1v	47.6v	0.0v	0.0v	0.0v	45.4v	0.0v	384.35v
181 Miss CJ Aldridge	O	75.4v	73.10v	48.5v	49.5v	46.4v	48.4v	0.0v	0.0v	0.0v	45.3v	0.0v	384.35v
182 Dr AM Jory	X	71.6v	74.9v	48.4v	47.3v	50.6v	49.5v	0.0v	0.0v	0.0v	45.2v	0.0v	384.35v
183 Mr BE Bullard	O	73.7v	73.4v	45.3v	48.3v	49.8v	49.5v	0.0v	0.0v	0.0v	47.4v	0.0v	384.34v
184 Mr NW Penn	A	72.6v	74.8v	50.5v	48.4v	47.3v	48.5v	0.0v	0.0v	0.0v	45.3v	0.0v	384.34v
185 Mr TA Chapman	O	72.5v	73.8v	49.6v	49.4v	48.5v	49.3v	0.0v	0.0v	0.0v	44.3v	0.0v	384.34v
186 Mr S Monaghan	O	72.7v	74.10v	48.3v	49.4v	48.7v	49.2v	0.0v	0.0v	0.0v	44.1v	0.0v	384.34v
187 Mr TM Green	X	74.13v	72.4v	47.3v	44.2v	49.6v	49.2v	0.0v	0.0v	0.0v	49.3v	0.0v	384.33v
188 Mr TP Clarke	X	71.4v	72.7v	47.4v	46.4v	50.7v	49.6v	0.0v	0.0v	0.0v	49.1v	0.0v	384.33v
189 Miss JM Rankin	A	71.7v	72.5v	49.4v	47.4v	48.3v	49.6v	0.0v	0.0v	0.0v	48.4v	0.0v	384.33v
190 Mr BL Thomson	A	71.7v	71.4v	50.7v	48.5v	50.5v	47.1v	0.0v	0.0v	0.0v	47.4v	0.0v	384.33v
191 Mr R de V Chase	A	71.6v	75.8v	48.5v	48.4v	50.4v	45.3v	0.0v	0.0v	0.0v	47.3v	0.0v	384.33v
192 Mr AIB Brown	O	69.3v	73.5v	49.8v	46.2v	50.5v	50.8v	0.0v	0.0v	0.0v	47.2v	0.0v	384.33v
193 Mr JC Holdsworth	O	71.5v	72.7v	48.2v	50.5v	50.6v	49.7v	0.0v	0.0v	0.0v	44.1v	0.0v	384.33v
194 Mr WCP Richards	X	75.8v	72.7v	48.4v	50.3v	50.6v	48.4v	0.0v	0.0v	0.0v	41.1v	0.0v	384.33v
195 Mr J Dunn	O	72.5v	73.8v	49.3v	48.4v	45.2v	49.4v	0.0v	0.0v	0.0v	48.4v	0.0v	384.30v
196 Mr D Davies	X	71.6v	73.7v	49.5v	49.4v	48.2v	49.5v	0.0v	0.0v	0.0v	45.1v	0.0v	384.30v
197 Mr EBD Reis	A	72.7v	71.5v	50.6v	49.3v	49.3v	45.2v	0.0v	0.0v	0.0v	48.2v	0.0v	384.28v
198 Dr MW Wrigley	O	74.6v	74.5v	48.3v	46.4v	48.2v	47.5v	0.0v	0.0v	0.0v	47.1v	0.0v	384.26v
199 Mr DA Taylor	A	73.3v	73.5v	49.4v	47.3v	47.2v	48.4v	0.0v	0.0v	0.0v	47.4v	0.0v	384.25v
200 Mr PG Kent	X	75.12v	73.10v	46.5v	48.4v	49.6v	48.7v	0.0v	0.0v	0.0v	44.2v	0.0v	383.46v