

**NRA 137th Imperial Meeting**  
**Grand Aggregate (as at Tuesday, 18th July 2006)**

		DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	Corp	POW	Total	
1	Mr P Patel	X	75.12v	74.7v	50.8v	49.6v	50.8v	49.6v	0.0v	75.14v	0.0v	48.6v	0.0v	470.67v
2	Mr CJ Morton	X	71.7v	74.5v	49.7v	50.8v	50.9v	50.7v	0.0v	75.12v	0.0v	50.4v	0.0v	469.59v
3	Mr R Stewart	X	74.10v	74.11v	50.4v	50.8v	48.5v	50.7v	0.0v	75.9v	0.0v	48.5v	0.0v	469.59v
4	Mr P Vamplew	X	73.7v	75.13v	50.8v	48.3v	50.8v	50.5v	0.0v	74.9v	0.0v	49.3v	0.0v	469.56v
5	Mr ITG Shaw	X	75.8v	73.8v	50.6v	48.7v	50.5v	50.7v	0.0v	75.10v	0.0v	48.5v	0.0v	469.56v
6	Mr JD Warburton	X	74.6v	74.9v	50.5v	49.3v	50.8v	48.5v	0.0v	74.11v	0.0v	50.8v	0.0v	469.55v
7	Mr S Young	O	74.10v	75.5v	50.5v	48.6v	50.4v	49.3v	0.0v	74.10v	0.0v	49.7v	0.0v	469.50v
8	Dr JDS Langley	X	74.8v	75.7v	48.3v	49.5v	50.6v	50.5v	0.0v	74.8v	0.0v	49.4v	0.0v	469.46v
9	Mr D Luckman	X	73.10v	74.13v	50.7v	50.7v	50.8v	50.6v	0.0v	75.13v	0.0v	46.4v	0.0v	468.68v
10	Mr PAE Charlton	X	71.7v	75.11v	50.8v	49.3v	50.8v	49.6v	0.0v	74.7v	0.0v	50.8v	0.0v	468.58v
11	Mr I Davison	X	74.8v	75.11v	48.3v	49.6v	50.7v	49.3v	0.0v	75.10v	0.0v	48.5v	0.0v	468.53v
12	Mr DP Calvert	X	74.10v	74.11v	47.5v	50.6v	50.8v	48.6v	0.0v	75.13v	0.0v	49.3v	0.0v	467.62v
13	Mr JC Underwood	X	73.10v	75.7v	49.8v	48.7v	50.7v	49.5v	0.0v	74.11v	0.0v	49.5v	0.0v	467.60v
14	Mr TJD Raincock	X	74.9v	74.12v	50.6v	50.8v	50.9v	50.4v	0.0v	73.9v	0.0v	46.3v	0.0v	467.60v
15	Mr C Fitzpatrick	X	75.12v	71.7v	50.7v	47.3v	50.8v	50.4v	0.0v	74.10v	0.0v	50.8v	0.0v	467.59v
16	Mr J Pugsley	X	72.5v	75.9v	49.6v	49.4v	49.8v	49.6v	0.0v	75.13v	0.0v	49.6v	0.0v	467.57v
17	Kamaruddin Mat Noh	X	74.8v	74.7v	48.6v	50.3v	49.5v	48.8v	0.0v	74.11v	0.0v	50.4v	0.0v	467.52v
18	Mr MR Woolger	A	75.12v	74.9v	50.8v	48.7v	49.6v	48.5v	0.0v	74.9v	0.0v	48.4v	0.0v	466.60v
19	Mr T Rylands	X	73.5v	74.9v	50.9v	49.5v	50.7v	50.10v	0.0v	73.9v	0.0v	47.3v	0.0v	466.57v
20	Rozli Mohamad	X	74.11v	74.9v	50.5v	49.8v	49.7v	48.3v	0.0v	73.7v	0.0v	49.4v	0.0v	466.54v
21	Mr KR Trowbridge	X	74.10v	71.3v	49.6v	49.6v	49.4v	49.6v	0.0v	75.10v	0.0v	50.4v	0.0v	466.49v
22	Mr DGM Coleman	X	74.9v	73.7v	50.7v	47.3v	50.5v	50.7v	0.0v	74.7v	0.0v	48.4v	0.0v	466.49v
23	Hamdan Rahmat	X	74.6v	74.7v	49.5v	47.3v	49.7v	48.6v	0.0v	75.7v	0.0v	50.4v	0.0v	466.45v
24	Mr CN Tremlett	X	74.8v	73.8v	50.7v	49.6v	50.7v	49.6v	0.0v	74.11v	0.0v	46.2v	0.0v	465.55v
25	Miss M Boston	X	74.8v	73.7v	49.3v	50.5v	50.8v	50.8v	0.0v	75.11v	0.0v	44.4v	0.0v	465.54v
26	Mr A Powell	X	71.6v	74.11v	50.8v	50.5v	49.4v	50.5v	0.0v	72.10v	0.0v	49.4v	0.0v	465.53v
27	Mr RA Benest	X	75.8v	73.8v	50.7v	49.4v	50.5v	48.4v	0.0v	75.10v	0.0v	45.2v	0.0v	465.48v
28	Mr JA Watson	X	75.10v	73.8v	48.4v	48.3v	50.9v	48.7v	0.0v	73.9v	0.0v	49.7v	0.0v	464.57v
29	Mr AJ Luckman	X	73.9v	73.9v	50.7v	49.4v	50.8v	47.5v	0.0v	74.11v	0.0v	48.3v	0.0v	464.56v
30	Zulkeflee Hamsan	X	75.8v	72.10v	49.6v	50.5v	50.9v	48.6v	0.0v	74.9v	0.0v	46.3v	0.0v	464.56v
31	WO MW Silver	A	75.11v	73.10v	49.4v	50.3v	48.7v	49.5v	0.0v	72.9v	0.0v	48.6v	0.0v	464.55v
32	Mr ML Millar	X	73.8v	73.8v	49.8v	48.4v	50.7v	48.4v	0.0v	75.11v	0.0v	48.5v	0.0v	464.55v
33	Mr A McCullough	X	74.9v	73.9v	50.6v	50.5v	49.8v	49.4v	0.0v	74.12v	0.0v	45.2v	0.0v	464.55v
34	Mr C Mallett	X	75.11v	73.8v	49.4v	48.6v	48.7v	48.5v	0.0v	74.8v	0.0v	49.4v	0.0v	464.53v
35	Mr RW Sandlant	X	74.11v	73.10v	49.6v	48.1v	49.6v	48.3v	0.0v	74.11v	0.0v	49.3v	0.0v	464.51v
36	Flt Lt IW Robertson	A	74.8v	73.10v	50.7v	48.5v	50.6v	49.4v	0.0v	72.6v	0.0v	48.5v	0.0v	464.51v
37	Mr GA Cann	X	72.8v	73.10v	49.6v	48.5v	49.4v	49.7v	0.0v	75.7v	0.0v	49.2v	0.0v	464.49v
38	Mr S Murray	X	74.9v	74.8v	50.3v	48.5v	50.6v	48.3v	0.0v	74.12v	0.0v	46.3v	0.0v	464.49v
39	Capt J Cload	X	72.6v	75.9v	50.9v	47.6v	49.8v	48.6v	0.0v	75.13v	0.0v	47.4v	0.0v	463.61v
40	Mr JM Holmes	X	74.12v	74.9v	49.6v	47.4v	50.10v	49.4v	0.0v	75.10v	0.0v	45.2v	0.0v	463.57v
41	Mr JMA Thompson	X	71.9v	75.10v	50.7v	47.2v	50.9v	49.5v	0.0v	72.5v	0.0v	49.7v	0.0v	463.54v
42	Mr JS Collings	X	71.7v	73.8v	49.6v	49.7v	47.5v	50.7v	0.0v	75.10v	0.0v	49.3v	0.0v	463.53v
43	Mr TLW Kidner	X	74.12v	73.6v	46.3v	50.6v	49.8v	49.6v	0.0v	74.8v	0.0v	48.4v	0.0v	463.53v
44	Mr PB Bromley	X	72.8v	72.10v	49.5v	49.5v	49.5v	50.7v	0.0v	73.8v	0.0v	49.4v	0.0v	463.52v
45	Mr NRJ Brasier	X	73.10v	74.8v	48.4v	48.3v	49.8v	49.5v	0.0v	74.11v	0.0v	48.3v	0.0v	463.52v
46	Miss JK Brekke	O	74.7v	71.4v	49.5v	47.3v	49.6v	49.7v	0.0v	75.11v	0.0v	49.7v	0.0v	463.50v
47	Mr G Gilpin	X	74.8v	72.5v	50.6v	49.4v	49.7v	49.4v	0.0v	74.13v	0.0v	46.3v	0.0v	463.50v
48	Mr PM Jory	X	72.4v	73.8v	50.9v	49.5v	49.5v	48.5v	0.0v	74.6v	0.0v	48.7v	0.0v	463.49v
49	Mr DC Dyson	A	70.6v	75.6v	50.6v	49.5v	49.7v	50.6v	0.0v	75.9v	0.0v	45.4v	0.0v	463.49v
50	Mr TA Ringer	X	75.12v	73.5v	50.7v	50.7v	50.6v	48.5v	0.0v	72.5v	0.0v	45.1v	0.0v	463.48v
51	Mr SJ Cane	X	73.5v	73.9v	49.6v	49.4v	49.7v	47.1v	0.0v	74.7v	0.0v	49.3v	0.0v	463.42v
52	Mr PJ Johnson	A	73.10v	74.14v	50.8v	48.6v	50.4v	45.4v	0.0v	74.7v	0.0v	48.6v	0.0v	462.59v
53	Miss AMG Ogilvie	X	73.7v	75.11v	49.6v	48.6v	50.6v	45.2v	0.0v	74.12v	0.0v	48.5v	0.0v	462.55v
54	Miss KAN Jack	A	71.8v	74.10v	48.5v	48.4v	49.8v	50.6v	0.0v	75.9v	0.0v	47.5v	0.0v	462.55v
55	Dr PD Sykes	X	75.10v	73.8v	48.7v	42.2v	50.7v	49.4v	0.0v	75.10v	0.0v	50.5v	0.0v	462.53v
56	Mr DJ Gass	X	72.11v	73.10v	49.6v	48.3v	49.6v	49.7v	0.0v	73.6v	0.0v	49.4v	0.0v	462.53v
57	Mr LM Peden	X	74.10v	73.9v	49.7v	48.4v	49.5v	49.5v	0.0v	73.7v	0.0v	47.6v	0.0v	462.53v
58	Flt Lt NP Moxon	X	74.10v	73.8v	50.7v	47.2v	49.5v	49.6v	0.0v	72.6v	0.0v	48.7v	0.0v	462.51v

59 Mr JGM Webster	X	75.8v	74.10v	49.5v	47.5v	48.5v	49.6v	0.0v	73.8v	0.0v	47.3v	0.0v	462.50v
60 Mr JWE Lewis	X	72.7v	73.6v	49.6v	49.5v	50.6v	47.6v	0.0v	72.8v	0.0v	50.5v	0.0v	462.49v
61 Mr E Gauvin	X	75.10v	74.8v	50.7v	45.1v	47.5v	47.6v	0.0v	74.8v	0.0v	50.4v	0.0v	462.49v
62 Mr GE Morris	X	73.5v	73.8v	49.6v	48.7v	48.5v	48.3v	0.0v	74.9v	0.0v	49.6v	0.0v	462.49v
63 Mr NC Mace	X	75.6v	73.12v	48.5v	48.4v	49.5v	49.5v	0.0v	74.9v	0.0v	46.2v	0.0v	462.48v
64 Mr PJR Holden	X	72.11v	72.4v	49.2v	46.4v	49.5v	50.6v	0.0v	74.9v	0.0v	50.5v	0.0v	462.46v
65 Mr B Bowden	X	73.6v	75.11v	49.6v	48.4v	49.5v	48.3v	0.0v	74.10v	0.0v	46.1v	0.0v	462.46v
66 Lt Col CCC Cheshire	X	71.6v	73.8v	50.6v	47.2v	49.5v	50.4v	0.0v	73.7v	0.0v	49.6v	0.0v	462.44v
67 Mr MH Shaw	X	71.5v	72.7v	50.7v	46.4v	50.7v	49.2v	0.0v	75.7v	0.0v	49.3v	0.0v	462.42v
68 Mr WJ Rowland	A	74.7v	74.7v	48.4v	47.3v	49.6v	49.4v	0.0v	72.5v	0.0v	49.4v	0.0v	462.40v
69 Cdt N Poirier	O	73.7v	74.9v	49.4v	47.1v	49.4v	49.3v	0.0v	73.5v	0.0v	48.4v	0.0v	462.37v
70 Mr TL Bedwell	A	73.11v	74.8v	49.8v	49.7v	49.7v	50.5v	0.0v	71.6v	0.0v	46.5v	0.0v	461.57v
71 Mr D Le Quesne	X	73.10v	75.12v	49.6v	48.6v	48.5v	47.5v	0.0v	75.8v	0.0v	46.1v	0.0v	461.53v
72 Mr JEM Bellringer	X	71.8v	73.9v	49.5v	48.4v	49.7v	49.6v	0.0v	73.7v	0.0v	49.5v	0.0v	461.51v
73 Mr A Marion	X	73.9v	75.12v	49.7v	45.0v	50.6v	47.4v	0.0v	74.8v	0.0v	48.4v	0.0v	461.50v
74 Mr P Bain	A	75.11v	75.10v	49.5v	45.1v	49.7v	47.3v	0.0v	75.10v	0.0v	46.3v	0.0v	461.50v
75 Mr SJ East	X	73.5v	73.10v	47.4v	49.5v	50.5v	50.8v	0.0v	71.8v	0.0v	48.4v	0.0v	461.49v
76 Mr P Lucey	O	73.7v	72.6v	50.6v	48.3v	49.5v	48.4v	0.0v	74.13v	0.0v	47.5v	0.0v	461.49v
77 Mr AK Henderson	X	73.10v	73.8v	49.6v	47.2v	50.6v	48.4v	0.0v	73.6v	0.0v	48.5v	0.0v	461.47v
78 Mr J Haward	X	74.12v	72.7v	49.3v	45.4v	49.6v	49.6v	0.0v	74.5v	0.0v	49.3v	0.0v	461.46v
79 Mr NJ Leaper	O	72.8v	73.6v	49.3v	50.7v	49.5v	49.3v	0.0v	73.10v	0.0v	46.3v	0.0v	461.45v
80 Cdt Sgt HA Foster	O	71.8v	75.8v	49.5v	50.6v	49.4v	46.1v	0.0v	74.10v	0.0v	47.2v	0.0v	461.44v
81 Mr AJ Nowacki	O	72.8v	74.5v	48.3v	49.4v	49.9v	47.5v	0.0v	73.7v	0.0v	49.2v	0.0v	461.43v
82 Mr RJR Mott	A	68.5v	75.5v	50.8v	50.6v	50.4v	48.4v	0.0v	72.6v	0.0v	48.5v	0.0v	461.43v
83 Mr HRT Jeens	X	71.7v	73.10v	50.2v	47.2v	49.5v	50.6v	0.0v	74.7v	0.0v	47.4v	0.0v	461.43v
84 Miss GC O'Leary	A	73.6v	74.11v	49.6v	47.3v	50.3v	49.5v	0.0v	72.5v	0.0v	47.3v	0.0v	461.42v
85 Mr D Rose	O	70.6v	72.9v	49.5v	49.5v	49.6v	50.8v	0.0v	73.9v	0.0v	48.7v	0.0v	460.55v
86 Mr ANR Walker	A	71.10v	71.7v	49.4v	49.9v	49.7v	49.6v	0.0v	74.10v	0.0v	48.2v	0.0v	460.55v
87 Miss S-J Binder	A	74.8v	69.4v	49.6v	48.4v	50.8v	49.6v	0.0v	73.11v	0.0v	48.3v	0.0v	460.50v
88 Mr S Belither	X	72.7v	74.9v	50.9v	47.1v	50.8v	46.3v	0.0v	74.10v	0.0v	47.3v	0.0v	460.50v
89 Mr SE Frost	X	71.9v	71.7v	50.3v	46.3v	50.9v	50.6v	0.0v	75.10v	0.0v	47.3v	0.0v	460.50v
90 Mr RJ McQuillan	X	74.9v	74.11v	47.5v	48.2v	50.7v	47.3v	0.0v	74.8v	0.0v	46.5v	0.0v	460.50v
91 Mr R Booth	X	74.10v	73.7v	48.4v	45.3v	50.8v	49.5v	0.0v	75.10v	0.0v	46.3v	0.0v	460.50v
92 Mr RJS Curtis	A	73.7v	71.7v	50.5v	45.5v	50.6v	49.5v	0.0v	74.9v	0.0v	48.5v	0.0v	460.49v
93 Ms BM Moore	O	72.10v	75.8v	46.3v	47.3v	50.7v	48.3v	0.0v	75.12v	0.0v	47.3v	0.0v	460.49v
94 Maj AR McLeod	X	69.5v	74.10v	50.3v	46.3v	50.9v	48.4v	0.0v	75.9v	0.0v	48.4v	0.0v	460.47v
95 Dr RA Mullin	X	75.7v	72.6v	48.6v	45.2v	50.6v	49.7v	0.0v	74.9v	0.0v	47.4v	0.0v	460.47v
96 Mr AC Thomson	X	73.7v	72.8v	48.3v	49.4v	50.6v	47.4v	0.0v	75.10v	0.0v	46.4v	0.0v	460.46v
97 Mr ERT Jeens	X	71.5v	74.9v	49.4v	50.4v	50.6v	48.4v	0.0v	73.10v	0.0v	45.4v	0.0v	460.46v
98 Mrs MM Norman	X	72.7v	74.6v	47.6v	48.3v	50.4v	50.5v	0.0v	73.10v	0.0v	46.2v	0.0v	460.43v
99 Mr JR Tuck	X	75.13v	72.5v	49.1v	47.5v	50.7v	44.3v	0.0v	74.2v	0.0v	49.6v	0.0v	460.42v
100 Mr RCQ Martin	O	71.3v	73.9v	49.7v	48.2v	50.6v	47.4v	0.0v	74.7v	0.0v	48.4v	0.0v	460.42v
101 Zainal Abidin Md Zain	X	72.6v	74.6v	50.4v	46.2v	50.7v	48.2v	0.0v	73.9v	0.0v	47.5v	0.0v	460.41v
102 Mr RA Dyball	O	73.4v	73.8v	50.4v	47.3v	47.6v	49.3v	0.0v	73.7v	0.0v	48.3v	0.0v	460.38v
103 Mr RA Welford	A	73.5v	72.8v	48.2v	46.2v	48.3v	49.5v	0.0v	75.11v	0.0v	49.1v	0.0v	460.37v
104 Azemi Othman	X	71.5v	74.9v	48.5v	49.7v	49.7v	47.6v	0.0v	72.9v	0.0v	49.6v	0.0v	459.54v
105 Mr DC Crispin	A	72.7v	74.13v	47.4v	47.4v	49.4v	50.8v	0.0v	73.11v	0.0v	47.3v	0.0v	459.54v
106 Mr E Compton	A	74.10v	73.8v	49.6v	49.7v	49.5v	48.4v	0.0v	72.11v	0.0v	45.3v	0.0v	459.54v
107 Mr JCB Peachey	X	74.9v	72.8v	48.4v	49.7v	49.7v	48.5v	0.0v	75.13v	0.0v	44.1v	0.0v	459.54v
108 Dr JS Rennie	A	72.8v	73.9v	49.8v	47.3v	50.7v	48.5v	0.0v	71.7v	0.0v	49.6v	0.0v	459.53v
109 Mr P Westlake	X	75.10v	74.8v	49.7v	45.4v	47.3v	49.7v	0.0v	73.9v	0.0v	47.3v	0.0v	459.51v
110 Mr N Ball	X	74.7v	72.7v	50.7v	44.3v	49.6v	49.8v	0.0v	74.10v	0.0v	47.3v	0.0v	459.51v
111 Mr RCT Jeens	X	72.8v	73.9v	49.4v	49.5v	50.9v	50.5v	0.0v	70.5v	0.0v	46.6v	0.0v	459.51v
112 Miss SV Kent	X	73.9v	72.8v	49.5v	49.5v	48.7v	49.6v	0.0v	73.8v	0.0v	46.3v	0.0v	459.51v
113 Colonel, The Rev D Cooper	X	73.9v	73.10v	50.5v	43.3v	49.5v	50.6v	0.0v	75.10v	0.0v	46.3v	0.0v	459.51v
114 Mr SMC Wilson	O	72.8v	74.10v	49.4v	47.4v	48.5v	46.3v	0.0v	74.11v	0.0v	49.5v	0.0v	459.50v
115 Mr DR Armstrong	X	72.9v	74.7v	48.6v	50.6v	48.4v	49.5v	0.0v	75.8v	0.0v	43.4v	0.0v	459.49v
116 Dr JR Deane	A	73.11v	74.8v	49.4v	47.3v	49.3v	47.3v	0.0v	71.9v	0.0v	49.7v	0.0v	459.48v
117 Mr SD Shouler	O	72.10v	73.9v	50.6v	44.1v	50.7v	46.4v	0.0v	74.6v	0.0v	50.4v	0.0v	459.47v
118 Mr MR Cosway	A	72.6v	72.9v	49.5v	48.3v	50.6v	49.4v	0.0v	74.11v	0.0v	45.3v	0.0v	459.47v
119 Mr WA Langley	X	72.7v	71.4v	48.7v	47.4v	50.7v	50.6v	0.0v	74.9v	0.0v	47.2v	0.0v	459.46v
120 Professor AR Horrocks	A	75.11v	72.5v	48.5v	47.3v	49.3v	48.5v	0.0v	74.10v	0.0v	46.3v	0.0v	459.45v
121 EurIng CA Painting	X	72.6v	71.5v	50.6v	50.5v	48.5v	48.3v	0.0v	73.8v	0.0v	47.5v	0.0v	459.43v
122 Mr DL Wiles	O	71.5v	75.12v	50.2v	50.7v	48.3v	47.3v	0.0v	73.5v	0.0v	45.5v	0.0v	459.42v
123 Mr IJ Donaldson	X	74.6v	74.11v	48.3v	46.1v	50.4v	48.4v	0.0v	74.10v	0.0v	45.3v	0.0v	459.42v
124 Mr MCJ Button	A	72.8v	72.6v	49.3v	48.3v	49.6v	48.5v	0.0v	74.7v	0.0v	47.3v	0.0v	459.41v
125 Mr JJ Norman	X	75.5v	72.6v	48.4v	49.7v	48.4v	47.3v	0.0v	73.8v	0.0v	47.3v	0.0v	459.40v
126 Mr PS Gray	A	74.8v	74.6v	47.4v	47.3v	50.4v	47.4v	0.0v	74.7v	0.0v	46.4v	0.0v	459.40v
127 Mr BJ Page	X	70.4v	74.6v	49.4v	49.5v	48.5v	49.4v	0.0v	74.10v	0.0v	46.2v	0.0v	459.40v
128 Miss DS Hume	X	72.7v	74.7v	50.5v	46.2v	49.6v	48.4v	0.0v	74.7v	0.0v	46.2v	0.0v	459.40v
129 Mr TM Green	X	74.13v	72.4v	47.3v	44.2v	49.6v	49.2v	0.0v	75.5v	0.0v	49.3v	0.0v	459.38v
130 Mr J Dunn	O	72.5v	73.8v	49.3v	48.4v	45.2v	49.4v	0.0v	75.8v	0.0v	48.4v	0.0v	459.38v
131 Mr RSF Shouler	A	73.10v	72.8v	48.7v	49.8v	50.8v	49.5v	0.0v	73.10v	0.0v	44.2v	0.0v	458.58v
132 Mr AJ Woodward	X	73.8v	71.10v	49.7v	50.7v	49.9v	47.1v	0.0v	74.8v	0.0v	45.4v	0.0v	458.54v
133 Major AG McLean	X	73.8v	73.10v	47.5v	47.4v	50.7v	50.7v	0.0v	74.9v	0.0v	44.4v	0.0v	458.54v
134 Mr M Wong Shui	X	65.5v	74.7v	49.6v	49.6v	49.4v	50.8v	0.0v	75.14v	0.0v	47.3v	0.0v	458.53v
135 Mr A Wilde	A	73.10v	74.11v	50.4v	48.4v	48.6v	50.5v	0.0v	73.12v	0.0v	42.1v	0.0v	458.53v

136 Mr K Ramsey	X	73.7v	74.12v	49.6v	49.5v	48.5v	48.5v	0.0v	74.10v	0.0v	43.2v	0.0v	458.52v
137 Mr JAM Paton	X	74.8v	71.3v	50.9v	47.4v	50.9v	46.2v	0.0v	73.11v	0.0v	47.4v	0.0v	458.50v
138 Mr MJ O'Leary	X	72.10v	71.5v	49.7v	47.3v	50.9v	48.4v	0.0v	72.6v	0.0v	49.5v	0.0v	458.49v
139 Mr MWT Walton	X	71.5v	73.10v	48.3v	49.7v	49.7v	49.4v	0.0v	74.9v	0.0v	45.4v	0.0v	458.49v
140 Mr N Healy	T	73.9v	74.4v	50.6v	45.5v	49.8v	48.5v	0.0v	74.12v	0.0v	45.0v	0.0v	458.49v
141 Mr S Cleveland	A	72.8v	75.10v	50.7v	46.3v	49.6v	46.1v	0.0v	72.8v	0.0v	48.5v	0.0v	458.48v
142 Mr AIB Brown	O	69.3v	73.5v	49.8v	46.2v	50.5v	50.8v	0.0v	74.14v	0.0v	47.2v	0.0v	458.47v
143 Cdt JD Cromarty	O	73.6v	74.12v	49.4v	48.4v	50.6v	50.7v	0.0v	74.7v	0.0v	40.1v	0.0v	458.47v
144 Mr PD Griggs	X	75.7v	73.9v	48.5v	49.6v	47.4v	45.3v	0.0v	74.8v	0.0v	47.4v	0.0v	458.46v
145 Mr TP Clarke	X	71.4v	72.7v	47.4v	46.4v	50.7v	49.6v	0.0v	74.12v	0.0v	49.1v	0.0v	458.45v
146 Mr GW Robinson	X	71.7v	74.8v	49.5v	48.4v	49.3v	49.4v	0.0v	70.7v	0.0v	48.5v	0.0v	458.43v
147 Mr ER Welford	A	68.3v	74.4v	49.4v	48.5v	49.6v	49.6v	0.0v	72.6v	0.0v	49.7v	0.0v	458.41v
148 Mr DG Young	X	71.9v	72.4v	49.4v	46.3v	48.3v	50.7v	0.0v	75.8v	0.0v	47.3v	0.0v	458.41v
149 Mr AC Speirs	X	74.10v	74.8v	48.4v	47.2v	49.1v	47.6v	0.0v	74.6v	0.0v	45.4v	0.0v	458.41v
150 Mrs LJ Brister	A	72.6v	72.5v	48.3v	49.4v	50.8v	49.3v	0.0v	73.7v	0.0v	45.4v	0.0v	458.40v
151 Mr D Davies	X	71.6v	73.7v	49.5v	49.4v	48.2v	49.5v	0.0v	74.10v	0.0v	45.1v	0.0v	458.40v
152 Mr WCP Richards	X	75.8v	72.7v	48.4v	50.3v	50.6v	48.4v	0.0v	74.7v	0.0v	41.1v	0.0v	458.40v
153 Mr GK Alexander	A	70.5v	73.6v	48.5v	48.5v	50.4v	49.3v	0.0v	72.6v	0.0v	48.5v	0.0v	458.39v
154 Mr CA White	O	71.7v	73.7v	50.6v	48.4v	50.7v	49.2v	0.0v	69.3v	0.0v	48.3v	0.0v	458.39v
155 Mr PG Kent	X	75.12v	73.10v	46.5v	48.4v	49.6v	48.7v	0.0v	74.14v	0.0v	44.2v	0.0v	457.60v
156 Mr JA Bullock	X	74.11v	71.7v	48.5v	49.4v	50.5v	50.7v	0.0v	68.7v	0.0v	47.4v	0.0v	457.50v
157 Mr WDH Burden	O	74.10v	70.6v	48.7v	49.5v	47.3v	50.7v	0.0v	72.9v	0.0v	47.3v	0.0v	457.50v
158 Mr T Hunter	X	71.7v	74.11v	50.5v	48.5v	50.8v	50.5v	0.0v	72.7v	0.0v	42.2v	0.0v	457.50v
159 Mr JP Barry	X	72.7v	70.4v	50.6v	49.7v	48.6v	50.6v	0.0v	73.10v	0.0v	45.3v	0.0v	457.49v
160 Mr J Anderson	X	71.8v	73.4v	49.5v	49.5v	49.5v	50.7v	0.0v	73.11v	0.0v	43.4v	0.0v	457.49v
161 Mr PRD Stock	X	73.9v	72.8v	49.8v	47.2v	49.4v	46.4v	0.0v	72.8v	0.0v	49.5v	0.0v	457.48v
162 Mr DA Chorlton	O	71.4v	71.9v	48.6v	48.5v	47.5v	50.8v	0.0v	75.7v	0.0v	47.4v	0.0v	457.48v
163 Mr RM Hatcher	X	73.7v	74.9v	50.7v	48.6v	48.6v	47.4v	0.0v	73.7v	0.0v	44.2v	0.0v	457.48v
164 Cdt HC Ball	T	72.5v	72.7v	49.6v	47.5v	49.4v	48.6v	0.0v	73.10v	0.0v	47.4v	0.0v	457.47v
165 Mr A Chown	X	74.6v	71.7v	49.6v	47.4v	49.6v	48.3v	0.0v	74.11v	0.0v	45.4v	0.0v	457.47v
166 Dr AJ Pilgrim	X	70.5v	73.7v	48.4v	50.7v	49.7v	50.6v	0.0v	74.11v	0.0v	43.0v	0.0v	457.47v
167 Mr F Mohideen	A	75.6v	73.4v	48.5v	48.5v	49.7v	45.4v	0.0v	70.10v	0.0v	49.5v	0.0v	457.46v
168 Mr N Cole-Hawkins	O	73.7v	75.13v	47.3v	43.2v	48.4v	49.3v	0.0v	73.10v	0.0v	49.4v	0.0v	457.46v
169 Mr SM Friling	A	72.6v	73.7v	47.6v	47.2v	49.8v	47.4v	0.0v	73.10v	0.0v	49.3v	0.0v	457.46v
170 Mr J Payne	O	72.7v	74.8v	48.4v	48.6v	49.9v	47.4v	0.0v	74.5v	0.0v	45.3v	0.0v	457.46v
171 Mr AA Williams	O	69.6v	72.7v	48.8v	45.4v	49.6v	50.4v	0.0v	75.7v	0.0v	49.3v	0.0v	457.45v
172 Sqn Ldr RJSG Clark	A	74.6v	72.8v	45.2v	46.1v	49.5v	49.8v	0.0v	74.9v	0.0v	48.5v	0.0v	457.44v
173 Cdt AM Clark	O	70.7v	71.6v	49.4v	46.5v	49.6v	50.6v	0.0v	74.6v	0.0v	48.4v	0.0v	457.44v
174 Mr DJ Painting	O	70.5v	73.8v	49.5v	48.3v	48.6v	47.4v	0.0v	74.10v	0.0v	48.3v	0.0v	457.44v
175 Mr BE Bullard	O	73.7v	73.4v	45.3v	48.3v	49.8v	49.5v	0.0v	73.10v	0.0v	47.4v	0.0v	457.44v
176 Dr AF Aspin	O	73.5v	74.7v	49.5v	46.5v	49.4v	50.5v	0.0v	70.9v	0.0v	46.4v	0.0v	457.44v
177 Mr PBM Smith	A	74.4v	71.6v	49.8v	46.2v	50.7v	47.6v	0.0v	74.9v	0.0v	46.2v	0.0v	457.44v
178 Cdt CMJ Redburn	O	75.6v	72.7v	50.7v	46.5v	49.4v	48.6v	0.0v	72.7v	0.0v	45.2v	0.0v	457.44v
179 Mr D Lowe	A	72.7v	72.5v	50.6v	49.5v	48.5v	44.3v	0.0v	74.6v	0.0v	48.5v	0.0v	457.42v
180 Mr APH Hoyle	A	67.2v	74.8v	50.3v	48.5v	50.9v	47.5v	0.0v	74.7v	0.0v	47.3v	0.0v	457.42v
181 Cdt WD Owen	O	71.5v	73.8v	49.7v	45.4v	47.1v	50.6v	0.0v	75.9v	0.0v	47.2v	0.0v	457.42v
182 Mr NW Penn	A	72.6v	74.8v	50.5v	48.4v	47.3v	48.5v	0.0v	73.8v	0.0v	45.3v	0.0v	457.42v
183 Mr JC Holdsworth	O	71.5v	72.7v	48.2v	50.5v	50.6v	49.7v	0.0v	73.9v	0.0v	44.1v	0.0v	457.42v
184 Shahfame Ramly	X	71.6v	72.6v	50.2v	44.2v	48.7v	50.7v	0.0v	74.7v	0.0v	48.4v	0.0v	457.41v
185 Cdt JWE Lothian	T	71.4v	73.6v	49.7v	49.3v	49.3v	47.5v	0.0v	74.11v	0.0v	45.2v	0.0v	457.41v
186 Mrs JE Hausler	X	71.7v	73.6v	50.5v	45.1v	50.7v	47.0v	0.0v	74.11v	0.0v	47.3v	0.0v	457.40v
187 Mr CC Mallett Jnr	X	72.7v	74.7v	50.6v	45.1v	49.5v	49.5v	0.0v	71.7v	0.0v	47.2v	0.0v	457.40v
188 Miss CJ Aldridge	O	75.4v	73.10v	48.5v	49.5v	46.4v	48.4v	0.0v	73.5v	0.0v	45.3v	0.0v	457.40v
189 Lt Col CR Claridge	A	74.4v	73.6v	50.7v	47.4v	47.6v	49.2v	0.0v	70.7v	0.0v	47.3v	0.0v	457.39v
190 Mr J Sweet	X	74.7v	74.5v	47.4v	48.3v	47.3v	48.6v	0.0v	74.8v	0.0v	45.1v	0.0v	457.37v
191 Dr MW Wrigley	O	74.6v	74.5v	48.3v	46.4v	48.2v	47.5v	0.0v	73.9v	0.0v	47.1v	0.0v	457.35v
192 Mr DA Taylor	A	73.3v	73.5v	49.4v	47.3v	47.2v	48.4v	0.0v	73.8v	0.0v	47.4v	0.0v	457.33v
193 Cdt DE Nuthall	O	73.11v	72.9v	49.7v	48.4v	50.7v	48.7v	0.0v	75.11v	0.0v	41.1v	0.0v	456.57v
194 Mr MC Parker	X	72.9v	72.9v	50.8v	48.5v	48.6v	48.4v	0.0v	73.11v	0.0v	45.3v	0.0v	456.55v
195 Mr GS Cotton	X	71.6v	75.10v	49.7v	48.7v	49.5v	46.6v	0.0v	73.10v	0.0v	45.3v	0.0v	456.54v
196 Mr JM Taylor	A	70.6v	71.7v	49.7v	44.2v	50.7v	49.7v	0.0v	75.13v	0.0v	48.4v	0.0v	456.53v
197 Mr RM Roberts	A	75.11v	72.8v	47.5v	48.5v	50.8v	47.4v	0.0v	72.10v	0.0v	45.2v	0.0v	456.53v
198 Mr MJ Brister	X	71.8v	74.9v	49.6v	47.3v	49.8v	48.5v	0.0v	72.8v	0.0v	46.3v	0.0v	456.50v
199 Mr AP Smith	O	74.4v	73.9v	49.6v	45.4v	48.6v	48.7v	0.0v	74.12v	0.0v	45.2v	0.0v	456.50v
200 Ms HM Griffiths	X	72.6v	73.9v	50.6v	49.6v	49.6v	49.5v	0.0v	70.9v	0.0v	44.3v	0.0v	456.50v