

# NRA 137th Imperial Meeting

## Grand Aggregate (as at Wednesday, 19th July 2006)

		DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	Corp	POW	Total	
1	Mr R Stewart	X	74.10v	74.11v	50.4v	50.8v	48.5v	50.7v	50.6v	75.9v	104.17v	48.5v	0.0v	623.82v
2	Mr JC Underwood	X	73.10v	75.7v	49.8v	48.7v	50.7v	49.5v	50.9v	74.11v	105.16v	49.5v	0.0v	622.85v
3	Mr P Vamplew	X	73.7v	75.13v	50.8v	48.3v	50.8v	50.5v	49.4v	74.9v	104.12v	49.3v	0.0v	622.72v
4	Mr P Patel	X	75.12v	74.7v	50.8v	49.6v	50.8v	49.6v	48.3v	75.14v	103.16v	48.6v	0.0v	621.86v
5	Mr CJ Morton	X	71.7v	74.5v	49.7v	50.8v	50.9v	50.7v	50.7v	75.12v	102.16v	50.4v	0.0v	621.82v
6	Mr DP Calvert	X	74.10v	74.11v	47.5v	50.6v	50.8v	48.6v	49.5v	75.13v	105.13v	49.3v	0.0v	621.80v
7	Mr JD Warburton	X	74.6v	74.9v	50.5v	49.3v	50.8v	48.5v	48.8v	74.11v	104.9v	50.8v	0.0v	621.72v
8	Mr D Luckman	X	73.10v	74.13v	50.7v	50.7v	50.8v	50.6v	49.3v	75.13v	103.13v	46.4v	0.0v	620.84v
9	Mr TJD Raincock	X	74.9v	74.12v	50.6v	50.8v	50.9v	50.4v	49.5v	73.9v	104.16v	46.3v	0.0v	620.81v
10	Mr PAE Charlton	X	71.7v	75.11v	50.8v	49.3v	50.8v	49.6v	48.5v	74.7v	104.14v	50.8v	0.0v	620.77v
11	Mr S Young	O	74.10v	75.5v	50.5v	48.6v	50.4v	49.3v	48.7v	74.10v	103.10v	49.7v	0.0v	620.67v
12	Dr JDS Langley	X	74.8v	75.7v	48.3v	49.5v	50.6v	50.5v	49.5v	74.8v	102.12v	49.4v	0.0v	620.63v
13	Mr ITG Shaw	X	75.8v	73.8v	50.6v	48.7v	49.5v	50.7v	47.5v	75.10v	104.13v	48.5v	0.0v	619.74v
14	Mr DGM Coleman	X	74.9v	73.7v	50.7v	47.3v	50.5v	50.7v	49.5v	74.7v	104.14v	48.4v	0.0v	619.68v
15	Mr NRJ Brasier	X	73.10v	74.8v	48.4v	48.3v	49.8v	49.5v	50.7v	74.11v	105.13v	48.3v	0.0v	618.72v
16	Mr J Pugsley	X	72.5v	75.9v	49.6v	49.4v	49.8v	49.6v	49.4v	75.13v	102.10v	49.6v	0.0v	618.71v
17	Mr TLW Kidner	X	74.12v	73.6v	46.3v	50.6v	49.8v	49.6v	50.6v	74.8v	105.12v	48.4v	0.0v	618.71v
18	WO MW Silver	A	75.11v	73.10v	49.4v	50.3v	48.7v	49.5v	50.5v	72.9v	104.10v	48.6v	0.0v	618.70v
19	Kamaruddin Mat Noh	X	74.8v	74.7v	48.6v	50.3v	49.5v	48.8v	49.5v	74.11v	102.12v	50.4v	0.0v	618.69v
20	Mr C Fitzpatrick	X	75.12v	71.7v	50.7v	47.3v	50.8v	50.4v	48.5v	74.10v	102.9v	50.8v	0.0v	617.73v
21	Mr JMA Thompson	X	71.9v	75.10v	50.7v	47.2v	50.9v	49.5v	50.4v	72.5v	104.13v	49.7v	0.0v	617.71v
22	Mr B Bowden	X	73.6v	75.11v	49.6v	48.4v	49.5v	48.3v	50.8v	74.10v	105.14v	46.1v	0.0v	617.68v
23	Mr RA Benest	X	75.8v	73.8v	50.7v	49.4v	50.5v	48.4v	49.5v	75.10v	103.12v	45.2v	0.0v	617.65v
24	Mr AJ Luckman	X	73.9v	73.9v	50.7v	49.4v	50.8v	47.5v	48.5v	74.11v	104.12v	48.3v	0.0v	616.73v
25	Zulkeflee Hamsan	X	75.8v	72.10v	49.6v	50.5v	50.9v	48.6v	49.5v	74.9v	103.12v	46.3v	0.0v	616.73v
26	Mr T Rylands	X	73.5v	74.9v	50.9v	49.5v	50.7v	50.10v	48.3v	73.9v	102.12v	47.3v	0.0v	616.72v
27	Mr A McCullough	X	74.9v	73.9v	50.6v	50.5v	49.8v	49.4v	49.5v	74.12v	103.11v	45.2v	0.0v	616.71v
28	Mr JGM Webster	X	75.8v	74.10v	49.5v	47.5v	48.5v	49.6v	50.6v	73.8v	104.14v	47.3v	0.0v	616.70v
29	Miss M Boston	X	74.8v	73.7v	49.3v	50.5v	50.8v	50.8v	49.5v	75.11v	102.11v	44.4v	0.0v	616.70v
30	Mr JS Collings	X	71.7v	73.8v	49.6v	49.7v	47.5v	50.7v	50.3v	75.10v	103.13v	49.3v	0.0v	616.69v
31	Mr I Davison	X	74.8v	75.11v	48.3v	49.6v	50.7v	49.3v	48.6v	75.10v	100.10v	48.5v	0.0v	616.69v
32	Mr NC Mace	X	75.6v	73.12v	48.5v	48.4v	49.5v	49.5v	50.6v	74.9v	104.14v	46.2v	0.0v	616.68v
33	Mr S Murray	X	74.9v	74.8v	50.3v	48.5v	50.6v	48.3v	48.4v	74.12v	104.14v	46.3v	0.0v	616.67v
34	Mr PM Jory	X	72.4v	73.8v	50.9v	49.5v	49.5v	48.5v	49.5v	74.6v	104.11v	48.7v	0.0v	616.65v
35	Mr PJR Holden	X	72.11v	72.4v	49.2v	46.4v	49.5v	50.6v	50.6v	74.9v	104.11v	50.5v	0.0v	616.63v
36	Mr G Gilpin	X	74.8v	72.5v	50.6v	49.4v	49.7v	49.4v	50.9v	74.13v	102.12v	46.3v	0.0v	615.71v
37	Mr CN Tremlett	X	74.8v	73.8v	50.7v	49.6v	50.7v	49.6v	49.7v	74.11v	101.8v	46.2v	0.0v	615.70v
38	Mr A Powell	X	71.6v	74.11v	50.8v	50.5v	49.4v	50.5v	47.2v	72.10v	103.13v	49.4v	0.0v	615.68v
39	Mr E Gauvin	X	75.10v	74.8v	50.7v	45.1v	47.5v	47.6v	50.5v	74.8v	103.11v	50.4v	0.0v	615.65v
40	Mr RW Sandlant	X	74.11v	73.10v	49.6v	48.1v	49.6v	48.3v	50.7v	74.11v	101.7v	49.3v	0.0v	615.65v
41	Mr MH Shaw	X	71.5v	72.7v	50.7v	46.4v	50.7v	49.2v	50.8v	75.7v	103.11v	49.3v	0.0v	615.61v
42	Capt J Cload	X	72.6v	75.9v	50.9v	47.6v	49.8v	48.6v	47.4v	75.13v	104.12v	47.4v	0.0v	614.77v
43	Mr JM Holmes	X	74.12v	74.9v	49.6v	47.4v	50.10v	49.4v	50.8v	75.10v	101.11v	45.2v	0.0v	614.76v
44	Mr MR Woolger	A	75.12v	74.9v	50.8v	48.7v	49.6v	48.5v	50.4v	74.9v	98.11v	48.4v	0.0v	614.75v
45	Mr ML Millar	X	73.8v	73.8v	49.8v	48.4v	50.7v	48.4v	47.2v	75.11v	103.16v	48.5v	0.0v	614.73v
46	Mr A Marion	X	73.9v	75.12v	49.7v	45.0v	50.6v	47.4v	49.8v	74.8v	104.13v	48.4v	0.0v	614.71v
47	Mr D Le Quesne	X	73.10v	75.12v	49.6v	48.6v	48.5v	47.5v	50.8v	75.8v	103.8v	46.1v	0.0v	614.69v
48	Mr PB Bromley	X	72.8v	72.10v	49.5v	49.5v	49.5v	50.7v	48.5v	73.8v	103.11v	49.4v	0.0v	614.68v
49	Mr DC Dyson	A	70.6v	75.6v	50.6v	49.5v	49.7v	50.6v	50.6v	75.9v	101.12v	45.4v	0.0v	614.67v
50	Mr GA Cann	X	72.8v	73.10v	49.6v	48.5v	49.4v	49.7v	50.5v	75.7v	100.11v	49.2v	0.0v	614.65v
51	Mr SJ Cane	X	73.5v	73.9v	49.6v	49.4v	49.7v	47.1v	49.6v	74.7v	102.11v	49.3v	0.0v	614.59v
52	Mr TM Green	X	74.13v	72.4v	47.3v	44.2v	49.6v	49.2v	50.7v	75.5v	105.13v	49.3v	0.0v	614.58v
53	Mr N Ball	X	74.7v	72.7v	50.7v	44.3v	49.6v	49.8v	50.9v	74.10v	104.16v	47.3v	0.0v	613.76v
54	Mr DC Crispin	A	72.7v	74.13v	47.4v	47.4v	49.4v	50.8v	50.5v	73.11v	104.15v	47.3v	0.0v	613.74v
55	Dr PD Sykes	X	75.10v	73.8v	48.7v	42.2v	50.7v	49.4v	50.7v	75.10v	101.13v	50.5v	0.0v	613.73v
56	Mr JA Watson	X	75.10v	73.8v	48.4v	48.3v	50.9v	48.7v	50.7v	73.9v	99.9v	49.7v	0.0v	613.73v
57	Miss KAN Jack	A	71.8v	74.10v	48.5v	48.4v	49.8v	50.6v	50.6v	75.9v	101.10v	47.5v	0.0v	613.71v
58	Miss SV Kent	X	73.9v	72.8v	49.5v	49.5v	48.7v	49.6v	50.3v	73.8v	104.15v	46.3v	0.0v	613.69v

59	Mr RJ McQuillan	X	74.9v	74.11v	47.5v	48.2v	50.7v	47.3v	50.6v	74.8v	103.12v	46.5v	0.0v	613.68v
60	Mr DR Armstrong	X	72.9v	74.7v	48.6v	50.6v	48.4v	49.5v	50.7v	75.8v	104.12v	43.4v	0.0v	613.68v
61	Mr SJ East	X	73.5v	73.10v	47.4v	49.5v	50.5v	50.8v	49.4v	71.8v	103.14v	48.4v	0.0v	613.67v
62	Mr C Mallett	X	75.11v	73.8v	49.4v	48.6v	48.7v	48.5v	47.4v	74.8v	102.9v	49.4v	0.0v	613.66v
63	Mr JWE Lewis	X	72.7v	73.6v	49.6v	49.5v	50.6v	47.6v	47.3v	72.8v	104.13v	50.5v	0.0v	613.65v
64	Miss JK Brekke	O	74.7v	71.4v	49.5v	47.3v	49.6v	49.7v	49.4v	75.11v	101.11v	49.7v	0.0v	613.65v
65	Professor AR Horrocks	A	75.11v	72.5v	48.5v	47.3v	49.3v	48.5v	50.5v	74.10v	104.12v	46.3v	0.0v	613.62v
66	Mr PJ Johnson	A	73.10v	74.14v	50.8v	48.6v	50.4v	45.4v	50.9v	74.7v	100.11v	48.6v	0.0v	612.79v
67	Mr E Compton	A	74.10v	73.8v	49.6v	49.7v	49.5v	48.4v	49.6v	72.11v	104.13v	45.3v	0.0v	612.73v
68	Mr ANR Walker	A	71.10v	71.7v	49.4v	49.4v	49.7v	49.6v	49.5v	74.10v	103.11v	48.2v	0.0v	612.71v
69	Rozli Mohamad	X	74.11v	74.9v	50.5v	49.8v	49.7v	48.3v	46.4v	73.7v	100.7v	49.4v	0.0v	612.65v
70	Mr P Bain	A	75.11v	75.10v	49.5v	45.1v	49.7v	47.3v	49.5v	75.10v	102.8v	46.3v	0.0v	612.63v
71	Mr TA Ringer	X	75.12v	73.5v	50.7v	50.7v	50.6v	48.5v	47.2v	72.5v	102.12v	45.1v	0.0v	612.62v
72	Zainal Abidin Md Zain	X	72.6v	74.6v	50.4v	46.2v	50.7v	48.2v	49.6v	73.9v	103.11v	47.5v	0.0v	612.58v
73	Mr HRT Jeens	X	71.7v	73.10v	50.2v	47.2v	49.5v	50.6v	47.2v	74.7v	104.13v	47.4v	0.0v	612.58v
74	Mr JR Tuck	X	75.13v	72.5v	49.1v	47.5v	50.7v	44.3v	48.3v	74.2v	104.11v	49.6v	0.0v	612.56v
75	Mr WJ Rowland	A	74.7v	74.7v	48.4v	47.3v	49.6v	49.4v	47.4v	72.5v	103.12v	49.4v	0.0v	612.56v
76	Cdt DE Nuthall	O	73.11v	72.9v	49.7v	48.4v	50.7v	48.7v	50.7v	75.11v	105.10v	41.1v	0.0v	611.74v
77	Mr RCT Jeens	X	72.8v	73.9v	49.4v	49.5v	50.9v	50.5v	48.6v	70.5v	104.14v	46.6v	0.0v	611.71v
78	Mr DJ Gass	X	72.11v	73.10v	49.6v	48.3v	49.6v	49.7v	50.4v	73.6v	99.11v	49.4v	0.0v	611.68v
79	Mr MCJ Button	A	72.8v	72.6v	49.3v	48.3v	49.6v	48.5v	50.6v	74.7v	102.10v	47.3v	0.0v	611.57v
80	Mr GK Alexander	A	70.5v	73.6v	48.5v	48.5v	50.4v	49.3v	50.4v	72.6v	103.11v	48.5v	0.0v	611.54v
81	Mr JEM Bellringer	X	71.8v	73.9v	49.5v	48.4v	49.7v	49.6v	47.6v	73.7v	102.13v	49.5v	0.0v	610.70v
82	Miss AMG Ogilvie	X	73.7v	75.11v	49.6v	48.6v	50.6v	45.2v	48.4v	74.12v	100.10v	48.5v	0.0v	610.69v
83	Mr P Westlake	X	75.10v	74.8v	49.7v	45.4v	47.3v	49.7v	49.4v	73.9v	102.14v	47.3v	0.0v	610.69v
84	Mr T Hunter	X	71.7v	74.11v	50.5v	48.5v	50.8v	50.5v	48.5v	72.7v	105.14v	42.2v	0.0v	610.69v
85	Mr GE Morris	X	73.5v	73.8v	49.6v	48.7v	48.5v	48.3v	47.4v	74.9v	101.15v	49.6v	0.0v	610.68v
86	Mr MWT Walton	X	71.5v	73.10v	48.3v	49.7v	49.7v	49.4v	49.4v	74.9v	103.14v	45.4v	0.0v	610.67v
87	Miss S-J Binder	A	74.8v	69.4v	49.6v	48.4v	50.8v	49.6v	48.6v	73.11v	102.10v	48.3v	0.0v	610.66v
88	Mr KR Trowbridge	X	74.10v	71.3v	49.6v	49.6v	49.4v	49.6v	44.3v	75.10v	100.10v	50.4v	0.0v	610.62v
89	Mr J Haward	X	74.12v	72.7v	49.3v	45.4v	49.6v	49.6v	46.5v	74.5v	103.11v	49.3v	0.0v	610.62v
90	Cdt Sgt HA Foster	O	71.8v	75.8v	49.5v	50.6v	49.4v	46.1v	46.5v	74.10v	103.13v	47.2v	0.0v	610.62v
91	Mr ERT Jeens	X	71.5v	74.9v	49.4v	50.4v	50.6v	48.4v	49.7v	73.10v	101.7v	45.4v	0.0v	610.60v
92	Eurling CA Painting	X	72.6v	71.5v	50.6v	50.5v	48.5v	48.3v	47.5v	73.8v	104.10v	47.5v	0.0v	610.58v
93	Mr DG Young	X	71.9v	72.4v	49.4v	46.3v	48.3v	50.7v	50.5v	75.8v	102.10v	47.3v	0.0v	610.56v
94	Mr BJ Page	X	70.4v	74.6v	49.4v	49.5v	48.5v	49.4v	48.5v	74.10v	103.11v	46.2v	0.0v	610.56v
95	Mr J Sweet	X	74.7v	74.5v	47.4v	48.3v	47.3v	48.6v	50.8v	74.8v	103.11v	45.1v	0.0v	610.56v
96	Mr PG Kent	X	75.12v	73.10v	46.5v	48.4v	49.6v	48.7v	50.7v	74.14v	102.14v	44.2v	0.0v	609.81v
97	Mr TL Bedwell	A	73.11v	74.8v	49.8v	49.7v	49.7v	50.5v	46.4v	71.6v	102.13v	46.5v	0.0v	609.74v
98	Mr RSF Shouler	A	73.10v	72.8v	48.7v	49.8v	50.8v	49.5v	48.1v	73.10v	103.12v	44.2v	0.0v	609.71v
99	Azemi Othman	X	71.5v	74.9v	48.5v	49.7v	49.7v	47.6v	50.6v	72.9v	100.8v	49.6v	0.0v	609.68v
100	Mr CA Brook	A	75.8v	74.7v	48.5v	45.1v	48.8v	47.4v	49.8v	74.10v	104.14v	45.3v	0.0v	609.68v
101	Mr SNS Penrose	X	68.7v	73.9v	46.5v	50.7v	49.7v	49.5v	50.5v	74.8v	103.12v	47.1v	0.0v	609.66v
102	Mr AP Smith	O	74.4v	73.9v	49.6v	45.4v	48.6v	48.7v	48.3v	74.12v	105.13v	45.2v	0.0v	609.66v
103	Mr MJ Brister	X	71.8v	74.9v	49.6v	47.3v	49.8v	48.5v	48.2v	72.8v	105.12v	46.3v	0.0v	609.64v
104	Mr SD Shouler	O	72.10v	73.9v	50.6v	44.1v	50.7v	46.4v	49.7v	74.6v	101.9v	50.4v	0.0v	609.63v
105	Flt Lt IW Robertson	A	74.8v	73.10v	50.7v	48.5v	50.6v	49.4v	46.4v	72.6v	99.7v	48.5v	0.0v	609.62v
106	Maj AR McLeod	X	69.5v	74.10v	50.3v	46.3v	50.9v	48.4v	49.4v	75.9v	100.11v	48.4v	0.0v	609.62v
107	Mr M Ensor	A	66.4v	71.7v	49.5v	48.5v	50.5v	49.5v	50.6v	74.9v	103.8v	49.6v	0.0v	609.60v
108	Mr BE Bullard	O	73.7v	73.4v	45.3v	48.3v	49.8v	49.5v	48.4v	73.10v	104.12v	47.4v	0.0v	609.60v
109	Mr SJ Comins	A	71.10v	74.9v	48.4v	48.4v	48.6v	48.4v	50.5v	72.6v	103.10v	47.2v	0.0v	609.60v
110	Mr RE Ellis	A	73.7v	71.7v	49.6v	47.4v	49.6v	49.6v	50.7v	71.3v	103.10v	47.3v	0.0v	609.59v
111	Mr NJ Leaper	O	72.8v	73.6v	49.3v	50.7v	49.5v	49.3v	48.4v	73.10v	100.9v	46.3v	0.0v	609.58v
112	Mr DL Wiles	O	71.5v	75.12v	50.2v	50.7v	48.3v	47.3v	46.3v	73.5v	104.13v	45.5v	0.0v	609.58v
113	Miss GC O'Leary	A	73.6v	74.11v	49.6v	47.3v	50.3v	49.5v	45.1v	72.5v	103.12v	47.3v	0.0v	609.55v
114	Major AG McLean	X	73.8v	73.10v	47.5v	47.4v	50.7v	50.7v	49.6v	74.9v	101.12v	44.4v	0.0v	608.72v
115	Mr M Wong Shui	X	65.5v	74.7v	49.6v	49.6v	49.4v	50.8v	48.5v	75.14v	102.12v	47.3v	0.0v	608.70v
116	Mr R Dix	A	73.9v	71.6v	48.6v	48.4v	50.8v	49.8v	50.5v	73.9v	99.7v	47.4v	0.0v	608.66v
117	Mr GS Cotton	X	71.6v	75.10v	49.7v	48.7v	49.5v	46.6v	49.3v	73.10v	103.9v	45.3v	0.0v	608.66v
118	Mr A Chown	X	74.6v	71.7v	49.6v	47.4v	49.6v	48.3v	48.4v	74.11v	103.14v	45.4v	0.0v	608.65v
119	Mr A Wilde	A	73.10v	74.11v	50.4v	48.4v	48.6v	50.5v	48.3v	73.12v	102.9v	42.1v	0.0v	608.65v
120	Mr RJS Curtis	A	73.7v	71.7v	50.5v	45.5v	50.6v	49.5v	48.3v	74.9v	100.10v	48.5v	0.0v	608.62v
121	Mr PD Griggs	X	75.7v	73.9v	48.5v	49.6v	47.4v	45.3v	48.5v	74.8v	102.11v	47.4v	0.0v	608.62v
122	Mr S Belither	X	72.7v	74.9v	50.9v	47.1v	50.8v	46.3v	47.3v	74.10v	101.9v	47.3v	0.0v	608.62v
123	Mr SMC Wilson	O	72.8v	74.10v	49.4v	47.4v	48.5v	46.3v	48.5v	74.11v	101.6v	49.5v	0.0v	608.61v
124	Mr R Booth	X	74.10v	73.7v	48.4v	45.3v	50.8v	49.5v	46.4v	75.10v	102.7v	46.3v	0.0v	608.61v
125	Mr IJ Donaldson	X	74.6v	74.11v	48.3v	46.1v	50.4v	48.4v	47.6v	74.10v	102.13v	45.3v	0.0v	608.61v
126	Hamdan Rahmat	X	74.6v	74.7v	49.5v	47.3v	49.7v	48.6v	46.4v	75.7v	96.11v	50.4v	0.0v	608.60v
127	Mr RM Hatcher	X	73.7v	74.9v	50.7v	48.6v	48.6v	47.4v	47.3v	73.7v	104.9v	44.2v	0.0v	608.60v
128	Mr AR Langley	X	69.6v	73.5v	48.5v	50.5v	49.5v	50.5v	49.8v	73.8v	103.10v	44.1v	0.0v	608.58v
129	Mr ER Welford	A	68.3v	74.4v	49.4v	48.5v	49.6v	49.6v	46.4v	72.6v	104.11v	49.7v	0.0v	608.56v
130	Shahfame Ramly	X	71.6v	72.6v	50.2v	44.2v	48.7v	50.7v	47.4v	74.7v	104.10v	48.4v	0.0v	608.55v
131	Mr NW Penn	A	72.6v	74.8v	50.5v	48.4v	47.3v	48.5v	48.4v	73.8v	103.9v	45.3v	0.0v	608.55v
132	Mr SD Glen	X	74.10v	72.8v	49.6v	45.2v	49.7v	46.3v	50.7v	74.12v	102.11v	46.2v	0.0v	607.68v
133	Mr PRD Stock	X	73.9v	72.8v	49.8v	47.2v	49.4v	46.4v	49.4v	72.8v	101.14v	49.5v	0.0v	607.66v
134	Mr MJ O'Leary	X	72.10v	71.5v	49.7v	47.3v	50.9v	48.4v	47.4v	72.6v	102.13v	49.5v	0.0v	607.66v
135	Cdt JD Cromarty	O	73.6v	74.12v	49.4v	48.4v	50.6v	50.7v	48.6v	74.7v	101.12v	40.1v	0.0v	607.65v

136	Mr K Ramsey	X	73.7v	74.12v	49.6v	49.5v	48.5v	48.5v	48.3v	74.10v	101.9v	43.2v	0.0v	607.64v
137	Mr IT Jones	X	71.4v	73.8v	49.5v	46.4v	50.6v	50.8v	49.3v	74.11v	104.13v	41.2v	0.0v	607.64v
138	Mr R Kloosterman	X	73.8v	74.8v	47.4v	48.5v	47.5v	47.5v	47.5v	72.6v	104.13v	48.4v	0.0v	607.63v
139	Mr LM Peden	X	74.10v	73.9v	49.7v	48.4v	49.5v	49.5v	45.2v	73.7v	100.8v	47.6v	0.0v	607.63v
140	Mr AK Henderson	X	73.10v	73.8v	49.6v	47.2v	50.6v	48.4v	45.3v	73.6v	101.11v	48.5v	0.0v	607.61v
141	Dr AJ Pilgrim	X	70.5v	73.7v	48.4v	50.7v	49.7v	50.6v	48.3v	74.11v	102.11v	43.0v	0.0v	607.61v
142	Mr TP Clarke	X	71.4v	72.7v	47.4v	46.4v	50.7v	49.6v	48.3v	74.12v	101.12v	49.1v	0.0v	607.60v
143	Ms BM Moore	O	72.10v	75.8v	46.3v	47.3v	50.7v	48.3v	46.3v	75.12v	101.6v	47.3v	0.0v	607.58v
144	Mr WA Langley	X	72.7v	71.4v	48.7v	47.4v	50.7v	50.6v	46.3v	74.9v	102.8v	47.2v	0.0v	607.57v
145	Mr AM Jory	X	71.6v	74.9v	48.4v	47.3v	50.6v	49.5v	50.6v	72.7v	101.9v	45.2v	0.0v	607.57v
146	Mr TP Hammond	X	70.6v	73.7v	49.3v	47.4v	49.8v	47.4v	49.5v	72.4v	104.12v	47.3v	0.0v	607.56v
147	Mr JJ Norman	X	75.5v	72.6v	48.4v	49.7v	48.4v	47.3v	46.3v	73.8v	102.13v	47.3v	0.0v	607.56v
148	Mr APH Hoyle	A	67.2v	74.8v	50.3v	48.5v	50.9v	47.5v	49.4v	74.7v	101.9v	47.3v	0.0v	607.55v
149	Mrs MM Norman	X	72.7v	74.6v	47.6v	48.3v	50.4v	50.5v	45.3v	73.10v	102.7v	46.2v	0.0v	607.53v
150	Mr AJ Nowacki	O	72.8v	74.5v	48.3v	49.4v	49.9v	47.5v	45.1v	73.7v	101.7v	49.2v	0.0v	607.51v
151	Cdt N Poirier	O	73.7v	74.9v	49.4v	47.1v	49.4v	49.3v	41.0v	73.5v	104.13v	48.4v	0.0v	607.50v
152	Mrs JE Hausler	X	71.7v	73.6v	50.5v	45.1v	50.7v	47.0v	50.3v	74.11v	100.5v	47.3v	0.0v	607.48v
153	Mr RA Welford	A	73.5v	72.8v	48.2v	46.2v	48.3v	49.5v	46.3v	75.11v	101.7v	49.1v	0.0v	607.47v
154	Mr J Corbett	X	72.7v	72.8v	49.6v	48.7v	49.7v	50.7v	47.4v	75.10v	104.15v	40.2v	0.0v	606.73v
155	Mr JAM Paton	X	74.8v	71.3v	50.9v	47.4v	50.9v	46.2v	49.5v	73.11v	99.16v	47.4v	0.0v	606.71v
156	Dr JS Rennie	A	72.8v	73.9v	49.8v	47.3v	50.7v	48.5v	47.5v	71.7v	100.12v	49.6v	0.0v	606.70v
157	Mr D Rose	O	70.6v	72.9v	49.5v	49.5v	49.6v	50.8v	47.4v	73.9v	100.10v	48.7v	0.0v	606.69v
158	Mr RM Roberts	A	75.11v	72.8v	47.5v	48.5v	50.8v	47.4v	48.5v	72.10v	102.9v	45.2v	0.0v	606.67v
159	Mr SE Frost	X	71.9v	71.7v	50.3v	46.3v	50.9v	50.6v	45.0v	75.10v	101.14v	47.3v	0.0v	606.64v
160	Dr HHG Pollock	X	73.5v	72.9v	50.7v	48.5v	47.4v	49.5v	50.7v	73.8v	101.13v	43.1v	0.0v	606.64v
161	Mr JP Barry	X	72.7v	70.4v	50.6v	49.7v	48.6v	50.6v	45.3v	73.10v	104.10v	45.3v	0.0v	606.62v
162	Mr JA Bullock	X	74.11v	71.7v	48.5v	49.4v	50.5v	50.7v	47.3v	68.7v	102.8v	47.4v	0.0v	606.61v
163	Mr PBM Smith	A	74.4v	71.6v	49.8v	46.2v	50.7v	47.6v	49.5v	74.9v	100.12v	46.2v	0.0v	606.61v
164	Mr P Lucey	O	73.7v	72.6v	50.6v	48.3v	49.5v	48.4v	45.3v	74.13v	100.8v	47.5v	0.0v	606.60v
165	Mr APW Daw	A	72.7v	75.10v	50.6v	48.5v	46.3v	48.6v	50.6v	71.3v	101.10v	45.4v	0.0v	606.60v
166	Cdt T Keen	O	69.5v	71.9v	50.3v	49.6v	47.3v	48.5v	47.1v	74.11v	103.12v	48.3v	0.0v	606.58v
167	Mr DJ Painting	O	70.5v	73.8v	49.5v	48.3v	48.6v	47.4v	46.4v	74.10v	103.10v	48.3v	0.0v	606.58v
168	Mr ND Stangroom	X	73.9v	73.9v	46.4v	46.3v	50.4v	47.3v	50.5v	73.9v	102.8v	46.3v	0.0v	606.57v
169	Mrs LJ Brister	A	72.6v	72.5v	48.3v	49.4v	50.8v	49.3v	49.5v	73.7v	99.12v	45.4v	0.0v	606.57v
170	Sqn Ldr RJSG Clark	A	74.6v	72.8v	45.2v	46.1v	49.5v	49.8v	47.4v	74.9v	102.8v	48.5v	0.0v	606.56v
171	Cpl ML Lekalaile	X	70.8v	75.11v	48.5v	47.4v	50.5v	47.0v	49.4v	72.6v	101.10v	47.3v	0.0v	606.56v
172	Mr R Jackson	O	72.5v	74.9v	49.5v	45.3v	49.5v	47.4v	49.6v	72.6v	102.11v	47.2v	0.0v	606.56v
173	Mr RCJ Martin	O	71.3v	73.9v	49.7v	48.2v	50.6v	47.4v	46.3v	74.7v	100.9v	48.4v	0.0v	606.54v
174	Mr CA White	O	71.7v	73.7v	50.6v	48.4v	50.7v	49.2v	49.7v	69.3v	99.8v	48.3v	0.0v	606.54v
175	Miss CJ Aldridge	O	75.4v	73.10v	48.5v	49.5v	46.4v	48.4v	48.5v	73.5v	101.9v	45.3v	0.0v	606.54v
176	Miss DS Hume	X	72.7v	74.7v	50.5v	46.2v	49.6v	48.4v	45.1v	74.7v	102.12v	46.2v	0.0v	606.53v
177	Mr RA Dyball	O	73.4v	73.8v	50.4v	47.3v	47.6v	49.3v	44.4v	73.7v	102.10v	48.3v	0.0v	606.52v
178	Mr R de V Chase	A	71.6v	75.8v	48.5v	48.4v	50.4v	45.3v	48.1v	71.4v	103.11v	47.3v	0.0v	606.49v
179	Dr JR Deane	A	73.11v	74.8v	49.4v	47.3v	49.3v	47.3v	44.4v	71.9v	102.14v	49.7v	0.0v	605.66v
180	Mr WLL Lewis	T	73.8v	72.8v	49.7v	46.4v	49.6v	47.4v	47.4v	73.9v	103.12v	46.2v	0.0v	605.64v
181	Mr DFP Richards	X	73.10v	69.7v	47.2v	48.2v	49.8v	47.4v	49.5v	75.11v	103.12v	45.3v	0.0v	605.64v
182	Mrs LK Mace	A	69.6v	74.10v	48.4v	42.1v	49.7v	49.2v	50.7v	75.11v	103.13v	46.2v	0.0v	605.63v
183	Mr WDH Burden	O	74.10v	70.6v	48.7v	49.5v	47.3v	50.7v	48.2v	72.9v	100.10v	47.3v	0.0v	605.62v
184	Colonel, The Rev D Cooper	X	73.9v	73.10v	50.5v	43.3v	49.5v	50.6v	47.3v	75.10v	99.8v	46.3v	0.0v	605.62v
185	Mr CJ Watson	X	74.11v	71.6v	47.3v	47.4v	49.4v	50.3v	49.6v	73.10v	104.14v	41.1v	0.0v	605.62v
186	Mr J Anderson	X	71.8v	73.4v	49.5v	49.5v	49.5v	50.7v	49.5v	73.11v	99.7v	43.4v	0.0v	605.61v
187	Dr RA Mullin	X	75.7v	72.6v	48.6v	45.2v	50.6v	49.7v	44.3v	74.9v	101.10v	47.4v	0.0v	605.60v
188	Mr GL Clarke	O	74.6v	70.9v	44.3v	49.8v	50.4v	48.5v	49.2v	72.7v	105.13v	44.1v	0.0v	605.58v
189	Mr MJ Wood	A	73.9v	71.5v	49.5v	48.3v	48.4v	49.3v	49.4v	74.10v	100.12v	44.2v	0.0v	605.57v
190	Cdt AM Clark	O	70.7v	71.6v	49.4v	46.5v	49.6v	50.6v	46.4v	74.6v	102.8v	48.4v	0.0v	605.56v
191	Mr BL Thomson	A	71.7v	71.4v	50.7v	48.5v	50.5v	47.1v	47.5v	72.6v	102.12v	47.4v	0.0v	605.56v
192	Mr J Payne	O	72.7v	74.8v	48.4v	48.6v	49.9v	47.4v	47.2v	74.5v	101.8v	45.3v	0.0v	605.56v
193	Mr WCP Richards	X	75.8v	72.7v	48.4v	50.3v	50.6v	48.4v	48.7v	74.7v	99.9v	41.1v	0.0v	605.56v
194	Mr AIB Brown	O	69.3v	73.5v	49.8v	46.2v	50.5v	50.8v	46.3v	74.14v	101.5v	47.2v	0.0v	605.55v
195	Mr MA Kirkillo-Stacewicz	A	69.6v	73.2v	48.7v	46.1v	48.7v	49.4v	48.3v	75.7v	102.14v	47.3v	0.0v	605.54v
196	Mr J McKellar	X	70.6v	73.5v	50.8v	50.5v	50.7v	47.1v	47.5v	71.5v	102.8v	45.4v	0.0v	605.54v
197	Cdt JWE Lothian	T	71.4v	73.6v	49.7v	49.3v	49.3v	47.5v	50.7v	74.11v	98.6v	45.2v	0.0v	605.54v
198	Mr GW Robinson	X	71.7v	74.8v	49.5v	48.4v	49.3v	49.4v	49.4v	70.7v	98.6v	48.5v	0.0v	605.53v
199	Mr M Reid	A	72.4v	69.4v	50.4v	47.5v	48.6v	48.4v	48.4v	72.5v	102.10v	49.5v	0.0v	605.51v
200	Mrs A Uhlig	X	72.9v	72.6v	46.3v	46.0v	50.4v	49.1v	49.4v	75.8v	100.10v	46.5v	0.0v	605.50v