

NRA 137th Imperial Meeting

Grand Aggregate

		DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	Corp	POW	Total	
1	Mr R Stewart	X	74.10v	74.11v	50.4v	50.8v	48.5v	50.7v	50.6v	75.9v	104.17v	48.5v	74.8v	697.90v
2	Mr P Vamplew	X	73.7v	75.13v	50.8v	48.3v	50.8v	50.5v	49.4v	74.9v	104.12v	49.3v	74.5v	696.77v
3	Mr P Patel	X	75.12v	74.7v	50.8v	49.6v	50.8v	49.6v	48.3v	75.14v	103.16v	48.6v	74.11v	695.97v
4	Mr D Luckman	X	73.10v	74.13v	50.7v	50.7v	50.8v	50.6v	49.3v	75.13v	103.13v	46.4v	75.10v	695.94v
5	Mr TJD Raincock	X	74.9v	74.12v	50.6v	50.8v	50.9v	50.4v	49.5v	73.9v	104.16v	46.3v	75.12v	695.93v
6	Mr DP Calvert	X	74.10v	74.11v	47.5v	50.6v	50.8v	48.6v	49.5v	75.13v	105.13v	49.3v	74.8v	695.88v
7	Mr ITG Shaw	X	75.8v	73.8v	50.6v	48.7v	49.5v	50.7v	47.5v	75.10v	104.13v	48.5v	75.10v	694.84v
8	Mr S Young	O	74.10v	75.5v	50.5v	48.6v	50.4v	49.3v	48.7v	74.10v	103.10v	49.7v	74.7v	694.74v
9	Mr JC Underwood	X	73.10v	75.7v	49.8v	48.7v	50.7v	49.5v	50.9v	74.11v	105.16v	49.5v	71.8v	693.93v
10	Mr CJ Morton	X	71.7v	74.5v	49.7v	50.8v	50.9v	50.7v	50.7v	75.12v	102.16v	50.4v	72.7v	693.89v
11	Mr PAE Charlton	X	71.7v	75.11v	50.8v	49.3v	50.8v	49.6v	48.5v	74.7v	104.14v	50.8v	73.10v	693.87v
12	Mr JD Warburton	X	74.6v	74.9v	50.5v	49.3v	50.8v	48.5v	48.8v	74.11v	104.9v	50.8v	72.4v	693.76v
13	Dr JDS Langley	X	74.8v	75.7v	48.3v	49.5v	50.6v	50.5v	49.5v	74.8v	102.12v	49.4v	73.10v	693.73v
14	Mr NRJ Brasier	X	73.10v	74.8v	48.4v	48.3v	49.8v	49.5v	50.7v	74.11v	105.13v	48.3v	74.9v	692.81v
15	Kamaruddin Mat Noh	X	74.8v	74.7v	48.6v	50.3v	49.5v	48.8v	49.5v	74.11v	102.12v	50.4v	74.8v	692.77v
16	Mr AJ Luckman	X	73.9v	73.9v	50.7v	49.4v	50.8v	47.5v	48.5v	74.11v	104.12v	48.3v	75.10v	691.83v
17	Mr T Rylands	X	73.5v	74.9v	50.9v	49.5v	50.7v	50.10v	48.3v	73.9v	102.12v	47.3v	75.9v	691.81v
18	Mr JS Collings	X	71.7v	73.8v	49.6v	49.7v	47.5v	50.7v	50.3v	75.10v	103.13v	49.3v	75.11v	691.80v
19	WO MW Silver	A	75.11v	73.10v	49.4v	50.3v	48.7v	49.5v	50.5v	72.9v	104.10v	48.6v	73.10v	691.80v
20	Mr TLW Kidner	X	74.12v	73.6v	46.3v	50.6v	49.8v	49.6v	50.6v	74.8v	105.12v	48.4v	73.8v	691.79v
21	Mr B Bowden	X	73.6v	75.11v	49.6v	48.4v	49.5v	48.3v	50.8v	74.10v	105.14v	46.1v	74.11v	691.79v
22	Miss M Boston	X	74.8v	73.7v	49.3v	50.5v	50.8v	50.8v	49.5v	75.11v	102.11v	44.4v	75.9v	691.79v
23	Mr RA Benest	X	75.8v	73.8v	50.7v	49.4v	50.5v	48.4v	49.5v	75.10v	103.12v	45.2v	74.7v	691.72v
24	Mr JGM Webster	X	75.8v	74.10v	49.5v	47.5v	48.5v	49.6v	50.6v	73.8v	104.14v	47.3v	74.10v	690.80v
25	Mr A Powell	X	71.6v	74.11v	50.8v	50.5v	49.4v	50.5v	47.2v	72.10v	103.13v	49.4v	75.10v	690.78v
26	Mr NC Mace	X	75.6v	73.12v	48.5v	48.4v	49.5v	49.5v	50.6v	74.9v	104.14v	46.2v	74.5v	690.73v
27	Mr PJR Holden	X	72.11v	72.4v	49.2v	46.4v	49.5v	50.6v	50.6v	74.9v	104.11v	50.5v	74.8v	690.71v
28	Mr G Gilpin	X	74.8v	72.5v	50.6v	49.4v	49.7v	49.4v	50.9v	74.13v	102.12v	46.3v	74.11v	689.82v
29	Mr CN Tremlett	X	74.8v	73.8v	50.7v	49.6v	50.7v	49.6v	49.7v	74.11v	101.8v	46.2v	74.12v	689.82v
30	Mr J Pugsley	X	72.5v	75.9v	49.6v	49.4v	49.8v	49.6v	49.4v	75.13v	102.10v	49.6v	71.10v	689.81v
31	Mr A McCullough	X	74.9v	73.9v	50.6v	50.5v	49.8v	49.4v	49.5v	74.12v	103.11v	45.2v	73.10v	689.81v
32	Mr PB Bromley	X	72.8v	72.10v	49.5v	49.5v	49.5v	50.7v	48.5v	73.8v	103.11v	49.4v	75.9v	689.77v
33	Mr JMA Thompson	X	71.9v	75.10v	50.7v	47.2v	50.9v	49.5v	50.4v	72.5v	104.13v	49.7v	72.4v	689.75v
34	Mr DGM Coleman	X	74.9v	73.7v	50.7v	47.3v	50.5v	50.7v	49.5v	74.7v	104.14v	48.4v	70.4v	689.72v
35	Mr SJ Cane	X	73.5v	73.9v	49.6v	49.4v	49.7v	47.1v	49.6v	74.7v	102.11v	49.3v	75.8v	689.67v
36	Mr MR Woolger	A	75.12v	74.9v	50.8v	48.7v	49.6v	48.5v	50.4v	74.9v	98.11v	48.4v	74.8v	688.83v
37	Mr C Fitzpatrick	X	75.12v	71.7v	50.7v	47.3v	50.8v	50.4v	48.5v	74.10v	102.9v	50.8v	71.9v	688.82v
38	Zulkeflee Hamsan	X	75.8v	72.10v	49.6v	50.5v	50.9v	48.6v	49.5v	74.9v	103.12v	46.3v	72.7v	688.80v
39	Mr D Le Quesne	X	73.10v	75.12v	49.6v	48.6v	48.5v	47.5v	50.8v	75.8v	103.8v	46.1v	74.9v	688.78v
40	Mr DC Dyson	A	70.6v	75.6v	50.6v	49.5v	49.7v	50.6v	50.6v	75.9v	101.12v	45.4v	74.11v	688.78v
41	Mr JWE Lewis	X	72.7v	73.6v	49.6v	49.5v	50.6v	47.6v	47.3v	72.8v	104.13v	50.5v	75.10v	688.75v
42	Mr GA Cann	X	72.8v	73.10v	49.6v	48.5v	49.4v	49.7v	50.5v	75.7v	100.11v	49.2v	74.8v	688.73v
43	Mr PM Jory	X	72.4v	73.8v	50.9v	49.5v	49.5v	48.5v	49.5v	74.6v	104.11v	48.7v	72.6v	688.71v
44	Mr TM Green	X	74.13v	72.4v	47.3v	44.2v	49.6v	49.2v	50.7v	75.5v	105.13v	49.3v	74.9v	688.67v
45	Mr N Ball	X	74.7v	72.7v	50.7v	44.3v	49.6v	49.8v	50.9v	74.10v	104.16v	47.3v	74.11v	687.87v
46	Capt J Cload	X	72.6v	75.9v	50.9v	47.6v	49.8v	48.6v	47.4v	75.13v	104.12v	47.4v	73.7v	687.84v
47	Miss SV Kent	X	73.9v	72.8v	49.5v	49.5v	48.7v	49.6v	50.3v	73.8v	104.15v	46.3v	74.7v	687.76v
48	Mr I Davison	X	74.8v	75.11v	48.3v	49.6v	50.7v	49.3v	48.6v	75.10v	100.10v	48.5v	71.6v	687.75v
49	Mr C Mallett	X	75.11v	73.8v	49.4v	48.6v	48.7v	48.5v	47.4v	74.8v	102.9v	49.4v	74.7v	687.73v
50	Mr RW Sandlant	X	74.11v	73.10v	49.6v	48.1v	49.6v	48.3v	50.7v	74.11v	101.7v	49.3v	72.8v	687.73v
51	Professor AR Horrocks	A	75.11v	72.5v	48.5v	47.3v	49.3v	48.5v	50.5v	74.10v	104.12v	46.3v	74.8v	687.70v
52	Mr MH Shaw	X	71.5v	72.7v	50.7v	46.4v	50.7v	49.2v	50.8v	75.7v	103.11v	49.3v	72.7v	687.68v
53	Mr DC Crispin	A	72.7v	74.13v	47.4v	47.4v	49.4v	50.8v	50.5v	73.11v	104.15v	47.3v	73.11v	686.85v
54	Mr JM Holmes	X	74.12v	74.9v	49.6v	47.4v	50.10v	49.4v	50.8v	75.10v	101.11v	45.2v	72.7v	686.83v
55	Mr ML Millar	X	73.8v	73.8v	49.8v	48.4v	50.7v	48.4v	47.2v	75.11v	103.16v	48.5v	72.8v	686.81v
56	Miss KAN Jack	A	71.8v	74.10v	48.5v	48.4v	49.8v	50.6v	50.6v	75.9v	101.10v	47.5v	73.9v	686.80v
57	Mr SJ East	X	73.5v	73.10v	47.4v	49.5v	50.5v	50.8v	49.4v	71.8v	103.14v	48.4v	73.11v	686.78v
58	Mr DR Armstrong	X	72.9v	74.7v	48.6v	50.6v	48.4v	49.5v	50.7v	75.8v	104.12v	43.4v	73.9v	686.77v
59	Cdt DE Nuthall	O	73.11v	72.9v	49.7v	48.4v	50.7v	48.7v	50.7v	75.11v	105.10v	41.1v	74.9v	685.83v
60	Mr E Compton	A	74.10v	73.8v	49.6v	49.7v	49.5v	48.4v	49.6v	72.11v	104.13v	45.3v	73.9v	685.82v

61	Mr GE Morris	X	73.5v	73.8v	49.6v	48.7v	48.5v	48.3v	47.4v	74.9v	101.15v	49.6v	75.11v	685.79v
62	Mr A Marion	X	73.9v	75.12v	49.7v	45.0v	50.6v	47.4v	49.8v	74.8v	104.13v	48.4v	71.6v	685.77v
63	Mr S Murray	X	74.9v	74.8v	50.3v	48.5v	50.6v	48.3v	48.4v	74.12v	104.14v	46.3v	69.7v	685.74v
64	Mr P Bain	A	75.11v	75.10v	49.5v	45.1v	49.7v	47.3v	49.5v	75.10v	102.8v	46.3v	73.4v	685.67v
65	Dr PD Sykes	X	75.10v	73.8v	48.7v	42.2v	50.7v	49.4v	50.7v	75.10v	101.13v	50.5v	71.7v	684.80v
66	Mr JEM Bellringer	X	71.8v	73.9v	49.5v	48.4v	49.7v	49.6v	47.6v	73.7v	102.13v	49.5v	74.10v	684.80v
67	Mr RCT Jeens	X	72.8v	73.9v	49.4v	49.5v	50.9v	50.5v	48.6v	70.5v	104.14v	46.6v	73.8v	684.79v
68	Mr T Hunter	X	71.7v	74.11v	50.5v	48.5v	50.8v	50.5v	48.5v	72.7v	105.14v	42.2v	74.8v	684.77v
69	Mr MWT Walton	X	71.5v	73.10v	48.3v	49.7v	49.7v	49.4v	49.4v	74.9v	103.14v	45.4v	74.9v	684.76v
70	Mr P Westlake	X	75.10v	74.8v	49.7v	45.4v	47.3v	49.7v	49.4v	73.9v	102.14v	47.3v	74.6v	684.75v
71	Mr E Gauvin	X	75.10v	74.8v	50.7v	45.1v	47.5v	47.6v	50.5v	74.8v	103.11v	50.4v	69.6v	684.71v
72	Cdt Sgt HA Foster	O	71.8v	75.8v	49.5v	50.6v	49.4v	46.1v	46.5v	74.10v	103.13v	47.2v	74.9v	684.71v
73	Lt Col CCC Cheshire	X	71.6v	73.8v	50.6v	47.2v	49.5v	50.4v	50.7v	73.7v	100.11v	49.6v	72.8v	684.70v
74	Zainal Abidin Md Zain	X	72.6v	74.6v	50.4v	46.2v	50.7v	48.2v	49.6v	73.9v	103.11v	47.5v	72.8v	684.66v
75	Miss GC O'Leary	A	73.6v	74.11v	49.6v	47.3v	50.3v	49.5v	45.1v	72.5v	103.12v	47.3v	75.9v	684.64v
76	Mr JA Watson	X	75.10v	73.8v	48.4v	48.3v	50.9v	48.7v	50.7v	73.9v	99.9v	49.7v	70.5v	683.78v
77	Mr A Wilde	A	73.10v	74.11v	50.4v	48.4v	48.6v	50.5v	48.3v	73.12v	102.11v	42.1v	75.11v	683.78v
78	Azemi Othman	X	71.5v	74.9v	48.5v	49.7v	49.7v	47.6v	50.6v	72.9v	100.8v	49.6v	74.8v	683.76v
79	Mr SNS Penrose	X	68.7v	73.9v	46.5v	50.7v	49.7v	49.5v	50.5v	74.8v	103.12v	47.1v	74.9v	683.75v
80	Mr CA Brook	A	75.8v	74.7v	48.5v	45.1v	48.8v	47.4v	49.8v	74.10v	104.14v	45.3v	74.7v	683.75v
81	Mr AP Smith	O	74.4v	73.9v	49.6v	45.4v	48.6v	48.7v	48.3v	74.12v	105.13v	45.2v	74.9v	683.75v
82	Mr TA Ringer	X	75.12v	73.5v	50.7v	50.7v	50.6v	48.5v	47.2v	72.5v	102.12v	45.1v	71.9v	683.71v
83	Mr ERT Jeens	X	71.5v	74.9v	49.4v	50.4v	50.6v	48.4v	49.7v	73.10v	101.7v	45.4v	73.10v	683.70v
84	Miss JK Brekke	O	74.7v	71.4v	49.5v	47.3v	49.6v	49.7v	49.4v	75.11v	101.11v	49.7v	70.3v	683.68v
85	Mr DG Young	X	71.9v	72.4v	49.4v	46.3v	48.3v	50.7v	50.5v	75.8v	102.10v	47.3v	73.3v	683.59v
86	Mr RSF Shouler	A	73.10v	72.8v	48.7v	49.8v	50.8v	49.5v	48.1v	73.10v	103.12v	44.2v	73.9v	682.80v
87	Mr ANR Walker	A	71.10v	71.7v	49.4v	49.9v	49.7v	49.6v	49.5v	74.10v	103.11v	48.2v	70.6v	682.77v
88	Cdt JD Cromarty	O	73.6v	74.12v	49.4v	48.4v	50.6v	50.7v	48.6v	74.7v	101.12v	40.1v	75.9v	682.74v
89	Mr SD Shouler	O	72.10v	73.9v	50.6v	44.1v	50.7v	46.4v	49.7v	74.6v	101.9v	50.4v	73.9v	682.72v
90	Mr K Ramsey	X	73.7v	74.12v	49.6v	49.5v	48.5v	48.5v	48.3v	74.10v	101.9v	43.2v	75.8v	682.72v
91	Mr R Booth	X	74.10v	73.7v	48.4v	45.3v	50.8v	49.5v	46.4v	75.10v	102.7v	46.3v	74.9v	682.70v
92	Mr RE Ellis	A	73.7v	71.7v	49.6v	47.4v	49.6v	49.6v	50.7v	71.3v	103.10v	47.3v	73.8v	682.67v
93	Mr ER Welford	A	68.3v	74.4v	49.4v	48.5v	49.6v	49.6v	46.4v	72.6v	104.11v	49.7v	74.10v	682.66v
94	Mr MCJ Button	A	72.8v	72.6v	49.3v	48.3v	49.6v	48.5v	50.6v	74.7v	102.10v	47.3v	71.9v	682.66v
95	Mr JJ Norman	X	75.5v	72.6v	48.4v	49.7v	48.4v	47.3v	46.3v	73.8v	102.13v	47.3v	75.8v	682.64v
96	Mr BJ Page	X	70.4v	74.6v	49.4v	49.5v	48.5v	49.4v	48.5v	74.10v	103.11v	46.2v	72.7v	682.63v
97	Mr HRT Jeens	X	71.7v	73.10v	50.2v	47.2v	49.5v	50.6v	47.2v	74.7v	104.13v	47.4v	70.4v	682.62v
98	Cdt N Poirier	O	73.7v	74.9v	49.4v	47.1v	49.4v	49.3v	41.0v	73.5v	104.13v	48.4v	75.8v	682.58v
99	Mr WJ Rowland	A	74.7v	74.7v	48.4v	47.3v	49.6v	49.4v	47.4v	72.5v	103.12v	49.4v	70.1v	682.57v
100	Mr PG Kent	X	75.12v	73.10v	46.5v	48.4v	49.6v	48.7v	50.7v	74.14v	102.14v	44.2v	72.9v	681.90v
101	Mr PJ Johnson	A	73.10v	74.14v	50.8v	48.6v	50.4v	45.4v	50.9v	74.7v	100.11v	48.6v	69.4v	681.83v
102	Mr TL Bedwell	A	73.11v	74.8v	49.8v	49.7v	49.7v	50.5v	46.4v	71.6v	102.13v	46.5v	72.6v	681.80v
103	Mr PD Griggs	X	75.7v	73.9v	48.5v	49.6v	47.4v	45.3v	48.5v	74.8v	102.11v	47.4v	73.10v	681.72v
104	Mr LM Peden	X	74.10v	73.9v	49.7v	48.4v	49.5v	49.5v	45.2v	73.7v	100.8v	47.6v	74.8v	681.71v
105	Mr GS Cotton	X	71.6v	75.10v	49.7v	48.7v	49.5v	46.6v	49.3v	73.10v	103.9v	45.3v	73.5v	681.71v
106	Mr BE Bullard	O	73.7v	73.4v	45.3v	48.3v	49.8v	49.5v	48.4v	73.10v	104.12v	47.4v	72.10v	681.70v
107	Mr JP Barry	X	72.7v	70.4v	50.6v	49.7v	48.6v	50.6v	45.3v	73.10v	104.10v	45.3v	75.8v	681.70v
108	Dr AJ Pilgrim	X	70.5v	73.7v	48.4v	50.7v	49.7v	50.6v	48.3v	74.11v	102.11v	43.0v	74.9v	681.70v
109	Mr IJ Donaldson	X	74.6v	74.11v	48.3v	46.1v	50.4v	48.4v	47.6v	74.10v	102.13v	45.3v	73.8v	681.69v
110	Mr ND Stangroom	X	73.9v	73.9v	46.4v	46.3v	50.4v	47.3v	50.5v	73.9v	102.8v	46.3v	75.11v	681.68v
111	Mr M Ensor	A	66.4v	71.7v	49.5v	48.5v	50.5v	49.5v	50.6v	74.9v	103.8v	49.6v	72.7v	681.67v
112	Mr NW Penn	A	72.6v	74.8v	50.5v	48.4v	47.3v	48.5v	48.4v	73.8v	103.9v	45.3v	73.12v	681.67v
113	Mr TP Clarke	X	71.4v	72.7v	47.4v	46.4v	50.7v	49.6v	48.3v	74.12v	101.12v	49.1v	74.6v	681.66v
114	Mrs MM Norman	X	72.7v	74.6v	47.6v	48.3v	50.4v	50.5v	45.3v	73.10v	102.7v	46.2v	74.9v	681.62v
115	Mr J Sweet	X	74.7v	74.5v	47.4v	48.3v	47.3v	48.6v	50.8v	74.8v	103.11v	45.1v	71.5v	681.61v
116	Mr J Corbett	X	72.7v	72.8v	49.6v	48.7v	49.7v	50.7v	47.4v	75.10v	104.15v	40.2v	74.11v	680.84v
117	Mr M Wong Shui	X	65.5v	74.7v	49.6v	49.6v	49.4v	50.8v	48.5v	75.14v	102.12v	47.3v	72.9v	680.79v
118	Mr SD Glen	X	74.10v	72.8v	49.6v	45.2v	49.7v	46.3v	50.7v	74.12v	102.11v	46.2v	73.10v	680.78v
119	Mr RM Roberts	A	75.11v	72.8v	47.5v	48.5v	50.8v	47.4v	48.5v	72.10v	102.9v	45.2v	74.11v	680.78v
120	Mr MJ O'Leary	X	72.10v	71.5v	49.7v	47.3v	50.9v	48.4v	47.4v	72.6v	102.13v	49.5v	73.10v	680.76v
121	Mr R Dix	A	73.9v	71.6v	48.6v	48.4v	50.8v	49.8v	50.5v	73.9v	99.7v	47.4v	72.9v	680.75v
122	Mr CJ Watson	X	74.11v	71.6v	47.3v	47.4v	49.4v	50.3v	49.6v	73.10v	104.14v	41.1v	75.12v	680.74v
123	Dr JR Deane	A	73.11v	74.8v	49.4v	47.3v	49.3v	47.3v	44.4v	71.9v	102.14v	49.7v	75.7v	680.73v
124	Miss S-J Binder	A	74.8v	69.4v	49.6v	48.4v	50.8v	49.6v	48.6v	73.11v	102.10v	48.3v	70.7v	680.73v
125	Mr MJ Brister	X	71.8v	74.9v	49.6v	47.3v	49.8v	48.5v	48.2v	72.8v	105.12v	46.3v	71.9v	680.73v
126	Dr HHG Pollock	X	73.5v	72.9v	50.7v	48.5v	47.4v	49.5v	50.7v	73.8v	101.13v	43.1v	74.9v	680.73v
127	Mr R Kloosterman	X	73.8v	74.8v	47.4v	48.5v	47.5v	47.5v	47.5v	72.6v	104.13v	48.4v	73.7v	680.70v
128	Flt Lt IW Robertson	A	74.8v	73.10v	50.7v	48.5v	50.6v	49.4v	46.4v	72.6v	99.7v	48.5v	71.7v	680.69v
129	Mr RJS Curtis	A	73.7v	71.7v	50.5v	45.5v	50.6v	49.5v	48.3v	74.9v	100.10v	48.5v	72.7v	680.69v
130	Mr J Anderson	X	71.8v	73.4v	49.5v	49.5v	49.5v	50.7v	49.5v	73.11v	99.7v	43.4v	75.8v	680.69v
131	Hamdan Rahmat	X	74.6v	74.7v	49.5v	47.3v	49.7v	48.6v	46.4v	75.7v	96.11v	50.4v	72.8v	680.68v
132	Mr S Belither	X	72.7v	74.9v	50.9v	47.1v	50.8v	46.3v	47.3v	74.10v	101.9v	47.3v	72.6v	680.68v
133	Mr KR Trowbridge	X	74.10v	71.3v	49.6v	49.6v	49.4v	49.6v	44.3v	75.10v	100.10v	50.4v	70.5v	680.67v
134	Mr DL Wiles	O	71.5v	75.12v	50.2v	50.7v	48.3v	47.3v	46.3v	73.5v	104.13v	45.5v	71.9v	680.67v
135	Mr DJ Painting	O	70.5v	73.8v	49.5v	48.3v	48.6v	47.4v	46.4v	74.10v	103.10v	48.3v	74.8v	680.66v
136	Mrs LJ Brister	A	72.6v	72.5v	48.3v	49.4v	50.8v	49.3v	49.5v	73.7v	99.12v	45.4v	74.9v	680.66v
137	Mr RM Hatcher	X	73.7v	74.9v	50.7v	48.6v	48.6v	47.4v	47.3v	73.7v	104.9v	44.2v	72.6v	680.66v

138	Mr TP Hammond	X	70.6v	73.7v	49.3v	47.4v	49.8v	47.4v	49.5v	72.4v	104.12v	47.3v	73.9v	680.65v
139	Mr RCQ Martin	O	71.3v	73.9v	49.7v	48.2v	50.6v	47.4v	46.3v	74.7v	100.9v	48.4v	74.9v	680.63v
140	Mr NJ Leaper	O	72.8v	73.6v	49.3v	50.7v	49.5v	49.3v	48.4v	73.10v	100.9v	46.3v	71.5v	680.63v
141	Mr AR Langley	X	69.6v	73.5v	48.5v	50.5v	49.5v	50.5v	49.8v	73.8v	103.10v	44.1v	72.5v	680.63v
142	Mr JR Tuck	X	75.13v	72.5v	49.1v	47.5v	50.7v	44.3v	48.3v	74.2v	104.11v	49.6v	68.5v	680.61v
143	Mr CA White	O	71.7v	73.7v	50.6v	48.4v	50.7v	49.2v	49.7v	69.3v	99.8v	48.3v	74.5v	680.59v
144	Mr RA Dyball	O	73.4v	73.8v	50.4v	47.3v	47.6v	49.3v	44.4v	73.7v	102.10v	48.3v	74.7v	680.59v
145	Mrs J Belanger	X	73.7v	71.6v	48.2v	46.2v	49.4v	49.4v	48.4v	74.10v	103.6v	44.2v	75.10v	680.57v
146	Major AG McLean	X	73.8v	73.10v	47.5v	47.4v	50.7v	50.7v	49.6v	74.9v	101.12v	44.4v	71.9v	679.81v
147	Mr RJ McQuillan	X	74.9v	74.11v	47.5v	48.2v	50.7v	47.3v	50.6v	74.8v	103.12v	46.5v	66.7v	679.75v
148	Miss AMG Ogilvie	X	73.7v	75.11v	49.6v	48.6v	50.6v	45.2v	48.4v	74.12v	100.10v	48.5v	69.4v	679.73v
149	Mr IT Jones	X	71.4v	73.8v	49.5v	46.4v	50.6v	50.8v	49.3v	74.11v	104.13v	41.2v	72.7v	679.71v
150	Mr WDH Burden	O	74.10v	70.6v	48.7v	49.5v	47.3v	50.7v	48.2v	72.9v	100.10v	47.3v	74.8v	679.70v
151	Mr MR Cosway	A	72.6v	72.9v	49.5v	48.3v	50.6v	49.4v	48.4v	74.11v	98.10v	45.3v	74.9v	679.70v
152	Mr SM Friling	A	72.6v	73.7v	47.6v	47.2v	49.8v	47.4v	47.2v	73.10v	100.12v	49.3v	75.9v	679.69v
153	Mr P Lucey	O	73.7v	72.6v	50.6v	48.3v	49.5v	48.4v	45.3v	74.13v	100.8v	47.5v	73.8v	679.68v
154	Mr AC Thomson	X	73.7v	72.8v	48.3v	49.4v	50.6v	47.4v	43.1v	75.10v	101.12v	46.4v	75.8v	679.67v
155	Mr BL Thomson	A	71.7v	71.4v	50.7v	48.5v	50.5v	47.1v	47.5v	72.6v	103.12v	47.4v	74.10v	679.66v
156	Mr SJ Comins	A	71.10v	74.9v	48.4v	48.4v	48.6v	48.4v	50.5v	72.6v	103.10v	47.2v	70.6v	679.66v
157	Mr PBM Smith	A	74.4v	71.6v	49.8v	46.2v	50.7v	47.6v	49.5v	74.9v	100.12v	46.2v	73.5v	679.66v
158	Cdt JWE Lothian	T	71.4v	73.6v	49.7v	49.3v	49.3v	47.5v	50.7v	74.11v	98.6v	45.2v	74.12v	679.66v
159	Mr J Haward	X	74.12v	72.7v	49.3v	45.4v	49.6v	49.6v	46.5v	74.5v	103.11v	49.3v	69.3v	679.65v
160	Flt Lt NP Moxon	X	74.10v	73.8v	50.7v	47.2v	49.5v	49.6v	43.1v	72.6v	99.6v	48.7v	75.7v	679.65v
161	Sqn Ldr RJSG Clark	A	74.6v	72.8v	45.2v	46.1v	49.5v	49.8v	47.4v	74.9v	102.8v	48.5v	73.9v	679.65v
162	Maj AR McLeod	X	69.5v	74.10v	50.3v	46.3v	50.9v	48.4v	49.4v	75.9v	100.11v	48.4v	70.3v	679.65v
163	Mr J Payne	O	72.7v	74.8v	48.4v	48.6v	49.9v	47.4v	47.2v	74.5v	101.8v	45.3v	74.8v	679.64v
164	Eurlng CA Painting	X	72.6v	71.5v	50.6v	50.5v	48.5v	48.3v	47.5v	73.8v	104.10v	47.5v	69.5v	679.63v
165	Miss CJ Aldridge	O	75.4v	73.10v	48.5v	49.5v	46.4v	48.4v	48.5v	73.5v	101.9v	45.3v	73.9v	679.63v
166	Mrs JE Hausler	X	71.7v	73.6v	50.5v	45.1v	50.7v	47.0v	50.3v	74.11v	100.5v	47.3v	72.4v	679.52v
167	Mr JAM Paton	X	74.8v	71.3v	50.9v	47.4v	50.9v	46.2v	49.5v	73.11v	99.16v	47.4v	72.7v	678.78v
168	Mr DFP Richards	X	73.10v	69.7v	47.2v	48.2v	49.8v	47.4v	49.5v	75.11v	103.12v	45.3v	73.10v	678.74v
169	Mr DJ Gass	X	72.11v	73.10v	49.6v	48.3v	49.6v	49.7v	50.4v	73.6v	99.11v	49.4v	67.5v	678.73v
170	Mrs LK Mace	A	69.6v	74.10v	48.4v	42.1v	49.7v	49.2v	50.7v	75.11v	103.13v	46.2v	73.10v	678.73v
171	Mr BMA Stevens	O	72.6v	72.6v	50.6v	47.3v	49.6v	50.8v	46.3v	75.7v	102.13v	41.1v	74.12v	678.71v
172	Mr A Chown	X	74.6v	71.7v	49.6v	47.4v	49.6v	48.3v	48.4v	74.11v	103.14v	45.4v	70.5v	678.70v
173	Mr JA Bullock	X	74.11v	71.7v	48.5v	49.4v	50.5v	50.7v	47.3v	68.7v	102.8v	47.4v	72.8v	678.69v
174	Mr SMC Wilson	O	72.8v	74.10v	49.4v	47.4v	48.5v	46.3v	48.5v	74.11v	101.6v	49.5v	70.6v	678.67v
175	Rozli Mohamad	X	74.11v	74.9v	50.5v	49.8v	49.7v	48.3v	46.4v	73.7v	100.7v	49.4v	66.2v	678.67v
176	Miss JH Messer	X	73.6v	74.7v	46.1v	46.3v	50.9v	45.3v	48.6v	75.11v	103.9v	44.3v	74.9v	678.67v
177	Cdt AM Clark	O	70.7v	71.6v	49.4v	46.5v	49.6v	50.6v	46.4v	74.6v	102.8v	48.4v	73.7v	678.63v
178	Ms BM Moore	O	72.10v	75.8v	46.3v	47.3v	50.7v	48.3v	46.3v	75.12v	101.6v	47.3v	71.4v	678.62v
179	Miss DS Hume	X	72.7v	74.7v	50.5v	46.2v	49.6v	48.4v	45.1v	74.7v	102.12v	46.2v	72.9v	678.62v
180	Mr GK Alexander	A	70.5v	73.6v	48.5v	48.5v	50.4v	49.3v	50.4v	72.6v	103.11v	48.5v	67.7v	678.61v
181	Mr APH Hoyle	A	67.2v	74.8v	50.3v	48.5v	50.9v	47.5v	49.4v	74.7v	101.9v	47.3v	71.6v	678.61v
182	Shahfame Ramly	X	71.6v	72.6v	50.2v	44.2v	48.7v	50.7v	47.4v	74.7v	104.10v	48.4v	70.5v	678.60v
183	Mr S Monaghan	O	72.7v	74.10v	48.3v	49.4v	48.7v	49.2v	45.3v	72.4v	103.11v	44.1v	74.7v	678.59v
184	Mr R de V Chase	A	71.6v	75.8v	48.5v	48.4v	50.4v	45.3v	48.1v	71.4v	103.11v	47.3v	72.8v	678.57v
185	Mr P Dawes	A	72.4v	72.5v	48.7v	48.4v	48.5v	49.4v	47.3v	72.9v	104.7v	44.1v	74.8v	678.57v
186	Mr DA Taylor	A	73.3v	73.5v	49.4v	47.3v	47.2v	48.4v	44.3v	73.8v	103.12v	47.4v	74.8v	678.56v
187	Mr WHC Alexander	A	73.9v	72.7v	46.4v	44.3v	49.8v	49.8v	49.7v	73.9v	102.11v	45.3v	75.10v	677.79v
188	Mr JF Lambe	X	72.9v	74.6v	47.2v	48.6v	46.4v	48.7v	50.3v	74.12v	100.9v	45.4v	73.10v	677.72v
189	Mr SA Thomas	X	75.11v	69.7v	50.9v	47.1v	50.5v	48.3v	46.3v	72.7v	102.12v	45.1v	73.11v	677.70v
190	Mr RG Faulkner	O	71.8v	74.9v	50.6v	48.5v	48.7v	49.6v	48.5v	72.7v	104.8v	40.1v	73.8v	677.70v
191	Mr WJG Dixon	X	72.10v	73.6v	46.4v	47.2v	48.8v	49.1v	46.4v	73.8v	102.11v	48.6v	73.8v	677.68v
192	Sqn Ldr KM Le Quesne	O	69.5v	73.7v	50.6v	48.2v	47.5v	49.6v	48.3v	71.9v	102.15v	47.3v	73.6v	677.67v
193	Mr AK Henderson	X	73.10v	73.8v	49.6v	47.2v	50.6v	48.4v	45.3v	73.6v	101.11v	48.5v	70.4v	677.65v
194	Cdt T Keen	O	69.5v	71.9v	50.3v	49.6v	47.3v	48.5v	47.1v	74.11v	103.12v	48.3v	71.6v	677.64v
195	Mr MJ Wood	A	73.9v	71.5v	49.5v	48.3v	48.4v	49.3v	49.4v	74.10v	100.12v	44.2v	72.7v	677.64v
196	Mr WA Langley	X	72.7v	71.4v	48.7v	47.4v	50.7v	50.6v	46.3v	74.9v	102.8v	47.2v	70.6v	677.63v
197	Flt Lt KP Cressy	A	71.7v	72.6v	49.5v	44.1v	49.6v	48.6v	49.5v	74.5v	102.12v	45.3v	74.6v	677.62v
198	Cdt Cpl EC Dickson	O	74.6v	74.7v	47.5v	46.1v	49.5v	47.4v	48.4v	73.9v	102.10v	44.2v	73.9v	677.62v
199	Mr AJ Nowacki	O	72.8v	74.5v	48.3v	49.4v	49.9v	47.5v	45.1v	73.7v	101.7v	49.2v	70.10v	677.61v
200	Mr GL Clarke	O	74.6v	70.9v	44.3v	49.8v	50.4v	48.5v	49.2v	72.7v	105.13v	44.1v	72.3v	677.61v
201	Mr P Halford	A	70.3v	73.7v	49.3v	50.4v	49.6v	48.4v	48.3v	74.11v	100.6v	43.3v	73.10v	677.60v
202	Mr M Reid	A	72.4v	69.4v	50.4v	47.5v	48.6v	48.4v	48.4v	72.5v	102.10v	49.5v	72.8v	677.59v
203	Cpl ML Lekalaile	X	70.8v	75.11v	48.5v	47.4v	50.5v	47.0v	49.4v	72.6v	101.10v	47.3v	71.3v	677.59v
204	Mr GH Holden	O	75.8v	72.6v	46.5v	46.5v	48.6v	47.2v	49.1v	71.6v	102.10v	48.1v	73.6v	677.56v
205	Mr JCB Peachey	X	74.9v	72.8v	48.4v	49.7v	49.7v	48.5v	49.7v	75.13v	94.6v	44.1v	74.8v	676.75v
206	Mr MI Buchanan	X	72.4v	75.10v	47.6v	48.5v	48.7v	44.3v	46.3v	74.9v	102.13v	45.3v	75.7v	676.70v
207	Mr AS Errey	X	73.9v	72.9v	49.5v	45.2v	50.5v	50.3v	48.4v	75.12v	100.13v	41.2v	73.6v	676.70v
208	Mr B Taylor	O	72.8v	73.9v	48.6v	46.2v	48.5v	48.3v	45.3v	74.11v	101.9v	47.4v	74.9v	676.69v
209	Mr JA Curd	A	68.5v	73.6v	48.6v	49.3v	49.8v	47.5v	45.1v	74.6v	101.11v	47.5v	75.11v	676.67v
210	Mr D Davies	X	71.6v	73.7v	49.5v	49.4v	48.2v	49.5v	48.4v	74.10v	98.11v	45.1v	72.8v	676.63v
211	Mr RJR Mott	A	68.5v	75.5v	50.8v	50.6v	50.4v	48.4v	46.5v	72.6v	100.7v	44.2v	73.10v	676.62v
212	Mr AA Williams	O	69.6v	72.7v	48.8v	45.4v	49.6v	50.4v	47.3v	75.7v	100.6v	49.3v	72.7v	676.61v
213	Mr J McKellar	X	70.6v	73.5v	50.8v	50.5v	50.7v	47.1v	47.5v	71.5v	102.8v	45.4v	71.7v	676.61v
214	Mr MA Kirkillo-Stacewicz	A	69.6v	73.2v	48.7v	46.1v	48.7v	49.4v	48.3v	75.7v	102.14v	47.3v	71.5v	676.59v

215	Mr AJ Woodward	X	73.8v	71.10v	49.7v	50.7v	49.9v	47.1v	46.3v	74.8v	100.12v	45.4v	71.10v	675.79v
216	Dr JS Rennie	A	72.8v	73.9v	49.8v	47.3v	50.7v	48.5v	47.5v	71.7v	100.12v	49.6v	69.5v	675.75v
217	Mr JM Taylor	A	70.6v	71.7v	49.7v	44.2v	50.7v	49.7v	49.5v	75.13v	99.10v	48.4v	71.7v	675.75v
218	Mr D Rose	O	70.6v	72.9v	49.5v	49.5v	49.6v	50.8v	47.4v	73.9v	99.10v	48.7v	69.5v	675.74v
219	Mr EC Wood	A	72.8v	72.10v	49.5v	49.7v	49.8v	48.5v	48.5v	73.9v	101.8v	41.1v	73.6v	675.72v
220	Mr WLL Lewis	T	73.8v	72.8v	49.7v	46.4v	49.6v	47.4v	47.4v	73.9v	103.12v	46.2v	70.6v	675.70v
221	Mr AJT Gemmill	A	74.11v	71.6v	50.5v	47.5v	49.6v	49.3v	46.4v	74.13v	103.9v	40.1v	72.7v	675.70v
222	Sqn Ldr SC Williamson	X	72.8v	74.8v	45.4v	49.3v	44.7v	49.5v	47.4v	74.11v	101.9v	45.1v	75.9v	675.69v
223	Mr SE Frost	X	71.9v	71.7v	50.3v	46.3v	50.9v	50.6v	45.0v	75.10v	101.14v	47.3v	69.4v	675.68v
224	Mr MJM Black	X	69.4v	72.9v	49.3v	48.5v	48.6v	49.7v	49.7v	74.6v	101.11v	44.3v	72.7v	675.68v
225	Mr MSE Firman	O	74.6v	69.5v	46.4v	49.1v	50.7v	47.6v	44.2v	74.13v	104.11v	46.3v	72.6v	675.64v
226	Mr F Mohideen	A	75.6v	73.4v	48.5v	48.5v	49.7v	45.4v	48.5v	70.10v	98.5v	49.5v	72.6v	675.62v
227	Mr RBC Baker	A	72.7v	73.5v	48.6v	48.2v	49.5v	50.5v	46.4v	70.8v	101.10v	46.3v	72.7v	675.62v
228	Mr HL Hunter	O	74.7v	73.9v	47.4v	47.3v	50.7v	47.6v	45.1v	71.4v	101.9v	46.3v	74.9v	675.62v
229	Mr T Lilley	O	70.5v	73.6v	49.5v	47.4v	47.7v	50.7v	48.4v	73.7v	103.7v	44.3v	71.4v	675.59v
230	Mr GW Robinson	X	71.7v	74.8v	49.5v	48.4v	49.3v	49.4v	49.4v	70.7v	98.6v	48.5v	70.5v	675.58v
231	FS B Jones	O	69.6v	72.3v	48.4v	50.6v	48.3v	47.2v	50.4v	75.10v	101.9v	42.4v	73.7v	675.58v
232	Cdt T Drysdale	O	71.5v	71.6v	49.4v	46.2v	49.6v	47.2v	47.2v	74.10v	101.5v	47.3v	73.8v	675.53v
233	Dr MW Wrigley	O	74.6v	74.5v	48.3v	46.4v	48.2v	47.5v	48.3v	73.9v	100.9v	47.1v	70.6v	675.53v
234	Mr RA Welford	A	73.5v	72.8v	48.2v	46.2v	48.3v	49.5v	46.3v	75.11v	101.7v	49.1v	68.5v	675.52v
235	Mr M Whicher	X	69.6v	72.6v	50.4v	47.4v	50.7v	50.3v	47.0v	72.10v	101.5v	45.4v	72.3v	675.52v
236	Pte KTS Burden	T	69.4v	69.3v	48.2v	49.5v	50.2v	49.6v	47.3v	69.3v	105.10v	47.2v	73.4v	675.44v
237	Mr MC Parker	X	72.9v	72.9v	50.8v	48.5v	48.6v	48.4v	50.6v	73.11v	97.6v	45.3v	71.7v	674.74v
238	Mr N Healy	T	73.9v	74.4v	50.6v	45.5v	49.8v	48.5v	47.6v	74.12v	99.8v	45.1v	70.5v	674.69v
239	Mr PRD Stock	X	73.9v	72.8v	49.8v	47.2v	49.4v	46.4v	49.4v	72.8v	101.14v	49.5v	67.2v	674.68v
240	Mr RHG Rilely	O	72.8v	70.6v	47.3v	48.5v	49.5v	47.5v	46.4v	72.7v	102.12v	49.6v	72.5v	674.66v
241	Mr M Stewart	T	73.9v	72.6v	49.5v	44.1v	49.7v	48.5v	46.3v	67.11v	102.8v	49.5v	75.6v	674.66v
242	Mr AG Mitchell	A	73.5v	72.9v	50.5v	46.2v	49.4v	47.4v	50.8v	70.9v	103.9v	42.3v	72.8v	674.66v
243	Mr T Steele	O	73.9v	69.6v	48.4v	47.2v	49.5v	46.5v	50.6v	74.8v	100.10v	45.3v	73.6v	674.64v
244	Mr MJ Barlow	O	74.10v	72.7v	47.5v	46.2v	48.5v	48.4v	49.3v	75.9v	102.11v	42.0v	71.8v	674.64v
245	Dr AM Jory	X	71.6v	74.9v	48.4v	47.3v	50.6v	49.5v	50.6v	72.7v	101.9v	45.2v	67.6v	674.63v
246	Ms LA Johnson	A	74.9v	72.6v	48.6v	49.4v	49.4v	46.6v	47.4v	71.7v	100.10v	44.1v	74.6v	674.63v
247	Mr SJ Bissonnette	X	72.8v	71.4v	50.6v	47.5v	49.7v	47.2v	48.5v	74.5v	99.10v	44.2v	73.8v	674.62v
248	Mr AIB Brown	O	69.3v	73.5v	49.8v	46.2v	50.5v	50.8v	46.3v	74.14v	101.5v	47.2v	69.6v	674.61v
249	Cdt TP Wharram	T	71.4v	74.8v	45.5v	50.3v	48.6v	48.5v	45.3v	74.12v	103.10v	46.1v	70.4v	674.61v
250	Mr DJ Rowland	O	71.5v	73.8v	47.3v	47.5v	48.3v	46.3v	49.1v	73.10v	101.12v	45.3v	74.8v	674.61v
251	Mr R Jackson	O	72.5v	74.9v	49.5v	45.3v	49.5v	47.4v	49.6v	72.6v	102.11v	47.2v	68.4v	674.60v
252	Cdt CMJ Redburn	O	75.6v	72.7v	50.7v	46.5v	49.4v	48.6v	44.3v	72.7v	100.8v	45.2v	73.4v	674.59v
253	Mr A Bullen	O	72.5v	71.4v	49.4v	45.3v	47.4v	48.5v	47.4v	75.8v	99.9v	49.5v	72.5v	674.56v
254	Mr J Dunn	O	72.5v	73.8v	49.3v	48.4v	45.2v	49.4v	43.0v	73.8v	100.8v	48.4v	74.8v	674.54v
255	Mr ND Gomez	X	72.12v	72.6v	50.6v	44.3v	50.8v	47.9v	49.2v	72.10v	103.12v	44.1v	70.7v	673.76v
256	Mr AP Barnes	X	73.9v	73.6v	49.7v	46.4v	45.3v	47.6v	49.7v	73.9v	101.13v	47.5v	70.6v	673.75v
257	Mr BFC Roberts	O	72.7v	73.8v	47.5v	46.6v	47.4v	45.3v	50.9v	73.7v	100.7v	49.6v	71.8v	673.70v
258	Mr BA Young	A	72.5v	72.8v	50.7v	46.3v	50.8v	47.4v	49.7v	72.5v	98.10v	45.3v	72.8v	673.68v
259	Mr ME Buckley	O	72.10v	69.7v	50.9v	46.2v	49.5v	45.3v	47.5v	74.10v	102.10v	45.0v	74.7v	673.68v
260	Mr PR Thompson	A	74.9v	71.6v	47.4v	46.2v	48.4v	48.6v	49.8v	72.10v	102.9v	45.3v	71.6v	673.67v
261	Cdt HC Ball	T	72.5v	72.7v	49.6v	47.5v	49.4v	48.6v	47.2v	73.10v	97.7v	47.4v	72.8v	673.64v
262	Mr AC Haley	O	74.10v	74.8v	48.4v	44.3v	50.7v	48.3v	47.4v	72.6v	102.12v	42.1v	72.6v	673.64v
263	Mr AJ Burton	X	72.6v	73.10v	49.6v	47.5v	49.4v	48.4v	47.4v	68.4v	101.9v	46.2v	73.9v	673.63v
264	Mr APW Daw	A	72.7v	75.10v	50.6v	48.5v	46.3v	48.6v	50.6v	71.3v	101.10v	45.4v	67.3v	673.63v
265	Mr R Barrington	O	73.8v	72.8v	47.4v	47.2v	50.7v	44.0v	46.4v	73.8v	101.12v	47.2v	73.7v	673.62v
266	Mr RP Rosling	X	74.8v	70.5v	49.6v	46.2v	47.5v	49.4v	49.7v	71.7v	102.10v	43.2v	73.6v	673.62v
267	Mr NBS Logan	X	71.7v	70.5v	49.5v	47.3v	46.4v	48.6v	47.4v	73.9v	101.8v	49.4v	72.6v	673.61v
268	Mr LT Wicker	A	71.5v	71.6v	47.3v	46.1v	49.8v	49.5v	50.7v	74.7v	99.7v	47.6v	70.6v	673.61v
269	Mr KO Pugh	A	72.7v	71.9v	48.2v	47.2v	48.6v	48.5v	48.5v	74.7v	98.8v	47.3v	72.7v	673.61v
270	Mr RK Sheead	A	71.4v	73.9v	50.6v	46.2v	49.5v	44.5v	48.5v	72.6v	100.9v	47.3v	73.7v	673.61v
271	Mr P Hornsby	X	73.7v	72.8v	49.7v	47.5v	47.2v	49.7v	47.5v	71.1v	101.11v	42.2v	75.6v	673.61v
272	Mr WCP Richards	X	75.8v	72.7v	48.4v	50.3v	50.6v	48.4v	48.7v	74.7v	99.9v	41.1v	68.5v	673.61v
273	Mr KM Willingale	O	72.6v	72.5v	49.4v	45.2v	49.8v	46.4v	48.4v	73.7v	102.9v	47.3v	70.8v	673.60v
274	Cdt WD Owen	O	71.5v	73.8v	49.7v	45.4v	47.1v	50.6v	48.5v	75.9v	99.7v	47.2v	69.5v	673.59v
275	Mr PS Gray	A	74.8v	74.6v	47.4v	47.3v	50.4v	47.4v	48.5v	74.7v	95.6v	46.4v	71.8v	673.59v
276	Mr PJ Chance	A	72.7v	73.7v	46.4v	46.4v	49.5v	45.3v	50.4v	74.9v	99.5v	49.6v	70.4v	673.58v
277	Dr AF Aspin	O	73.5v	74.7v	49.5v	46.5v	49.4v	50.5v	47.3v	70.9v	97.9v	46.4v	72.2v	673.58v
278	Miss JM Rankin	A	71.7v	72.5v	49.4v	47.4v	48.3v	49.6v	48.4v	71.5v	100.9v	48.4v	70.5v	673.56v
279	Mrs A Uhlig	X	72.9v	72.6v	46.3v	46.0v	50.4v	49.1v	49.4v	75.8v	100.10v	46.5v	68.6v	673.56v
280	Mr EBD Reis	A	72.7v	71.5v	50.6v	49.3v	49.3v	45.2v	45.3v	71.5v	100.9v	48.2v	73.8v	673.53v
281	Mr M Goberville	O	71.7v	73.10v	50.7v	44.2v	48.5v	49.3v	49.6v	74.8v	101.14v	39.4v	74.12v	672.78v
282	Mr SC Postins	A	73.8v	73.9v	49.4v	48.4v	46.7v	45.4v	49.4v	69.9v	103.13v	46.3v	71.9v	672.74v
283	Mr J Halahan	O	72.9v	70.3v	49.4v	45.0v	48.5v	48.4v	49.5v	73.12v	100.12v	45.5v	73.10v	672.69v
284	Mr BA Horwood	X	73.9v	72.9v	50.4v	45.2v	49.7v	46.5v	49.6v	72.10v	99.9v	45.1v	72.7v	672.69v
285	Mr SJ Pascoe	O	71.8v	73.10v	49.5v	47.5v	48.4v	48.5v	42.0v	73.6v	102.14v	46.3v	73.8v	672.68v
286	Cdt JR Purdy	A	70.7v	70.4v	48.3v	48.3v	47.5v	49.8v	48.5v	73.12v	99.12v	48.3v	72.5v	672.67v
287	Mr CA Leece	O	72.10v	74.7v	49.6v	45.0v	50.6v	47.3v	47.1v	72.9v	100.12v	47.3v	69.8v	672.65v
288	Mr CC Mallett Jnr	X	72.7v	74.7v	50.6v	45.1v	49.5v	49.5v	50.8v	71.7v	96.10v	47.2v	69.7v	672.65v
289	Mr SL Larter-Whitcher	O	71.5v	74.11v	48.5v	48.3v	50.6v	49.7v	46.4v	70.5v	100.9v	46.4v	70.6v	672.65v
290	Dr MJ Schwarz	X	70.5v	75.12v	49.6v	46.1v	49.6v	46.3v	49.6v	74.12v	99.6v	45.3v	70.5v	672.65v
291	Mr PW Sharman	O	74.8v	69.6v	49.2v	49.5v	49.4v	46.3v	47.4v	72.6v	102.13v	41.3v	74.11v	672.65v

292	Mr PJS Bysse	X	72.6v	72.9v	46.4v	49.4v	49.6v	47.4v	47.3v	72.10v	97.9v	48.4v	73.5v	672.64v
293	Cdt TPJ Cook	O	71.6v	72.5v	46.4v	49.6v	47.4v	48.4v	49.5v	67.5v	102.11v	47.5v	74.9v	672.64v
294	Mr HN Watson	O	71.3v	70.7v	48.4v	50.4v	49.7v	50.8v	45.2v	72.9v	99.9v	46.2v	72.9v	672.64v
295	Mr SA Merton Jones	A	71.5v	71.7v	49.5v	45.3v	48.3v	47.4v	47.3v	74.10v	103.14v	46.5v	71.4v	672.63v
296	Wg Cdr CJ Hockley	A	74.7v	72.7v	49.6v	47.3v	50.7v	47.3v	49.6v	68.5v	99.7v	46.3v	71.7v	672.61v
297	Lt Col CR Claridge	A	74.4v	73.6v	50.7v	47.4v	47.6v	49.2v	45.4v	70.7v	99.9v	47.3v	71.7v	672.59v
298	Mr SP O'Brien	X	72.8v	74.4v	46.4v	44.4v	47.2v	46.3v	49.7v	73.9v	102.10v	48.1v	71.6v	672.58v
299	Mr DMJ Coutts	O	71.6v	72.4v	48.4v	48.5v	48.5v	48.5v	42.2v	74.7v	103.11v	44.1v	74.8v	672.58v
300	Mr DA Richardson	X	71.4v	72.6v	50.6v	47.3v	50.6v	48.3v	46.3v	71.5v	96.6v	47.3v	74.11v	672.56v
301	Ms A Gagne	X	75.10v	72.8v	44.3v	44.4v	50.10v	47.6v	50.6v	74.10v	102.10v	44.3v	69.6v	671.76v
302	Mr CES Dickenson	X	74.10v	70.6v	48.4v	48.5v	48.5v	47.4v	44.3v	71.6v	103.14v	45.3v	73.11v	671.71v
303	Mr J Lawrie	O	72.8v	71.7v	49.5v	48.3v	49.4v	49.4v	49.6v	72.6v	102.11v	37.2v	73.9v	671.65v
304	Mr GP Nelson	O	70.6v	72.7v	49.8v	47.5v	48.5v	47.4v	46.5v	73.7v	102.9v	46.4v	71.4v	671.64v
305	Mr N Cole-Hawkins	O	73.7v	75.13v	47.3v	43.2v	48.4v	49.3v	50.6v	73.10v	97.7v	49.4v	67.3v	671.62v
306	Mr MR Fugeman	A	71.5v	74.8v	48.7v	48.6v	48.5v	43.3v	49.4v	73.7v	101.11v	46.1v	70.5v	671.62v
307	Mr J Jackman	O	72.4v	70.7v	48.7v	48.4v	50.5v	47.3v	46.5v	73.7v	100.7v	45.3v	72.9v	671.61v
308	Mr CMS Dawes	O	73.8v	71.6v	48.4v	47.4v	50.7v	47.4v	48.5v	68.5v	99.7v	45.0v	75.11v	671.61v
309	Mr FR Rahman	O	73.8v	73.6v	47.4v	44.2v	50.4v	49.7v	48.6v	71.4v	96.7v	49.5v	71.6v	671.59v
310	Mr PCW Rose	O	71.3v	71.8v	47.3v	45.1v	50.7v	50.4v	49.8v	72.9v	101.7v	46.3v	69.6v	671.59v
311	Mr G van Koetsveld	O	72.6v	73.7v	46.2v	47.5v	49.5v	48.3v	47.3v	71.11v	101.8v	46.2v	71.6v	671.58v
312	Mr IRM Brown	A	70.6v	72.6v	48.3v	48.5v	50.5v	47.1v	45.4v	73.8v	101.9v	45.5v	72.6v	671.58v
313	Major AJW Sturrock	X	74.7v	71.3v	48.4v	47.2v	48.4v	43.1v	48.5v	72.9v	101.11v	46.4v	73.6v	671.56v
314	Mr MR Ebbetts	O	71.8v	73.8v	49.5v	49.6v	49.5v	47.3v	45.3v	70.3v	101.9v	45.3v	72.3v	671.56v
315	Mr IDC Brechin	O	70.5v	72.6v	48.5v	45.3v	48.5v	49.6v	47.3v	74.7v	103.9v	42.0v	73.5v	671.54v
316	Mr RI Coventry	A	72.4v	70.4v	49.4v	46.1v	49.5v	47.5v	47.4v	75.7v	96.8v	48.3v	72.4v	671.49v
317	Mr CN McEachran	O	71.4v	72.5v	48.3v	45.4v	47.3v	49.2v	48.5v	73.6v	100.10v	46.2v	72.5v	671.49v
318	Mr MP Watkins	O	73.9v	74.6v	47.3v	46.4v	48.3v	50.8v	48.5v	72.11v	102.14v	38.0v	72.7v	670.70v
319	Mr CD Heales	A	74.11v	72.9v	47.3v	46.4v	49.6v	46.3v	49.7v	71.6v	99.9v	47.3v	70.7v	670.68v
320	Mr JR Swash	O	74.8v	71.9v	48.5v	47.2v	48.5v	47.6v	46.4v	72.8v	102.10v	43.3v	72.7v	670.67v
321	Mr R Shaw	A	69.8v	71.6v	50.7v	47.4v	49.8v	49.2v	45.4v	73.10v	100.10v	46.3v	71.3v	670.65v
322	Mr F Bilton	O	71.8v	75.8v	46.3v	46.2v	48.5v	48.6v	48.2v	72.8v	101.11v	45.4v	70.4v	670.61v
323	Mr S Cleveland	A	72.8v	75.10v	50.7v	46.3v	49.6v	46.1v	45.3v	72.8v	97.5v	48.5v	70.3v	670.59v
324	Cdt MRMM Millar	A	73.7v	72.6v	49.3v	48.4v	48.5v	47.4v	48.4v	74.9v	101.11v	40.0v	70.6v	670.59v
325	Mr MD Joyce	A	74.5v	71.6v	44.1v	42.2v	49.6v	50.7v	49.4v	73.7v	100.9v	45.2v	73.8v	670.57v
326	Mr DGF Evans	A	71.6v	69.5v	49.7v	48.3v	47.5v	49.5v	48.5v	73.4v	100.8v	46.1v	70.6v	670.55v
327	Mr MS Westmoquette	O	73.5v	72.7v	48.4v	46.4v	46.2v	46.1v	50.5v	72.4v	102.11v	46.4v	69.5v	670.52v
328	Ms HM Griffiths	X	72.6v	73.9v	50.6v	49.6v	49.6v	49.5v	38.2v	70.9v	100.14v	44.3v	75.9v	669.75v
329	Mr DB Cumming	O	67.5v	69.7v	49.6v	49.6v	47.4v	49.6v	48.5v	73.9v	102.16v	44.3v	72.7v	669.74v
330	Maj P Mathenge	X	72.7v	73.5v	48.5v	48.8v	49.8v	49.3v	45.3v	73.9v	98.10v	42.2v	72.10v	669.70v
331	Miss IFE Rowley	A	74.11v	72.8v	49.3v	42.3v	50.6v	46.3v	47.3v	73.10v	102.8v	44.5v	70.6v	669.66v
332	Mr RAH Vary	A	71.3v	73.9v	50.6v	48.5v	49.6v	47.2v	48.6v	69.6v	99.8v	49.6v	66.5v	669.62v
333	Dr RA Mullin	X	75.7v	72.6v	48.6v	45.2v	50.6v	49.7v	44.3v	74.9v	101.10v	47.4v	64.2v	669.62v
334	Mr SJ Hier	T	65.2v	72.6v	47.5v	45.3v	48.6v	48.6v	47.2v	75.9v	104.11v	47.3v	71.9v	669.62v
335	Mr CA Ganter	X	68.9v	74.8v	49.5v	46.3v	48.5v	47.5v	49.5v	71.4v	100.10v	47.2v	70.6v	669.62v
336	Mr BV Cambray	A	69.2v	72.5v	48.7v	47.6v	48.4v	49.5v	46.3v	74.9v	102.10v	43.1v	71.10v	669.62v
337	Mr ISL Dampney	A	73.8v	72.7v	48.6v	45.3v	49.5v	50.6v	47.4v	72.5v	100.7v	42.1v	71.9v	669.61v
338	Mr PG Cann	O	72.9v	72.9v	48.4v	45.2v	49.4v	48.3v	49.2v	71.8v	100.8v	43.1v	72.10v	669.60v
339	Mr PM De voil	O	72.10v	72.3v	48.3v	47.3v	49.4v	45.5v	50.4v	69.7v	102.7v	44.3v	71.8v	669.57v
340	Mr JC Holdsworth	O	71.5v	72.7v	48.2v	50.5v	50.6v	49.7v	44.3v	73.9v	96.6v	44.1v	72.5v	669.56v
341	Mr PDR Law	A	72.6v	71.2v	47.3v	48.3v	49.7v	49.6v	46.4v	74.10v	98.5v	44.3v	71.6v	669.55v
342	Mr TA Chapman	O	72.5v	73.8v	49.6v	49.4v	48.5v	49.3v	46.4v	68.3v	99.7v	44.3v	72.6v	669.54v
343	Mr ME Barr	O	71.6v	74.7v	48.3v	45.4v	49.5v	50.6v	48.3v	71.5v	95.5v	44.2v	74.7v	669.53v
344	Mr DJ Curtis	A	70.1v	71.7v	48.3v	49.7v	50.6v	46.1v	46.2v	70.7v	104.8v	42.3v	73.6v	669.51v
345	Cdt RS Jelly	O	68.3v	74.5v	46.4v	48.2v	48.4v	49.1v	47.4v	74.6v	97.5v	49.5v	69.3v	669.42v
346	Mr TJ Goodger	O	73.10v	75.10v	49.5v	47.4v	50.4v	49.5v	49.4v	73.9v	96.11v	37.4v	70.5v	668.71v
347	Mr C Asquith	O	71.8v	70.7v	49.4v	48.5v	48.4v	48.5v	45.2v	73.12v	102.10v	43.1v	71.9v	668.67v
348	Mr SD Spinney	X	72.10v	71.4v	49.6v	48.6v	45.3v	46.5v	47.5v	72.3v	101.11v	47.4v	70.7v	668.64v
349	Mr JG Bennett	O	72.8v	71.8v	47.6v	46.5v	48.6v	47.3v	45.3v	72.4v	102.12v	46.1v	72.5v	668.61v
350	Mr GH Porter	O	74.6v	74.8v	44.2v	45.3v	48.5v	48.5v	49.7v	70.6v	102.12v	46.2v	68.4v	668.60v
351	Miss LA Moore	A	70.5v	70.5v	49.6v	45.3v	49.7v	49.4v	49.4v	73.7v	101.13v	45.3v	68.3v	668.60v
352	Mr NH Burton	X	73.2v	70.5v	49.4v	46.5v	49.7v	48.5v	44.3v	71.6v	99.11v	45.2v	74.10v	668.60v
353	Cdt SG Hunter	T	72.6v	71.5v	47.6v	48.5v	48.3v	48.5v	45.3v	71.6v	103.10v	48.5v	67.4v	668.58v
354	Mr SJ Green	A	67.3v	74.9v	46.6v	48.4v	49.5v	49.5v	47.3v	70.7v	99.8v	47.3v	72.5v	668.58v
355	Cdt L/Bdr SR Ruddell	T	72.8v	70.7v	47.1v	44.3v	48.3v	48.2v	47.5v	75.10v	102.11v	45.3v	70.5v	668.58v
356	Mr FAE Ellis	X	71.5v	74.5v	47.5v	47.4v	47.3v	45.5v	49.3v	69.9v	103.12v	44.3v	72.4v	668.58v
357	Miss O Newhouse	A	69.6v	72.6v	49.4v	48.5v	49.7v	49.6v	47.4v	70.5v	100.7v	43.2v	72.6v	668.58v
358	Mr RG Hilyard	A	74.8v	72.7v	47.7v	47.5v	47.2v	43.1v	47.4v	70.5v	101.8v	46.3v	74.7v	668.57v
359	Dr GO Launcelott	O	71.7v	71.6v	48.6v	48.4v	48.6v	48.4v	48.4v	72.5v	98.7v	47.2v	69.5v	668.56v
360	Cdt HJ Golaszewski	O	74.10v	72.9v	45.3v	48.3v	49.7v	48.2v	44.2v	71.6v	99.6v	46.1v	72.7v	668.56v
361	Mr C Higginbottom	A	72.3v	74.8v	50.4v	43.3v	50.9v	47.4v	45.4v	75.9v	98.7v	45.3v	69.2v	668.56v
362	Mr PA Kelly	T	75.7v	68.5v	47.2v	46.4v	50.6v	49.4v	46.5v	74.9v	102.10v	41.0v	70.4v	668.56v
363	Mr DJ Blake	A	66.2v	73.8v	48.4v	46.3v	49.6v	47.3v	49.6v	74.8v	98.9v	49.1v	69.3v	668.53v
364	Mr IF Luckman	O	73.5v	73.7v	50.7v	44.1v	48.5v	45.2v	50.6v	73.8v	99.8v	44.1v	69.1v	668.51v
365	Mr JEM Hartwell	O	70.2v	72.4v	50.4v	48.4v	46.1v	48.5v	47.4v	73.8v	100.9v	43.3v	71.7v	668.51v
366	Mr GJ Williams	X	72.6v	72.3v	47.5v	47.5v	48.5v	45.3v	49.4v	74.4v	96.4v	47.2v	71.6v	668.47v
367	Mr GD Palmer	X	72.9v	72.6v	47.0v	45.3v	48.4v	49.4v	43.7v	75.12v	101.10v	42.1v	73.10v	667.66v
368	Mr PG Seebomh	A	73.8v	72.8v	50.7v	44.5v	47.5v	46.3v	46.2v	73.9v	100.11v	45.2v	71.5v	667.65v

369	Miss JE Ouston	O	69.6v	73.7v	49.5v	49.5v	49.8v	47.4v	49.5v	68.7v	97.8v	44.3v	73.7v	667.65v
370	Mr GH Harris	X	73.7v	70.6v	48.7v	43.3v	49.6v	45.4v	48.4v	74.11v	102.11v	42.0v	73.6v	667.65v
371	Mr S Pearson	O	73.9v	68.6v	50.2v	49.8v	50.4v	46.4v	40.2v	71.7v	100.9v	47.4v	73.9v	667.64v
372	Mr SS Sehmi	X	71.8v	70.7v	49.4v	47.4v	49.7v	48.4v	47.5v	70.6v	101.12v	44.3v	71.4v	667.64v
373	Mr RH Gardiner	O	72.5v	69.7v	46.4v	47.4v	49.8v	47.3v	50.6v	72.4v	100.9v	48.6v	67.6v	667.62v
374	Mr A Harrison	A	72.6v	68.6v	49.6v	42.4v	47.3v	49.3v	47.4v	75.10v	99.9v	46.3v	73.6v	667.60v
375	Mr RE Clarke	O	71.3v	72.7v	48.4v	48.2v	48.4v	43.3v	48.4v	74.9v	98.10v	44.2v	73.10v	667.58v
376	Lt WF Squires	O	72.6v	70.5v	50.4v	40.1v	49.3v	45.5v	47.2v	73.5v	102.13v	44.3v	75.10v	667.57v
377	Mr T Hembrow	O	72.8v	71.4v	49.5v	49.6v	50.4v	47.3v	46.3v	67.5v	100.8v	43.1v	73.10v	667.57v
378	Mr D Lowe	A	72.7v	72.5v	50.6v	49.5v	48.5v	44.3v	46.3v	74.6v	98.7v	48.5v	66.4v	667.56v
379	Mr J Evans	O	72.5v	70.4v	45.2v	48.5v	50.6v	47.4v	49.4v	73.7v	96.9v	46.3v	71.7v	667.56v
380	Mr S Doble	T	69.5v	72.3v	48.3v	44.2v	50.7v	47.1v	45.4v	72.7v	100.11v	46.0v	74.10v	667.53v
381	Miss LMA Bogie	T	72.4v	72.7v	48.4v	44.3v	48.4v	48.5v	47.3v	72.8v	101.7v	44.3v	71.4v	667.52v
382	Mr C Cottillard	X	68.4v	70.1v	49.7v	45.2v	49.4v	48.4v	44.3v	75.8v	103.8v	45.1v	71.6v	667.48v
383	Mr SW Kemp	O	71.5v	75.8v	47.3v	49.5v	48.5v	44.2v	48.2v	70.4v	102.5v	41.0v	72.9v	667.48v
384	Mr MF Martel	X	75.10v	71.7v	50.8v	47.5v	45.4v	47.5v	49.6v	70.6v	100.8v	39.3v	73.7v	666.69v
385	Mr SP Harding	O	72.7v	73.6v	46.5v	47.3v	48.4v	46.4v	47.5v	71.9v	103.13v	46.4v	67.6v	666.66v
386	Mr DMC Sharp	O	70.6v	70.6v	49.7v	46.6v	47.4v	47.2v	50.6v	75.8v	101.11v	47.2v	66.4v	666.65v
387	Sgt D Kinuthia	X	71.8v	75.11v	47.2v	44.3v	43.1v	48.4v	48.6v	73.7v	102.12v	42.2v	73.9v	666.65v
388	Cdt AJC Wilson	O	70.6v	69.5v	48.6v	49.5v	47.4v	46.6v	46.3v	70.7v	101.10v	46.4v	74.8v	666.64v
389	Cdt DF Williams	A	70.5v	69.4v	49.5v	42.4v	48.3v	44.4v	49.4v	73.7v	103.14v	47.6v	72.7v	666.63v
390	Mr DT Argent	O	67.5v	72.9v	49.7v	47.6v	46.2v	48.4v	48.3v	74.8v	99.9v	46.2v	70.8v	666.63v
391	Mr R Birtwistle	A	70.4v	73.7v	49.6v	44.2v	49.6v	47.3v	48.5v	74.10v	101.12v	45.3v	66.4v	666.62v
392	Mr R Nelson	A	72.7v	69.5v	46.3v	47.5v	48.2v	46.3v	50.2v	74.11v	99.10v	41.3v	74.6v	666.57v
393	Mr DGE Mutter	O	69.2v	73.7v	48.3v	44.2v	48.3v	48.2v	47.7v	74.8v	99.10v	48.4v	68.6v	666.54v
394	WOII I Duba	X	71.4v	67.4v	49.7v	47.5v	47.3v	50.5v	44.2v	72.5v	103.12v	44.1v	72.6v	666.54v
395	Mrs S Dennis	X	71.4v	72.8v	49.2v	45.6v	48.4v	45.5v	48.5v	71.3v	99.6v	49.6v	69.3v	666.52v
396	Mr JDI Hossack	X	73.7v	69.5v	48.4v	45.3v	47.3v	45.1v	50.7v	71.4v	101.9v	46.2v	71.6v	666.51v
397	Miss CE Huxter	T	72.6v	73.6v	50.2v	48.4v	45.4v	45.4v	46.3v	69.1v	102.13v	46.2v	70.5v	666.50v
398	Mr S Robinson	O	71.5v	74.8v	44.1v	46.4v	48.6v	47.4v	47.3v	70.3v	103.9v	45.2v	71.5v	666.50v
399	Cpl APT D'Authreau	T	73.8v	72.8v	49.4v	44.2v	48.2v	48.3v	49.4v	72.4v	98.6v	45.2v	68.7v	666.50v
400	Mr MJ Good	O	72.8v	70.7v	48.4v	44.1v	47.4v	49.3v	46.3v	74.3v	103.6v	43.2v	70.3v	666.44v
401	Mr J Howard Davies	O	73.9v	72.6v	50.7v	49.6v	48.6v	46.5v	46.6v	72.6v	94.12v	43.2v	72.2v	665.67v
402	Mr CJ Sherratt	O	65.4v	75.11v	47.5v	46.4v	50.7v	45.3v	47.3v	71.6v	98.9v	50.9v	71.5v	665.66v
403	Mr A Penfold	O	69.7v	71.7v	47.7v	47.3v	48.3v	48.5v	43.3v	74.9v	97.6v	47.2v	74.9v	665.61v
404	Mr AC Speirs	X	74.10v	74.8v	48.4v	47.2v	49.1v	47.6v	47.5v	74.6v	92.8v	45.4v	68.6v	665.60v
405	Mr RJK Heathcote	O	71.5v	74.10v	48.1v	44.4v	50.5v	45.3v	47.3v	73.8v	100.11v	46.4v	67.5v	665.59v
406	Mr RJ Scaglione	O	67.4v	73.5v	49.2v	49.8v	47.3v	49.6v	43.1v	73.8v	101.12v	43.4v	71.6v	665.59v
407	Mr JI Jobson	O	72.8v	71.9v	48.4v	44.4v	48.2v	48.6v	49.8v	74.6v	98.6v	45.1v	68.2v	665.56v
408	Mr SJ Pattinson	O	69.5v	71.3v	46.3v	46.5v	49.4v	46.2v	48.3v	73.8v	101.8v	48.7v	68.7v	665.55v
409	Mr P Barber	O	73.7v	73.5v	47.4v	42.2v	46.5v	47.3v	49.6v	71.5v	100.7v	46.3v	71.4v	665.51v
410	Mr AJCB de Launay	O	71.5v	69.4v	48.3v	49.6v	48.4v	46.4v	49.2v	72.4v	101.9v	43.2v	69.3v	665.46v
411	Mrs JR Elcombe	O	73.8v	72.6v	49.6v	49.5v	49.7v	47.5v	43.4v	73.9v	100.10v	41.3v	68.4v	664.67v
412	Mr ADE Grounds	O	72.8v	72.9v	48.4v	43.3v	48.5v	47.4v	47.5v	70.6v	100.10v	45.4v	72.8v	664.66v
413	Miss AI Gravett-Hakim	X	68.7v	73.7v	47.4v	47.3v	49.9v	47.5v	47.2v	74.7v	100.11v	41.1v	71.9v	664.65v
414	Mr AI Lawrie	O	71.9v	72.7v	50.6v	43.9v	48.5v	47.3v	47.4v	71.6v	102.9v	42.2v	71.4v	664.64v
415	Mr O Russell	O	69.5v	66.4v	49.4v	50.6v	44.4v	49.6v	47.3v	72.6v	102.13v	45.3v	71.7v	664.61v
416	Cdt DJ Cummings	O	66.2v	73.5v	46.3v	48.5v	50.8v	47.4v	43.2v	73.4v	103.12v	41.2v	74.11v	664.58v
417	Mr RW Mcveigh	X	73.8v	72.6v	49.4v	47.4v	48.5v	48.5v	46.2v	69.5v	101.11v	38.0v	73.8v	664.58v
418	Mr MJ Moran	O	72.5v	74.10v	48.4v	46.2v	47.3v	46.5v	46.3v	71.6v	101.11v	41.2v	72.6v	664.57v
419	Mr JF Morris	O	69.2v	72.6v	48.4v	46.4v	45.3v	49.6v	47.1v	69.7v	99.9v	46.2v	74.11v	664.55v
420	Mr DH Allen	A	67.5v	74.7v	44.3v	47.2v	47.2v	50.5v	48.2v	71.8v	99.9v	46.5v	71.5v	664.53v
421	Mr TC Rylands	T	71.5v	71.9v	49.2v	45.3v	48.2v	47.4v	49.7v	74.9v	98.8v	45.1v	67.3v	664.53v
422	Dr BJ Winney	O	72.3v	71.5v	46.4v	46.3v	49.4v	47.3v	47.4v	73.5v	100.10v	48.6v	65.5v	664.52v
423	Mr CS Lamont	O	70.4v	74.8v	44.1v	45.5v	48.3v	49.3v	45.4v	74.7v	97.9v	48.5v	70.3v	664.52v
424	Mr R Quay	O	72.5v	71.5v	46.2v	42.1v	47.2v	43.3v	48.1v	74.9v	101.11v	49.4v	71.6v	664.49v
425	Mr G French	O	69.3v	73.8v	49.3v	45.1v	49.5v	48.6v	49.2v	70.4v	105.7v	45.3v	62.5v	664.47v
426	Mr DCW Lloyd	A	71.3v	70.8v	49.6v	45.3v	49.8v	47.3v	37.4v	74.8v	101.8v	48.6v	72.5v	663.62v
427	Cdt C Enger	T	74.5v	71.8v	43.3v	48.6v	47.5v	46.3v	47.4v	72.9v	100.9v	43.1v	72.8v	663.61v
428	Sqn Ldr CR Smith	O	70.5v	69.6v	48.6v	48.8v	48.6v	47.2v	46.2v	70.6v	102.8v	42.4v	73.8v	663.61v
429	Mr CM Brooks	X	71.7v	75.8v	47.2v	44.3v	49.7v	48.1v	49.7v	72.8v	99.9v	47.5v	62.3v	663.60v
430	Mr MR Place	O	73.8v	69.5v	48.5v	50.6v	48.6v	47.4v	45.5v	66.3v	102.10v	44.2v	71.5v	663.59v
431	Mrs JC Scott Langley	A	72.9v	74.7v	47.4v	40.1v	48.5v	45.1v	48.7v	71.6v	101.12v	47.1v	70.5v	663.58v
432	F/L D Saunders	T	68.4v	73.8v	48.4v	48.3v	49.6v	49.8v	42.2v	73.7v	98.5v	42.1v	73.8v	663.56v
433	Spr RA Lote	T	71.4v	70.7v	49.4v	47.4v	49.6v	43.1v	47.5v	69.5v	102.9v	45.2v	71.8v	663.55v
434	Cdt TEW Ward	T	71.6v	71.8v	47.3v	49.4v	49.6v	46.5v	39.0v	72.10v	103.8v	45.0v	71.5v	663.55v
435	Mr IJ McCallum	A	71.7v	73.6v	47.4v	47.4v	48.4v	46.4v	47.5v	69.4v	99.8v	46.3v	70.5v	663.54v
436	Mr KH Tumschat	X	71.6v	74.9v	48.4v	48.5v	44.0v	49.4v	47.4v	68.7v	97.7v	45.2v	72.6v	663.54v
437	Mr SW Maris	O	73.9v	70.5v	47.6v	45.2v	50.5v	50.5v	45.1v	71.7v	100.7v	43.2v	69.4v	663.53v
438	Mr O Spencer	O	73.8v	74.8v	47.3v	48.2v	47.2v	46.3v	44.3v	70.6v	102.7v	40.1v	72.9v	663.52v
439	Mr DR Niblett	A	72.7v	72.6v	47.3v	49.4v	46.4v	48.4v	46.1v	69.3v	100.7v	44.2v	70.8v	663.49v
440	Mr DAF Parkinson	O	71.4v	71.6v	49.6v	48.3v	47.3v	47.3v	48.2v	70.5v	95.9v	45.1v	72.6v	663.48v
441	Mr R Modenbach	X	71.7v	73.8v	44.2v	48.5v	48.5v	47.4v	45.5v	71.9v	99.8v	43.1v	73.9v	662.63v
442	Mr NJB Branch	T	72.6v	73.9v	46.3v	43.3v	49.6v	47.3v	48.4v	71.9v	101.11v	41.1v	71.4v	662.59v
443	Mr JWT Headon	O	67.6v	70.8v	48.4v	44.3v	47.5v	48.2v	46.4v	70.6v	101.10v	49.3v	72.7v	662.58v
444	Mr SG Gilbert	O	69.7v	73.8v	48.7v	45.2v	49.5v	43.4v	49.5v	73.6v	100.6v	44.2v	69.5v	662.57v
445	Mr SJ Whitby	O	72.4v	72.7v	46.4v	44.3v	49.6v	46.2v	48.2v	70.8v	97.10v	48.5v	70.5v	662.56v

446	Mr HRM Bailie	O	73.6v	68.5v	50.6v	48.3v	46.5v	46.5v	48.3v	71.6v	101.12v	46.2v	65.1v	662.54v
447	Flt Lt C Steele-Benny	T	71.8v	71.5v	49.4v	46.2v	48.5v	43.4v	49.6v	73.4v	103.12v	40.0v	69.4v	662.54v
448	Mr CI Cooper	O	71.7v	72.8v	48.5v	43.3v	48.1v	48.3v	48.4v	73.10v	95.4v	45.2v	71.5v	662.52v
449	Mr TJ Reeve	T	73.5v	68.5v	46.4v	47.3v	47.6v	50.4v	43.0v	71.8v	101.8v	43.1v	73.7v	662.51v
450	Mr T Horrocks	O	72.7v	71.4v	46.2v	46.3v	49.6v	49.5v	49.5v	73.7v	96.6v	47.2v	64.3v	662.50v
451	Miss SG Adamson	O	70.5v	72.6v	46.2v	45.2v	50.3v	46.2v	48.5v	72.5v	101.9v	49.6v	63.3v	662.48v
452	Mr RN Stebbings	O	72.8v	69.3v	48.4v	49.4v	47.3v	46.4v	43.1v	68.5v	102.6v	46.2v	72.8v	662.48v
453	Mr DJ Pickard	O	67.2v	71.5v	45.4v	48.3v	48.7v	48.5v	49.3v	73.4v	99.7v	45.3v	69.5v	662.48v
454	Miss CE Briscoe	T	72.4v	69.4v	49.4v	47.4v	49.6v	46.3v	43.1v	72.7v	97.8v	47.3v	71.3v	662.47v
455	Mr HP Noss	X	71.3v	71.4v	44.5v	46.3v	48.2v	47.2v	46.3v	71.7v	99.8v	46.5v	73.5v	662.47v
456	Mr ID Macdonald	O	69.5v	71.8v	48.5v	43.1v	44.3v	49.6v	46.5v	73.6v	102.11v	42.3v	74.10v	661.63v
457	Cdt ML Laflamme	O	67.3v	71.11v	45.2v	45.3v	48.5v	48.5v	47.4v	73.9v	99.9v	45.2v	73.8v	661.61v
458	Mr V Robertshaw	O	73.7v	71.9v	47.2v	46.2v	45.2v	49.5v	46.5v	71.8v	102.12v	44.2v	67.5v	661.59v
459	Mr TR Webster	A	70.7v	70.4v	44.2v	43.4v	49.6v	48.5v	48.3v	70.6v	101.9v	47.3v	71.8v	661.57v
460	Mr T Rowntree	O	70.4v	73.8v	49.6v	46.3v	49.5v	50.6v	49.5v	66.6v	101.7v	43.4v	65.3v	661.57v
461	Mr R Mills	O	72.8v	72.8v	47.5v	43.0v	49.5v	48.6v	45.4v	71.8v	101.10v	42.1v	71.2v	661.57v
462	Mr T Brooking	O	68.3v	73.10v	46.5v	49.4v	46.3v	40.2v	49.3v	71.10v	101.11v	47.5v	71.3v	661.56v
463	Mr JG Powell	X	67.4v	69.4v	48.2v	49.6v	47.6v	44.4v	48.5v	73.6v	101.10v	43.1v	72.7v	661.55v
464	Mr CR Behn	O	70.6v	66.6v	47.4v	48.4v	50.4v	49.4v	47.2v	71.5v	101.9v	42.3v	70.6v	661.53v
465	Mr JRJ Kennedy	O	70.5v	74.9v	47.2v	46.4v	44.2v	43.1v	49.3v	72.6v	100.11v	45.4v	71.5v	661.52v
466	Dr G Stevenson	T	72.3v	74.3v	48.3v	48.4v	50.6v	45.4v	43.5v	69.7v	96.9v	45.2v	71.6v	661.52v
467	Mr MA Szymankiewicz	O	70.3v	70.6v	47.6v	48.6v	49.5v	47.3v	45.2v	70.5v	104.10v	44.1v	67.5v	661.52v
468	Cpl J Wallace	O	73.9v	66.2v	47.2v	45.5v	50.7v	46.1v	49.7v	68.3v	99.6v	48.4v	70.5v	661.51v
469	Mr D Archer	O	73.6v	72.6v	46.3v	42.1v	48.3v	48.4v	46.1v	71.8v	101.10v	48.4v	66.5v	661.51v
470	Mr KL Murray	O	71.6v	71.6v	48.4v	46.4v	44.3v	48.4v	44.2v	71.4v	101.9v	46.2v	71.7v	661.51v
471	Cpl JB Kipkorir	X	73.7v	73.7v	47.3v	48.7v	43.1v	45.3v	48.3v	72.6v	99.7v	45.3v	68.3v	661.50v
472	Mrs MF Barry	O	68.5v	70.2v	50.5v	47.3v	46.2v	47.3v	45.2v	69.5v	101.13v	45.3v	73.7v	661.50v
473	Mr SA Hebbes	O	72.4v	70.5v	47.3v	48.6v	48.6v	48.3v	45.2v	73.8v	99.4v	42.4v	69.4v	661.49v
474	Mr WH Handley	O	70.6v	73.7v	48.2v	47.4v	48.5v	45.1v	46.1v	69.5v	101.7v	41.3v	73.8v	661.49v
475	Mr AC Grant	O	72.4v	71.3v	46.2v	49.4v	48.2v	45.5v	45.1v	69.7v	97.3v	47.3v	72.8v	661.42v
476	Miss C Dee	T	71.3v	72.3v	47.2v	48.1v	48.8v	46.3v	46.2v	71.4v	99.8v	40.1v	73.6v	661.41v
477	Mr JS Cross	O	69.6v	72.8v	47.5v	46.4v	49.8v	49.6v	44.2v	71.6v	96.9v	48.4v	69.6v	660.64v
478	Flt Lt BN Roth	X	72.6v	72.6v	49.6v	42.2v	47.3v	48.6v	47.2v	75.10v	103.8v	33.3v	72.9v	660.61v
479	Mr KB Hill	A	70.4v	71.6v	46.4v	39.4v	47.5v	47.2v	49.4v	72.8v	100.10v	46.4v	73.8v	660.59v
480	Mr CP Goad	X	73.3v	71.7v	49.6v	43.2v	48.5v	41.1v	49.6v	71.6v	99.10v	49.6v	67.3v	660.55v
481	Cdt D O'Kelly	T	71.4v	71.7v	46.2v	42.1v	46.2v	48.5v	47.5v	72.9v	102.9v	45.4v	70.6v	660.54v
482	Mr C Hughes	O	73.7v	66.3v	49.6v	45.2v	47.5v	50.6v	46.6v	69.5v	100.5v	44.1v	71.8v	660.54v
483	Mr AJ Haggerty	O	72.7v	73.4v	46.4v	46.4v	48.5v	46.5v	48.5v	69.5v	98.3v	44.4v	70.7v	660.53v
484	Mr AJ Le Sueur	X	74.7v	70.7v	50.5v	48.3v	47.1v	42.3v	44.0v	73.9v	99.10v	43.2v	70.6v	660.53v
485	Mr K Feustel	X	74.7v	71.8v	44.2v	48.3v	47.4v	46.3v	46.4v	71.4v	92.5v	49.3v	72.6v	660.49v
486	Mr P Cameron Taylor	O	70.4v	69.6v	45.1v	45.0v	48.4v	47.3v	49.4v	75.6v	97.8v	45.5v	70.8v	660.49v
487	Mr JR Lindsay	O	69.3v	74.8v	46.4v	46.1v	49.4v	46.3v	49.7v	74.8v	95.5v	46.1v	66.3v	660.47v
488	Mr RJ Cade	O	70.5v	70.3v	46.2v	45.2v	48.4v	45.2v	49.4v	71.5v	100.10v	45.3v	71.7v	660.47v
489	Miss TJ Fitzsimons	X	73.5v	72.7v	50.4v	46.2v	50.7v	44.6v	45.0v	71.6v	100.11v	48.6v	60.7v	659.61v
490	Dr MJ Gregory	O	72.7v	72.7v	48.5v	44.4v	44.2v	47.4v	49.5v	71.8v	95.8v	47.3v	70.5v	659.58v
491	Cpl E Odeo	X	74.7v	75.8v	47.3v	41.3v	49.6v	48.5v	46.3v	72.7v	95.10v	42.0v	70.6v	659.58v
492	Cdt SP Ward	O	70.9v	72.6v	45.3v	45.2v	47.4v	50.8v	45.2v	73.10v	98.5v	47.2v	67.5v	659.56v
493	Mr FE Neale	O	63.5v	72.7v	44.2v	48.6v	46.4v	47.5v	48.4v	74.7v	101.8v	45.2v	71.6v	659.56v
494	Mr CL Leighton	O	67.2v	72.7v	47.3v	45.4v	48.3v	48.5v	46.2v	71.8v	97.10v	45.3v	73.7v	659.54v
495	Miss KE Simpson	T	72.6v	74.10v	43.2v	48.3v	49.9v	45.2v	47.2v	72.8v	99.6v	38.2v	72.4v	659.54v
496	Mr JA Garnett	O	70.1v	70.8v	47.5v	46.5v	49.5v	43.3v	43.3v	74.6v	101.9v	45.1v	71.5v	659.51v
497	Cdt PM Lanigan	T	67.3v	69.6v	48.6v	44.1v	49.6v	50.3v	43.2v	73.10v	100.10v	44.1v	72.2v	659.50v
498	Mr R Harwood	A	72.4v	68.5v	47.3v	49.6v	47.3v	49.7v	46.3v	69.5v	98.8v	42.1v	72.5v	659.50v
499	Mr GCB Brett	T	72.10v	69.4v	48.2v	48.3v	44.1v	48.4v	44.2v	70.2v	100.12v	44.4v	72.5v	659.49v
500	Cdt PS Knight	T	69.5v	73.10v	48.5v	47.4v	48.1v	48.5v	49.3v	69.4v	101.8v	44.2v	63.2v	659.49v
501	Mr RMR Stearn	O	69.4v	72.7v	48.3v	48.3v	46.3v	49.5v	46.2v	72.6v	101.9v	36.0v	72.7v	659.49v
502	Cpl HA Day	T	73.9v	72.8v	47.5v	42.1v	48.5v	46.0v	47.4v	71.4v	101.7v	44.1v	68.4v	659.48v
503	Cdt Cpl RA Makepeace	T	71.3v	72.6v	47.5v	47.2v	42.1v	47.3v	48.4v	69.6v	101.10v	44.3v	71.2v	659.45v
504	Dr PJ Morris	O	70.8v	72.6v	49.3v	47.3v	48.3v	48.4v	45.2v	70.4v	99.6v	44.3v	67.3v	659.45v
505	Dr JC Jobling	A	70.6v	71.6v	44.1v	43.3v	48.6v	48.5v	50.3v	73.12v	99.10v	39.1v	73.8v	658.61v
506	Mr P Dorner	X	69.6v	68.5v	49.4v	48.7v	44.4v	45.3v	47.4v	72.10v	97.7v	45.3v	74.7v	658.60v
507	Cdt SKCH Hunter	T	70.6v	73.10v	41.1v	48.3v	48.6v	48.3v	46.3v	72.7v	99.11v	43.3v	70.7v	658.60v
508	Mr PR Coley	X	72.6v	71.6v	47.6v	48.5v	49.9v	49.4v	47.5v	71.5v	98.8v	38.1v	68.5v	658.60v
509	Dr JW Dyas	O	72.4v	71.6v	43.3v	46.4v	41.4v	48.3v	49.4v	74.9v	102.12v	44.3v	68.6v	658.58v
510	Mr MD Jenvey	O	74.11v	68.6v	46.4v	46.3v	46.3v	48.5v	48.6v	73.4v	98.8v	43.2v	68.5v	658.57v
511	Mr NS Suffield-Jones	O	71.6v	69.5v	47.6v	44.2v	47.4v	48.3v	46.3v	74.9v	96.6v	44.3v	72.9v	658.56v
512	Mr NT Davies	O	69.3v	73.8v	49.6v	44.2v	45.4v	45.3v	49.4v	72.6v	99.9v	49.4v	64.6v	658.55v
513	Mr CHT Quinn	O	72.7v	73.7v	45.1v	48.4v	50.7v	48.5v	41.1v	68.7v	99.11v	46.2v	68.2v	658.54v
514	Cdt C Edwards	A	70.5v	70.3v	49.4v	46.2v	48.7v	45.5v	41.1v	70.7v	101.11v	45.1v	73.8v	658.54v
515	Mr WA Wright	X	71.6v	71.3v	48.4v	46.4v	46.2v	44.3v	48.3v	73.8v	98.10v	47.5v	66.5v	658.53v
516	Cdt AW Davies	T	70.6v	69.5v	49.5v	45.3v	49.5v	50.6v	45.3v	70.3v	98.7v	45.4v	68.6v	658.53v
517	Cdt KL Buffoni	O	66.3v	68.3v	49.2v	49.5v	49.6v	47.3v	45.3v	72.5v	102.11v	38.3v	73.9v	658.53v
518	Mr RW Large	A	66.6v	68.6v	48.5v	48.3v	48.5v	44.2v	47.4v	72.5v	101.9v	45.2v	71.3v	658.50v
519	Mr AJ Burgess	T	71.5v	71.5v	46.4v	46.2v	49.6v	45.1v	45.4v	72.8v	98.9v	45.0v	70.6v	658.50v
520	Mr RS Mason	O	73.7v	73.4v	47.3v	40.4v	49.6v	47.1v	48.3v	72.6v	99.9v	42.3v	68.4v	658.50v
521	Mrs RM Merridew	O	67.6v	74.6v	47.6v	45.4v	48.3v	47.3v	46.2v	73.7v	101.6v	40.1v	70.5v	658.49v
522	Mr JR Stirland	O	73.6v	67.3v	48.6v	47.3v	48.3v	47.2v	42.2v	72.5v	101.9v	40.0v	73.8v	658.47v

523	Mr JA Dallas	A	70.4v	69.2v	49.2v	46.4v	49.5v	47.4v	43.2v	71.5v	99.8v	45.4v	70.5v	658.45v
524	Mr ARN Kinross	O	67.4v	73.3v	48.6v	47.3v	46.1v	43.5v	47.3v	69.6v	101.6v	46.2v	71.2v	658.41v
525	Mr MJ Whatton	A	71.3v	68.4v	47.4v	43.1v	49.1v	47.2v	47.4v	68.2v	97.5v	50.7v	71.4v	658.37v
526	Mr WAFV Vaz	O	72.8v	71.6v	46.3v	37.1v	48.5v	46.3v	48.5v	74.8v	101.11v	42.2v	72.8v	657.60v
527	Cdt C Charters	T	71.6v	68.4v	48.8v	49.5v	44.2v	49.6v	44.2v	70.4v	98.9v	43.1v	73.12v	657.59v
528	Sgt N Argo	T	70.5v	72.6v	48.4v	50.7v	48.7v	42.2v	42.2v	70.6v	96.8v	47.3v	72.5v	657.55v
529	Mr BE Cudby	O	71.8v	70.6v	45.3v	47.1v	48.5v	45.1v	47.5v	72.11v	99.8v	44.2v	69.4v	657.54v
530	PC WA Odhiambo	X	72.8v	72.5v	49.7v	42.3v	49.4v	44.1v	45.2v	72.7v	96.7v	46.2v	70.7v	657.53v
531	Cdt HCG Ives	O	71.2v	72.10v	44.1v	44.1v	46.3v	44.1v	49.6v	73.9v	99.6v	44.0v	71.9v	657.48v
532	Cdt TJ Walkey	T	71.5v	72.7v	46.3v	44.2v	49.5v	44.2v	48.3v	70.3v	101.12v	43.3v	69.3v	657.48v
533	Lt DP Mills	T	72.4v	72.5v	48.4v	45.2v	45.1v	44.3v	46.3v	69.6v	99.8v	47.3v	70.7v	657.46v
534	Mr PM Weston	O	70.3v	72.5v	47.5v	45.3v	47.4v	47.4v	45.2v	71.7v	96.5v	47.2v	70.6v	657.46v
535	Major CST Lehmann	O	70.5v	72.7v	45.4v	45.3v	44.3v	49.2v	46.0v	71.6v	95.9v	48.4v	72.2v	657.45v
536	Mr MA Chivers	O	70.1v	72.8v	48.4v	48.4v	49.8v	48.2v	46.0v	66.5v	96.7v	47.3v	67.3v	657.45v
537	Mr SH Cox	A	72.7v	71.7v	46.2v	45.4v	48.3v	46.5v	49.5v	73.5v	98.3v	46.1v	63.3v	657.45v
538	Mr BW Cairns	O	72.6v	72.6v	50.6v	43.1v	47.2v	45.3v	42.2v	71.4v	98.5v	44.1v	73.6v	657.42v
539	Cdt G Kershaw	T	73.11v	66.4v	45.3v	46.5v	48.5v	48.4v	47.5v	73.8v	101.10v	40.1v	69.5v	656.61v
540	Mr RB Morgan	T	72.4v	69.6v	48.4v	44.3v	47.2v	47.6v	47.5v	70.9v	97.9v	47.3v	68.3v	656.54v
541	Mr SD Benest	X	72.8v	70.8v	42.1v	42.1v	47.3v	45.2v	48.3v	74.10v	99.9v	48.2v	69.5v	656.52v
542	Mrs M Pantaleon-Ginestet	O	73.8v	71.8v	45.3v	46.2v	47.4v	49.2v	44.4v	71.7v	99.8v	41.1v	70.4v	656.51v
543	Mr NJ Burnip	O	69.4v	68.4v	47.2v	46.3v	48.5v	47.2v	46.4v	74.10v	99.7v	42.0v	70.8v	656.49v
544	Cpl SM Ndambuki	X	71.8v	69.5v	48.5v	45.4v	47.2v	45.1v	45.3v	73.7v	102.10v	44.1v	67.2v	656.48v
545	Miss CAS Lemmer	O	71.7v	69.5v	47.4v	47.2v	49.4v	48.5v	46.2v	71.6v	96.6v	41.0v	71.7v	656.48v
546	Mr CJ Bowley	T	71.6v	74.4v	49.7v	41.1v	48.3v	48.2v	42.2v	73.7v	98.7v	44.1v	68.6v	656.46v
547	Mr RM Allan	O	71.4v	71.5v	48.2v	44.5v	46.2v	45.2v	47.3v	74.8v	95.6v	45.5v	70.3v	656.45v
548	Mr DE Fields	O	71.6v	71.6v	43.1v	50.4v	46.4v	48.3v	48.4v	69.5v	94.4v	45.3v	71.5v	656.45v
549	Mr JJW Edwards	T	72.6v	71.5v	47.2v	45.4v	46.1v	49.4v	44.1v	73.8v	94.5v	44.2v	71.5v	656.43v
550	Mr AJ Bryant	O	70.1v	69.2v	49.6v	43.2v	48.3v	49.3v	44.2v	68.4v	100.5v	48.4v	68.4v	656.36v
551	Mr RA Rowlands	X	70.2v	74.4v	45.3v	45.1v	47.2v	50.4v	48.4v	70.4v	94.5v	44.1v	69.6v	656.36v
552	Mr W Mott	O	72.8v	69.7v	45.4v	43.1v	50.7v	46.4v	47.4v	69.7v	98.7v	47.3v	69.7v	655.59v
553	Mr PR McCurley	T	72.6v	73.6v	48.6v	46.3v	46.2v	41.2v	47.6v	70.8v	98.9v	45.4v	69.5v	655.57v
554	Cpl JI Phomboro	X	69.7v	68.6v	50.3v	47.3v	47.4v	48.4v	45.2v	73.9v	95.11v	43.1v	70.4v	655.54v
555	Mr JJS Hooper	O	71.4v	69.6v	48.3v	46.4v	46.3v	47.4v	48.5v	72.10v	99.8v	38.0v	71.7v	655.54v
556	Mr JRS Cantlay	O	73.8v	70.6v	47.2v	46.2v	48.4v	49.5v	45.4v	72.7v	98.6v	37.0v	70.7v	655.51v
557	Mr HH John	O	70.6v	71.7v	49.6v	49.5v	46.2v	48.5v	44.1v	68.4v	98.7v	39.1v	73.4v	655.48v
558	Lt Cdr IR Thomson	O	65.2v	71.3v	49.4v	48.3v	48.6v	46.2v	46.4v	70.7v	91.1v	46.4v	75.10v	655.46v
559	Mr CA Stewart	O	70.5v	74.7v	44.0v	47.2v	47.5v	49.7v	46.3v	70.7v	91.3v	45.1v	72.5v	655.45v
560	Mr PA Nulimore	O	72.1v	71.7v	48.4v	48.1v	48.6v	46.3v	45.2v	68.5v	94.8v	45.2v	70.4v	655.43v
561	Mr MW Brown	T	69.4v	70.4v	44.3v	47.4v	49.4v	46.2v	43.3v	72.7v	98.6v	44.1v	73.5v	655.43v
562	Mr A Wombell	O	71.4v	68.5v	46.2v	49.5v	47.2v	45.4v	48.6v	71.0v	97.7v	43.0v	70.5v	655.40v
563	Cdt Cpl C Ridley	T	71.9v	71.4v	48.4v	46.4v	48.3v	46.6v	46.6v	72.5v	98.9v	35.0v	73.9v	654.59v
564	Mr R Oxford	A	74.9v	72.8v	44.2v	50.5v	48.4v	47.5v	47.3v	69.5v	93.10v	39.0v	71.4v	654.55v
565	Mr ML Cotillard	X	72.10v	74.6v	49.5v	47.5v	46.3v	48.3v	45.1v	73.7v	89.5v	46.3v	65.5v	654.53v
566	Miss JK Charlton	O	69.4v	74.6v	47.2v	44.4v	49.7v	46.1v	47.6v	71.6v	97.8v	40.3v	70.6v	654.53v
567	Mr D Mesletzsky	X	70.6v	74.6v	47.3v	46.2v	48.5v	47.4v	44.2v	72.4v	101.13v	35.1v	70.7v	654.53v
568	Mr SCW Dixon	O	68.4v	72.6v	48.7v	45.4v	47.1v	47.4v	46.5v	72.9v	94.6v	45.2v	70.4v	654.52v
569	Cdt NJ Sarafilovic	O	69.4v	68.5v	46.2v	47.3v	48.6v	48.2v	41.2v	71.6v	101.13v	45.2v	70.6v	654.51v
570	Mr R Hawley	O	69.3v	73.5v	49.5v	42.0v	47.4v	44.3v	47.6v	71.7v	99.9v	47.2v	66.6v	654.50v
571	Mr DP Cole	A	71.4v	70.4v	49.7v	43.1v	48.4v	44.1v	50.5v	72.7v	101.9v	46.2v	60.5v	654.49v
572	Mr OH Vallis	A	69.4v	70.8v	41.0v	47.2v	48.6v	47.3v	46.2v	70.7v	103.11v	41.2v	72.4v	654.49v
573	Cdt M Tremblett	T	71.7v	72.6v	47.1v	48.5v	48.1v	44.3v	48.3v	71.7v	97.7v	37.1v	71.6v	654.47v
574	Cdt M Belanger	T	69.4v	70.5v	48.2v	48.5v	46.2v	48.4v	44.3v	69.6v	98.6v	44.3v	70.4v	654.44v
575	Mr AGM Fyfe	O	71.6v	70.2v	47.2v	45.3v	46.4v	48.4v	44.5v	69.5v	100.5v	45.1v	69.5v	654.42v
576	Mr R Jobson	A	66.8v	69.7v	45.7v	45.2v	48.4v	50.7v	44.3v	73.10v	96.8v	48.5v	69.5v	653.66v
577	Mr RW Hallows	O	71.5v	69.7v	47.5v	43.3v	47.4v	46.2v	44.4v	74.9v	102.10v	38.2v	72.8v	653.59v
578	Mr WT Bridger	O	70.8v	69.7v	47.3v	43.2v	49.6v	44.3v	48.4v	74.8v	97.7v	43.3v	69.3v	653.54v
579	Mr AME Adams	O	69.3v	69.5v	45.4v	48.2v	47.7v	48.6v	42.3v	71.6v	97.8v	47.3v	70.5v	653.52v
580	Mr AK Fitch	O	73.8v	68.5v	48.6v	45.3v	46.1v	44.2v	45.3v	69.4v	101.11v	43.2v	71.7v	653.52v
581	Mr PCAS Slater	T	69.3v	69.5v	46.1v	47.4v	44.3v	50.6v	45.3v	71.4v	96.10v	44.4v	72.7v	653.50v
582	Judge AP Powell	A	69.7v	73.6v	48.4v	45.2v	47.1v	44.0v	49.6v	72.6v	95.7v	44.2v	67.6v	653.47v
583	Mr JG Trembath	O	68.4v	75.10v	48.3v	43.1v	46.3v	44.1v	47.2v	70.7v	98.7v	49.5v	65.3v	653.46v
584	Cdt Sgt WH Hall	T	71.4v	68.3v	44.1v	46.3v	49.6v	47.4v	45.2v	73.8v	98.10v	42.0v	70.5v	653.46v
585	Cdt ME Lecavalier	T	70.5v	70.7v	44.1v	48.2v	47.4v	46.2v	49.3v	74.6v	97.6v	37.1v	71.7v	653.44v
586	Mr J Gould	O	70.4v	71.6v	45.2v	48.6v	46.1v	47.2v	45.2v	73.7v	95.4v	46.3v	67.2v	653.39v
587	Cdt JAH Le Maistre	T	68.3v	68.1v	47.2v	46.4v	46.2v	46.2v	42.2v	69.4v	103.11v	45.0v	73.7v	653.38v
588	Mr DM Sherville	T	68.5v	74.9v	50.3v	47.6v	46.5v	49.4v	43.3v	71.8v	103.10v	28.2v	73.7v	652.62v
589	Mr E Stuart-Bamford	O	71.5v	72.8v	46.2v	44.3v	46.3v	46.5v	48.5v	73.8v	93.9v	43.2v	70.6v	652.56v
590	Mr TEO Richards	T	71.7v	70.5v	48.6v	46.3v	48.4v	49.3v	48.6v	68.4v	98.8v	38.2v	68.8v	652.56v
591	Cdt H Chu	T	68.4v	72.9v	50.4v	37.2v	50.8v	48.6v	43.2v	69.4v	97.9v	47.1v	71.4v	652.53v
592	Mr DF Nesbitt	O	67.2v	71.10v	48.6v	45.3v	46.3v	46.2v	43.1v	73.8v	99.9v	44.2v	70.6v	652.52v
593	Mr RB Fields	O	72.7v	71.6v	48.4v	46.3v	44.3v	48.2v	44.4v	65.3v	96.10v	48.6v	70.3v	652.51v
594	Lt Col TH Emck	O	73.8v	70.6v	43.4v	48.4v	48.5v	44.2v	47.2v	70.5v	100.9v	39.1v	70.5v	652.51v
595	Mr J Shanks	O	69.5v	70.6v	47.4v	46.3v	47.6v	48.3v	46.2v	74.5v	94.7v	44.3v	67.6v	652.50v
596	Mr P Wale	O	72.5v	71.6v	46.2v	45.3v	45.3v	45.3v	47.7v	71.10v	97.6v	47.2v	66.2v	652.49v
597	Mr E Malleson	O	65.1v	67.5v	45.5v	45.4v	49.5v	48.6v	48.3v	72.7v	98.6v	45.3v	70.4v	652.49v
598	Mr MJJ Charlton	O	73.5v	72.8v	48.4v	45.2v	48.5v	47.5v	48.4v	68.4v	100.8v	37.2v	66.1v	652.48v
599	Cdt SHJ Harley	O	71.7v	70.3v	45.2v	42.1v	49.4v	49.5v	47.4v	74.9v	98.7v	37.1v	70.5v	652.48v

600	Cdt ER Johnson	T	66.2v	71.4v	48.4v	44.4v	47.4v	46.3v	46.1v	73.8v	98.11v	46.2v	67.4v	652.47v
601	Mr DS Goodwin	O	70.4v	67.6v	47.1v	44.2v	49.4v	48.4v	44.1v	71.4v	95.7v	46.4v	71.8v	652.45v
602	Mr D Hanson	O	69.5v	67.3v	48.2v	43.2v	47.1v	47.5v	48.4v	73.7v	100.10v	45.3v	65.3v	652.45v
603	Mr NC Granger	O	71.6v	73.6v	46.4v	46.3v	45.3v	49.3v	46.3v	72.3v	95.7v	39.2v	70.5v	652.45v
604	Mr MP Perez	O	69.3v	73.8v	48.2v	43.2v	49.3v	40.2v	47.2v	71.7v	96.10v	47.2v	69.3v	652.44v
605	Cdt E Meyers	T	69.6v	68.3v	47.6v	50.6v	47.6v	44.2v	43.4v	69.10v	95.8v	45.5v	74.7v	651.63v
606	Mr JM Ford	T	74.6v	73.6v	49.7v	34.2v	47.4v	47.6v	43.3v	71.9v	99.8v	44.4v	70.7v	651.62v
607	Sgt FK Kinyua	X	69.7v	72.8v	49.5v	46.5v	47.4v	46.0v	41.3v	69.7v	99.7v	42.1v	71.8v	651.55v
608	Mr IJ Ferreira	O	68.8v	70.4v	46.2v	43.3v	46.3v	47.5v	45.2v	72.8v	97.9v	49.4v	68.5v	651.53v
609	Cdt BR Ebbetts	T	66.3v	72.4v	42.3v	49.5v	46.5v	48.5v	46.3v	69.6v	99.7v	45.4v	69.6v	651.51v
610	Mr R Parsons	O	68.5v	69.5v	45.3v	48.5v	47.3v	47.2v	45.3v	72.8v	96.8v	44.2v	70.7v	651.51v
611	Mr RF Burden	O	69.8v	71.6v	48.7v	47.4v	46.1v	49.6v	43.3v	69.3v	99.8v	41.1v	69.3v	651.50v
612	Cdt RJW Waters	T	70.4v	72.7v	47.1v	42.1v	47.5v	49.5v	38.2v	73.9v	98.8v	44.1v	71.6v	651.49v
613	Mr JJ Custance Baker	O	69.6v	67.4v	47.0v	48.4v	47.5v	48.5v	46.2v	70.8v	99.10v	47.3v	63.0v	651.47v
614	Cdt J Comeau	T	72.6v	70.3v	50.4v	45.1v	49.5v	45.3v	35.0v	72.8v	100.8v	48.6v	65.1v	651.45v
615	Cdt V Wanie	T	70.4v	74.8v	47.3v	46.4v	46.4v	44.2v	47.6v	67.3v	95.3v	47.2v	68.6v	651.45v
616	Mrs SG Sirett	X	71.6v	69.5v	50.6v	47.2v	47.0v	46.2v	45.3v	74.8v	99.9v	43.2v	60.1v	651.44v
617	Mr MK Townsend	O	70.7v	68.6v	47.1v	45.2v	48.4v	47.6v	49.5v	70.5v	99.3v	42.1v	66.4v	651.44v
618	Mr GRP Shapland	O	71.6v	70.3v	45.4v	46.2v	48.1v	43.4v	46.4v	71.5v	99.6v	41.2v	71.7v	651.44v
619	Mr C Herter	X	69.5v	71.6v	48.4v	40.1v	50.6v	44.2v	46.4v	70.7v	103.15v	41.3v	68.5v	650.58v
620	Mr ARG Cross	O	70.5v	69.5v	48.5v	41.3v	49.6v	46.3v	45.5v	75.8v	95.8v	43.2v	69.6v	650.56v
621	Mr T Galliers	O	69.4v	69.5v	44.1v	45.5v	47.2v	44.6v	47.4v	68.6v	98.7v	50.6v	69.6v	650.52v
622	Mr ND Anderson	O	71.6v	69.5v	49.4v	42.3v	47.3v	41.3v	38.2v	71.5v	102.9v	47.3v	73.8v	650.51v
623	Miss C Hillier	T	69.5v	71.6v	44.2v	48.5v	45.4v	44.0v	48.8v	71.6v	98.9v	40.1v	72.5v	650.51v
624	Mr PN Hinchliffe	O	68.5v	70.4v	48.4v	34.1v	46.1v	44.3v	50.3v	72.10v	98.9v	47.4v	73.5v	650.49v
625	Mr KG Firth	O	72.9v	73.7v	46.4v	47.1v	47.4v	47.6v	45.3v	70.4v	93.4v	40.1v	70.6v	650.49v
626	Mr PJ Amy	X	70.4v	69.4v	48.6v	48.5v	46.3v	48.3v	45.3v	68.5v	94.7v	45.1v	69.7v	650.48v
627	Mr R Kligge	X	70.7v	69.3v	48.6v	48.3v	45.5v	48.3v	48.4v	70.8v	102.7v	43.0v	59.2v	650.48v
628	Cdt W Hayman	T	67.4v	71.6v	47.2v	46.4v	44.4v	47.2v	48.5v	72.6v	97.6v	45.4v	66.4v	650.47v
629	Miss SIM Anderson	A	70.6v	72.6v	46.4v	39.1v	48.4v	46.6v	48.3v	74.7v	97.5v	41.0v	69.4v	650.46v
630	L Cpl JT Perry	A	73.4v	68.3v	45.3v	46.2v	45.3v	45.2v	45.3v	70.7v	100.8v	45.3v	68.6v	650.44v
631	Mr GR Atkinson	X	68.3v	70.3v	47.3v	40.2v	44.4v	48.4v	48.4v	74.8v	95.4v	46.0v	70.6v	650.41v
632	Mr TCR Richmond	T	73.8v	70.4v	48.4v	43.1v	46.4v	47.5v	43.2v	71.6v	96.3v	44.1v	69.3v	650.41v
633	Mr B Hirst	O	71.4v	70.4v	47.4v	46.1v	46.6v	48.4v	44.3v	71.5v	98.5v	39.0v	70.5v	650.41v
634	Mr JS Chapman	X	69.5v	66.1v	47.5v	43.2v	46.4v	45.1v	46.2v	72.6v	99.6v	44.1v	73.7v	650.40v
635	Mr H Rumbelow	O	65.4v	72.6v	46.4v	46.3v	48.5v	44.3v	44.1v	72.10v	100.7v	43.3v	69.7v	649.53v
636	Mrs SM Mott	O	70.7v	71.5v	44.3v	44.3v	43.4v	48.4v	44.3v	71.7v	98.10v	48.3v	68.1v	649.50v
637	Cpl M Cheruyiot	X	75.9v	70.2v	46.5v	41.2v	46.4v	42.1v	47.3v	70.7v	96.8v	47.4v	69.5v	649.50v
638	Mr SJ Burden	T	71.8v	70.5v	45.4v	44.0v	48.2v	50.5v	47.4v	71.8v	94.8v	43.3v	66.3v	649.50v
639	Mr AF Downer	O	68.1v	68.3v	45.8v	47.2v	46.3v	47.2v	45.3v	66.5v	100.6v	45.4v	72.6v	649.43v
640	Major RJ Aitken	O	69.5v	71.6v	48.5v	45.4v	45.3v	46.1v	47.1v	65.1v	96.5v	46.5v	71.6v	649.42v
641	Cdt Sgt JMP Fitzsimons	T	70.7v	70.4v	46.2v	47.3v	50.5v	45.3v	47.3v	68.4v	100.7v	39.1v	67.2v	649.41v
642	Mr DM Smith	O	72.3v	70.8v	45.4v	45.5v	46.5v	49.7v	43.3v	65.6v	99.10v	45.4v	69.8v	648.63v
643	Mr SJ Carson	O	73.10v	74.8v	47.5v	41.2v	47.3v	47.5v	48.2v	69.4v	98.5v	32.0v	72.9v	648.53v
644	Mr F Carlin	O	68.6v	70.6v	46.3v	47.4v	46.4v	48.6v	42.2v	71.9v	99.4v	46.4v	65.4v	648.52v
645	Mr W Wood	T	73.6v	69.3v	46.5v	46.4v	46.3v	47.4v	38.2v	71.3v	99.8v	44.4v	69.5v	648.47v
646	Mr DF Robinson	O	69.8v	72.8v	46.1v	47.0v	49.6v	43.2v	45.2v	70.5v	99.9v	42.2v	66.4v	648.47v
647	Mr MR Frost	T	68.5v	67.3v	48.6v	44.3v	45.4v	43.2v	46.3v	72.3v	99.12v	46.1v	70.4v	648.46v
648	Mr N Wells	O	71.5v	69.3v	48.3v	45.2v	48.3v	45.4v	50.6v	71.6v	97.6v	45.5v	59.3v	648.46v
649	Mr C Beesley	T	68.5v	67.3v	45.2v	46.4v	50.4v	43.1v	43.2v	68.5v	103.8v	42.3v	73.4v	648.41v
650	Miss ACL Lean	T	70.4v	69.4v	47.3v	40.2v	47.2v	48.2v	38.0v	72.6v	103.8v	46.1v	68.7v	648.39v
651	Mr R Peckett	O	70.3v	71.4v	49.5v	44.0v	50.4v	45.2v	47.3v	67.4v	98.7v	42.1v	65.6v	648.39v
652	Dr CJ Padbury	O	68.3v	74.6v	45.5v	47.2v	44.2v	47.3v	43.2v	69.4v	101.6v	41.2v	69.4v	648.39v
653	Mr A Horton	O	69.5v	67.7v	46.3v	44.2v	44.2v	50.3v	48.5v	66.6v	97.7v	46.5v	70.7v	647.52v
654	Mr P Waldron	T	70.7v	72.8v	44.1v	47.2v	48.5v	49.1v	46.2v	73.8v	93.6v	43.3v	62.3v	647.46v
655	Mr BG Bailey	T	73.7v	67.2v	49.4v	45.3v	46.4v	49.6v	45.3v	69.4v	99.6v	41.3v	64.4v	647.46v
656	Lt Cdr BF Witts	O	67.5v	71.6v	47.4v	44.3v	47.3v	44.0v	46.5v	69.9v	96.2v	48.4v	68.3v	647.44v
657	Mr J Tuffen	O	72.4v	70.3v	44.1v	45.4v	48.4v	42.2v	47.4v	71.7v	92.7v	46.3v	70.5v	647.44v
658	Mr R Solomon	O	68.3v	68.5v	44.1v	47.2v	46.5v	47.5v	46.1v	71.4v	99.7v	40.0v	71.8v	647.41v
659	Mr FM Evers	O	65.2v	69.5v	47.3v	48.4v	49.5v	42.1v	49.4v	69.4v	96.4v	43.4v	70.4v	647.40v
660	Cdt F Puckle Hobbs	T	71.5v	70.5v	47.1v	46.3v	49.3v	45.3v	47.3v	68.4v	98.5v	37.1v	69.7v	647.40v
661	Mr P Ginstet	O	62.5v	73.3v	47.1v	44.0v	44.3v	48.4v	45.4v	71.7v	98.6v	45.2v	70.4v	647.39v
662	Cdt A Audet-Hall	T	63.5v	65.1v	48.3v	46.4v	47.4v	48.4v	44.4v	72.10v	99.8v	41.2v	73.7v	646.52v
663	Cpl W Kerema	X	65.2v	64.4v	47.3v	47.4v	50.6v	49.6v	49.6v	71.5v	99.9v	36.0v	69.7v	646.52v
664	Cpl CW Campbell	T	56.1v	72.3v	46.2v	46.4v	48.6v	47.2v	48.5v	72.9v	95.10v	49.6v	67.3v	646.51v
665	Cdt EC Lamont	T	71.8v	68.5v	44.2v	40.3v	46.2v	47.5v	48.2v	72.6v	98.6v	46.3v	66.4v	646.46v
666	Mr GW Corfield	T	69.5v	70.3v	48.5v	47.1v	44.4v	42.3v	45.5v	73.6v	96.8v	41.0v	71.5v	646.45v
667	Mr RW Needham	O	71.5v	70.5v	46.4v	47.2v	47.5v	47.5v	42.3v	67.2v	97.8v	47.1v	65.4v	646.44v
668	Miss HM Taylor	O	66.1v	72.5v	50.7v	36.0v	45.2v	46.3v	48.4v	72.8v	98.9v	43.2v	70.2v	646.43v
669	Mr JP Raine	O	70.6v	71.6v	48.2v	42.2v	48.3v	48.5v	42.1v	71.6v	96.5v	42.2v	68.4v	646.42v
670	Lt GD Bartle	O	66.2v	72.5v	47.6v	46.0v	47.4v	46.1v	47.4v	71.7v	96.7v	38.0v	70.6v	646.42v
671	Mr SJ Dawes	O	66.0v	69.4v	48.4v	36.0v	50.4v	47.5v	48.4v	69.6v	97.8v	46.4v	70.2v	646.41v
672	Cdt CC Congram	T	68.5v	72.9v	47.2v	46.3v	47.5v	48.2v	43.3v	70.5v	95.2v	43.1v	67.2v	646.39v
673	Mrs RKE Penrose	O	70.5v	69.1v	44.4v	45.2v	49.3v	43.0v	41.3v	72.4v	100.8v	44.1v	69.4v	646.35v
674	Sgt G Kariuki	X	70.5v	72.6v	44.1v	36.0v	47.3v	49.6v	45.4v	70.6v	100.8v	45.4v	67.3v	645.46v
675	Mr SI Gluck	O	73.11v	65.2v	44.5v	47.3v	44.4v	48.4v	44.4v	70.5v	97.5v	44.1v	69.2v	645.46v
676	Mr JW Anderson	T	67.1v	69.4v	44.3v	42.1v	48.4v	49.4v	45.0v	73.9v	100.14v	40.1v	68.4v	645.45v

677	Miss TH Young	O	72.4v	73.4v	41.1v	44.2v	45.3v	48.5v	42.2v	69.7v	98.6v	48.4v	65.4v	645.42v
678	Mr SA Creedy	T	65.1v	73.6v	46.3v	43.2v	43.2v	46.5v	45.1v	72.7v	95.8v	46.1v	71.6v	645.42v
679	Cdt Flt Sgt SDJ Glanville	T	70.2v	73.8v	49.4v	47.2v	49.3v	39.0v	41.4v	69.6v	102.8v	42.2v	64.3v	645.42v
680	Cdt X Wang	T	68.5v	65.4v	47.2v	46.1v	44.3v	49.3v	42.2v	72.5v	96.6v	43.2v	73.8v	645.41v
681	Mr JRO Boyd	T	68.4v	69.5v	45.3v	45.5v	45.3v	46.0v	44.3v	70.3v	103.7v	41.3v	69.4v	645.40v
682	Mr TF Pimblett	O	71.5v	71.6v	49.7v	42.3v	42.2v	46.0v	46.1v	67.5v	98.6v	45.1v	68.3v	645.39v
683	Mr BH Yates	O	71.5v	66.2v	47.6v	46.3v	46.1v	44.2v	45.2v	71.4v	97.6v	39.1v	73.4v	645.36v
684	Mr PJ Chapman-Sheath	O	69.5v	70.7v	49.6v	48.2v	45.2v	44.2v	45.3v	71.6v	98.9v	36.2v	69.7v	644.51v
685	Mr RB White	O	69.7v	66.4v	47.4v	46.0v	49.7v	45.3v	47.4v	72.7v	98.9v	36.1v	69.4v	644.50v
686	Cdt E Beland	T	71.7v	71.8v	41.1v	43.2v	47.4v	45.1v	45.1v	69.5v	93.8v	38.1v	75.12v	644.47v
687	Mrs E Smallwood	A	69.4v	68.6v	48.2v	46.4v	47.2v	44.3v	40.3v	70.6v	97.11v	43.0v	72.5v	644.46v
688	Dr R Pizer	O	68.4v	68.5v	45.3v	47.4v	47.6v	46.3v	42.0v	72.8v	96.7v	45.1v	68.4v	644.45v
689	Mr MJS Spencer	T	69.4v	73.7v	47.5v	45.1v	45.2v	47.4v	46.5v	68.4v	96.6v	39.2v	69.4v	644.44v
690	Mr J Saunders	O	73.11v	68.4v	48.2v	42.0v	47.2v	49.5v	46.3v	59.2v	93.3v	50.6v	69.3v	644.41v
691	Capt D Morris	O	68.3v	65.3v	49.5v	47.3v	48.4v	47.3v	46.2v	69.6v	99.8v	39.1v	67.3v	644.41v
692	Miss AL Lamont	T	72.6v	63.0v	43.2v	47.3v	47.6v	46.3v	40.0v	70.6v	98.9v	45.0v	73.4v	644.39v
693	Mr KG Garside	O	70.7v	70.5v	44.2v	46.5v	44.3v	47.4v	41.1v	66.6v	101.11v	44.2v	70.5v	643.51v
694	Mr ID Markwell	O	64.5v	69.8v	46.2v	46.4v	47.1v	47.2v	46.5v	69.4v	93.8v	43.2v	71.5v	643.47v
695	Cdt FSgt RL Laird	T	66.4v	66.5v	50.5v	47.4v	47.2v	47.2v	36.2v	71.6v	100.8v	42.2v	71.7v	643.47v
696	Cdt BRF Perkins	T	69.5v	64.2v	47.5v	49.3v	45.4v	46.5v	45.4v	67.3v	98.5v	46.3v	67.5v	643.44v
697	Mr JJ Earle	A	69.4v	66.5v	44.3v	40.2v	46.1v	47.1v	47.3v	71.6v	95.9v	45.3v	73.7v	643.44v
698	Cdt M Corrin	T	72.7v	70.2v	45.4v	45.3v	44.3v	47.4v	36.2v	73.7v	100.6v	43.2v	68.4v	643.44v
699	Miss HR Mackintosh	O	71.5v	68.4v	46.4v	47.5v	46.4v	43.1v	45.2v	71.7v	96.4v	39.2v	71.6v	643.44v
700	Cdt GW Davies	T	67.7v	68.5v	46.0v	49.5v	47.3v	48.4v	42.2v	68.3v	99.6v	36.2v	73.5v	643.42v
701	Mr M Hallows	O	69.3v	71.4v	45.2v	48.5v	46.2v	43.4v	43.0v	71.7v	99.7v	41.1v	67.5v	643.40v
702	Mr TTW McBride	T	70.5v	68.4v	49.3v	49.5v	41.1v	43.3v	43.3v	72.6v	97.4v	42.0v	69.3v	643.37v
703	Mr U Solzer	X	69.4v	70.5v	47.3v	41.0v	46.4v	46.2v	48.4v	72.6v	94.4v	45.3v	65.1v	643.36v
704	Mr REWD Watt	O	67.2v	72.4v	48.3v	49.3v	45.1v	42.3v	48.4v	66.4v	98.6v	43.0v	65.4v	643.34v
705	Mr PRC Stevens	O	67.3v	67.1v	46.3v	46.5v	44.2v	47.3v	45.2v	65.2v	95.2v	46.2v	75.6v	643.31v
706	Mr JH Churchwell	T	66.3v	66.3v	45.2v	47.3v	47.2v	45.3v	48.3v	70.1v	98.7v	40.1v	71.3v	643.31v
707	Cdt HWR Gilbert	T	68.3v	70.6v	49.5v	40.1v	49.7v	44.1v	44.2v	72.7v	97.10v	41.2v	68.3v	642.47v
708	Mr ATH Hodge	T	70.5v	70.5v	49.6v	38.1v	49.5v	47.6v	43.2v	71.3v	94.8v	42.0v	69.5v	642.46v
709	Mr P Merry	O	69.4v	70.5v	46.2v	45.2v	49.5v	42.2v	44.3v	70.6v	101.7v	39.1v	67.6v	642.43v
710	Mr EM Brice	O	69.6v	59.1v	44.1v	49.3v	46.4v	45.3v	48.5v	72.6v	97.6v	47.2v	66.4v	642.41v
711	Flt Lt G Basnett	T	70.4v	66.3v	46.3v	44.3v	47.4v	44.2v	46.3v	73.10v	95.3v	41.2v	70.4v	642.41v
712	Mr S Mcdowell	T	70.7v	69.3v	45.2v	43.1v	47.1v	44.5v	46.2v	74.7v	98.7v	37.1v	69.5v	642.41v
713	Cdt AJ Coates	T	70.5v	69.5v	49.4v	49.6v	43.1v	46.0v	45.2v	67.5v	95.5v	40.2v	69.5v	642.40v
714	Cdt NE Johnson	T	68.4v	73.3v	47.4v	44.3v	47.5v	44.4v	45.1v	68.5v	89.2v	47.3v	70.4v	642.38v
715	Mr MW Latimer	O	69.5v	49.7v	46.1v	49.4v	46.1v	47.4v	45.2v	72.6v	99.11v	45.3v	74.9v	641.53v
716	Cdt Cpl J Saville	T	67.4v	70.6v	46.2v	44.5v	47.5v	41.0v	46.5v	70.8v	99.7v	41.3v	70.6v	641.51v
717	Mr PW Wakefield	O	70.5v	73.11v	50.6v	47.3v	48.4v	42.1v	42.1v	66.3v	97.9v	41.0v	65.4v	641.47v
718	Sgt N Bonaya	X	72.5v	67.3v	46.4v	46.3v	48.3v	45.4v	45.3v	70.7v	95.4v	41.1v	66.4v	641.41v
719	Cpl P Lepario	X	68.5v	71.5v	43.2v	46.1v	46.2v	46.2v	43.1v	65.3v	100.8v	45.4v	68.5v	641.38v
720	Mr RJ Dare	O	67.6v	64.1v	49.4v	43.1v	48.5v	46.2v	47.3v	70.4v	96.6v	45.2v	66.3v	641.37v
721	Mr R Winney	X	65.3v	66.3v	48.3v	48.5v	48.4v	46.1v	46.3v	70.5v	93.7v	42.0v	69.3v	641.37v
722	Mr SJ Clark	O	72.5v	65.1v	48.3v	44.4v	49.3v	47.3v	47.4v	62.2v	95.6v	46.2v	66.1v	641.34v
723	Miss AL Calvert	O	70.3v	71.4v	47.3v	44.3v	48.4v	42.1v	46.3v	70.3v	95.4v	42.2v	66.4v	641.34v
724	Mr GA Atkinson	O	74.10v	74.8v	47.5v	49.4v	0.0v	49.6v	49.8v	75.7v	103.13v	46.4v	74.13v	640.78v
725	Cdt KJ Montagnese	T	67.2v	73.10v	49.7v	41.3v	47.5v	43.1v	46.2v	71.1v	99.8v	41.3v	63.5v	640.47v
726	Mr N Stebbings	A	69.7v	65.4v	48.2v	45.3v	48.3v	43.2v	37.0v	70.6v	99.11v	44.2v	72.5v	640.45v
727	J/Cpl TMJ Burgess	T	65.1v	66.1v	49.6v	46.4v	48.5v	47.2v	43.4v	70.6v	96.5v	43.2v	67.7v	640.43v
728	Cdt H Born	T	67.4v	68.5v	46.3v	45.3v	47.4v	46.1v	47.4v	70.4v	98.10v	43.0v	63.3v	640.41v
729	Cdt CM White	O	72.6v	65.1v	44.2v	45.3v	43.3v	48.3v	45.5v	67.0v	95.6v	48.5v	68.4v	640.38v
730	Mr KC Marshall	O	61.1v	73.3v	47.6v	47.4v	46.3v	44.1v	47.1v	71.7v	94.3v	42.3v	68.3v	640.35v
731	Mr SKM Wong	T	68.6v	68.4v	47.4v	43.2v	42.0v	49.3v	39.2v	72.10v	98.9v	43.0v	70.6v	639.46v
732	Mr BAI Fraser	O	68.5v	66.4v	48.5v	49.4v	46.3v	41.1v	46.3v	67.4v	97.10v	42.3v	69.4v	639.46v
733	Mr I Cheeseman	O	68.3v	68.4v	46.3v	47.4v	48.5v	46.3v	44.1v	66.2v	98.9v	43.2v	65.5v	639.41v
734	Mr RE Nott	T	65.1v	68.4v	50.6v	43.1v	44.3v	40.3v	48.5v	73.2v	96.8v	45.3v	67.3v	639.39v
735	Mr A Seifried	X	72.4v	69.4v	46.3v	42.4v	45.2v	47.3v	44.1v	69.3v	97.7v	39.1v	69.6v	639.38v
736	Cdt RE Knight	T	68.3v	69.5v	47.2v	45.2v	46.2v	46.1v	45.4v	65.1v	98.10v	43.2v	67.4v	639.36v
737	Mr TJC Caulfield	T	64.0v	67.4v	45.3v	45.2v	47.3v	46.2v	43.1v	71.3v	100.9v	42.3v	69.6v	639.36v
738	Mr MT Critchell	O	71.5v	68.5v	43.3v	43.1v	44.1v	44.2v	47.3v	71.6v	99.6v	42.0v	67.4v	639.36v
739	L/Cpl AJM Maher	T	63.3v	69.5v	49.8v	46.4v	47.2v	43.3v	43.5v	68.5v	98.7v	45.2v	67.4v	638.48v
740	Mr JP Thomson	O	69.4v	70.5v	50.5v	43.2v	46.4v	44.2v	45.3v	69.5v	93.6v	42.1v	67.6v	638.43v
741	Mr N McKendrick	O	65.3v	69.5v	45.4v	48.3v	44.1v	45.4v	39.2v	67.3v	97.7v	48.6v	71.4v	638.42v
742	Mr DN Webber	T	67.2v	66.2v	48.5v	45.1v	47.5v	46.5v	43.2v	69.3v	96.6v	42.3v	69.8v	638.42v
743	Cdt Bdr RJM McIlveen	T	66.2v	71.9v	47.6v	43.0v	44.1v	43.0v	49.5v	68.4v	97.6v	46.2v	64.3v	638.38v
744	Cdt JFJ Bryson	T	68.3v	70.5v	44.3v	44.3v	43.2v	47.4v	46.3v	71.2v	94.4v	44.3v	67.3v	638.35v
745	Mr JR Marshall	X	74.7v	71.8v	50.4v	45.1v	46.1v	48.8v	48.4v	73.8v	68.3v	47.4v	67.2v	637.50v
746	Mr CD Pocock	T	73.5v	69.6v	44.2v	41.3v	46.5v	45.3v	42.0v	72.7v	100.9v	37.2v	68.4v	637.46v
747	Cpl MP Bateman	T	71.7v	72.8v	44.1v	47.4v	49.3v	39.2v	46.3v	74.6v	100.6v	24.0v	71.4v	637.44v
748	Mr M Ayling	O	71.6v	71.4v	48.4v	39.3v	45.4v	45.1v	44.0v	70.7v	92.6v	43.2v	69.6v	637.43v
749	Mr A Webster	T	70.5v	71.4v	45.4v	47.3v	46.3v	48.4v	45.2v	68.3v	88.6v	41.1v	68.6v	637.41v
750	Mr GEH Pilkington-Oates	T	70.3v	67.5v	48.0v	46.4v	45.3v	44.4v	44.3v	70.6v	100.9v	37.1v	66.2v	637.40v
751	PC J Ngari	X	70.4v	71.5v	43.1v	44.2v	47.2v	46.2v	38.1v	71.5v	98.9v	44.4v	65.2v	637.37v
752	Miss TD Duhre	T	67.4v	68.8v	47.6v	38.0v	48.7v	44.1v	46.3v	72.5v	95.11v	46.3v	65.4v	636.52v
753	Cdt Cpl MM Wright	T	70.7v	69.5v	44.4v	39.2v	48.3v	44.3v	48.3v	72.6v	100.7v	39.3v	63.3v	636.46v

754	Mr PA Wilson	T	67.5v	70.9v	44.1v	40.2v	43.1v	44.2v	47.5v	71.4v	94.6v	44.2v	72.8v	636.45v
755	Cdt A Briggs	T	71.3v	68.4v	49.6v	49.4v	45.3v	47.4v	45.3v	65.2v	99.8v	30.0v	68.6v	636.43v
756	Mr IT Matsumoto	T	69.4v	69.3v	47.6v	46.3v	45.3v	47.2v	44.1v	69.3v	95.5v	40.2v	65.4v	636.36v
757	Mr T Horsfield	O	64.0v	63.3v	47.3v	43.0v	48.2v	44.1v	45.2v	67.4v	102.6v	43.1v	70.6v	636.28v
758	SSgt N Batai	X	66.2v	75.9v	47.3v	49.4v	47.4v	46.1v	41.1v	67.4v	92.6v	37.3v	68.6v	635.43v
759	Mr AS Fraser	O	73.5v	66.3v	47.3v	45.4v	44.2v	37.0v	48.5v	72.7v	95.5v	43.3v	65.4v	635.41v
760	Muhd Nursyam Yaakob	X	61.2v	71.9v	42.1v	49.4v	44.2v	46.2v	42.1v	71.7v	93.6v	46.3v	70.3v	635.40v
761	Sgt S Letoiya	X	69.1v	70.5v	50.7v	40.1v	48.6v	44.3v	46.2v	70.5v	93.5v	45.2v	60.3v	635.40v
762	LC G Wigmore	T	71.5v	73.6v	48.5v	44.2v	46.2v	40.0v	43.3v	68.4v	95.7v	42.2v	65.3v	635.39v
763	Mr JS Bennett	O	71.7v	69.3v	47.3v	45.2v	46.2v	44.1v	41.1v	64.3v	96.7v	40.1v	72.6v	635.36v
764	Mr MG Hargreaves	O	69.7v	67.3v	46.1v	38.2v	46.3v	43.2v	48.6v	68.8v	97.4v	40.1v	72.9v	634.46v
765	Cdt SM Williams	T	73.5v	71.6v	47.5v	43.1v	44.0v	42.0v	50.7v	61.4v	101.10v	31.0v	71.5v	634.43v
766	Mr MJ Judge	O	71.6v	68.4v	49.4v	44.4v	45.4v	42.0v	45.2v	65.5v	96.4v	44.3v	65.2v	634.38v
767	Mr GES Stewart	T	72.5v	69.5v	42.1v	38.3v	47.4v	45.3v	47.3v	71.7v	94.3v	44.0v	65.3v	634.37v
768	Sgt E Kimisik	X	72.5v	67.2v	42.1v	43.2v	46.2v	46.4v	41.1v	68.2v	101.15v	40.4v	67.5v	633.43v
769	Mr MR Gregory	O	69.6v	61.2v	47.2v	40.1v	42.0v	47.4v	48.4v	74.9v	99.10v	39.0v	67.4v	633.42v
770	Mr JM Jarritt	O	68.4v	68.4v	41.2v	46.3v	47.3v	47.4v	47.3v	71.6v	92.4v	40.1v	66.4v	633.38v
771	Cpl M Allan	T	69.2v	66.2v	47.4v	47.3v	47.6v	45.1v	43.2v	65.4v	99.7v	38.1v	67.2v	633.34v
772	Mr SME Hayton	T	70.4v	69.2v	45.1v	44.2v	47.3v	44.1v	43.3v	66.4v	102.9v	36.1v	67.3v	633.33v
773	Mr PS Rowell	O	64.1v	67.3v	46.5v	40.0v	45.3v	44.4v	47.5v	66.2v	100.5v	43.1v	71.3v	633.32v
774	Mr K Taylor	O	69.3v	68.4v	45.2v	45.3v	45.1v	47.3v	46.3v	71.4v	91.4v	38.0v	68.4v	633.31v
775	Mr J Dawes	T	69.6v	69.4v	46.2v	46.2v	47.6v	45.4v	37.0v	68.4v	93.5v	46.2v	66.5v	632.40v
776	C/Sgt TP Gibson	O	63.2v	70.5v	43.4v	45.3v	45.2v	46.2v	44.3v	69.5v	99.8v	46.2v	62.3v	632.39v
777	Mr JS Ritchie	O	70.4v	58.2v	46.4v	45.4v	47.5v	45.2v	46.4v	70.7v	92.2v	48.5v	64.2v	631.41v
778	Cdt J Dodds	T	68.2v	72.6v	45.2v	48.5v	47.5v	41.3v	46.2v	72.4v	96.5v	30.0v	66.2v	631.36v
779	Mr NS Roberts	O	65.2v	69.7v	46.4v	42.1v	41.2v	46.2v	46.3v	68.3v	96.5v	46.3v	66.2v	631.34v
780	POC AJP Lamb	T	69.5v	69.4v	42.0v	47.3v	47.0v	46.1v	44.3v	66.4v	95.5v	38.1v	68.4v	631.30v
781	Cdt Cpl JT Boyd	T	69.6v	68.4v	47.3v	46.3v	43.5v	43.2v	45.2v	65.6v	94.6v	42.2v	68.6v	630.45v
782	Mr DJ Stewart	O	69.5v	68.6v	47.3v	44.4v	46.4v	47.4v	37.0v	70.5v	90.2v	45.3v	67.6v	630.42v
783	Dr JSTJ Mehta	O	66.5v	69.5v	46.1v	41.2v	41.0v	44.1v	46.6v	66.7v	95.5v	45.2v	71.7v	630.41v
784	CSgt JWP Taylor	T	70.7v	62.1v	46.4v	40.2v	45.3v	46.1v	43.2v	67.5v	100.8v	41.0v	70.8v	630.41v
785	Miss H Mallinckrodt	T	69.5v	65.1v	47.6v	44.4v	41.2v	48.8v	43.1v	70.5v	98.7v	36.0v	69.2v	630.41v
786	Miss M Chombart	O	68.2v	72.7v	47.4v	43.1v	45.3v	45.4v	49.4v	64.2v	88.4v	43.4v	66.4v	630.39v
787	Mr GRJ Jeal	O	64.3v	72.5v	44.2v	40.1v	49.4v	47.4v	42.1v	71.6v	92.6v	44.2v	65.4v	630.38v
788	Cdt C/Sgt G Wright	T	70.6v	68.4v	44.2v	44.2v	44.2v	44.2v	44.2v	68.3v	94.6v	40.2v	70.7v	630.38v
789	Flt Lt K Bissell	T	69.5v	65.2v	45.0v	47.2v	45.4v	48.2v	38.1v	72.6v	97.9v	37.2v	67.4v	630.37v
790	PC CJ Enyatta	X	66.4v	68.4v	45.3v	44.0v	47.5v	48.3v	38.0v	67.3v	99.5v	38.1v	70.5v	630.33v
791	Mr JD Llewellyn	O	68.3v	70.4v	46.2v	44.3v	44.3v	40.0v	44.2v	68.1v	92.4v	47.3v	67.4v	630.29v
792	Mr VK Thickett	T	69.5v	69.7v	47.3v	45.1v	46.2v	43.2v	39.1v	67.5v	93.6v	40.3v	71.8v	629.43v
793	Miss ME Wicker	O	65.5v	70.5v	49.3v	46.4v	47.3v	48.3v	38.3v	68.3v	92.6v	36.2v	70.5v	629.42v
794	Cdt JW Du Feu	T	68.5v	68.5v	48.5v	45.4v	49.2v	46.3v	41.2v	61.2v	96.6v	41.3v	66.3v	629.40v
795	Sgt M Capron	T	69.6v	72.5v	44.2v	41.1v	48.3v	37.0v	46.3v	70.3v	88.6v	47.1v	67.5v	629.35v
796	Mr AN Tongue	T	68.4v	68.4v	47.5v	43.2v	43.2v	43.1v	36.1v	70.5v	93.2v	46.2v	72.7v	629.35v
797	Mr B Craig	T	69.3v	67.3v	46.3v	46.3v	42.0v	47.4v	42.1v	70.5v	91.6v	42.1v	67.4v	629.33v
798	Miss ERL Coombs	O	71.5v	70.3v	46.4v	42.1v	48.2v	42.4v	40.2v	69.3v	98.5v	43.0v	60.2v	629.31v
799	Off Cdt RL Douglas	T	61.2v	64.3v	47.3v	43.2v	42.1v	45.1v	44.2v	70.7v	98.11v	44.3v	70.5v	628.40v
800	Cdt Sgt NR Rewston	T	68.1v	69.5v	43.2v	41.2v	45.3v	44.4v	48.2v	67.6v	98.10v	40.1v	65.4v	628.40v
801	Cdt A Belyea	T	70.3v	67.5v	46.4v	41.0v	44.1v	44.3v	48.4v	70.5v	95.3v	33.0v	70.4v	628.32v
802	Mr M Ball	X	74.11v	73.7v	50.6v	42.2v	49.4v	49.2v	0.0v	74.10v	99.9v	43.2v	74.11v	627.64v
803	Mr AJ Ball	O	68.6v	67.4v	42.2v	43.2v	46.4v	46.4v	43.1v	68.2v	95.6v	41.3v	68.3v	627.37v
804	Mr PJ Holden	O	66.6v	66.2v	42.2v	46.5v	47.5v	46.2v	47.2v	70.4v	90.4v	40.0v	67.5v	627.37v
805	Cdt S Merchant	T	67.2v	68.5v	48.3v	33.1v	45.2v	44.1v	45.3v	69.2v	98.8v	41.2v	69.5v	627.34v
806	Mr J Holmes	O	70.3v	68.5v	46.2v	42.1v	43.2v	40.0v	45.2v	65.4v	97.6v	43.1v	68.6v	627.32v
807	Cdt G Ogden	T	70.5v	73.9v	46.6v	44.3v	44.3v	37.1v	48.3v	62.2v	95.5v	35.0v	72.6v	626.43v
808	Mr PH Muckle	T	70.6v	70.4v	46.1v	32.1v	48.5v	43.2v	41.0v	70.7v	97.9v	37.2v	72.5v	626.42v
809	Mr C St J Marlow	O	70.7v	69.4v	41.3v	40.3v	42.0v	43.2v	48.4v	69.5v	93.4v	42.2v	69.6v	626.40v
810	Mrs KM Young	T	68.4v	64.3v	42.1v	43.2v	44.1v	47.4v	44.3v	68.4v	92.6v	44.2v	70.7v	626.37v
811	Flt Lt CM Fopp	O	67.2v	70.6v	45.2v	41.2v	47.1v	46.4v	45.2v	63.2v	96.7v	37.2v	69.5v	626.35v
812	Mr DA Chorlton	O	71.4v	71.9v	48.6v	48.5v	47.5v	50.8v	0.0v	75.7v	98.10v	47.4v	70.4v	625.62v
813	Miss DE Andrews	T	62.1v	67.3v	45.1v	45.2v	45.3v	48.4v	43.3v	71.8v	95.11v	35.1v	69.7v	625.44v
814	Cdt G Nixon	T	61.1v	67.4v	45.3v	37.0v	47.2v	46.3v	46.2v	68.6v	95.3v	42.0v	71.7v	625.31v
815	Cdt C/Sgt IJ Ruggles-Brise	T	70.4v	66.1v	43.2v	44.1v	45.1v	46.1v	41.1v	66.6v	96.8v	36.0v	71.8v	624.33v
816	Dr WLV Price	O	65.2v	67.3v	47.4v	45.2v	43.2v	45.3v	44.4v	67.1v	90.4v	45.3v	66.4v	624.32v
817	Cdt N Koda	T	67.4v	68.3v	47.5v	45.4v	45.3v	45.5v	40.2v	70.6v	90.2v	43.2v	63.3v	623.39v
818	Mr DB Harrison	O	74.8v	65.2v	45.4v	42.1v	49.2v	45.1v	46.2v	72.4v	95.10v	33.0v	57.1v	623.35v
819	Mr T Hill	O	68.5v	66.4v	47.4v	45.2v	48.2v	47.2v	42.2v	70.6v	95.7v	27.0v	68.1v	623.35v
820	Major M Davies	T	68.5v	69.5v	47.3v	43.2v	40.0v	44.2v	46.1v	64.4v	95.6v	42.2v	65.2v	623.32v
821	Mr A Lothian	X	70.3v	73.11v	49.5v	43.2v	49.6v	48.0v	0.0v	70.7v	97.10v	50.8v	73.8v	622.60v
822	Miss EJ Nuttall	X	70.6v	70.7v	49.3v	44.3v	50.9v	47.1v	0.0v	73.5v	102.13v	44.4v	73.9v	622.60v
823	Mr GAE Larcombe	O	73.7v	73.5v	49.5v	48.2v	48.4v	46.4v	47.3v	70.8v	65.4v	44.1v	59.5v	622.48v
824	Mr AJ Finlay	T	68.6v	66.5v	45.3v	40.1v	43.1v	33.2v	47.4v	70.7v	96.5v	46.1v	68.7v	622.42v
825	WPC C Jerop	X	69.5v	64.3v	47.1v	30.1v	45.2v	45.4v	47.6v	72.5v	97.9v	45.3v	61.3v	622.42v
826	Mr T Simpson	T	70.4v	69.7v	46.4v	46.4v	47.5v	47.2v	31.0v	70.4v	89.2v	41.1v	66.4v	622.37v
827	OS TP Millar	T	69.4v	67.4v	47.5v	48.2v	43.2v	33.1v	45.2v	66.2v	96.6v	39.0v	69.7v	622.36v
828	Cpl HCG Sutton	T	73.6v	73.8v	49.4v	48.1v	40.1v	41.2v	39.3v	66.3v	92.6v	38.0v	63.2v	622.36v
829	Mr WA O'Dair	O	67.4v	64.1v	45.4v	46.4v	41.2v	43.5v	47.4v	65.3v	88.4v	46.1v	70.3v	622.35v
830	2LT PA Finn	T	69.3v	66.4v	48.6v	43.2v	43.2v	42.2v	41.1v	69.4v	90.5v	39.4v	71.5v	621.38v

831	Mr J Horton	O	66.3v	68.6v	43.2v	48.3v	43.3v	40.1v	40.1v	65.3v	95.5v	43.1v	70.9v	621.37v
832	Mr PR Sirett	X	69.3v	68.6v	44.2v	37.0v	47.2v	43.3v	42.2v	70.6v	99.10v	40.2v	62.1v	621.37v
833	Mr JL Poulin	O	67.3v	65.2v	46.3v	44.0v	44.3v	45.2v	47.3v	62.1v	93.4v	42.1v	66.1v	621.23v
834	Cdt EFG Voisin	T	74.2v	47.3v	48.5v	37.1v	46.3v	47.4v	44.3v	71.5v	97.8v	42.3v	67.4v	620.41v
835	Mr D Perella	O	67.5v	66.4v	39.0v	47.4v	47.4v	41.0v	46.2v	66.5v	95.4v	40.1v	66.4v	620.33v
836	Mr CP Moon	O	64.3v	65.3v	47.4v	42.1v	46.4v	47.3v	44.3v	64.2v	90.2v	43.2v	68.4v	620.31v
837	Mr AE Le Page	X	69.5v	66.2v	37.0v	45.2v	44.2v	44.0v	48.5v	67.7v	97.5v	43.1v	60.2v	620.31v
838	Miss FC Barrell	T	70.5v	69.3v	43.3v	45.1v	39.2v	48.3v	43.2v	68.4v	93.4v	36.2v	66.2v	620.31v
839	Cdt MJ Purdy	T	64.1v	67.4v	40.1v	49.2v	41.0v	40.0v	44.3v	68.5v	99.7v	39.2v	69.4v	620.29v
840	Cdt AJ Maltby	T	59.2v	63.1v	42.2v	44.1v	47.4v	47.2v	43.2v	71.6v	93.7v	46.3v	64.5v	619.35v
841	Cdt AM Winchester	T	68.4v	70.6v	44.2v	43.0v	43.1v	44.2v	46.4v	62.2v	88.4v	44.2v	67.3v	619.30v
842	Mr W Deschacht	X	67.3v	70.8v	47.3v	43.1v	46.4v	41.3v	45.4v	64.2v	91.3v	35.1v	69.6v	618.38v
843	Miss FM Hinson	T	70.3v	68.3v	34.0v	37.1v	47.3v	45.3v	46.3v	66.3v	93.4v	45.1v	67.4v	618.28v
844	Mr GL James	T	72.5v	68.3v	49.7v	47.2v	49.4v	48.5v	8.0v	68.4v	103.8v	40.2v	65.5v	617.45v
845	Mr PTB Brett	T	68.3v	62.1v	44.3v	42.3v	47.5v	41.1v	42.1v	68.3v	94.9v	47.3v	62.3v	617.35v
846	Lt MA Vetí	O	65.2v	65.5v	47.4v	42.2v	42.1v	46.2v	43.2v	65.1v	93.3v	43.1v	66.3v	617.26v
847	Mr P Jacques	O	68.1v	66.3v	41.1v	45.5v	40.2v	45.2v	42.1v	68.4v	93.4v	42.0v	67.2v	617.25v
848	Cdt P Clement	T	67.3v	70.8v	46.4v	45.4v	50.4v	48.3v	45.3v	73.10v	99.8v	0.0v	73.7v	616.54v
849	Cdt CJ Mitchell	T	67.4v	66.2v	43.3v	42.2v	47.3v	39.2v	42.0v	66.3v	97.6v	38.2v	69.4v	616.31v
850	Mr ATC Collins	T	67.5v	70.5v	45.1v	39.1v	45.3v	39.2v	48.5v	74.9v	92.6v	38.0v	58.1v	615.38v
851	Mr TJ Bryan	T	58.1v	69.4v	44.3v	45.1v	46.2v	46.2v	43.1v	68.6v	96.6v	28.0v	72.6v	615.32v
852	Miss JC Carson	T	69.4v	65.0v	44.3v	47.2v	40.2v	47.4v	39.1v	67.4v	89.4v	36.0v	71.6v	614.30v
853	Mr PJ Inwood	T	68.2v	64.4v	38.1v	48.2v	43.0v	45.2v	43.2v	63.1v	92.2v	39.0v	71.8v	614.24v
854	Cdt S Munzel	T	62.1v	67.3v	50.9v	40.1v	41.0v	48.5v	41.1v	65.2v	94.7v	43.2v	62.3v	613.34v
855	Mr AWS Sainter	O	69.5v	63.2v	48.5v	45.3v	45.2v	40.2v	37.0v	55.1v	93.7v	47.2v	71.4v	613.33v
856	Mr DH Le Vesconte	O	57.5v	72.6v	46.1v	44.4v	49.5v	50.4v	0.0v	74.12v	102.9v	44.1v	74.8v	612.55v
857	Mr JP Hakim	O	68.3v	73.10v	45.3v	41.4v	49.4v	47.2v	47.2v	71.4v	65.3v	39.2v	67.6v	612.43v
858	Mr SR Friling	O	69.3v	65.4v	43.0v	45.2v	46.3v	40.0v	47.5v	57.3v	96.4v	41.2v	63.2v	612.28v
859	Mr PDB Ayre	T	65.5v	65.3v	46.3v	47.2v	42.3v	42.0v	44.2v	67.2v	87.1v	41.1v	65.3v	611.25v
860	Cdt SE De Gruchy	T	65.3v	67.3v	50.5v	41.0v	44.2v	40.1v	43.1v	61.3v	100.5v	41.0v	59.1v	611.24v
861	F/Sgt S Leonard	T	66.3v	68.5v	45.3v	46.1v	33.0v	44.1v	45.1v	65.1v	88.2v	39.2v	72.5v	611.24v
862	Mr CB Stone	O	65.1v	66.2v	43.1v	45.3v	43.2v	40.0v	44.2v	65.2v	94.5v	43.1v	63.3v	611.22v
863	Mr DA Smith	O	72.5v	68.4v	42.3v	46.3v	46.6v	48.4v	36.6v	69.4v	67.4v	44.4v	71.6v	609.49v
864	Mrs JA Painting	O	66.3v	29.1v	46.4v	46.4v	44.3v	45.3v	46.2v	71.5v	100.11v	45.5v	71.7v	609.48v
865	Mr DAG Mitchell	T	73.7v	72.6v	44.4v	47.2v	48.2v	46.4v	0.0v	71.4v	100.9v	39.4v	69.4v	609.46v
866	Mr JT Rayner	O	70.4v	69.3v	47.5v	43.0v	47.5v	49.5v	45.1v	74.11v	59.0v	43.2v	63.4v	609.40v
867	Cdt RJ Stilgoe	T	69.4v	67.5v	43.2v	40.1v	41.1v	46.4v	40.2v	61.2v	90.5v	46.3v	65.3v	608.32v
868	Mr RJA Ritchie	T	64.3v	71.6v	39.0v	46.2v	41.1v	34.0v	45.2v	68.1v	93.7v	45.3v	62.2v	608.27v
869	Cpl OJ Siddall	T	65.3v	66.2v	44.3v	43.5v	48.5v	41.1v	41.2v	67.3v	86.4v	39.1v	67.6v	607.35v
870	Mr AED Webster	T	65.1v	66.4v	44.4v	45.3v	42.4v	39.2v	45.4v	63.2v	88.3v	39.0v	70.7v	606.34v
871	Mr JJ Bleakley	O	66.1v	63.2v	40.2v	42.3v	46.3v	44.3v	47.2v	66.2v	87.4v	43.3v	62.3v	606.28v
872	Colonel, The Rev D Cooper	X	73.9v	73.10v	50.5v	43.3v	49.5v	50.6v	47.3v	75.10v	99.8v	46.3v	0.0v	605.62v
873	Mrs I Pioche	O	68.4v	68.4v	42.1v	43.3v	41.3v	46.4v	40.2v	61.3v	91.4v	38.1v	67.5v	605.34v
874	Cdt AP Lacombe	T	66.1v	64.2v	44.2v	47.3v	41.1v	37.1v	47.3v	64.3v	84.3v	45.1v	66.1v	605.21v
875	Mr RN Burkill	T	67.3v	67.4v	43.3v	37.1v	48.5v	45.3v	41.1v	68.6v	82.2v	41.2v	65.2v	604.32v
876	Miss ER Bagge	T	67.4v	73.5v	44.3v	34.0v	46.3v	47.5v	47.3v	71.7v	100.8v	7.0v	67.6v	603.44v
877	Mr RS Pool	O	68.7v	67.2v	46.3v	45.1v	47.5v	41.2v	44.2v	69.4v	62.2v	42.2v	72.5v	603.35v
878	Mr N Thorburn	O	62.2v	67.4v	44.1v	42.1v	47.1v	31.1v	44.2v	68.6v	92.5v	40.0v	66.7v	603.30v
879	Mr DJ Pay	T	68.4v	67.3v	45.4v	44.1v	42.1v	39.0v	44.3v	66.6v	92.2v	37.2v	59.1v	603.27v
880	Mr AJ Monro	T	66.1v	67.4v	45.1v	45.0v	43.2v	39.2v	43.3v	57.2v	100.6v	38.3v	60.1v	603.25v
881	Cdt A Tong	T	62.4v	65.3v	44.1v	45.2v	43.1v	44.5v	33.2v	66.5v	92.9v	44.5v	64.2v	602.39v
882	Cdt A Newby	T	62.1v	71.6v	46.3v	43.1v	46.2v	44.3v	40.0v	68.5v	69.3v	42.1v	71.3v	602.28v
883	Mr FJ Roberts	T	66.3v	67.2v	43.2v	45.2v	41.0v	44.2v	37.0v	65.5v	91.7v	37.1v	66.3v	602.27v
884	Cdt C/Sgt BH Tomkins	T	67.4v	63.2v	48.3v	43.1v	46.3v	44.1v	46.0v	62.3v	83.3v	35.0v	65.1v	602.21v
885	Miss N Malkin	O	74.8v	73.9v	49.6v	46.2v	48.8v	47.3v	0.0v	73.7v	101.10v	22.1v	68.7v	601.61v
886	Mr EPJ Harrison	O	64.3v	69.3v	45.3v	44.2v	48.6v	43.1v	0.0v	72.3v	98.8v	46.3v	72.6v	601.38v
887	Miss EF Parker	T	61.2v	67.4v	45.3v	43.3v	40.3v	44.2v	43.1v	70.5v	93.3v	39.2v	56.2v	601.30v
888	JE Harris	T	65.2v	68.3v	48.5v	44.3v	41.0v	38.0v	43.3v	63.2v	95.6v	44.1v	52.1v	601.26v
889	Spr KJ Potter	T	71.5v	73.7v	48.3v	48.5v	47.3v	47.5v	46.1v	72.6v	103.13v	45.2v	0.0v	600.50v
890	Mr M Fox	T	66.4v	65.2v	42.0v	41.1v	42.1v	39.1v	38.2v	67.5v	92.6v	44.2v	63.1v	599.25v
891	Mr T Roxborough	T	60.1v	65.1v	48.5v	39.3v	39.1v	42.2v	42.2v	65.2v	87.4v	42.2v	70.2v	599.25v
892	Cdt HFM Hemsley	T	65.2v	66.1v	43.1v	44.4v	41.1v	47.4v	40.0v	68.6v	89.3v	32.0v	64.2v	599.24v
893	Mr J Elgin	O	63.0v	68.4v	44.4v	41.1v	42.1v	32.0v	45.1v	68.3v	95.4v	43.0v	58.1v	599.19v
894	Mr ML Boyce	O	73.8v	67.5v	41.3v	38.1v	44.5v	46.4v	49.1v	68.4v	62.4v	43.2v	66.5v	597.42v
895	Cdt SG Gowin	T	66.3v	68.2v	46.2v	0.0v	45.3v	46.2v	48.3v	69.7v	97.6v	45.2v	67.2v	597.32v
896	Cdt KP Pilcher	T	69.7v	60.2v	41.0v	44.3v	45.2v	50.6v	36.0v	64.2v	89.1v	38.1v	61.2v	597.26v
897	Mr MG Grimsdell	O	67.3v	72.7v	46.6v	36.1v	46.4v	49.6v	46.3v	71.7v	100.9v	0.0v	63.2v	596.48v
898	Mr BGS Bush	O	68.2v	64.1v	42.0v	47.3v	42.2v	48.4v	29.1v	59.1v	90.1v	43.0v	64.3v	596.18v
899	Mr FCP Mostyn	T	64.2v	61.4v	30.0v	41.2v	40.3v	45.3v	45.1v	64.2v	95.7v	46.3v	64.3v	595.30v
900	Mr S Lai	O	69.4v	65.0v	45.2v	43.1v	45.1v	42.4v	45.4v	68.4v	59.2v	43.2v	71.3v	595.27v
901	Mr DB Thomas	T	64.1v	67.6v	41.1v	47.1v	46.4v	35.1v	33.0v	65.2v	90.3v	44.6v	62.3v	594.28v
902	Mr A Mabon	O	70.8v	71.4v	49.5v	49.5v	46.4v	48.3v	45.1v	71.7v	100.11v	43.3v	0.0v	592.51v
903	Mr PS Quinn	T	67.5v	61.0v	44.1v	44.3v	37.1v	44.2v	43.1v	67.5v	90.6v	31.0v	64.4v	592.28v
904	LC L Main	T	65.0v	66.2v	40.0v	25.0v	44.1v	44.4v	44.4v	60.2v	91.4v	47.4v	66.2v	592.23v
905	Cdt TJL Garton	T	62.3v	63.1v	37.2v	46.3v	46.3v	39.1v	47.2v	66.1v	85.3v	41.1v	60.2v	592.22v
906	Mr PA Hatfield	O	74.10v	69.7v	47.2v	49.3v	49.5v	46.4v	46.5v	69.5v	99.11v	43.1v	0.0v	591.53v
907	Mr CP Kelsey	O	68.5v	69.7v	48.4v	47.5v	44.0v	48.4v	49.5v	73.3v	101.10v	44.4v	0.0v	591.47v

908	Mr DW Baker	O	73.8v	70.6v	48.4v	48.2v	48.4v	45.3v	46.3v	67.5v	100.10v	45.2v	0.0v	590.47v
909	Dr CM Sturges	O	63.2v	67.4v	48.2v	40.0v	45.4v	45.4v	15.2v	70.5v	93.6v	37.1v	67.3v	590.33v
910	Mr PR Edwards	O	70.1v	67.3v	41.3v	39.0v	42.4v	40.3v	40.1v	66.5v	86.3v	37.1v	62.4v	590.28v
911	Mr IA Green	T	66.2v	68.2v	48.3v	37.1v	40.2v	41.2v	36.0v	67.6v	85.2v	38.1v	63.4v	589.25v
912	Miss DL Griffin	O	67.1v	68.4v	39.0v	41.1v	42.1v	45.1v	39.1v	60.2v	87.3v	38.1v	63.5v	589.20v
913	Cdt AL Pimblett	T	65.4v	66.5v	45.2v	41.3v	41.2v	42.2v	48.3v	38.3v	92.5v	42.2v	68.4v	588.35v
914	H Buitelaar	T	69.4v	64.2v	35.0v	42.1v	39.2v	45.1v	45.3v	65.2v	83.2v	45.5v	56.0v	588.22v
915	Mr T Higgins	O	0.0v	72.5v	49.4v	46.0v	48.4v	40.6v	45.3v	73.9v	98.10v	46.3v	70.5v	587.49v
916	Mr TJ Roberts	T	68.6v	71.9v	48.4v	41.0v	27.0v	45.2v	0.0v	69.7v	100.7v	46.3v	71.9v	586.47v
917	Cdt Cpl CD Paluch	T	64.0v	64.2v	42.0v	44.3v	38.0v	44.1v	43.3v	55.0v	94.5v	34.1v	64.2v	586.17v
918	Mr HW Riley	O	71.3v	70.5v	46.4v	44.4v	44.2v	49.5v	48.5v	65.1v	98.10v	47.4v	0.0v	582.43v
919	Mr RES Bogie	O	64.2v	72.6v	46.3v	47.5v	46.1v	49.2v	43.1v	70.4v	102.12v	43.4v	0.0v	582.40v
920	Cdt GC Strong	T	70.5v	64.2v	46.4v	43.1v	33.1v	39.0v	42.3v	51.3v	97.10v	28.0v	69.2v	582.31v
921	Mr LV Vanstone	T	62.1v	59.3v	40.1v	40.2v	44.1v	41.1v	42.2v	64.4v	95.3v	25.0v	70.6v	582.24v
922	POMEM(M) AJ Heywood	T	66.3v	59.1v	40.0v	40.2v	41.2v	43.1v	43.1v	62.2v	84.5v	40.3v	64.2v	582.22v
923	Mr EC Farries	T	64.2v	67.3v	44.1v	47.7v	49.3v	44.4v	44.3v	62.3v	94.5v	0.0v	66.2v	581.33v
924	Mr RE Hind	X	69.8v	72.10v	48.5v	49.5v	49.5v	47.4v	0.0v	70.4v	103.14v	0.0v	73.5v	580.60v
925	L Cpl SL Ridley	T	64.1v	63.1v	41.3v	33.0v	42.2v	43.2v	36.1v	63.5v	86.1v	43.4v	64.3v	578.23v
926	Cdt P Colman	O	57.3v	55.1v	38.1v	48.1v	34.0v	42.1v	45.0v	68.4v	84.2v	33.0v	71.7v	575.20v
927	Mrs SM Hind	O	74.10v	70.3v	49.6v	46.3v	49.5v	45.2v	0.0v	68.7v	100.8v	0.0v	73.5v	574.49v
928	Mr J Borland	O	63.2v	71.3v	46.3v	46.3v	45.5v	46.4v	0.0v	74.11v	66.7v	48.4v	69.4v	574.46v
929	Mr JE Scobie	O	77.0v	72.0v	44.0v	53.0v	30.0v	6.0v	50.0v	43.0v	96.0v	39.0v	63.0v	573.0v
930	Mr DAN Elliott	O	68.4v	69.3v	43.2v	45.2v	48.4v	44.1v	41.3v	70.3v	97.7v	47.3v	0.0v	572.32v
931	L Cpl K Uphill	T	69.4v	62.1v	43.0v	37.1v	41.1v	43.3v	38.0v	61.2v	80.1v	34.1v	64.2v	572.16v
932	Mr DC Chalker	X	58.0v	67.4v	46.6v	40.1v	42.0v	29.1v	31.1v	64.0v	91.1v	43.2v	60.2v	571.18v
933	Mr MAS Sammels	T	61.1v	65.2v	43.1v	42.3v	45.3v	47.2v	36.0v	64.4v	96.9v	0.0v	70.5v	569.30v
934	Mr IF Coventry	O	60.2v	67.4v	44.1v	41.3v	42.2v	40.3v	38.1v	60.1v	82.5v	30.1v	65.2v	569.25v
935	Miss S Cheslyn-Curtis	T	70.4v	71.3v	46.3v	48.5v	46.5v	47.5v	36.0v	72.5v	88.4v	44.2v	0.0v	568.36v
936	Mr JSW Hunter	O	66.2v	67.2v	37.1v	40.1v	46.3v	45.1v	44.3v	33.4v	90.7v	34.1v	65.2v	567.27v
937	Mr JA Rowley	T	68.6v	0.0v	47.3v	40.2v	47.2v	43.2v	44.2v	72.3v	92.4v	46.4v	67.4v	566.32v
938	Mr D Booker	T	63.0v	63.2v	42.2v	42.0v	41.2v	27.1v	41.2v	67.5v	96.8v	13.0v	71.4v	566.26v
939	M P Mullot	O	64.1v	67.4v	47.6v	48.7v	42.1v	45.3v	41.3v	70.7v	96.5v	45.3v	0.0v	565.40v
940	Cpl ED Halford	T	65.3v	57.2v	46.2v	38.1v	43.3v	44.1v	37.0v	71.8v	58.3v	36.0v	69.6v	564.29v
941	Mr B Parker	X	72.7v	65.2v	48.3v	48.2v	47.3v	43.2v	0.0v	67.2v	103.12v	0.0v	69.3v	562.36v
942	Mr L Dodington-Boyes	T	64.5v	60.1v	40.1v	40.2v	40.1v	42.1v	37.0v	53.0v	88.3v	38.1v	59.2v	561.17v
943	Mr DMN Newman	T	62.1v	58.1v	21.0v	41.1v	42.1v	39.0v	37.0v	64.3v	92.5v	36.1v	68.1v	560.14v
944	Mr BJA Parke	O	63.0v	65.1v	37.0v	40.3v	38.0v	33.1v	40.3v	57.1v	88.1v	34.0v	59.2v	554.12v
945	Mr MDA Bentata	O	69.2v	71.5v	48.4v	45.1v	48.5v	49.5v	44.4v	69.4v	0.0v	40.1v	70.4v	553.35v
946	Miss ZE Woodroffe	T	61.2v	52.0v	40.1v	38.1v	39.1v	34.0v	36.0v	63.3v	88.4v	41.1v	61.0v	553.13v
947	Mr CW Slator	O	73.7v	5.8v	46.2v	49.3v	48.6v	45.2v	0.0v	75.9v	97.6v	44.2v	70.6v	552.51v
948	Mr SLB Borin	T	65.2v	71.5v	45.2v	33.0v	46.2v	44.0v	2.2v	71.8v	100.8v	6.0v	69.7v	552.36v
949	Mr AJ Mayers	T	67.3v	67.4v	45.3v	39.1v	44.3v	45.1v	46.2v	70.6v	95.4v	34.1v	0.0v	552.28v
950	Mrs JG Adamson	O	70.6v	71.4v	49.4v	46.3v	46.2v	43.3v	47.4v	70.6v	68.5v	40.0v	0.0v	550.37v
951	Mr PH Gardner	O	67.4v	62.3v	35.1v	41.2v	46.4v	41.1v	0.0v	68.4v	86.1v	41.1v	63.3v	550.24v
952	Mr GD Orchard	T	53.0v	57.1v	40.1v	42.4v	41.0v	39.2v	31.1v	67.3v	88.2v	29.0v	63.3v	550.17v
953	Cdt BB Baker	T	71.5v	75.9v	46.4v	46.6v	49.6v	49.3v	0.0v	73.4v	99.9v	41.1v	0.0v	549.47v
954	Mr PAG Rutherford	T	66.6v	68.2v	40.4v	41.1v	50.7v	46.5v	39.2v	72.8v	92.5v	34.1v	0.0v	548.41v
955	Mr N Edwards	O	71.5v	73.8v	41.1v	43.0v	47.5v	46.4v	48.4v	70.7v	63.4v	43.3v	0.0v	545.41v
956	Mr SJ Reddish	T	65.3v	70.5v	43.3v	40.3v	39.0v	44.3v	46.3v	69.5v	87.3v	42.1v	0.0v	545.29v
957	Mr KJ Day	O	70.7v	68.5v	46.3v	47.4v	49.4v	48.6v	0.0v	71.4v	101.10v	44.3v	0.0v	544.46v
958	Mr TO Overbury	T	68.5v	62.1v	45.4v	43.2v	45.4v	32.1v	0.0v	57.1v	88.7v	35.2v	69.7v	544.34v
959	Mrs F Day	O	71.6v	70.6v	47.4v	44.2v	48.3v	48.7v	0.0v	72.4v	95.7v	48.3v	0.0v	543.42v
960	Cdt A Moskovich	T	59.1v	64.4v	44.4v	35.3v	41.1v	37.0v	44.2v	59.2v	91.6v	0.0v	68.4v	542.27v
961	Mr PCT Meatyard	O	69.3v	68.1v	41.2v	42.2v	45.1v	39.2v	44.2v	66.3v	59.3v	0.0v	65.4v	538.23v
962	Mr G Baillie	T	61.1v	69.3v	47.4v	42.2v	46.2v	45.3v	49.3v	70.4v	0.0v	40.2v	68.2v	537.26v
963	Sgt A Biggs	T	65.2v	65.2v	39.2v	22.0v	41.2v	30.0v	41.2v	59.3v	84.1v	35.1v	54.1v	535.16v
964	Mr JMG Redman	O	67.3v	66.3v	48.4v	45.3v	47.3v	47.6v	0.0v	72.7v	101.10v	41.1v	0.0v	534.40v
965	Mr H Sanders	A	74.10v	0.0v	48.5v	43.3v	49.5v	50.8v	43.2v	73.10v	102.9v	50.9v	0.0v	532.61v
966	Cdt M Lidgitt	T	65.2v	64.3v	45.2v	38.1v	45.2v	36.0v	40.1v	67.2v	93.4v	39.2v	0.0v	532.19v
967	Mr SC Ennion	O	68.5v	0.0v	47.5v	38.1v	42.2v	48.6v	0.0v	74.10v	98.10v	44.2v	71.8v	530.49v
968	Cdt PR Moore	T	61.1v	65.5v	33.0v	20.0v	40.2v	37.3v	29.0v	69.4v	83.4v	26.0v	66.2v	529.21v
969	Mr JH Williams	T	63.3v	63.4v	42.2v	33.1v	34.1v	33.0v	40.3v	42.0v	82.1v	36.0v	59.1v	527.16v
970	Mr ML Robeson	T	68.4v	67.2v	47.1v	46.4v	44.4v	44.3v	0.0v	68.5v	94.6v	48.3v	0.0v	526.32v
971	Miss IS Klymchuk	T	36.1v	65.1v	34.2v	32.2v	45.0v	40.0v	40.1v	52.0v	80.4v	32.0v	69.8v	525.19v
972	Mr JA Corral	T	34.1v	57.1v	41.1v	38.1v	35.1v	38.1v	44.3v	65.2v	89.6v	31.0v	52.1v	524.18v
973	Mr WP Hanley	T	71.4v	71.4v	48.5v	43.3v	48.3v	48.6v	45.1v	0.0v	31.2v	47.4v	71.7v	523.39v
974	Mr DFN Leguern	O	60.3v	59.2v	41.1v	41.1v	50.5v	41.3v	0.0v	65.3v	57.2v	44.1v	64.5v	522.26v
975	Mr S Williams	O	71.5v	73.11v	46.1v	45.5v	47.5v	46.5v	46.2v	0.0v	98.8v	48.4v	0.0v	520.46v
976	Mr SM Smallwood	O	72.5v	72.5v	47.3v	49.6v	48.4v	48.2v	0.0v	71.6v	0.0v	42.2v	71.8v	520.41v
977	Mr R Deane	T	60.0v	69.5v	46.3v	17.0v	40.4v	43.4v	31.1v	60.1v	91.3v	0.0v	63.4v	520.25v
978	Mr BM Ellis	T	65.3v	68.5v	42.0v	0.0v	46.6v	46.2v	40.2v	0.0v	98.4v	43.3v	67.3v	515.28v
979	Mr CRF Leather	A	72.6v	67.3v	47.4v	46.5v	47.5v	46.3v	0.0v	69.6v	0.0v	47.4v	67.3v	508.39v
980	Mr JW Alexander	T	68.2v	65.2v	42.0v	44.2v	47.2v	40.3v	47.5v	65.4v	90.2v	0.0v	0.0v	508.22v
981	Mr GW Clarke	A	71.7v	71.4v	0.0v	0.0v	49.7v	50.6v	47.5v	70.5v	31.2v	44.3v	73.6v	506.45v
982	Cdt E Robertson	T	60.1v	61.0v	31.0v	29.2v	24.0v	30.1v	40.1v	57.2v	83.4v	21.1v	63.3v	499.15v
983	Miss E McMullan	A	67.1v	67.5v	43.3v	42.0v	47.3v	48.4v	0.0v	71.8v	61.3v	47.6v	0.0v	493.33v
984	Mr OJN Neill	T	65.1v	69.6v	46.3v	47.1v	42.0v	46.1v	0.0v	69.4v	0.0v	40.1v	66.4v	490.21v

