

# NRA 139th Imperial Meeting

## Grand Aggregate

		DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	Corp	POW	Total
1 Mr NJ Ball	X	74.10v	75.10v	46.5v	48.5v	50.7v	48.6v	50.10v	75.12v	105.13v	45.3v	74.10v	690.91v
2 Mr NC Mace	X	74.9v	73.9v	49.3v	50.4v	49.6v	49.5v	50.9v	74.10v	104.13v	46.5v	72.7v	690.80v
3 Wg Cdr DP Calvert	X	75.8v	73.6v	48.3v	48.6v	49.7v	48.5v	49.6v	75.11v	105.13v	46.2v	74.6v	690.73v
4 Miss JH Messer	X	73.6v	73.9v	49.4v	47.4v	49.5v	50.3v	49.7v	74.13v	104.13v	44.3v	75.9v	687.76v
5 Mr AR Wilde	X	74.7v	74.11v	45.5v	50.5v	50.8v	49.4v	49.5v	75.11v	103.15v	42.0v	74.11v	685.82v
6 Mr DC Luckman	X	73.7v	74.7v	47.5v	47.5v	48.5v	49.4v	50.4v	73.10v	105.14v	46.3v	73.10v	685.74v
7 Mr DW Baker	A	72.4v	75.9v	46.6v	48.6v	50.3v	49.5v	50.5v	74.7v	104.12v	46.2v	71.8v	685.67v
8 Dr GCD Barnett	X	73.8v	73.8v	50.6v	48.5v	50.7v	43.2v	50.10v	75.12v	105.13v	44.0v	73.9v	684.80v
9 Mr TW Hunter	X	74.8v	75.9v	45.2v	48.3v	50.6v	47.5v	48.6v	74.11v	104.14v	44.1v	75.7v	684.72v
10 Mr AD Le Cheminant	X	69.6v	74.8v	48.4v	49.3v	48.1v	47.4v	50.5v	73.8v	104.14v	47.3v	75.7v	684.63v
11 Mr PG Kent	X	73.9v	74.10v	47.4v	50.8v	48.5v	45.1v	48.3v	74.9v	105.15v	46.5v	73.7v	683.76v
12 Mr NRJ Brasier	X	74.6v	72.7v	48.3v	44.2v	50.6v	48.5v	48.7v	74.10v	105.14v	45.3v	74.7v	682.70v
13 Mr RCT Jeens	X	72.5v	71.4v	48.6v	49.5v	47.5v	48.4v	50.6v	72.10v	104.14v	48.1v	73.9v	682.69v
14 Mr J Cload	X	73.7v	74.8v	47.4v	46.5v	47.2v	48.4v	50.6v	73.7v	104.15v	48.4v	72.5v	682.67v
15 Mr JS Collings	X	71.10v	73.10v	49.6v	48.8v	47.5v	49.6v	48.5v	74.10v	102.11v	46.2v	74.11v	681.84v
16 Mr TA Ringer	X	73.8v	72.10v	48.5v	48.5v	49.5v	48.5v	48.6v	73.10v	104.13v	44.2v	74.8v	681.77v
17 Dr JG Robertson	X	70.6v	75.9v	47.4v	49.7v	48.4v	48.3v	49.5v	73.9v	104.17v	45.2v	73.7v	681.73v
18 Mr AJ Luckman	X	72.7v	74.8v	47.5v	48.4v	48.5v	49.7v	50.6v	72.9v	103.13v	46.2v	72.6v	681.72v
19 Mrs LK Mace	A	73.5v	74.9v	49.6v	49.5v	48.4v	49.5v	46.4v	72.6v	104.16v	42.2v	75.7v	681.69v
20 Mr SD Shouler	X	71.6v	74.11v	50.7v	49.4v	50.10v	47.4v	49.3v	73.8v	105.15v	40.1v	72.7v	680.76v
21 Mr P Patel	X	71.8v	73.10v	48.5v	46.6v	50.4v	48.5v	49.4v	75.10v	104.12v	44.1v	72.6v	680.71v
22 Mr J Pugsley	X	70.6v	72.8v	47.3v	50.8v	49.2v	49.5v	48.3v	73.7v	105.11v	43.2v	74.7v	680.62v
23 Dr AJ Pilgrim	A	72.9v	73.9v	49.7v	46.2v	47.7v	48.3v	50.6v	75.11v	104.13v	42.1v	73.10v	679.78v
24 Mr DGM Coleman	X	71.8v	74.10v	49.3v	47.7v	49.6v	46.1v	50.5v	72.8v	102.12v	46.5v	73.9v	679.74v
25 Mr SC Postins	A	74.10v	72.10v	47.3v	48.6v	48.4v	45.5v	50.5v	74.8v	105.14v	44.1v	72.8v	679.74v
26 Mr IP Davison	X	71.4v	74.10v	47.5v	47.3v	48.7v	48.5v	50.8v	74.10v	102.9v	44.1v	74.8v	679.70v
27 Mr LT Wicker	A	73.9v	75.7v	47.1v	49.3v	50.8v	46.3v	48.3v	73.9v	103.11v	43.2v	72.8v	679.64v
28 Mr TJD Raincock	X	71.8v	73.7v	49.7v	45.5v	48.5v	46.3v	50.4v	74.12v	105.16v	44.2v	73.5v	678.74v
29 Mr CN Tremlett	X	73.6v	74.10v	49.6v	48.3v	50.6v	46.5v	49.8v	72.7v	103.15v	43.0v	71.7v	678.73v
30 Mr DR Armstrong	X	75.10v	73.5v	49.6v	49.8v	47.6v	48.7v	48.5v	72.5v	102.12v	42.1v	73.7v	678.72v
31 Mr ITG Shaw	X	73.6v	73.9v	44.2v	45.3v	49.7v	48.4v	49.7v	73.8v	104.16v	45.3v	75.6v	678.71v
32 Mr ASH McCullough	X	72.6v	73.10v	47.3v	49.4v	47.2v	46.5v	49.5v	75.8v	103.11v	42.2v	73.5v	678.64v
33 Dr AM Jory	X	67.6v	74.9v	47.6v	47.2v	50.9v	48.5v	50.6v	74.8v	103.13v	45.4v	72.6v	677.74v
34 Mr TLW Kidner	X	72.7v	73.9v	48.3v	50.7v	49.6v	45.4v	49.7v	74.13v	103.8v	42.1v	72.8v	677.73v
35 Mr HRT Jeens	X	70.7v	71.5v	49.5v	45.3v	46.3v	48.8v	49.5v	74.12v	104.9v	47.3v	74.9v	677.69v
36 Mr WCP Richards	X	74.7v	73.6v	46.4v	47.3v	47.5v	48.6v	47.6v	73.6v	104.13v	45.2v	73.9v	677.67v
37 Mr S Harding	O	74.7v	74.6v	48.3v	45.3v	49.7v	47.3v	45.3v	74.10v	104.12v	43.2v	74.11v	677.67v
38 Mr KR Trowbridge	X	72.4v	75.12v	48.4v	47.4v	49.5v	49.5v	48.4v	73.4v	100.8v	44.1v	72.5v	677.56v
39 Mr GS Cotton	X	74.9v	72.7v	48.3v	47.5v	46.3v	49.4v	49.4v	73.10v	102.14v	43.3v	73.9v	676.71v
40 Mr PJR Holden	X	73.7v	74.10v	44.3v	49.3v	49.5v	47.5v	50.6v	72.8v	102.11v	43.1v	73.9v	676.68v
41 Mr JGM Webster	X	70.5v	74.8v	48.7v	47.4v	49.5v	46.3v	48.6v	73.5v	104.15v	46.3v	71.5v	676.66v
42 Mr SM Smallwood	A	70.6v	74.8v	48.5v	47.4v	50.6v	48.4v	50.5v	72.7v	100.10v	45.3v	72.7v	676.65v
43 Mr DFP Richards	X	72.6v	73.9v	46.3v	49.2v	49.6v	48.2v	49.6v	73.8v	102.11v	45.3v	70.7v	676.63v
44 Mr ES Compton	X	72.7v	74.8v	47.2v	44.3v	50.3v	47.4v	49.6v	73.6v	104.14v	45.3v	71.4v	676.60v
45 Mr GMLN Gilpin	X	74.10v	72.9v	45.2v	44.3v	50.8v	49.6v	50.9v	72.9v	101.10v	44.1v	74.10v	675.77v
46 Dr CD Haley	X	68.3v	71.8v	48.5v	50.3v	48.4v	46.3v	50.8v	74.9v	104.14v	42.4v	74.11v	675.72v
47 Eur Ing CA Painting	X	69.6v	72.8v	46.2v	46.2v	49.5v	48.5v	50.8v	74.11v	104.13v	44.2v	73.8v	675.70v
48 Dr JDS Langley	X	73.10v	75.6v	48.5v	45.3v	48.2v	49.5v	49.8v	75.10v	103.12v	40.3v	70.4v	675.68v
49 Miss S-J Binder	A	74.9v	73.12v	48.4v	50.5v	48.4v	47.3v	48.5v	71.8v	102.9v	40.1v	74.8v	675.68v
50 Miss GC O'Leary	X	71.5v	71.3v	47.3v	49.5v	50.6v	45.3v	49.7v	73.7v	103.13v	45.1v	72.6v	675.59v
51 Mr TP Clarke	X	71.6v	75.13v	48.5v	48.5v	47.3v	46.0v	48.6v	74.11v	104.16v	42.6v	71.5v	674.76v
52 Mr ERT Jeens	X	70.7v	73.7v	47.3v	48.7v	49.8v	48.3v	50.4v	72.9v	101.12v	47.3v	69.7v	674.70v
53 Mr BA Horwood	X	73.9v	69.5v	48.4v	47.6v	48.3v	49.4v	49.5v	73.7v	105.14v	41.2v	72.9v	674.68v
54 Mr ATB Tompson	X	73.8v	74.5v	49.4v	36.2v	49.6v	47.4v	49.4v	74.7v	103.17v	45.2v	75.8v	674.67v
55 Mr PB Bromley	X	72.7v	73.6v	46.5v	48.7v	49.5v	46.3v	49.6v	73.9v	101.10v	46.4v	71.3v	674.65v
56 Mr D Rose	X	68.5v	74.9v	48.1v	48.4v	49.6v	47.4v	48.4v	73.9v	103.13v	46.3v	70.6v	674.64v
57 Mr JC Underwood	X	71.3v	73.10v	47.3v	48.5v	48.4v	46.3v	50.7v	75.10v	101.13v	41.0v	74.5v	674.63v
58 Dr JD Warburton	X	73.8v	72.8v	47.3v	47.2v	47.5v	47.3v	49.3v	74.7v	101.10v	44.1v	73.10v	674.60v
59 Mr GW Berman	X	71.8v	72.6v	48.5v	48.6v	50.3v	46.4v	49.3v	69.8v	102.9v	44.2v	75.5v	674.59v
60 Zainal Abidin Md Zain	X	70.7v	72.8v	48.2v	46.2v	47.3v	49.5v	49.2v	75.5v	102.8v	44.1v	72.11v	674.54v
61 Mr JWE Lewis	X	70.4v	73.8v	49.6v	48.8v	48.7v	45.3v	49.8v	73.10v	105.16v	40.2v	73.8v	673.80v
62 Mr JA Watson	X	71.7v	69.6v	47.6v	45.2v	50.7v	46.4v	50.7v	73.10v	105.15v	44.0v	73.9v	673.73v
63 Mr PAE Charlton	X	70.5v	74.9v	50.7v	39.2v	49.5v	49.6v	48.7v	73.6v	103.11v	44.4v	74.10v	673.72v
64 Mr WJ Rowland	A	70.8v	72.8v	46.4v	49.7v	47.4v	47.5v	50.7v	72.6v	102.10v	44.2v	74.6v	673.67v
65 Mr R McQuillan	X	71.6v	74.7v	50.7v	50.6v	44.1v	49.2v	50.9v	71.8v	104.12v	38.1v	72.8v	673.67v
66 Mr DC Dyson	X	70.6v	72.6v	46.5v	45.4v	50.8v	45.1v	48.5v	74.7v	103.7v	47.4v	73.8v	673.61v
67 Miss KAN Jack	X	74.6v	72.7v	47.5v	47.5v	47.2v	48.3v	47.4v	74.5v	102.11v	40.2v	75.11v	673.61v

68	Mr J Dunn	X	71.8v	73.8v	45.5v	46.3v	49.2v	47.3v	49.2v	73.8v	102.10v	44.0v	74.4v	673.53v
69	Mr D Le Quesne	X	72.7v	72.11v	47.4v	48.5v	49.6v	48.4v	50.7v	73.8v	104.13v	38.1v	71.7v	672.73v
70	Dr PD Sykes	X	69.5v	73.10v	49.6v	45.1v	48.4v	48.5v	50.9v	75.8v	102.10v	44.3v	69.6v	672.67v
71	Mr MR Fugeman	A	74.9v	73.5v	48.6v	45.4v	49.3v	48.2v	49.7v	75.9v	104.14v	37.1v	70.6v	672.66v
72	Prof AR Horrocks	X	69.6v	69.3v	49.6v	47.3v	50.6v	47.2v	49.3v	74.9v	104.14v	39.1v	75.8v	672.61v
73	Mr RW Sandlant	X	73.10v	72.5v	46.4v	46.2v	50.4v	42.1v	48.4v	73.8v	104.12v	45.2v	73.8v	672.60v
74	Mr PM Jory	X	72.5v	74.9v	46.2v	44.2v	49.3v	48.3v	49.7v	70.8v	104.10v	42.0v	74.9v	672.58v
75	Mr KWD Ramsey	X	73.7v	71.6v	47.4v	48.3v	48.3v	48.3v	49.4v	74.6v	103.12v	40.1v	71.9v	672.58v
76	Mr CST Lehmann	O	71.6v	75.8v	48.4v	46.5v	48.3v	48.2v	47.4v	73.7v	101.11v	44.3v	71.3v	672.56v
77	Mr ND Stangroom	X	72.6v	73.5v	42.0v	48.2v	48.5v	48.2v	50.4v	71.7v	101.11v	45.3v	74.7v	672.52v
78	Mr PJ Chance	A	69.3v	72.8v	48.6v	49.3v	46.3v	47.3v	50.3v	74.9v	102.7v	43.0v	72.7v	672.52v
79	Mr WD Owen	O	71.7v	73.7v	46.2v	48.5v	50.7v	45.4v	48.3v	72.5v	103.8v	45.1v	71.1v	672.50v
80	Mr MW Silver	X	72.10v	74.9v	43.3v	45.3v	49.5v	46.6v	50.7v	74.8v	105.15v	41.3v	72.6v	671.75v
81	Mr ANR Walker	X	70.6v	71.7v	48.7v	44.2v	47.3v	47.1v	50.6v	72.8v	103.15v	44.5v	75.11v	671.71v
82	Ms KA Berman	X	73.8v	72.8v	47.5v	48.5v	50.7v	47.3v	47.6v	70.7v	101.11v	43.2v	73.4v	671.66v
83	Mr JA Anderson	X	72.11v	73.8v	47.5v	46.4v	45.2v	48.5v	48.4v	71.6v	105.13v	43.1v	73.6v	671.65v
84	Mr C Fitzpatrick	X	70.5v	74.10v	47.4v	48.3v	49.7v	45.3v	46.3v	73.7v	104.14v	42.0v	73.6v	671.62v
85	Major AR McLeod	X	71.6v	74.4v	48.6v	47.2v	48.5v	46.5v	49.3v	72.8v	102.14v	42.2v	72.6v	671.61v
86	Mr SA Thomas	X	70.4v	74.9v	45.3v	44.2v	48.3v	50.4v	49.5v	74.8v	103.15v	42.2v	72.6v	671.61v
87	Sgt S Hier	T	71.9v	73.7v	46.2v	48.4v	48.4v	48.3v	47.3v	74.9v	103.10v	40.2v	73.8v	671.61v
88	Mr EC Dickson	X	71.6v	74.7v	47.3v	43.2v	49.4v	47.2v	49.2v	69.5v	102.10v	46.2v	74.8v	671.51v
89	Mr AD Hunter	A	72.9v	74.8v	48.3v	43.3v	47.3v	45.0v	50.9v	73.7v	104.16v	40.2v	74.8v	670.68v
90	Mrs A Uhlig	X	73.8v	71.6v	47.4v	45.5v	48.4v	47.2v	47.4v	74.11v	103.13v	42.1v	73.8v	670.66v
91	Mr DJ Tracey	A	74.7v	75.8v	48.3v	43.2v	49.4v	48.6v	48.6v	74.8v	98.8v	40.2v	73.11v	670.65v
92	Mr P De Voil	O	66.5v	70.5v	47.3v	49.4v	50.5v	47.4v	50.7v	74.7v	104.14v	41.2v	72.8v	670.64v
93	Mr RW Shaw	A	72.7v	71.9v	50.4v	45.3v	49.6v	47.3v	49.6v	73.9v	104.7v	42.3v	68.6v	670.63v
94	Mr JM Holmes	X	72.7v	74.9v	45.5v	49.4v	49.6v	45.0v	48.3v	72.5v	101.13v	41.1v	74.10v	670.63v
95	Mr TG Rylands	X	73.9v	73.7v	44.2v	45.4v	48.4v	46.3v	50.5v	72.6v	104.13v	45.3v	70.5v	670.61v
96	Mr PD Griggs	A	73.6v	67.2v	48.4v	42.2v	48.5v	49.6v	50.6v	73.7v	104.11v	43.2v	73.8v	670.59v
97	Mr TJ Brooking	O	66.4v	72.7v	49.4v	47.5v	49.3v	48.6v	46.4v	75.7v	100.6v	45.3v	73.8v	670.57v
98	Flt Lt NP Moxon	X	68.7v	72.5v	46.5v	44.5v	49.4v	48.6v	49.1v	73.8v	102.9v	44.0v	75.7v	670.57v
99	Mr AF Powell	X	71.5v	72.9v	47.3v	48.2v	48.2v	46.4v	49.3v	73.9v	102.12v	43.1v	71.7v	670.57v
100	Miss TD Duhre	O	72.8v	75.9v	40.2v	47.4v	49.6v	46.2v	50.5v	74.8v	99.7v	46.1v	72.4v	670.56v
101	Mr ISL Dampney	O	67.3v	71.2v	47.1v	44.2v	50.6v	47.2v	49.5v	75.10v	104.13v	45.4v	71.5v	670.53v
102	Mr MJ Dodson	O	71.6v	72.7v	46.4v	47.6v	48.1v	47.6v	47.1v	75.8v	102.6v	43.3v	72.4v	670.52v
103	Mrs MM Norman	X	73.8v	73.6v	49.4v	48.3v	45.1v	44.2v	46.5v	73.8v	103.11v	41.1v	75.3v	670.52v
104	Mr ADE Grounds	X	72.9v	74.13v	48.4v	48.4v	49.7v	47.6v	48.6v	71.5v	102.9v	42.1v	68.5v	669.69v
105	Mr RSF Shouler	X	69.6v	73.10v	46.3v	42.3v	49.4v	48.4v	45.5v	73.7v	103.11v	49.3v	72.12v	669.68v
106	Mr GK Alexander	A	71.6v	67.5v	47.5v	49.5v	49.4v	48.7v	49.6v	73.10v	101.9v	41.2v	74.9v	669.68v
107	Mr SJ East	X	71.7v	71.6v	49.7v	42.1v	44.2v	48.6v	49.6v	71.6v	104.13v	47.4v	73.8v	669.66v
108	Mr CD Heales	A	71.8v	73.8v	43.3v	47.3v	48.4v	46.3v	50.6v	74.9v	102.10v	42.3v	73.9v	669.66v
109	Mr RM Hatcher	X	70.8v	73.8v	48.4v	46.2v	47.4v	45.3v	48.6v	71.9v	102.13v	44.1v	75.7v	669.65v
110	Mr DC Crispin	A	69.3v	75.10v	46.5v	48.2v	49.4v	49.5v	50.6v	73.9v	104.11v	36.1v	70.9v	669.65v
111	Mr GA Cann	X	69.6v	73.10v	48.6v	45.4v	50.8v	46.4v	49.7v	71.4v	103.10v	45.0v	70.3v	669.62v
112	Mr OP Henry	A	74.6v	69.8v	48.5v	48.4v	46.2v	48.6v	49.7v	70.6v	103.10v	42.1v	72.5v	669.60v
113	Mr CES Dickenson	X	72.5v	70.4v	47.6v	46.1v	48.6v	46.4v	49.2v	72.9v	102.9v	44.2v	73.11v	669.59v
114	Mr SJ Cane	X	69.4v	72.7v	46.3v	48.4v	48.5v	46.5v	50.4v	73.8v	102.10v	43.1v	72.8v	669.59v
115	Mr S Robinson	O	72.6v	73.8v	45.2v	47.2v	47.6v	43.4v	49.6v	73.6v	103.9v	45.1v	72.6v	669.56v
116	Mr AG Mitchell	O	72.8v	73.7v	48.2v	47.4v	48.5v	49.5v	46.5v	70.5v	99.4v	42.2v	75.9v	669.56v
117	Mr R Kloosterman	A	74.6v	72.7v	45.3v	49.5v	47.2v	46.5v	49.3v	72.6v	101.6v	42.4v	72.6v	669.53v
118	Mr GP Perron	X	72.5v	74.8v	50.7v	46.2v	48.3v	48.1v	49.4v	74.9v	101.10v	39.0v	68.4v	669.53v
119	Mr ML Millar	X	70.3v	75.8v	43.3v	45.1v	49.4v	49.4v	46.3v	72.8v	103.12v	44.1v	73.4v	669.51v
120	Maj P Mathenge	X	69.2v	70.5v	45.2v	45.4v	47.3v	48.4v	49.6v	74.6v	104.8v	47.2v	71.8v	669.50v
121	Mr MSE Firman	O	70.6v	72.8v	48.4v	43.0v	49.6v	49.4v	48.4v	70.4v	101.7v	46.1v	73.4v	669.48v
122	Mr DA Richardson	X	73.10v	71.6v	50.6v	45.6v	44.2v	48.2v	49.6v	74.9v	103.14v	41.1v	70.8v	668.70v
123	Mr JCT Kent	X	74.5v	69.5v	47.4v	47.4v	46.4v	48.7v	49.7v	73.9v	104.14v	41.3v	70.6v	668.68v
124	Mr S Young	X	69.3v	74.9v	49.6v	41.2v	49.7v	48.6v	49.4v	73.8v	102.14v	44.0v	70.6v	668.65v
125	Mr DJ Archer	O	74.9v	69.6v	45.3v	44.3v	49.5v	45.2v	50.5v	74.8v	102.11v	45.3v	71.7v	668.62v
126	Flt Lt CJ Morton	X	73.8v	73.9v	47.3v	40.1v	48.0v	47.4v	50.8v	72.8v	104.11v	44.3v	70.5v	668.60v
127	Mr PJ Johnson	A	68.4v	72.8v	50.5v	46.5v	49.3v	47.3v	49.5v	70.4v	103.12v	42.2v	72.8v	668.59v
128	Mr M Woolger	X	72.5v	73.5v	47.4v	46.3v	50.7v	46.4v	48.5v	74.9v	101.8v	44.2v	67.4v	668.56v
129	Mr MJ Barlow	X	72.6v	72.8v	48.2v	48.5v	47.3v	46.5v	49.6v	67.6v	103.7v	46.4v	70.3v	668.55v
130	Mr CTS Belk	A	73.6v	71.6v	45.2v	46.4v	48.6v	47.4v	49.2v	71.4v	100.7v	46.5v	72.4v	668.50v
131	Mr APW Daw	A	70.4v	75.7v	47.3v	45.3v	47.3v	48.4v	47.5v	74.7v	99.4v	44.2v	72.6v	668.48v
132	Miss EJ Nuttall	X	68.6v	74.12v	47.4v	40.2v	48.6v	48.7v	50.6v	73.7v	103.14v	44.3v	72.11v	667.78v
133	Mr DJF Rees	X	71.6v	74.12v	47.5v	47.5v	48.6v	46.3v	50.8v	73.9v	101.12v	38.0v	72.8v	667.74v
134	Mr MI Buchanan	X	74.11v	72.11v	47.2v	48.4v	48.6v	44.1v	48.7v	74.8v	102.13v	39.1v	71.6v	667.70v
135	Mr R Nelson	A	68.5v	73.12v	49.5v	45.2v	48.3v	50.5v	49.5v	74.8v	102.12v	39.5v	70.7v	667.69v
136	Mr RJF Dawson	O	69.4v	73.9v	49.4v	47.4v	47.2v	46.3v	50.8v	74.6v	103.15v	36.2v	73.8v	667.65v
137	Mr LM Peden	X	75.9v	69.7v	46.3v	46.2v	47.6v	47.3v	48.6v	73.7v	102.10v	45.3v	69.8v	667.64v
138	Mr WDH Burden	A	74.9v	69.4v	49.6v	47.5v	48.4v	47.4v	47.2v	74.9v	101.12v	37.0v	74.9v	667.64v
139	Mr T Steele	A	69.5v	69.4v	49.6v	48.3v	49.3v	41.2v	48.5v	74.7v	102.11v	45.3v	73.8v	667.57v
140	Mr GW Robinson	X	71.6v	71.6v	48.5v	46.4v	45.2v	48.2v	49.5v	74.6v	101.12v	45.3v	69.5v	667.56v
141	Miss JE Ouston	O	74.6v	72.5v	45.1v	43.2v	47.5v	49.6v	48.5v	72.9v	102.7v	42.2v	73.8v	667.56v
142	Mr GE Morris	X	70.5v	74.6v	47.3v	47.4v	49.4v	46.4v	47.4v	73.8v	101.12v	41.1v	72.5v	667.56v
143	Mr N Cole-Hawkins	A	71.3v	72.8v	49.3v	49.5v	48.3v	44.3v	48.5v	73.8v	102.8v	38.0v	73.7v	667.53v
144	Zulkeflee Hamsan	X	71.6v	73.7v	48.7v	46.3v	48.4v	49.7v	48.6v	74.10v	103.14v	44.0v	62.6v	666.70v
145	Miss TJ Fitzsimons	A	70.8v	72.7v	42.2v	42.2v	49.5v	50.8v	48.5v	75.9v	105.16v	41.1v	72.5v	666.68v
146	Mr J Corbett	X	72.6v	72.6v	46.2v	41.0v	49.6v	45.5v	47.4v	75.11v	100.10v	45.3v	74.9v	666.62v
147	Miss HA Foster	X	71.6v	72.6v	45.2v	47.5v	47.5v	46.2v	45.2v	71.9v	101.12v	46.2v	75.9v	666.60v
148	Mr BMA Stevens	A	73.7v	72.4v	48.4v	45.3v	47.2v	47.2v	49.5v	73.10v	101.12v	37.1v	74.9v	666.59v
149	Mr KW Westling	X	70.7v	70.5v	47.2v	47.3v	49.3v	49.1v	48.8v	70.8v	102.8v	42.4v	72.8v	666.57v

151	Mr WA Langley	X	70.5v	74.6v	47.4v	46.2v	49.4v	47.3v	48.4v	74.9v	102.10v	37.0v	72.7v	666.54v
152	Mr PG Cann	X	68.6v	73.8v	47.6v	49.3v	43.1v	49.6v	49.2v	70.3v	102.9v	43.2v	73.6v	666.52v
153	Mr JR Tuck	X	69.6v	74.8v	47.4v	46.3v	49.4v	48.2v	49.4v	72.5v	101.11v	43.0v	68.2v	666.49v
154	Mr JMF Ford	O	68.5v	72.5v	49.2v	47.2v	49.3v	45.1v	48.1v	69.5v	103.10v	41.1v	75.10v	666.45v
155	Mr CJ Watson	X	70.5v	73.12v	38.1v	48.6v	48.5v	50.5v	50.8v	74.11v	104.15v	40.2v	70.5v	665.75v
156	Mr S Pearson	A	70.8v	73.8v	49.5v	48.4v	46.5v	43.5v	49.4v	73.10v	102.9v	38.0v	74.7v	665.65v
157	Mr D Davies	A	74.9v	71.5v	45.3v	46.3v	48.3v	46.4v	48.5v	73.9v	103.14v	40.2v	71.6v	665.63v
158	Mr JAM Paton	X	70.6v	72.8v	48.6v	45.1v	47.3v	45.4v	48.4v	73.7v	104.13v	40.1v	73.8v	665.61v
159	Mr J Payne	A	74.7v	72.6v	47.4v	45.2v	49.5v	48.4v	49.7v	72.8v	104.11v	37.1v	68.5v	665.60v
160	Mr EC Wood	X	71.6v	73.8v	45.2v	44.4v	47.2v	49.8v	48.6v	75.11v	101.7v	44.2v	68.3v	665.59v
161	Cdt SHJ Harley	O	69.5v	71.5v	47.5v	50.4v	45.3v	48.6v	49.7v	71.4v	102.13v	40.0v	73.7v	665.59v
162	Mr AC Griffin	T	73.6v	71.7v	48.4v	48.3v	44.2v	46.4v	47.4v	74.8v	102.9v	43.3v	69.8v	665.58v
163	Mr TM Green	X	75.7v	69.6v	46.3v	48.3v	47.3v	46.4v	48.3v	69.4v	100.12v	42.2v	75.10v	665.57v
164	Mr BA Young	A	71.6v	74.10v	47.6v	38.2v	47.2v	47.4v	50.2v	73.4v	102.11v	44.3v	72.6v	665.56v
165	Mr DG Young	X	71.4v	73.5v	48.4v	48.4v	46.2v	46.4v	47.5v	70.9v	103.10v	40.1v	73.7v	665.55v
166	Mr DS Murray	X	74.7v	72.5v	49.5v	40.3v	48.2v	47.2v	48.4v	72.8v	95.7v	48.3v	72.7v	665.53v
167	Mr MJ O'Leary	X	69.4v	72.7v	45.2v	49.2v	49.3v	48.4v	49.4v	73.10v	100.10v	43.1v	68.5v	665.52v
168	Mr MJ Charlton	X	69.6v	72.8v	45.2v	47.4v	45.0v	48.3v	50.6v	67.1v	101.7v	48.5v	73.6v	665.48v
169	Mr SNS Penrose	X	68.5v	72.8v	46.5v	46.2v	47.3v	50.5v	49.6v	74.12v	99.9v	43.3v	70.8v	664.66v
170	Mr MJM Black	A	71.8v	70.6v	47.4v	42.4v	49.7v	48.3v	50.5v	75.10v	101.9v	38.0v	73.7v	664.63v
171	Miss SP Ward	T	70.5v	72.8v	48.4v	44.3v	47.4v	46.3v	44.2v	74.10v	102.10v	44.3v	73.10v	664.62v
172	Mr RJS Curtis	X	74.6v	75.9v	44.3v	43.3v	45.1v	48.5v	50.7v	74.7v	102.11v	38.1v	71.8v	664.61v
173	Mr AJ Nowacki	A	73.8v	73.6v	43.2v	47.3v	46.6v	46.4v	50.6v	69.1v	101.12v	43.3v	73.9v	664.60v
174	Mr TR Webster	A	69.7v	71.9v	43.1v	45.5v	49.2v	48.5v	46.4v	73.5v	102.12v	46.2v	72.6v	664.58v
175	Mr CP Weeden	X	71.3v	72.7v	47.5v	47.4v	44.2v	48.2v	49.7v	75.8v	100.13v	38.0v	73.6v	664.57v
176	Mr MJ Ensor	A	69.4v	73.6v	43.0v	43.1v	50.3v	47.3v	46.6v	71.6v	104.16v	44.0v	74.10v	664.55v
177	Mr B Taylor	X	65.7v	71.5v	46.2v	47.4v	49.3v	49.2v	49.5v	72.5v	104.13v	39.2v	73.5v	664.53v
178	Sgt M Lekalaile	X	70.3v	74.8v	47.5v	50.4v	45.4v	45.2v	47.1v	73.8v	100.9v	43.0v	70.8v	664.52v
179	Dr GP Nelson	O	72.4v	71.6v	46.5v	47.1v	46.2v	46.4v	49.4v	71.8v	101.7v	41.2v	74.7v	664.50v
180	Wg Cdr RJS Clark	A	69.6v	72.7v	47.4v	41.3v	48.4v	45.2v	48.6v	74.10v	100.12v	44.3v	75.11v	663.68v
181	Mr J Bullock	X	70.8v	73.8v	47.5v	46.4v	45.4v	47.4v	50.7v	73.9v	101.12v	43.4v	68.3v	663.68v
182	Mr ER Welford	A	72.8v	71.9v	49.4v	41.5v	45.3v	47.5v	48.5v	71.5v	103.12v	45.2v	71.4v	663.62v
183	Mr SJ Whitby	O	72.9v	69.4v	44.3v	46.3v	46.3v	47.4v	50.5v	72.5v	101.11v	42.3v	74.12v	663.62v
184	Mr AG McLean	X	68.5v	69.5v	47.4v	47.5v	46.6v	46.3v	49.3v	73.7v	102.9v	42.1v	74.9v	663.57v
185	Mr RAV Hebblethwaite	X	69.3v	72.6v	48.3v	44.2v	50.5v	46.3v	44.3v	73.8v	103.12v	42.2v	72.9v	663.56v
186	Mr JRO Boyd	O	69.6v	68.4v	47.3v	46.4v	48.5v	47.5v	50.4v	74.8v	103.11v	40.2v	71.4v	663.56v
187	Cpl PM Lanigan	O	70.5v	72.4v	42.2v	44.1v	46.3v	48.4v	48.5v	74.7v	101.12v	46.3v	72.9v	663.55v
188	Mr RE Hind	X	69.4v	71.4v	44.3v	44.2v	47.3v	48.5v	46.3v	74.6v	105.13v	42.2v	73.9v	663.54v
189	Capt MG Reid	A	71.6v	72.4v	45.1v	43.2v	48.5v	46.5v	49.5v	72.9v	103.8v	42.0v	72.8v	663.53v
190	Mr AR Langley	X	72.5v	71.8v	48.5v	44.2v	44.2v	47.4v	47.4v	73.8v	104.10v	41.1v	72.3v	663.52v
191	Mr AGH Van Koetsveld	X	70.4v	73.8v	49.3v	48.1v	46.5v	45.2v	47.5v	72.8v	102.7v	39.2v	72.4v	663.49v
192	Mr MJ Brister	A	71.6v	71.5v	47.1v	43.2v	48.2v	45.3v	49.6v	71.7v	105.7v	42.1v	71.5v	663.45v
193	Miss L Hearn	X	70.3v	68.5v	43.3v	48.6v	48.5v	45.3v	49.9v	75.10v	105.12v	40.0v	71.8v	662.64v
194	Mrs A Tracey	A	73.7v	68.5v	45.2v	45.2v	50.5v	45.3v	49.3v	73.9v	103.15v	38.1v	73.11v	662.63v
195	Dr JR Deane	A	72.9v	71.7v	46.3v	41.0v	48.4v	46.2v	45.4v	74.8v	104.13v	43.1v	72.9v	662.60v
196	Mr JA Howard	X	72.6v	72.5v	47.2v	47.2v	48.7v	39.1v	49.7v	71.8v	103.12v	41.1v	73.8v	662.59v
197	Mr MG Whicher	A	71.6v	70.4v	47.3v	48.4v	47.6v	47.4v	48.6v	71.10v	102.9v	41.2v	70.4v	662.58v
198	Mr JPL Sweet	X	72.6v	74.5v	47.3v	45.0v	46.2v	47.4v	49.9v	73.10v	102.12v	41.2v	66.5v	662.58v
199	Mr SM Friling	A	72.7v	71.6v	49.4v	42.1v	47.2v	44.4v	48.3v	73.8v	100.12v	41.0v	75.11v	662.58v
200	Mr PRD Stock	X	68.4v	72.8v	46.4v	46.2v	48.7v	46.2v	49.4v	74.9v	103.9v	37.0v	73.9v	662.58v
201	Mr RL Mundy	O	69.6v	71.4v	46.4v	44.3v	47.6v	47.3v	50.5v	71.7v	103.12v	45.2v	69.5v	662.57v
202	Mr PBM Smith	X	74.4v	71.4v	39.1v	48.6v	48.4v	48.3v	49.5v	72.8v	103.12v	38.0v	72.5v	662.52v
203	Mr PS Gray	A	71.4v	70.8v	47.3v	42.3v	47.5v	47.2v	49.7v	71.5v	101.7v	45.1v	72.6v	662.51v
204	TP Wharram	A	72.2v	68.7v	49.7v	47.5v	46.4v	48.2v	48.5v	70.5v	100.9v	41.1v	73.4v	662.51v
205	Miss SV Kent	X	71.4v	71.9v	46.0v	45.1v	48.4v	47.2v	46.5v	68.3v	103.12v	44.2v	73.8v	662.50v
206	Mr KO Pugh	A	71.6v	69.6v	45.2v	49.4v	48.4v	46.5v	50.3v	72.8v	96.5v	45.2v	71.4v	662.49v
207	Miss CE Huxter	O	73.4v	71.6v	45.3v	46.4v	47.5v	45.2v	49.5v	71.9v	102.7v	41.1v	72.3v	662.49v
208	Mr MK Townsend	O	71.8v	68.4v	45.1v	48.2v	44.3v	48.2v	47.4v	74.5v	102.9v	43.2v	72.6v	662.46v
209	Mr JR Purdy	X	69.1v	72.2v	45.2v	49.2v	44.4v	46.2v	48.6v	69.6v	104.11v	43.2v	73.5v	662.43v
210	Mr RBC Baker	A	68.4v	72.5v	47.2v	46.2v	43.0v	49.4v	47.3v	73.3v	102.8v	42.2v	73.10v	662.43v
211	Mr RA Benest	X	73.7v	73.6v	45.4v	43.4v	46.3v	46.4v	49.5v	69.5v	103.13v	41.3v	73.8v	661.62v
212	Mr WHC Alexander	A	71.3v	71.6v	47.4v	46.2v	49.4v	45.4v	50.8v	69.5v	103.14v	39.3v	71.6v	661.59v
213	Mr PR Coley	X	70.7v	74.8v	43.3v	41.1v	49.4v	46.4v	49.5v	72.7v	102.10v	40.2v	75.7v	661.58v
214	Mr SG Rose	T	71.3v	70.6v	44.4v	44.3v	48.4v	48.5v	47.5v	71.5v	103.15v	45.3v	70.4v	661.57v
215	Mr A Chown	A	69.5v	70.7v	47.3v	49.3v	48.3v	48.5v	46.3v	75.6v	103.12v	38.3v	68.7v	661.57v
216	Mr MJ Wood	A	71.7v	70.4v	45.4v	46.5v	48.5v	45.2v	49.7v	71.7v	100.8v	43.1v	73.6v	661.56v
217	Mr SR Osmont	X	72.6v	72.6v	44.1v	48.5v	49.6v	44.2v	50.4v	71.8v	101.9v	41.2v	69.5v	661.54v
218	Mr B Jones	A	69.5v	74.10v	47.2v	48.6v	46.3v	46.4v	47.3v	73.6v	99.10v	41.1v	71.4v	661.54v
219	Mr JDI Hossack	A	71.6v	73.5v	44.0v	46.2v	50.5v	46.4v	47.4v	70.5v	103.14v	39.3v	72.6v	661.54v
220	Mr F Bilton	O	71.5v	68.3v	48.6v	49.4v	45.4v	45.4v	49.5v	73.4v	98.8v	44.3v	71.7v	661.53v
221	Dr JS Rennie	A	71.4v	72.5v	48.6v	39.2v	50.9v	40.0v	49.5v	74.6v	103.9v	43.3v	72.3v	661.52v
222	Mr RM Roberts	X	68.5v	74.5v	49.4v	45.3v	43.1v	40.0v	49.3v	74.8v	102.8v	43.3v	74.9v	661.51v
223	Mr MCJ Button	A	72.7v	71.4v	45.2v	45.3v	48.5v	47.1v	49.3v	73.4v	102.15v	39.2v	70.3v	661.49v
224	Mr PD Dorrer	X	69.1v	70.4v	46.3v	49.6v	46.3v	46.3v	47.5v	71.2v	104.10v	40.3v	73.8v	661.48v
225	Mr MH Shaw	X	71.7v	73.3v	40.0v	46.1v	48.6v	45.3v	47.3v	72.5v	103.10v	42.1v	74.6v	661.45v
226	Mr R de V Chase	X	71.9v	69.6v	46.1v	40.2v	47.5v	47.4v	48.4v	74.13v	103.13v	44.2v	71.7v	660.66v
227	Flt Lt IW Robertson	A	73.6v	73.8v	46.5v	47.4v	46.5v	44.6v	46.3v	73.10v	103.10v	42.1v	67.8v	660.66v
228	Mr KM Willingale	O	69.5v	69.3v	45.3v	47.4v	50.8v	46.4v	48.5v	72.9v	100.8v	41.3v	73.9v	660.61v
229	Mr BFC Roberts	O	69.3v	71.7v	46.4v	47.2v	47.4v	47.2v	50.6v	73.6v	100.10v	38.4v	72.10v	660.58v
230	Mr RN Stebbings	O	70.6v	72.6v	47.3v	40.3v	49.3v	46.2v	49.5v	73.7v	102.14v	38.1v	74.8v	660.58v
231	Mr CA Brook	X	70.4v	73.8v	44.5v	44.4v	47.4v	48.5v	49.3v	74.7v	102.10v	39.1v	70.6v	660.57v
232	Mr MR Ball	X	69.3v	69.4v	47.1v	46.4v	49.6v	44.4v	48.7v	70.7v	100.10v	44.3v		

234	Dr MW Wrigley	A	69.6v	73.6v	47.2v	43.6v	48.7v	46.1v	46.3v	71.6v	101.11v	46.2v	70.4v	660.54v
235	Sqn Ldr SC Williamson	X	71.2v	71.7v	45.5v	43.1v	46.3v	49.4v	47.2v	70.6v	102.8v	43.2v	73.11v	660.51v
236	Mr PJ Dudzinski	X	71.4v	74.5v	45.3v	38.1v	49.3v	43.2v	45.3v	73.6v	100.10v	47.4v	75.8v	660.49v
237	Mr HL Hunter	O	70.4v	73.8v	47.2v	44.4v	48.3v	41.0v	49.3v	71.6v	100.9v	44.2v	73.7v	660.48v
238	Mr SP O'Brien	X	73.8v	72.5v	41.1v	45.1v	47.3v	45.4v	49.2v	75.7v	101.8v	39.1v	73.8v	660.48v
239	Mr DJ Gass	X	69.7v	73.4v	48.2v	40.0v	49.5v	47.3v	48.2v	72.9v	103.8v	39.0v	72.8v	660.48v
240	Mr S Glen	X	71.9v	70.4v	44.3v	45.3v	48.5v	46.2v	49.3v	72.4v	101.8v	45.1v	69.4v	660.46v
241	Mr AA Williams	O	68.6v	75.8v	47.2v	38.3v	48.7v	44.3v	49.6v	72.8v	103.12v	43.0v	72.9v	659.64v
242	Mr GC Childs	X	71.5v	67.5v	46.4v	46.4v	48.5v	49.6v	45.6v	74.9v	103.8v	43.3v	67.5v	659.60v
243	Mr SH Cox	O	70.4v	72.7v	43.3v	47.4v	46.3v	48.5v	45.3v	72.9v	103.13v	42.1v	71.5v	659.57v
244	Mr GAE Larcombe	O	67.3v	73.9v	47.3v	44.5v	47.4v	47.5v	47.5v	72.7v	101.8v	44.1v	70.6v	659.56v
245	Mr PJS Bysshe	A	70.6v	73.8v	42.1v	47.2v	46.3v	44.2v	50.7v	68.5v	103.13v	41.1v	75.6v	659.54v
246	Mr DGF Evans	O	71.4v	70.4v	47.5v	49.7v	49.5v	46.4v	47.4v	72.7v	100.9v	39.0v	69.5v	659.54v
247	Mr RG Best	X	71.3v	68.7v	46.2v	46.3v	45.4v	48.2v	47.4v	71.8v	100.11v	43.2v	74.7v	659.53v
248	Cdt D Trochimchuk	T	71.7v	72.5v	45.2v	44.1v	48.2v	48.5v	48.5v	68.7v	102.8v	40.1v	73.9v	659.52v
249	Wg Cdr CJ Hockley	A	72.5v	71.4v	47.5v	44.3v	47.3v	48.5v	49.4v	70.7v	99.7v	39.1v	73.7v	659.51v
250	Mr SJ Carson	O	70.5v	71.5v	47.3v	43.1v	50.4v	49.5v	45.3v	72.8v	104.9v	43.3v	65.4v	659.50v
251	Mr PR Thompson	A	70.5v	74.6v	46.4v	46.4v	49.4v	46.4v	47.2v	73.9v	95.8v	44.1v	69.2v	659.49v
252	Mr DAF Parkinson	O	70.7v	73.5v	47.2v	43.1v	47.4v	46.4v	49.5v	72.4v	102.11v	41.1v	69.5v	659.49v
253	LCpl J Dunbar	T	74.9v	71.3v	49.6v	46.4v	41.2v	45.3v	41.1v	70.3v	105.10v	47.2v	70.3v	659.46v
254	Mrs LJ Brister	A	70.3v	71.4v	47.3v	47.6v	45.1v	47.3v	49.4v	66.3v	100.6v	45.4v	72.7v	659.44v
255	Mr RL Sampson	T	72.5v	73.6v	46.1v	44.1v	45.4v	45.4v	48.2v	72.3v	101.4v	44.4v	69.2v	659.36v
256	Dr C Johnston	A	71.7v	75.8v	47.2v	46.3v	46.4v	46.3v	44.2v	72.11v	102.12v	40.2v	69.6v	658.60v
257	Mr CA White	A	70.5v	69.5v	48.5v	47.4v	47.6v	47.7v	49.3v	73.7v	100.12v	41.0v	67.3v	658.57v
258	Ms BM Moore	O	70.5v	72.9v	42.1v	45.2v	49.3v	46.5v	48.3v	72.8v	104.11v	36.1v	74.8v	658.56v
259	Mr MD Joyce	A	70.7v	70.5v	46.4v	47.4v	47.6v	41.3v	49.4v	72.6v	99.9v	45.2v	72.5v	658.55v
260	Mr JR Stirland	O	74.8v	73.8v	46.1v	43.2v	49.5v	44.1v	48.5v	72.9v	101.10v	40.2v	68.3v	658.54v
261	Mr AJC Wilson	A	67.3v	73.6v	47.3v	46.2v	47.6v	48.7v	45.3v	68.5v	100.10v	45.2v	72.6v	658.53v
262	Ms LA Johnson	O	71.4v	71.6v	43.3v	45.5v	49.4v	48.2v	45.2v	72.6v	102.9v	40.2v	72.10v	658.53v
263	Mr T Lilley	O	72.7v	73.5v	45.3v	46.4v	45.3v	48.3v	49.3v	71.5v	104.15v	39.1v	66.3v	658.52v
264	Mr AS Errey	A	72.4v	70.4v	47.5v	42.2v	49.3v	42.2v	47.4v	71.6v	102.9v	44.3v	72.8v	658.50v
265	Mr C Leyden	T	67.1v	69.4v	44.3v	46.4v	45.3v	48.3v	46.3v	71.4v	104.12v	45.3v	73.7v	658.47v
266	Mr SJ Bissonnette	X	73.9v	72.9v	46.3v	42.3v	48.3v	43.1v	47.4v	74.11v	101.12v	42.1v	69.7v	657.63v
267	Mr A Katona	X	72.6v	72.9v	45.0v	46.5v	47.5v	45.3v	48.6v	70.7v	99.8v	39.5v	74.9v	657.63v
268	Mr HA Day	X	70.7v	74.7v	41.2v	44.3v	46.3v	47.4v	50.9v	72.8v	102.11v	39.1v	72.7v	657.62v
269	Cdt SKC Hunter	O	68.3v	70.7v	48.5v	48.6v	47.4v	41.2v	49.4v	72.10v	102.9v	38.3v	74.7v	657.60v
270	Cdt Cpl ER Johnson	O	70.3v	71.7v	48.6v	48.4v	47.4v	46.4v	47.5v	73.7v	101.12v	36.2v	70.6v	657.60v
271	Mr G Trembath	A	71.6v	72.8v	45.4v	45.2v	45.2v	47.5v	45.4v	70.7v	103.9v	43.2v	71.8v	657.57v
272	Mr RG Scott	O	70.6v	71.6v	46.4v	45.4v	50.8v	45.4v	47.5v	75.8v	101.8v	42.1v	65.3v	657.57v
273	Mr N Healy	X	69.3v	69.5v	48.5v	40.1v	46.3v	48.4v	48.4v	74.7v	101.13v	42.4v	72.7v	657.56v
274	Mr GW Clarke	A	68.6v	72.5v	47.5v	49.6v	47.5v	48.5v	48.4v	72.7v	100.8v	37.1v	69.4v	657.56v
275	Mr CMS Dawes	O	69.4v	71.8v	44.2v	43.3v	48.5v	49.7v	47.3v	68.4v	101.8v	45.1v	72.8v	657.53v
276	Mr RF Barrington	O	70.2v	72.9v	45.2v	44.5v	47.6v	45.1v	49.7v	68.4v	103.8v	42.2v	72.6v	657.52v
277	Miss DS Hume	A	70.4v	70.4v	46.2v	47.6v	46.4v	49.5v	47.3v	69.4v	99.10v	40.3v	74.7v	657.52v
278	Mr JF Lawrie	A	70.6v	74.7v	46.3v	42.2v	45.3v	45.4v	49.5v	69.5v	101.7v	43.2v	73.7v	657.51v
279	Mr RL Eayrs	O	71.4v	71.6v	45.2v	47.4v	47.3v	44.4v	46.3v	72.5v	99.9v	45.4v	70.6v	657.50v
280	Dr AF Aspin	O	67.3v	72.7v	46.4v	47.4v	43.5v	43.5v	48.1v	72.4v	104.10v	42.1v	73.5v	657.49v
281	Mr PCW Rose	O	68.4v	70.7v	48.2v	43.2v	47.3v	48.4v	47.2v	72.7v	103.13v	42.1v	69.4v	657.49v
282	Miss NJS Sarafilovic	A	70.5v	71.4v	42.3v	46.4v	46.3v	45.3v	50.3v	71.6v	98.10v	46.2v	72.5v	657.48v
283	Mr DJ Stewart	O	68.4v	72.5v	47.3v	46.3v	45.2v	46.5v	49.5v	68.5v	100.7v	45.1v	71.8v	657.48v
284	Mr JE McGuire	T	72.6v	71.6v	48.2v	43.4v	46.2v	45.4v	45.3v	71.7v	102.8v	45.0v	69.5v	657.47v
285	Mr PA Lucey	A	72.6v	71.6v	45.5v	48.4v	48.3v	44.1v	49.3v	72.6v	99.9v	36.0v	74.4v	657.47v
286	Dr IT Matsumoto	O	71.3v	69.8v	45.3v	46.1v	48.4v	46.4v	47.6v	73.6v	100.7v	40.0v	72.4v	657.46v
287	Mr DJ Painting	A	70.3v	71.6v	48.2v	47.3v	46.1v	43.3v	49.3v	70.6v	99.11v	43.1v	71.5v	657.44v
288	Mr KJ Aldridge	O	70.4v	70.4v	45.1v	48.3v	49.4v	44.4v	45.1v	73.8v	99.6v	40.2v	74.6v	657.43v
289	Mr J Howard Davies	O	71.7v	72.9v	46.6v	40.3v	44.6v	46.1v	50.4v	73.9v	101.11v	46.3v	67.5v	656.64v
290	Hon D Cooper	X	70.6v	72.5v	46.4v	42.1v	48.6v	45.2v	49.7v	74.11v	100.12v	39.0v	71.10v	656.64v
291	Mr AP Barnes	X	67.5v	75.8v	46.5v	36.3v	47.6v	47.4v	50.5v	70.5v	101.12v	44.1v	73.5v	656.59v
292	Capt JRW Postle	A	63.3v	72.8v	46.2v	42.1v	46.5v	46.4v	47.3v	74.8v	102.10v	46.2v	72.9v	656.55v
293	Mr RA Dix	A	72.9v	70.5v	46.2v	44.0v	46.2v	42.0v	50.7v	74.11v	100.8v	44.4v	68.6v	656.54v
294	Mr AJCB de Launay	O	73.6v	73.6v	44.4v	45.2v	47.4v	48.3v	48.4v	70.5v	95.8v	42.2v	71.5v	656.49v
295	Mr GH Porter	A	68.3v	72.6v	48.7v	50.4v	47.3v	47.3v	47.4v	73.9v	99.6v	38.1v	67.3v	656.49v
296	Mr EBD Reis	A	70.7v	70.4v	48.5v	39.2v	48.2v	45.1v	47.3v	72.5v	104.11v	43.0v	70.7v	656.47v
297	Mr V Robertshaw	O	66.2v	74.4v	48.5v	47.4v	49.5v	45.3v	49.4v	68.6v	98.7v	41.1v	71.6v	656.47v
298	Mr P Bernard-Carter	O	71.9v	72.11v	45.2v	44.2v	46.5v	44.2v	50.6v	73.5v	103.15v	36.0v	71.6v	655.63v
299	Mr NT Davies	O	70.4v	70.5v	46.4v	49.8v	48.3v	42.3v	50.6v	72.8v	100.13v	44.2v	64.4v	655.60v
300	Mr TP Hammond	A	70.6v	72.6v	42.3v	45.3v	46.1v	48.6v	50.4v	69.7v	103.12v	38.0v	72.9v	655.57v
301	Mr RE Ellis	A	71.6v	71.5v	46.4v	49.3v	45.3v	47.5v	48.5v	70.8v	102.10v	42.1v	64.6v	655.56v
302	Mr JM Taylor	A	70.5v	70.3v	44.4v	41.3v	47.4v	48.3v	47.5v	70.4v	103.13v	42.1v	73.10v	655.55v
303	Mr SS Sehmi	X	67.4v	70.5v	44.3v	45.2v	47.4v	46.4v	49.8v	72.7v	103.11v	39.0v	73.7v	655.55v
304	Mr HN Watson	O	71.4v	73.7v	44.4v	46.3v	48.6v	45.3v	49.3v	70.6v	100.11v	39.1v	70.5v	655.53v
305	Mr JF Jackman	O	71.3v	67.4v	46.2v	44.4v	48.6v	44.3v	46.4v	73.6v	99.8v	43.3v	74.6v	655.49v
306	Mr AD McDougall	O	72.8v	68.6v	50.4v	46.2v	47.1v	42.3v	46.4v	73.8v	97.5v	41.2v	73.6v	655.49v
307	Mr JA Lindsay	T	69.4v	74.6v	45.1v	47.5v	44.1v	47.2v	48.3v	68.6v	101.10v	43.4v	69.5v	655.47v
308	Mr GR Capell	O	68.2v	73.6v	42.1v	47.2v	45.2v	48.3v	50.3v	70.6v	100.6v	42.2v	70.5v	655.38v
309	Mr RC Oxford	O	69.7v	71.5v	43.2v	46.4v	48.8v	46.4v	46.5v	72.5v	100.11v	42.3v	71.10v	654.64v
310	Mr D Blake	A	67.3v	75.9v	49.6v	48.4v	48.7v	47.3v	46.3v	73.7v	103.13v	30.1v	68.6v	654.62v
311	Mr SJ Pym	O	72.7v	71.5v	46.3v	46.4v	47.3v	48.5v	49.6v	71.6v	99.12v	37.2v	68.7v	654.60v
312	Miss SG Adamson	O	71.5v	71.6v	40.2v	46.3v	48.6v	48.4v	49.7v	69.7v	100.11v	40.0v	72.5v	654.56v
313	Mr RA Welford	A	71.7v	73.7v	45.3v	43.2v	46.2v	47.5v	47.6v	70.9v	100.8v	39.0v	73.7v	654.56v
314	Mr G Harris	X	65.1v	70.3v	47.5v	43.5v	47.3v	45.3v	48.4v	75.9v	102.13v	40.0v	72.7v	654.53v
315	Mr LD Winter	O	69.7v	68.7v	47.5v	48.5v	47.4v	45.3v	48.5v	73.5v	100.3v	39.2v	70.6v	654.52v
316														

317	Mr KB Hill	O	69.5v	72.7v	45.3v	45.2v	43.1v	48.1v	47.2v	73.8v	102.13v	38.2v	72.7v	654.51v
318	Mr C Cotillard	X	71.3v	69.7v	41.2v	46.2v	47.3v	50.4v	48.6v	70.10v	102.7v	37.1v	73.5v	654.50v
319	Mr AW Lothian	X	70.5v	75.8v	46.3v	45.2v	37.0v	45.1v	47.6v	69.4v	101.9v	47.4v	72.7v	654.49v
320	A Godliman	T	69.6v	71.9v	46.2v	47.3v	46.5v	47.2v	46.3v	71.5v	100.6v	44.3v	67.5v	654.49v
321	Mr ME Barr	O	72.5v	70.6v	46.1v	50.4v	43.2v	43.2v	49.6v	69.4v	103.11v	42.3v	67.4v	654.48v
322	Mrs JG Adamson	O	67.2v	70.4v	42.1v	48.4v	48.5v	45.1v	49.6v	69.7v	99.8v	44.4v	73.5v	654.47v
323	Mr CC Mallett Jnr	X	67.5v	71.9v	46.1v	38.0v	47.2v	47.1v	50.5v	71.8v	103.7v	44.2v	70.5v	654.45v
324	Cdt P Messiaen	T	72.8v	71.6v	46.1v	44.2v	46.4v	46.3v	47.2v	71.6v	102.11v	40.0v	69.2v	654.45v
325	Mr JA Dallas	O	72.4v	69.3v	47.4v	40.0v	46.3v	46.3v	47.3v	74.11v	101.7v	40.2v	72.4v	654.44v
326	Mr JWE Lothian	A	68.2v	69.2v	48.5v	44.5v	48.3v	47.3v	46.3v	74.5v	101.8v	39.1v	70.5v	654.42v
327	Mr D Lowe	O	69.6v	71.5v	45.5v	45.3v	46.2v	46.6v	49.8v	72.8v	103.12v	38.3v	69.6v	653.64v
328	Mr C Kluh	X	68.7v	71.6v	48.6v	42.2v	47.4v	45.5v	46.5v	74.9v	103.8v	37.1v	72.7v	653.60v
329	Mr IRM Brown	O	71.6v	71.7v	44.2v	43.7v	47.6v	47.2v	42.4v	75.10v	100.7v	42.0v	71.5v	653.56v
330	Miss JK Charlton	O	71.5v	72.7v	45.4v	44.4v	47.2v	45.2v	48.7v	74.9v	103.8v	34.0v	70.8v	653.56v
331	Mr RP Rosling	O	69.4v	72.9v	46.3v	47.5v	46.3v	44.2v	49.8v	73.8v	101.4v	32.1v	74.9v	653.56v
332	Mr RG Faulkner	A	69.3v	72.4v	45.4v	45.3v	46.5v	48.5v	46.4v	73.7v	97.6v	37.4v	75.10v	653.55v
333	Miss GJF Ogden	A	70.5v	71.8v	43.2v	46.2v	47.3v	49.6v	48.3v	68.3v	105.11v	34.3v	72.9v	653.55v
334	Miss LV Rylands	T	70.5v	71.7v	44.4v	42.1v	48.4v	47.2v	49.7v	75.11v	100.9v	40.1v	67.3v	653.54v
335	Mr CM Brooks	A	72.8v	71.3v	47.3v	44.3v	49.6v	49.6v	48.5v	71.7v	99.10v	40.0v	63.3v	653.54v
336	Mr AJW Sturrock	O	72.7v	67.6v	46.1v	46.1v	44.3v	46.4v	49.4v	73.8v	102.11v	37.2v	71.6v	653.53v
337	Mr NW Penn	A	69.4v	73.7v	45.4v	44.4v	47.1v	47.6v	50.6v	69.4v	104.12v	36.0v	69.5v	653.53v
338	Mr P Dobell	X	69.4v	68.4v	45.5v	44.3v	49.1v	47.6v	48.5v	71.6v	99.11v	40.1v	73.6v	653.52v
339	Cpl J Turley	T	69.5v	72.4v	44.1v	47.5v	45.4v	45.5v	46.1v	75.8v	102.9v	34.1v	74.9v	653.52v
340	Mr RA Jobson	O	69.5v	72.6v	49.7v	44.3v	47.5v	44.3v	50.3v	71.6v	100.7v	37.0v	70.6v	653.51v
341	Mr JEM Bellringer	X	69.6v	72.8v	46.4v	42.3v	48.2v	39.1v	47.2v	72.8v	102.9v	43.2v	73.5v	653.50v
342	Mr RJ Booth	X	66.4v	71.9v	44.4v	45.1v	48.4v	44.3v	47.1v	74.4v	100.10v	40.2v	74.8v	653.50v
343	Mr CL Leighton	O	69.7v	70.5v	46.4v	47.4v	45.4v	44.2v	48.4v	71.4v	101.8v	42.2v	70.5v	653.49v
344	Mr D Adams	X	68.5v	73.4v	48.6v	46.3v	48.7v	45.3v	47.3v	73.8v	95.5v	37.0v	73.5v	653.49v
345	Mr DCW Lloyd	X	72.8v	67.5v	46.6v	46.2v	46.3v	45.2v	46.4v	73.5v	101.7v	45.2v	66.4v	653.48v
346	Mr MR Cosway	A	72.10v	71.4v	47.0v	45.2v	48.3v	47.2v	47.2v	72.7v	100.13v	35.0v	69.5v	653.48v
347	Mr RJW Smeltzer	X	69.8v	70.3v	45.3v	47.3v	50.3v	42.0v	48.4v	73.9v	98.5v	42.2v	69.5v	653.45v
348	Flt Lt BN Roth	X	68.5v	70.5v	46.1v	46.4v	50.4v	48.4v	47.4v	67.5v	99.5v	39.1v	73.7v	653.45v
349	Mr TA Chapman	A	69.4v	71.8v	48.3v	43.2v	47.6v	45.0v	49.6v	67.5v	100.5v	44.1v	70.2v	653.42v
350	Mr KL Murray	O	72.7v	72.8v	39.1v	43.6v	44.3v	44.2v	49.5v	72.6v	100.11v	45.2v	72.9v	652.60v
351	Mr C Mallett	X	70.5v	70.4v	48.5v	43.2v	46.6v	50.5v	49.5v	68.10v	101.10v	45.3v	62.2v	652.57v
352	Mr AP Smith	A	69.3v	68.6v	46.4v	49.3v	45.3v	46.4v	49.7v	70.9v	102.10v	39.0v	69.7v	652.56v
353	Mr C Berntsen	O	69.4v	70.7v	45.5v	45.3v	47.2v	47.4v	50.6v	73.9v	99.8v	36.1v	71.7v	652.56v
354	Mr SJ Green	A	71.7v	74.8v	39.2v	45.3v	43.4v	46.2v	49.6v	72.7v	100.12v	41.1v	72.3v	652.55v
355	Dr N Hart	O	68.4v	69.5v	46.2v	45.5v	47.4v	47.4v	49.4v	72.9v	101.11v	38.0v	70.7v	652.55v
356	Cdt N Berry	T	71.5v	69.7v	48.5v	44.1v	47.4v	44.1v	49.2v	71.7v	100.13v	37.2v	72.8v	652.55v
357	Mr RS Mason	O	68.1v	68.6v	45.3v	47.5v	44.4v	43.3v	50.4v	72.8v	102.10v	39.0v	74.10v	652.54v
358	Flt Lt KP Cressy	X	69.2v	70.4v	46.3v	45.3v	49.7v	45.2v	47.3v	68.5v	104.11v	37.3v	72.9v	652.52v
359	Mr DGE Mutter	O	67.4v	70.4v	44.2v	44.2v	47.4v	48.4v	46.5v	73.8v	100.12v	39.0v	74.6v	652.51v
360	Mr RJR Mott	A	73.3v	73.6v	44.2v	45.0v	47.4v	47.4v	48.7v	63.4v	100.14v	45.2v	67.4v	652.50v
361	Mr R Winney	O	68.4v	71.8v	45.2v	44.3v	48.2v	47.3v	48.5v	73.8v	98.9v	41.2v	69.3v	652.49v
362	Mr TEW Ward	O	69.3v	70.6v	44.3v	42.1v	46.2v	43.2v	48.5v	73.6v	102.9v	40.2v	75.10v	652.49v
363	Mr GR Atkinson	O	69.2v	72.6v	43.2v	43.2v	48.5v	47.3v	50.6v	72.8v	100.10v	40.1v	68.4v	652.49v
364	Cdt G Stevenson	T	72.4v	68.4v	44.1v	42.1v	47.5v	40.2v	49.7v	73.9v	101.7v	46.3v	70.5v	652.48v
365	Mr MHH John	O	69.4v	68.2v	46.4v	48.4v	45.3v	42.1v	49.5v	71.6v	102.11v	41.1v	71.7v	652.48v
366	Mr PA Hatfield	X	73.7v	66.6v	46.4v	46.2v	46.3v	46.2v	72.5v	99.5v	37.4v	73.8v	652.48v	
367	Mr HRM Bailie	O	68.2v	70.4v	47.4v	42.3v	47.4v	47.4v	49.4v	74.11v	98.6v	40.1v	70.4v	652.47v
368	Mr NCM Fyfe	O	71.7v	74.4v	46.3v	42.3v	47.4v	47.4v	47.3v	71.7v	101.7v	44.2v	62.2v	652.46v
369	Mr TL Bedwell	A	70.6v	68.2v	47.3v	41.0v	47.6v	47.3v	48.4v	74.6v	98.8v	41.1v	71.6v	652.45v
370	Mr WRD Mott	O	69.5v	73.5v	41.3v	45.1v	44.2v	45.3v	50.6v	74.4v	100.8v	40.0v	71.8v	652.45v
371	Mr TJ Goodger	O	66.1v	73.6v	47.4v	43.1v	45.1v	46.2v	48.5v	71.4v	100.9v	42.3v	71.8v	652.44v
372	Mr T Drysdale	O	72.4v	73.6v	48.4v	45.4v	45.3v	47.1v	42.0v	70.7v	100.8v	41.1v	69.5v	652.43v
373	Mr MF Martel	X	69.2v	68.3v	47.3v	46.3v	45.2v	47.4v	49.6v	67.5v	101.7v	42.1v	71.6v	652.42v
374	Mr PG Oxnam	O	74.3v	70.7v	46.2v	46.2v	47.3v	46.1v	43.1v	73.6v	101.11v	34.0v	72.6v	652.42v
375	Sgt CD Atkins	T	70.5v	66.3v	43.2v	45.0v	45.3v	47.1v	47.2v	72.5v	102.9v	45.3v	70.3v	652.36v
376	Mr AJ Horton	O	68.6v	71.9v	49.5v	47.6v	43.1v	48.6v	50.7v	70.5v	97.5v	36.1v	72.9v	651.60v
377	Mr BV Cambray	A	63.2v	72.6v	47.4v	42.2v	46.4v	44.5v	45.2v	71.5v	103.15v	44.4v	74.8v	651.57v
378	Mr RJ Waters	X	68.5v	71.8v	46.2v	40.1v	47.5v	44.1v	50.5v	73.7v	99.8v	39.2v	74.7v	651.51v
379	Cdt CJF Rivett-Carnac	O	71.3v	75.7v	46.3v	43.4v	46.3v	43.1v	47.4v	72.8v	100.10v	39.1v	69.7v	651.51v
380	Mr SG Hunter	A	68.5v	66.2v	46.2v	42.1v	45.4v	46.3v	50.6v	72.4v	99.14v	42.0v	75.7v	651.48v
381	Mr BR Ebbetts	O	66.3v	71.9v	49.2v	49.3v	43.2v	41.0v	46.2v	72.7v	104.14v	41.4v	69.2v	651.48v
382	Ms GMP Jarvis	O	72.4v	72.7v	43.2v	45.2v	46.5v	48.5v	49.6v	68.3v	103.10v	39.2v	66.2v	651.48v
383	Mr DL Wiles	A	69.4v	73.6v	45.3v	43.3v	44.2v	48.2v	47.5v	68.4v	102.10v	41.3v	71.5v	651.47v
384	Mr MR Ebbetts	O	69.2v	70.6v	45.5v	38.1v	47.3v	49.5v	48.4v	70.2v	103.10v	44.3v	68.5v	651.46v
385	Mr G Wright	T	67.3v	73.11v	44.0v	42.1v	45.5v	47.2v	49.3v	74.8v	100.8v	38.1v	72.3v	651.45v
386	Mr SL Larter-Whitcher	O	68.5v	71.6v	43.2v	43.1v	48.5v	46.3v	47.3v	73.9v	100.7v	46.3v	66.0v	651.44v
387	Mr SJ Pattinson	O	67.2v	70.3v	44.3v	48.4v	45.3v	48.2v	48.5v	67.4v	102.8v	45.2v	67.7v	651.43v
388	Mr SE Frost	X	70.7v	71.4v	46.4v	45.3v	48.3v	45.1v	47.1v	67.3v	100.7v	43.2v	69.8v	651.43v
389	Dr BJ Winney	O	67.2v	70.6v	44.0v	46.3v	47.3v	47.2v	49.4v	69.6v	96.6v	43.2v	73.8v	651.42v
390	Mr AC Grant	O	73.3v	70.3v	46.4v	39.2v	46.2v	45.2v	43.2v	73.5v	100.10v	43.3v	73.4v	651.40v
391	Mr EM Brice	O	70.4v	70.5v	45.3v	37.1v	46.1v	46.2v	48.4v	70.1v	103.9v	41.2v	75.6v	651.38v
392	Mr DS Slaughter	O	73.12v	71.6v	41.1v	43.3v	50.5v	43.2v	48.4v	72.5v	102.14v	37.0v	70.6v	650.58v
393	Mr JA Borland	O	74.6v	72.7v	47.3v	39.0v	48.3v	45.6v	46.3v	72.6v	99.11v	35.1v	73.9v	650.55v
394	Mr JD Ward	O	69.6v	67.5v	46.1v	47.2v	44.4v	43.1v	48.4v	74.11v	99.7v	40.2v	73.7v	650.50v
395	Mr JM Jarritt	O	68.4v	71.8v	46.2v	36.1v	49.5v	47.1v	49.5v	70.5v	105.12v	41.2v	68.4v	650.49v
396	Mr AS Fraser	O	71.4v	72.6v	46.3v	41.4v	46.3v	47.4v	49.3v	61.3v	100.10v	43.3v	74.5v	650.48v
397	Miss KE Simpson	O	69.3v	71.4v	44.2v	44.1v	47.4v	43.4v	44.6v	74.10v	101.8v	43.0v	70.2v	650.44v
398	Mr GL Clarke	A	71.5v	69.1v	47.2v	44.2v	49.2v	41.3v	47.3v	70.5v	102.11v	40.3v	70.7v	650.44v
399	Mr SCW Dixon													

400	mr DH Allen	O	71.4v	70.5v	44.2v	43.3v	46.2v	44.3v	48.3v	71.8v	103.16v	37.4v	72.8v	649.58v
401	Mr G Williams	X	69.3v	73.10v	46.2v	37.2v	45.2v	43.3v	46.4v	70.5v	103.10v	43.1v	74.11v	649.53v
402	Mr M Roberts	O	72.5v	73.6v	46.3v	41.1v	47.5v	46.4v	46.2v	71.8v	102.14v	39.2v	66.3v	649.53v
403	Mr AC Haley	A	67.6v	68.8v	49.3v	45.3v	49.5v	47.3v	46.3v	72.6v	98.8v	37.0v	71.7v	649.52v
404	Miss HM McCullough	T	70.6v	71.6v	47.4v	41.1v	46.5v	47.2v	48.5v	73.7v	102.11v	35.0v	69.5v	649.52v
405	Insp E Legei	X	69.3v	70.4v	45.3v	43.4v	47.5v	45.2v	47.2v	71.7v	100.9v	40.3v	72.6v	649.48v
406	Major RJ Aitken	O	69.3v	74.9v	45.1v	45.4v	47.3v	46.3v	47.3v	72.6v	101.10v	35.1v	68.5v	649.48v
407	Mr DMJ Coutts	O	71.7v	70.4v	47.2v	44.2v	46.3v	45.3v	46.5v	73.7v	101.8v	35.0v	71.7v	649.48v
408	Mr GDW Weir	T	71.4v	70.7v	47.2v	40.4v	43.2v	48.2v	41.3v	72.5v	104.10v	44.0v	69.5v	649.44v
409	Mr AG Harrison	A	71.4v	68.7v	46.2v	41.1v	47.3v	46.1v	49.5v	71.5v	100.4v	39.0v	71.8v	649.40v
410	Mr KG Ellett	O	67.5v	72.6v	47.3v	42.1v	47.2v	47.4v	47.2v	72.4v	100.8v	40.0v	68.4v	649.39v
411	Mr GT Heyes	T	67.3v	68.2v	46.4v	49.3v	46.1v	48.5v	47.3v	69.3v	99.7v	39.1v	71.5v	649.37v
412	Mr DB Cumming	O	69.3v	69.5v	46.3v	47.5v	48.5v	46.5v	47.5v	74.10v	100.9v	32.0v	70.4v	648.54v
413	Mr WR Steward	O	73.6v	73.7v	47.5v	42.4v	47.3v	45.3v	47.5v	70.5v	100.7v	38.2v	66.6v	648.53v
414	Mr WA Wright	X	69.7v	71.7v	45.2v	44.2v	47.2v	47.5v	47.5v	72.8v	96.7v	41.1v	69.6v	648.52v
415	Miss IRJ Stevenson	O	69.6v	72.9v	46.3v	45.3v	46.3v	47.5v	48.4v	69.6v	97.9v	39.0v	70.4v	648.52v
416	Mr DM Smith	O	73.7v	69.6v	47.4v	45.4v	48.4v	45.3v	48.3v	70.4v	101.13v	34.1v	68.2v	648.51v
417	Mr M Persaud	O	68.3v	71.4v	44.1v	44.4v	47.3v	47.5v	45.3v	71.7v	101.15v	38.0v	72.5v	648.50v
418	Mr SFD Dash	O	68.1v	70.4v	46.5v	47.4v	45.1v	46.4v	47.4v	71.9v	99.9v	35.1v	74.8v	648.50v
419	Cpl PI Perry	O	71.5v	71.6v	44.4v	46.3v	45.4v	38.1v	47.3v	73.7v	100.8v	39.1v	74.7v	648.49v
420	Insp G Muturi	X	72.7v	70.5v	43.4v	44.2v	45.2v	47.1v	49.5v	70.5v	101.10v	38.2v	69.5v	648.48v
421	Mr DP Cole	O	70.5v	70.4v	48.3v	48.5v	47.2v	46.4v	49.6v	71.4v	97.9v	31.1v	71.4v	648.47v
422	Dr MJ Schwarz	A	70.4v	67.4v	45.1v	44.3v	48.6v	46.3v	47.3v	70.7v	100.7v	40.1v	71.7v	648.46v
423	Mr RW McVeigh	O	69.4v	68.4v	46.3v	43.3v	49.3v	44.3v	45.4v	72.10v	101.7v	40.1v	71.3v	648.45v
424	Mr RJ Quay	A	67.1v	73.8v	46.3v	44.1v	47.4v	48.5v	46.3v	70.6v	102.8v	35.1v	70.5v	648.45v
425	Mr AG Peden	X	71.5v	72.7v	43.1v	42.2v	47.3v	46.5v	46.3v	70.5v	100.8v	39.1v	72.4v	648.44v
426	Mr P Ginestet	O	71.6v	72.3v	44.2v	42.2v	46.4v	47.3v	45.3v	70.7v	100.7v	42.1v	69.5v	648.43v
427	Miss D O'Kelly	T	73.7v	70.1v	46.1v	40.0v	46.2v	45.2v	46.1v	71.6v	102.13v	40.2v	69.5v	648.40v
428	Mr T Horrocks	O	68.3v	68.6v	47.3v	46.1v	45.2v	45.2v	44.2v	69.4v	100.8v	46.3v	70.5v	648.39v
429	Miss LMA Bogie	A	70.6v	71.8v	44.2v	37.1v	46.5v	44.2v	47.2v	73.6v	102.13v	41.7v	72.7v	647.59v
430	Miss EC Lamont	O	70.6v	70.9v	39.2v	42.2v	49.8v	47.3v	48.6v	71.4v	102.8v	41.1v	68.4v	647.55v
431	Mr PRC Stevens	O	67.4v	72.5v	44.2v	47.3v	46.4v	46.6v	46.5v	69.7v	100.11v	42.3v	68.4v	647.54v
432	Mr SD Spinney	X	66.3v	71.7v	46.2v	43.3v	46.3v	47.4v	47.4v	73.10v	99.6v	41.4v	68.5v	647.51v
433	Mr CI Cooper	O	70.4v	71.8v	45.2v	45.1v	46.4v	40.4v	47.4v	74.9v	98.8v	41.2v	70.5v	647.51v
434	Mr DA de Vere	O	70.8v	73.7v	43.2v	43.1v	46.5v	47.4v	48.4v	67.3v	98.7v	42.1v	70.7v	647.49v
435	Mr SH Dickson	O	71.4v	70.6v	46.4v	44.3v	43.1v	44.3v	46.3v	69.5v	97.10v	42.1v	75.9v	647.49v
436	CDT PCA Slater	O	67.3v	75.9v	43.3v	46.4v	47.7v	47.3v	47.3v	72.7v	97.6v	38.1v	68.2v	647.48v
437	Mr BJ Page	X	70.5v	72.6v	46.3v	42.2v	46.3v	44.3v	47.5v	70.6v	100.6v	41.1v	69.6v	647.46v
438	Mr KH Tumschat	X	70.6v	70.7v	46.3v	40.0v	46.4v	44.3v	46.3v	73.6v	100.6v	40.1v	72.7v	647.46v
439	Mr PT Dwyer	T	67.4v	72.7v	46.1v	43.1v	46.3v	46.2v	49.4v	74.10v	103.10v	32.0v	69.4v	647.46v
440	Mr EJ McConnell	T	72.9v	71.6v	43.1v	41.3v	49.4v	48.1v	43.3v	68.1v	97.7v	42.0v	73.9v	647.44v
441	Mr NS Suffield-Jones	O	70.6v	72.4v	47.1v	42.2v	45.3v	46.4v	48.2v	69.8v	98.4v	40.1v	70.5v	647.40v
442	Cdt GWD Davies	A	74.9v	74.9v	47.3v	47.3v	49.5v	47.3v	49.5v	75.10v	70.8v	41.1v	73.8v	646.64v
443	Mr WLL Lewis	A	66.3v	69.6v	44.3v	46.3v	48.4v	43.3v	50.6v	71.5v	97.5v	40.4v	72.7v	646.49v
444	Mr RM Allan	O	69.3v	74.9v	44.0v	45.1v	47.4v	46.2v	46.3v	72.8v	100.8v	32.2v	71.7v	646.47v
445	Mr RA Mullin	X	71.5v	66.5v	45.4v	44.2v	48.3v	46.1v	49.4v	72.5v	99.9v	37.1v	69.5v	646.44v
446	Mr JR Lindsay	O	72.9v	69.2v	47.3v	45.4v	44.1v	45.4v	45.3v	67.4v	101.6v	40.2v	71.5v	646.43v
447	Mr TEO Richards	O	72.6v	73.7v	45.2v	39.0v	44.1v	47.6v	47.2v	73.4v	100.5v	40.2v	66.6v	646.41v
448	Miss SIM Anderson	A	68.4v	73.7v	48.4v	44.1v	46.2v	45.2v	46.3v	71.3v	100.7v	42.3v	63.4v	646.40v
449	Dr AE Morris	O	68.3v	69.2v	44.5v	47.3v	46.2v	45.3v	48.4v	67.2v	97.5v	44.2v	71.5v	646.36v
450	Mr AWJ Logan	T	68.3v	72.8v	46.3v	46.6v	47.5v	47.4v	46.3v	68.3v	98.10v	39.2v	68.3v	645.50v
451	Cdt CBCB Brook	T	68.4v	70.7v	46.4v	43.2v	48.1v	44.3v	48.6v	72.9v	100.8v	39.0v	67.6v	645.50v
452	Mr RMR Stearn	O	73.5v	72.7v	45.4v	42.2v	49.6v	41.3v	47.3v	70.3v	101.10v	37.2v	68.3v	645.48v
453	Cdt M Badmington	T	68.6v	70.5v	46.6v	46.3v	48.1v	40.2v	48.4v	72.7v	100.7v	39.2v	68.4v	645.47v
454	Mr JJ Jobson	O	70.3v	67.4v	48.6v	49.4v	42.5v	45.2v	46.2v	70.5v	96.7v	39.0v	73.7v	645.45v
455	Mr SA Ruddell	O	68.4v	71.4v	46.4v	48.4v	48.5v	44.1v	50.5v	69.5v	97.7v	35.0v	69.5v	645.44v
456	Mrs SG Sirett	X	70.4v	73.7v	45.2v	44.4v	46.1v	42.4v	48.4v	69.3v	96.4v	43.5v	69.5v	645.43v
457	Mr RI Coventry	O	65.3v	70.4v	48.4v	46.2v	43.4v	43.1v	47.3v	71.7v	101.6v	41.3v	70.5v	645.42v
458	Mr CRM Asquith	A	66.5v	71.7v	50.1v	39.1v	44.2v	45.2v	49.5v	71.5v	101.7v	39.1v	70.4v	645.40v
459	Mr TMJ Burgess	T	67.2v	71.8v	46.3v	42.4v	45.3v	44.4v	47.3v	69.2v	96.4v	44.1v	74.5v	645.39v
460	Sgt G Kariuki	X	69.4v	74.6v	43.2v	45.2v	44.4v	46.3v	49.4v	68.4v	102.6v	43.0v	62.2v	645.37v
461	Mr MT West	A	71.7v	65.4v	46.3v	40.3v	48.4v	43.2v	43.3v	70.8v	104.11v	42.2v	72.8v	644.55v
462	Mrs JR Elcombe	O	71.9v	74.6v	42.2v	39.0v	47.6v	47.5v	44.3v	69.6v	100.8v	40.2v	71.5v	644.52v
463	Cdt R Paquette	T	64.2v	69.6v	46.3v	42.4v	47.4v	44.2v	47.3v	74.9v	102.12v	36.2v	73.5v	644.52v
464	Mr BL Thomson	A	71.4v	73.6v	47.2v	32.1v	46.1v	42.2v	48.5v	70.7v	103.12v	38.2v	74.9v	644.51v
465	Mr SW Maris	O	70.3v	69.6v	47.7v	39.3v	49.6v	43.1v	46.3v	69.5v	104.10v	35.1v	73.6v	644.51v
466	Mr ARN Kinross	A	67.5v	71.6v	46.3v	47.4v	46.2v	43.3v	49.5v	65.3v	100.11v	41.2v	69.4v	644.48v
467	Mr IDC Brechin	O	70.5v	73.7v	45.2v	39.2v	49.5v	45.3v	49.1v	73.7v	101.9v	28.2v	72.5v	644.48v
468	Mr DN Webber	O	70.4v	72.6v	43.2v	43.1v	47.5v	42.3v	44.3v	70.4v	100.8v	40.4v	73.7v	644.47v
469	Miss FM Hinson	O	66.3v	70.5v	46.1v	45.3v	46.4v	43.1v	45.3v	73.7v	104.10v	37.2v	69.6v	644.45v
470	Miss EH Barr	O	67.4v	72.8v	46.0v	41.2v	47.3v	46.1v	48.5v	72.7v	99.7v	35.0v	71.8v	644.45v
471	Mr AI Brown	O	72.7v	69.3v	47.3v	45.3v	45.2v	45.4v	49.4v	72.5v	96.5v	36.1v	68.7v	644.44v
472	Mr PS Rowell	O	66.5v	72.6v	47.5v	48.5v	44.0v	43.2v	46.0v	69.7v	100.3v	40.2v	69.4v	644.39v
473	Mr FC Yip	X	70.4v	68.3v	46.2v	43.3v	45.0v	46.3v	47.2v	72.5v	100.7v	37.0v	70.6v	644.35v
474	Mr MG Grimsdell	O	71.7v	70.4v	40.1v	45.4v	46.4v	47.3v	45.2v	74.10v	95.10v	41.0v	69.8v	643.53v
475	Mr HJ Golaszewski	A	68.3v	71.7v	42.3v	41.1v	48.3v	43.3v	50.7v	69.5v	100.12v	39.2v	72.7v	643.53v
476	Mr CS Lamont	X	71.7v	68.3v	38.1v	41.3v	48.5v	48.4v	50.6v	70.4v	97.9v	41.3v	71.3v	643.48v
477	Mr RF Burden	O	72.4v	65.3v	46.3v	44.2v	47.5v	47.3v	46.3v	72.7v	99.8v	42.2v	63.5v	643.45v
478	Mr BW Macdonald	O	66.3v	71.7v	48.6v	41.3v	46.2v	40.0v	49.4v	71.8v	100.7v	41.1v	70.3v	643.44v
479	Mrs T Newbold	O	67.4v	70.5v	45.1v	47.6v	47.1v	43.3v	48.4v	68.4v	101.9v	39.1v	68.6v	643.44v
480	Miss RL Furniss	A	67.3v	69.4v	43.2v	46.3v	45.6v	48.5v	46.3v	72.7v	97.6v	39.0v	71.5v	643.44v
481	Mr I Cheeseman	O	70.7v	72.6v	46.2v	44.1v	45.4v	42.3v	47.4v	68.3v	101.8v	41.1v	67.4v	643.43v
482	Mr P Todd	T	66.1v	70.4v</										

483	Mr P Merry	O	68.5v	68.2v	44.2v	46.1v	43.2v	44.2v	48.7v	68.7v	102.7v	44.2v	68.3v	643.41v
484	Mrs MF Barry	O	69.6v	70.3v	46.2v	43.0v	48.5v	45.2v	49.4v	71.6v	98.6v	37.3v	67.3v	643.40v
485	Mr AK Fitch	O	69.4v	69.5v	46.2v	41.1v	46.4v	47.2v	48.3v	69.4v	100.8v	40.1v	68.3v	643.37v
486	Mr DE Fields	O	67.3v	71.3v	42.1v	45.1v	46.4v	48.4v	48.3v	70.4v	98.5v	34.2v	74.7v	643.37v
487	Mr T McIvor	O	68.6v	72.6v	43.2v	45.2v	45.2v	46.2v	47.4v	74.4v	95.4v	42.1v	66.1v	643.34v
488	Sqn Ldr CR Smith	O	71.5v	71.7v	47.4v	41.2v	46.5v	40.3v	43.4v	72.6v	103.11v	42.4v	66.5v	642.56v
489	Mr M Millar	A	68.3v	69.5v	46.3v	47.3v	48.6v	43.6v	47.4v	72.8v	100.9v	32.0v	70.7v	642.54v
490	Mr ATC Collins	T	74.7v	67.6v	46.4v	49.4v	40.2v	44.2v	46.5v	69.3v	101.13v	37.0v	69.4v	642.50v
491	Mr TJ Roberts	O	70.5v	72.7v	46.5v	49.4v	48.4v	44.3v	47.3v	72.9v	92.6v	36.1v	66.3v	642.50v
492	Mrs FK Day	O	71.6v	67.5v	43.4v	45.3v	42.0v	48.2v	49.3v	69.8v	99.10v	39.2v	70.6v	642.49v
493	Lt JW Jenkins	X	69.6v	70.8v	45.0v	42.1v	47.6v	42.1v	49.4v	67.4v	104.10v	42.3v	65.5v	642.48v
494	Mr RG Hilyard	O	72.3v	66.2v	48.4v	41.4v	46.4v	45.3v	46.5v	68.5v	97.8v	42.1v	71.7v	642.46v
495	Mr BG Bailey	O	68.5v	68.4v	43.3v	42.3v	44.1v	46.2v	45.2v	74.10v	98.9v	42.1v	72.4v	642.44v
496	Mr BJ Creber	T	66.3v	72.4v	45.3v	36.0v	47.4v	45.2v	46.1v	70.6v	104.11v	42.1v	70.8v	642.44v
497	Mr DA Smith	O	70.4v	69.5v	46.3v	39.1v	47.3v	45.4v	47.4v	72.7v	98.8v	42.1v	67.2v	642.42v
498	Mr TC Higgins	O	67.1v	71.7v	46.4v	46.3v	42.0v	44.3v	48.2v	74.8v	96.6v	37.1v	71.6v	642.41v
499	Dr NP Tucker	T	73.6v	69.6v	42.2v	41.2v	47.3v	44.3v	47.2v	69.2v	98.8v	38.1v	74.5v	642.40v
500	Cpl C Mandella	T	69.6v	68.3v	47.4v	45.1v	45.1v	44.2v	46.4v	69.6v	98.6v	42.2v	69.2v	642.37v
501	Mr PA Cullimore	O	68.4v	67.1v	42.3v	46.1v	47.4v	44.1v	47.3v	69.3v	101.9v	40.2v	71.5v	642.36v
502	Cdt LCP-L Watson	O	64.1v	68.3v	45.3v	44.0v	47.3v	43.1v	49.4v	72.3v	98.9v	42.0v	70.3v	642.30v
503	Mr M Liversage	T	68.3v	70.7v	45.4v	40.1v	46.3v	43.3v	48.5v	74.8v	99.10v	38.1v	70.7v	641.52v
504	Mr PG Kelly	O	69.5v	70.5v	47.5v	42.1v	45.4v	42.3v	49.5v	71.6v	101.9v	34.2v	71.4v	641.49v
505	PC DK Kirui	X	66.3v	67.3v	48.4v	48.5v	43.0v	45.4v	46.3v	74.9v	100.9v	36.0v	68.3v	641.43v
506	Mr KG Garside	O	66.2v	68.2v	47.6v	43.2v	43.1v	42.1v	44.1v	72.5v	98.9v	45.1v	73.8v	641.38v
507	Mr NC Bartholomew	O	64.2v	69.5v	45.4v	41.3v	44.0v	47.2v	46.2v	70.5v	100.7v	42.3v	73.5v	641.38v
508	Mr CP Goad	O	68.1v	68.0v	43.3v	45.1v	48.4v	45.4v	49.4v	70.5v	101.7v	37.1v	67.5v	641.35v
509	Mr CJ Napier	T	74.12v	73.5v	45.1v	38.3v	48.4v	41.0v	46.5v	71.5v	95.8v	34.2v	75.8v	640.53v
510	Mr ML Cotillard	X	68.2v	72.10v	45.5v	43.1v	46.2v	44.4v	48.6v	67.3v	98.8v	37.0v	72.6v	640.47v
511	Mr RA Hyndman	T	71.3v	72.5v	42.4v	45.2v	48.3v	44.6v	49.5v	67.7v	101.7v	37.1v	64.3v	640.46v
512	Mr C Mitchell	T	69.5v	70.6v	47.2v	45.2v	47.3v	46.2v	48.3v	66.3v	100.11v	39.1v	63.4v	640.42v
513	Mr NC Boyde	O	65.2v	69.5v	47.3v	44.3v	45.2v	48.3v	49.4v	72.3v	98.9v	34.2v	69.5v	640.41v
514	Mr AJ Monroe	T	66.2v	68.2v	47.3v	42.5v	50.6v	43.1v	45.2v	71.5v	103.9v	37.0v	68.3v	640.38v
515	Cdt AW Dowle	T	69.2v	68.2v	47.3v	39.1v	48.4v	43.2v	48.2v	68.5v	101.8v	36.0v	73.6v	640.35v
516	Mr JP Thomson	O	69.5v	70.6v	41.1v	43.2v	47.5v	46.4v	49.8v	72.8v	98.8v	36.3v	68.4v	639.54v
517	Mr TF Kurn	O	73.6v	73.9v	46.3v	35.0v	46.2v	38.2v	48.3v	71.9v	98.6v	39.3v	72.8v	639.51v
518	Mr RW Hallows	O	68.1v	70.5v	40.1v	42.1v	47.4v	40.1v	48.4v	73.10v	102.14v	44.2v	65.5v	639.48v
519	Dr KW Genders	O	70.4v	70.6v	41.2v	44.1v	43.1v	46.4v	46.3v	70.6v	100.7v	43.2v	66.6v	639.42v
520	Mr AJ Haggerty	O	63.2v	68.5v	47.3v	46.2v	47.5v	44.3v	47.3v	70.4v	96.6v	41.1v	70.8v	639.42v
521	Mr AW Davies	O	70.5v	67.5v	46.3v	39.1v	45.2v	46.3v	47.3v	73.7v	99.6v	40.2v	67.5v	639.42v
522	Mr ID Macdonald	O	70.2v	69.9v	41.2v	46.2v	48.3v	44.2v	48.6v	70.4v	97.5v	39.2v	67.4v	639.41v
523	Mr PL Redstone	X	70.4v	69.3v	46.3v	42.2v	46.3v	43.4v	44.3v	73.4v	97.9v	41.2v	68.3v	639.40v
524	Mr SI Gluck	O	68.5v	72.5v	45.2v	47.2v	45.4v	43.3v	47.5v	69.4v	95.5v	38.1v	70.2v	639.38v
525	Mr MJG Neal	T	67.2v	70.6v	45.0v	43.2v	47.4v	44.1v	41.0v	70.5v	100.5v	44.2v	68.5v	639.32v
526	Mr JG Bennett	X	70.8v	71.6v	44.3v	44.2v	46.3v	31.0v	50.5v	74.10v	99.11v	38.1v	71.9v	638.58v
527	Cdt J Pinch	T	66.4v	70.7v	45.5v	43.3v	44.3v	45.1v	47.5v	72.6v	98.8v	38.1v	70.7v	638.50v
528	Mr D Hanson	O	71.3v	68.4v	47.2v	43.5v	45.3v	43.4v	43.3v	73.8v	98.11v	38.2v	69.4v	638.49v
529	Mr T Bulmer	T	67.4v	70.4v	43.5v	44.1v	46.4v	47.5v	45.3v	70.5v	95.9v	40.2v	71.6v	638.48v
530	Mr HWR Gilbert	O	69.6v	62.3v	47.6v	42.2v	48.3v	47.6v	48.3v	72.8v	97.7v	38.0v	68.4v	638.48v
531	Ms HK Mallinckrodt	T	66.4v	67.7v	44.2v	45.3v	48.4v	48.6v	44.3v	71.6v	100.8v	34.2v	71.2v	638.47v
532	Mr MJ Whetton	O	66.5v	70.4v	43.2v	43.3v	46.4v	45.3v	48.3v	69.6v	98.7v	41.1v	69.7v	638.45v
533	Mr PB Cutts	T	73.9v	71.8v	46.3v	41.1v	49.5v	47.4v	41.0v	66.4v	94.5v	42.1v	68.3v	638.43v
534	Flt Lt HM French	T	67.4v	70.7v	43.1v	44.2v	45.4v	46.2v	44.1v	70.4v	102.6v	39.2v	68.8v	638.41v
535	Mr A Lakhani	T	67.5v	72.5v	40.1v	41.2v	43.2v	44.3v	48.4v	71.6v	97.7v	43.0v	72.5v	638.40v
536	Major DJ Nelson	X	69.5v	71.5v	43.1v	44.4v	44.2v	39.0v	48.6v	68.2v	102.7v	40.2v	70.4v	638.38v
537	Mr PJS Smith	O	67.5v	71.5v	44.3v	43.2v	48.2v	45.3v	45.2v	68.2v	96.7v	45.3v	66.3v	638.37v
538	Lt Col CCC Cheshire	X	70.5v	71.2v	42.2v	46.3v	46.3v	47.5v	47.1v	71.6v	100.4v	36.2v	62.4v	638.37v
539	Mr BW Cairns	O	66.3v	73.7v	47.3v	46.0v	42.1v	47.3v	44.2v	72.4v	98.7v	33.0v	70.5v	638.35v
540	Mr P Cameron Taylor	A	66.3v	67.1v	43.0v	47.4v	45.4v	42.0v	46.2v	71.6v	100.9v	38.1v	73.2v	638.32v
541	SSgt PJ Haines	T	63.0v	67.4v	44.1v	46.1v	44.2v	45.1v	46.2v	68.3v	99.5v	44.3v	72.8v	638.30v
542	Mr JA Garnett	O	70.5v	71.6v	46.2v	44.2v	46.3v	42.0v	45.5v	73.12v	97.13v	38.0v	65.5v	637.53v
543	Mr A Mabon	O	63.5v	69.3v	43.1v	39.3v	45.2v	45.2v	48.3v	68.6v	101.14v	42.2v	74.7v	637.48v
544	Miss HLL Landrum	T	68.4v	71.8v	43.1v	39.2v	45.4v	46.1v	45.3v	68.7v	102.13v	40.1v	70.4v	637.48v
545	Mr HCG Ives	O	66.4v	66.3v	44.2v	41.2v	49.5v	47.4v	48.4v	71.6v	100.9v	33.2v	72.5v	637.46v
546	Dr JC Jobling	O	68.6v	70.3v	42.2v	43.1v	47.3v	43.3v	44.2v	72.8v	100.8v	39.2v	69.4v	637.42v
547	Mr RH Kitson	O	67.4v	70.2v	46.4v	43.4v	46.6v	44.2v	43.1v	72.7v	100.6v	40.0v	66.5v	637.41v
548	Mr EDC Carrick	T	65.4v	71.6v	45.2v	43.3v	43.1v	47.5v	47.2v	68.3v	99.8v	40.2v	69.4v	637.40v
549	Mrs M Pantaleon-Ginestet	O	68.3v	70.6v	41.0v	45.2v	47.4v	43.3v	48.3v	69.3v	101.7v	39.3v	66.5v	637.39v
550	Mr DA Taylor	A	66.2v	69.4v	46.1v	48.3v	46.3v	44.4v	46.3v	67.5v	100.7v	38.2v	67.4v	637.38v
551	Mr TJ Reeve	O	67.1v	73.7v	44.3v	41.1v	45.3v	43.2v	47.5v	70.3v	104.8v	31.1v	72.4v	637.38v
552	LCpl R Cole	T	65.4v	73.10v	44.4v	37.1v	46.3v	49.3v	46.2v	70.4v	100.11v	39.1v	67.6v	636.49v
553	Mr AME Adams	O	71.7v	70.6v	43.4v	46.5v	46.5v	41.2v	45.1v	71.5v	97.7v	37.1v	69.5v	636.48v
554	Mr P Wale	O	65.4v	71.5v	43.2v	46.5v	47.4v	41.2v	46.6v	71.7v	99.8v	36.1v	71.4v	636.48v
555	Cpl E Odeo	X	71.6v	68.4v	46.4v	44.0v	45.3v	43.4v	47.2v	71.6v	100.11v	34.2v	67.4v	636.46v
556	Mr MT Phipps	O	63.5v	69.3v	46.3v	41.3v	45.3v	41.2v	48.3v	72.4v	104.13v	36.0v	71.6v	636.45v
557	Mr T Gibson	O	70.4v	73.6v	38.0v	39.1v	44.2v	47.3v	48.5v	67.6v	101.10v	38.0v	71.7v	636.44v
558	Mr C Hughes	O	72.6v	69.4v	42.3v	42.0v	46.4v	48.3v	47.4v	66.6v	101.8v	34.0v	69.5v	636.43v
559	Miss EG Joseph	O	70.6v	69.3v	41.1v	44.2v	46.3v	42.3v	47.1v	70.4v	101.12v	40.2v	66.4v	636.41v
560	Mr D Saunders	T	69.4v	67.2v	43.2v	39.2v	47.1v	45.2v	47.4v	72.9v	98.5v	39.2v	70.8v	636.41v
561	Mr PM Weston	O	68.4v	71.9v	42.4v	46.2v	46.2v	44.3v	48.1v	65.4v	100.8v	39.1v	67.3v	636.41v
562	Mr IF Luckman	O	70.5v	72.7v	43.2v	40.2v	47.1v	45.4v	45.2v	71.4v	98.7v	33.1v	72.6v	636.41v
563	Mr J Golling	X	71.5v	67.2v	42.1v	45.2v	40.3v	46.0v	49.4v	69.4v	95.7v	44.5v	68.5v	636.38v
564	Mr AJK Knight	T	70.3v	71.3v	43.2v	46.3v	45.2v	42.1v	41.2v	71.8v	103.10v	36.0v	68.4v	636.38v
565	Mr SME Hayton	O	72.5v	67.3v	44.2v	36.								

566	Mr J Tuffen	O	70.7v	72.9v	44.4v	43.3v	44.1v	45.4v	48.4v	68.4v	98.9v	36.2v	67.3v	635.50v
567	Mr NJ Burnip	X	61.5v	66.5v	47.4v	48.6v	46.3v	41.2v	48.5v	71.4v	98.6v	38.1v	71.8v	635.49v
568	Mr DE Nuthall	X	66.4v	68.3v	47.3v	46.4v	47.5v	45.1v	50.4v	58.9v	102.11v	39.2v	67.2v	635.48v
569	Mr JE White	O	69.3v	69.6v	30.1v	46.3v	48.6v	48.5v	47.4v	74.10v	98.5v	34.0v	72.5v	635.48v
570	Mr MJ Moran	O	65.1v	70.6v	41.2v	41.1v	45.4v	44.4v	48.6v	70.6v	103.9v	40.2v	68.5v	635.46v
571	Mr N Beesley	O	66.2v	67.3v	44.5v	44.3v	44.2v	47.3v	46.2v	70.3v	103.10v	31.4v	73.9v	635.46v
572	Cdt K Gagnon	T	71.7v	68.5v	42.1v	45.4v	45.2v	43.1v	44.3v	71.5v	98.10v	40.3v	68.4v	635.45v
573	Mr H Lottritz	X	70.4v	66.4v	46.3v	46.1v	43.0v	43.2v	48.7v	70.6v	96.9v	35.2v	72.7v	635.45v
574	PC CK Saina	X	67.4v	66.2v	47.2v	49.5v	46.3v	47.4v	45.3v	66.7v	100.8v	29.0v	73.5v	635.43v
575	Mr RH Gardiner	O	70.2v	71.8v	47.1v	39.0v	43.1v	42.3v	47.5v	69.4v	100.8v	36.1v	71.5v	635.38v
576	Dr J Mehta	O	71.5v	70.4v	43.2v	46.2v	46.1v	44.1v	47.5v	66.5v	99.8v	35.1v	68.4v	635.38v
577	Miss DL Griffin	O	72.4v	68.3v	45.2v	44.1v	45.2v	46.4v	47.3v	68.5v	97.7v	36.0v	67.4v	635.35v
578	SSgt M Carberry	T	67.4v	67.2v	40.2v	42.2v	46.2v	45.1v	45.3v	68.4v	100.7v	45.2v	70.5v	635.34v
579	Mr JRI Kennedy	O	69.6v	67.5v	44.2v	46.3v	42.3v	45.0v	49.5v	69.4v	98.3v	39.0v	67.3v	635.34v
580	Mr WFS Stewart	O	66.5v	72.11v	44.2v	42.3v	44.7v	45.3v	46.4v	68.6v	99.8v	37.0v	71.6v	634.55v
581	Mr JEC Branch	T	70.2v	70.5v	39.2v	43.3v	48.4v	46.4v	48.6v	70.3v	98.10v	31.1v	71.7v	634.47v
582	Mr CJ Sherratt	O	69.4v	71.4v	45.4v	36.1v	46.1v	45.3v	49.4v	64.7v	101.5v	38.3v	70.7v	634.43v
583	Mr JF Bryson	O	71.4v	69.5v	44.2v	47.5v	44.3v	45.2v	45.2v	71.6v	101.8v	27.0v	70.5v	634.42v
584	Mr JP Raine	O	66.3v	71.8v	49.3v	41.0v	45.3v	45.3v	46.2v	71.5v	91.5v	42.2v	67.6v	634.40v
585	Mr CA Stewart	O	65.3v	71.2v	47.3v	47.4v	46.5v	40.2v	46.4v	65.3v	100.9v	40.1v	67.4v	634.40v
586	Mr BS Preece	T	68.4v	67.2v	43.2v	41.2v	49.7v	42.0v	48.2v	72.4v	101.10v	33.0v	70.7v	634.40v
587	Mr AED Webster	T	64.4v	62.1v	45.2v	43.1v	46.3v	46.6v	47.2v	69.3v	103.12v	40.0v	69.3v	634.37v
588	Mr U Solzer	X	68.3v	71.6v	43.0v	40.3v	46.3v	47.5v	47.2v	72.3v	101.9v	38.0v	61.3v	634.37v
589	Miss S Cheslyn-Curtis	O	66.5v	69.6v	47.6v	41.2v	43.4v	46.4v	50.8v	70.5v	96.4v	40.3v	65.3v	633.50v
590	Mr DB Harrison	O	71.2v	66.4v	46.5v	46.6v	41.2v	42.3v	45.3v	68.8v	95.7v	45.3v	68.4v	633.47v
591	Mr SJ Pascoe	A	69.3v	71.7v	43.1v	45.4v	44.1v	41.1v	42.2v	70.8v	102.9v	36.2v	70.5v	633.43v
592	Cdr MF Jordan	O	68.4v	67.7v	41.2v	47.3v	39.2v	44.4v	47.3v	73.6v	97.7v	38.0v	72.4v	633.42v
593	Maj M Geernaert-Davies	O	70.7v	69.5v	41.1v	43.0v	41.4v	46.3v	46.3v	70.4v	100.5v	34.6v	73.3v	633.41v
594	Mr RC Hawley	O	67.4v	70.4v	42.1v	48.4v	44.3v	43.2v	46.5v	73.6v	92.5v	41.2v	67.4v	633.40v
595	Mr ND Anderson	O	65.0v	69.5v	43.2v	39.2v	45.1v	45.2v	42.2v	71.8v	103.12v	40.1v	71.3v	633.38v
596	Mr T Galliers	O	69.2v	70.4v	41.3v	47.2v	44.3v	44.1v	44.3v	71.5v	96.7v	40.1v	67.6v	633.37v
597	Mr BN Craig	O	69.4v	74.6v	43.3v	42.2v	44.0v	39.0v	45.0v	70.9v	101.9v	37.0v	69.4v	633.37v
598	Mr GR Jeal	O	61.0v	70.4v	48.5v	45.1v	44.1v	42.2v	48.2v	70.5v	99.9v	37.2v	69.4v	633.35v
599	Miss T Young	O	68.0v	68.3v	45.3v	44.4v	41.0v	47.4v	45.2v	71.6v	99.5v	34.1v	71.7v	633.35v
600	Mr B Hirst	O	66.2v	66.1v	45.2v	44.2v	44.1v	42.3v	50.4v	67.3v	96.8v	44.3v	69.5v	633.34v
601	Mr JJS Hooper	O	68.2v	70.5v	45.3v	35.2v	46.3v	43.1v	45.1v	73.8v	101.12v	39.3v	67.7v	632.47v
602	Mr BJ Benest	T	67.4v	70.5v	39.4v	42.3v	48.6v	45.2v	46.4v	72.5v	100.5v	34.1v	69.4v	632.43v
603	Mr K Hardyman	O	67.4v	73.8v	39.0v	44.1v	44.3v	47.2v	47.4v	69.7v	98.7v	38.1v	66.5v	632.42v
604	Mr GRP Shapland	O	70.7v	71.6v	45.2v	36.1v	41.2v	45.1v	46.2v	68.7v	100.8v	42.0v	68.5v	632.41v
605	Mrs KM Young	T	66.2v	72.5v	44.3v	47.4v	40.3v	40.0v	44.4v	72.5v	102.7v	40.0v	65.6v	632.39v
606	Mr A Robertson	O	65.2v	69.5v	46.2v	47.5v	45.2v	48.3v	49.8v	67.3v	96.6v	37.2v	63.1v	632.39v
607	Mr SD Benest	X	68.4v	74.7v	38.1v	44.2v	43.1v	44.2v	48.2v	69.5v	99.9v	37.2v	68.4v	632.39v
608	Mr MW Brown	O	68.5v	66.3v	42.2v	46.3v	46.4v	43.0v	44.1v	67.5v	96.7v	42.1v	72.7v	632.38v
609	Mr TW Harrison	O	66.3v	65.3v	46.5v	42.2v	44.2v	42.2v	43.0v	73.4v	100.10v	40.1v	71.6v	632.38v
610	Mr CA Smith	O	68.6v	72.6v	46.4v	41.0v	42.1v	42.1v	47.2v	72.7v	98.7v	36.1v	68.3v	632.38v
611	Mr P Waldron	O	68.3v	72.6v	40.0v	41.3v	44.1v	45.2v	48.3v	68.3v	99.9v	36.0v	71.8v	632.38v
612	Mr AJD Saunders	O	67.3v	69.2v	43.3v	47.1v	45.4v	43.2v	45.3v	68.5v	95.8v	43.3v	67.1v	632.35v
613	Judge AP Powell	O	69.3v	67.3v	43.2v	42.2v	50.3v	38.0v	47.4v	70.4v	100.9v	37.1v	69.3v	632.34v
614	Mr T Hembrow	O	66.4v	73.6v	48.5v	41.0v	48.5v	39.0v	47.2v	68.4v	99.5v	37.0v	66.3v	632.34v
615	Mr CRF Leather	O	65.4v	71.6v	42.1v	39.3v	45.4v	46.2v	46.5v	71.6v	101.11v	38.2v	67.5v	631.49v
616	Cpl M Cheruyiot	X	69.5v	71.5v	38.1v	46.3v	48.3v	41.2v	40.1v	69.4v	100.11v	41.2v	68.6v	631.43v
617	Mr CR Hirst	T	71.6v	67.4v	47.5v	32.0v	49.3v	46.4v	48.3v	72.5v	97.6v	32.1v	70.6v	631.43v
618	Mr ID Markwell	O	73.5v	71.5v	45.2v	42.2v	47.4v	44.5v	50.5v	63.6v	96.5v	32.0v	68.4v	631.43v
619	Cdt LCpl HCM Bennett	T	67.3v	67.2v	43.3v	41.1v	46.3v	42.2v	47.4v	72.6v	102.10v	36.2v	68.1v	631.37v
620	Mr MR Place	O	71.6v	71.6v	46.1v	41.1v	46.2v	44.1v	45.2v	71.6v	99.7v	34.1v	63.4v	631.37v
621	Mr JW Alexander	T	69.5v	66.4v	47.2v	42.2v	44.4v	46.0v	44.2v	68.6v	93.3v	42.2v	70.6v	631.36v
622	Mr CJ Fullerton	T	68.4v	65.3v	45.2v	45.1v	42.1v	45.3v	50.6v	68.3v	101.8v	34.2v	68.3v	631.36v
623	Miss CJ Dee	O	67.2v	70.6v	47.3v	45.1v	43.1v	45.3v	41.4v	72.4v	101.8v	34.0v	66.4v	631.36v
624	Mr PGW Purdy	O	70.5v	72.6v	44.2v	39.2v	42.1v	47.3v	47.3v	69.3v	97.5v	32.0v	72.5v	631.35v
625	Mr C Waldron	T	65.2v	71.4v	48.3v	44.1v	46.2v	46.3v	46.3v	64.2v	90.2v	40.0v	71.8v	631.30v
626	Cdt WJD Broad	T	65.4v	70.6v	26.0v	46.2v	46.2v	44.3v	47.4v	68.3v	102.9v	44.3v	72.6v	630.42v
627	Mr A Rowley	O	64.3v	70.4v	44.4v	39.1v	47.7v	44.3v	44.2v	66.4v	102.6v	36.0v	74.7v	630.41v
628	Mr RA Fullerton	T	68.6v	71.7v	46.0v	42.2v	47.4v	43.2v	47.3v	69.3v	95.9v	35.0v	67.3v	630.39v
629	Miss RL Laird	O	66.3v	69.4v	42.3v	44.2v	44.3v	46.2v	43.2v	72.6v	102.8v	35.0v	67.5v	630.38v
630	Cpl CD Pockock	T	69.5v	69.4v	45.2v	41.1v	46.2v	42.1v	42.1v	71.6v	99.6v	41.4v	65.3v	630.35v
631	Mr ND Gomez	A	64.2v	68.4v	44.3v	47.2v	44.2v	41.1v	46.4v	73.5v	101.6v	32.1v	70.4v	630.34v
632	Cdt SM Amin	T	65.4v	68.4v	43.1v	43.1v	45.1v	46.2v	48.3v	70.4v	100.6v	36.1v	66.5v	630.32v
633	SMI MR Rewston	O	70.6v	73.6v	43.2v	42.3v	44.5v	43.2v	48.5v	67.3v	97.6v	35.3v	67.5v	629.46v
634	Wg Cdr MJ Gregory	A	69.8v	71.5v	40.0v	46.4v	46.3v	44.4v	45.5v	67.3v	100.8v	30.1v	71.4v	629.45v
635	Cdt J Rogowski	T	71.5v	68.6v	43.2v	35.1v	47.3v	42.0v	47.7v	73.8v	97.5v	37.1v	69.4v	629.42v
636	Mr M Yego	X	72.6v	68.1v	45.2v	36.5v	45.2v	45.1v	46.4v	68.4v	92.5v	42.3v	70.7v	629.40v
637	Miss G Wigmore	O	68.5v	70.7v	40.0v	43.2v	40.1v	46.5v	44.2v	69.5v	101.8v	42.0v	66.4v	629.39v
638	C Witham	T	73.6v	67.4v	40.1v	40.2v	41.2v	45.2v	48.3v	71.6v	96.3v	36.2v	72.5v	629.36v
639	Lt GD Bartle	O	69.5v	69.3v	42.2v	43.1v	45.2v	45.3v	46.4v	69.4v	97.6v	33.1v	71.5v	629.36v
640	Lt Cdr IR Thomson	O	71.6v	71.4v	45.5v	44.2v	47.4v	47.2v	42.1v	69.3v	93.2v	28.0v	72.7v	629.36v
641	Mr J Holmes	O	70.3v	68.4v	46.3v	44.2v	44.2v	40.0v	44.1v	70.4v	97.6v	38.2v	68.3v	629.30v
642	Cpl P Munene	X	72.3v	70.2v	40.3v	40.1v	49.4v	44.2v	47.2v	61.2v	99.6v	41.1v	66.3v	629.29v
643	Lt Col TH Emck	O	68.2v	71.9v	45.1v	29.1v	44.2v	44.4v	45.3v	66.4v	99.12v	44.3v	73.7v	628.48v
644	Mr CW Slator	O	72.5v	70.5v	43.2v	42.0v	49.4v	40.3v	46.6v	71.9v	102.9v	27.0v	66.5v	628.48v
645	Mr KG Firth	O	67.4v	68.6v	43.3v	41.1v	48.6v	47.4v	45.3v	69.4v	97.9v	32.1v	71.6v	628.47v
646	Miss CAS Lemmer	O	69.4v	71.6v	43.2v	41.3v	47.3v	46.3v	26.1v	72.10v	102.7v	39.0v	72.6v	628.45v
647	Miss JM Waters	O	65.3v	70.6v	45.3v	39.1v	45.3v	47.0v	44.4v	74.10v	95.8v	40.1v	64.4v	628.43v
648	Mr CHT Quinn	O	67.5v	68.5v	42.3v	43.2v	43.2v							











