

# NRA 139th Imperial Meeting

## Grand Aggregate (as at Monday, 21st July 2008)

		DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	Corp	POW	Total	
1	Mr NC Mace	X	74.9v	73.9v	49.3v	50.4v	49.6v	49.5v	0.0v	0.0v	0.0v	46.5v	0.0v	390.41v
2	Wg Cdr DP Calvert	X	75.8v	73.6v	48.3v	48.6v	49.7v	48.5v	0.0v	0.0v	0.0v	46.2v	0.0v	387.37v
3	Mr NJ Ball	X	74.10v	75.10v	46.5v	48.5v	50.7v	48.6v	0.0v	0.0v	0.0v	45.3v	0.0v	386.46v
4	Mr DW Baker	A	72.4v	75.9v	46.6v	48.6v	50.3v	49.5v	0.0v	0.0v	0.0v	46.2v	0.0v	386.35v
5	Miss JH Messer	X	73.6v	73.9v	49.4v	47.4v	49.5v	50.3v	0.0v	0.0v	0.0v	44.3v	0.0v	385.34v
6	Mr AR Wilde	X	74.7v	74.11v	45.5v	50.5v	50.8v	49.4v	0.0v	0.0v	0.0v	42.0v	0.0v	384.40v
7	Mr AJ Luckman	X	72.7v	74.8v	47.5v	48.4v	48.5v	49.7v	0.0v	0.0v	0.0v	46.2v	0.0v	384.38v
8	Mr DC Luckman	X	73.7v	74.7v	47.5v	47.5v	48.5v	49.4v	0.0v	0.0v	0.0v	46.3v	0.0v	384.36v
9	Mrs LK Mace	A	73.5v	74.9v	49.6v	49.5v	48.4v	49.5v	0.0v	0.0v	0.0v	42.2v	0.0v	384.36v
10	Mr KR Trowbridge	X	72.4v	75.12v	48.4v	47.4v	49.5v	49.5v	0.0v	0.0v	0.0v	44.1v	0.0v	384.35v
11	Mr JS Collings	X	71.10v	73.10v	49.6v	48.8v	47.5v	49.6v	0.0v	0.0v	0.0v	46.2v	0.0v	383.47v
12	Mr DR Armstrong	X	75.10v	73.5v	49.6v	49.8v	47.6v	48.7v	0.0v	0.0v	0.0v	42.1v	0.0v	383.43v
13	Mr PG Kent	X	73.9v	74.10v	47.4v	50.8v	48.5v	45.1v	0.0v	0.0v	0.0v	46.5v	0.0v	383.42v
14	Mr CN Tremlett	X	73.6v	74.10v	49.6v	48.3v	50.6v	46.5v	0.0v	0.0v	0.0v	43.0v	0.0v	383.36v
15	Mr J Cload	X	73.7v	74.8v	47.4v	46.5v	47.2v	48.4v	0.0v	0.0v	0.0v	48.4v	0.0v	383.34v
16	Mr TW Hunter	X	74.8v	75.9v	45.2v	48.3v	50.6v	47.5v	0.0v	0.0v	0.0v	44.1v	0.0v	383.34v
17	Mr LT Wicker	A	73.9v	75.7v	47.1v	49.3v	50.8v	46.3v	0.0v	0.0v	0.0v	43.2v	0.0v	383.33v
18	Mr RCT Jeens	X	72.5v	71.4v	48.6v	49.5v	47.5v	48.4v	0.0v	0.0v	0.0v	48.1v	0.0v	383.30v
19	Mr DGM Coleman	X	71.8v	74.10v	49.3v	47.7v	49.6v	46.1v	0.0v	0.0v	0.0v	46.5v	0.0v	382.40v
20	Mr TA Ringer	X	73.8v	72.10v	48.5v	48.5v	49.5v	48.5v	0.0v	0.0v	0.0v	44.2v	0.0v	382.40v
21	Mr ERT Jeens	X	70.7v	73.7v	47.3v	48.7v	49.8v	48.3v	0.0v	0.0v	0.0v	47.3v	0.0v	382.38v
22	Mr SM Smallwood	A	70.6v	74.8v	48.5v	47.4v	50.6v	48.4v	0.0v	0.0v	0.0v	45.3v	0.0v	382.36v
23	Dr JG Robertson	X	70.6v	75.9v	47.4v	49.7v	48.4v	48.3v	0.0v	0.0v	0.0v	45.2v	0.0v	382.35v
24	Mr DFP Richards	X	72.6v	73.9v	46.3v	49.2v	49.6v	48.2v	0.0v	0.0v	0.0v	45.3v	0.0v	382.31v
25	Mr AD Le Cheminant	X	69.6v	74.8v	48.4v	49.3v	48.1v	47.4v	0.0v	0.0v	0.0v	47.3v	0.0v	382.29v
26	Mr SD Shouler	X	71.6v	74.11v	50.7v	49.4v	50.10v	47.4v	0.0v	0.0v	0.0v	40.1v	0.0v	381.43v
27	Dr GCD Barnett	X	73.8v	73.8v	50.6v	48.5v	50.7v	43.2v	0.0v	0.0v	0.0v	44.0v	0.0v	381.36v
28	Mr NRJ Brasier	X	74.6v	72.7v	48.3v	44.2v	50.6v	48.5v	0.0v	0.0v	0.0v	45.3v	0.0v	381.32v
29	Mr ADE Grounds	X	72.9v	74.13v	48.4v	48.4v	49.7v	47.6v	0.0v	0.0v	0.0v	42.1v	0.0v	380.44v
30	Mr P Patel	X	71.8v	73.10v	48.5v	46.6v	50.4v	48.5v	0.0v	0.0v	0.0v	44.1v	0.0v	380.39v
31	Ms KA Berman	X	73.8v	72.8v	47.5v	48.5v	50.7v	47.3v	0.0v	0.0v	0.0v	43.2v	0.0v	380.38v
32	Miss S-J Binder	A	74.9v	73.12v	48.4v	50.5v	48.4v	47.3v	0.0v	0.0v	0.0v	40.1v	0.0v	380.38v
33	Mr PB Bromley	X	72.7v	73.6v	46.5v	48.7v	49.5v	46.3v	0.0v	0.0v	0.0v	46.4v	0.0v	380.37v
34	Mr JGM Webster	X	70.5v	74.8v	48.7v	47.4v	49.5v	46.3v	0.0v	0.0v	0.0v	46.3v	0.0v	380.35v
35	Mr WCP Richards	X	74.7v	73.6v	46.4v	47.3v	47.5v	48.6v	0.0v	0.0v	0.0v	45.2v	0.0v	380.33v
36	Mr D Rose	X	68.5v	74.9v	48.1v	48.4v	49.6v	47.4v	0.0v	0.0v	0.0v	46.3v	0.0v	380.32v
37	Mr CST Lehmann	O	71.6v	75.8v	48.4v	46.5v	48.3v	48.2v	0.0v	0.0v	0.0v	44.3v	0.0v	380.31v
38	Mr S Harding	O	74.7v	74.6v	48.3v	45.3v	49.7v	47.3v	0.0v	0.0v	0.0v	43.2v	0.0v	380.31v
39	Mr TLW Kidner	X	72.7v	73.9v	48.3v	50.7v	49.6v	45.4v	0.0v	0.0v	0.0v	42.1v	0.0v	379.37v
40	Mr IP Davison	X	71.4v	74.10v	47.5v	47.3v	48.7v	48.5v	0.0v	0.0v	0.0v	44.1v	0.0v	379.35v
41	Mr GW Berman	X	71.8v	72.6v	48.5v	48.6v	50.3v	46.4v	0.0v	0.0v	0.0v	44.2v	0.0v	379.34v
42	Zulkeflee Hamsan	X	71.6v	73.7v	48.7v	46.3v	48.4v	49.7v	0.0v	0.0v	0.0v	44.0v	0.0v	379.34v
43	Mr GS Cotton	X	74.9v	72.7v	48.3v	47.5v	46.3v	49.4v	0.0v	0.0v	0.0v	43.3v	0.0v	379.34v
44	Mr PJR Holden	X	73.7v	74.10v	44.3v	49.3v	49.5v	47.5v	0.0v	0.0v	0.0v	43.1v	0.0v	379.34v
45	Mr MJ Barlow	X	72.6v	72.8v	48.2v	48.5v	47.3v	46.5v	0.0v	0.0v	0.0v	46.4v	0.0v	379.33v
46	Cdt GWD Davies	A	74.9v	74.9v	47.3v	47.3v	49.5v	47.3v	0.0v	0.0v	0.0v	41.1v	0.0v	379.33v
47	Mr ES Compton	X	72.7v	74.8v	47.2v	44.3v	50.3v	47.4v	0.0v	0.0v	0.0v	45.3v	0.0v	379.30v
48	Dr AM Jory	X	67.6v	74.9v	47.6v	47.2v	50.9v	48.5v	0.0v	0.0v	0.0v	45.4v	0.0v	378.41v
49	Mr SC Postins	A	74.10v	72.10v	47.3v	48.6v	48.4v	45.5v	0.0v	0.0v	0.0v	44.1v	0.0v	378.39v
50	Mr GMLN Gilpin	X	74.10v	72.9v	45.2v	44.3v	50.8v	49.6v	0.0v	0.0v	0.0v	44.1v	0.0v	378.39v
51	Dr JDS Langley	X	73.10v	75.6v	48.5v	45.3v	48.2v	49.5v	0.0v	0.0v	0.0v	40.3v	0.0v	378.34v
52	Mr WD Owen	O	71.7v	73.7v	46.2v	48.5v	50.7v	45.4v	0.0v	0.0v	0.0v	45.1v	0.0v	378.33v
53	Mr M Woolger	X	72.5v	73.5v	47.4v	46.3v	50.7v	46.4v	0.0v	0.0v	0.0v	44.2v	0.0v	378.30v
54	Mr DS Murray	X	74.7v	72.5v	49.5v	40.3v	48.2v	47.2v	0.0v	0.0v	0.0v	48.3v	0.0v	378.27v
55	Miss GC O'Leary	X	71.5v	71.3v	47.3v	49.5v	50.6v	45.3v	0.0v	0.0v	0.0v	45.1v	0.0v	378.26v
56	Mr MI Buchanan	X	74.11v	72.11v	47.2v	48.4v	48.6v	44.1v	0.0v	0.0v	0.0v	44.3v	0.0v	377.38v
57	Mr TP Clarke	X	71.6v	75.13v	48.5v	48.5v	47.3v	46.0v	0.0v	0.0v	0.0v	42.6v	0.0v	377.38v
58	Dr AJ Pilgrim	A	72.9v	73.9v	49.7v	46.2v	47.7v	48.3v	0.0v	0.0v	0.0v	42.1v	0.0v	377.38v
59	Mr ITG Shaw	X	73.6v	73.9v	44.2v	45.3v	49.7v	48.4v	0.0v	0.0v	0.0v	45.3v	0.0v	377.34v
60	Mr DJ Tracey	A	74.7v	75.8v	48.3v	43.2v	49.4v	48.6v	0.0v	0.0v	0.0v	40.2v	0.0v	377.32v
61	Dr JD Warburton	X	73.8v	72.8v	47.3v	47.2v	47.5v	47.3v	0.0v	0.0v	0.0v	44.1v	0.0v	377.30v
62	Mr RAH Vary	A	72.7v	72.7v	49.4v	46.2v	45.3v	50.6v	0.0v	0.0v	0.0v	43.1v	0.0v	377.30v
63	Mr MSE Firman	O	70.6v	72.8v	48.4v	43.0v	49.6v	49.4v	0.0v	0.0v	0.0v	46.1v	0.0v	377.29v
64	Mr EC Dickson	A	71.6v	74.7v	47.3v	43.2v	49.4v	47.2v	0.0v	0.0v	0.0v	46.2v	0.0v	377.26v
65	Mr GP Perron	X	72.5v	74.8v	50.7v	46.2v	48.3v	48.1v	0.0v	0.0v	0.0v	39.0v	0.0v	377.26v

66	Mr GA Cann	X	69.6v	73.10v	48.6v	45.4v	50.8v	46.4v	0.0v	0.0v	0.0v	45.0v	0.0v	376.38v
67	Mr TJD Raincock	X	71.8v	73.7v	49.7v	45.5v	48.5v	46.3v	0.0v	0.0v	0.0v	44.2v	0.0v	376.37v
68	Mr RW Shaw	A	72.7v	71.9v	50.4v	45.3v	49.6v	47.3v	0.0v	0.0v	0.0v	42.3v	0.0v	376.35v
69	Mr HRT Jeens	X	70.7v	71.5v	49.5v	45.3v	46.3v	48.8v	0.0v	0.0v	0.0v	47.3v	0.0v	376.34v
70	Mr RSF Shouler	X	69.6v	73.10v	46.3v	42.3v	49.4v	48.4v	0.0v	0.0v	0.0v	49.3v	0.0v	376.33v
71	Mr CTS Belk	A	73.6v	71.6v	45.2v	46.4v	48.6v	47.4v	0.0v	0.0v	0.0v	46.5v	0.0v	376.33v
72	Mr TJ Brooking	O	66.4v	72.7v	49.4v	47.5v	49.3v	48.6v	0.0v	0.0v	0.0v	45.3v	0.0v	376.32v
73	Mr ASH McCullough	X	72.6v	73.10v	47.3v	49.4v	47.2v	46.5v	0.0v	0.0v	0.0v	42.2v	0.0v	376.32v
74	Major AR McLeod	X	71.6v	74.4v	48.6v	47.2v	48.5v	46.5v	0.0v	0.0v	0.0v	42.2v	0.0v	376.30v
75	Mr R McQuillan	X	71.6v	74.7v	50.7v	50.6v	44.1v	49.2v	0.0v	0.0v	0.0v	38.1v	0.0v	376.30v
76	Zainal Abidin Md Zain	X	70.7v	72.8v	48.2v	46.2v	47.3v	49.5v	0.0v	0.0v	0.0v	44.1v	0.0v	376.28v
77	Mr JR Tuck	X	69.6v	74.8v	47.4v	46.3v	49.4v	48.2v	0.0v	0.0v	0.0v	43.0v	0.0v	376.27v
78	Mr APW Daw	A	70.4v	75.7v	47.3v	45.3v	47.3v	48.4v	0.0v	0.0v	0.0v	44.2v	0.0v	376.26v
79	Mr PAE Charlton	X	70.5v	74.9v	50.7v	39.2v	49.5v	49.6v	0.0v	0.0v	0.0v	44.4v	0.0v	375.38v
80	Mr WJ Rowland	A	70.8v	72.8v	46.4v	49.7v	47.4v	47.5v	0.0v	0.0v	0.0v	44.2v	0.0v	375.38v
81	Mr DC Dyson	X	70.6v	72.6v	46.5v	45.4v	50.8v	45.1v	0.0v	0.0v	0.0v	47.4v	0.0v	375.34v
82	Mr J Pugsley	X	70.6v	72.8v	42.3v	50.8v	49.2v	49.5v	0.0v	0.0v	0.0v	43.2v	0.0v	375.34v
83	Mr LM Peden	X	75.9v	69.7v	46.3v	46.2v	47.6v	47.3v	0.0v	0.0v	0.0v	45.3v	0.0v	375.33v
84	Miss TD Duhre	O	72.8v	75.9v	40.2v	47.4v	49.6v	46.2v	0.0v	0.0v	0.0v	46.1v	0.0v	375.32v
85	Mr R Kloosterman	A	74.6v	72.7v	45.3v	49.5v	47.2v	46.5v	0.0v	0.0v	0.0v	42.4v	0.0v	375.32v
86	Mr OP Henry	A	74.6v	69.8v	48.5v	48.4v	46.2v	48.6v	0.0v	0.0v	0.0v	42.1v	0.0v	375.32v
87	Mr C Fitzpatrick	X	70.5v	74.10v	47.4v	48.3v	49.7v	45.3v	0.0v	0.0v	0.0v	42.0v	0.0v	375.32v
88	Mr JM Holmes	X	72.7v	74.9v	45.5v	49.4v	49.6v	45.0v	0.0v	0.0v	0.0v	41.1v	0.0v	375.32v
89	Miss KAN Jack	X	74.6v	72.7v	47.5v	47.5v	47.2v	48.3v	0.0v	0.0v	0.0v	40.2v	0.0v	375.30v
90	Mr J Dunn	X	71.8v	73.8v	45.5v	46.3v	49.2v	47.3v	0.0v	0.0v	0.0v	44.0v	0.0v	375.29v
91	Mr PR Thompson	A	70.5v	74.6v	46.4v	46.4v	49.4v	46.4v	0.0v	0.0v	0.0v	44.1v	0.0v	375.28v
92	Mr KWD Ramsey	X	73.7v	71.6v	47.4v	48.3v	48.3v	48.3v	0.0v	0.0v	0.0v	40.1v	0.0v	375.27v
93	Mr AF Powell	X	71.5v	72.9v	47.3v	48.2v	48.2v	46.4v	0.0v	0.0v	0.0v	43.1v	0.0v	375.26v
94	Mr ML Millar	X	70.3v	75.8v	43.3v	45.1v	49.4v	49.4v	0.0v	0.0v	0.0v	44.1v	0.0v	375.24v
95	Mr PM Jory	X	72.5v	74.9v	46.2v	44.2v	49.3v	48.3v	0.0v	0.0v	0.0v	42.0v	0.0v	375.24v
96	Mr ND Stangroom	X	72.6v	73.5v	42.0v	48.2v	47.5v	48.2v	0.0v	0.0v	0.0v	45.3v	0.0v	375.23v
97	Mr MJ O'Leary	X	69.4v	72.7v	45.2v	49.2v	49.3v	48.4v	0.0v	0.0v	0.0v	43.1v	0.0v	375.23v
98	Mr D Le Quesne	X	72.7v	72.11v	47.4v	48.5v	49.6v	48.4v	0.0v	0.0v	0.0v	38.1v	0.0v	374.38v
99	Mr JA Anderson	X	72.11v	73.8v	47.5v	46.4v	45.2v	48.5v	0.0v	0.0v	0.0v	43.1v	0.0v	374.36v
100	Mr S Young	X	69.3v	74.9v	49.6v	41.2v	49.7v	48.6v	0.0v	0.0v	0.0v	44.0v	0.0v	374.33v
101	Mr MJ Dodson	O	71.6v	72.7v	46.4v	47.6v	48.1v	47.6v	0.0v	0.0v	0.0v	43.3v	0.0v	374.33v
102	Mr TG Rylands	X	73.9v	73.7v	44.2v	45.4v	48.4v	46.3v	0.0v	0.0v	0.0v	45.3v	0.0v	374.32v
103	SGT S Hier	T	71.9v	73.7v	46.2v	48.4v	48.4v	48.3v	0.0v	0.0v	0.0v	40.2v	0.0v	374.31v
104	Eur Ing CA Painting	X	69.6v	72.8v	46.2v	46.2v	49.5v	48.5v	0.0v	0.0v	0.0v	44.2v	0.0v	374.30v
105	Mr PJ Johnson	A	68.4v	72.8v	50.5v	46.5v	49.3v	47.3v	0.0v	0.0v	0.0v	42.2v	0.0v	374.30v
106	Mr MR Fugeman	A	74.9v	73.5v	48.6v	45.4v	49.3v	48.2v	0.0v	0.0v	0.0v	37.1v	0.0v	374.30v
107	Mr MJ Charlton	X	69.6v	72.8v	45.2v	47.4v	45.0v	48.3v	0.0v	0.0v	0.0v	48.5v	0.0v	374.28v
108	Miss HA Foster	X	71.6v	72.6v	45.2v	47.5v	47.5v	46.2v	0.0v	0.0v	0.0v	46.2v	0.0v	374.28v
109	Mr GW Robinson	X	71.6v	71.6v	48.5v	46.4v	45.2v	48.2v	0.0v	0.0v	0.0v	45.3v	0.0v	374.28v
110	Mr RW Sandlant	X	73.10v	72.5v	46.4v	46.2v	50.4v	42.1v	0.0v	0.0v	0.0v	45.2v	0.0v	374.28v
111	Mr JC Underwood	X	71.3v	73.10v	47.3v	48.5v	48.4v	46.3v	0.0v	0.0v	0.0v	41.0v	0.0v	374.28v
112	Mr GE Morris	X	70.5v	74.6v	47.3v	47.4v	49.4v	46.4v	0.0v	0.0v	0.0v	41.1v	0.0v	374.27v
113	Sgt M Lekalalle	X	70.3v	74.8v	47.5v	50.4v	45.4v	45.2v	0.0v	0.0v	0.0v	43.0v	0.0v	374.26v
114	Mr PJ Chance	A	69.3v	72.8v	48.6v	49.3v	46.3v	47.3v	0.0v	0.0v	0.0v	43.0v	0.0v	374.26v
115	Mr KW Westling	X	70.7v	70.5v	47.2v	47.3v	49.3v	49.1v	0.0v	0.0v	0.0v	42.4v	0.0v	374.25v
116	Mr RJR Mott	A	73.3v	73.6v	44.2v	45.0v	47.4v	47.4v	0.0v	0.0v	0.0v	45.2v	0.0v	374.21v
117	Mr JWE Lewis	X	70.4v	73.8v	49.6v	48.8v	48.7v	45.3v	0.0v	0.0v	0.0v	40.2v	0.0v	373.38v
118	Mr EC Wood	X	71.6v	73.8v	45.2v	44.4v	47.2v	49.8v	0.0v	0.0v	0.0v	44.2v	0.0v	373.32v
119	Mr ATB Tompson	X	73.8v	74.5v	49.4v	36.2v	49.6v	47.4v	0.0v	0.0v	0.0v	45.2v	0.0v	373.31v
120	Mr RM Hatcher	X	70.8v	73.8v	48.4v	46.2v	47.4v	45.3v	0.0v	0.0v	0.0v	44.1v	0.0v	373.30v
121	Dr CD Haley	X	68.3v	71.8v	48.5v	50.3v	48.4v	46.3v	0.0v	0.0v	0.0v	42.4v	0.0v	373.30v
122	Mrs A Uhlig	X	73.8v	71.6v	47.4v	45.5v	48.4v	47.2v	0.0v	0.0v	0.0v	42.1v	0.0v	373.30v
123	LCpl J Dunbar	T	74.9v	71.3v	49.6v	46.4v	41.2v	45.3v	0.0v	0.0v	0.0v	47.2v	0.0v	373.29v
124	Mr KO Pugh	A	71.6v	69.6v	45.2v	49.4v	48.4v	46.5v	0.0v	0.0v	0.0v	45.2v	0.0v	373.29v
125	Mr AJC Wilson	A	67.3v	73.6v	47.3v	46.2v	47.6v	48.7v	0.0v	0.0v	0.0v	45.2v	0.0v	373.29v
126	Mr C Griffin	T	73.6v	71.7v	48.4v	48.3v	44.2v	46.4v	0.0v	0.0v	0.0v	43.3v	0.0v	373.29v
127	Mr CES Dickenson	X	72.5v	70.4v	47.6v	46.1v	48.6v	46.4v	0.0v	0.0v	0.0v	44.2v	0.0v	373.28v
128	Mr TM Green	X	75.7v	69.6v	46.3v	48.3v	47.3v	46.4v	0.0v	0.0v	0.0v	42.2v	0.0v	373.28v
129	Mr SA Thomas	X	70.4v	74.9v	45.3v	44.2v	48.3v	50.4v	0.0v	0.0v	0.0v	42.2v	0.0v	373.27v
130	Mr SJ Carson	O	70.5v	71.5v	47.3v	43.1v	50.4v	49.5v	0.0v	0.0v	0.0v	43.3v	0.0v	373.26v
131	Mrs MM Norman	X	73.8v	73.6v	49.4v	48.3v	45.1v	44.2v	0.0v	0.0v	0.0v	41.1v	0.0v	373.25v
132	Mr R Nelson	O	68.5v	73.12v	49.5v	45.2v	48.3v	50.5v	0.0v	0.0v	0.0v	39.5v	0.0v	372.37v
133	Mr GK Alexander	X	71.6v	67.5v	47.5v	49.5v	49.4v	48.7v	0.0v	0.0v	0.0v	41.2v	0.0v	372.34v
134	Mr DA Richardson	A	73.10v	71.6v	50.6v	45.6v	44.2v	48.2v	0.0v	0.0v	0.0v	41.1v	0.0v	372.33v
135	Mr JA Watson	X	71.7v	69.6v	47.6v	45.2v	50.7v	46.4v	0.0v	0.0v	0.0v	44.0v	0.0v	372.32v
136	Mr PG Cann	X	68.6v	73.8v	47.6v	49.3v	43.1v	49.6v	0.0v	0.0v	0.0v	43.2v	0.0v	372.32v
137	Mr JCT Kent	X	74.5v	69.5v	47.4v	47.4v	46.4v	48.7v	0.0v	0.0v	0.0v	41.3v	0.0v	372.32v
138	Mr SNS Penrose	X	68.5v	72.8v	46.5v	46.2v	47.3v	50.5v	0.0v	0.0v	0.0v	43.3v	0.0v	372.31v
139	Mr C Mallett	X	70.5v	70.4v	48.5v	43.2v	46.6v	50.5v	0.0v	0.0v	0.0v	45.3v	0.0v	372.30v
140	Mr DC Crispin	A	69.3v	75.10v	46.5v	48.2v	49.4v	49.5v	0.0v	0.0v	0.0v	36.1v	0.0v	372.30v
141	Mr S Robinson	O	72.6v	73.8v	45.2v	47.2v	47.6v	43.4v	0.0v	0.0v	0.0v	45.1v	0.0v	372.29v
142	Mr SJ Cane	X	69.4v	72.7v	46.3v	48.4v	48.5v	46.5v	0.0v	0.0v	0.0v	43.1v	0.0v	372.29v
143	Mr CM Brooks	A	72.8v	71.3v	47.3v	44.3v	49.6v	49.6v	0.0v	0.0v	0.0v	40.0v	0.0v	372.29v
144	Mr J Payne	A	74.7v	72.6v	47.4v	45.2v	49.5v	48.4v	0.0v	0.0v	0.0v	37.1v	0.0v	372.29v
145	Flt Lt CJ Morton	X	73.8v	73.9v	47.3v	40.1v	48.0v	47.4v	0.0v	0.0v	0.0v	44.3v	0.0v	372.28v
146	Mr AJCB de Launay	O	73.6v	73.6v	44.4v	45.2v	47.4v	48.3v	0.0v	0.0v	0.0v	42.2v	0.0v	372.27v
147	Miss JE Ouston	O	74.6v	72.5v	45.1v	43.2v	47.5v	49.6v	0.0v	0.0v	0.0v	42.2v	0.0v	372.27v
148	Mrs LJ Brister	A	70.3v	71.4v	47.3v	47.6v	45.1v	47.3v	0.0v	0.0v	0.0v	45.4v	0.0v	372.24v

149	Mr DG Young	X	71.4v	73.5v	48.4v	48.4v	46.2v	46.4v	0.0v	0.0v	0.0v	40.1v	0.0v	372.24v
150	Miss SV Kent	X	71.4v	71.9v	46.0v	45.1v	48.4v	47.2v	0.0v	0.0v	0.0v	44.2v	0.0v	372.22v
151	Mr JPL Sweet	X	72.6v	74.5v	47.3v	45.0v	46.2v	47.4v	0.0v	0.0v	0.0v	41.2v	0.0v	372.22v
152	Mr J Bullock	X	70.8v	73.8v	47.5v	46.4v	45.4v	47.4v	0.0v	0.0v	0.0v	43.4v	0.0v	371.37v
153	Mr DJF Rees	X	71.6v	74.12v	47.5v	47.5v	48.6v	46.3v	0.0v	0.0v	0.0v	38.0v	0.0v	371.37v
154	Flt Lt IW Robertson	A	73.6v	73.8v	46.5v	47.4v	46.5v	44.6v	0.0v	0.0v	0.0v	42.1v	0.0v	371.35v
155	Flt Lt NP Moxon	X	68.7v	72.5v	46.5v	44.5v	49.4v	48.6v	0.0v	0.0v	0.0v	44.0v	0.0v	371.32v
156	Mr AJ Nowacki	A	73.8v	73.6v	43.2v	47.3v	46.6v	46.4v	0.0v	0.0v	0.0v	43.3v	0.0v	371.32v
157	Mr WDH Burden	A	74.9v	69.4v	49.6v	47.5v	48.4v	47.4v	0.0v	0.0v	0.0v	37.0v	0.0v	371.32v
158	Mr TR Webster	A	69.7v	71.9v	43.1v	45.5v	49.2v	48.5v	0.0v	0.0v	0.0v	46.2v	0.0v	371.31v
159	Mr DJ Archer	O	74.9v	69.6v	45.3v	44.3v	49.5v	45.2v	0.0v	0.0v	0.0v	45.3v	0.0v	371.31v
160	Mr ANR Walker	X	70.6v	71.7v	48.7v	44.2v	47.3v	47.1v	0.0v	0.0v	0.0v	44.5v	0.0v	371.31v
161	Mr B Jones	A	69.5v	74.10v	47.2v	48.6v	46.3v	46.4v	0.0v	0.0v	0.0v	41.1v	0.0v	371.31v
162	Miss SP Ward	T	70.5v	72.8v	48.4v	44.3v	47.4v	46.3v	0.0v	0.0v	0.0v	44.3v	0.0v	371.30v
163	Mr JP Barry	A	70.4v	74.11v	48.6v	43.1v	46.1v	46.5v	0.0v	0.0v	0.0v	44.2v	0.0v	371.30v
164	Mr MG Whicher	A	71.6v	70.4v	47.3v	48.4v	47.6v	47.4v	0.0v	0.0v	0.0v	41.2v	0.0v	371.29v
165	Dr C Johnson	A	71.7v	75.8v	47.2v	46.3v	46.4v	46.3v	0.0v	0.0v	0.0v	40.2v	0.0v	371.29v
166	Mr DGF Evans	O	71.4v	70.4v	47.5v	49.7v	49.5v	46.4v	0.0v	0.0v	0.0v	39.0v	0.0v	371.29v
167	TP Wharram	A	72.2v	68.7v	49.7v	47.5v	46.4v	48.2v	0.0v	0.0v	0.0v	41.1v	0.0v	371.28v
168	Mr NCM Fyfe	O	71.7v	74.4v	46.3v	42.3v	47.4v	47.4v	0.0v	0.0v	0.0v	44.2v	0.0v	371.27v
169	Mr RE Ellis	A	71.6v	71.5v	46.4v	49.3v	45.3v	47.5v	0.0v	0.0v	0.0v	42.1v	0.0v	371.27v
170	Mr N Cole-Hawkins	A	71.3v	72.8v	49.3v	49.5v	48.3v	44.3v	0.0v	0.0v	0.0v	38.0v	0.0v	371.25v
171	Mr RAV Hebblethwaite	X	69.3v	72.6v	48.3v	44.2v	50.5v	46.3v	0.0v	0.0v	0.0v	42.2v	0.0v	371.24v
172	Mr T Drysdale	O	72.4v	73.6v	48.4v	45.4v	45.3v	47.1v	0.0v	0.0v	0.0v	41.1v	0.0v	371.23v
173	Maj P Mathenge	X	69.2v	70.5v	45.2v	45.4v	47.3v	48.4v	0.0v	0.0v	0.0v	47.2v	0.0v	371.22v
174	Mr ISL Dampney	O	67.3v	71.2v	47.1v	44.2v	50.6v	47.2v	0.0v	0.0v	0.0v	45.4v	0.0v	371.20v
175	Mr JMF Ford	O	68.5v	72.5v	49.2v	47.2v	49.3v	45.1v	0.0v	0.0v	0.0v	41.1v	0.0v	371.19v
176	Mr MW Silver	X	72.10v	74.9v	43.3v	45.3v	49.5v	46.6v	0.0v	0.0v	0.0v	41.3v	0.0v	370.39v
177	Mr ER Welford	A	72.8v	71.9v	49.4v	41.5v	45.3v	47.5v	0.0v	0.0v	0.0v	45.2v	0.0v	370.36v
178	Mr GC Childs	X	71.5v	67.5v	46.4v	46.4v	48.5v	49.6v	0.0v	0.0v	0.0v	43.3v	0.0v	370.32v
179	Mr CD Heales	A	71.8v	73.8v	43.3v	47.3v	48.4v	46.3v	0.0v	0.0v	0.0v	42.3v	0.0v	370.32v
180	A Godliman	T	69.6v	71.9v	46.2v	47.3v	46.5v	47.2v	0.0v	0.0v	0.0v	44.3v	0.0v	370.30v
181	Mr F Bilton	O	71.5v	68.3v	48.6v	49.4v	45.4v	45.4v	0.0v	0.0v	0.0v	44.3v	0.0v	370.29v
182	Mr D Davies	A	74.9v	71.5v	45.3v	46.3v	48.3v	46.4v	0.0v	0.0v	0.0v	40.2v	0.0v	370.29v
183	Mr SG Rose	T	71.3v	70.6v	44.4v	44.3v	48.4v	48.5v	0.0v	0.0v	0.0v	45.3v	0.0v	370.28v
184	Mr J Corbett	X	72.6v	72.6v	46.2v	41.0v	49.6v	45.5v	0.0v	0.0v	0.0v	45.3v	0.0v	370.28v
185	Mr JPS Bloomfield	O	69.8v	70.5v	49.1v	46.2v	48.3v	47.6v	0.0v	0.0v	0.0v	41.3v	0.0v	370.28v
186	Mr P De Voil	O	66.5v	70.5v	47.3v	49.4v	50.5v	47.4v	0.0v	0.0v	0.0v	41.2v	0.0v	370.28v
187	Mr SR Osmont	X	72.6v	72.6v	44.1v	48.5v	49.6v	44.2v	0.0v	0.0v	0.0v	41.2v	0.0v	370.28v
188	Cdt SHJ Harley	O	69.5v	71.5v	47.5v	50.4v	45.3v	48.6v	0.0v	0.0v	0.0v	40.0v	0.0v	370.28v
189	Mr RL Eayrs	O	71.4v	71.6v	45.2v	47.4v	47.3v	44.4v	0.0v	0.0v	0.0v	45.4v	0.0v	370.27v
190	Mr PD Griggs	A	73.6v	67.2v	48.4v	42.2v	48.5v	49.6v	0.0v	0.0v	0.0v	43.2v	0.0v	370.27v
191	Prof AR Horrocks	X	69.6v	69.3v	49.6v	47.3v	50.6v	47.2v	0.0v	0.0v	0.0v	39.1v	0.0v	370.27v
192	Mr GH Porter	A	68.3v	72.6v	48.7v	50.4v	47.3v	47.3v	0.0v	0.0v	0.0v	38.1v	0.0v	370.27v
193	Mr T Steele	A	69.5v	69.4v	49.6v	48.3v	49.3v	41.2v	0.0v	0.0v	0.0v	45.3v	0.0v	370.26v
194	Mr AGH Van Koetsveld	X	70.4v	73.8v	49.3v	48.1v	46.5v	45.2v	0.0v	0.0v	0.0v	39.2v	0.0v	370.25v
195	Mr JE McGuire	T	72.6v	71.6v	48.2v	43.4v	46.2v	45.4v	0.0v	0.0v	0.0v	45.0v	0.0v	370.24v
196	Mr AM Bullen	A	70.7v	73.4v	45.4v	45.2v	48.2v	47.2v	0.0v	0.0v	0.0v	42.3v	0.0v	370.24v
197	Mr H Sanders	A	72.7v	70.4v	47.3v	46.2v	45.1v	48.5v	0.0v	0.0v	0.0v	42.2v	0.0v	370.24v
198	Mr V Robertshaw	O	66.2v	74.4v	48.5v	47.4v	49.5v	45.3v	0.0v	0.0v	0.0v	41.1v	0.0v	370.24v
199	Mr WA Langley	X	70.5v	74.6v	47.4v	46.2v	49.4v	47.3v	0.0v	0.0v	0.0v	37.0v	0.0v	370.24v
200	Miss EJ Nuttall	X	68.6v	74.12v	47.4v	40.2v	48.6v	48.7v	0.0v	0.0v	0.0v	44.3v	0.0v	369.40v
201	Mr RG Scott	O	70.6v	71.6v	46.4v	45.4v	50.8v	45.4v	0.0v	0.0v	0.0v	42.1v	0.0v	369.33v
202	Mr CA White	A	70.5v	69.5v	48.5v	47.4v	47.6v	47.7v	0.0v	0.0v	0.0v	41.0v	0.0v	369.32v
203	Mr PB Cutts	T	73.9v	71.8v	46.3v	41.1v	49.5v	47.4v	0.0v	0.0v	0.0v	42.1v	0.0v	369.31v
204	Mr CMS Dawes	O	69.4v	71.8v	44.2v	43.3v	48.5v	49.7v	0.0v	0.0v	0.0v	45.1v	0.0v	369.30v
205	Mr PS Gray	A	71.4v	70.8v	47.3v	42.3v	47.9v	47.2v	0.0v	0.0v	0.0v	45.1v	0.0v	369.30v
206	Mr GAE Lacombe	O	67.3v	73.9v	47.3v	44.5v	47.4v	47.5v	0.0v	0.0v	0.0v	44.1v	0.0v	369.30v
207	Mr NT Davies	O	70.4v	70.5v	46.4v	49.8v	48.3v	42.3v	0.0v	0.0v	0.0v	44.2v	0.0v	369.29v
208	Mr A Chown	A	69.5v	70.7v	47.3v	49.3v	48.3v	48.5v	0.0v	0.0v	0.0v	38.3v	0.0v	369.29v
209	Mr RL Mundy	O	69.6v	71.4v	46.4v	44.3v	47.6v	47.3v	0.0v	0.0v	0.0v	45.2v	0.0v	369.28v
210	Mr AD Hunter	X	72.9v	74.8v	48.3v	43.3v	47.3v	45.0v	0.0v	0.0v	0.0v	40.2v	0.0v	369.28v
211	Mr S Glen	X	71.9v	70.4v	44.3v	45.3v	48.5v	46.2v	0.0v	0.0v	0.0v	45.1v	0.0v	369.27v
212	Mr MP Watkins	O	71.5v	71.3v	47.4v	48.5v	41.1v	47.5v	0.0v	0.0v	0.0v	44.4v	0.0v	369.27v
213	Mr JR Stirling	O	74.8v	73.8v	46.1v	43.2v	49.5v	44.1v	0.0v	0.0v	0.0v	40.2v	0.0v	369.27v
214	Mr RL Sampson	T	72.5v	73.6v	46.1v	44.1v	45.4v	45.4v	0.0v	0.0v	0.0v	44.4v	0.0v	369.25v
215	Mr JDI Hossack	A	71.6v	73.5v	44.0v	46.2v	50.5v	46.4v	0.0v	0.0v	0.0v	39.3v	0.0v	369.25v
216	Dr GP Nelson	O	72.4v	71.6v	46.5v	47.1v	46.2v	46.4v	0.0v	0.0v	0.0v	41.2v	0.0v	369.24v
217	Mr DJ Stewart	O	68.4v	72.5v	47.3v	46.3v	45.2v	46.5v	0.0v	0.0v	0.0v	45.1v	0.0v	369.23v
218	Mr JA Lindsay	T	69.4v	74.6v	45.1v	47.5v	44.1v	47.2v	0.0v	0.0v	0.0v	43.4v	0.0v	369.23v
219	Mr BMA Stevens	A	73.7v	72.4v	48.4v	45.3v	47.2v	47.2v	0.0v	0.0v	0.0v	37.1v	0.0v	369.23v
220	Mr MJ Ensor	A	69.4v	73.6v	43.0v	43.1v	50.3v	47.3v	0.0v	0.0v	0.0v	44.0v	0.0v	369.17v
221	Mr BA Young	A	71.6v	74.10v	47.6v	38.2v	47.2v	47.4v	0.0v	0.0v	0.0v	44.3v	0.0v	368.33v
222	Mr GW Clarke	A	68.6v	72.5v	47.5v	49.6v	47.5v	48.5v	0.0v	0.0v	0.0v	37.1v	0.0v	368.33v
223	Mr G Trembath	A	71.6v	72.8v	45.4v	45.2v	45.2v	47.5v	0.0v	0.0v	0.0v	43.2v	0.0v	368.29v
224	Mr MJ Wood	A	71.7v	70.4v	45.4v	46.5v	48.5v	45.2v	0.0v	0.0v	0.0v	43.1v	0.0v	368.28v
225	Miss DS Hume	A	70.4v	70.4v	46.2v	47.6v	46.4v	49.5v	0.0v	0.0v	0.0v	40.3v	0.0v	368.28v
226	Mr SH Cox	O	70.4v	72.7v	43.3v	47.4v	46.3v	48.5v	0.0v	0.0v	0.0v	42.1v	0.0v	368.27v
227	Mr WHC Alexander	A	71.3v	71.6v	47.4v	46.2v	49.4v	45.4v	0.0v	0.0v	0.0v	39.3v	0.0v	368.26v
228	Mr T Lilley	O	72.7v	73.5v	45.3v	46.4v	45.3v	48.3v	0.0v	0.0v	0.0v	39.1v	0.0v	368.26v
229	Wg Cdr CJ Hockley	A	72.5v	71.4v	47.5v	44.3v	47.3v	48.5v	0.0v	0.0v	0.0v	39.1v	0.0v	368.26v
230	Mr MR Ball	X	69.3v	69.4v	47.1v	46.4v	49.6v	44.4v	0.0v	0.0v	0.0v	44.3v	0.0v	368.25v
231	Miss CE Huxter	O	73.4v	71.6v	45.3v	46.4v	47.5v	45.2v	0.0v	0.0v	0.0v	41.1v	0.0v	368.25v

232	Mr SE Frost	X	70.7v	71.4v	46.4v	45.3v	48.3v	45.1v	0.0v	0.0v	0.0v	43.2v	0.0v	368.24v
233	Sqn Ldr SC Williamson	X	71.2v	71.7v	45.5v	43.1v	46.3v	49.4v	0.0v	0.0v	0.0v	43.2v	0.0v	368.24v
234	Cdt D Trochimchuk	T	71.7v	72.5v	45.2v	44.1v	48.2v	48.5v	0.0v	0.0v	0.0v	40.1v	0.0v	368.23v
235	Cpl PM Lanigan	O	70.5v	72.4v	42.2v	44.1v	46.3v	48.4v	0.0v	0.0v	0.0v	46.3v	0.0v	368.22v
236	Mr DJ Painting	A	70.3v	71.6v	48.2v	47.3v	46.1v	43.3v	0.0v	0.0v	0.0v	43.1v	0.0v	368.19v
237	Mr JR Purdy	X	69.1v	72.2v	45.2v	49.2v	44.4v	46.2v	0.0v	0.0v	0.0v	43.2v	0.0v	368.15v
238	Mr CJ Watson	X	70.5v	73.12v	38.1v	48.6v	48.5v	50.5v	0.0v	0.0v	0.0v	40.2v	0.0v	367.36v
239	Mr S Pearson	A	70.8v	73.8v	49.5v	48.4v	46.5v	43.5v	0.0v	0.0v	0.0v	38.0v	0.0v	367.35v
240	Mr RA Benest	X	73.7v	73.6v	45.4v	43.4v	46.3v	46.4v	0.0v	0.0v	0.0v	41.3v	0.0v	367.31v
241	Mr KM Willingale	O	69.5v	69.3v	45.3v	47.4v	50.8v	46.4v	0.0v	0.0v	0.0v	41.3v	0.0v	367.30v
242	Mr JAM Paton	X	70.6v	72.8v	48.6v	45.1v	47.3v	45.4v	0.0v	0.0v	0.0v	40.1v	0.0v	367.29v
243	Mr SJ Pym	O	72.7v	71.5v	46.3v	46.4v	47.3v	48.5v	0.0v	0.0v	0.0v	37.2v	0.0v	367.29v
244	Mr DCW Lloyd	X	72.8v	67.5v	46.6v	46.2v	46.3v	45.2v	0.0v	0.0v	0.0v	45.2v	0.0v	367.28v
245	Mr RJS Curtis	X	74.6v	75.9v	44.3v	43.3v	45.1v	48.5v	0.0v	0.0v	0.0v	38.1v	0.0v	367.28v
246	Mr RJF Dawson	O	69.4v	73.9v	49.4v	47.4v	47.2v	46.3v	0.0v	0.0v	0.0v	36.2v	0.0v	367.28v
247	Mr AR Langley	X	72.5v	71.8v	48.5v	44.2v	44.2v	47.4v	0.0v	0.0v	0.0v	41.1v	0.0v	367.27v
248	Dr JR Deane	A	72.9v	71.7v	46.3v	41.0v	48.4v	46.2v	0.0v	0.0v	0.0v	43.1v	0.0v	367.26v
249	Ms LA Johnson	O	71.4v	71.6v	43.3v	45.5v	49.4v	48.2v	0.0v	0.0v	0.0v	40.2v	0.0v	367.26v
250	Mr TA Chapman	A	69.4v	71.8v	48.3v	43.2v	47.6v	45.0v	0.0v	0.0v	0.0v	44.1v	0.0v	367.24v
251	Mr DAF Parkinson	O	70.7v	73.5v	47.2v	43.1v	47.4v	46.4v	0.0v	0.0v	0.0v	41.1v	0.0v	367.24v
252	Mr MCJ Button	A	72.7v	71.4v	45.2v	45.3v	48.5v	47.1v	0.0v	0.0v	0.0v	39.2v	0.0v	367.24v
253	Flt Lt BN Roth	X	68.5v	70.5v	46.1v	46.4v	50.4v	48.4v	0.0v	0.0v	0.0v	39.1v	0.0v	367.24v
254	Mr HL Hunter	O	70.4v	73.8v	47.2v	44.4v	48.3v	41.0v	0.0v	0.0v	0.0v	44.2v	0.0v	367.23v
255	Mr RG Best	X	71.3v	68.7v	46.2v	46.3v	45.4v	48.2v	0.0v	0.0v	0.0v	43.2v	0.0v	367.23v
256	Capt MG Reid	A	71.6v	72.4v	45.1v	43.2v	48.5v	46.5v	0.0v	0.0v	0.0v	42.0v	0.0v	367.23v
257	Mr CP Weeden	X	71.3v	72.7v	47.5v	47.4v	44.2v	48.2v	0.0v	0.0v	0.0v	38.0v	0.0v	367.23v
258	Mr PJ Dudzinski	X	71.4v	74.5v	45.3v	38.1v	49.3v	43.2v	0.0v	0.0v	0.0v	47.4v	0.0v	367.22v
259	Mr MK Townsend	O	71.8v	68.4v	45.1v	48.2v	44.3v	48.2v	0.0v	0.0v	0.0v	43.2v	0.0v	367.22v
260	Mr MJ Brister	A	71.6v	71.5v	47.1v	43.2v	48.2v	45.3v	0.0v	0.0v	0.0v	42.1v	0.0v	367.20v
261	Mr SJ Pattinson	O	67.2v	70.3v	44.3v	48.4v	45.3v	48.2v	0.0v	0.0v	0.0v	45.2v	0.0v	367.19v
262	Mr RBC Baker	A	68.4v	72.5v	47.2v	46.2v	43.0v	49.4v	0.0v	0.0v	0.0v	42.2v	0.0v	367.19v
263	Mr SJ East	X	71.7v	71.6v	49.7v	42.1v	44.2v	48.6v	0.0v	0.0v	0.0v	41.4v	0.0v	366.33v
264	Miss TJ Fitzsimons	A	70.8v	72.7v	42.2v	42.2v	49.5v	50.8v	0.0v	0.0v	0.0v	41.1v	0.0v	366.33v
265	Mr A Katona	X	72.6v	72.9v	45.0v	46.5v	47.5v	45.3v	0.0v	0.0v	0.0v	39.5v	0.0v	366.33v
266	Cdt Cpl ER Johnson	O	70.3v	71.7v	48.6v	48.4v	47.4v	46.4v	0.0v	0.0v	0.0v	36.2v	0.0v	366.30v
267	Wg Cdr RJS Clark	A	69.6v	72.7v	47.4v	41.3v	48.4v	45.2v	0.0v	0.0v	0.0v	44.3v	0.0v	366.29v
268	Mr SJ Whitby	O	72.9v	69.4v	44.3v	46.3v	46.3v	47.4v	0.0v	0.0v	0.0v	42.3v	0.0v	366.29v
269	Mr SJ Bissonnette	X	73.9v	72.9v	46.3v	42.3v	48.3v	43.1v	0.0v	0.0v	0.0v	42.1v	0.0v	366.29v
270	Mr HN Watson	O	71.4v	73.7v	44.4v	46.3v	48.6v	45.3v	0.0v	0.0v	0.0v	39.1v	0.0v	366.28v
271	Mr AS Fraser	O	71.4v	72.6v	46.3v	41.4v	46.3v	47.4v	0.0v	0.0v	0.0v	43.3v	0.0v	366.27v
272	Mr AD Mcdougall	O	72.8v	68.6v	50.4v	46.2v	47.1v	42.3v	0.0v	0.0v	0.0v	41.2v	0.0v	366.26v
273	Mr B Taylor	X	65.7v	71.5v	46.2v	47.4v	49.3v	49.2v	0.0v	0.0v	0.0v	39.2v	0.0v	366.25v
274	Miss NJS Sarafilovic	A	70.5v	71.4v	42.3v	46.4v	46.3v	45.3v	0.0v	0.0v	0.0v	46.2v	0.0v	366.24v
275	Mr EJ McConnell	T	72.9v	71.6v	43.1v	41.3v	49.4v	48.1v	0.0v	0.0v	0.0v	42.0v	0.0v	366.24v
276	Mr JA Haward	A	72.6v	72.5v	47.2v	47.2v	48.7v	39.1v	0.0v	0.0v	0.0v	41.1v	0.0v	366.24v
277	Mr SM Friling	X	72.7v	71.6v	49.4v	42.1v	47.2v	44.4v	0.0v	0.0v	0.0v	41.0v	0.0v	366.24v
278	Mr AS Errey	A	72.4v	70.4v	47.5v	42.2v	49.3v	42.2v	0.0v	0.0v	0.0v	44.3v	0.0v	366.23v
279	Mr ME Barr	O	72.5v	70.6v	46.1v	50.4v	43.2v	43.2v	0.0v	0.0v	0.0v	42.3v	0.0v	366.23v
280	Mr PCW Rose	O	68.4v	70.7v	48.2v	43.2v	47.3v	48.4v	0.0v	0.0v	0.0v	42.1v	0.0v	366.23v
281	Mr PD Dorrer	X	69.1v	70.4v	46.3v	49.6v	46.3v	46.3v	0.0v	0.0v	0.0v	40.3v	0.0v	366.23v
282	Mr KJ Aldridge	O	70.4v	70.4v	45.1v	48.3v	49.4v	44.4v	0.0v	0.0v	0.0v	40.2v	0.0v	366.22v
283	Mr PBM Smith	X	74.4v	71.4v	39.1v	48.6v	48.4v	48.3v	0.0v	0.0v	0.0v	38.0v	0.0v	366.22v
284	Mr J Howard Davies	O	71.7v	72.9v	46.6v	40.3v	44.6v	46.1v	0.0v	0.0v	0.0v	46.3v	0.0v	365.35v
285	Mr RC Oxford	O	69.7v	71.5v	43.2v	46.4v	48.8v	46.4v	0.0v	0.0v	0.0v	42.3v	0.0v	365.33v
286	Mr MJM Black	A	71.8v	70.6v	47.4v	42.4v	49.7v	48.3v	0.0v	0.0v	0.0v	38.0v	0.0v	365.32v
287	Mr AWJ Logan	T	68.3v	72.8v	46.3v	46.6v	47.5v	47.4v	0.0v	0.0v	0.0v	39.2v	0.0v	365.31v
288	Mr CA Brook	X	70.4v	73.8v	44.5v	44.4v	47.4v	48.5v	0.0v	0.0v	0.0v	39.1v	0.0v	365.31v
289	Mr IRM Brown	O	71.6v	71.7v	44.2v	43.7v	47.6v	47.2v	0.0v	0.0v	0.0v	42.0v	0.0v	365.30v
290	Mr WR Steward	O	73.6v	73.7v	47.5v	42.4v	47.3v	45.3v	0.0v	0.0v	0.0v	38.2v	0.0v	365.30v
291	Mr AG McLean	X	68.5v	69.5v	47.4v	47.5v	46.6v	46.3v	0.0v	0.0v	0.0v	42.1v	0.0v	365.29v
292	Mr JRO Boyd	O	69.6v	68.4v	47.3v	46.4v	48.5v	47.5v	0.0v	0.0v	0.0v	40.2v	0.0v	365.29v
293	Mr D Adams	X	68.5v	73.4v	48.6v	46.3v	48.7v	45.3v	0.0v	0.0v	0.0v	37.0v	0.0v	365.28v
294	Mr JF Lawrie	A	70.6v	74.7v	46.3v	42.2v	45.3v	45.4v	0.0v	0.0v	0.0v	43.2v	0.0v	365.27v
295	Mr RF Barrington	O	70.2v	72.9v	45.2v	44.5v	47.6v	45.1v	0.0v	0.0v	0.0v	42.2v	0.0v	365.27v
296	Mr BFC Roberts	O	69.3v	71.7v	46.4v	47.2v	47.4v	47.2v	0.0v	0.0v	0.0v	38.4v	0.0v	365.26v
297	Mr SL Larter-Whitcher	O	68.5v	71.6v	43.2v	43.1v	48.5v	46.3v	0.0v	0.0v	0.0v	46.3v	0.0v	365.25v
298	Cdt P Messiaen	T	72.8v	71.6v	46.1v	44.2v	46.4v	46.3v	0.0v	0.0v	0.0v	40.0v	0.0v	365.24v
299	Mr RE Hind	X	69.4v	71.4v	44.3v	44.2v	47.3v	48.5v	0.0v	0.0v	0.0v	42.2v	0.0v	365.23v
300	Dr IT Matsumoto	O	71.3v	69.8v	45.3v	46.1v	48.4v	46.4v	0.0v	0.0v	0.0v	40.0v	0.0v	365.23v
301	Mr RJW Smeltzer	X	69.8v	70.3v	45.3v	47.3v	50.3v	42.0v	0.0v	0.0v	0.0v	42.2v	0.0v	365.22v
302	Mr MH Shaw	X	71.7v	73.3v	40.0v	46.1v	48.6v	45.3v	0.0v	0.0v	0.0v	42.1v	0.0v	365.21v
303	Mr DJ Gass	X	69.7v	73.4v	48.2v	40.0v	49.5v	47.3v	0.0v	0.0v	0.0v	39.0v	0.0v	365.21v
304	Mr MR Cosway	A	72.10v	71.4v	47.0v	45.2v	48.3v	47.2v	0.0v	0.0v	0.0v	35.0v	0.0v	365.21v
305	Mr T Horrocks	O	68.3v	68.6v	47.3v	46.1v	45.2v	45.2v	0.0v	0.0v	0.0v	46.3v	0.0v	365.20v
306	Mr GR Capell	O	68.2v	73.6v	42.1v	47.2v	45.2v	48.3v	0.0v	0.0v	0.0v	42.1v	0.0v	365.17v
307	Mr D Blake	A	67.3v	75.9v	49.6v	48.4v	48.7v	47.3v	0.0v	0.0v	0.0v	30.1v	0.0v	364.33v
308	Mr R de V Chase	X	71.9v	69.6v	46.1v	40.2v	47.5v	47.4v	0.0v	0.0v	0.0v	44.2v	0.0v	364.29v
309	Miss IRJ Stevenson	O	69.6v	72.9v	46.3v	45.3v	46.3v	47.5v	0.0v	0.0v	0.0v	39.0v	0.0v	364.29v
310	Mr DA de Vere	O	70.8v	73.7v	43.2v	43.1v	46.5v	47.4v	0.0v	0.0v	0.0v	42.1v	0.0v	364.28v
311	Mr PRC Stevens	O	67.4v	72.5v	44.2v	47.3v	46.4v	46.6v	0.0v	0.0v	0.0v	42.3v	0.0v	364.27v
312	Mr WA Wright	X	69.7v	71.7v	45.2v	44.2v	47.2v	47.5v	0.0v	0.0v	0.0v	41.1v	0.0v	364.26v
313	Miss SG Adamson	O	71.5v	71.6v	40.2v	46.3v	48.6v	48.4v	0.0v	0.0v	0.0v	40.0v	0.0v	364.26v
314	Mr M Roberts	O	72.5v	73.6v	46.3v	41.1v	47.5v	46.4v	0.0v	0.0v	0.0v	39.2v	0.0v	364.26v

315	Mr RA Welford	A	71.7v	73.7v	45.3v	43.2v	46.2v	47.5v	0.0v	0.0v	0.0v	39.0v	0.0v	364.26v
316	Mrs A Tracey	A	73.7v	68.5v	45.2v	45.2v	50.5v	45.3v	0.0v	0.0v	0.0v	38.1v	0.0v	364.25v
317	Mr PA Lucey	A	72.6v	71.6v	45.5v	48.4v	48.3v	44.1v	0.0v	0.0v	0.0v	36.0v	0.0v	364.25v
318	Mr R Winney	O	68.4v	71.8v	45.2v	44.3v	48.2v	47.3v	0.0v	0.0v	0.0v	41.2v	0.0v	364.24v
319	Mr RA Dix	A	72.9v	70.5v	46.2v	44.0v	46.2v	42.0v	0.0v	0.0v	0.0v	44.4v	0.0v	364.22v
320	Mr C Leyden	T	67.1v	69.4v	44.3v	46.4v	45.3v	48.3v	0.0v	0.0v	0.0v	45.3v	0.0v	364.21v
321	Mrs JG Adamson	O	67.2v	70.4v	42.1v	48.4v	48.5v	45.1v	0.0v	0.0v	0.0v	44.4v	0.0v	364.21v
322	Mr WP Hanley	O	69.2v	72.6v	43.0v	46.4v	44.3v	46.3v	0.0v	0.0v	0.0v	44.3v	0.0v	364.21v
323	Sgt G Kariuki	X	69.4v	74.6v	43.2v	45.2v	44.4v	46.3v	0.0v	0.0v	0.0v	43.0v	0.0v	364.21v
324	Mr P Ginstet	O	71.6v	72.3v	44.2v	42.2v	46.4v	47.3v	0.0v	0.0v	0.0v	42.1v	0.0v	364.21v
325	Dr BJ Winney	O	67.2v	70.6v	44.0v	46.3v	47.3v	47.2v	0.0v	0.0v	0.0v	43.2v	0.0v	364.18v
326	Mr MF Martel	X	69.2v	68.3v	47.3v	46.3v	45.2v	47.4v	0.0v	0.0v	0.0v	42.1v	0.0v	364.18v
327	Mr LD Winter	O	69.7v	68.7v	47.5v	48.5v	47.4v	45.3v	0.0v	0.0v	0.0v	39.2v	0.0v	363.33v
328	CDT PCA Slater	O	67.3v	75.9v	43.3v	46.4v	47.7v	47.3v	0.0v	0.0v	0.0v	38.1v	0.0v	363.30v
329	Dr JS Rennie	A	71.4v	72.5v	48.6v	39.2v	50.9v	40.0v	0.0v	0.0v	0.0v	43.3v	0.0v	363.29v
330	Mr AA Williams	O	68.6v	75.8v	47.2v	38.3v	48.7v	44.3v	0.0v	0.0v	0.0v	43.0v	0.0v	363.29v
331	Mr PR Coley	X	70.7v	74.8v	43.3v	41.1v	49.4v	46.4v	0.0v	0.0v	0.0v	40.2v	0.0v	363.29v
332	Mr CL Leighton	O	69.7v	70.5v	46.4v	47.4v	45.4v	44.2v	0.0v	0.0v	0.0v	42.2v	0.0v	363.28v
333	Mrs SG Sirett	X	70.4v	73.7v	45.2v	44.4v	46.1v	42.4v	0.0v	0.0v	0.0v	43.5v	0.0v	363.27v
334	Mr PRD Stock	X	68.4v	72.8v	46.4v	46.2v	48.7v	46.2v	0.0v	0.0v	0.0v	37.0v	0.0v	363.27v
335	Mr JF Jackman	O	71.3v	67.4v	46.2v	44.4v	48.6v	44.3v	0.0v	0.0v	0.0v	43.3v	0.0v	363.25v
336	Mr PJS Smith	O	67.5v	71.5v	44.3v	43.2v	48.2v	45.3v	0.0v	0.0v	0.0v	45.3v	0.0v	363.23v
337	Mr DL Wiles	A	69.4v	73.6v	45.3v	43.3v	44.2v	48.2v	0.0v	0.0v	0.0v	41.3v	0.0v	363.23v
338	Mr PJS Bysshe	A	70.6v	73.8v	42.1v	47.2v	46.3v	44.2v	0.0v	0.0v	0.0v	41.1v	0.0v	363.23v
339	Mr RF Burden	O	72.4v	65.3v	46.3v	44.2v	47.5v	47.3v	0.0v	0.0v	0.0v	42.2v	0.0v	363.22v
340	Mr SCW Dixon	O	68.5v	66.3v	45.4v	48.3v	48.3v	47.3v	0.0v	0.0v	0.0v	41.1v	0.0v	363.22v
341	Cdt CJF Rivett-Carnac	O	71.3v	75.7v	46.3v	43.4v	46.3v	43.1v	0.0v	0.0v	0.0v	39.1v	0.0v	363.22v
342	Mr GDW Weir	T	71.4v	70.7v	47.2v	40.4v	43.2v	48.2v	0.0v	0.0v	0.0v	44.0v	0.0v	363.21v
343	Mr EBD Reis	A	70.7v	70.4v	48.5v	39.2v	48.2v	45.1v	0.0v	0.0v	0.0v	43.0v	0.0v	363.21v
344	Mr C Mitchell	T	69.5v	70.6v	47.2v	45.2v	47.3v	46.2v	0.0v	0.0v	0.0v	39.1v	0.0v	363.21v
345	Mr JWE Lothian	A	68.2v	69.2v	48.5v	44.5v	48.3v	47.3v	0.0v	0.0v	0.0v	39.1v	0.0v	363.21v
346	Dr AE Morris	O	68.3v	69.2v	44.5v	47.3v	46.2v	45.3v	0.0v	0.0v	0.0v	44.2v	0.0v	363.20v
347	Mr GT Heyes	T	67.3v	68.2v	46.4v	49.3v	46.1v	48.5v	0.0v	0.0v	0.0v	39.1v	0.0v	363.19v
348	Mr PG Oxnam	O	74.3v	70.7v	46.2v	46.2v	47.3v	46.1v	0.0v	0.0v	0.0v	34.0v	0.0v	363.18v
349	Mr AJ Horton	O	68.6v	71.9v	49.5v	47.6v	43.1v	48.6v	0.0v	0.0v	0.0v	36.1v	0.0v	363.34v
350	Mr AP Barnes	X	67.5v	75.8v	46.5v	36.3v	47.6v	47.4v	0.0v	0.0v	0.0v	44.1v	0.0v	363.32v
351	Mr RA Jobson	O	69.5v	72.6v	49.7v	44.3v	47.5v	44.3v	0.0v	0.0v	0.0v	37.0v	0.0v	363.29v
352	Mr RG Faulkner	A	69.3v	72.4v	45.4v	45.3v	46.5v	48.5v	0.0v	0.0v	0.0v	37.4v	0.0v	363.28v
353	Mr AC Haley	A	67.6v	68.8v	49.3v	45.3v	49.5v	47.3v	0.0v	0.0v	0.0v	37.0v	0.0v	363.28v
354	Mr MW Latimer	O	70.7v	71.8v	42.1v	43.2v	46.3v	48.4v	0.0v	0.0v	0.0v	42.2v	0.0v	363.27v
355	Mr MR Ebbetts	O	69.2v	70.6v	45.5v	38.1v	47.3v	49.5v	0.0v	0.0v	0.0v	44.3v	0.0v	363.25v
356	Mr N Healy	X	69.3v	69.5v	48.5v	40.1v	46.3v	48.4v	0.0v	0.0v	0.0v	42.4v	0.0v	363.25v
357	Mr JR Lindsay	O	72.9v	69.2v	47.3v	45.4v	44.1v	45.4v	0.0v	0.0v	0.0v	40.2v	0.0v	363.25v
358	Miss L Hearn	X	70.3v	68.5v	43.3v	48.6v	48.5v	45.3v	0.0v	0.0v	0.0v	40.0v	0.0v	363.25v
359	Mr P Dobell	X	69.4v	68.4v	45.5v	44.3v	49.1v	47.6v	0.0v	0.0v	0.0v	40.1v	0.0v	363.24v
360	Miss LV Rylands	T	70.5v	71.7v	44.4v	42.1v	48.4v	47.2v	0.0v	0.0v	0.0v	40.1v	0.0v	363.24v
361	Hon D Cooper	X	70.6v	72.5v	46.4v	42.1v	48.6v	45.2v	0.0v	0.0v	0.0v	39.0v	0.0v	363.24v
362	Mr RN Stebbings	O	70.6v	72.6v	47.3v	40.3v	49.3v	46.2v	0.0v	0.0v	0.0v	38.1v	0.0v	363.24v
363	Mr JM Taylor	A	70.5v	70.3v	44.4v	41.3v	47.4v	48.3v	0.0v	0.0v	0.0v	42.1v	0.0v	363.23v
364	Mr SP O'Brien	X	73.8v	72.5v	41.1v	45.1v	47.3v	45.4v	0.0v	0.0v	0.0v	39.1v	0.0v	363.23v
365	Mr AP Smith	A	69.3v	68.6v	46.4v	49.3v	45.3v	46.4v	0.0v	0.0v	0.0v	39.0v	0.0v	363.23v
366	Mr RM Roberts	X	68.5v	74.5v	49.4v	45.3v	43.1v	40.0v	0.0v	0.0v	0.0v	43.3v	0.0v	363.21v
367	Mr GR Atkinson	O	69.2v	72.6v	43.2v	43.2v	48.5v	47.3v	0.0v	0.0v	0.0v	40.1v	0.0v	363.21v
368	Mr NS Suffield-Jones	O	70.6v	72.4v	47.1v	42.2v	45.3v	46.4v	0.0v	0.0v	0.0v	40.1v	0.0v	363.21v
369	Mr KG Ellett	O	67.5v	72.6v	47.3v	42.1v	47.2v	47.4v	0.0v	0.0v	0.0v	40.0v	0.0v	363.21v
370	Mr AC Grant	O	73.3v	70.3v	46.4v	39.2v	46.2v	45.2v	0.0v	0.0v	0.0v	43.3v	0.0v	363.19v
371	Mr TJ Goodger	O	66.1v	73.6v	47.4v	43.1v	45.1v	46.2v	0.0v	0.0v	0.0v	42.3v	0.0v	363.18v
372	Mr DM Smith	O	73.7v	69.6v	47.4v	45.4v	48.4v	45.3v	0.0v	0.0v	0.0v	34.1v	0.0v	363.19v
373	Mr HA Day	X	70.7v	74.7v	41.2v	44.3v	46.3v	47.4v	0.0v	0.0v	0.0v	39.1v	0.0v	363.17v
374	Mr NW Penn	A	69.4v	73.7v	45.4v	44.4v	47.1v	47.6v	0.0v	0.0v	0.0v	36.0v	0.0v	363.16v
375	Capt JRW Postle	A	63.3v	72.8v	46.2v	42.1v	46.5v	46.4v	0.0v	0.0v	0.0v	46.2v	0.0v	363.15v
376	Mr ARN Kinross	A	67.5v	71.6v	46.3v	47.4v	46.2v	43.3v	0.0v	0.0v	0.0v	41.2v	0.0v	363.15v
377	Mr TP Hammond	A	70.6v	72.6v	42.3v	45.3v	46.1v	48.6v	0.0v	0.0v	0.0v	38.0v	0.0v	363.15v
378	Flt Lt KP Cressy	X	69.2v	70.4v	46.3v	45.3v	49.7v	45.2v	0.0v	0.0v	0.0v	37.3v	0.0v	363.14v
379	Mr RGM Newman	O	68.6v	71.2v	45.5v	45.3v	49.4v	47.3v	0.0v	0.0v	0.0v	36.1v	0.0v	363.14v
380	Major RJ Aitken	O	69.3v	74.9v	45.1v	45.4v	47.3v	46.3v	0.0v	0.0v	0.0v	35.1v	0.0v	363.14v
381	Mr BJ Page	X	70.5v	72.6v	46.3v	42.2v	46.3v	44.3v	0.0v	0.0v	0.0v	41.1v	0.0v	363.13v
382	Mr HRM Bailie	O	68.2v	70.4v	47.4v	42.3v	47.4v	47.4v	0.0v	0.0v	0.0v	40.1v	0.0v	363.12v
383	Mr C Cotillard	X	71.3v	69.7v	41.2v	46.2v	47.3v	50.4v	0.0v	0.0v	0.0v	37.1v	0.0v	363.12v
384	Mr T McIvor	O	68.6v	72.6v	43.2v	45.2v	45.2v	46.2v	0.0v	0.0v	0.0v	42.1v	0.0v	363.12v
385	Mr TL Bedwell	A	70.6v	68.2v	47.3v	41.0v	47.6v	47.3v	0.0v	0.0v	0.0v	41.1v	0.0v	363.12v
386	Miss KE Simpson	O	69.3v	71.4v	44.2v	44.1v	47.4v	43.4v	0.0v	0.0v	0.0v	43.0v	0.0v	363.18v
387	Mr GL Clarke	A	71.5v	69.1v	47.2v	44.2v	49.2v	41.3v	0.0v	0.0v	0.0v	40.3v	0.0v	363.18v
388	Sgt CD Atkins	T	70.5v	66.3v	43.2v	45.0v	45.3v	47.1v	0.0v	0.0v	0.0v	45.3v	0.0v	363.17v
389	Mrs JR Elcombe	O	71.9v	74.6v	42.2v	39.0v	47.6v	47.5v	0.0v	0.0v	0.0v	40.2v	0.0v	363.30v
390	Cdt SKC Hunter	O	68.3v	70.7v	48.5v	48.6v	47.4v	41.2v	0.0v	0.0v	0.0v	38.3v	0.0v	363.30v
391	Mr D Lowe	O	69.6v	71.5v	45.5v	45.3v	46.2v	46.6v	0.0v	0.0v	0.0v	38.3v	0.0v	363.30v
392	Dr AF Aspin	O	67.3v	72.7v	46.4v	47.4v	43.5v	43.5v	0.0v	0.0v	0.0v	42.1v	0.0v	363.29v
393	Miss GJF Ogden	A	70.5v	71.8v	43.2v	46.2v	47.3v	49.6v	0.0v	0.0v	0.0v	34.3v	0.0v	363.29v
394	Mr SD Spinney	X	66.3v	71.7v	46.2v	43.3v	46.3v	47.4v	0.0v	0.0v	0.0v	41.4v	0.0v	363.26v
395	Ms BM Moore	O	70.5v	72.9v	42.1v	45.2v	49.3v	46.5v	0.0v	0.0v	0.0v	36.1v	0.0v	363.26v
396	Mr JA Borland	O	74.6v	72.7v	47.3v	39.0v	48.3v	45.6v	0.0v	0.0v	0.0v	35.1v	0.0v	363.26v
397	Mr PS Rowell	O	66.5v	72.6v	47.5v	48.5v	44.0v	43.2v	0.0v	0.0v	0.0v	40.2v	0.0v	363.25v

398	Cdt N Berry	T	71.5v	69.7v	48.5v	44.1v	47.4v	44.1v	0.0v	0.0v	0.0v	37.2v	0.0v	360.25v
399	Mr I Cheeseman	O	70.7v	72.6v	46.2v	44.1v	45.4v	42.3v	0.0v	0.0v	0.0v	41.1v	0.0v	360.24v
400	Mr TEO Richards	O	72.6v	73.7v	45.2v	39.0v	44.1v	47.6v	0.0v	0.0v	0.0v	40.2v	0.0v	360.24v
401	Mr AG Peden	X	71.5v	72.7v	43.1v	42.2v	47.3v	46.5v	0.0v	0.0v	0.0v	39.1v	0.0v	360.24v
402	Mr JI Jobson	O	70.3v	67.4v	48.6v	49.4v	42.5v	45.2v	0.0v	0.0v	0.0v	39.0v	0.0v	360.24v
403	Dr N Hart	O	68.4v	69.5v	46.2v	45.5v	47.4v	47.4v	0.0v	0.0v	0.0v	38.0v	0.0v	360.24v
404	Mr DP Cole	O	70.5v	70.4v	48.3v	48.5v	47.2v	46.4v	0.0v	0.0v	0.0v	31.1v	0.0v	360.24v
405	Mr BR Ebbetts	O	66.3v	71.9v	49.2v	49.3v	43.2v	41.0v	0.0v	0.0v	0.0v	41.4v	0.0v	360.23v
406	Mr MG Grimsdell	O	71.7v	70.4v	40.1v	45.4v	46.4v	47.3v	0.0v	0.0v	0.0v	41.0v	0.0v	360.23v
407	Mr RJ Quay	A	67.1v	73.8v	46.3v	44.1v	47.4v	48.5v	0.0v	0.0v	0.0v	35.1v	0.0v	360.23v
408	Mr SH Dickson	O	71.4v	70.6v	46.4v	44.3v	43.1v	44.3v	0.0v	0.0v	0.0v	42.1v	0.0v	360.22v
409	Dr MJ Schwarz	A	70.4v	67.4v	45.1v	44.3v	48.6v	46.3v	0.0v	0.0v	0.0v	40.1v	0.0v	360.22v
410	Mr SA Ruddell	O	68.4v	71.4v	46.4v	48.4v	48.5v	44.1v	0.0v	0.0v	0.0v	35.0v	0.0v	360.22v
411	Mr RG Hilyard	O	72.3v	66.2v	48.4v	41.4v	46.4v	45.3v	0.0v	0.0v	0.0v	42.1v	0.0v	360.21v
412	Mr KB Hill	O	69.5v	72.7v	45.3v	45.2v	43.1v	48.1v	0.0v	0.0v	0.0v	38.2v	0.0v	360.21v
413	Mr CC Mallett Jnr	X	67.5v	71.9v	46.1v	38.0v	47.2v	47.1v	0.0v	0.0v	0.0v	44.2v	0.0v	360.20v
414	Cpl C Mandella	T	69.6v	68.3v	47.4v	45.1v	45.1v	44.2v	0.0v	0.0v	0.0v	42.2v	0.0v	360.19v
415	Mr JA Dallas	O	72.4v	69.3v	47.4v	40.0v	46.3v	46.3v	0.0v	0.0v	0.0v	40.2v	0.0v	360.19v
416	Mr MJG Neal	T	67.2v	70.6v	45.0v	43.2v	47.4v	44.1v	0.0v	0.0v	0.0v	44.2v	0.0v	360.17v
417	Miss D O'Kelly	T	73.7v	70.1v	46.1v	40.0v	46.2v	45.2v	0.0v	0.0v	0.0v	40.2v	0.0v	360.15v
418	Mr C Waldron	T	65.2v	71.4v	48.3v	44.1v	46.2v	46.3v	0.0v	0.0v	0.0v	40.0v	0.0v	360.15v
419	Mr KL Murray	O	72.7v	72.8v	39.1v	43.6v	44.3v	44.2v	0.0v	0.0v	0.0v	45.2v	0.0v	359.29v
420	Mr RMR Stearn	O	73.5v	72.7v	45.4v	42.2v	49.6v	41.3v	0.0v	0.0v	0.0v	37.2v	0.0v	359.29v
421	Mr JEM Bellringer	X	69.6v	72.8v	46.4v	42.3v	48.2v	39.1v	0.0v	0.0v	0.0v	43.2v	0.0v	359.26v
422	Mr C Berntsen	O	69.4v	70.7v	45.5v	45.3v	47.2v	47.4v	0.0v	0.0v	0.0v	36.1v	0.0v	359.26v
423	Mr AC Thomson	A	68.7v	72.7v	47.5v	46.3v	47.3v	44.0v	0.0v	0.0v	0.0v	35.1v	0.0v	359.26v
424	Mr TMJ Burgess	T	67.2v	71.8v	46.3v	42.4v	45.3v	44.4v	0.0v	0.0v	0.0v	44.1v	0.0v	359.25v
425	Insp E Legei	X	69.3v	70.4v	45.3v	43.4v	47.5v	45.2v	0.0v	0.0v	0.0v	40.3v	0.0v	359.24v
426	Mr RA Hyndman	T	71.3v	72.5v	42.4v	45.2v	48.3v	44.6v	0.0v	0.0v	0.0v	37.1v	0.0v	359.24v
427	Insp G Muturi	X	72.7v	70.5v	43.4v	44.2v	45.2v	47.1v	0.0v	0.0v	0.0v	38.2v	0.0v	359.23v
428	Mr AI Brown	O	72.7v	69.3v	47.3v	45.3v	45.2v	45.4v	0.0v	0.0v	0.0v	36.1v	0.0v	359.23v
429	Mr JP Raine	O	66.3v	71.8v	49.3v	41.0v	45.3v	45.3v	0.0v	0.0v	0.0v	42.2v	0.0v	359.22v
430	Mr RW McVeigh	O	69.4v	68.4v	46.3v	43.3v	49.3v	44.3v	0.0v	0.0v	0.0v	40.1v	0.0v	359.21v
431	Cdt G Stevenson	T	72.4v	68.4v	44.1v	42.1v	47.5v	40.2v	0.0v	0.0v	0.0v	46.3v	0.0v	359.20v
432	Mr DGE Mutter	O	67.4v	70.4v	44.2v	44.2v	47.4v	48.4v	0.0v	0.0v	0.0v	39.0v	0.0v	359.20v
433	Mr M Persaud	O	68.3v	71.4v	44.1v	44.4v	47.3v	47.5v	0.0v	0.0v	0.0v	38.0v	0.0v	359.20v
434	Mr MHH John	O	69.4v	68.2v	46.4v	48.4v	45.3v	42.1v	0.0v	0.0v	0.0v	41.1v	0.0v	359.19v
435	Miss EC Lamont	O	70.6v	70.9v	39.2v	42.2v	49.8v	47.3v	0.0v	0.0v	0.0v	41.1v	0.0v	358.31v
436	Mr C Kluh	X	68.7v	71.6v	48.6v	42.2v	47.4v	45.5v	0.0v	0.0v	0.0v	37.1v	0.0v	358.31v
437	Mr P Bernard-Carter	O	71.9v	72.11v	45.2v	44.2v	46.5v	44.2v	0.0v	0.0v	0.0v	36.0v	0.0v	358.31v
438	Sqn Ldr CR Smith	O	71.5v	71.7v	47.4v	41.2v	46.5v	40.3v	0.0v	0.0v	0.0v	42.4v	0.0v	358.30v
439	Mr DS Slaughter	O	73.12v	71.6v	41.1v	43.3v	50.5v	43.2v	0.0v	0.0v	0.0v	37.0v	0.0v	358.29v
440	Mr BV Cambray	A	63.2v	72.6v	47.4v	42.2v	46.4v	44.5v	0.0v	0.0v	0.0v	44.4v	0.0v	358.27v
441	Mr RJ Booth	X	66.4v	71.9v	44.4v	45.1v	48.4v	44.3v	0.0v	0.0v	0.0v	40.2v	0.0v	358.27v
442	Mr CI Cooper	O	70.4v	71.8v	45.2v	45.1v	46.4v	40.4v	0.0v	0.0v	0.0v	41.2v	0.0v	358.25v
443	Mr AJW Sturrock	O	72.7v	67.6v	46.1v	46.1v	44.3v	46.4v	0.0v	0.0v	0.0v	37.2v	0.0v	358.24v
444	Miss JK Charlton	O	71.5v	72.7v	45.4v	44.4v	47.2v	45.2v	0.0v	0.0v	0.0v	34.0v	0.0v	358.24v
445	Mr JM Jarritt	O	68.4v	71.8v	46.2v	36.1v	49.5v	47.1v	0.0v	0.0v	0.0v	41.2v	0.0v	358.23v
446	Mr DE Nuthall	X	66.4v	68.3v	47.3v	46.4v	47.5v	45.1v	0.0v	0.0v	0.0v	39.2v	0.0v	358.22v
447	Mr SS Sehmi	X	67.4v	70.5v	44.3v	45.2v	47.4v	46.4v	0.0v	0.0v	0.0v	39.0v	0.0v	358.22v
448	Mr SI Gluck	O	68.5v	72.5v	45.2v	47.2v	45.4v	43.3v	0.0v	0.0v	0.0v	38.1v	0.0v	358.22v
449	Lt Col CCC Cheshire	X	70.5v	71.2v	42.2v	46.3v	46.3v	47.5v	0.0v	0.0v	0.0v	36.2v	0.0v	358.22v
450	Mr DA Smith	O	70.4v	69.5v	46.3v	39.1v	47.3v	45.4v	0.0v	0.0v	0.0v	42.1v	0.0v	358.21v
451	Mrs T Newbold	O	67.4v	70.5v	45.1v	47.6v	47.1v	43.3v	0.0v	0.0v	0.0v	39.1v	0.0v	358.21v
452	Cdt CBCB Brook	T	68.4v	70.7v	46.4v	43.2v	48.1v	44.3v	0.0v	0.0v	0.0v	39.0v	0.0v	358.21v
453	Mrs MF Barry	O	69.6v	70.3v	46.2v	43.0v	48.5v	45.2v	0.0v	0.0v	0.0v	37.3v	0.0v	358.21v
454	Mr DMJ Coutts	O	71.7v	70.4v	47.2v	44.2v	46.3v	45.3v	0.0v	0.0v	0.0v	35.0v	0.0v	358.21v
455	Mr AK Fitch	O	69.4v	69.5v	46.2v	41.1v	46.4v	47.2v	0.0v	0.0v	0.0v	40.1v	0.0v	358.19v
456	Mr AG Harrison	A	71.4v	68.7v	46.2v	41.1v	47.3v	46.1v	0.0v	0.0v	0.0v	39.0v	0.0v	358.18v
457	Mr DB Harrison	O	71.2v	66.4v	46.5v	46.6v	41.2v	42.3v	0.0v	0.0v	0.0v	45.3v	0.0v	357.25v
458	Lt JW Jenkins	X	69.6v	70.8v	45.0v	42.1v	47.6v	42.1v	0.0v	0.0v	0.0v	42.3v	0.0v	357.25v
459	Mr DN Webber	O	70.4v	72.6v	43.2v	43.1v	47.5v	42.3v	0.0v	0.0v	0.0v	40.4v	0.0v	357.25v
460	Mr T Bulmer	T	67.4v	70.4v	43.5v	44.1v	46.4v	47.5v	0.0v	0.0v	0.0v	40.2v	0.0v	357.25v
461	Cdt M Badmington	T	68.6v	70.5v	46.6v	46.3v	48.1v	40.2v	0.0v	0.0v	0.0v	39.2v	0.0v	357.25v
462	Mr ATC Collins	T	74.7v	67.6v	46.4v	49.4v	40.2v	44.2v	0.0v	0.0v	0.0v	37.0v	0.0v	357.25v
463	Dr CJ Padbury	O	69.4v	71.7v	46.6v	42.3v	47.3v	46.1v	0.0v	0.0v	0.0v	36.0v	0.0v	357.24v
464	Miss HM McCullough	T	70.6v	71.6v	47.4v	41.1v	46.5v	47.2v	0.0v	0.0v	0.0v	35.0v	0.0v	357.24v
465	Miss RL Furniss	A	67.3v	69.4v	43.2v	46.3v	45.6v	48.5v	0.0v	0.0v	0.0v	39.0v	0.0v	357.23v
466	Mr ID Macdonald	O	70.2v	69.9v	41.2v	46.2v	48.3v	44.2v	0.0v	0.0v	0.0v	39.2v	0.0v	357.22v
467	Mr PL Redstone	X	70.4v	69.3v	46.3v	42.2v	46.3v	43.4v	0.0v	0.0v	0.0v	41.2v	0.0v	357.21v
468	Mr RA Mullin	X	71.5v	66.5v	45.4v	44.2v	48.3v	46.1v	0.0v	0.0v	0.0v	37.1v	0.0v	357.21v
469	Mr RM Allan	O	69.3v	74.9v	44.0v	45.1v	47.4v	46.2v	0.0v	0.0v	0.0v	32.2v	0.0v	357.21v
470	Dr KW Genders	O	70.4v	70.6v	41.2v	44.1v	43.1v	46.4v	0.0v	0.0v	0.0v	43.2v	0.0v	357.20v
471	Mr G Harris	X	65.1v	70.3v	47.5v	43.5v	47.3v	45.3v	0.0v	0.0v	0.0v	40.0v	0.0v	357.20v
472	Mr SFD Dash	O	68.1v	70.4v	46.5v	47.4v	45.1v	46.4v	0.0v	0.0v	0.0v	35.1v	0.0v	357.20v
473	Mr WRD Mott	O	69.5v	73.5v	41.3v	45.1v	44.2v	45.3v	0.0v	0.0v	0.0v	40.0v	0.0v	357.19v
474	Mr DA Taylor	A	66.2v	69.4v	46.1v	48.3v	46.3v	44.4v	0.0v	0.0v	0.0v	38.2v	0.0v	357.19v
475	Mr AJD Saunders	O	67.3v	69.2v	43.3v	47.1v	45.4v	43.2v	0.0v	0.0v	0.0v	43.3v	0.0v	357.18v
476	Mr JA Garnett	O	70.5v	71.6v	46.2v	44.2v	46.3v	42.0v	0.0v	0.0v	0.0v	38.0v	0.0v	357.18v
477	Mr P Todd	T	66.1v	70.4v	44.2v	43.1v	47.3v	43.3v	0.0v	0.0v	0.0v	44.3v	0.0v	357.17v
478	Mr DF Robinson	O	70.5v	63.2v	43.3v	47.3v	47.0v	47.2v	0.0v	0.0v	0.0v	40.2v	0.0v	357.17v
479	Mr P Merry	O	68.5v	68.2v	44.2v	46.1v	43.2v	44.2v	0.0v	0.0v	0.0v	44.2v	0.0v	357.16v
480	Mr RP Rosling	O	69.4v	72.9v	46.3v	47.5v	46.3v	44.2v	0.0v	0.0v	0.0v	32.1v	0.0v	356.27v

481	Mr WLL Lewis	A	66.3v	69.6v	44.3v	46.3v	48.4v	43.3v	0.0v	0.0v	0.0v	40.4v	0.0v	356.26v
482	Mr PM Weston	O	68.4v	71.9v	42.4v	46.2v	46.2v	44.3v	0.0v	0.0v	0.0v	39.1v	0.0v	356.25v
483	Cpl J Turley	T	69.5v	72.4v	44.1v	47.5v	45.4v	45.5v	0.0v	0.0v	0.0v	34.1v	0.0v	356.25v
484	Mr KH Tumschat	X	70.6v	70.7v	46.3v	40.0v	46.4v	44.3v	0.0v	0.0v	0.0v	40.1v	0.0v	356.24v
485	Mr G Williams	X	69.3v	73.10v	46.2v	37.2v	45.2v	43.3v	0.0v	0.0v	0.0v	43.1v	0.0v	356.23v
486	Mr G Wright	T	67.3v	73.11v	44.0v	42.1v	45.5v	47.2v	0.0v	0.0v	0.0v	38.1v	0.0v	356.23v
487	Mr RH Kitson	O	67.4v	70.2v	46.4v	43.4v	46.6v	44.2v	0.0v	0.0v	0.0v	40.0v	0.0v	356.22v
488	Mr RI Coventry	O	65.3v	70.4v	48.4v	46.2v	43.4v	43.1v	0.0v	0.0v	0.0v	41.3v	0.0v	356.21v
489	Mr AJ Haggerty	O	63.2v	68.5v	47.3v	46.2v	47.5v	44.3v	0.0v	0.0v	0.0v	41.1v	0.0v	356.21v
490	Mr JD Ward	O	69.6v	67.5v	46.1v	47.2v	44.4v	43.1v	0.0v	0.0v	0.0v	40.2v	0.0v	356.21v
491	Mr CA Stewart	O	65.3v	71.2v	47.3v	47.4v	46.5v	40.2v	0.0v	0.0v	0.0v	40.1v	0.0v	356.20v
492	Mr JW Alexander	T	69.5v	66.4v	47.2v	42.2v	44.4v	46.0v	0.0v	0.0v	0.0v	42.2v	0.0v	356.19v
493	Cdt RJ Stilgoe	T	71.6v	69.5v	41.0v	42.1v	46.3v	47.2v	0.0v	0.0v	0.0v	40.0v	0.0v	356.17v
494	Cpl P Munene	X	72.3v	70.2v	40.3v	40.1v	49.4v	44.2v	0.0v	0.0v	0.0v	41.1v	0.0v	356.16v
495	Miss DL Griffin	O	72.4v	68.3v	45.2v	44.1v	45.2v	46.4v	0.0v	0.0v	0.0v	36.0v	0.0v	356.16v
496	Mr CS Lamont	X	71.7v	68.3v	38.1v	41.3v	48.5v	48.4v	0.0v	0.0v	0.0v	41.3v	0.0v	355.26v
497	Mr RJ Waters	X	68.5v	71.8v	46.2v	40.1v	47.5v	44.1v	0.0v	0.0v	0.0v	39.2v	0.0v	355.24v
498	Mr ML Cotillard	X	68.2v	72.10v	45.5v	43.1v	46.2v	44.4v	0.0v	0.0v	0.0v	37.0v	0.0v	355.24v
499	Flt Lt CM Fopp	O	70.6v	71.5v	47.6v	43.3v	40.1v	45.1v	0.0v	0.0v	0.0v	39.1v	0.0v	355.23v
500	Mr D Hanson	O	71.3v	68.4v	47.2v	43.5v	45.3v	43.4v	0.0v	0.0v	0.0v	38.2v	0.0v	355.23v
501	mr DH Allen	O	71.4v	70.5v	44.2v	43.3v	46.2v	44.3v	0.0v	0.0v	0.0v	37.4v	0.0v	355.23v
502	Mrs FK Day	O	71.6v	67.5v	43.4v	45.3v	42.0v	48.2v	0.0v	0.0v	0.0v	39.2v	0.0v	355.22v
503	Mr RC Hawley	O	67.4v	70.4v	42.1v	48.4v	44.3v	43.2v	0.0v	0.0v	0.0v	41.2v	0.0v	355.20v
504	Mr J Golling	X	71.5v	67.2v	42.1v	45.2v	40.3v	46.0v	0.0v	0.0v	0.0v	44.5v	0.0v	355.18v
505	Mr EM Brice	O	70.4v	70.5v	45.3v	37.1v	46.1v	46.2v	0.0v	0.0v	0.0v	41.2v	0.0v	355.18v
506	Mr SG Hunter	A	68.5v	66.2v	46.2v	42.1v	45.4v	46.3v	0.0v	0.0v	0.0v	42.0v	0.0v	355.17v
507	Mr T Galliers	O	69.2v	70.4v	41.3v	47.2v	44.3v	44.1v	0.0v	0.0v	0.0v	40.1v	0.0v	355.16v
508	Mr FC Yip	X	70.4v	68.3v	46.2v	43.3v	45.0v	46.3v	0.0v	0.0v	0.0v	37.0v	0.0v	355.15v
509	Mr AME Adams	O	71.7v	70.6v	43.4v	46.5v	46.5v	41.2v	0.0v	0.0v	0.0v	37.1v	0.0v	354.30v
510	Mr J Tuffen	O	70.7v	72.9v	44.4v	43.3v	44.1v	45.4v	0.0v	0.0v	0.0v	36.2v	0.0v	354.30v
511	Cpl PI Perry	O	71.5v	71.6v	44.4v	46.3v	45.4v	38.1v	0.0v	0.0v	0.0v	39.1v	0.0v	354.24v
512	WOII J Mwebia	X	72.6v	73.8v	45.3v	42.1v	45.3v	40.2v	0.0v	0.0v	0.0v	37.1v	0.0v	354.24v
513	Mr EDC Carrick	T	65.4v	71.6v	45.2v	43.3v	43.1v	47.5v	0.0v	0.0v	0.0v	40.2v	0.0v	354.23v
514	Dr NP Tucker	T	73.6v	69.6v	42.2v	41.2v	47.3v	44.3v	0.0v	0.0v	0.0v	38.1v	0.0v	354.23v
515	Mr ID Markwell	O	73.5v	71.5v	45.2v	42.2v	47.4v	44.5v	0.0v	0.0v	0.0v	32.0v	0.0v	354.23v
516	Mr MJ Whatton	O	66.5v	70.4v	43.2v	43.3v	46.4v	45.3v	0.0v	0.0v	0.0v	41.1v	0.0v	354.22v
517	Flt Lt HM French	T	67.4v	70.7v	43.1v	44.2v	45.4v	46.2v	0.0v	0.0v	0.0v	39.2v	0.0v	354.22v
518	Mr RS Mason	O	68.1v	68.6v	45.3v	47.5v	44.4v	43.3v	0.0v	0.0v	0.0v	39.0v	0.0v	354.22v
519	Cpl M Cheruyiot	X	69.5v	71.5v	38.1v	46.3v	48.3v	41.2v	0.0v	0.0v	0.0v	41.2v	0.0v	354.21v
520	Mr TEW Ward	O	69.3v	70.6v	44.3v	42.1v	46.2v	43.2v	0.0v	0.0v	0.0v	40.2v	0.0v	354.19v
521	Mr CRM Asquith	A	66.5v	71.7v	50.1v	39.1v	44.2v	45.2v	0.0v	0.0v	0.0v	39.1v	0.0v	354.19v
522	Miss EH Barr	O	67.4v	72.8v	46.0v	41.2v	47.3v	46.1v	0.0v	0.0v	0.0v	35.0v	0.0v	354.18v
523	Mr BW Cairns	O	66.3v	73.7v	47.3v	46.0v	42.1v	47.3v	0.0v	0.0v	0.0v	33.0v	0.0v	354.17v
524	Mr PA Cullimore	O	68.4v	67.1v	42.3v	46.1v	47.4v	44.1v	0.0v	0.0v	0.0v	40.2v	0.0v	354.16v
525	Mr BR Shouler	O	64.0v	72.4v	46.3v	45.3v	44.2v	46.4v	0.0v	0.0v	0.0v	37.0v	0.0v	354.16v
526	Mr KG Garside	O	66.2v	68.2v	47.6v	43.2v	43.1v	42.1v	0.0v	0.0v	0.0v	45.1v	0.0v	354.15v
527	Mr CP Goad	O	68.1v	68.0v	43.3v	45.1v	48.4v	45.4v	0.0v	0.0v	0.0v	37.1v	0.0v	354.14v
528	Miss LMA Bogie	A	70.6v	71.8v	44.2v	37.1v	46.5v	44.2v	0.0v	0.0v	0.0v	41.7v	0.0v	353.31v
529	Mr CJ Napier	T	74.12v	73.5v	45.1v	38.3v	48.4v	41.0v	0.0v	0.0v	0.0v	34.2v	0.0v	353.27v
530	LCpl R Cole	T	65.4v	73.10v	44.4v	37.1v	46.3v	49.3v	0.0v	0.0v	0.0v	39.1v	0.0v	353.26v
531	Mr HWR Gilbert	O	69.6v	62.3v	47.6v	42.2v	48.3v	47.6v	0.0v	0.0v	0.0v	38.0v	0.0v	353.26v
532	Mr M Millar	A	68.3v	69.5v	46.3v	47.3v	48.6v	43.6v	0.0v	0.0v	0.0v	32.0v	0.0v	353.26v
533	Lt Cdr IR Thomson	O	71.6v	71.4v	45.5v	44.2v	47.4v	47.2v	0.0v	0.0v	0.0v	28.0v	0.0v	353.23v
534	Mr BW Macdonald	O	66.3v	71.7v	48.6v	41.3v	46.2v	40.0v	0.0v	0.0v	0.0v	41.1v	0.0v	353.22v
535	Mr RW Needham	O	71.5v	71.6v	46.4v	40.2v	43.2v	43.3v	0.0v	0.0v	0.0v	39.0v	0.0v	353.22v
536	Mr AW Davies	O	70.5v	67.5v	46.3v	39.1v	45.2v	46.3v	0.0v	0.0v	0.0v	40.2v	0.0v	353.21v
537	Mrs M Pantaleon-Ginestet	O	68.3v	70.6v	41.0v	45.2v	47.4v	43.3v	0.0v	0.0v	0.0v	39.3v	0.0v	353.21v
538	Mr M Yego	X	72.6v	68.1v	45.2v	36.5v	45.2v	45.1v	0.0v	0.0v	0.0v	42.3v	0.0v	353.20v
539	Mr U Solzer	X	68.3v	71.6v	43.0v	40.3v	46.3v	47.5v	0.0v	0.0v	0.0v	38.0v	0.0v	353.20v
540	Mr C Hughes	O	72.6v	69.4v	42.3v	42.0v	46.4v	48.3v	0.0v	0.0v	0.0v	34.0v	0.0v	353.20v
541	Mr BG Bailey	O	68.5v	68.4v	43.3v	42.3v	44.1v	46.2v	0.0v	0.0v	0.0v	42.1v	0.0v	353.19v
542	Cpl CD Pocock	T	69.5v	69.4v	45.2v	41.1v	46.2v	42.1v	0.0v	0.0v	0.0v	41.4v	0.0v	353.19v
543	Miss FM Hinson	O	66.3v	70.5v	46.1v	45.3v	46.4v	43.1v	0.0v	0.0v	0.0v	37.2v	0.0v	353.19v
544	Mr TC Higgins	O	67.1v	71.7v	46.4v	46.3v	42.0v	44.3v	0.0v	0.0v	0.0v	37.1v	0.0v	353.19v
545	Mr AJ Monro	T	66.2v	68.2v	47.3v	42.5v	50.6v	43.1v	0.0v	0.0v	0.0v	37.0v	0.0v	353.19v
546	PC DK Kirui	X	66.3v	67.3v	48.4v	48.5v	43.0v	45.4v	0.0v	0.0v	0.0v	36.0v	0.0v	353.19v
547	Mr MW Brown	O	68.5v	66.3v	42.2v	46.3v	46.4v	43.0v	0.0v	0.0v	0.0v	42.1v	0.0v	353.18v
548	Mr CP Moon	A	64.2v	70.4v	47.2v	47.4v	45.3v	44.1v	0.0v	0.0v	0.0v	36.2v	0.0v	353.18v
549	Mr DE Fields	O	67.3v	71.3v	42.1v	45.1v	46.4v	48.4v	0.0v	0.0v	0.0v	34.2v	0.0v	353.18v
550	Mr MR Place	O	71.6v	71.6v	46.1v	41.1v	46.2v	44.1v	0.0v	0.0v	0.0v	34.1v	0.0v	353.18v
551	Mr DJ Curtis	O	65.0v	70.6v	45.2v	41.0v	47.4v	46.4v	0.0v	0.0v	0.0v	39.1v	0.0v	353.17v
552	Mr GHM Tonks	T	70.3v	61.2v	44.1v	44.4v	45.1v	46.2v	0.0v	0.0v	0.0v	43.3v	0.0v	353.16v
553	Mr AJK Knight	T	70.3v	71.3v	43.2v	46.3v	45.2v	42.1v	0.0v	0.0v	0.0v	36.0v	0.0v	353.14v
554	SSgt PJ Haines	T	63.0v	67.4v	44.1v	46.1v	44.2v	45.1v	0.0v	0.0v	0.0v	44.3v	0.0v	353.12v
555	Cdt LCP-L Watson	O	64.1v	68.3v	45.3v	44.0v	47.3v	43.1v	0.0v	0.0v	0.0v	42.0v	0.0v	353.11v
556	Miss S Cheslyn-Curtis	O	66.5v	69.6v	47.6v	41.2v	43.4v	46.4v	0.0v	0.0v	0.0v	40.3v	0.0v	352.30v
557	Ms HK Mallinckrodt	T	66.4v	67.7v	44.2v	45.3v	48.4v	48.6v	0.0v	0.0v	0.0v	34.2v	0.0v	352.28v
558	Mr SW Maris	O	70.3v	69.6v	47.7v	39.3v	49.6v	43.1v	0.0v	0.0v	0.0v	35.1v	0.0v	352.27v
559	Mr JP Thomson	O	69.5v	70.6v	41.1v	43.2v	47.5v	46.4v	0.0v	0.0v	0.0v	36.3v	0.0v	352.26v
560	Mr HJ Golaszewski	A	68.3v	71.7v	42.3v	41.1v	48.3v	43.3v	0.0v	0.0v	0.0v	39.2v	0.0v	352.22v
561	Miss HLL Landrum	T	68.4v	71.8v	43.1v	39.2v	45.4v	46.1v	0.0v	0.0v	0.0v	40.1v	0.0v	352.21v
562	Mr RA Fullerton	T	68.6v	71.7v	46.0v	42.2v	47.4v	43.2v	0.0v	0.0v	0.0v	35.0v	0.0v	352.21v
563	Miss EG Joseph	O	70.6v	69.3v	41.1v	44.2v	46.3v	42.3v	0.0v	0.0v	0.0v	40.2v	0.0v	352.20v

564	Dr JC Jobling	O	68.6v	70.3v	42.2v	43.1v	47.3v	43.3v	0.0v	0.0v	0.0v	39.2v	0.0v	352.20v
565	Mr T Hembrow	O	66.4v	73.6v	48.5v	41.0v	48.5v	39.0v	0.0v	0.0v	0.0v	37.0v	0.0v	352.20v
566	Mr NC Boyde	O	65.2v	69.5v	47.3v	44.3v	45.2v	48.3v	0.0v	0.0v	0.0v	34.2v	0.0v	352.20v
567	Mr NC Bartholomew	O	64.2v	69.5v	45.4v	41.3v	44.0v	47.2v	0.0v	0.0v	0.0v	42.3v	0.0v	352.19v
568	Mr BAI Fraser	O	69.3v	66.4v	44.2v	41.1v	47.5v	44.2v	0.0v	0.0v	0.0v	41.2v	0.0v	352.19v
569	Mr JRJ Kennedy	O	69.6v	67.5v	44.2v	46.3v	42.3v	45.0v	0.0v	0.0v	0.0v	39.0v	0.0v	352.19v
570	Mr K Hardyman	O	67.4v	73.8v	39.0v	44.1v	44.3v	47.2v	0.0v	0.0v	0.0v	38.1v	0.0v	352.19v
571	Mr MJ Creber	T	66.3v	72.4v	45.3v	36.0v	47.4v	45.2v	0.0v	0.0v	0.0v	41.2v	0.0v	352.18v
572	Mr PT Dwyer	T	67.4v	72.7v	46.1v	43.1v	46.3v	46.2v	0.0v	0.0v	0.0v	32.0v	0.0v	352.18v
573	SSgt M Carberry	T	67.4v	67.2v	40.2v	42.2v	46.2v	45.1v	0.0v	0.0v	0.0v	45.2v	0.0v	352.15v
574	Cdt J Pinch	T	66.4v	70.7v	45.5v	43.3v	44.3v	45.1v	0.0v	0.0v	0.0v	38.1v	0.0v	351.24v
575	Mr GT Hart	T	65.3v	68.4v	44.5v	43.0v	45.5v	47.5v	0.0v	0.0v	0.0v	39.1v	0.0v	351.23v
576	Cpl E Odeo	X	71.6v	68.4v	46.4v	44.0v	45.3v	43.4v	0.0v	0.0v	0.0v	34.2v	0.0v	351.23v
577	PC CK Saina	X	67.4v	66.2v	47.2v	49.5v	46.3v	47.4v	0.0v	0.0v	0.0v	29.0v	0.0v	351.20v
578	Mr J Gould	O	65.4v	69.3v	44.3v	42.1v	44.1v	47.4v	0.0v	0.0v	0.0v	40.2v	0.0v	351.18v
579	Mr SP Hill	O	66.2v	70.5v	38.1v	41.2v	48.3v	45.3v	0.0v	0.0v	0.0v	43.1v	0.0v	351.17v
580	Miss JM Waters	O	65.3v	70.6v	45.3v	39.1v	45.3v	47.0v	0.0v	0.0v	0.0v	40.1v	0.0v	351.17v
581	Mr GS Winfield	O	70.5v	72.4v	43.2v	41.2v	39.1v	42.1v	0.0v	0.0v	0.0v	44.1v	0.0v	351.16v
582	Miss CJ Dee	O	67.2v	70.6v	47.3v	45.1v	43.1v	45.3v	0.0v	0.0v	0.0v	34.0v	0.0v	351.16v
583	Mr A Alvey	O	70.1v	69.3v	45.2v	48.5v	47.3v	39.2v	0.0v	0.0v	0.0v	33.0v	0.0v	351.16v
584	Mr RW Hallows	O	68.1v	70.5v	40.1v	42.1v	47.4v	40.1v	0.0v	0.0v	0.0v	44.2v	0.0v	351.15v
585	Mr B Hirst	O	66.2v	66.1v	45.2v	44.2v	44.1v	42.3v	0.0v	0.0v	0.0v	44.3v	0.0v	351.14v
586	Mr RES Bogie	O	66.2v	68.4v	45.1v	46.2v	41.0v	43.1v	0.0v	0.0v	0.0v	42.2v	0.0v	351.12v
587	Mr WFS Stewart	O	66.5v	72.11v	44.2v	42.3v	44.7v	45.3v	0.0v	0.0v	0.0v	37.0v	0.0v	350.31v
588	SMI MR Rewston	O	70.6v	73.6v	43.2v	42.3v	44.5v	43.2v	0.0v	0.0v	0.0v	35.3v	0.0v	350.27v
589	Mr TF Kurn	O	73.6v	73.9v	46.3v	35.0v	46.2v	38.2v	0.0v	0.0v	0.0v	39.3v	0.0v	350.25v
590	Mr PS Holmes	T	70.8v	73.8v	45.3v	40.1v	45.2v	43.3v	0.0v	0.0v	0.0v	34.0v	0.0v	350.25v
591	Mr M Liversage	T	68.3v	70.7v	45.4v	40.1v	46.3v	43.3v	0.0v	0.0v	0.0v	38.1v	0.0v	350.22v
592	Mr IF Luckman	O	70.5v	72.7v	43.2v	40.2v	47.1v	45.4v	0.0v	0.0v	0.0v	33.1v	0.0v	350.22v
593	Mr MR Frost	O	70.5v	67.5v	46.2v	46.3v	43.1v	43.3v	0.0v	0.0v	0.0v	35.2v	0.0v	350.21v
594	Mr CJ Sherratt	O	69.4v	71.4v	45.4v	36.1v	46.1v	45.3v	0.0v	0.0v	0.0v	38.3v	0.0v	350.20v
595	Mr GRP Shapland	O	70.7v	71.6v	45.2v	36.1v	41.2v	45.1v	0.0v	0.0v	0.0v	42.0v	0.0v	350.19v
596	Major DJ Nelson	X	69.5v	71.5v	43.1v	44.4v	44.2v	39.0v	0.0v	0.0v	0.0v	40.2v	0.0v	350.19v
597	Miss NRR Rothwell	T	70.4v	71.6v	45.3v	41.0v	43.2v	45.1v	0.0v	0.0v	0.0v	35.3v	0.0v	350.19v
598	Cdt M Choquette	T	64.3v	67.4v	45.1v	46.4v	48.5v	45.0v	0.0v	0.0v	0.0v	35.2v	0.0v	350.19v
599	Mr A Lakhani	T	67.5v	72.5v	40.1v	41.2v	43.2v	44.3v	0.0v	0.0v	0.0v	43.0v	0.0v	350.18v
600	Dr G Stevenson	O	65.1v	69.7v	43.0v	44.2v	42.1v	46.4v	0.0v	0.0v	0.0v	41.2v	0.0v	350.17v
601	Mr J Holmes	O	70.3v	68.4v	46.3v	44.2v	44.2v	40.0v	0.0v	0.0v	0.0v	38.2v	0.0v	350.16v
602	Mr JMG Redman	O	66.3v	70.4v	45.1v	44.3v	47.3v	43.1v	0.0v	0.0v	0.0v	35.1v	0.0v	350.16v
603	Cdt AW Dowle	T	69.2v	68.2v	47.3v	39.1v	48.4v	43.2v	0.0v	0.0v	0.0v	36.0v	0.0v	350.14v
604	Dr MW Wrigley	A	46.4v	73.6v	47.2v	43.6v	48.7v	46.1v	0.0v	0.0v	0.0v	46.2v	0.0v	349.28v
605	Mr IDC Brechin	O	70.5v	73.7v	45.2v	39.2v	49.5v	45.3v	0.0v	0.0v	0.0v	28.2v	0.0v	349.26v
606	Mr PG Kelly	O	69.5v	70.5v	47.5v	42.1v	45.4v	42.3v	0.0v	0.0v	0.0v	34.2v	0.0v	349.25v
607	Mr P Wale	O	65.4v	71.5v	43.2v	46.5v	47.4v	41.2v	0.0v	0.0v	0.0v	36.1v	0.0v	349.23v
608	Mr DF Nesbitt	O	68.4v	69.5v	48.5v	35.1v	46.2v	47.3v	0.0v	0.0v	0.0v	36.2v	0.0v	349.22v
609	Mr TS McDowell	O	69.4v	70.7v	43.1v	43.2v	43.2v	45.4v	0.0v	0.0v	0.0v	36.1v	0.0v	349.21v
610	Miss G Wigmore	O	68.5v	70.7v	40.0v	43.2v	40.1v	46.5v	0.0v	0.0v	0.0v	42.0v	0.0v	349.20v
611	Mr SJ Pascoe	A	69.3v	71.7v	43.1v	45.4v	44.1v	41.1v	0.0v	0.0v	0.0v	36.2v	0.0v	349.19v
612	Mr P Rutherford	T	67.5v	66.5v	41.0v	44.4v	47.2v	45.1v	0.0v	0.0v	0.0v	39.1v	0.0v	349.18v
613	Mr BL Thomson	A	71.4v	73.6v	47.2v	32.1v	46.1v	42.2v	0.0v	0.0v	0.0v	38.2v	0.0v	349.18v
614	Capt D Morris	O	66.3v	69.6v	45.3v	43.1v	44.2v	44.3v	0.0v	0.0v	0.0v	38.0v	0.0v	349.18v
615	Mrs KM Young	T	66.2v	72.5v	44.3v	47.4v	40.3v	40.0v	0.0v	0.0v	0.0v	40.0v	0.0v	349.17v
616	Mr DJ Pay	T	66.3v	66.2v	43.3v	41.1v	47.4v	47.4v	0.0v	0.0v	0.0v	39.0v	0.0v	349.17v
617	Mr T Gibson	O	70.4v	73.6v	38.0v	39.1v	44.2v	47.3v	0.0v	0.0v	0.0v	38.0v	0.0v	349.16v
618	Mr H Lottritz	X	70.4v	66.4v	46.3v	46.1v	43.0v	43.2v	0.0v	0.0v	0.0v	35.2v	0.0v	349.16v
619	Mr D Saunders	T	69.4v	67.2v	43.2v	39.2v	47.1v	45.2v	0.0v	0.0v	0.0v	39.2v	0.0v	349.15v
620	Mr PJ Inwood	T	69.3v	69.3v	43.2v	43.0v	44.5v	44.2v	0.0v	0.0v	0.0v	37.0v	0.0v	349.15v
621	Mr NJ Branch	X	71.4v	71.8v	45.4v	41.2v	49.5v	47.5v	0.0v	0.0v	0.0v	24.0v	0.0v	348.28v
622	Cdt R Paquette	T	64.2v	69.6v	46.3v	42.4v	47.4v	44.2v	0.0v	0.0v	0.0v	36.2v	0.0v	348.23v
623	Mr O Ahmed	T	69.5v	70.5v	42.4v	42.3v	47.2v	42.2v	0.0v	0.0v	0.0v	36.1v	0.0v	348.22v
624	Mr ER Torrance	T	70.4v	71.7v	38.1v	44.3v	43.2v	41.1v	0.0v	0.0v	0.0v	41.2v	0.0v	348.20v
625	WOII EK Muleyi	X	66.6v	71.5v	45.3v	41.1v	44.3v	46.2v	0.0v	0.0v	0.0v	35.0v	0.0v	348.20v
626	Mr SD Benest	X	68.4v	74.7v	38.1v	44.2v	43.1v	44.2v	0.0v	0.0v	0.0v	37.2v	0.0v	348.19v
627	Mr DJD Dick	T	70.5v	67.5v	41.1v	44.2v	47.3v	40.1v	0.0v	0.0v	0.0v	39.1v	0.0v	348.18v
628	WOII K Kiarie	X	66.1v	65.4v	44.3v	42.2v	44.3v	44.2v	0.0v	0.0v	0.0v	43.2v	0.0v	348.17v
629	Mr JS Ritchie	O	67.1v	72.7v	45.1v	47.2v	38.2v	38.2v	0.0v	0.0v	0.0v	41.2v	0.0v	348.17v
630	Mr AJ Mayers	O	68.3v	70.7v	38.1v	45.3v	43.0v	44.2v	0.0v	0.0v	0.0v	40.1v	0.0v	348.17v
631	Mr RH Gardiner	O	70.2v	71.8v	47.1v	39.0v	43.1v	42.3v	0.0v	0.0v	0.0v	36.1v	0.0v	348.16v
632	Mr BN Craig	O	69.4v	74.6v	43.3v	42.2v	44.0v	39.0v	0.0v	0.0v	0.0v	37.0v	0.0v	348.15v
633	Mr P Cameron Taylor	A	66.3v	67.1v	43.0v	47.4v	45.4v	42.0v	0.0v	0.0v	0.0v	38.1v	0.0v	348.13v
634	Mr RW Jarvis	O	70.3v	68.1v	46.4v	42.1v	47.2v	41.1v	0.0v	0.0v	0.0v	34.1v	0.0v	348.13v
635	Mr NJ Burnip	X	61.5v	66.5v	47.4v	48.6v	46.3v	41.2v	0.0v	0.0v	0.0v	38.1v	0.0v	347.26v
636	Mr B Lottritz	X	69.5v	72.5v	44.3v	45.2v	46.2v	48.5v	0.0v	0.0v	0.0v	23.1v	0.0v	347.23v
637	Dr NG Jeffs	O	69.4v	70.6v	40.1v	42.1v	47.5v	39.3v	0.0v	0.0v	0.0v	40.1v	0.0v	347.21v
638	Mr JEC Branch	T	70.2v	70.5v	39.2v	43.3v	48.4v	46.4v	0.0v	0.0v	0.0v	31.1v	0.0v	347.21v
639	Cdt V Carter	T	70.4v	72.4v	45.3v	37.1v	49.6v	46.2v	0.0v	0.0v	0.0v	28.1v	0.0v	347.21v
640	Mr JFJ Bryson	O	71.4v	69.5v	44.2v	47.5v	44.3v	45.2v	0.0v	0.0v	0.0v	27.0v	0.0v	347.21v
641	Sgt SE De Gruchy	O	66.2v	67.4v	41.2v	47.4v	46.3v	47.5v	0.0v	0.0v	0.0v	33.0v	0.0v	347.20v
642	Mr CA Smith	O	68.6v	72.6v	46.4v	41.0v	42.1v	42.1v	0.0v	0.0v	0.0v	36.1v	0.0v	347.19v
643	Mr P Jacques	O	61.2v	68.2v	41.2v	47.2v	47.5v	40.3v	0.0v	0.0v	0.0v	43.1v	0.0v	347.17v
644	Mr COB Perkins	T	68.3v	68.2v	46.2v	40.2v	46.5v	42.1v	0.0v	0.0v	0.0v	37.2v	0.0v	347.17v
645	Mr K Hohenberg	T	73.6v	68.2v	48.3v	41.1v	42.2v	39.1v	0.0v	0.0v	0.0v	36.2v	0.0v	347.17v
646	Cpl C Ndegwa	X	68.5v	66.4v	40.0v	45.2v	46.3v	46.1v	0.0v	0.0v	0.0v	36.1v	0.0v	347.16v



647	Mr GR Jeal	O	61.0v	70.4v	48.5v	45.1v	44.1v	42.2v	0.0v	0.0v	0.0v	37.2v	0.0v	347.15v
648	Miss T Young	O	68.0v	68.3v	45.3v	44.4v	41.0v	47.4v	0.0v	0.0v	0.0v	34.1v	0.0v	347.15v
649	Dr R Pizer	O	67.3v	71.5v	47.2v	40.2v	38.1v	42.0v	0.0v	0.0v	0.0v	42.1v	0.0v	347.14v
650	Mr RB White	O	68.1v	72.6v	44.2v	37.0v	43.1v	42.2v	0.0v	0.0v	0.0v	41.0v	0.0v	347.12v
651	Mr BJL Newman	O	66.2v	70.4v	41.0v	42.1v	47.1v	43.2v	0.0v	0.0v	0.0v	38.1v	0.0v	347.11v
652	Wg Cdr MJ Gregory	A	69.8v	71.7v	40.0v	46.4v	46.3v	44.4v	0.0v	0.0v	0.0v	30.1v	0.0v	346.27v
653	Mr KG Firth	O	67.4v	68.6v	43.3v	41.1v	48.6v	47.4v	0.0v	0.0v	0.0v	32.1v	0.0v	346.25v
654	Mr DA Stain	T	68.7v	67.5v	40.0v	43.3v	46.2v	43.6v	0.0v	0.0v	0.0v	39.1v	0.0v	346.24v
655	Mr CRF Leather	O	65.4v	71.6v	42.1v	39.3v	45.4v	46.2v	0.0v	0.0v	0.0v	38.2v	0.0v	346.22v
656	Mr HCG Ives	O	66.4v	66.3v	44.2v	41.2v	49.5v	47.4v	0.0v	0.0v	0.0v	33.2v	0.0v	346.22v
657	Mr T Horsfield	O	73.7v	66.4v	45.2v	42.1v	38.0v	40.3v	0.0v	0.0v	0.0v	42.3v	0.0v	346.20v
658	Mr MJ Moran	O	65.1v	70.6v	41.2v	41.1v	45.4v	44.4v	0.0v	0.0v	0.0v	40.2v	0.0v	346.20v
659	Mr JJS Hooper	O	68.2v	70.5v	45.3v	35.2v	46.3v	43.1v	0.0v	0.0v	0.0v	39.3v	0.0v	346.19v
660	Mr RJ Dare	O	68.3v	69.4v	45.5v	37.0v	47.3v	43.2v	0.0v	0.0v	0.0v	37.2v	0.0v	346.19v
661	Mr PGW Purdy	O	70.5v	72.6v	44.2v	39.2v	42.1v	47.3v	0.0v	0.0v	0.0v	32.0v	0.0v	346.19v
662	Mr MW Hallows	O	63.1v	70.7v	38.1v	41.4v	44.2v	45.2v	0.0v	0.0v	0.0v	45.1v	0.0v	346.18v
663	Mr A Mabon	O	63.5v	69.3v	43.1v	39.3v	45.2v	45.2v	0.0v	0.0v	0.0v	42.2v	0.0v	346.18v
664	Cdt RE Knight	T	70.5v	70.3v	41.3v	38.1v	41.0v	42.2v	0.0v	0.0v	0.0v	44.3v	0.0v	346.17v
665	Mr AED Webster	T	64.4v	62.1v	45.2v	43.1v	46.3v	46.6v	0.0v	0.0v	0.0v	40.0v	0.0v	346.17v
666	Miss RL Laird	O	66.3v	69.4v	42.3v	44.2v	44.3v	46.2v	0.0v	0.0v	0.0v	35.0v	0.0v	346.17v
667	Lt GD Bartle	O	69.5v	69.3v	42.2v	43.1v	45.2v	45.3v	0.0v	0.0v	0.0v	33.1v	0.0v	346.17v
668	Mr BH Jones	O	68.3v	69.5v	43.2v	45.1v	46.3v	39.1v	0.0v	0.0v	0.0v	36.1v	0.0v	346.16v
669	Cpl C Livingstone	T	67.3v	69.4v	42.1v	43.3v	46.1v	47.2v	0.0v	0.0v	0.0v	32.2v	0.0v	346.16v
670	Ms C Edwards	A	71.4v	67.4v	41.1v	42.1v	46.3v	42.1v	0.0v	0.0v	0.0v	37.1v	0.0v	346.15v
671	Mr P Waldron	O	68.3v	72.6v	40.0v	41.3v	44.1v	45.2v	0.0v	0.0v	0.0v	36.0v	0.0v	346.15v
672	Judge AP Powell	O	69.3v	67.3v	43.2v	42.2v	50.3v	38.0v	0.0v	0.0v	0.0v	37.1v	0.0v	346.14v
673	Cdt SM Amin	T	65.4v	68.4v	43.1v	43.1v	45.1v	46.2v	0.0v	0.0v	0.0v	36.1v	0.0v	346.14v
674	Mr JP Hakim	O	69.2v	69.3v	43.3v	43.1v	49.3v	43.1v	0.0v	0.0v	0.0v	30.1v	0.0v	346.14v
675	Mr ND Anderson	O	65.0v	69.5v	43.2v	39.2v	45.1v	45.2v	0.0v	0.0v	0.0v	40.1v	0.0v	346.13v
676	Mr BJ Benest	T	67.4v	70.5v	39.4v	42.3v	48.6v	45.2v	0.0v	0.0v	0.0v	34.1v	0.0v	345.25v
677	Lt Col TH Emck	O	68.2v	71.9v	45.1v	29.1v	44.2v	44.4v	0.0v	0.0v	0.0v	44.3v	0.0v	345.22v
678	Mr NR Wells	O	71.6v	67.3v	46.4v	40.2v	47.5v	39.1v	0.0v	0.0v	0.0v	35.1v	0.0v	345.22v
679	Cpl J Wallace	O	69.5v	70.5v	36.1v	40.1v	47.4v	42.2v	0.0v	0.0v	0.0v	41.3v	0.0v	345.21v
680	Mr RD MacMillan	O	65.3v	68.4v	50.7v	37.2v	42.1v	45.4v	0.0v	0.0v	0.0v	38.0v	0.0v	345.21v
681	Mr JA Horton	O	65.5v	67.5v	42.2v	47.3v	44.3v	44.2v	0.0v	0.0v	0.0v	36.0v	0.0v	345.20v
682	Mr TW Harrison	O	66.3v	65.3v	46.5v	42.2v	44.2v	42.2v	0.0v	0.0v	0.0v	40.1v	0.0v	345.18v
683	Mr JR Green	T	71.4v	69.3v	40.1v	39.2v	43.4v	42.2v	0.0v	0.0v	0.0v	41.1v	0.0v	345.17v
684	Mr H Rumbelow	O	66.4v	68.4v	45.2v	45.4v	42.0v	38.2v	0.0v	0.0v	0.0v	41.0v	0.0v	345.16v
685	Cdt TFFS Smart	T	68.5v	65.1v	41.3v	45.3v	42.0v	45.1v	0.0v	0.0v	0.0v	39.2v	0.0v	345.15v
686	Mr HD Worheide	X	67.3v	66.5v	46.1v	45.1v	46.3v	36.1v	0.0v	0.0v	0.0v	39.1v	0.0v	345.15v
687	Sgt M Chetwyn	T	68.3v	68.2v	39.0v	40.1v	46.4v	47.3v	0.0v	0.0v	0.0v	37.2v	0.0v	345.15v
688	Maj M Geernaert-Davies	O	70.7v	69.5v	41.1v	43.0v	41.4v	46.3v	0.0v	0.0v	0.0v	34.6v	0.0v	344.26v
689	Mr JE White	O	69.3v	69.6v	30.1v	46.3v	48.6v	48.5v	0.0v	0.0v	0.0v	34.0v	0.0v	344.24v
690	Mr EJ Joseph	O	68.5v	68.5v	43.2v	37.1v	46.5v	43.2v	0.0v	0.0v	0.0v	39.3v	0.0v	344.23v
691	Mr JG Bennett	X	70.8v	71.6v	44.3v	44.2v	46.3v	31.0v	0.0v	0.0v	0.0v	38.1v	0.0v	344.23v
692	Mr CR Hirst	T	71.6v	67.4v	47.5v	32.0v	49.3v	46.4v	0.0v	0.0v	0.0v	32.1v	0.0v	344.23v
693	Cdr MF Jordan	O	68.4v	67.7v	41.2v	47.3v	39.2v	44.4v	0.0v	0.0v	0.0v	38.0v	0.0v	344.22v
694	Mr A Rowley	O	64.3v	70.4v	44.4v	39.1v	47.7v	44.3v	0.0v	0.0v	0.0v	36.0v	0.0v	344.22v
695	Mr CHT Quinn	O	67.5v	68.5v	42.3v	43.2v	43.2v	40.2v	0.0v	0.0v	0.0v	41.1v	0.0v	344.20v
696	Cdt RL Johnson	O	69.4v	71.5v	39.2v	36.2v	42.1v	46.3v	0.0v	0.0v	0.0v	41.2v	0.0v	344.19v
697	Mr JSW Hunter	O	61.2v	71.6v	44.2v	46.4v	42.3v	44.1v	0.0v	0.0v	0.0v	36.1v	0.0v	344.19v
698	Cdt M Webb	T	72.6v	66.3v	42.2v	40.0v	47.6v	43.1v	0.0v	0.0v	0.0v	34.1v	0.0v	344.19v
699	Mr MAS Robson	T	68.5v	65.3v	46.3v	40.1v	42.3v	45.2v	0.0v	0.0v	0.0v	38.1v	0.0v	344.18v
700	Miss E Stewart	T	67.5v	70.4v	40.1v	44.4v	44.2v	43.2v	0.0v	0.0v	0.0v	36.0v	0.0v	344.18v
701	Mr TJ Reeve	O	67.1v	73.7v	44.3v	41.1v	45.3v	43.2v	0.0v	0.0v	0.0v	31.1v	0.0v	344.18v
702	Mr SJ Clark	O	66.1v	70.5v	43.2v	42.1v	38.2v	41.3v	0.0v	0.0v	0.0v	44.2v	0.0v	344.16v
703	Mr NC Granger	O	67.3v	66.3v	42.2v	43.0v	47.6v	43.2v	0.0v	0.0v	0.0v	36.0v	0.0v	344.16v
704	Mr CJ Fullerton	T	68.4v	65.3v	45.2v	45.1v	42.1v	45.3v	0.0v	0.0v	0.0v	34.2v	0.0v	344.16v
705	Mr CB Stone	O	69.2v	63.0v	43.2v	46.3v	40.1v	47.4v	0.0v	0.0v	0.0v	36.1v	0.0v	344.13v
706	Cdt AW Coupland	T	62.6v	67.6v	42.2v	37.2v	46.3v	46.4v	0.0v	0.0v	0.0v	43.3v	0.0v	343.26v
707	Cdt D Lister	T	68.6v	68.4v	41.1v	42.2v	48.5v	43.3v	0.0v	0.0v	0.0v	33.1v	0.0v	343.22v
708	Mr N Beesley	O	66.2v	67.3v	44.5v	44.3v	44.2v	47.3v	0.0v	0.0v	0.0v	31.4v	0.0v	343.22v
709	Cdt E Ferguson	T	64.3v	67.7v	44.3v	43.1v	43.1v	45.5v	0.0v	0.0v	0.0v	37.0v	0.0v	343.20v
710	Mr CW Slator	O	72.5v	70.5v	43.2v	42.0v	49.4v	40.3v	0.0v	0.0v	0.0v	27.0v	0.0v	343.19v
711	Dr PR Wheeler	O	68.4v	70.3v	44.3v	43.3v	38.1v	42.2v	0.0v	0.0v	0.0v	38.2v	0.0v	343.18v
712	Cdt J Rogowski	T	71.5v	68.6v	43.2v	35.1v	47.3v	42.0v	0.0v	0.0v	0.0v	37.1v	0.0v	343.18v
713	Mr BS Preece	T	68.4v	67.2v	43.2v	41.2v	49.7v	42.0v	0.0v	0.0v	0.0v	33.0v	0.0v	343.17v
714	Mr FS Stewart	T	60.3v	69.6v	42.1v	41.1v	45.2v	44.1v	0.0v	0.0v	0.0v	42.1v	0.0v	343.15v
715	Cdt K Parrott	T	65.1v	70.4v	41.0v	38.2v	48.3v	44.2v	0.0v	0.0v	0.0v	37.3v	0.0v	343.15v
716	Mr JMP Fitzsimons	O	72.5v	66.1v	40.0v	40.1v	47.3v	46.2v	0.0v	0.0v	0.0v	32.0v	0.0v	343.12v
717	Mr PJ Amy	O	62.4v	66.4v	45.3v	45.4v	39.2v	46.5v	0.0v	0.0v	0.0v	39.1v	0.0v	342.23v
718	Cdt M Lidgitt	T	67.3v	72.9v	44.3v	40.2v	44.2v	42.1v	0.0v	0.0v	0.0v	33.0v	0.0v	342.20v
719	C Witham	T	73.6v	67.4v	40.1v	40.2v	41.2v	45.2v	0.0v	0.0v	0.0v	36.2v	0.0v	342.19v
720	Cdt AL Pimblett	T	68.3v	68.7v	44.1v	37.1v	46.3v	40.2v	0.0v	0.0v	0.0v	39.1v	0.0v	342.18v
721	Mr FM Evers	O	67.0v	68.6v	37.0v	43.1v	45.6v	44.3v	0.0v	0.0v	0.0v	38.2v	0.0v	342.18v
722	Miss S Ponter	T	69.5v	64.2v	44.2v	41.2v	45.3v	42.1v	0.0v	0.0v	0.0v	37.3v	0.0v	342.18v
723	Mr AI Lawrie	O	65.2v	67.3v	46.1v	49.4v	47.6v	42.2v	0.0v	0.0v	0.0v	26.0v	0.0v	342.18v
724	Cdt LCpl HCM Bennett	T	67.3v	67.2v	43.3v	41.1v	46.3v	42.2v	0.0v	0.0v	0.0v	36.2v	0.0v	342.16v
725	Mr AJ Bryant	O	68.4v	68.3v	42.1v	36.1v	45.2v	46.3v	0.0v	0.0v	0.0v	37.0v	0.0v	342.14v
726	Mr R Kligge	X	66.1v	65.2v	44.1v	35.2v	44.4v	46.3v	0.0v	0.0v	0.0v	42.0v	0.0v	342.13v
727	Cdt WJD Broad	T	65.4v	70.6v	26.0v	46.2v	46.2v	44.3v	0.0v	0.0v	0.0v	44.3v	0.0v	341.20v
728	Mr MT Phipps	O	63.5v	69.3v	46.3v	41.3v	45.3v	41.2v	0.0v	0.0v	0.0v	36.0v	0.0v	341.19v
729	Mr AW Lothian	X	70.5v	75.8v	46.3v	45.2v	37.0v	45.1v	0.0v	0.0v	0.0v	23.0v	0.0v	341.19v

730	Mr N McKendrick	O	68.5v	68.5v	41.2v	42.1v	43.2v	40.2v	0.0v	0.0v	0.0v	39.1v	0.0v	341.18v
731	Mr IB Bramwell	O	68.6v	72.6v	40.0v	38.2v	45.2v	42.0v	0.0v	0.0v	0.0v	36.1v	0.0v	341.17v
732	Miss K Uphill	T	72.4v	71.5v	41.2v	40.0v	42.3v	40.1v	0.0v	0.0v	0.0v	35.0v	0.0v	341.15v
733	Mr JS Chapman	O	67.3v	68.5v	40.1v	46.0v	44.2v	45.4v	0.0v	0.0v	0.0v	31.0v	0.0v	341.15v
734	Mr OJ Siddall	T	67.2v	70.4v	47.3v	42.1v	44.1v	44.3v	0.0v	0.0v	0.0v	27.0v	0.0v	341.14v
735	Mr BAAC Sandford	T	60.0v	70.5v	45.3v	37.1v	44.1v	42.0v	0.0v	0.0v	0.0v	43.2v	0.0v	341.12v
736	Mr P Barber	O	66.4v	69.3v	47.1v	37.1v	45.2v	41.0v	0.0v	0.0v	0.0v	36.0v	0.0v	341.11v
737	Mr WH Handley	O	67.3v	71.9v	43.5v	39.0v	46.0v	39.1v	0.0v	0.0v	0.0v	35.1v	0.0v	340.19v
738	Mrs KD Robertson	O	69.1v	70.3v	41.2v	40.3v	41.4v	45.4v	0.0v	0.0v	0.0v	34.0v	0.0v	340.17v
739	Mr ND Gomez	A	64.2v	68.4v	44.3v	47.2v	44.2v	41.1v	0.0v	0.0v	0.0v	32.1v	0.0v	340.15v
740	LC J Corr	T	67.3v	68.4v	43.2v	36.0v	44.2v	37.2v	0.0v	0.0v	0.0v	45.1v	0.0v	340.14v
741	Miss A Calvert	O	67.3v	69.4v	42.2v	48.3v	42.1v	43.0v	0.0v	0.0v	0.0v	29.1v	0.0v	340.14v
742	Mr BH Yates	O	63.1v	68.6v	41.0v	47.2v	45.3v	43.1v	0.0v	0.0v	0.0v	33.0v	0.0v	340.13v
743	Mr PA Wilson	O	69.3v	65.2v	41.2v	41.3v	42.0v	42.1v	0.0v	0.0v	0.0v	40.0v	0.0v	340.11v
744	Cdt L Bruder	T	65.6v	71.7v	45.2v	38.5v	48.4v	43.2v	0.0v	0.0v	0.0v	29.0v	0.0v	339.26v
745	Mr JIB Halahan	A	68.4v	68.4v	46.1v	40.3v	42.3v	37.0v	0.0v	0.0v	0.0v	38.2v	0.0v	339.17v
746	Mr CSJ Marlow	O	65.6v	67.5v	45.2v	38.1v	44.2v	43.0v	0.0v	0.0v	0.0v	37.1v	0.0v	339.17v
747	Mr SME Hayton	O	72.5v	67.3v	44.2v	36.2v	44.3v	41.1v	0.0v	0.0v	0.0v	35.1v	0.0v	339.17v
748	RP Birch	T	69.5v	64.5v	39.2v	42.0v	45.1v	39.2v	0.0v	0.0v	0.0v	41.1v	0.0v	339.16v
749	Mr JM de Bruijn	O	61.2v	68.4v	45.3v	43.2v	42.1v	41.3v	0.0v	0.0v	0.0v	39.0v	0.0v	339.15v
750	Mr AJ Maltby	O	69.5v	68.2v	39.0v	42.1v	40.1v	43.1v	0.0v	0.0v	0.0v	38.3v	0.0v	339.13v
751	Miss ME Wicker	O	69.8v	67.4v	40.2v	46.2v	41.1v	42.3v	0.0v	0.0v	0.0v	33.2v	0.0v	338.22v
752	Mr FJ Carlin	O	67.5v	70.5v	43.3v	40.0v	44.4v	46.4v	0.0v	0.0v	0.0v	28.1v	0.0v	338.22v
753	Ms CA Staples	T	68.3v	73.5v	42.4v	31.0v	47.5v	42.3v	0.0v	0.0v	0.0v	35.0v	0.0v	338.20v
754	AGC Baudains	O	71.4v	67.5v	41.1v	41.2v	43.2v	48.6v	0.0v	0.0v	0.0v	27.0v	0.0v	338.20v
755	Cdt HAD Howard	T	67.4v	68.3v	42.1v	40.0v	44.4v	44.3v	0.0v	0.0v	0.0v	33.1v	0.0v	338.16v
756	Mr CS Milton	T	68.4v	69.7v	43.1v	35.1v	47.1v	43.1v	0.0v	0.0v	0.0v	33.1v	0.0v	338.16v
757	Cdt M Jones	T	68.3v	68.3v	47.4v	37.2v	47.1v	42.2v	0.0v	0.0v	0.0v	29.0v	0.0v	338.15v
758	Miss JE Harris	T	64.2v	67.2v	36.0v	43.1v	42.1v	44.3v	0.0v	0.0v	0.0v	42.3v	0.0v	338.12v
759	PC E Nyaga	X	68.6v	68.6v	41.2v	43.3v	43.2v	46.3v	0.0v	0.0v	0.0v	28.0v	0.0v	337.22v
760	Mr DS Goodwin	O	66.3v	70.6v	43.0v	37.0v	44.4v	41.3v	0.0v	0.0v	0.0v	36.0v	0.0v	337.16v
761	Mr JA Corral	T	61.1v	70.4v	39.1v	42.2v	45.2v	43.3v	0.0v	0.0v	0.0v	37.2v	0.0v	337.15v
762	Mr OC Collas	T	68.2v	66.3v	40.0v	41.0v	43.2v	40.1v	0.0v	0.0v	0.0v	39.2v	0.0v	337.10v
763	Mr EPJ Harrison	O	72.1v	62.1v	41.1v	41.3v	42.2v	41.2v	0.0v	0.0v	0.0v	38.0v	0.0v	337.10v
764	Mr E Stuart-Bamford	O	63.2v	65.2v	45.4v	35.3v	45.4v	42.4v	0.0v	0.0v	0.0v	41.2v	0.0v	336.21v
765	Miss HC Kent	T	64.5v	69.5v	45.3v	43.3v	43.2v	41.1v	0.0v	0.0v	0.0v	31.1v	0.0v	336.20v
766	Mr TW Tatchell	T	62.3v	67.2v	45.4v	39.3v	45.5v	45.2v	0.0v	0.0v	0.0v	33.0v	0.0v	336.19v
767	Mr KMS Wong	T	67.4v	64.2v	43.2v	39.1v	46.4v	46.3v	0.0v	0.0v	0.0v	31.2v	0.0v	336.18v
768	Cpl D Kiprotich	X	70.6v	66.2v	36.0v	37.0v	44.1v	46.4v	0.0v	0.0v	0.0v	37.1v	0.0v	336.14v
769	Mr JT Boyd	T	69.3v	71.4v	41.1v	41.1v	44.2v	43.2v	0.0v	0.0v	0.0v	27.0v	0.0v	336.13v
770	Dr CM Sturges	O	67.2v	64.2v	43.2v	45.3v	41.0v	36.0v	0.0v	0.0v	0.0v	40.2v	0.0v	336.11v
771	Mr AC Brooker	T	66.1v	67.3v	43.1v	40.1v	46.2v	38.1v	0.0v	0.0v	0.0v	36.2v	0.0v	336.11v
772	Mr HG Mooiman	X	65.3v	69.2v	46.1v	39.0v	45.3v	45.1v	0.0v	0.0v	0.0v	27.1v	0.0v	336.11v
773	Mr C Russell	T	65.5v	69.7v	46.1v	36.1v	44.2v	36.1v	0.0v	0.0v	0.0v	39.0v	0.0v	335.17v
774	Mr CLW Whale	T	68.3v	68.5v	36.1v	40.0v	43.2v	45.3v	0.0v	0.0v	0.0v	35.2v	0.0v	335.16v
775	Cpl J Kimondo	X	65.1v	70.6v	40.1v	41.1v	47.4v	41.3v	0.0v	0.0v	0.0v	31.0v	0.0v	335.16v
776	Fg Off RL Douglas	T	66.0v	65.3v	34.1v	37.2v	43.3v	46.2v	0.0v	0.0v	0.0v	44.2v	0.0v	335.13v
777	Sgt M House	T	64.3v	62.2v	45.3v	38.1v	48.2v	44.2v	0.0v	0.0v	0.0v	34.0v	0.0v	335.13v
778	Sjt L Waude	T	70.5v	70.2v	39.2v	32.0v	47.2v	45.2v	0.0v	0.0v	0.0v	32.0v	0.0v	335.13v
779	Cdt G Greenbury	T	63.2v	70.3v	44.1v	42.3v	42.1v	38.0v	0.0v	0.0v	0.0v	36.0v	0.0v	335.10v
780	Mr NA Fawcett	O	69.0v	63.0v	43.1v	41.0v	46.3v	40.1v	0.0v	0.0v	0.0v	33.1v	0.0v	335.6v
781	Mr BA Horwood	X	73.9v	69.5v	48.4v	47.6v	48.3v	49.4v	0.0v	0.0v	0.0v	0.0v	0.0v	334.31v
782	Mr RJ Cade	O	70.5v	65.3v	12.1v	46.3v	48.3v	49.5v	0.0v	0.0v	0.0v	44.2v	0.0v	334.22v
783	Mr WT Bridger	O	69.4v	67.5v	39.2v	45.1v	46.3v	43.3v	0.0v	0.0v	0.0v	25.0v	0.0v	334.18v
784	Mr JE Diviney	T	68.4v	66.2v	39.2v	43.3v	43.2v	35.3v	0.0v	0.0v	0.0v	40.1v	0.0v	334.17v
785	Mr R McIlveen	O	69.3v	68.5v	40.1v	35.1v	46.2v	43.3v	0.0v	0.0v	0.0v	33.0v	0.0v	334.15v
786	Mr MD Williams	T	68.3v	62.2v	40.1v	40.1v	41.1v	46.3v	0.0v	0.0v	0.0v	37.0v	0.0v	334.11v
787	B Turner	T	66.3v	71.8v	36.1v	32.7v	46.5v	45.3v	0.0v	0.0v	0.0v	37.2v	0.0v	333.29v
788	Mr T Firth	T	66.3v	71.6v	41.2v	38.0v	42.2v	41.2v	0.0v	0.0v	0.0v	34.0v	0.0v	333.15v
789	Cdt Cpl K Pope	T	64.2v	66.2v	45.4v	37.0v	46.4v	41.1v	0.0v	0.0v	0.0v	34.0v	0.0v	333.13v
790	Mr AM Norman	T	59.1v	59.1v	46.2v	45.3v	35.1v	42.0v	0.0v	0.0v	0.0v	47.3v	0.0v	333.11v
791	Mr MA Kirkillo-Stacewicz	A	70.7v	70.6v	47.5v	48.4v	49.5v	48.6v	0.0v	0.0v	0.0v	0.0v	0.0v	332.33v
792	Dr PD Sykes	X	69.5v	73.10v	49.6v	45.1v	48.4v	48.5v	0.0v	0.0v	0.0v	0.0v	0.0v	332.31v
793	Cpl B Humphreys	T	63.3v	71.5v	42.3v	39.3v	40.2v	43.1v	0.0v	0.0v	0.0v	34.0v	0.0v	332.17v
794	Mr FCP Mostyn	T	65.3v	65.2v	44.2v	39.0v	47.7v	40.2v	0.0v	0.0v	0.0v	32.1v	0.0v	332.17v
795	Lt MDA Bentata	O	69.2v	72.4v	42.2v	46.5v	42.1v	43.2v	0.0v	0.0v	0.0v	18.1v	0.0v	332.17v
796	Mr DN Budden	T	70.3v	66.2v	34.0v	31.3v	46.3v	45.1v	0.0v	0.0v	0.0v	40.4v	0.0v	332.16v
797	Mr AE Le Page	X	67.4v	65.5v	42.1v	33.1v	44.1v	45.2v	0.0v	0.0v	0.0v	36.1v	0.0v	332.15v
798	Miss SEA Ellis	T	65.1v	68.6v	46.2v	30.0v	45.3v	44.1v	0.0v	0.0v	0.0v	34.1v	0.0v	332.14v
799	Mr RS Pool	O	63.3v	69.2v	36.0v	44.1v	40.3v	43.2v	0.0v	0.0v	0.0v	37.2v	0.0v	332.13v
800	PC F Muema	X	66.4v	70.2v	40.0v	37.0v	43.1v	47.4v	0.0v	0.0v	0.0v	29.0v	0.0v	332.11v
801	Sgt M Argo	T	71.2v	63.1v	41.0v	35.1v	39.2v	43.2v	0.0v	0.0v	0.0v	40.1v	0.0v	332.9v
802	Cdt C Peacock	T	67.3v	64.2v	38.0v	39.1v	44.0v	41.1v	0.0v	0.0v	0.0v	39.1v	0.0v	332.8v
803	Mr AG Mitchell	O	72.8v	73.7v	48.2v	47.4v	0.0v	49.5v	0.0v	0.0v	0.0v	42.2v	0.0v	331.28v
804	Mr RE Clarke	A	69.5v	73.7v	47.6v	47.1v	48.1v	47.4v	0.0v	0.0v	0.0v	0.0v	0.0v	331.24v
805	Miss CAS Lemmer	O	69.4v	46.6v	43.2v	41.3v	47.3v	46.3v	0.0v	0.0v	0.0v	39.0v	0.0v	331.21v
806	Cdt TO Overbury	T	63.2v	71.7v	39.2v	40.2v	43.2v	44.3v	0.0v	0.0v	0.0v	31.0v	0.0v	331.18v
807	Sgt D Lambert	T	67.1v	70.7v	41.1v	30.1v	47.5v	46.1v	0.0v	0.0v	0.0v	30.2v	0.0v	331.18v
808	Mr PA Kelly	O	68.6v	69.5v	39.1v	37.1v	46.3v	38.1v	0.0v	0.0v	0.0v	34.0v	0.0v	331.17v
809	Mr FF Lalear	O	68.1v	47.4v	42.3v	40.1v	45.3v	45.2v	0.0v	0.0v	0.0v	44.1v	0.0v	331.15v
810	Mr MJ Judge	O	64.3v	69.4v	41.1v	33.1v	36.1v	46.2v	0.0v	0.0v	0.0v	42.1v	0.0v	331.13v
811	Mr MT Dodd	O	64.2v	65.2v	37.0v	39.2v	46.5v	43.2v	0.0v	0.0v	0.0v	37.0v	0.0v	331.13v
812	Mr K Taylor	O	65.3v	67.3v	39.1v	45.1v	43.0v	38.0v	0.0v	0.0v	0.0v	34.0v	0.0v	331.8v

813	Mr TA Hill	O	71.6v	70.7v	42.2v	21.0v	45.4v	45.4v	0.0v	0.0v	0.0v	36.1v	0.0v	330.24v
814	Miss AL Lamont	T	70.6v	69.5v	35.0v	43.2v	45.2v	41.2v	0.0v	0.0v	0.0v	27.1v	0.0v	330.18v
815	Mr AJ Ball	O	70.2v	43.2v	38.1v	47.2v	44.3v	46.4v	0.0v	0.0v	0.0v	42.3v	0.0v	330.17v
816	Mr D Hausmann	X	69.5v	71.4v	36.1v	41.2v	43.4v	40.0v	0.0v	0.0v	0.0v	30.1v	0.0v	330.17v
817	Mr PH Gardner	O	61.2v	67.3v	35.1v	45.1v	40.2v	43.1v	0.0v	0.0v	0.0v	39.1v	0.0v	330.11v
818	Cdt J Glen	O	67.2v	64.3v	42.0v	34.1v	39.0v	43.1v	0.0v	0.0v	0.0v	41.2v	0.0v	330.9v
819	Mr P Dawes	A	70.5v	72.6v	48.4v	48.5v	49.5v	0.0v	0.0v	0.0v	42.1v	0.0v	329.26v	
820	Mr CA Ganter	X	64.2v	61.1v	35.2v	43.3v	40.2v	44.1v	0.0v	0.0v	0.0v	42.2v	0.0v	329.13v
821	Mr WA O'Dair	O	63.3v	63.1v	41.0v	43.2v	43.2v	39.2v	0.0v	0.0v	0.0v	37.1v	0.0v	329.11v
822	Cdt C Emmens	T	70.3v	62.0v	41.1v	35.0v	47.3v	43.2v	0.0v	0.0v	0.0v	31.0v	0.0v	329.9v
823	Mr PA Hatfield	X	73.7v	71.6v	46.4v	46.2v	46.3v	46.2v	0.0v	0.0v	0.0v	0.0v	0.0v	328.24v
824	Miss CPD Pearce	T	66.4v	62.2v	39.3v	39.2v	45.2v	38.1v	0.0v	0.0v	0.0v	39.3v	0.0v	328.17v
825	Mrs SM Mott	O	63.2v	69.5v	43.2v	38.1v	44.1v	43.1v	0.0v	0.0v	0.0v	28.0v	0.0v	328.12v
826	Mr RJA Ritchie	T	64.3v	66.2v	44.1v	38.0v	43.3v	43.0v	0.0v	0.0v	0.0v	30.1v	0.0v	328.10v
827	Mr IJ Milward	T	67.1v	67.2v	42.1v	44.3v	39.1v	42.0v	0.0v	0.0v	0.0v	27.1v	0.0v	328.9v
828	Cdt LAE Crowson	T	64.2v	71.6v	40.3v	34.1v	44.2v	47.2v	0.0v	0.0v	0.0v	27.0v	0.0v	327.16v
829	Cdt CGD Dickson	T	62.1v	67.5v	40.2v	34.1v	45.5v	42.1v	0.0v	0.0v	0.0v	37.0v	0.0v	327.15v
830	Mr MP Perez	O	66.3v	66.1v	39.2v	44.3v	44.0v	43.3v	0.0v	0.0v	0.0v	26.1v	0.0v	327.13v
831	Mr IH Hindshaw	T	69.3v	69.4v	39.1v	35.1v	40.1v	43.0v	0.0v	0.0v	0.0v	32.0v	0.0v	327.10v
832	Ms GMP Jarvis	O	72.4v	72.7v	43.2v	45.2v	46.5v	48.5v	0.0v	0.0v	0.0v	0.0v	0.0v	326.25v
833	Cdt R McCutcheon	T	66.2v	70.7v	42.1v	32.2v	44.1v	38.2v	0.0v	0.0v	0.0v	34.3v	0.0v	326.18v
834	Mr RB Fields	O	66.6v	47.3v	43.1v	45.3v	47.3v	43.0v	0.0v	0.0v	0.0v	35.0v	0.0v	326.16v
835	Mr KG Mcneil	O	65.3v	66.3v	42.1v	37.0v	46.6v	42.0v	0.0v	0.0v	0.0v	28.1v	0.0v	326.14v
836	Maj MA Chivers	O	67.4v	48.5v	45.1v	43.1v	39.1v	44.1v	0.0v	0.0v	0.0v	40.0v	0.0v	326.13v
837	Mr CJ Anyan	O	66.3v	67.5v	37.0v	39.2v	45.3v	43.2v	0.0v	0.0v	0.0v	28.1v	0.0v	325.16v
838	Mr IE Stolk	X	66.0v	66.2v	38.3v	40.2v	41.3v	40.3v	0.0v	0.0v	0.0v	34.0v	0.0v	325.13v
839	Mr JL Poulin	O	69.3v	66.5v	42.2v	38.0v	45.2v	41.1v	0.0v	0.0v	0.0v	24.0v	0.0v	325.13v
840	Miss GR Redman	T	66.3v	68.2v	44.3v	39.1v	43.1v	42.3v	0.0v	0.0v	0.0v	23.0v	0.0v	325.13v
841	Mr HW Orpen-Smellie	T	67.2v	71.4v	45.3v	40.2v	45.2v	40.2v	0.0v	0.0v	0.0v	16.1v	0.0v	324.16v
842	Sgt S Fahy	T	65.3v	66.3v	36.1v	37.0v	43.0v	36.1v	0.0v	0.0v	0.0v	41.3v	0.0v	324.11v
843	Mr PS Quinn	O	63.1v	67.3v	32.0v	38.2v	39.1v	44.3v	0.0v	0.0v	0.0v	41.1v	0.0v	324.11v
844	Mr NS Roberts	O	64.3v	60.2v	43.1v	35.1v	41.2v	41.2v	0.0v	0.0v	0.0v	40.0v	0.0v	324.11v
845	Mr OJ Neill	T	62.2v	65.2v	39.2v	36.1v	47.3v	37.0v	0.0v	0.0v	0.0v	38.0v	0.0v	324.10v
846	Cdt D Adams	T	66.2v	72.13v	35.1v	42.3v	44.3v	34.1v	0.0v	0.0v	0.0v	30.0v	0.0v	323.23v
847	Miss AL Kent	O	70.4v	70.8v	0.0v	48.1v	46.3v	50.5v	0.0v	0.0v	0.0v	39.1v	0.0v	323.22v
848	Sgt T Colquitt	T	63.4v	64.3v	43.2v	38.1v	41.2v	40.0v	0.0v	0.0v	0.0v	34.0v	0.0v	323.12v
849	Cdt PO J Palmer	T	65.1v	65.3v	40.2v	44.2v	37.0v	37.0v	0.0v	0.0v	0.0v	35.0v	0.0v	323.8v
850	Mr BRW Parker	X	71.3v	73.7v	42.3v	48.4v	45.3v	43.0v	0.0v	0.0v	0.0v	0.0v	0.0v	322.20v
851	Cdt AWB Boyd	T	64.3v	68.5v	39.1v	36.1v	47.4v	46.1v	0.0v	0.0v	0.0v	22.0v	0.0v	322.15v
852	PJS Evans	T	67.3v	69.5v	43.2v	29.0v	43.1v	45.1v	0.0v	0.0v	0.0v	26.1v	0.0v	322.13v
853	Mr MD Joyce	A	70.7v	70.5v	46.4v	47.4v	47.6v	41.3v	0.0v	0.0v	0.0v	0.0v	0.0v	321.29v
854	Miss EJ Cunnings	O	71.4v	71.7v	47.5v	48.3v	0.0v	45.1v	0.0v	0.0v	0.0v	39.4v	0.0v	321.24v
855	Miss SIM Anderson	A	68.4v	73.7v	48.4v	44.1v	46.2v	0.0v	0.0v	0.0v	42.3v	0.0v	321.21v	
856	Mrs I Pioche	O	68.5v	70.4v	42.3v	38.2v	39.2v	43.2v	0.0v	0.0v	0.0v	21.0v	0.0v	321.18v
857	Mr SJS Monaghan	A	66.3v	72.6v	42.2v	45.3v	46.1v	50.3v	0.0v	0.0v	0.0v	0.0v	0.0v	321.18v
858	Mr PM Newman	T	66.3v	65.4v	42.3v	39.2v	41.4v	38.1v	0.0v	0.0v	0.0v	30.0v	0.0v	321.17v
859	Cdt Cpl FJT Puckle Hobbs	T	69.4v	74.7v	48.2v	41.1v	47.1v	42.2v	0.0v	0.0v	0.0v	0.0v	0.0v	321.17v
860	Mr P Kirtchev	T	62.3v	64.3v	42.1v	32.1v	41.2v	40.1v	0.0v	0.0v	0.0v	40.3v	0.0v	321.14v
861	Cdt CK Skelton	T	65.2v	62.3v	40.1v	45.2v	37.2v	37.2v	0.0v	0.0v	0.0v	35.0v	0.0v	321.12v
862	Mr BRF Perkins	T	60.0v	67.6v	45.3v	38.1v	36.0v	41.2v	0.0v	0.0v	0.0v	34.0v	0.0v	321.12v
863	Mr EJP Robertson	T	65.3v	63.2v	45.2v	32.1v	41.0v	40.0v	0.0v	0.0v	0.0v	35.1v	0.0v	321.9v
864	Mr A Robertson	O	65.2v	69.5v	46.2v	47.5v	45.2v	48.3v	0.0v	0.0v	0.0v	0.0v	0.0v	320.19v
865	Dr J Mehta	O	71.5v	70.4v	43.2v	46.2v	46.1v	44.1v	0.0v	0.0v	0.0v	0.0v	0.0v	320.15v
866	Mr TJ Roberts	O	70.5v	72.7v	0.0v	49.4v	48.4v	44.3v	0.0v	0.0v	0.0v	36.1v	0.0v	319.24v
867	Cdt Sgt A Cannon	T	65.4v	70.5v	40.0v	28.0v	45.4v	43.1v	0.0v	0.0v	0.0v	28.0v	0.0v	319.14v
868	Mr RJ Deane	O	65.2v	64.1v	45.4v	26.1v	43.1v	44.3v	0.0v	0.0v	0.0v	32.1v	0.0v	319.13v
869	Mr GL Barker	T	65.2v	69.5v	36.1v	36.0v	45.0v	46.1v	0.0v	0.0v	0.0v	22.2v	0.0v	319.11v
870	Mr DC Chalker	X	62.1v	61.1v	40.1v	41.2v	39.1v	37.1v	0.0v	0.0v	0.0v	39.0v	0.0v	319.7v
871	H Buitelaar	O	60.3v	63.2v	45.2v	48.2v	47.4v	42.3v	0.0v	0.0v	0.0v	13.0v	0.0v	318.16v
872	Cdt Sgt A Durrant	T	66.4v	67.5v	35.0v	23.0v	46.2v	41.1v	0.0v	0.0v	0.0v	39.1v	0.0v	317.13v
873	Mr BB Henry	T	48.0v	68.3v	43.2v	38.2v	36.1v	45.3v	0.0v	0.0v	0.0v	39.1v	0.0v	317.12v
874	Sgt LS Bugmann	T	62.1v	62.2v	39.0v	43.3v	35.2v	39.1v	0.0v	0.0v	0.0v	37.0v	0.0v	317.9v
875	Mr JR Marshall	X	69.6v	71.7v	48.5v	40.1v	46.4v	41.4v	0.0v	0.0v	0.0v	0.0v	0.0v	315.27v
876	Mr MR Gregory	A	40.1v	70.5v	41.2v	39.0v	45.2v	47.5v	0.0v	0.0v	0.0v	33.2v	0.0v	315.17v
877	Dr C Wall	O	66.4v	67.1v	26.1v	42.1v	44.2v	38.1v	0.0v	0.0v	0.0v	32.1v	0.0v	315.11v
878	Mr IF Coventry	O	66.4v	63.4v	36.0v	44.2v	37.1v	41.0v	0.0v	0.0v	0.0v	28.0v	0.0v	315.11v
879	Sgt MR Reed	T	68.3v	67.4v	39.0v	35.0v	46.3v	38.0v	0.0v	0.0v	0.0v	22.0v	0.0v	315.10v
880	Miss S Yates	T	66.1v	62.3v	31.0v	36.0v	41.0v	45.4v	0.0v	0.0v	0.0v	34.0v	0.0v	315.8v
881	Mr BG White	O	70.5v	72.5v	45.3v	49.8v	44.2v	0.0v	0.0v	0.0v	34.2v	0.0v	314.25v	
882	Cpl HREH Howse	T	59.4v	69.7v	36.1v	44.2v	42.4v	41.2v	0.0v	0.0v	0.0v	23.0v	0.0v	314.20v
883	Mr WA Hardy	T	61.4v	65.4v	41.2v	36.1v	38.0v	43.3v	0.0v	0.0v	0.0v	30.0v	0.0v	314.14v
884	MR DH Le Vesconte	O	70.2v	68.3v	47.2v	36.0v	46.3v	47.2v	0.0v	0.0v	0.0v	0.0v	0.0v	314.12v
885	Mr RW Coatsworth	T	64.4v	63.3v	39.0v	42.1v	33.0v	42.3v	0.0v	0.0v	0.0v	31.0v	0.0v	314.11v
886	Mr FE Neale	O	66.5v	70.5v	44.2v	47.3v	42.2v	44.3v	0.0v	0.0v	0.0v	0.0v	0.0v	313.20v
887	WO2 D Purcell	T	63.1v	65.3v	41.2v	38.2v	43.1v	34.2v	0.0v	0.0v	0.0v	29.0v	0.0v	313.11v
888	Mr MT West	A	71.7v	65.4v	46.3v	40.3v	48.4v	0.0v	0.0v	0.0v	42.2v	0.0v	312.23v	
889	Mr DB Cumming	O	69.3v	69.5v	0.0v	47.5v	48.5v	46.5v	0.0v	0.0v	0.0v	32.0v	0.0v	311.23v
890	Cdt K Gagnon	T	71.7v	67.5v	0.0v	45.4v	45.2v	43.1v	0.0v	0.0v	0.0v	40.3v	0.0v	311.22v
891	PC J Serem	X	69.4v	70.6v	37.1v	0.0v	46.3v	45.0v	0.0v	0.0v	0.0v	44.3v	0.0v	311.17v
892	Cdt HG Green	T	62.0v	68.5v	39.0v	32.2v	45.4v	37.0v	0.0v	0.0v	0.0v	28.0v	0.0v	311.11v
893	Cpl A Clark	T	58.3v	67.2v	32.0v	42.3v	43.1v	37.1v	0.0v	0.0v	0.0v	32.0v	0.0v	311.10v
894	Mr S Ennion	O	66.4v	69.5v	45.3v	0.0v	48.5v	43.3v	0.0v	0.0v	0.0v	39.0v	0.0v	310.20v
895	Mr WJS Hayman	T	67.3v	71.6v	45.1v	0.0v	44.2v	47.4v	0.0v	0.0v	0.0v	36.1v	0.0v	310.17v



