

# NRA 139th Imperial Meeting

## Grand Aggregate (as at Wednesday, 23rd July 2008)

		DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	Corp	POW	Total	
1	Mr NC Mace	X	74.9v	73.9v	49.3v	50.4v	49.6v	49.5v	50.9v	74.10v	104.13v	46.5v	0.0v	618.73v
2	Mr NJ Ball	X	74.10v	75.10v	46.5v	48.5v	50.7v	48.6v	50.10v	75.12v	105.13v	45.3v	0.0v	616.81v
3	Wg Cdr DP Calvert	X	75.8v	73.6v	48.3v	48.6v	49.7v	48.5v	49.6v	75.11v	105.13v	46.2v	0.0v	616.67v
4	Mr DW Baker	A	72.4v	75.9v	46.6v	48.6v	50.3v	49.5v	50.5v	74.7v	104.12v	46.2v	0.0v	614.59v
5	Miss JH Messer	X	73.6v	73.9v	49.4v	47.4v	49.5v	50.3v	49.7v	74.13v	104.13v	44.3v	0.0v	612.67v
6	Mr DC Luckman	X	73.7v	74.7v	47.5v	47.5v	48.5v	49.4v	50.4v	73.10v	105.14v	46.3v	0.0v	612.64v
7	Dr GCD Barnett	X	73.8v	73.8v	50.6v	48.5v	50.7v	43.2v	50.10v	75.12v	105.13v	44.0v	0.0v	611.71v
8	Mr AR Wilde	X	74.7v	74.11v	45.5v	50.5v	50.8v	49.4v	49.5v	75.11v	103.15v	42.0v	0.0v	611.71v
9	Mr PG Kent	X	73.9v	74.10v	47.4v	50.8v	48.5v	45.1v	48.3v	74.9v	105.15v	46.5v	0.0v	610.69v
10	Mr J Cload	X	73.7v	74.8v	47.4v	46.5v	47.2v	48.4v	50.6v	73.7v	104.15v	48.4v	0.0v	610.62v
11	Mr AJ Luckman	X	72.7v	74.8v	47.5v	48.4v	48.5v	49.7v	50.6v	72.9v	103.13v	46.2v	0.0v	609.66v
12	Mr TW Hunter	X	74.8v	75.9v	45.2v	48.3v	50.6v	47.5v	48.6v	74.11v	104.14v	44.1v	0.0v	609.65v
13	Mr RCT Jeens	X	72.5v	71.4v	48.6v	49.5v	47.5v	48.4v	50.6v	72.10v	104.14v	48.1v	0.0v	609.60v
14	Mr AD Le Cheminant	X	69.6v	74.8v	48.4v	49.3v	48.1v	47.4v	50.5v	73.8v	104.14v	47.3v	0.0v	609.56v
15	Mr SD Shouler	X	71.6v	74.11v	50.7v	49.4v	50.10v	47.4v	49.3v	73.8v	105.15v	40.1v	0.0v	608.69v
16	Dr JG Robertson	X	70.6v	75.9v	47.4v	49.7v	48.4v	48.3v	49.5v	73.9v	104.17v	45.2v	0.0v	608.66v
17	Mr P Patel	X	71.8v	73.10v	48.5v	46.6v	50.4v	48.5v	49.4v	75.10v	104.12v	44.1v	0.0v	608.65v
18	Mr NRJ Brasier	X	74.6v	72.7v	48.3v	44.2v	50.6v	48.5v	48.7v	74.10v	105.14v	45.3v	0.0v	608.63v
19	Mr JS Collings	X	71.10v	73.10v	49.6v	48.8v	47.5v	49.6v	48.5v	74.10v	102.11v	46.2v	0.0v	607.73v
20	Mr TA Ringer	X	73.8v	72.10v	48.5v	48.5v	49.5v	48.5v	48.6v	73.10v	104.13v	44.2v	0.0v	607.69v
21	Mr SC Postins	A	74.10v	72.10v	47.3v	48.6v	48.4v	45.5v	50.5v	74.8v	105.14v	44.1v	0.0v	607.66v
22	Mr CN Tremlett	X	73.6v	74.10v	49.6v	48.3v	50.6v	46.5v	49.8v	72.7v	103.15v	43.0v	0.0v	607.66v
23	Mr LT Wicker	A	73.9v	75.7v	47.1v	49.3v	50.8v	46.3v	48.3v	73.9v	103.11v	43.2v	0.0v	607.56v
24	Dr AJ Pilgrim	A	72.9v	73.9v	49.7v	46.2v	47.7v	48.3v	50.6v	75.11v	104.13v	42.1v	0.0v	606.68v
25	Mr DGM Coleman	X	71.8v	74.10v	49.3v	47.7v	49.6v	46.1v	50.5v	72.8v	102.12v	46.5v	0.0v	606.65v
26	Mrs LK Mace	A	73.5v	74.9v	49.6v	49.5v	48.4v	49.5v	46.4v	72.6v	104.16v	42.2v	0.0v	606.62v
27	Mr DFP Richards	X	72.6v	73.9v	46.3v	49.2v	49.6v	48.2v	49.6v	73.8v	102.11v	45.3v	0.0v	606.56v
28	Mr J Pugsley	X	70.6v	72.8v	47.3v	50.8v	49.2v	49.5v	48.3v	73.7v	105.11v	43.2v	0.0v	606.55v
29	Mr TJD Raincock	X	71.8v	73.7v	49.7v	45.5v	48.5v	46.3v	50.4v	74.12v	105.16v	44.2v	0.0v	605.69v
30	Dr AM Jory	X	67.6v	74.9v	47.6v	47.2v	50.9v	48.5v	50.6v	74.8v	103.13v	45.4v	0.0v	605.68v
31	Mr TLW Kidner	X	72.7v	73.9v	48.3v	50.7v	49.6v	45.4v	49.7v	74.13v	103.8v	42.1v	0.0v	605.65v
32	Mr DR Armstrong	X	75.10v	73.5v	49.6v	49.8v	47.6v	48.7v	48.5v	72.5v	102.12v	42.1v	0.0v	605.65v
33	Dr JDS Langley	X	73.10v	75.6v	48.5v	45.3v	48.2v	49.5v	49.8v	75.10v	103.12v	40.3v	0.0v	605.64v
34	Mr ERT Jeens	X	70.7v	73.7v	47.3v	48.7v	49.8v	48.3v	50.4v	72.9v	101.12v	47.3v	0.0v	605.63v
35	Mr IP Davison	X	71.4v	74.10v	47.5v	47.3v	48.7v	48.5v	50.8v	74.10v	102.9v	44.1v	0.0v	605.62v
36	Mr JGM Webster	X	70.5v	74.8v	48.7v	47.4v	49.5v	46.3v	48.6v	73.5v	104.15v	46.3v	0.0v	605.61v
37	Mr ES Compton	X	72.7v	74.8v	47.2v	44.3v	50.3v	47.4v	49.6v	73.6v	104.14v	45.3v	0.0v	605.56v
38	Mr KR Trowbridge	X	72.4v	75.12v	48.4v	47.4v	49.5v	49.5v	48.4v	73.4v	100.8v	44.1v	0.0v	605.51v
39	Zulkeflee Hamsan	X	71.6v	73.7v	48.7v	46.3v	48.4v	49.7v	48.6v	74.10v	103.14v	44.0v	0.0v	604.64v
40	Mr D Rose	X	68.5v	74.9v	48.1v	48.4v	49.6v	47.4v	48.4v	73.9v	103.13v	46.3v	0.0v	604.58v
41	Mr SM Smallwood	A	70.6v	74.8v	48.5v	47.4v	50.6v	48.4v	50.5v	72.7v	100.10v	45.3v	0.0v	604.58v
42	Mr WCP Richards	X	74.7v	73.6v	46.4v	47.3v	47.5v	48.6v	47.6v	73.6v	104.13v	45.2v	0.0v	604.58v
43	Mr TP Clarke	X	71.6v	75.13v	48.5v	48.5v	47.3v	46.0v	48.6v	74.11v	104.16v	42.6v	0.0v	603.71v
44	Mr ITG Shaw	X	73.6v	73.9v	44.2v	45.3v	49.7v	48.4v	49.7v	73.8v	104.16v	45.3v	0.0v	603.65v
45	Mr PB Bromley	X	72.7v	73.6v	46.5v	48.7v	49.5v	46.3v	49.6v	73.9v	101.10v	46.4v	0.0v	603.62v
46	Mr GS Cotton	X	74.9v	72.7v	48.3v	47.5v	46.3v	49.4v	49.4v	73.10v	102.14v	43.3v	0.0v	603.62v
47	Dr PD Sykes	X	69.5v	73.10v	49.6v	45.1v	48.4v	48.5v	50.9v	75.8v	102.10v	44.3v	0.0v	603.61v
48	Mr HRT Jeens	X	70.7v	71.5v	49.5v	45.3v	46.3v	48.8v	49.5v	74.12v	104.9v	47.3v	0.0v	603.60v
49	Mr PJR Holden	X	73.7v	74.10v	44.3v	49.3v	49.5v	47.5v	50.6v	72.8v	102.11v	43.1v	0.0v	603.59v
50	Mr S Harding	O	74.7v	74.6v	48.3v	45.3v	49.7v	47.3v	45.3v	74.10v	104.12v	43.2v	0.0v	603.56v
51	Mr ASH McCullough	X	72.6v	73.10v	47.3v	49.4v	47.2v	46.5v	49.5v	75.8v	103.11v	42.2v	0.0v	603.56v
52	Miss GC O'Leary	X	71.5v	71.3v	47.3v	49.5v	50.6v	45.3v	49.7v	73.7v	103.13v	45.1v	0.0v	603.53v
53	Eur Ing CA Painting	X	69.6v	72.8v	46.2v	46.2v	49.5v	48.5v	50.8v	74.11v	104.13v	44.2v	0.0v	602.62v
54	Mr MR Fugeman	A	74.9v	73.5v	48.6v	45.4v	49.3v	48.2v	49.7v	75.9v	104.14v	37.1v	0.0v	602.60v
55	Mr BA Horwood	X	73.9v	69.5v	48.4v	47.6v	48.3v	49.4v	49.5v	73.7v	105.14v	41.2v	0.0v	602.59v
56	Mr RW Shaw	A	72.7v	71.9v	50.4v	45.3v	49.6v	47.3v	49.6v	73.9v	104.7v	42.3v	0.0v	602.57v
57	Mr RAH Vary	A	72.7v	72.7v	49.4v	46.2v	45.3v	50.6v	49.4v	73.10v	103.9v	43.1v	0.0v	602.53v
58	Zainal Abidin Md Zain	X	70.7v	72.8v	48.2v	46.2v	47.3v	49.5v	49.2v	75.5v	102.8v	44.1v	0.0v	602.43v
59	Mr GMLN Gilpin	X	74.10v	72.9v	45.2v	44.3v	50.8v	49.6v	50.9v	72.9v	101.10v	44.1v	0.0v	601.67v
60	Mr D Le Quesne	X	72.7v	72.11v	47.4v	48.5v	49.6v	48.4v	50.7v	73.8v	104.13v	38.1v	0.0v	601.66v
61	Mr ADE Grounds	X	72.9v	74.13v	48.4v	48.4v	49.7v	47.6v	48.6v	71.5v	102.9v	42.1v	0.0v	601.64v
62	Dr CD Haley	X	68.3v	71.8v	48.5v	50.3v	48.4v	46.3v	50.8v	74.9v	104.14v	42.4v	0.0v	601.61v
63	Miss S-J Binder	A	74.9v	73.12v	48.4v	50.5v	48.4v	47.3v	48.5v	71.8v	102.9v	40.1v	0.0v	601.60v
64	Mr R McQuillan	X	71.6v	74.7v	50.7v	50.6v	44.1v	49.2v	50.9v	71.8v	104.12v	38.1v	0.0v	601.59v
65	Mr P Dawes	A	70.5v	72.6v	48.4v	48.5v	49.5v	50.6v	48.4v	70.6v	104.12v	42.1v	0.0v	601.54v

66	Mr CST Lehmann	O	71.6v	75.8v	48.4v	46.5v	48.3v	48.2v	47.4v	73.7v	101.11v	44.3v	0.0v	601.53v
67	Mr M Woolger	X	72.5v	73.5v	47.4v	46.3v	50.7v	46.4v	48.5v	74.9v	101.8v	44.2v	0.0v	601.52v
68	Dr JD Warburton	X	73.8v	72.8v	47.3v	47.2v	47.5v	47.3v	49.3v	74.7v	101.10v	44.1v	0.0v	601.50v
69	Mr WD Owen	O	71.7v	73.7v	46.2v	48.5v	50.7v	45.4v	48.3v	72.5v	103.8v	45.1v	0.0v	601.49v
70	Mr KWD Ramsey	X	73.7v	71.6v	47.4v	48.3v	48.3v	48.3v	49.4v	74.6v	103.12v	40.1v	0.0v	601.49v
71	Mr GP Perron	X	72.5v	74.8v	50.7v	46.2v	48.3v	48.1v	49.4v	74.9v	101.10v	39.0v	0.0v	601.49v
72	Mr JWE Lewis	X	70.4v	73.8v	49.6v	48.8v	48.7v	45.3v	49.8v	73.10v	105.16v	40.2v	0.0v	600.72v
73	Mr JA Watson	X	71.7v	69.6v	47.6v	45.2v	50.7v	46.4v	50.7v	73.10v	105.15v	44.0v	0.0v	600.64v
74	Mr JC Underwood	X	71.3v	73.10v	47.3v	48.5v	48.4v	46.3v	50.7v	75.10v	101.13v	41.0v	0.0v	600.58v
75	Mr TG Rylands	X	73.9v	73.7v	44.2v	45.4v	48.4v	46.3v	50.5v	72.6v	104.13v	45.3v	0.0v	600.56v
76	Mr DC Dyson	X	70.6v	72.6v	46.5v	45.4v	50.8v	45.1v	48.5v	74.7v	103.7v	47.4v	0.0v	600.53v
77	Mr PJ Chance	A	69.3v	72.8v	48.6v	49.3v	46.3v	47.3v	50.3v	74.9v	102.7v	43.0v	0.0v	600.45v
78	Mr MW Silver	X	72.10v	74.9v	43.3v	45.3v	49.5v	46.6v	50.7v	74.8v	105.15v	41.3v	0.0v	599.69v
79	Mr PAE Charlton	X	70.5v	74.9v	50.7v	39.2v	49.5v	49.6v	48.7v	73.6v	103.11v	44.4v	0.0v	599.62v
80	Mr WJ Rowland	A	70.8v	72.8v	46.4v	49.7v	47.4v	47.5v	50.7v	72.6v	102.10v	44.2v	0.0v	599.61v
81	Mr ATB Tompson	X	73.8v	74.5v	49.4v	36.2v	49.6v	47.4v	49.4v	74.7v	103.17v	45.2v	0.0v	599.59v
82	Mr GA Cann	X	69.6v	73.10v	48.6v	45.4v	50.8v	46.4v	49.7v	71.4v	103.10v	45.0v	0.0v	599.59v
83	Mr DC Crispin	A	69.3v	75.10v	46.5v	48.2v	49.4v	49.5v	50.6v	73.9v	104.11v	36.1v	0.0v	599.56v
84	Major AR McLeod	X	71.6v	74.4v	48.6v	47.2v	48.5v	46.5v	49.3v	72.8v	102.14v	42.2v	0.0v	599.55v
85	Mr SA Thomas	X	70.4v	74.9v	45.3v	44.2v	48.3v	50.4v	49.5v	74.8v	103.15v	42.2v	0.0v	599.55v
86	Mr GW Berman	X	71.8v	72.6v	48.5v	48.6v	50.3v	46.4v	49.3v	69.8v	102.9v	44.2v	0.0v	599.54v
87	Mr RW Stanglant	X	73.10v	72.5v	46.4v	46.2v	50.4v	42.1v	48.4v	73.8v	104.12v	45.2v	0.0v	599.52v
88	Mr AF Powell	X	71.5v	72.9v	47.3v	48.2v	48.2v	46.4v	49.3v	73.9v	102.12v	43.1v	0.0v	599.50v
89	Mr J Dunn	X	71.8v	73.8v	45.5v	46.3v	49.2v	47.3v	49.2v	73.8v	102.10v	44.0v	0.0v	599.49v
90	Mr ISL Dampney	O	67.3v	71.2v	47.1v	44.2v	50.6v	47.2v	49.5v	75.10v	104.13v	45.4v	0.0v	599.48v
91	Ms KA Berman	X	73.8v	72.8v	47.5v	48.5v	50.7v	47.3v	47.6v	70.7v	101.11v	43.2v	0.0v	598.62v
92	Mr JCT Kent	X	74.5v	69.5v	47.4v	47.4v	46.4v	48.7v	49.7v	73.9v	104.14v	41.3v	0.0v	598.62v
93	Mr DA Richardson	X	73.10v	71.6v	50.6v	45.6v	44.2v	48.2v	49.6v	74.9v	103.14v	41.1v	0.0v	598.62v
94	Mr S Young	X	69.3v	74.9v	49.6v	41.2v	49.7v	48.6v	49.4v	73.8v	102.14v	44.0v	0.0v	598.59v
95	Mr JA Anderson	X	72.11v	73.8v	47.5v	46.4v	45.2v	48.5v	48.4v	71.6v	105.13v	43.1v	0.0v	598.59v
96	Mr LM Peden	X	75.9v	69.7v	46.3v	46.2v	47.6v	47.3v	48.6v	73.7v	102.10v	45.3v	0.0v	598.56v
97	Mr C Fitzpatrick	X	70.5v	74.10v	47.4v	48.3v	49.7v	45.3v	46.3v	73.7v	104.14v	42.0v	0.0v	598.56v
98	Mr P De Voil	O	66.5v	70.5v	47.3v	49.4v	50.5v	47.4v	50.7v	74.7v	104.14v	41.2v	0.0v	598.56v
99	Flt Lt CJ Morton	X	73.8v	73.9v	47.3v	40.1v	48.0v	47.4v	50.8v	72.8v	104.11v	44.3v	0.0v	598.55v
100	SGT S Hier	T	71.9v	73.7v	46.2v	48.4v	48.4v	48.3v	47.3v	74.9v	103.10v	40.2v	0.0v	598.53v
101	Mr MJ Barlow	X	72.6v	72.8v	48.2v	48.5v	47.3v	46.5v	49.6v	67.6v	103.7v	46.4v	0.0v	598.52v
102	Miss TD Duhre	O	72.8v	75.9v	40.2v	47.4v	49.6v	46.2v	50.5v	74.8v	99.7v	46.1v	0.0v	598.52v
103	Mr GW Robinson	X	71.6v	71.6v	48.5v	46.4v	45.2v	48.2v	49.5v	74.6v	101.12v	45.3v	0.0v	598.51v
104	Miss KAN Jack	X	74.6v	72.7v	47.5v	47.5v	47.2v	48.3v	47.4v	74.5v	102.11v	40.2v	0.0v	598.50v
105	Mr MJ Dodson	O	71.6v	72.7v	46.4v	47.6v	48.1v	47.6v	47.1v	75.8v	102.6v	43.3v	0.0v	598.48v
106	Mr JR Tuck	X	69.6v	74.8v	47.4v	46.3v	49.4v	48.2v	49.4v	72.5v	101.11v	43.0v	0.0v	598.47v
107	Mr ND Stangroom	X	72.6v	73.5v	42.0v	48.2v	48.5v	48.2v	50.4v	71.7v	101.11v	45.3v	0.0v	598.45v
108	Maj P Mathenge	X	69.2v	70.5v	45.2v	45.4v	47.3v	48.4v	49.6v	74.6v	104.8v	47.2v	0.0v	598.42v
109	Mr R Nelson	O	68.5v	73.12v	49.5v	45.2v	48.3v	50.5v	49.5v	74.8v	102.12v	39.5v	0.0v	597.62v
110	Mrs A Uhlig	X	73.8v	71.6v	47.4v	45.5v	48.4v	47.2v	47.4v	74.11v	103.13v	42.1v	0.0v	597.58v
111	Mr RSF Shouler	X	69.6v	73.10v	46.3v	42.3v	49.4v	48.4v	45.5v	73.7v	103.11v	49.3v	0.0v	597.56v
112	Mr EC Wood	X	71.6v	73.8v	45.2v	44.4v	47.2v	49.8v	48.6v	75.11v	101.7v	44.2v	0.0v	597.56v
113	Mr DJ Archer	O	74.9v	69.6v	45.3v	44.3v	49.5v	45.2v	50.5v	74.8v	102.11v	45.3v	0.0v	597.55v
114	Mr OP Henry	A	74.6v	69.8v	48.5v	48.4v	46.2v	48.6v	49.7v	70.6v	103.10v	42.1v	0.0v	597.55v
115	Mr J Payne	A	74.7v	72.6v	47.4v	45.2v	49.5v	48.4v	49.7v	72.8v	104.11v	37.1v	0.0v	597.55v
116	Mr DJ Tracey	A	74.7v	75.8v	48.3v	43.2v	49.4v	48.6v	48.6v	74.8v	98.8v	40.2v	0.0v	597.54v
117	Prof AR Horrocks	X	69.6v	69.3v	49.6v	47.3v	50.6v	47.2v	49.3v	74.9v	104.14v	39.1v	0.0v	597.53v
118	Mr PD Griggs	A	73.6v	67.2v	48.4v	42.2v	48.5v	49.6v	50.6v	73.7v	104.11v	43.2v	0.0v	597.51v
119	Mr SJ Cane	X	69.4v	72.7v	46.3v	48.4v	48.5v	46.5v	50.4v	73.8v	102.10v	43.1v	0.0v	597.51v
120	Mr S Robinson	O	72.6v	73.8v	45.2v	47.2v	47.6v	43.4v	49.6v	73.6v	103.9v	45.1v	0.0v	597.50v
121	Mr TJ Brooking	O	66.4v	72.7v	49.4v	47.5v	49.3v	48.6v	46.4v	75.7v	100.6v	45.3v	0.0v	597.49v
122	Mr MJ O'Leary	X	69.4v	72.7v	45.2v	49.2v	49.3v	48.4v	49.4v	73.10v	100.10v	43.1v	0.0v	597.47v
123	Mr R Kloosterman	A	74.6v	72.7v	45.3v	49.5v	47.2v	46.5v	49.3v	72.6v	101.6v	42.4v	0.0v	597.47v
124	Mr MI Buchanan	X	74.11v	72.11v	47.2v	48.4v	48.6v	44.1v	48.7v	74.8v	102.13v	39.1v	0.0v	596.64v
125	Mr ANR Walker	X	70.6v	71.7v	48.7v	44.2v	47.3v	47.1v	50.6v	72.8v	103.15v	44.5v	0.0v	596.60v
126	Mr AD Hunter	X	72.9v	74.8v	48.3v	43.3v	47.3v	45.0v	50.9v	73.7v	104.16v	40.2v	0.0v	596.60v
127	Mr SJ East	X	71.7v	71.6v	49.7v	42.1v	44.2v	48.6v	49.6v	71.6v	104.13v	47.4v	0.0v	596.58v
128	Mr CD Heales	A	71.8v	73.8v	43.3v	47.3v	48.4v	46.3v	50.6v	74.9v	102.10v	42.3v	0.0v	596.57v
129	Mr JPL Sweet	X	72.6v	74.5v	47.3v	45.0v	46.2v	47.4v	49.9v	73.10v	102.12v	41.2v	0.0v	596.53v
130	Mr JM Holmes	X	72.7v	74.9v	45.5v	49.4v	49.6v	45.0v	48.3v	72.5v	101.13v	41.1v	0.0v	596.53v
131	Mr PJ Johnson	A	68.4v	72.8v	50.5v	46.5v	49.3v	47.3v	49.5v	70.4v	103.12v	42.2v	0.0v	596.51v
132	Mr C Griffin	T	73.6v	71.7v	48.4v	48.3v	44.2v	46.4v	47.4v	74.8v	102.9v	43.3v	0.0v	596.50v
133	Mr CES Dickenson	X	72.5v	70.4v	47.6v	46.1v	48.6v	46.4v	49.2v	72.9v	102.9v	44.2v	0.0v	596.48v
134	Mr ML Millar	X	70.3v	75.8v	43.3v	45.1v	49.4v	49.4v	46.3v	72.8v	103.12v	44.1v	0.0v	596.47v
135	Mr PM Jory	X	72.5v	74.9v	46.2v	44.2v	49.3v	48.3v	49.7v	70.8v	102.8v	42.0v	0.0v	596.47v
136	Mr CTS Belk	A	73.6v	71.6v	45.2v	46.4v	48.6v	47.4v	49.2v	71.4v	100.7v	46.5v	0.0v	596.46v
137	Mr MSE Firman	O	70.6v	72.8v	48.4v	43.0v	49.6v	49.4v	48.4v	70.4v	101.7v	46.1v	0.0v	596.44v
138	Mr CJ Watson	X	70.5v	73.12v	38.1v	48.6v	48.5v	50.5v	50.8v	74.11v	104.15v	40.2v	0.0v	595.70v
139	Miss EJ Nuttall	X	68.6v	74.12v	47.4v	40.2v	48.6v	48.7v	50.6v	73.7v	103.14v	44.3v	0.0v	595.67v
140	Mr DJF Rees	X	71.6v	74.12v	47.5v	47.5v	48.6v	46.3v	50.8v	73.9v	101.12v	38.0v	0.0v	595.66v
141	Mr J Bullock	X	70.8v	73.8v	47.5v	46.4v	45.4v	47.4v	50.7v	73.9v	101.12v	43.4v	0.0v	595.65v
142	Mr GK Alexander	A	71.6v	67.5v	47.5v	49.5v	49.4v	48.7v	49.6v	73.10v	101.9v	41.2v	0.0v	595.59v
143	Mr GE Morris	X	70.5v	74.6v	47.3v	47.4v	49.4v	46.4v	47.4v	73.8v	101.12v	41.1v	0.0v	595.51v
144	Flt Lt NP Moxon	X	68.7v	72.5v	46.5v	44.5v	49.4v	48.6v	49.1v	73.8v	102.9v	44.0v	0.0v	595.50v
145	Mrs MM Norman	X	73.8v	73.6v	49.4v	48.3v	45.1v	44.2v	46.5v	73.8v	103.11v	41.1v	0.0v	595.49v
146	Miss TJ Fitzsimons	A	70.8v	72.7v	42.2v	42.2v	49.5v	50.8v	48.5v	75.9v	105.16v	41.1v	0.0v	594.63v
147	Mr RM Hatcher	X	70.8v	73.8v	48.4v	46.2v	47.4v	45.3v	48.6v	71.9v	102.13v	44.1v	0.0v	594.58v
148	Mr SNS Penrose	X	68.5v	72.8v	46.5v	46.2v	47.3v	50.5v						

149	Mr D Davies	A	74.9v	71.5v	45.3v	46.3v	48.3v	46.4v	48.5v	73.9v	103.14v	40.2v	0.0v	594.57v
150	Mr RIF Dawson	O	69.4v	73.9v	49.4v	47.4v	47.2v	46.3v	50.8v	74.6v	103.15v	36.2v	0.0v	594.57v
151	Mr T Steele	A	69.5v	69.4v	49.6v	48.3v	49.3v	41.2v	48.5v	74.7v	102.11v	45.3v	0.0v	594.49v
152	Mr KW Westling	X	70.7v	70.5v	47.2v	47.3v	49.3v	49.1v	48.8v	70.8v	102.8v	42.4v	0.0v	594.49v
153	Miss JE Ouston	O	74.6v	72.5v	45.1v	43.2v	47.5v	49.6v	48.5v	72.9v	102.7v	42.2v	0.0v	594.48v
154	Mr AG Mitchell	O	72.8v	73.7v	48.2v	47.4v	48.5v	49.5v	46.5v	70.5v	99.4v	42.2v	0.0v	594.47v
155	Mr WA Langley	X	70.5v	74.6v	47.4v	46.2v	49.4v	47.3v	48.4v	74.9v	102.10v	37.0v	0.0v	594.47v
156	Mr SJ Carson	O	70.5v	71.5v	47.3v	43.1v	50.4v	49.5v	45.3v	72.8v	104.9v	43.3v	0.0v	594.46v
157	Mr N Cole-Hawkins	A	71.3v	72.8v	49.3v	49.5v	48.3v	44.3v	48.5v	73.8v	102.8v	38.0v	0.0v	594.46v
158	Sgt M Lekalaile	X	70.3v	74.8v	47.5v	50.4v	45.4v	45.2v	47.1v	73.8v	100.9v	43.0v	0.0v	594.44v
159	Flt Lt IW Robertson	A	73.6v	73.8v	46.5v	47.4v	46.5v	44.6v	46.3v	73.10v	103.10v	42.1v	0.0v	593.58v
160	Mr WDH Burden	A	74.9v	69.4v	49.6v	47.5v	48.4v	47.4v	47.2v	74.9v	101.12v	37.0v	0.0v	593.55v
161	Mr RJS Curtis	X	74.6v	75.9v	44.3v	43.3v	45.1v	48.5v	50.7v	74.7v	102.11v	38.1v	0.0v	593.53v
162	Mr RL Mundy	O	69.6v	71.4v	46.4v	44.3v	47.6v	47.3v	50.5v	71.7v	103.12v	45.2v	0.0v	593.52v
163	Mr BA Young	A	71.6v	74.10v	47.6v	38.2v	47.2v	47.4v	50.2v	73.4v	102.11v	44.3v	0.0v	593.50v
164	Mr A Chown	A	69.5v	70.7v	47.3v	49.3v	48.3v	48.5v	46.3v	75.6v	103.12v	38.3v	0.0v	593.50v
165	Mr DS Murray	X	74.7v	72.5v	49.5v	40.3v	48.2v	47.2v	48.4v	72.8v	95.7v	48.3v	0.0v	593.46v
166	Mr PG Cann	X	68.6v	73.8v	47.6v	49.3v	43.1v	49.6v	49.2v	70.3v	100.9v	43.2v	0.0v	593.46v
167	Mr ER Welford	A	72.8v	71.9v	49.4v	41.5v	45.3v	47.5v	48.5v	71.5v	103.12v	45.2v	0.0v	592.58v
168	Mr GC Childs	X	71.5v	67.5v	46.4v	46.4v	48.5v	49.6v	45.6v	74.9v	103.8v	43.3v	0.0v	592.55v
169	Mr RG Scott	O	70.6v	71.6v	46.4v	45.4v	50.8v	45.4v	47.5v	75.8v	101.8v	42.1v	0.0v	592.54v
170	Mr MG Whicher	A	71.6v	70.4v	47.3v	48.4v	47.6v	47.4v	48.6v	71.10v	102.9v	41.2v	0.0v	592.54v
171	Mr J Corbett	X	72.6v	72.6v	46.2v	41.0v	49.6v	45.5v	47.4v	75.11v	100.10v	45.3v	0.0v	592.53v
172	Mr JAM Paton	X	70.6v	72.8v	48.6v	45.1v	47.3v	45.4v	48.4v	73.7v	104.13v	40.1v	0.0v	592.53v
173	Mr TR Webster	A	69.7v	71.9v	43.1v	45.5v	49.2v	48.5v	46.4v	73.5v	102.12v	46.2v	0.0v	592.52v
174	Mr JRO Boyd	O	69.6v	68.4v	47.3v	46.4v	48.5v	47.5v	50.4v	74.8v	103.11v	40.2v	0.0v	592.52v
175	Cdt SHJ Harley	O	69.5v	71.5v	47.5v	50.4v	45.3v	48.6v	49.7v	71.4v	102.13v	40.0v	0.0v	592.52v
176	Mr BMA Stevens	A	73.7v	72.4v	48.4v	45.3v	47.2v	47.2v	49.5v	73.10v	101.12v	37.1v	0.0v	592.50v
177	Mr SR Osmont	X	72.6v	72.6v	44.1v	48.5v	49.6v	44.2v	50.4v	71.8v	101.9v	41.2v	0.0v	592.49v
178	Mr DR Young	X	71.4v	73.5v	48.4v	48.4v	46.2v	46.4v	47.5v	70.9v	103.10v	40.1v	0.0v	592.48v
179	Mr AM Bullen	A	70.7v	73.4v	45.4v	45.2v	48.2v	47.2v	48.4v	72.8v	102.11v	42.3v	0.0v	592.47v
180	Mr MJJ Charlton	X	69.6v	72.8v	45.2v	47.4v	45.0v	48.3v	50.6v	67.1v	101.7v	48.5v	0.0v	592.42v
181	Mr MJ Brister	A	71.6v	71.5v	47.1v	43.2v	48.2v	45.3v	49.6v	71.7v	105.7v	42.1v	0.0v	592.40v
182	Mr S Pearson	A	70.8v	73.8v	49.5v	48.4v	46.5v	43.5v	49.4v	73.10v	102.9v	38.0v	0.0v	591.58v
183	Mr NT Davies	O	70.4v	70.5v	46.4v	49.8v	48.3v	42.3v	50.6v	72.8v	100.13v	44.2v	0.0v	591.56v
184	Miss L Hearn	X	70.3v	68.5v	43.3v	48.6v	48.5v	45.3v	49.9v	75.10v	105.12v	40.0v	0.0v	591.56v
185	Mr MJM Black	A	71.8v	70.6v	47.4v	42.4v	49.7v	48.3v	50.5v	75.10v	101.9v	38.0v	0.0v	591.56v
186	Mr CA White	A	70.5v	69.5v	48.5v	47.4v	47.6v	47.7v	49.3v	73.7v	100.12v	41.0v	0.0v	591.54v
187	Mr SG Rose	T	71.3v	70.6v	44.4v	44.3v	48.4v	48.5v	47.5v	71.5v	103.15v	45.3v	0.0v	591.53v
188	Miss SP Ward	T	70.5v	72.8v	48.4v	44.3v	47.4v	46.3v	44.2v	74.10v	102.10v	44.3v	0.0v	591.52v
189	Miss HA Foster	X	71.6v	72.6v	45.2v	47.5v	47.5v	46.2v	45.2v	71.9v	101.12v	46.2v	0.0v	591.51v
190	Mr AJ Nowacki	A	73.8v	73.6v	43.2v	47.3v	46.6v	46.4v	50.6v	69.1v	101.12v	43.3v	0.0v	591.51v
191	Mr CP Weeden	X	71.3v	72.7v	47.5v	47.4v	44.2v	48.2v	49.7v	75.8v	100.13v	38.0v	0.0v	591.51v
192	Mr RE Ellis	A	71.6v	71.5v	46.4v	49.3v	45.3v	47.5v	48.5v	70.8v	102.10v	42.1v	0.0v	591.50v
193	Mr AR Langley	X	72.5v	71.8v	48.5v	44.2v	44.2v	47.4v	47.4v	73.8v	104.10v	41.1v	0.0v	591.49v
194	Mr H Sanders	A	72.7v	70.4v	47.3v	46.2v	45.1v	48.5v	47.3v	74.9v	100.12v	42.2v	0.0v	591.48v
195	Mr B Taylor	X	65.7v	71.5v	46.2v	47.4v	49.3v	49.2v	49.5v	72.5v	104.13v	39.2v	0.0v	591.48v
196	Mr RAV Hebblethwaite	X	69.3v	72.6v	48.3v	44.2v	50.5v	46.3v	44.3v	73.8v	103.12v	42.2v	0.0v	591.47v
197	Cpl PM Lanigan	O	70.5v	72.4v	42.2v	44.1v	46.3v	48.4v	48.5v	74.7v	101.12v	46.3v	0.0v	591.46v
198	Mr MCJ Button	A	72.7v	71.4v	45.2v	45.3v	48.5v	47.1v	49.3v	73.4v	102.15v	39.2v	0.0v	591.46v
199	Mr KO Pugh	A	71.6v	69.6v	45.2v	49.4v	48.4v	46.5v	50.3v	72.8v	96.5v	45.2v	0.0v	591.45v
200	Capt MG Reid	A	71.6v	72.4v	45.1v	43.2v	48.5v	46.5v	49.5v	72.9v	103.8v	42.0v	0.0v	591.45v
201	Mr AGH Van Koetsveld	X	70.4v	73.8v	49.3v	48.1v	46.5v	45.2v	47.5v	72.8v	102.7v	39.2v	0.0v	591.45v
202	Mr S Glen	X	71.9v	70.4v	44.3v	45.3v	48.5v	46.2v	49.3v	72.4v	101.8v	45.1v	0.0v	591.42v
203	Mr JMF Ford	O	68.5v	72.5v	49.2v	47.2v	49.3v	45.1v	48.1v	69.5v	103.10v	41.1v	0.0v	591.35v
204	Mr C Mallett	X	70.5v	70.4v	48.5v	43.2v	46.6v	50.5v	49.5v	68.10v	101.10v	45.3v	0.0v	590.55v
205	Mr WHC Alexander	A	71.3v	71.6v	47.4v	46.2v	49.4v	45.4v	50.8v	69.5v	103.14v	39.3v	0.0v	590.53v
206	Mr JP Barry	A	70.4v	74.11v	48.6v	43.1v	46.1v	46.5v	50.2v	69.6v	100.13v	44.2v	0.0v	590.51v
207	Dr JR Deane	A	72.9v	71.7v	46.3v	41.0v	48.4v	46.2v	45.4v	74.8v	104.13v	43.1v	0.0v	590.51v
208	Mr JR Stirland	O	74.8v	73.8v	46.1v	43.2v	49.5v	44.1v	48.5v	72.9v	101.10v	40.2v	0.0v	590.51v
209	Mr CM Brooks	A	72.8v	71.3v	47.3v	44.3v	49.6v	49.6v	48.5v	71.7v	99.10v	40.0v	0.0v	590.51v
210	Mr CA Brook	X	70.4v	73.8v	44.5v	44.4v	47.4v	48.5v	49.3v	74.7v	102.10v	39.1v	0.0v	590.51v
211	Dr MW Wrigley	A	69.6v	73.6v	47.2v	43.6v	48.7v	46.1v	46.3v	71.6v	101.11v	46.2v	0.0v	590.50v
212	Mr B Jones	A	69.5v	74.10v	47.2v	48.6v	46.3v	46.4v	47.3v	73.6v	99.10v	41.1v	0.0v	590.50v
213	Mr PS Gray	A	71.4v	70.8v	47.3v	42.3v	47.9v	47.2v	49.7v	71.5v	101.7v	45.1v	0.0v	590.49v
214	Mr DGF Evans	O	71.4v	70.4v	47.5v	49.7v	49.5v	46.4v	47.4v	72.7v	100.9v	39.0v	0.0v	590.49v
215	Mr PR Thompson	A	70.5v	74.6v	46.4v	46.4v	49.4v	46.4v	47.2v	73.9v	95.8v	44.1v	0.0v	590.47v
216	Mr TM Green	X	75.7v	69.6v	46.3v	48.3v	47.3v	46.4v	48.3v	69.4v	100.12v	42.2v	0.0v	590.47v
217	Mr PBM Smith	X	74.4v	71.4v	39.1v	48.6v	48.4v	48.3v	49.5v	72.8v	103.12v	38.0v	0.0v	590.47v
218	Mr F Bilton	O	71.5v	68.3v	48.6v	49.4v	45.4v	45.4v	49.5v	73.4v	98.8v	44.3v	0.0v	590.46v
219	Miss CE Huxter	O	73.4v	71.6v	45.3v	46.4v	47.5v	45.2v	49.5v	71.9v	102.7v	41.1v	0.0v	590.46v
220	Mr MJ Ensor	A	69.4v	73.6v	43.0v	43.1v	50.3v	47.3v	46.6v	71.6v	104.16v	44.0v	0.0v	590.45v
221	Mr RE Hind	X	69.4v	71.4v	44.3v	44.2v	47.3v	48.5v	46.3v	74.6v	105.13v	42.2v	0.0v	590.45v
222	Mr NCM Fyfe	O	71.7v	74.4v	46.3v	42.3v	47.4v	47.4v	47.3v	71.7v	101.7v	44.2v	0.0v	590.44v
223	Mr DAF Parkinson	O	70.7v	73.5v	47.2v	43.1v	47.4v	46.4v	49.5v	72.4v	102.11v	41.1v	0.0v	590.44v
224	Dr GP Nelson	O	72.4v	71.6v	46.5v	47.1v	46.2v	46.4v	49.4v	71.8v	101.7v	41.2v	0.0v	590.43v
225	Mr MK Townsend	O	71.8v	68.4v	45.1v	48.2v	44.3v	48.2v	47.4v	74.5v	102.9v	43.2v	0.0v	590.40v
226	Mr RL Sampson	T	72.5v	73.6v	46.1v	44.1v	45.4v	45.4v	48.2v	72.3v	101.4v	44.4v	0.0v	590.34v
227	Mr J Howard Davies	O	71.7v	72.9v	46.6v	40.3v	44.6v	46.1v	50.4v	73.9v	101.11v	46.3v	0.0v	589.59v
228	Mr R de V Chase	X	71.9v	69.6v	46.1v	40.2v	47.5v	47.4v	48.4v	74.13v	103.13v	44.2v	0.0v	589.59v
229	Dr C Johnston	A	71.7v	75.8v	47.2v	46.3v	46.4v	46.3v	44.2v	72.11v	102.12v	40.2v	0.0v	589.54v
230	Mrs A Tracey	A	73.7v	68.5v	45.2v	45.2v	50.5v	45.3v	49.3v	73.9v	103.15v	38.1v	0.0v	589.52v
231	Mr JA Haward	X	72.6v	72.5v	47.2v	47.2v	48.7v	39						

232	Mr GAE Lacombe	O	67.3v	73.9v	47.3v	44.5v	47.4v	47.5v	47.5v	72.7v	101.8v	44.1v	0.0v	589.50v
233	Mr SJ Whitby	O	72.9v	69.4v	44.3v	46.3v	46.3v	47.4v	50.5v	72.5v	101.11v	42.3v	0.0v	589.50v
234	Dr JS Rennie	A	71.4v	72.5v	48.6v	39.2v	50.9v	40.0v	49.5v	74.6v	103.9v	43.3v	0.0v	589.49v
235	Mr PRD Stock	X	68.4v	72.8v	46.4v	46.2v	48.7v	46.2v	49.4v	74.9v	103.9v	37.0v	0.0v	589.49v
236	Mr AG McLean	X	68.5v	69.5v	47.4v	47.5v	46.6v	46.3v	49.3v	73.7v	102.9v	42.1v	0.0v	589.48v
237	Mr JD Hossack	A	71.6v	73.5v	44.0v	46.2v	50.5v	46.4v	47.4v	70.5v	103.14v	39.3v	0.0v	589.48v
238	TP Wharram	A	72.2v	68.7v	49.7v	47.5v	46.4v	48.2v	48.5v	70.5v	100.9v	41.1v	0.0v	589.47v
239	A Godliman	T	69.6v	71.9v	46.2v	47.3v	46.5v	47.2v	46.3v	71.5v	102.8v	44.3v	0.0v	589.46v
240	Mr GH Porter	A	68.3v	72.6v	48.7v	50.4v	47.3v	47.3v	47.4v	73.9v	99.6v	38.1v	0.0v	589.46v
241	LCpl J Dunbar	T	74.9v	71.3v	49.6v	46.4v	41.2v	45.3v	41.1v	70.3v	105.10v	47.2v	0.0v	589.43v
242	Miss SV Kent	X	71.4v	71.9v	46.0v	45.1v	48.4v	47.2v	46.5v	68.3v	103.12v	44.2v	0.0v	589.42v
243	Mr JR Purdy	X	69.1v	72.2v	45.2v	49.2v	44.4v	46.2v	48.6v	69.6v	104.11v	43.2v	0.0v	589.38v
244	Mr RBC Baker	A	68.4v	72.5v	47.2v	46.2v	43.0v	49.4v	47.3v	73.3v	102.8v	42.2v	0.0v	589.33v
245	Wg Cdr RJS Clark	A	69.6v	72.7v	47.4v	41.3v	48.4v	45.2v	48.6v	74.10v	100.12v	44.3v	0.0v	588.57v
246	Mr SJ Bissonnette	X	73.9v	72.9v	46.3v	42.3v	48.3v	43.1v	47.4v	74.11v	101.12v	42.1v	0.0v	588.56v
247	Mr RA Benest	X	73.7v	73.6v	45.4v	43.4v	46.3v	46.4v	49.5v	69.5v	103.13v	41.3v	0.0v	588.54v
248	Mr SH Cox	O	70.4v	72.7v	43.3v	47.4v	46.3v	48.5v	45.3v	72.9v	103.13v	42.1v	0.0v	588.52v
249	Mr GW Clarke	A	68.6v	72.5v	47.5v	49.6v	47.5v	48.5v	48.4v	72.7v	100.8v	37.1v	0.0v	588.52v
250	Mr MJ Wood	A	71.7v	70.4v	45.4v	46.5v	48.5v	45.2v	49.7v	71.7v	100.8v	43.1v	0.0v	588.50v
251	Mr T Lilley	O	72.7v	73.5v	45.3v	46.4v	45.3v	48.3v	49.3v	71.5v	100.15v	39.1v	0.0v	588.49v
252	Mr RA Dix	A	72.9v	70.5v	46.2v	44.0v	46.2v	42.0v	50.7v	74.11v	100.8v	44.4v	0.0v	588.48v
253	Mr BFC Roberts	O	69.3v	71.7v	46.4v	47.2v	47.4v	47.2v	50.6v	73.6v	100.10v	38.4v	0.0v	588.48v
254	Mr PCW Rose	O	68.4v	70.7v	48.2v	43.2v	47.3v	48.4v	47.2v	72.7v	103.13v	42.1v	0.0v	588.45v
255	Mr JE McGuire	T	72.6v	71.6v	48.2v	43.4v	46.2v	45.4v	45.3v	71.7v	102.8v	45.0v	0.0v	588.42v
256	Mr PD Dorrer	X	69.1v	70.4v	46.3v	49.6v	46.3v	46.3v	47.5v	71.2v	104.10v	40.3v	0.0v	588.40v
257	Mr DJ Gass	X	69.7v	73.4v	48.2v	40.0v	49.5v	47.3v	48.2v	72.9v	103.8v	39.0v	0.0v	588.40v
258	Mr AA Williams	O	68.6v	75.8v	47.2v	38.3v	48.7v	44.3v	49.6v	72.8v	103.12v	43.0v	0.0v	587.55v
259	Cdt Cpl ER Johnson	O	70.3v	71.7v	48.6v	48.4v	47.4v	46.4v	47.5v	73.7v	101.12v	36.2v	0.0v	587.54v
260	Mr KM Willingale	O	69.5v	69.3v	45.3v	47.4v	50.8v	46.4v	48.5v	72.9v	100.8v	41.3v	0.0v	587.52v
261	Mr SP Watkins	O	71.5v	71.3v	47.4v	48.5v	41.1v	47.5v	46.2v	72.8v	100.10v	44.4v	0.0v	587.47v
262	Mr SM Friling	A	72.7v	71.6v	49.4v	42.1v	47.2v	44.4v	48.3v	73.8v	100.12v	41.0v	0.0v	587.47v
263	Mr RL Eayrs	O	71.4v	71.6v	45.2v	47.4v	47.3v	44.4v	46.3v	72.5v	99.9v	45.4v	0.0v	587.44v
264	Mr DCW Lloyd	X	72.8v	67.5v	46.6v	46.2v	46.3v	45.2v	46.4v	73.5v	101.7v	45.2v	0.0v	587.44v
265	Mr ME Barr	O	72.5v	70.6v	46.1v	50.4v	43.2v	43.2v	49.6v	69.4v	103.11v	42.3v	0.0v	587.44v
266	Mr HL Hunter	O	70.4v	73.8v	47.2v	44.4v	48.3v	41.0v	49.3v	71.6v	100.9v	44.2v	0.0v	587.41v
267	Mr RM Roberts	X	68.5v	74.5v	49.4v	45.3v	43.1v	40.0v	49.3v	74.8v	102.8v	43.3v	0.0v	587.40v
268	Sqn Ldr SC Williamson	X	71.2v	71.7v	45.5v	43.1v	46.3v	49.4v	47.2v	70.6v	102.8v	43.2v	0.0v	587.40v
269	Mr SP O'Brien	X	73.8v	72.5v	41.1v	45.1v	47.3v	45.4v	49.2v	75.7v	101.8v	39.1v	0.0v	587.40v
270	Mr MH Shaw	X	71.7v	73.3v	40.0v	46.1v	48.6v	45.3v	47.3v	72.5v	103.10v	42.1v	0.0v	587.39v
271	Mrs LJ Brister	A	70.3v	71.4v	47.3v	47.6v	45.1v	47.3v	49.4v	66.3v	100.6v	45.4v	0.0v	587.37v
272	Mr D Blake	A	67.3v	75.9v	49.6v	48.4v	48.7v	47.3v	46.3v	73.7v	103.13v	30.1v	0.0v	586.56v
273	Mr SJ Pym	O	72.7v	71.5v	46.3v	46.4v	47.3v	48.5v	49.6v	71.6v	99.12v	37.2v	0.0v	586.53v
274	Mr PR Coley	X	70.7v	74.8v	43.3v	41.1v	49.4v	46.4v	49.5v	72.7v	102.10v	40.2v	0.0v	586.51v
275	Miss LV Rylands	T	70.5v	71.7v	44.4v	42.1v	48.4v	47.2v	49.7v	75.11v	100.9v	40.1v	0.0v	586.51v
276	Mr MD Joyce	A	70.7v	70.5v	46.4v	47.4v	47.6v	41.3v	49.4v	72.6v	99.9v	45.2v	0.0v	586.50v
277	Mr RN Stebbings	O	70.6v	72.6v	47.3v	40.3v	49.3v	46.2v	49.5v	73.7v	102.14v	38.1v	0.0v	586.50v
278	Mr MR Ball	X	69.3v	69.4v	47.1v	46.4v	49.6v	44.4v	48.7v	70.7v	100.10v	44.3v	0.0v	586.49v
279	Mr G Trembath	A	71.6v	72.8v	45.4v	45.2v	45.2v	47.5v	45.4v	70.7v	103.9v	43.2v	0.0v	586.49v
280	Mr AJC Wilson	A	67.3v	73.6v	47.3v	46.2v	47.6v	48.7v	45.3v	68.5v	100.10v	45.2v	0.0v	586.47v
281	Wg Cdr CJ Hockley	A	72.5v	71.4v	47.5v	44.3v	47.3v	48.5v	49.4v	70.7v	99.7v	39.1v	0.0v	586.44v
282	Ms LA Johnson	O	71.4v	71.6v	43.3v	45.5v	49.4v	48.2v	45.2v	72.6v	102.9v	40.2v	0.0v	586.43v
283	Cdt D Trochimchuk	T	71.7v	72.5v	45.2v	44.1v	48.2v	48.5v	48.5v	68.7v	102.8v	40.1v	0.0v	586.43v
284	Mr AS Errey	A	72.4v	70.4v	47.5v	42.2v	49.3v	42.2v	47.4v	71.6v	102.9v	44.3v	0.0v	586.42v
285	Mr JA Lindsay	T	69.4v	74.6v	45.1v	47.5v	44.1v	47.2v	48.3v	68.6v	101.10v	43.4v	0.0v	586.42v
286	Mr DJ Stewart	O	68.4v	72.5v	47.3v	46.3v	45.2v	46.5v	49.5v	68.5v	100.7v	45.1v	0.0v	586.40v
287	Mr EBD Reis	A	70.7v	70.4v	48.5v	39.2v	48.2v	45.1v	47.3v	72.5v	104.11v	43.0v	0.0v	586.40v
288	Mr DJ Painting	A	70.3v	71.6v	48.2v	47.3v	46.1v	43.3v	49.3v	70.6v	99.11v	43.1v	0.0v	586.39v
289	Mr HA Day	X	70.7v	74.7v	41.2v	44.3v	46.3v	47.4v	50.9v	72.8v	102.11v	39.1v	0.0v	585.55v
290	Hon D Cooper	X	70.6v	72.5v	46.4v	42.1v	48.6v	45.2v	49.7v	74.11v	100.12v	39.0v	0.0v	585.54v
291	Mr N Healy	X	69.3v	69.5v	48.5v	40.1v	46.3v	48.4v	48.4v	74.7v	101.13v	42.4v	0.0v	585.49v
292	Mr HN Watson	O	71.4v	73.7v	44.4v	46.3v	48.6v	45.3v	49.3v	70.6v	100.11v	39.1v	0.0v	585.48v
293	Mr RJR Mott	A	73.3v	73.6v	44.2v	45.0v	47.4v	47.4v	48.7v	63.4v	100.14v	45.2v	0.0v	585.46v
294	Mr RG Best	X	71.3v	68.7v	46.2v	46.3v	45.4v	48.2v	47.4v	71.8v	100.11v	43.2v	0.0v	585.46v
295	Mr RF Barrington	O	70.2v	72.9v	45.2v	44.5v	47.6v	45.1v	49.7v	68.4v	103.8v	42.2v	0.0v	585.46v
296	Mr CMS Dawes	O	69.4v	71.8v	44.2v	43.3v	48.5v	49.7v	47.3v	68.4v	101.8v	45.1v	0.0v	585.45v
297	Mr SL Larter-Whitcher	O	68.5v	71.6v	43.2v	43.1v	48.5v	46.3v	47.3v	73.9v	100.7v	46.3v	0.0v	585.44v
298	Mr AJCB de Launay	O	73.6v	73.6v	44.4v	45.2v	47.4v	48.3v	48.4v	70.5v	95.8v	42.2v	0.0v	585.44v
299	Miss NJS Sarafilovic	A	70.5v	71.4v	42.3v	46.4v	46.3v	45.3v	50.3v	71.6v	98.10v	46.2v	0.0v	585.43v
300	Cdt P Messiaen	T	72.8v	71.6v	46.1v	44.2v	46.4v	46.3v	47.2v	71.6v	102.11v	40.0v	0.0v	585.43v
301	Dr IT Matsumoto	O	71.3v	69.8v	45.3v	46.1v	48.4v	46.4v	47.6v	73.6v	100.7v	40.0v	0.0v	585.42v
302	Mr PJ Dudzinski	X	71.4v	74.5v	45.3v	38.1v	49.3v	43.2v	45.3v	73.6v	100.10v	47.4v	0.0v	585.41v
303	Mr V Robertshaw	O	66.2v	74.4v	48.5v	47.4v	49.5v	45.3v	49.4v	68.6v	98.7v	41.1v	0.0v	585.41v
304	Mr C Leyden	T	67.1v	69.4v	44.3v	46.4v	45.3v	48.3v	46.3v	71.4v	104.12v	45.3v	0.0v	585.40v
305	Mr GR Capell	O	68.2v	73.6v	42.1v	47.2v	45.2v	48.3v	50.3v	70.6v	100.6v	42.2v	0.0v	585.33v
306	Mr D Lowe	O	69.6v	71.5v	45.5v	45.3v	46.2v	46.6v	49.8v	72.8v	103.12v	38.3v	0.0v	584.58v
307	Mr P Bernard-Carter	O	71.9v	72.11v	45.2v	44.2v	46.5v	44.2v	50.6v	73.5v	103.15v	36.0v	0.0v	584.57v
308	Mr PJS Bysshe	A	70.6v	73.8v	42.1v	47.2v	46.3v	44.2v	50.7v	68.5v	103.13v	41.1v	0.0v	584.48v
309	Ms BM Moore	O	70.5v	72.9v	42.1v	45.2v	49.3v	46.5v	48.3v	72.8v	104.11v	36.1v	0.0v	584.48v
310	Mr NW Penn	A	69.4v	73.7v	45.4v	44.4v	47.1v	47.6v	50.6v	69.4v	104.12v	36.0v	0.0v	584.48v
311	Capt JRW Postle	A	63.3v	72.8v	46.2v	42.1v	46.5v	46.4v	47.3v	74.8v	102.10v	46.2v	0.0v	584.46v
312	Mr LD Winter	O	69.7v	68.7v	47.5v	48.5v	47.4v	45.3v	48.5v	73.5v	100.3v	39.2v	0.0v	584.46v
313	Mr GR Atkinson	O	69.2v	72.6v	43.2v	43.2v	48.5v	47.3v	50.6v	72.8v	100.10v	40.1v	0.0v	584.45v
314	Mr JF Lawrie	A	70.6v	74.7v	46.3v	42.2v	45.3v	4						

315	Dr AF Aspin	O	67.3v	72.7v	46.4v	47.4v	43.5v	43.5v	48.1v	72.4v	104.10v	42.1v	0.0v	584.44v
316	Mr MR Cosway	A	72.10v	71.4v	47.0v	45.2v	48.3v	47.2v	47.2v	72.7v	100.13v	35.0v	0.0v	584.43v
317	Mr CC Mallett Jnr	X	67.5v	71.9v	46.1v	38.0v	47.2v	47.1v	50.5v	71.8v	103.7v	44.2v	0.0v	584.40v
318	Mr RJW Smeltzer	X	69.8v	70.3v	45.3v	47.3v	50.3v	42.0v	48.4v	73.9v	98.5v	42.2v	0.0v	584.40v
319	Mr JWE Lothian	A	68.2v	69.2v	48.5v	44.5v	48.3v	47.3v	46.3v	74.5v	101.8v	39.1v	0.0v	584.37v
320	Mr SJ Pattinson	O	67.2v	70.3v	44.3v	48.4v	45.3v	48.2v	48.5v	67.4v	102.8v	45.2v	0.0v	584.36v
321	Mr AP Barnes	X	67.5v	75.8v	46.5v	36.3v	47.6v	47.4v	50.5v	70.5v	101.12v	44.1v	0.0v	583.54v
322	Mr RC Oxford	O	69.7v	71.5v	43.2v	46.4v	48.8v	46.4v	46.5v	72.5v	100.11v	42.3v	0.0v	583.54v
323	Mr A Katona	X	72.6v	72.9v	45.0v	46.5v	47.5v	45.3v	48.6v	70.7v	99.8v	39.5v	0.0v	583.54v
324	Cdt SKC Hunter	O	68.3v	70.7v	48.5v	48.6v	47.4v	41.2v	49.4v	72.10v	102.9v	38.3v	0.0v	583.53v
325	Mr M Roberts	O	72.5v	73.6v	46.3v	41.1v	47.5v	46.4v	46.2v	71.8v	102.14v	39.2v	0.0v	583.50v
326	Mr AP Smith	A	69.3v	68.6v	46.4v	49.3v	45.3v	46.4v	49.7v	70.9v	102.10v	39.0v	0.0v	583.49v
327	Mr TP Hammond	A	70.6v	72.6v	42.3v	45.3v	46.1v	48.6v	50.4v	69.7v	103.12v	38.0v	0.0v	583.48v
328	Miss JK Charlton	O	71.5v	72.7v	45.4v	44.4v	47.2v	45.2v	48.7v	74.9v	103.8v	34.0v	0.0v	583.48v
329	Mr R Winney	O	68.4v	71.8v	45.2v	44.3v	48.2v	47.3v	48.5v	73.8v	98.9v	41.2v	0.0v	583.46v
330	Miss DS Hume	A	70.4v	70.4v	46.2v	47.6v	46.4v	49.5v	47.3v	69.4v	99.10v	40.3v	0.0v	583.45v
331	Mr RA Jobson	O	69.5v	72.6v	49.7v	44.3v	47.5v	44.3v	50.3v	71.6v	100.7v	37.0v	0.0v	583.45v
332	Mr CL Leighton	O	69.7v	70.5v	46.4v	47.4v	45.4v	44.2v	48.4v	71.4v	101.8v	42.2v	0.0v	583.44v
333	Mr PA Lucey	A	72.6v	71.6v	45.5v	48.4v	48.3v	44.1v	49.3v	72.6v	98.9v	36.0v	0.0v	583.43v
334	Mr MR Ebbetts	O	69.2v	70.6v	45.5v	38.1v	47.3v	49.5v	48.4v	70.2v	103.10v	44.3v	0.0v	583.41v
335	Mr TA Chapman	A	69.4v	71.8v	48.3v	43.2v	47.6v	45.0v	49.6v	67.5v	100.5v	44.1v	0.0v	583.40v
336	Mr T Drysdale	O	72.4v	73.6v	48.4v	45.4v	45.3v	47.1v	42.0v	70.7v	100.8v	41.1v	0.0v	583.38v
337	Mr KJ Aldridge	O	70.4v	70.4v	45.1v	48.3v	49.4v	44.4v	45.1v	73.8v	99.6v	40.2v	0.0v	583.37v
338	Miss SIM Anderson	A	68.4v	73.7v	48.4v	44.1v	46.2v	45.2v	46.3v	71.3v	100.7v	42.3v	0.0v	583.36v
339	Sgt G Kariuki	X	69.4v	74.6v	43.2v	45.2v	44.4v	46.3v	49.4v	68.4v	102.6v	43.0v	0.0v	583.35v
340	Mr IRM Brown	O	71.6v	71.7v	44.2v	43.7v	47.6v	47.2v	42.4v	75.10v	100.7v	42.0v	0.0v	582.51v
341	Miss SG Adamson	O	71.5v	71.6v	40.2v	46.3v	48.6v	48.4v	49.7v	69.7v	100.11v	40.0v	0.0v	582.51v
342	Mr SS Sehmi	X	67.4v	70.5v	44.3v	45.2v	47.4v	46.4v	49.8v	72.7v	103.11v	39.0v	0.0v	582.48v
343	Dr N Hart	O	68.4v	69.5v	46.2v	45.5v	47.4v	47.4v	49.4v	72.9v	101.11v	38.0v	0.0v	582.48v
344	Mr WR Steward	O	73.6v	73.7v	47.5v	42.4v	47.3v	45.3v	47.5v	70.5v	100.7v	38.2v	0.0v	582.47v
345	Mr AJW Sturrock	O	72.7v	67.6v	46.1v	46.1v	44.3v	46.4v	49.4v	73.8v	102.11v	37.2v	0.0v	582.47v
346	Mr BR Ebbetts	O	66.3v	71.9v	49.2v	49.3v	43.2v	41.0v	46.2v	72.7v	104.14v	41.4v	0.0v	582.46v
347	Mr G Harris	X	65.1v	70.3v	47.5v	43.5v	47.3v	45.3v	48.4v	75.9v	102.13v	40.0v	0.0v	582.46v
348	Mr JM Taylor	A	70.5v	70.3v	44.4v	41.3v	47.4v	48.3v	47.5v	70.4v	103.13v	42.1v	0.0v	582.45v
349	Mr JM Jarritt	O	68.4v	71.8v	46.2v	36.1v	49.5v	47.1v	49.5v	70.5v	105.12v	41.2v	0.0v	582.45v
350	Cdt CJF Rivett-Carnac	O	71.3v	75.7v	46.3v	43.4v	46.3v	43.1v	47.4v	72.8v	100.10v	39.1v	0.0v	582.44v
351	Mr KB Hill	O	69.5v	72.7v	45.3v	45.2v	43.1v	48.1v	47.2v	73.8v	102.13v	38.2v	0.0v	582.44v
352	Cdt G Stevenson	T	72.4v	68.4v	44.1v	42.1v	47.5v	40.2v	49.7v	73.9v	101.7v	46.3v	0.0v	582.43v
353	Mr AD Mcdougall	O	72.8v	68.6v	50.4v	46.2v	47.1v	42.3v	46.4v	73.8v	97.5v	41.2v	0.0v	582.43v
354	Mr HRM Bailie	O	68.2v	70.4v	47.4v	42.3v	47.4v	47.4v	49.4v	74.11v	98.6v	40.1v	0.0v	582.43v
355	Mr AW Lothian	X	70.5v	75.8v	46.3v	45.2v	37.0v	45.1v	47.6v	69.4v	101.9v	47.4v	0.0v	582.42v
356	Mr JA Dallas	O	72.4v	69.3v	47.4v	40.0v	46.3v	46.3v	47.3v	74.11v	101.7v	40.2v	0.0v	582.40v
357	Mr SCW Dixon	O	68.5v	66.3v	45.4v	48.3v	48.3v	47.3v	49.6v	70.1v	100.9v	41.1v	0.0v	582.38v
358	Mr SE Frost	X	70.7v	71.4v	46.4v	45.3v	48.3v	45.1v	47.1v	67.3v	100.7v	43.2v	0.0v	582.35v
359	Sgt CD Atkins	T	70.5v	66.3v	43.2v	45.0v	45.3v	47.1v	47.2v	72.5v	102.9v	45.3v	0.0v	582.33v
360	Mr C Kluh	X	68.7v	71.6v	48.6v	42.2v	47.4v	45.5v	46.5v	74.9v	103.8v	37.1v	0.0v	581.53v
361	Mr RA Welford	A	71.7v	73.7v	45.3v	43.2v	46.2v	47.5v	47.6v	70.9v	100.8v	39.0v	0.0v	581.49v
362	Mr C Berntsen	O	69.4v	70.7v	45.5v	45.3v	47.2v	47.4v	50.6v	73.9v	99.8v	36.1v	0.0v	581.49v
363	Mr MW Latimer	O	70.7v	71.8v	42.1v	43.2v	46.3v	48.4v	47.5v	70.5v	102.10v	42.2v	0.0v	581.47v
364	Miss GJF Ogden	A	70.5v	71.8v	43.2v	46.2v	47.3v	49.6v	48.3v	68.3v	105.11v	34.3v	0.0v	581.46v
365	Mr C Cotillard	X	71.3v	69.7v	41.2v	46.2v	47.3v	50.4v	48.6v	70.10v	102.7v	37.1v	0.0v	581.45v
366	Mr JF Jackman	O	71.3v	67.4v	46.2v	44.4v	48.6v	44.3v	46.4v	73.6v	99.8v	43.3v	0.0v	581.43v
367	Major RJ Aitken	O	69.3v	74.9v	45.1v	45.4v	47.3v	46.3v	47.3v	72.6v	101.10v	35.1v	0.0v	581.43v
368	Mrs JG Adamson	O	67.2v	70.4v	42.1v	48.4v	48.5v	45.1v	49.6v	69.7v	99.8v	44.4v	0.0v	581.42v
369	Mr WRD Mott	O	69.5v	73.5v	41.3v	45.1v	44.2v	45.3v	50.6v	74.4v	100.8v	40.0v	0.0v	581.37v
370	Mr TJ Goodger	O	66.1v	73.6v	47.4v	43.1v	45.1v	46.2v	48.5v	71.4v	100.9v	42.3v	0.0v	581.36v
371	Mr MF Martel	X	69.2v	68.3v	47.3v	46.3v	45.2v	47.4v	49.6v	67.5v	101.7v	42.1v	0.0v	581.36v
372	Mr KG Ellett	O	67.5v	72.6v	47.3v	42.1v	47.2v	47.4v	47.2v	72.4v	100.8v	40.0v	0.0v	581.35v
373	Mr SJ Green	A	71.7v	74.8v	39.2v	45.3v	43.4v	46.2v	49.6v	72.7v	100.12v	41.1v	0.0v	580.52v
374	Mr DS Slaughter	O	73.12v	71.6v	41.1v	43.3v	50.5v	43.2v	48.4v	72.5v	102.14v	37.0v	0.0v	580.52v
375	Mr KL Murray	O	72.7v	72.8v	39.1v	43.6v	44.3v	44.2v	49.5v	72.6v	100.11v	45.2v	0.0v	580.51v
376	Mr DM Smith	O	73.7v	69.6v	47.4v	45.4v	48.4v	45.3v	48.3v	70.4v	101.13v	34.1v	0.0v	580.49v
377	Cdt N Berry	T	71.5v	69.7v	48.5v	44.1v	47.4v	44.1v	49.2v	71.7v	100.13v	37.2v	0.0v	580.47v
378	Miss HM McCullough	T	70.6v	71.6v	47.4v	41.1v	46.5v	47.2v	48.5v	73.7v	102.11v	35.0v	0.0v	580.47v
379	Mr P Dobell	X	69.4v	68.4v	45.5v	44.3v	49.1v	47.6v	48.5v	71.6v	99.11v	40.1v	0.0v	580.46v
380	Mr JEM Bellringer	X	69.6v	72.8v	46.4v	42.3v	48.2v	39.1v	47.2v	72.8v	102.9v	43.2v	0.0v	580.45v
381	Mr D Adams	X	68.5v	73.4v	48.6v	46.3v	48.7v	45.3v	47.3v	73.8v	95.5v	37.0v	0.0v	580.44v
382	Flt Lt KP Cressy	X	69.2v	70.4v	46.3v	45.3v	49.7v	45.2v	47.3v	68.5v	104.11v	37.3v	0.0v	580.43v
383	Miss KE Simpson	O	69.3v	71.4v	44.2v	44.1v	47.4v	43.4v	44.6v	74.10v	101.8v	43.0v	0.0v	580.42v
384	Mr DL Wiles	A	69.4v	73.6v	45.3v	43.3v	44.2v	48.2v	47.5v	68.4v	102.10v	41.3v	0.0v	580.42v
385	Mr RF Burden	O	72.4v	65.3v	46.3v	44.2v	47.5v	47.3v	46.3v	72.7v	99.8v	42.2v	0.0v	580.40v
386	Mr GDW Weir	T	71.4v	70.7v	47.2v	40.4v	43.2v	48.2v	41.3v	72.5v	104.10v	44.0v	0.0v	580.39v
387	Flt Lt BN Roth	X	68.5v	70.5v	46.1v	46.4v	50.4v	48.4v	47.4v	67.5v	99.5v	39.1v	0.0v	580.38v
388	Mr GL Clarke	A	71.5v	69.1v	47.2v	44.2v	49.2v	41.3v	47.3v	70.5v	102.11v	40.3v	0.0v	580.37v
389	Mr PG Oxnam	O	74.3v	70.7v	46.2v	46.2v	47.3v	46.1v	43.1v	73.6v	101.11v	34.0v	0.0v	580.36v
390	Mr TEO Richards	O	72.6v	73.7v	45.2v	39.0v	44.1v	47.6v	47.2v	73.4v	100.5v	40.2v	0.0v	580.35v
391	Mr AJ Horton	O	68.6v	71.9v	49.5v	47.6v	43.1v	48.6v	50.7v	70.5v	97.5v	36.1v	0.0v	579.51v
392	Miss EC Lamont	O	70.6v	70.9v	39.2v	42.2v	49.8v	47.3v	48.6v	71.4v	102.8v	41.1v	0.0v	579.49v
393	Mr RP Rosling	O	69.4v	72.9v	46.3v	47.5v	46.3v	44.2v	49.8v	73.8v	101.4v	32.1v	0.0v	579.47v
394	Mr SD Spinney	X	66.3v	71.7v	46.2v	43.3v	46.3v	47.4v	47.4v	73.10v	99.6v	41.4v	0.0v	579.46v
395	Mr WA Wright	X	69.7v	71.7v	45.2v	44.2v	47.2v	47.5v	47.5v	72.8v	96.7v	41.1v	0.0v	579.46v
396	CDT PCA Slater	O	67.3v	75.9v	43.3v	46.4v	47.7v	47.3v	47.3v	72.7v	97.6v	38.1v	0.0v	579.46v
397	Insp G Muturi	X	72.7v	70.5v	43.4v	44.2v	45.2v	47.1v	49.5v					

398	Cpl J Turley	T	69.5v	72.4v	44.1v	47.5v	45.4v	45.5v	46.1v	75.8v	102.9v	34.1v	0.0v	579.43v
399	Mr RJ Booth	X	66.4v	71.9v	44.4v	45.1v	48.4v	44.3v	47.1v	74.4v	100.10v	40.2v	0.0v	579.42v
400	Mr G Wright	T	67.3v	73.11v	44.0v	42.1v	45.5v	47.2v	49.3v	74.8v	100.8v	38.1v	0.0v	579.42v
401	Mr PA Hatfield	X	73.7v	66.6v	46.4v	46.2v	46.3v	46.2v	48.2v	72.5v	99.5v	37.4v	0.0v	579.40v
402	Mr P Ginestet	O	71.6v	72.3v	44.2v	42.2v	46.4v	47.3v	45.3v	70.7v	100.7v	42.1v	0.0v	579.38v
403	Miss D O'Kelly	T	73.7v	70.1v	46.1v	40.0v	46.2v	45.2v	46.1v	71.6v	102.13v	40.2v	0.0v	579.35v
404	Mr PRC Stevens	O	67.4v	72.5v	44.2v	47.3v	46.4v	46.6v	45.5v	69.7v	100.11v	42.3v	0.0v	578.50v
405	Miss IRJ Stevenson	O	69.6v	72.9v	46.3v	45.3v	46.3v	47.5v	48.4v	69.6v	97.9v	39.0v	0.0v	578.48v
406	Mr DGE Mutter	O	67.4v	70.4v	44.2v	44.2v	47.4v	48.4v	46.5v	73.8v	100.12v	39.0v	0.0v	578.45v
407	Mr RG Faulkner	A	69.3v	72.4v	45.4v	45.3v	46.5v	48.5v	46.4v	73.7v	97.6v	37.4v	0.0v	578.45v
408	Mr AC Haley	A	67.6v	68.8v	49.3v	45.3v	49.5v	47.3v	46.3v	72.6v	98.8v	37.0v	0.0v	578.45v
409	Mr RS Mason	O	68.1v	68.6v	45.3v	47.5v	44.4v	43.3v	50.4v	72.8v	102.10v	39.0v	0.0v	578.44v
410	Cdt CBCB Brook	T	68.4v	70.7v	46.4v	43.2v	48.1v	44.3v	48.6v	72.9v	100.8v	39.0v	0.0v	578.44v
411	Mr PT Dwyer	T	67.4v	72.7v	46.1v	43.1v	46.3v	46.2v	49.4v	74.10v	103.10v	32.0v	0.0v	578.42v
412	Mr DMJ Coutts	O	71.7v	70.4v	47.2v	44.2v	46.3v	45.3v	46.5v	73.7v	101.8v	35.0v	0.0v	578.41v
413	Mr BJ Page	X	70.5v	72.6v	46.3v	42.2v	46.3v	44.3v	47.5v	70.6v	100.6v	41.1v	0.0v	578.40v
414	Mr RJ Quy	A	67.1v	73.8v	46.3v	44.1v	47.4v	48.5v	46.3v	70.6v	102.8v	35.1v	0.0v	578.40v
415	Mr AC Grant	O	73.3v	70.3v	46.2v	39.2v	46.2v	45.2v	43.2v	73.5v	100.10v	43.3v	0.0v	578.36v
416	Mr T Horrocks	O	68.3v	68.6v	47.3v	46.1v	45.2v	45.2v	44.2v	69.4v	100.8v	46.3v	0.0v	578.34v
417	Dr BJ Winney	O	67.2v	70.6v	44.0v	46.3v	47.3v	47.2v	49.4v	69.6v	96.6v	43.2v	0.0v	578.34v
418	Mr GT Heyes	T	67.3v	68.2v	46.4v	49.3v	46.1v	48.5v	47.3v	69.3v	99.7v	39.1v	0.0v	578.32v
419	Mr AG Harrison	A	71.4v	68.7v	46.2v	41.1v	47.3v	46.1v	49.5v	71.5v	100.4v	39.0v	0.0v	578.32v
420	mr DH Allen	O	71.4v	70.5v	44.2v	43.3v	46.2v	44.3v	48.3v	71.8v	103.16v	37.4v	0.0v	577.50v
421	Mr BV Cambray	A	63.2v	72.6v	47.4v	42.2v	46.4v	44.5v	45.2v	71.5v	103.15v	44.4v	0.0v	577.49v
422	Mr AWJ Logan	T	68.3v	72.8v	46.3v	46.6v	47.5v	47.4v	46.3v	68.3v	98.10v	39.2v	0.0v	577.47v
423	Mr CI Cooper	O	70.4v	71.8v	45.2v	45.1v	46.4v	40.4v	47.4v	74.9v	98.8v	41.2v	0.0v	577.46v
424	Mr RMR Stearn	O	73.5v	72.7v	45.4v	42.2v	49.6v	41.3v	47.3v	70.3v	101.10v	37.2v	0.0v	577.45v
425	Mr RJ Waters	X	68.5v	71.8v	46.2v	40.1v	47.5v	44.1v	50.5v	73.7v	99.8v	39.2v	0.0v	577.44v
426	Lt JW Jenkins	X	69.6v	70.8v	45.0v	42.1v	47.6v	42.1v	49.4v	67.4v	104.10v	42.3v	0.0v	577.43v
427	Mr JD Ward	O	69.6v	67.5v	46.1v	47.2v	44.4v	43.1v	48.4v	74.11v	99.7v	40.2v	0.0v	577.43v
428	Cdt M Badmington	T	68.6v	70.5v	46.6v	46.3v	48.1v	40.2v	48.4v	72.7v	100.7v	39.2v	0.0v	577.43v
429	Mr DP Cole	O	70.5v	70.4v	48.3v	48.5v	47.2v	46.4v	49.6v	71.4v	97.9v	31.1v	0.0v	577.43v
430	Mr DA de Vere	O	70.8v	73.7v	43.2v	43.1v	46.5v	47.4v	48.4v	67.3v	98.7v	42.1v	0.0v	577.42v
431	Insp E Legei	X	69.3v	70.4v	45.3v	43.4v	47.5v	45.2v	47.2v	71.7v	100.9v	40.3v	0.0v	577.42v
432	Mr RW McVeigh	O	69.4v	68.4v	46.3v	43.3v	49.3v	44.3v	45.4v	72.10v	101.7v	40.1v	0.0v	577.42v
433	Mr TEW Ward	O	69.3v	70.6v	44.3v	42.1v	46.2v	43.2v	48.5v	73.6v	102.9v	40.2v	0.0v	577.39v
434	Dr MJ Schwarz	A	70.4v	67.4v	45.1v	44.3v	48.6v	46.3v	47.3v	70.7v	100.7v	40.1v	0.0v	577.39v
435	Mr RA Mullin	X	71.5v	66.5v	45.4v	44.2v	48.3v	46.1v	49.4v	72.5v	99.9v	37.1v	0.0v	577.39v
436	Mr C Mitchell	T	69.5v	70.6v	47.2v	45.2v	47.3v	46.2v	48.3v	66.3v	100.11v	39.1v	0.0v	577.38v
437	Mr NS Suffield-Jones	O	70.6v	72.4v	47.1v	42.2v	45.3v	46.4v	48.2v	69.8v	98.4v	40.1v	0.0v	577.35v
438	Mr T McIvor	O	68.6v	72.6v	43.2v	45.2v	45.2v	46.2v	47.4v	74.4v	95.4v	42.1v	0.0v	577.33v
439	Sqn Ldr CR Smith	O	71.5v	71.7v	47.4v	41.2v	46.5v	40.3v	43.4v	72.6v	103.11v	42.4v	0.0v	576.51v
440	Mr TJ Roberts	O	70.5v	72.7v	46.5v	49.4v	48.4v	44.3v	47.3v	72.9v	92.6v	36.1v	0.0v	576.47v
441	Mr M Persaud	O	68.3v	71.4v	44.1v	44.4v	47.3v	47.5v	45.3v	71.7v	101.15v	38.0v	0.0v	576.45v
442	Mr AS Fraser	O	71.4v	72.6v	46.3v	41.4v	46.3v	47.4v	49.3v	61.3v	100.10v	43.3v	0.0v	576.43v
443	Mr RA Hyndman	T	71.3v	72.5v	42.4v	45.2v	48.3v	44.6v	49.5v	67.7v	101.7v	37.1v	0.0v	576.43v
444	Mr SG Hunter	A	68.5v	66.2v	46.2v	42.1v	45.4v	46.3v	50.6v	72.4v	99.14v	42.0v	0.0v	576.41v
445	Mr AG Peden	X	71.5v	72.7v	43.1v	42.2v	47.3v	46.5v	46.3v	70.5v	100.8v	39.1v	0.0v	576.40v
446	Mr I Cheeseman	O	70.7v	72.6v	46.2v	44.1v	45.4v	42.3v	47.4v	68.3v	101.8v	41.1v	0.0v	576.39v
447	Mr SA Ruddell	O	68.4v	71.4v	46.4v	48.4v	48.5v	44.1v	50.5v	69.5v	97.7v	35.0v	0.0v	576.39v
448	Mrs SG Sirett	X	70.4v	73.7v	45.2v	44.4v	46.1v	42.4v	48.4v	69.3v	96.4v	43.5v	0.0v	576.38v
449	Mrs MF Barry	O	69.6v	70.3v	46.2v	43.0v	48.5v	45.2v	49.4v	71.6v	98.6v	37.3v	0.0v	576.37v
450	Mr AI Brown	O	72.7v	69.3v	47.3v	45.3v	45.2v	45.4v	49.4v	72.5v	96.5v	36.1v	0.0v	576.37v
451	Lt Col CCC Cheshire	X	70.5v	71.2v	42.2v	46.3v	46.3v	47.5v	47.1v	71.6v	100.4v	36.2v	0.0v	576.33v
452	Mr EM Brice	O	70.4v	70.5v	45.3v	37.1v	46.1v	46.2v	48.4v	70.1v	103.9v	41.2v	0.0v	576.32v
453	Miss LMA Bogie	A	70.6v	71.8v	44.2v	37.1v	46.5v	44.2v	47.2v	73.6v	102.13v	41.7v	0.0v	575.52v
454	Mr ARN Kinross	A	67.5v	71.6v	46.3v	47.4v	46.2v	43.3v	49.5v	65.3v	100.11v	41.2v	0.0v	575.44v
455	Mr G Williams	X	69.3v	73.10v	46.2v	37.2v	45.2v	43.3v	46.4v	70.5v	103.10v	43.1v	0.0v	575.42v
456	Mr DA Smith	O	70.4v	69.5v	46.3v	39.1v	47.3v	45.4v	47.4v	72.7v	98.8v	42.1v	0.0v	575.40v
457	Mr DJ Curtis	O	65.0v	70.6v	45.2v	41.0v	47.4v	46.4v	48.6v	74.8v	100.9v	39.1v	0.0v	575.40v
458	Mr RM Allan	O	69.3v	74.9v	44.0v	45.1v	47.4v	46.2v	46.3v	72.8v	100.8v	32.2v	0.0v	575.40v
459	Mr KH Tumschat	X	70.6v	70.7v	46.3v	40.0v	46.4v	44.3v	46.3v	73.6v	100.6v	40.1v	0.0v	575.39v
460	Miss FM Hinson	O	66.3v	70.5v	46.1v	45.3v	46.4v	43.1v	45.3v	73.7v	104.10v	37.2v	0.0v	575.39v
461	Mr JR Lindsay	O	72.9v	69.2v	47.3v	45.4v	44.1v	45.4v	45.3v	67.4v	101.6v	40.2v	0.0v	575.38v
462	Mrs T Newbold	O	67.4v	70.5v	45.1v	47.6v	47.1v	43.3v	48.4v	68.4v	101.9v	39.1v	0.0v	575.38v
463	Mr P Merry	O	68.5v	68.2v	44.2v	46.1v	43.2v	44.2v	48.7v	68.7v	102.7v	44.2v	0.0v	575.37v
464	Mr RI Coventry	O	65.3v	70.4v	48.4v	46.2v	43.4v	43.1v	47.3v	71.7v	101.6v	41.3v	0.0v	575.37v
465	Mr CRM Asquith	A	66.5v	71.7v	50.1v	39.1v	44.2v	45.2v	49.5v	71.5v	101.7v	39.1v	0.0v	575.36v
466	Mr PS Rowell	O	66.5v	72.6v	47.5v	48.5v	44.0v	43.2v	46.0v	69.7v	100.3v	40.2v	0.0v	575.35v
467	Mr AK Fitch	O	69.4v	69.5v	46.2v	41.1v	46.4v	47.2v	48.3v	69.4v	100.8v	40.1v	0.0v	575.34v
468	Dr AE Morris	O	68.3v	69.2v	44.5v	47.3v	46.2v	45.3v	48.4v	67.2v	97.5v	44.2v	0.0v	575.31v
469	Mr MG Grimsdell	O	71.7v	70.4v	40.1v	45.4v	46.4v	47.3v	45.2v	74.10v	95.10v	41.0v	0.0v	574.45v
470	Mr RW Hallows	O	68.1v	70.5v	40.1v	42.1v	47.4v	40.1v	48.4v	73.10v	102.14v	44.2v	0.0v	574.43v
471	Mr WLL Lewis	A	66.3v	69.6v	44.3v	46.3v	48.4v	43.3v	50.6v	71.5v	97.5v	40.4v	0.0v	574.42v
472	Cpl PI Perry	O	71.5v	71.6v	44.4v	46.3v	45.4v	38.1v	47.3v	73.7v	100.8v	39.1v	0.0v	574.42v
473	Mr SFD Dash	O	68.1v	70.4v	46.5v	47.4v	45.1v	46.4v	47.4v	71.9v	99.9v	35.1v	0.0v	574.42v
474	Mr EJ McConnell	T	72.9v	71.6v	43.1v	41.3v	49.4v	48.1v	43.3v	68.1v	97.7v	42.0v	0.0v	574.35v
475	Mr CP Goad	O	68.1v	68.0v	43.3v	45.1v	48.4v	45.4v	49.4v	70.5v	101.7v	37.1v	0.0v	574.30v
476	Mr FC Yip	X	70.4v	68.3v	46.2v	43.3v	45.0v	46.3v	47.2v	72.5v	100.7v	37.0v	0.0v	574.29v
477	Cdt GWD Davies	A	74.9v	74.9v	47.3v	47.3v	49.5v	47.3v	49.5v	75.10v	70.8v	41.1v	0.0v	573.56v
478	Mrs JR Elcombe	O	71.9v	74.6v	42.2v	39.0v	47.6v	47.5v	44.3v	69.6v	100.8v	40.2v	0.0v	573.47v
479	Mr ATC Collins	T	74.7v	67.6v	46.4v	49.4v	40.2v	44.2v	46.5v	69.3v	101.13v	37.0v	0.0v	573.46v
480	Mr BW Macdonald	O	66.3v	71.7v	48.6v	41.3v	46.2v	40.0v	49.4v	71.8v	100.7v	41.1v	0.	

481	PC DK Kirui	X	66.3v	67.3v	48.4v	48.5v	43.0v	45.4v	46.3v	74.9v	100.9v	36.0v	0.0v	573.40v
482	Miss EH Barr	O	67.4v	72.8v	46.0v	41.2v	47.3v	46.1v	48.5v	72.7v	99.7v	35.0v	0.0v	573.37v
483	Dr KW Genders	O	70.4v	70.6v	41.2v	44.1v	43.1v	46.4v	46.3v	70.6v	100.7v	43.2v	0.0v	573.36v
484	Mr P Todd	T	66.1v	70.4v	44.2v	43.1v	47.3v	43.3v	44.4v	69.5v	103.9v	44.3v	0.0v	573.35v
485	Cpl C Mandella	T	69.6v	68.3v	47.4v	45.1v	45.1v	44.2v	46.4v	69.6v	98.6v	42.2v	0.0v	573.35v
486	Mr U Solzer	X	68.3v	71.6v	43.0v	40.3v	46.3v	47.5v	47.2v	72.3v	101.9v	38.0v	0.0v	573.34v
487	Mr JA Garnett	O	70.5v	71.6v	46.2v	44.2v	46.3v	42.0v	45.5v	73.12v	97.13v	38.0v	0.0v	572.48v
488	Mr MT West	A	71.7v	65.4v	46.3v	40.3v	48.4v	43.2v	43.3v	70.8v	104.11v	42.2v	0.0v	572.47v
489	Mr M Millar	A	68.3v	69.5v	46.3v	47.3v	48.6v	43.6v	47.4v	72.8v	100.9v	32.0v	0.0v	572.47v
490	Mr CS Lamont	X	71.7v	68.3v	38.1v	41.3v	48.5v	48.4v	50.6v	70.4v	97.9v	41.3v	0.0v	572.45v
491	Mrs FK Day	O	71.6v	67.5v	43.4v	45.3v	42.0v	48.2v	49.3v	69.8v	99.10v	39.2v	0.0v	572.43v
492	Mr IDC Brechin	O	70.5v	73.7v	45.2v	39.2v	49.5v	45.3v	49.1v	73.7v	101.9v	28.2v	0.0v	572.43v
493	Mr SH Dickson	O	71.4v	70.6v	46.4v	44.3v	43.1v	44.3v	46.3v	69.5v	97.10v	42.1v	0.0v	572.40v
494	Miss RL Furniss	A	67.3v	69.4v	43.2v	46.3v	45.6v	48.5v	46.3v	72.7v	97.6v	39.0v	0.0v	572.39v
495	Mr JJ Jobson	O	70.3v	67.4v	48.6v	49.4v	42.5v	45.2v	46.2v	70.5v	96.7v	39.0v	0.0v	572.38v
496	Mr AW Davies	O	70.5v	67.5v	46.3v	39.1v	45.2v	46.3v	47.3v	73.7v	99.6v	40.2v	0.0v	572.37v
497	Mr ID Macdonald	O	70.2v	69.9v	41.2v	46.2v	48.3v	44.2v	48.6v	70.4v	97.5v	39.2v	0.0v	572.37v
498	Mr M Kreiber	T	66.3v	72.4v	45.3v	36.0v	47.4v	45.2v	46.1v	70.6v	104.11v	41.2v	0.0v	572.36v
499	Mr AJ Monro	T	66.2v	68.2v	47.3v	42.5v	50.6v	43.1v	45.2v	71.5v	103.9v	37.0v	0.0v	572.35v
500	Mr PJS Smith	O	67.5v	71.5v	44.3v	43.2v	48.2v	45.3v	45.2v	68.2v	96.7v	45.3v	0.0v	572.34v
501	Cdt LCP-L Watson	O	64.1v	68.3v	45.3v	44.0v	47.3v	43.1v	49.4v	72.3v	98.9v	42.0v	0.0v	572.27v
502	Mr JP Thomson	O	69.5v	70.6v	41.1v	43.2v	47.5v	46.4v	49.8v	72.8v	98.8v	36.3v	0.0v	571.50v
503	Cdt R Paquette	T	64.2v	69.6v	46.3v	42.4v	47.4v	44.2v	47.3v	74.9v	102.12v	36.2v	0.0v	571.47v
504	Mr HJ Golaszewski	A	68.3v	71.7v	42.3v	41.1v	48.3v	43.3v	50.7v	69.5v	100.12v	39.2v	0.0v	571.46v
505	Mr M Liversage	T	68.3v	70.7v	45.4v	40.1v	46.3v	43.3v	48.5v	74.8v	99.10v	38.1v	0.0v	571.45v
506	Mr SW Maris	O	70.3v	69.6v	47.7v	39.3v	49.6v	43.1v	46.3v	69.5v	104.10v	35.1v	0.0v	571.45v
507	Mr DN Webber	O	70.4v	72.6v	43.2v	43.1v	47.5v	42.3v	44.3v	70.4v	100.8v	40.4v	0.0v	571.40v
508	Mr RG Hilyard	O	72.3v	66.2v	48.4v	41.4v	46.4v	45.3v	46.5v	68.5v	97.8v	42.1v	0.0v	571.39v
509	Mr PL Redstone	X	70.4v	69.3v	46.3v	42.2v	46.3v	43.4v	44.3v	73.4v	97.9v	41.2v	0.0v	571.37v
510	Mr RH Kiser	O	67.4v	70.2v	46.4v	43.4v	46.6v	44.2v	43.1v	72.7v	100.6v	40.0v	0.0v	571.36v
511	Mr NC Boyde	O	65.2v	69.5v	47.3v	44.3v	45.2v	48.3v	49.4v	72.3v	98.9v	34.2v	0.0v	571.36v
512	Mr TC Higgins	O	67.1v	71.7v	46.4v	46.3v	42.0v	44.3v	48.2v	74.8v	96.6v	37.1v	0.0v	571.35v
513	Mr TMJ Burgess	T	67.2v	71.8v	46.3v	42.4v	45.3v	44.4v	47.3v	69.2v	96.4v	44.1v	0.0v	571.34v
514	Mrs M Pantaleon-Ginestet	O	68.3v	70.6v	41.0v	45.2v	47.4v	43.3v	48.3v	69.3v	101.7v	39.3v	0.0v	571.34v
515	Mr PA Cullimore	O	68.4v	67.1v	42.3v	46.1v	47.4v	44.1v	47.3v	69.3v	101.9v	40.2v	0.0v	571.31v
516	Mr MJG Neal	T	67.2v	70.6v	45.0v	43.2v	47.4v	44.1v	41.0v	70.5v	100.5v	44.2v	0.0v	571.27v
517	Mr PG Kelly	O	69.5v	70.5v	47.5v	42.1v	45.4v	42.3v	49.5v	71.6v	101.9v	34.2v	0.0v	570.45v
518	Mr HWR Gilbert	O	69.6v	62.3v	47.6v	42.2v	48.3v	47.6v	48.3v	72.8v	97.7v	38.0v	0.0v	570.44v
519	Mr BL Thomson	A	71.4v	73.6v	47.2v	32.1v	46.1v	42.2v	48.5v	70.7v	103.12v	38.2v	0.0v	570.42v
520	Mr BG Bailey	O	68.5v	68.4v	43.3v	42.3v	44.1v	46.2v	45.2v	74.10v	98.9v	42.1v	0.0v	570.40v
521	Mr PB Cutts	T	73.9v	71.8v	46.3v	41.1v	49.5v	47.4v	41.0v	66.4v	94.5v	42.1v	0.0v	570.40v
522	Miss EG Joseph	O	70.6v	69.3v	41.1v	44.2v	46.3v	42.3v	47.1v	70.4v	101.12v	40.2v	0.0v	570.37v
523	Mr DA Taylor	A	66.2v	69.4v	46.1v	48.3v	46.3v	44.4v	46.3v	67.5v	100.7v	38.2v	0.0v	570.34v
524	Flt Lt HM French	T	67.4v	70.7v	43.1v	44.2v	45.4v	46.2v	44.1v	70.4v	102.6v	39.2v	0.0v	570.33v
525	Mr D Hanson	O	71.3v	68.4v	47.2v	43.5v	45.3v	43.4v	43.3v	73.8v	98.11v	38.2v	0.0v	569.45v
526	LCpl R Cole	T	65.4v	73.10v	44.4v	37.1v	46.3v	49.3v	46.2v	70.4v	100.11v	39.1v	0.0v	569.43v
527	Cpl E Odeo	X	71.6v	68.4v	46.4v	44.0v	45.3v	43.4v	47.2v	71.6v	100.11v	34.2v	0.0v	569.42v
528	Mr MJ Whatton	O	66.5v	70.4v	43.2v	43.3v	46.4v	45.3v	48.3v	69.6v	98.7v	41.1v	0.0v	569.38v
529	Mr PM Weston	O	68.4v	71.9v	42.4v	46.2v	46.2v	44.3v	48.1v	65.4v	100.8v	39.1v	0.0v	569.38v
530	Mr SI Gluck	O	68.5v	72.5v	45.2v	47.2v	45.4v	43.3v	47.5v	69.4v	95.5v	38.1v	0.0v	569.36v
531	Mr AJ Haggerty	O	63.2v	68.5v	47.3v	46.2v	47.5v	44.3v	47.3v	70.4v	96.6v	41.1v	0.0v	569.34v
532	Mr DE Fields	O	67.3v	71.3v	42.1v	45.1v	46.4v	48.4v	48.3v	70.4v	98.5v	34.2v	0.0v	569.30v
533	Miss S Cheslyn-Curtis	O	66.5v	69.6v	47.6v	41.2v	43.4v	46.4v	50.8v	70.5v	96.4v	40.3v	0.0v	568.47v
534	Mr J Tuffen	O	70.7v	72.9v	44.4v	43.3v	44.1v	45.4v	48.4v	68.4v	98.9v	36.2v	0.0v	568.47v
535	Mr DE Nuthall	X	66.4v	68.3v	47.3v	46.4v	47.5v	45.1v	50.4v	58.9v	102.11v	39.2v	0.0v	568.46v
536	Cdt J Pinch	T	66.4v	70.7v	45.5v	43.3v	44.3v	45.1v	47.5v	72.6v	98.8v	38.1v	0.0v	568.43v
537	Mr ML Cotillard	X	68.2v	72.10v	45.5v	43.1v	46.2v	44.4v	48.6v	67.3v	98.8v	37.0v	0.0v	568.41v
538	Dr JC Jobling	O	68.6v	70.3v	42.2v	43.1v	47.3v	43.3v	44.2v	72.8v	100.8v	39.2v	0.0v	568.38v
539	Mr AJ Mayers	O	68.3v	70.7v	38.1v	45.3v	43.0v	44.2v	48.3v	71.4v	101.13v	40.1v	0.0v	568.37v
540	Mr EDC Carrick	T	65.4v	71.6v	45.2v	43.3v	43.1v	47.5v	47.2v	68.3v	99.8v	40.2v	0.0v	568.36v
541	Dr NP Tucker	T	73.6v	69.6v	42.2v	41.2v	47.3v	44.3v	47.2v	69.2v	98.8v	38.1v	0.0v	568.35v
542	Major DJ Nelson	X	69.5v	71.5v	43.1v	44.4v	44.2v	39.0v	48.6v	68.2v	102.7v	40.2v	0.0v	568.34v
543	Mr AJK Knight	T	70.3v	71.3v	43.2v	46.3v	45.2v	42.1v	41.2v	71.8v	103.10v	36.0v	0.0v	568.34v
544	Mr J Golling	X	71.5v	67.2v	42.1v	45.2v	40.3v	46.0v	49.4v	69.4v	95.7v	44.5v	0.0v	568.33v
545	Mr NC Bartholomew	O	64.2v	69.5v	45.4v	41.3v	44.0v	47.2v	46.2v	70.5v	100.7v	42.3v	0.0v	568.33v
546	Mr MR Place	O	71.6v	71.6v	46.1v	41.1v	46.2v	44.1v	45.2v	71.6v	99.7v	34.1v	0.0v	568.33v
547	Mr DF Robinson	O	70.5v	63.2v	43.3v	47.3v	47.0v	47.2v	46.2v	70.5v	95.7v	40.2v	0.0v	568.31v
548	Mr JRJ Kennedy	O	69.6v	67.5v	44.2v	46.3v	42.3v	45.0v	49.5v	69.4v	98.3v	39.0v	0.0v	568.31v
549	Miss DL Griffin	O	72.4v	68.3v	45.2v	44.1v	45.2v	46.4v	47.3v	68.5v	97.7v	36.0v	0.0v	568.31v
550	Mr KG Garside	O	66.2v	68.2v	47.6v	43.2v	43.1v	42.1v	44.1v	72.5v	98.9v	45.1v	0.0v	568.30v
551	Mr BW Cairns	O	66.3v	73.7v	47.3v	46.0v	42.1v	47.3v	44.2v	72.4v	98.7v	33.0v	0.0v	568.30v
552	Mr JG Bennett	X	70.8v	71.6v	44.3v	44.2v	46.3v	31.0v	50.5v	74.10v	99.11v	38.1v	0.0v	567.49v
553	Ms HK Mallinckrodt	T	66.4v	67.7v	44.2v	45.3v	48.4v	48.6v	44.3v	71.6v	100.8v	34.2v	0.0v	567.45v
554	Miss HLL Landrum	T	68.4v	71.8v	43.1v	39.2v	45.4v	46.1v	45.3v	68.7v	102.13v	40.1v	0.0v	567.44v
555	Mr TF Kurn	O	73.6v	73.9v	46.3v	35.0v	46.2v	38.2v	48.3v	71.9v	98.6v	39.3v	0.0v	567.43v
556	Mr AME Adams	O	71.7v	70.6v	43.4v	46.5v	46.5v	41.2v	45.1v	71.5v	97.7v	37.1v	0.0v	567.43v
557	Mr T Bulmer	T	67.4v	70.4v	43.5v	44.1v	46.4v	47.5v	45.3v	70.5v	95.9v	40.2v	0.0v	567.42v
558	Cdt K Gagnon	T	71.7v	68.5v	42.1v	45.4v	45.2v	43.1v	44.3v	71.5v	98.10v	40.3v	0.0v	567.41v
559	Mr MJ Moran	O	65.1v	70.6v	41.2v	41.1v	45.4v	44.4v	48.6v	70.6v	103.9v	40.2v	0.0v	567.41v
560	Mr C Hughes	O	72.6v	69.4v	42.3v	42.0v	46.4v	48.3v	47.4v	66.6v	101.8v	34.0v	0.0v	567.38v
561	Mr CA Stewart	O	65.3v	71.2v	47.3v	47.4v	46.5v	40.2v	46.4v	65.3v	100.9v	40.1v	0.0v	567.36v
562	Mr JP Raine	O	66.3v	71.8v	49.3v	41.0v	45.3v	45.3v	46.2v	71.5v	91.5v	42.2v	0.0v	567.34v
563	Mrs KM Young	T	66.2v	72.5v	44.3v	47.4v	40.3v	40.0v	44.4v	72.5v	102.7v	40.0v	0.0v	567.33v

564	Cdt AW Dowle	T	69.2v	68.2v	47.3v	39.1v	48.4v	43.2v	48.2v	68.5v	101.8v	36.0v	0.0v	567.29v
565	Mr K Hardyman	O	67.4v	73.8v	39.0v	44.1v	44.3v	47.2v	47.4v	69.7v	98.7v	38.1v	0.0v	566.37v
566	Mr RC Hawley	O	67.4v	70.4v	42.1v	48.4v	44.3v	43.2v	46.5v	73.6v	92.5v	41.2v	0.0v	566.36v
567	Mr A Lakhani	T	67.5v	72.5v	40.1v	41.2v	43.2v	44.3v	48.4v	71.6v	97.7v	43.0v	0.0v	566.35v
568	Mr D Saunders	T	69.4v	67.2v	43.2v	39.2v	47.1v	45.2v	47.4v	72.9v	98.5v	39.2v	0.0v	566.33v
569	Mr T Galliers	O	69.2v	70.4v	41.3v	47.2v	44.3v	44.1v	44.3v	71.5v	96.7v	40.1v	0.0v	566.31v
570	Mr T Hembrow	O	66.4v	73.6v	48.5v	41.0v	48.5v	39.0v	47.2v	68.4v	99.5v	37.0v	0.0v	566.31v
571	SSgt PJ Haines	T	63.0v	67.4v	44.1v	46.1v	44.2v	45.1v	46.2v	68.3v	99.5v	44.3v	0.0v	566.22v
572	Mr CJ Napier	T	74.12v	73.5v	45.1v	38.3v	48.4v	41.0v	46.5v	71.5v	95.8v	34.2v	0.0v	565.45v
573	Mr P Wale	O	65.4v	71.5v	43.2v	46.5v	47.4v	41.2v	46.6v	71.7v	99.8v	36.1v	0.0v	565.44v
574	Mr DB Harrison	O	71.2v	66.4v	46.5v	46.6v	41.2v	42.3v	45.3v	68.8v	95.7v	45.3v	0.0v	565.43v
575	Mr HCG Ives	O	66.4v	66.3v	44.2v	41.2v	49.5v	47.4v	48.4v	71.6v	100.9v	33.2v	0.0v	565.41v
576	Mr JJS Hooper	O	68.2v	70.5v	45.3v	35.2v	46.3v	43.1v	45.1v	73.8v	101.12v	39.3v	0.0v	565.40v
577	Mr MT Phipps	O	63.5v	69.3v	46.3v	41.3v	45.3v	41.2v	48.3v	72.4v	104.13v	36.0v	0.0v	565.39v
578	Mr T Gibson	O	70.4v	73.6v	38.0v	39.1v	44.2v	47.3v	48.5v	67.6v	101.10v	38.0v	0.0v	565.37v
579	Mr AJD Saunders	O	67.3v	69.2v	43.3v	47.1v	45.4v	43.2v	45.3v	68.5v	95.8v	43.3v	0.0v	565.34v
580	Mr AED Webster	T	64.4v	62.1v	45.2v	43.1v	46.3v	46.6v	47.2v	69.3v	103.12v	40.0v	0.0v	565.34v
581	Mr TJ Reeve	O	67.1v	73.7v	44.3v	41.1v	45.3v	43.2v	47.5v	70.3v	104.8v	31.1v	0.0v	565.34v
582	Cpl CD Pocock	T	69.5v	69.4v	45.2v	41.1v	46.2v	42.1v	42.1v	71.6v	99.6v	41.4v	0.0v	565.32v
583	Miss CJ Dee	O	67.2v	70.6v	47.3v	45.1v	43.1v	45.3v	41.4v	72.4v	101.8v	34.0v	0.0v	565.32v
584	Mr P Cameron Taylor	A	66.3v	67.1v	43.0v	47.4v	45.4v	42.0v	46.2v	71.6v	100.9v	38.1v	0.0v	565.30v
585	SSgt M Carberry	T	67.4v	67.2v	40.2v	42.2v	46.2v	45.1v	45.3v	68.4v	100.7v	45.2v	0.0v	565.29v
586	Mr CRF Leather	O	65.4v	71.6v	42.1v	39.3v	45.4v	46.2v	46.5v	71.6v	101.11v	38.2v	0.0v	564.44v
587	Mr NJ Burnip	X	61.5v	66.5v	47.4v	48.6v	46.3v	41.2v	48.5v	71.4v	98.6v	38.1v	0.0v	564.41v
588	Mr EC Dickson	A	71.6v	74.7v	47.3v	43.2v	49.4v	47.2v	49.2v	69.5v	69.7v	46.2v	0.0v	564.40v
589	Miss JM Waters	O	65.3v	70.6v	45.3v	39.1v	45.3v	47.0v	44.4v	74.10v	95.8v	40.1v	0.0v	564.39v
590	Mr JFJ Bryson	O	71.4v	69.5v	44.2v	47.5v	44.3v	45.2v	45.2v	71.6v	101.8v	27.0v	0.0v	564.37v
591	Mr GRP Shapland	O	70.7v	71.6v	45.2v	36.1v	41.2v	45.1v	46.2v	68.7v	100.8v	42.0v	0.0v	564.36v
592	Mr CJ Sherratt	O	69.4v	71.4v	45.4v	36.1v	46.1v	45.3v	49.4v	64.7v	101.5v	38.3v	0.0v	564.36v
593	Mr SD Benest	X	68.4v	74.7v	38.1v	44.2v	43.1v	44.2v	48.2v	69.5v	99.9v	37.2v	0.0v	564.35v
594	Mr CA Smith	O	68.6v	72.6v	46.4v	41.0v	42.1v	42.1v	47.2v	72.7v	98.7v	36.1v	0.0v	564.35v
595	Mr IF Luckman	O	70.5v	72.7v	43.2v	40.2v	47.1v	45.4v	45.2v	71.4v	98.7v	33.1v	0.0v	564.35v
596	Dr CJ Padbury	O	69.4v	71.7v	46.6v	42.3v	47.3v	46.1v	42.2v	69.2v	96.6v	36.0v	0.0v	564.34v
597	Mr BN Craig	O	69.4v	74.6v	43.3v	42.2v	44.0v	39.0v	45.0v	70.9v	101.9v	37.0v	0.0v	564.33v
598	Mr RH Gardiner	O	70.2v	71.8v	47.1v	39.0v	43.1v	42.3v	47.5v	69.4v	100.8v	36.1v	0.0v	564.33v
599	Mr BS Preece	T	68.4v	67.2v	43.2v	41.2v	49.7v	42.0v	48.2v	72.4v	101.10v	33.0v	0.0v	564.33v
600	Mr P Rutherford	T	67.5v	66.5v	41.0v	44.4v	47.2v	45.1v	47.3v	70.3v	98.8v	39.1v	0.0v	564.32v
601	Mr GR Jeal	O	61.0v	70.4v	48.5v	45.1v	44.1v	42.2v	48.2v	70.5v	99.9v	37.2v	0.0v	564.31v
602	Mr B Hirst	O	66.2v	66.1v	45.2v	44.2v	44.1v	42.3v	50.4v	67.3v	96.8v	44.3v	0.0v	564.29v
603	Cdt SM Amin	T	65.4v	68.4v	43.1v	43.1v	45.1v	46.2v	48.3v	70.4v	100.6v	36.1v	0.0v	564.27v
604	Mr WFS Stewart	O	66.5v	72.11v	44.2v	42.3v	44.7v	45.3v	46.4v	68.6v	99.8v	37.0v	0.0v	563.49v
605	Mr SME Hayton	O	72.5v	67.3v	44.2v	36.2v	44.3v	41.1v	47.5v	74.8v	103.14v	35.1v	0.0v	563.44v
606	Mr JE White	O	69.3v	69.6v	30.1v	46.3v	48.6v	48.5v	47.4v	74.10v	98.5v	34.0v	0.0v	563.43v
607	Mr A Mabon	O	63.5v	69.3v	43.1v	39.3v	45.2v	45.2v	48.3v	68.6v	101.14v	42.2v	0.0v	563.41v
608	Mr ER Torrance	T	70.4v	71.7v	38.1v	44.3v	43.2v	41.1v	49.5v	69.7v	97.9v	41.2v	0.0v	563.41v
609	Mr JEC Branch	T	70.2v	70.5v	39.2v	43.3v	48.4v	46.4v	48.6v	70.3v	98.10v	31.1v	0.0v	563.40v
610	Mr BJ Benest	T	67.4v	70.5v	39.4v	42.3v	48.6v	45.2v	46.4v	72.5v	100.5v	34.1v	0.0v	563.39v
611	Mr I D Markwell	O	73.5v	71.5v	45.2v	42.2v	47.4v	44.5v	50.5v	63.6v	96.5v	32.0v	0.0v	563.39v
612	Mr SJ Pascoe	A	69.3v	71.7v	43.1v	45.4v	44.1v	41.1v	42.2v	70.8v	102.9v	36.2v	0.0v	563.38v
613	Mr H Lottritz	X	70.4v	66.4v	46.3v	46.1v	43.0v	43.2v	48.7v	70.6v	96.9v	35.2v	0.0v	563.38v
614	Cpl M Cheruyiot	X	69.5v	71.5v	38.1v	46.3v	48.3v	41.2v	40.1v	69.4v	100.11v	41.2v	0.0v	563.37v
615	Cdt LCpl HCM Bennett	T	67.3v	67.2v	43.3v	41.1v	46.3v	42.2v	47.4v	72.6v	102.10v	36.2v	0.0v	563.36v
616	Mr RA Fullerton	T	68.6v	71.7v	46.0v	42.2v	47.4v	43.2v	47.3v	69.3v	95.9v	35.0v	0.0v	563.36v
617	Miss G Wigmore	O	68.5v	70.7v	40.0v	43.2v	40.1v	46.5v	44.2v	69.5v	101.8v	42.0v	0.0v	563.35v
618	Mr BAI Fraser	O	69.3v	66.4v	44.2v	41.1v	47.5v	44.2v	43.2v	67.5v	101.7v	41.2v	0.0v	563.33v
619	Miss RL Laird	O	66.3v	69.4v	42.3v	44.2v	44.3v	46.2v	43.2v	72.6v	102.8v	35.0v	0.0v	563.33v
620	Mr CJ Fullerton	T	68.4v	65.3v	45.2v	45.1v	42.1v	45.3v	50.6v	68.3v	101.8v	34.2v	0.0v	563.33v
621	Judge AP Powell	O	69.3v	67.3v	43.2v	42.2v	50.3v	38.0v	47.4v	70.4v	100.9v	37.1v	0.0v	563.31v
622	Cpl P Munene	X	72.3v	70.2v	40.3v	40.1v	49.4v	44.2v	47.2v	61.2v	99.6v	41.1v	0.0v	563.26v
623	Mr CW Slator	O	72.5v	70.5v	43.2v	42.0v	49.4v	40.3v	46.6v	71.9v	102.9v	27.0v	0.0v	562.43v
624	SMI MR Rewston	O	70.6v	73.6v	43.2v	42.3v	44.5v	43.2v	48.5v	67.3v	97.6v	35.3v	0.0v	562.41v
625	PC CK Saina	X	67.4v	66.2v	47.2v	49.5v	46.3v	47.4v	45.3v	66.7v	100.8v	29.0v	0.0v	562.38v
626	Mr N Beesley	O	66.2v	67.3v	44.5v	44.3v	44.2v	47.3v	46.2v	70.3v	103.10v	31.4v	0.0v	562.37v
627	Ms C Edwards	A	71.4v	67.4v	41.1v	42.1v	46.3v	42.1v	47.2v	73.9v	96.10v	37.1v	0.0v	562.36v
628	Mr ND Anderson	O	65.0v	69.5v	43.2v	39.2v	45.1v	45.2v	42.2v	71.8v	103.12v	40.1v	0.0v	562.35v
629	Mr RW Needham	O	71.5v	71.6v	46.4v	40.2v	43.2v	43.3v	44.0v	68.5v	97.8v	39.0v	0.0v	562.35v
630	Flt Lt CM Fopp	O	70.6v	71.5v	47.6v	43.3v	40.1v	45.1v	43.1v	67.3v	97.3v	39.1v	0.0v	562.30v
631	Miss T Young	O	68.0v	68.3v	45.3v	44.4v	41.0v	47.4v	45.2v	71.6v	99.5v	34.1v	0.0v	562.28v
632	Mr APW Daw	A	70.4v	75.7v	47.3v	45.3v	47.3v	48.4v	47.5v	74.7v	64.1v	44.2v	0.0v	561.39v
633	Cdt D Lister	T	68.6v	68.4v	41.1v	42.2v	48.5v	43.3v	50.5v	69.4v	99.8v	33.1v	0.0v	561.39v
634	Cdr MF Jordan	O	68.4v	67.7v	41.2v	47.3v	39.2v	44.4v	47.3v	73.6v	97.7v	38.0v	0.0v	561.38v
635	Mr CR Hirst	T	71.6v	67.4v	47.5v	32.0v	49.3v	46.4v	48.3v	72.5v	97.6v	32.1v	0.0v	561.37v
636	Mr IB Bramwell	O	68.6v	72.6v	40.0v	38.2v	45.2v	42.0v	49.5v	69.4v	102.9v	36.1v	0.0v	561.35v
637	Mr PS Holmes	T	70.8v	73.8v	45.3v	40.1v	45.2v	43.3v	46.1v	72.5v	93.3v	34.0v	0.0v	561.34v
638	Mr TW Harrison	O	66.3v	65.3v	46.5v	42.2v	44.2v	42.2v	43.0v	73.4v	100.10v	40.1v	0.0v	561.32v
639	Mr JW Alexander	T	69.5v	66.4v	47.2v	42.2v	44.4v	46.0v	44.2v	68.6v	93.3v	42.2v	0.0v	561.30v
640	Mr P Waldron	O	68.3v	72.6v	40.0v	41.3v	44.1v	45.2v	48.3v	68.3v	99.9v	36.0v	0.0v	561.30v
641	WOII K Kiarie	X	66.1v	65.4v	44.3v	42.2v	44.3v	44.2v	46.2v	66.1v	101.9v	43.2v	0.0v	561.29v
642	Mr RW Jarvis	O	70.3v	68.1v	46.4v	42.1v	47.2v	41.1v	49.6v	65.3v	99.6v	34.1v	0.0v	561.28v
643	Mr J Holmes	O	70.3v	68.4v	46.3v	44.2v	44.2v	40.0v	44.1v	70.4v	97.6v	38.2v	0.0v	561.27v
644	Mr SP Hill	O	66.2v	70.5v	38.1v	41.2v	48.3v	45.3v	45.0v	69.4v	96.3v	43.1v	0.0v	561.24v
645	WOII J Mwebia	X	72.6v	73.8v	45.3v	42.1v	45.3v	40.2v	40.5v	70.5v	96.5v	37.1v	0.0v	560.39v
646	Cdt J Rogowski	T	71.5v	68.6v	43.2v	35.1v	47.3v	42.0v	47.7v	73.8v	97.5v	37.1v	0.0v	560.38v

</



647	Maj M Geernaert-Davies	O	70.7v	69.5v	41.1v	43.0v	41.4v	46.3v	46.3v	70.4v	100.5v	34.6v	0.0v	560.38v
648	Mr TS McDowell	O	69.4v	70.7v	43.1v	43.2v	43.2v	45.4v	48.6v	68.3v	95.6v	36.1v	0.0v	560.36v
649	Mr RJ Dare	O	68.3v	69.4v	45.5v	37.0v	47.3v	43.2v	44.2v	69.1v	101.10v	37.2v	0.0v	560.32v
650	Mr MW Brown	O	68.5v	66.3v	42.2v	46.3v	46.4v	43.0v	44.1v	67.5v	96.7v	42.1v	0.0v	560.31v
651	Mr BJL Newman	O	66.2v	70.4v	41.0v	42.1v	47.1v	43.2v	44.2v	67.5v	102.12v	38.1v	0.0v	560.30v
652	Mr ND Gomez	A	64.2v	68.4v	44.3v	47.2v	44.2v	41.1v	46.4v	73.5v	101.6v	32.1v	0.0v	560.30v
653	Mr C Waldron	T	65.2v	71.4v	48.3v	44.1v	46.2v	46.3v	46.3v	64.2v	90.2v	40.0v	0.0v	560.22v
654	Cpl J Wallace	O	69.5v	70.5v	36.1v	40.1v	47.4v	42.2v	47.1v	70.9v	97.8v	41.3v	0.0v	559.39v
655	Mr B Lottritz	X	69.5v	72.5v	44.3v	45.2v	46.2v	48.5v	45.4v	70.3v	97.8v	23.1v	0.0v	559.38v
656	Cdt K Parrott	T	65.1v	70.4v	41.0v	38.2v	48.3v	44.2v	49.8v	70.6v	97.7v	37.3v	0.0v	559.36v
657	Mr JR Green	T	71.4v	69.3v	40.1v	39.2v	43.4v	42.2v	43.1v	73.10v	98.7v	41.1v	0.0v	559.35v
658	Mr M Yego	X	72.6v	68.1v	45.2v	36.5v	45.2v	45.1v	46.4v	68.4v	92.5v	42.3v	0.0v	559.33v
659	Mr PGW Purdy	O	70.5v	72.6v	44.2v	39.2v	42.1v	47.3v	47.3v	69.3v	97.5v	32.0v	0.0v	559.30v
660	Mr PJ Inwood	T	69.3v	69.3v	43.2v	43.0v	44.5v	44.2v	46.2v	67.4v	97.8v	37.0v	0.0v	559.29v
661	Cdt RJ Stilgoe	T	71.6v	69.5v	41.0v	42.1v	46.3v	47.2v	43.3v	66.2v	94.4v	40.0v	0.0v	559.26v
662	Wg Cdr MJ Gregory	A	69.8v	71.7v	40.0v	46.4v	46.3v	44.4v	45.5v	67.3v	100.8v	30.1v	0.0v	558.43v
663	Cdt WJD Broad	T	65.4v	70.6v	26.0v	46.2v	46.2v	44.3v	47.4v	68.3v	102.9v	44.3v	0.0v	558.36v
664	Mr GT Hoad	T	65.3v	68.4v	44.5v	43.0v	45.5v	47.5v	50.3v	62.2v	95.7v	39.1v	0.0v	558.35v
665	Lt GD Bartle	O	69.5v	69.3v	42.2v	43.1v	45.2v	45.3v	46.4v	69.4v	97.6v	33.1v	0.0v	558.31v
666	Mr KG Firth	O	67.4v	68.6v	43.3v	41.1v	48.6v	47.4v	45.3v	69.4v	97.9v	32.1v	0.0v	557.41v
667	Mr JIB Halahan	A	68.4v	68.4v	46.1v	40.3v	42.3v	37.0v	46.3v	71.5v	101.9v	38.2v	0.0v	557.34v
668	Cdt M Chouquette	T	64.3v	67.4v	45.1v	46.4v	48.5v	45.0v	41.1v	69.6v	97.8v	35.2v	0.0v	557.34v
669	Mr FM Evers	O	67.0v	68.6v	37.0v	43.1v	45.6v	44.3v	49.4v	69.5v	97.6v	38.2v	0.0v	557.33v
670	Mr CP Moon	A	64.2v	70.4v	47.2v	47.4v	45.3v	44.1v	44.1v	68.4v	92.10v	36.2v	0.0v	557.33v
671	C Witham	T	73.6v	67.4v	40.1v	40.2v	41.2v	45.2v	48.3v	71.6v	96.3v	36.2v	0.0v	557.31v
672	Miss A Calvert	O	67.3v	69.4v	42.2v	48.3v	42.1v	43.0v	47.5v	72.6v	98.6v	29.1v	0.0v	557.31v
673	Cdt RE Knight	T	70.5v	70.3v	41.3v	38.1v	41.0v	42.2v	45.4v	66.2v	100.7v	44.3v	0.0v	557.30v
674	Cpl C Livingstone	T	67.3v	69.4v	42.1v	43.3v	46.1v	47.2v	43.1v	72.5v	96.7v	32.2v	0.0v	557.29v
675	Lt Cdr IR Thomson	O	71.6v	71.4v	45.5v	44.2v	47.4v	47.2v	42.1v	69.3v	93.2v	28.0v	0.0v	557.29v
676	Mr GHM Tonks	T	70.3v	61.2v	44.1v	44.4v	45.1v	46.2v	42.2v	66.4v	96.6v	43.3v	0.0v	557.28v
677	Mr JP Hakim	O	69.2v	69.3v	43.3v	43.1v	49.3v	43.1v	46.2v	69.4v	96.8v	30.1v	0.0v	557.28v
678	Maj MA Chivers	O	67.4v	68.5v	45.1v	43.1v	39.1v	44.1v	49.5v	64.2v	98.7v	40.0v	0.0v	557.27v
679	Miss CAS Lemmer	O	69.4v	71.6v	43.2v	41.3v	47.3v	46.3v	26.1v	72.10v	102.7v	39.0v	0.0v	556.39v
680	Dr PR Wheeler	O	68.4v	70.3v	44.3v	43.3v	38.1v	42.2v	49.8v	70.4v	94.8v	38.2v	0.0v	556.38v
681	Mr O Ahmed	T	69.5v	70.5v	42.4v	42.3v	47.2v	42.2v	44.2v	68.3v	96.8v	36.1v	0.0v	556.35v
682	Mr CHT Quinn	O	67.5v	68.5v	42.3v	43.2v	43.2v	40.2v	44.2v	69.5v	97.7v	41.1v	0.0v	556.34v
683	Mr A Rowley	O	64.3v	70.4v	44.4v	39.1v	47.7v	44.3v	44.2v	66.4v	102.6v	36.0v	0.0v	556.34v
684	Mr MAS Robson	T	68.5v	65.3v	46.3v	40.1v	42.3v	45.2v	43.2v	68.6v	101.7v	38.1v	0.0v	556.33v
685	Mr JS Ritchie	O	67.1v	72.7v	45.1v	47.2v	38.2v	38.2v	48.5v	65.4v	95.5v	41.2v	0.0v	556.31v
686	Sgt M Chetwyn	T	68.3v	68.2v	39.0v	40.1v	46.4v	47.3v	45.2v	69.6v	97.7v	37.2v	0.0v	556.30v
687	Mr AI Lawrie	O	65.2v	67.3v	46.1v	49.4v	47.6v	42.2v	45.2v	73.6v	96.4v	26.0v	0.0v	556.30v
688	Mr NC Granger	O	67.3v	66.3v	42.2v	43.0v	47.6v	43.2v	43.0v	71.4v	98.8v	36.0v	0.0v	556.28v
689	Miss K Uphill	T	72.4v	71.5v	41.2v	40.0v	42.3v	40.1v	47.1v	71.6v	97.6v	35.0v	0.0v	556.28v
690	Mr P Barber	O	66.4v	69.3v	47.1v	37.1v	45.2v	41.0v	47.3v	70.5v	98.6v	36.0v	0.0v	556.25v
691	Mr MA Kirkillo-Stacewicz	A	70.7v	70.6v	47.5v	48.4v	49.5v	48.6v	50.9v	71.8v	102.15v	0.0v	0.0v	555.65v
692	Cdt L Bruder	T	65.6v	71.7v	45.2v	38.5v	48.4v	43.2v	49.7v	68.2v	99.11v	29.0v	0.0v	555.46v
693	Lt Col TH Emck	O	68.2v	71.9v	45.1v	29.1v	44.2v	44.4v	45.3v	66.4v	99.12v	44.3v	0.0v	555.41v
694	Mr RD MacMillan	O	65.3v	68.4v	50.7v	37.2v	42.1v	45.4v	48.4v	68.4v	94.6v	38.0v	0.0v	555.35v
695	WOII EK Muleyi	X	66.6v	71.5v	45.3v	41.1v	44.3v	46.2v	47.6v	63.1v	97.7v	35.0v	0.0v	555.34v
696	Mr DJD Dickey	T	70.5v	67.5v	41.1v	44.2v	47.3v	40.1v	46.3v	64.7v	97.5v	39.1v	0.0v	555.33v
697	Cdt M Jones	T	68.3v	68.3v	47.4v	37.2v	47.1v	42.2v	45.4v	72.5v	100.8v	29.0v	0.0v	555.32v
698	Mr DJ Pay	T	66.3v	66.2v	43.3v	41.1v	47.4v	47.4v	42.2v	68.5v	96.7v	39.0v	0.0v	555.31v
699	Cdt RL Johnson	O	69.4v	71.5v	39.2v	36.2v	42.1v	46.3v	45.1v	70.5v	96.5v	41.2v	0.0v	555.30v
700	Cdt AL Pimblett	T	68.3v	68.7v	44.1v	37.1v	46.3v	40.2v	44.2v	70.2v	99.7v	39.1v	0.0v	555.29v
701	Cdt V Carter	T	70.4v	72.4v	45.3v	37.1v	49.6v	46.2v	44.1v	68.5v	95.9v	28.1v	0.0v	554.36v
702	Miss S Ponter	T	69.5v	64.2v	44.2v	41.2v	45.3v	42.1v	46.2v	70.5v	96.9v	37.3v	0.0v	554.34v
703	Mr K Hohenberg	T	73.6v	68.2v	48.3v	41.1v	42.2v	39.1v	43.5v	66.4v	98.7v	36.2v	0.0v	554.33v
704	Mr DF Nesbitt	O	68.4v	69.5v	48.5v	35.1v	46.2v	47.3v	45.3v	71.5v	89.2v	36.2v	0.0v	554.32v
705	Mr DS Goodwin	O	66.3v	70.6v	43.0v	37.0v	44.4v	41.3v	48.6v	72.5v	97.5v	36.0v	0.0v	554.32v
706	Mr OJ Siddall	T	67.2v	70.4v	47.3v	42.1v	44.1v	44.3v	41.3v	73.9v	99.6v	27.0v	0.0v	554.32v
707	Mr BH Jones	O	68.3v	69.5v	43.2v	45.1v	46.3v	39.1v	44.2v	70.6v	94.7v	36.1v	0.0v	554.31v
708	Mr GS Winfield	O	70.5v	72.4v	43.2v	41.2v	39.1v	42.1v	46.4v	68.4v	89.6v	44.1v	0.0v	554.30v
709	Mr J Paul	T	67.5v	61.0v	46.2v	41.3v	44.3v	46.2v	45.0v	69.6v	96.7v	39.2v	0.0v	554.30v
710	Mr A Alvey	O	70.1v	69.3v	45.2v	48.5v	47.3v	39.2v	48.5v	62.3v	93.4v	33.0v	0.0v	554.28v
711	Mr NA Fawcett	O	69.0v	63.0v	43.1v	41.0v	46.3v	40.1v	45.2v	71.10v	103.9v	33.1v	0.0v	554.27v
712	Mr JM de Bruijn	O	61.2v	68.4v	45.3v	43.2v	42.1v	41.3v	46.2v	72.3v	97.6v	39.0v	0.0v	554.26v
713	Mr KMS Wong	T	67.4v	64.2v	43.2v	39.1v	46.4v	46.3v	47.3v	73.8v	97.7v	31.2v	0.0v	553.36v
714	Cdt E Ferguson	T	64.3v	67.7v	44.3v	43.1v	43.1v	45.5v	44.2v	71.2v	95.9v	37.0v	0.0v	553.33v
715	Mr MR Frost	O	70.5v	67.5v	46.2v	46.3v	43.1v	43.3v	44.2v	68.6v	91.4v	35.2v	0.0v	553.33v
716	Cpl C Ndegwa	X	68.5v	66.4v	40.0v	45.2v	46.3v	46.1v	47.3v	61.3v	98.10v	36.1v	0.0v	553.32v
717	LC J Corr	T	67.3v	68.4v	43.2v	36.0v	44.2v	37.2v	49.4v	68.5v	96.8v	45.1v	0.0v	553.31v
718	Capt D Morris	O	66.3v	69.6v	45.3v	43.1v	44.2v	44.3v	44.2v	64.4v	96.4v	38.0v	0.0v	553.28v
719	Dr G Stevenson	O	65.1v	69.7v	43.0v	44.2v	42.1v	46.4v	45.3v	65.3v	93.4v	41.2v	0.0v	553.27v
720	Mr CB Stone	O	69.2v	63.0v	43.2v	46.3v	40.1v	47.4v	44.2v	66.2v	99.9v	36.1v	0.0v	553.26v
721	Cdt TFFS Smart	T	68.5v	65.1v	41.3v	45.3v	42.0v	45.1v	45.1v	66.3v	97.6v	39.2v	0.0v	553.25v
722	Mr FJ Carlin	O	67.5v	70.5v	43.3v	40.0v	44.4v	46.4v	47.5v	71.7v	96.7v	28.1v	0.0v	552.41v
723	Mr R Kligge	X	66.1v	65.2v	44.1v	35.2v	44.4v	46.3v	45.3v	66.6v	99.11v	42.0v	0.0v	552.33v
724	Mr WH Handley	O	67.3v	71.9v	43.5v	39.0v	46.0v	39.1v	44.2v	70.4v	98.7v	35.1v	0.0v	552.32v
725	Mr T Horsfield	O	73.7v	66.4v	45.2v	42.1v	38.0v	40.3v	41.1v	68.4v	97.6v	42.3v	0.0v	552.31v
726	Cdt HAD Howard	T	67.4v	68.3v	42.1v	40.0v	44.4v	44.3v	46.3v	71.4v	97.8v	33.1v	0.0v	552.31v
727	Mr CS Milton	T	68.4v	69.7v	43.1v	35.1v	47.1v	43.1v	43.2v	73.6v	98.6v	33.1v	0.0v	552.30v
728	Mr MW Hallows	O	63.1v	70.7v	38.1v	41.4v	44.2v	45.2v	43.1v	67.2v	96.4v	45.1v	0.0v	552.25v
729	PC E Nyaga	X	68.6v	68.6v	41.2v	43.3v	43.2v	46.3v	44.3v	72.5v	98.7v	28.0v	0.0v	551.37v

730	Mr PJ Amy	O	62.4v	66.4v	45.3v	45.4v	39.2v	46.5v	46.1v	66.4v	97.7v	39.1v	0.0v	551.35v
731	Mr BH Yates	O	63.1v	68.6v	41.0v	47.2v	45.3v	43.1v	46.2v	71.8v	94.7v	33.0v	0.0v	551.30v
732	Mr RB White	O	68.1v	72.6v	44.2v	37.0v	43.1v	42.2v	45.3v	67.3v	92.5v	41.0v	0.0v	551.23v
733	Mr TW Tatchell	T	62.3v	67.2v	45.4v	39.3v	45.5v	45.2v	44.4v	72.7v	98.8v	33.0v	0.0v	550.38v
734	Mr RJ Cade	O	70.5v	65.3v	12.1v	46.3v	48.3v	49.5v	46.3v	72.7v	98.5v	44.2v	0.0v	550.37v
735	Mr DA Stain	T	68.7v	67.5v	40.0v	43.3v	46.2v	43.6v	46.5v	65.3v	93.5v	39.1v	0.0v	550.37v
736	Ms CA Staples	T	68.3v	73.5v	42.4v	31.0v	47.5v	42.3v	46.1v	73.9v	93.5v	35.0v	0.0v	550.35v
737	Mr MP Perez	O	66.3v	65.1v	39.2v	44.3v	44.0v	43.3v	46.4v	72.8v	105.10v	26.1v	0.0v	550.35v
738	Mr H Rumbelow	O	66.4v	68.4v	45.2v	45.4v	42.0v	38.2v	44.3v	66.5v	95.6v	41.0v	0.0v	550.30v
739	Mr HG Mooiman	X	65.3v	69.2v	46.1v	39.0v	45.3v	45.1v	44.2v	73.6v	97.9v	27.1v	0.0v	550.28v
740	Cdt AW Coupland	T	62.6v	67.6v	42.2v	37.2v	46.3v	46.4v	44.2v	67.5v	95.6v	43.3v	0.0v	549.39v
741	Sgt SE De Gruchy	O	66.2v	67.4v	41.2v	47.4v	46.3v	47.5v	45.5v	63.4v	94.5v	33.0v	0.0v	549.34v
742	Mr JE Diviney	T	68.4v	66.2v	39.2v	43.3v	43.2v	35.3v	44.2v	70.4v	101.10v	40.1v	0.0v	549.33v
743	Dr NG Jeffs	O	69.4v	70.6v	40.1v	42.1v	47.5v	39.3v	45.2v	65.1v	92.2v	40.1v	0.0v	549.26v
744	Mr BAAC Sandford	T	60.0v	70.5v	45.3v	37.1v	44.1v	42.0v	42.0v	70.7v	96.3v	43.2v	0.0v	549.22v
745	Cdt TO Overbury	T	63.2v	71.7v	39.2v	40.2v	43.2v	44.3v	48.3v	70.5v	99.6v	31.0v	0.0v	548.32v
746	Cdt M Lidgitt	T	67.3v	72.9v	44.3v	40.2v	44.2v	42.1v	47.5v	71.7v	87.7v	33.0v	0.0v	547.39v
747	Mr MHH John	O	69.4v	68.2v	46.4v	48.4v	45.3v	42.1v	49.5v	71.6v	68.8v	41.1v	0.0v	547.38v
748	Mr JS Chapman	O	67.3v	68.5v	40.1v	46.0v	44.2v	45.4v	48.5v	66.4v	92.4v	31.0v	0.0v	547.28v
749	Mr COB Perkins	T	68.3v	68.2v	46.2v	40.2v	46.5v	42.1v	45.2v	60.2v	95.4v	37.2v	0.0v	547.25v
750	Mr FS Stewart	T	60.3v	69.6v	42.1v	41.1v	45.2v	44.1v	46.0v	66.4v	92.4v	42.1v	0.0v	547.23v
751	Ms GMP Jarvis	O	72.4v	72.7v	43.2v	45.2v	46.5v	48.5v	49.6v	68.3v	103.10v	0.0v	0.0v	546.44v
752	Mr SJS Monaghan	A	66.3v	72.6v	42.2v	45.3v	46.1v	50.3v	48.4v	73.9v	104.9v	0.0v	0.0v	546.40v
753	PC F Muema	X	66.4v	70.2v	40.0v	37.0v	43.1v	47.4v	45.1v	71.7v	98.7v	29.0v	0.0v	546.26v
754	Mr AJ Bryant	O	68.4v	68.3v	42.1v	36.1v	45.2v	46.3v	48.3v	65.2v	91.6v	37.0v	0.0v	546.25v
755	Mr HD Worheide	X	67.3v	66.5v	46.1v	45.1v	46.3v	36.1v	45.1v	65.4v	91.3v	39.1v	0.0v	546.23v
756	Mr JA Borland	O	74.6v	72.7v	47.3v	39.0v	48.3v	45.6v	46.3v	72.6v	67.8v	35.1v	0.0v	545.43v
757	Mr N McKendrick	O	68.5v	68.5v	41.2v	42.1v	43.2v	40.2v	43.2v	64.3v	97.7v	39.1v	0.0v	545.30v
758	Miss SEA Ellis	T	65.1v	68.6v	46.2v	30.0v	45.3v	44.1v	45.2v	69.3v	99.7v	34.1v	0.0v	545.26v
759	Mr PA Wilson	O	69.3v	65.2v	41.2v	41.3v	42.0v	42.1v	44.3v	66.6v	95.5v	40.0v	0.0v	545.25v
760	Mr EJ Joseph	T	68.5v	68.5v	43.2v	37.1v	46.5v	43.2v	42.1v	66.5v	92.6v	39.3v	0.0v	544.35v
761	Mr RB Fields	O	66.6v	47.3v	43.1v	45.3v	47.3v	43.0v	50.6v	65.3v	103.8v	35.0v	0.0v	544.33v
762	AGC Baudains	O	71.4v	67.5v	41.1v	41.2v	43.2v	48.6v	45.2v	67.4v	94.7v	27.0v	0.0v	544.33v
763	Mr JT Boyd	T	69.3v	71.4v	41.1v	41.1v	44.2v	43.2v	45.5v	68.6v	95.7v	27.0v	0.0v	544.31v
764	Miss E Stewart	T	67.5v	70.4v	40.1v	44.4v	44.2v	43.2v	41.2v	64.3v	95.5v	36.0v	0.0v	544.28v
765	Cdt G Greenbury	T	63.2v	70.3v	44.1v	42.3v	42.1v	38.0v	48.3v	63.5v	98.8v	36.0v	0.0v	544.26v
766	Mr MJ Judge	O	64.3v	69.4v	41.1v	33.1v	36.1v	46.2v	48.3v	67.4v	98.5v	42.1v	0.0v	544.25v
767	Mr MD Williams	T	68.3v	62.2v	40.1v	40.1v	41.1v	46.3v	46.1v	71.3v	93.6v	37.0v	0.0v	544.21v
768	Mr JPS Bloomfield	O	69.8v	70.5v	49.1v	46.2v	48.3v	47.6v	0.0v	72.6v	101.9v	41.3v	0.0v	543.43v
769	Mr FF Lalear	O	68.1v	47.4v	42.3v	40.1v	45.3v	45.2v	45.2v	67.8v	100.8v	44.1v	0.0v	543.33v
770	Mr JSW Hunter	O	61.2v	71.6v	44.2v	46.4v	42.3v	44.1v	43.3v	70.4v	86.3v	36.1v	0.0v	543.29v
771	Mr P Jacques	O	61.2v	68.2v	41.2v	47.2v	47.5v	40.3v	45.3v	67.6v	84.2v	43.1v	0.0v	543.28v
772	Miss JE Harris	T	64.2v	67.2v	36.0v	43.1v	42.1v	44.3v	46.2v	66.4v	93.7v	42.3v	0.0v	543.25v
773	Cdt Cpl K Pope	T	64.2v	66.2v	45.4v	37.0v	46.4v	41.1v	45.1v	69.2v	96.8v	34.0v	0.0v	543.24v
774	Sjt L Waude	T	70.5v	70.2v	39.2v	32.0v	47.2v	45.2v	41.0v	66.5v	100.11v	32.0v	0.0v	542.29v
775	Mr CLW Whale	T	68.3v	68.5v	36.1v	40.0v	43.2v	45.3v	46.5v	68.2v	93.5v	35.2v	0.0v	542.28v
776	Sgt M House	T	64.3v	62.2v	45.3v	38.1v	48.2v	44.2v	47.4v	67.3v	93.3v	34.0v	0.0v	542.23v
777	Cdt C Peacock	T	67.3v	64.2v	38.0v	39.1v	44.0v	41.1v	42.1v	69.3v	99.5v	39.1v	0.0v	542.17v
778	Cdt D Adams	T	66.2v	72.13v	35.1v	42.3v	44.3v	34.1v	46.3v	69.6v	103.9v	30.0v	0.0v	541.41v
779	Mr AJ Ball	O	70.2v	43.2v	38.1v	47.2v	44.3v	46.4v	44.1v	70.4v	97.9v	42.3v	0.0v	541.31v
780	Cpl J Kimondo	X	65.1v	70.6v	40.1v	41.1v	47.4v	41.3v	45.1v	65.4v	96.7v	31.0v	0.0v	541.28v
781	Mr C Russell	T	65.5v	69.7v	46.1v	36.1v	44.2v	36.1v	43.3v	68.1v	95.5v	39.0v	0.0v	541.26v
782	Mr RJA Ritchie	T	64.3v	66.2v	44.1v	38.0v	43.3v	43.0v	45.3v	70.3v	98.4v	30.1v	0.0v	541.20v
783	Cdt R McCutcheon	T	66.2v	70.7v	42.1v	32.2v	44.1v	38.2v	43.0v	72.6v	99.9v	34.3v	0.0v	540.33v
784	Miss ME Wicker	O	69.8v	67.4v	40.2v	46.2v	41.1v	42.3v	43.2v	64.4v	95.4v	33.2v	0.0v	540.32v
785	Mr RS Pool	O	63.3v	69.2v	36.0v	44.1v	40.3v	43.2v	47.3v	68.1v	93.8v	37.2v	0.0v	540.25v
786	Mr E Stuart-Bamford	O	63.2v	65.2v	45.4v	35.3v	45.4v	42.4v	41.1v	64.1v	98.10v	41.2v	0.0v	539.33v
787	RP Birch	T	69.5v	64.5v	39.2v	42.0v	45.1v	39.2v	39.0v	68.4v	93.8v	41.1v	0.0v	539.28v
788	Mr CA Ganter	X	64.2v	61.1v	35.2v	43.3v	40.2v	44.1v	45.3v	68.5v	97.5v	42.2v	0.0v	539.26v
789	Miss EJ Cannings	O	71.4v	71.7v	47.5v	48.3v	0.0v	45.1v	47.2v	72.7v	98.9v	39.4v	0.0v	538.42v
790	Miss AL Kent	O	70.4v	70.8v	0.0v	48.1v	46.3v	50.5v	44.2v	70.5v	101.8v	39.1v	0.0v	538.37v
791	Mr HW Orpen-Smellie	T	67.2v	71.4v	45.3v	40.2v	45.2v	40.2v	41.4v	71.5v	102.11v	16.1v	0.0v	538.36v
792	Mr CSJ Marlow	O	65.6v	67.5v	45.2v	38.1v	44.2v	43.0v	42.1v	65.4v	92.7v	37.1v	0.0v	538.29v
793	Mr II Milward	T	67.1v	67.2v	42.1v	44.3v	39.1v	42.0v	47.7v	66.4v	97.9v	27.1v	0.0v	538.29v
794	Mr KD Robertson	O	69.1v	70.3v	41.2v	40.3v	41.4v	45.4v	42.0v	64.3v	92.3v	34.0v	0.0v	538.23v
795	Dr CM Sturges	O	67.2v	64.2v	43.2v	45.3v	41.0v	36.0v	44.1v	64.1v	94.6v	40.2v	0.0v	538.19v
796	Mr BRW Parker	X	71.3v	73.7v	42.3v	48.4v	45.3v	43.0v	47.3v	70.4v	98.9v	0.0v	0.0v	537.36v
797	Mr D Hausmann	X	69.5v	71.4v	36.1v	41.2v	43.4v	40.0v	45.4v	73.5v	89.7v	30.1v	0.0v	537.33v
798	Sgt D Lambert	T	67.1v	70.7v	41.1v	30.1v	47.5v	46.1v	43.1v	64.5v	99.6v	30.2v	0.0v	537.30v
799	Mr SJ Clark	O	66.1v	70.5v	43.2v	42.1v	38.2v	41.3v	44.1v	60.1v	89.3v	44.2v	0.0v	537.21v
800	MR DH Le Vesconte	O	70.2v	68.3v	47.2v	36.0v	46.3v	47.2v	48.4v	73.7v	101.10v	0.0v	0.0v	536.33v
801	Cdt CGD Dickson	T	62.1v	67.5v	40.2v	34.1v	45.5v	42.1v	40.3v	70.6v	99.7v	37.0v	0.0v	536.31v
802	Mr AE Le Page	X	67.4v	65.5v	42.1v	33.1v	44.1v	45.2v	46.6v	63.2v	95.4v	36.1v	0.0v	536.27v
803	Mr MT Dodd	O	64.2v	65.2v	37.0v	39.2v	46.5v	43.2v	46.4v	66.4v	93.4v	37.0v	0.0v	536.25v
804	Mr DN Budden	T	70.3v	66.2v	34.0v	31.3v	46.3v	45.1v	45.3v	65.1v	94.3v	40.4v	0.0v	536.23v
805	Mr FCP Mostyn	T	65.3v	65.2v	44.2v	39.0v	47.7v	40.2v	40.1v	66.2v	98.3v	32.1v	0.0v	536.23v
806	Mr NJ Branch	X	71.4v	71.8v	45.4v	41.2v	49.5v	47.5v	47.5v	71.6v	69.5v	24.0v	0.0v	535.44v
807	Miss HC Kent	T	64.5v	69.5v	45.3v	43.3v	43.2v	41.1v	40.3v	62.4v	97.8v	31.1v	0.0v	535.35v
808	Cpl B Humphreys	T	63.3v	71.5v	42.3v	39.3v	40.2v	43.1v	47.3v	68.5v	88.6v	34.0v	0.0v	535.31v
809	Lt MDA Bentata	O	69.2v	72.4v	42.2v	46.5v	42.1v	43.2v	43.0v	71.4v	89.3v	18.1v	0.0v	535.24v
810	Fg Off RL Douglas	T	66.0v	65.3v	34.1v	37.2v	43.3v	46.2v	45.3v	65.2v	90.3v	44.2v	0.0v	535.21v
811	Mr AM Norman	T	59.1v	59.1v	46.2v	45.3v	35.1v	42.0v	44.5v	66.3v	91.4v	47.3v	0.0v	534.23v
812	Cdt C Emmens	T	70.3v	62.0v	41.1v	35.0v	47.3v	43.2v	41.3v	68.4v	96.5v	31.0v	0.0v	534.21v

813	Mr IH Hindshaw	T	69.3v	69.4v	39.1v	35.1v	40.1v	43.0v	42.1v	71.4v	94.3v	32.0v	0.0v	534.18v
814	Mr TL Bedwell	A	70.6v	68.2v	47.3v	41.0v	47.6v	47.3v	0.0v	74.6v	98.8v	41.1v	0.0v	533.35v
815	Sgt M Argo	T	71.2v	63.1v	41.0v	35.1v	39.2v	43.2v	46.4v	66.7v	89.6v	40.1v	0.0v	533.26v
816	Mr DB Cumming	O	69.3v	69.5v	0.0v	47.5v	48.5v	46.5v	47.5v	74.10v	100.9v	32.0v	0.0v	532.47v
817	Mr A Robertson	O	65.2v	69.5v	46.2v	47.5v	45.2v	48.3v	49.8v	67.3v	96.6v	0.0v	0.0v	532.36v
818	Dr J Mehta	O	71.5v	70.4v	43.2v	46.2v	46.1v	44.1v	47.5v	66.5v	99.8v	0.0v	0.0v	532.33v
819	Cdt LAE Crowson	T	64.2v	71.6v	40.3v	34.1v	44.2v	47.2v	45.3v	65.4v	95.7v	27.0v	0.0v	532.30v
820	Cdt Cpl FIT Puckle Hobbs	T	69.4v	74.7v	48.2v	41.1v	47.1v	42.2v	45.4v	64.5v	101.10v	0.0v	0.0v	531.36v
821	Mr TA Hill	O	71.6v	70.7v	42.2v	21.0v	45.4v	45.4v	44.2v	65.3v	92.5v	36.1v	0.0v	531.34v
822	Cdt M Webb	T	72.6v	66.3v	42.2v	40.0v	47.6v	43.1v	45.4v	60.3v	82.4v	34.1v	0.0v	531.30v
823	Mr JA Horton	O	65.5v	67.5v	42.2v	47.3v	44.3v	44.2v	43.3v	60.0v	83.4v	36.0v	0.0v	531.27v
824	Mrs SM Mott	O	63.2v	69.5v	43.2v	38.1v	44.1v	43.1v	42.0v	63.5v	98.7v	28.0v	0.0v	531.24v
825	Cpl D Kiprotich	X	70.6v	66.2v	36.0v	37.0v	44.1v	46.4v	39.1v	63.1v	93.2v	37.1v	0.0v	531.18v
826	Mr WJS Hayman	T	67.3v	71.6v	45.1v	0.0v	44.2v	47.4v	46.1v	73.10v	101.6v	36.1v	0.0v	530.34v
827	Mr S Ennion	O	66.4v	69.5v	45.3v	0.0v	48.5v	43.3v	47.3v	73.5v	100.4v	39.0v	0.0v	530.32v
828	Miss AMG Ogilvie	A	69.5v	70.5v	48.2v	41.2v	43.2v	0.0v	50.4v	73.8v	105.13v	30.0v	0.0v	529.41v
829	Mr WT Bridger	O	69.4v	67.5v	39.2v	45.1v	46.3v	43.3v	48.2v	70.3v	77.3v	25.0v	0.0v	529.26v
830	WO2 D Purcell	T	63.1v	65.3v	41.2v	38.2v	43.1v	34.2v	46.3v	71.4v	99.5v	29.0v	0.0v	529.23v
831	Miss CPD Pearce	T	66.4v	62.2v	39.3v	39.2v	45.2v	38.1v	37.0v	68.3v	95.5v	39.3v	0.0v	528.25v
832	Cdt Sgt A Durrant	T	66.4v	67.5v	35.0v	23.0v	46.2v	41.1v	46.2v	67.4v	98.6v	39.1v	0.0v	528.25v
833	Dr C Wall	O	66.4v	67.1v	26.1v	42.1v	44.2v	38.1v	46.5v	68.3v	99.5v	32.1v	0.0v	528.24v
834	Mr IE Stolk	X	66.0v	66.2v	38.3v	40.2v	41.3v	40.3v	45.2v	69.2v	89.5v	34.0v	0.0v	528.22v
835	Mr BG White	O	70.5v	72.5v	45.3v	49.8v	44.2v	0.0v	48.6v	72.7v	93.6v	34.2v	0.0v	527.44v
836	Mr ACH Bryson	T	71.6v	71.2v	45.3v	0.0v	44.2v	49.3v	48.4v	70.2v	97.5v	32.1v	0.0v	527.28v
837	Mr BF Henry	T	48.0v	68.3v	43.2v	38.2v	36.1v	45.3v	45.1v	72.3v	93.3v	39.1v	0.0v	527.19v
838	Mr BR Perkins	T	60.0v	67.6v	45.3v	38.1v	36.0v	41.2v	44.5v	68.4v	93.5v	34.0v	0.0v	526.26v
839	Mr JL Poulin	O	69.3v	66.5v	42.2v	38.0v	45.2v	41.1v	46.1v	69.6v	86.3v	24.0v	0.0v	526.23v
840	Cdt AWB Boyd	T	64.3v	68.5v	39.1v	36.1v	47.4v	46.1v	41.2v	64.1v	99.2v	22.0v	0.0v	526.20v
841	Mr FE Neale	O	66.5v	70.5v	44.2v	47.3v	42.2v	44.3v	48.2v	67.3v	97.6v	0.0v	0.0v	525.31v
842	Mr KG Mcneil	O	65.3v	66.3v	42.1v	37.0v	46.6v	42.0v	39.3v	66.4v	94.6v	28.1v	0.0v	525.27v
843	Mr JA Corral	T	61.1v	70.4v	39.1v	42.2v	45.2v	43.3v	43.4v	69.1v	76.0v	37.2v	0.0v	525.20v
844	Mr K Taylor	O	65.3v	67.3v	39.1v	45.1v	43.0v	38.0v	39.0v	66.2v	89.2v	34.0v	0.0v	525.12v
845	Mr JR Marshall	X	69.6v	71.7v	48.5v	40.1v	46.4v	41.4v	32.1v	74.7v	103.11v	0.0v	0.0v	524.46v
846	Miss AL Lamont	T	70.6v	69.5v	35.0v	43.2v	45.2v	41.2v	39.3v	64.4v	91.4v	27.1v	0.0v	524.29v
847	Miss NRR Rothwell	T	70.4v	71.6v	45.3v	41.0v	43.2v	45.1v	0.0v	74.9v	99.8v	35.3v	0.0v	523.36v
848	Mr JG Powell	X	68.5v	70.5v	0.0v	40.1v	48.3v	39.2v	47.4v	70.5v	97.7v	44.0v	0.0v	523.32v
849	Mr RES Bogie	O	66.2v	68.4v	45.1v	46.2v	41.0v	43.1v	0.0v	73.7v	99.11v	42.2v	0.0v	523.30v
850	H Buitelaar	O	60.3v	63.2v	45.2v	48.2v	47.4v	42.3v	43.2v	68.4v	94.7v	13.0v	0.0v	523.29v
851	Mr AC Brooker	T	66.1v	67.3v	43.1v	40.1v	46.2v	38.1v	44.1v	47.1v	96.7v	36.2v	0.0v	523.20v
852	Sgt T Colquitt	T	63.4v	64.3v	43.2v	38.1v	41.2v	40.0v	44.1v	60.1v	95.4v	34.0v	0.0v	522.18v
853	Miss S Yates	T	66.1v	62.3v	31.0v	36.0v	41.0v	45.4v	44.1v	65.4v	98.3v	34.0v	0.0v	522.16v
854	Miss GR Redman	T	66.3v	68.2v	44.3v	39.1v	43.1v	42.3v	44.3v	58.1v	94.5v	23.0v	0.0v	521.22v
855	PC J Serem	X	69.4v	70.6v	37.1v	0.0v	46.3v	45.0v	48.3v	60.1v	101.10v	44.3v	0.0v	520.31v
856	Mr J Gould	O	65.4v	69.3v	44.3v	42.1v	44.1v	47.4v	43.2v	65.6v	61.4v	40.2v	0.0v	520.30v
857	Cdt T Hassan	T	68.2v	69.4v	40.3v	44.4v	44.1v	44.3v	47.3v	67.9v	97.1v	0.0v	0.0v	520.30v
858	Cdt FEP Purdy	T	68.5v	63.3v	38.1v	27.1v	39.2v	38.0v	43.2v	70.2v	98.4v	36.1v	0.0v	520.21v
859	Mr NS Roberts	O	64.3v	60.2v	43.1v	35.1v	41.2v	41.2v	40.3v	66.2v	90.3v	40.0v	0.0v	520.19v
860	Sgt LS Bugmann	T	62.1v	62.2v	39.0v	43.3v	35.2v	39.1v	45.0v	69.1v	89.3v	37.0v	0.0v	520.13v
861	Cdt J Glen	O	67.2v	64.3v	42.0v	34.1v	39.0v	43.1v	44.0v	61.1v	84.3v	41.2v	0.0v	519.13v
862	Mr JMG Redman	O	66.3v	70.4v	45.1v	44.3v	47.3v	43.1v	0.0v	70.6v	98.8v	35.1v	0.0v	518.30v
863	Miss F Danczak	T	69.3v	62.1v	32.2v	41.0v	48.5v	37.1v	41.2v	74.11v	97.4v	17.0v	0.0v	518.29v
864	Mr WA Hardy	T	61.4v	65.4v	41.2v	36.1v	38.0v	43.3v	46.1v	60.2v	98.8v	30.0v	0.0v	518.25v
865	Mr CJ Anyan	O	66.3v	67.5v	37.0v	39.2v	45.3v	43.2v	43.4v	63.3v	87.2v	28.1v	0.0v	518.25v
866	Cdt Sgt A Cannon	T	65.4v	70.5v	40.0v	28.0v	45.4v	43.1v	43.0v	67.5v	88.3v	28.0v	0.0v	517.22v
867	Mr GL Barker	T	65.2v	69.5v	36.1v	36.0v	45.0v	46.1v	40.1v	64.4v	94.5v	22.2v	0.0v	517.21v
868	Mr OJ Neill	T	62.2v	65.2v	39.2v	36.1v	47.3v	37.0v	39.1v	69.4v	85.4v	38.0v	0.0v	517.19v
869	Cpl T Greenhalgh	T	69.1v	71.6v	43.2v	0.0v	47.3v	42.1v	43.1v	68.5v	99.10v	33.1v	0.0v	515.30v
870	B Turner	T	66.3v	71.8v	36.1v	32.7v	46.5v	45.3v	21.0v	66.1v	94.5v	37.2v	0.0v	514.35v
871	Mr T Firth	T	66.3v	71.6v	41.2v	38.0v	42.2v	41.2v	46.3v	70.3v	65.6v	34.0v	0.0v	514.27v
872	Mr PM Newman	T	66.3v	65.4v	42.3v	39.2v	41.4v	38.1v	41.1v	70.4v	82.1v	30.0v	0.0v	514.23v
873	Cpl HREH Howse	T	59.4v	69.7v	36.1v	44.2v	42.4v	41.2v	29.0v	72.7v	98.6v	23.0v	0.0v	513.33v
874	Mr OC Collas	T	68.2v	66.3v	40.0v	41.0v	43.2v	40.1v	45.2v	68.5v	63.3v	39.2v	0.0v	513.20v
875	Mr NR Wells	O	71.6v	67.3v	46.4v	40.2v	47.5v	39.1v	0.0v	73.9v	94.8v	35.1v	0.0v	512.39v
876	Cpl A Clark	T	58.3v	67.2v	32.0v	42.3v	43.1v	37.1v	48.1v	63.3v	90.5v	32.0v	0.0v	512.19v
877	Mr IF Coventry	O	66.4v	63.4v	36.0v	44.2v	37.1v	41.0v	41.2v	65.3v	90.3v	28.0v	0.0v	511.19v
878	CA NR Rewston	O	66.3v	67.6v	43.3v	36.1v	40.2v	43.3v	45.2v	69.6v	94.3v	6.0v	0.0v	509.29v
879	Dr R Pizer	O	67.3v	71.5v	47.2v	40.2v	38.1v	42.0v	0.0v	64.4v	97.7v	42.1v	0.0v	508.25v
880	Mr JW Anderson	T	69.1v	67.0v	36.1v	42.1v	32.1v	46.3v	47.2v	73.7v	96.5v	0.0v	0.0v	508.21v
881	Cpl H Gaughan	T	63.2v	65.3v	41.0v	32.0v	40.2v	40.2v	41.3v	68.5v	96.6v	21.1v	0.0v	507.24v
882	Mr RW Coatsworth	T	64.4v	63.3v	39.0v	42.1v	33.0v	42.3v	44.0v	62.3v	87.3v	31.0v	0.0v	507.17v
883	Mr WA O'Dair	O	63.3v	63.1v	41.0v	43.2v	43.2v	39.2v	38.0v	59.0v	81.2v	37.1v	0.0v	507.13v
884	Cdt CK Skelton	T	65.2v	62.3v	40.1v	45.2v	37.2v	37.2v	37.1v	63.1v	85.2v	35.0v	0.0v	506.16v
885	Mr PA Kelly	O	68.6v	69.5v	39.1v	37.1v	46.3v	38.1v	0.0v	71.7v	103.15v	34.0v	0.0v	505.39v
886	Mr PM Horn	T	55.0v	63.2v	44.2v	29.0v	41.2v	40.2v	42.2v	60.7v	97.5v	34.1v	0.0v	505.23v
887	Cdt PO J Palmer	T	65.1v	65.3v	40.2v	44.2v	37.0v	37.0v	37.2v	56.2v	89.6v	35.0v	0.0v	505.18v
888	Mr DH Moss	T	64.3v	60.1v	39.2v	38.2v	37.0v	39.1v	44.2v	62.3v	90.2v	31.0v	0.0v	504.16v
889	Mr P Kirtchev	T	62.3v	64.3v	42.1v	32.1v	41.2v	40.1v	41.1v	60.1v	81.1v	40.3v	0.0v	503.17v
890	Cdt L McKibbin	T	65.4v	69.4v	40.0v	33.0v	37.1v	36.0v	42.2v	63.3v	89.5v	28.1v	0.0v	502.20v
891	Cdt A Norejko	T	60.2v	62.3v	37.2v	32.3v	40.1v	20.0v	47.5v	72.6v	97.6v	34.2v	0.0v	501.30v
892	Mr BGS Bush	O	61.3v	64.3v	34.1v	31.1v	39.1v	43.1v	45.2v	61.3v	86.5v	35.0v	0.0v	499.20v
893	Mr JT Rayner	O	63.2v	67.2v	44.5v	37.0v	41.1v	42.1v	43.1v	70.4v	63.1v	29.0v	0.0v	499.17v
894	Mr EPJ Harrison	O	72.1v	62.1v	41.1v	41.3v	42.2v	41.2v	47.2v	64.0v	51.1v	38.0v	0.0v	499.13v
895	Miss EL Hoolahan	T	60.3v	69.4v	38.1v	38.1v	43.1v	34.0v	43.2v	57.1v	93.3v	21.1v	0.0v	496.17v

896	Mr SS Qaisar	T	59.2v	65.1v	37.2v	37.2v	40.0v	41.0v	39.1v	67.5v	86.3v	25.0v	0.0v	496.16v
897	Cdt P Lehmann	T	69.4v	54.0v	25.1v	35.0v	45.3v	41.2v	41.1v	58.2v	89.6v	38.1v	0.0v	495.20v
898	Miss O Valentin	O	59.4v	64.5v	38.2v	30.0v	36.1v	37.1v	46.2v	62.2v	94.6v	28.1v	0.0v	494.24v
899	Miss RE Molloy	O	43.2v	64.2v	40.2v	37.3v	39.0v	37.1v	39.1v	68.5v	92.4v	35.1v	0.0v	494.21v
900	Mr B Parke	O	64.5v	61.1v	41.1v	33.1v	35.1v	45.3v	41.2v	52.5v	87.4v	31.0v	0.0v	490.23v
901	Miss MEP Bryant	T	66.6v	55.0v	25.0v	33.3v	37.2v	41.2v	45.4v	56.1v	93.3v	39.1v	0.0v	490.22v
902	Mr DC Chalker	X	62.1v	61.1v	40.1v	41.2v	39.1v	37.1v	49.4v	65.1v	57.0v	39.0v	0.0v	490.12v
903	Cdt H Simpson	T	67.5v	67.4v	30.1v	25.1v	28.1v	43.1v	37.1v	63.1v	90.6v	38.1v	0.0v	488.22v
904	Mr JMP Fitzsimons	O	72.5v	66.1v	40.0v	40.1v	47.3v	46.2v	48.5v	66.3v	31.1v	32.0v	0.0v	488.21v
905	Mr JD Llewellyn	O	60.1v	45.3v	44.1v	40.0v	42.4v	40.2v	37.1v	55.3v	91.4v	32.0v	0.0v	486.19v
906	Mr RJ Deane	O	65.2v	64.1v	45.4v	26.1v	43.1v	44.3v	0.0v	66.5v	100.9v	32.1v	0.0v	485.27v
907	Mr J Walsby-Tickle	T	60.2v	54.4v	38.0v	38.1v	36.0v	42.3v	37.1v	50.1v	94.3v	36.1v	0.0v	485.16v
908	Dr WLV Price	O	63.2v	66.3v	34.0v	38.2v	39.2v	43.4v	42.1v	66.3v	93.4v	0.0v	0.0v	484.21v
909	Mr MR Gregory	A	40.1v	70.5v	41.2v	39.0v	45.2v	47.5v	0.0v	71.8v	97.9v	33.2v	0.0v	483.34v
910	Mstr SJ Jauncey	T	60.0v	58.1v	35.0v	22.0v	39.1v	41.2v	46.2v	64.2v	84.2v	34.1v	0.0v	483.11v
911	Mr NJA Atkins	T	61.2v	62.4v	32.1v	33.2v	36.0v	41.3v	46.3v	49.7v	83.3v	39.2v	0.0v	482.27v
912	PJS Evans	T	67.3v	69.5v	43.2v	29.0v	43.1v	45.1v	30.1v	63.2v	66.6v	26.1v	0.0v	481.22v
913	Mr K Pilcher	T	68.4v	70.7v	10.1v	0.0v	43.0v	39.2v	48.2v	65.1v	96.7v	41.2v	0.0v	480.26v
914	Mr L Allen	T	62.2v	54.0v	43.2v	31.0v	36.2v	38.1v	40.1v	56.2v	85.3v	35.1v	0.0v	480.14v
915	Mr AJ Maltby	O	69.5v	68.2v	39.0v	42.1v	40.1v	43.1v	48.2v	0.0v	91.5v	38.3v	0.0v	478.20v
916	Cpl A Lloyd	T	61.0v	61.3v	35.2v	39.2v	30.0v	40.3v	36.0v	51.1v	90.4v	34.0v	0.0v	477.15v
917	Miss JB Charlton	O	64.2v	64.2v	37.0v	0.0v	41.2v	40.3v	43.2v	67.4v	91.6v	28.1v	0.0v	475.22v
918	Cpl J Simpson	T	65.1v	65.6v	39.0v	37.1v	25.0v	34.1v	42.2v	49.2v	84.5v	31.0v	0.0v	471.18v
919	Mr RE Clarke	A	69.5v	73.7v	47.6v	47.1v	48.1v	47.4v	0.0v	70.7v	69.8v	0.0v	0.0v	470.39v
920	Sgt MR Reed	T	68.3v	67.4v	39.0v	35.0v	46.3v	38.0v	0.0v	59.2v	96.6v	22.0v	0.0v	470.18v
921	Mr JMA Thompson	X	66.4v	0.0v	45.3v	46.1v	0.0v	49.5v	50.7v	75.8v	102.12v	36.1v	0.0v	469.41v
922	Mr RL Marshall	T	64.3v	59.1v	25.0v	25.0v	40.1v	35.1v	38.2v	62.1v	82.1v	39.2v	0.0v	469.12v
923	Cpl JHL Longworth	T	64.3v	70.6v	40.3v	41.2v	39.0v	41.2v	46.1v	67.4v	60.4v	0.0v	0.0v	468.25v
924	SSgt E Kimisik	X	70.2v	68.5v	44.1v	32.0v	0.0v	0.0v	46.5v	71.3v	96.6v	41.1v	0.0v	468.23v
925	Cpl N Elson	T	68.0v	67.4v	39.3v	35.0v	43.1v	40.1v	0.0v	63.3v	95.4v	18.0v	0.0v	468.16v
926	Mr JT Kennedy	T	62.3v	62.1v	40.0v	31.0v	29.0v	41.0v	36.0v	54.3v	77.1v	34.2v	0.0v	466.10v
927	Mrs I Pioche	O	68.5v	70.4v	42.3v	38.2v	39.2v	43.2v	45.1v	39.7v	60.3v	21.0v	0.0v	465.29v
928	TJH Hatch	T	62.3v	56.1v	38.1v	28.1v	32.1v	42.1v	43.1v	65.3v	60.1v	38.1v	0.0v	464.14v
929	Miss JL Barber	T	63.4v	62.1v	43.4v	0.0v	37.1v	37.1v	42.2v	55.1v	93.7v	31.2v	0.0v	463.23v
930	Mr PJW Sparks	O	56.0v	63.2v	48.4v	34.0v	35.0v	40.2v	32.0v	38.1v	83.3v	34.1v	0.0v	463.13v
931	Mr SR Joshi	T	66.4v	63.3v	46.3v	44.2v	40.2v	0.0v	45.2v	63.4v	95.5v	0.0v	0.0v	462.25v
932	Mr P Hunter	T	59.2v	50.1v	33.2v	32.0v	38.1v	35.3v	42.2v	61.2v	75.1v	37.1v	0.0v	462.15v
933	Mr RGM Newman	O	68.6v	71.2v	45.5v	45.3v	49.4v	47.3v	0.0v	0.0v	100.7v	36.1v	0.0v	461.31v
934	Mr GA Buchannon	T	57.0v	68.3v	42.1v	30.0v	36.2v	39.1v	0.0v	64.3v	88.5v	36.0v	0.0v	460.15v
935	Cdt A Tucker	T	69.5v	68.3v	0.0v	37.0v	25.0v	43.0v	45.2v	58.2v	96.8v	18.0v	0.0v	459.20v
936	Mr PS Quinn	O	63.1v	67.3v	32.0v	38.2v	39.1v	44.3v	38.0v	0.0v	97.6v	41.1v	0.0v	459.17v
937	Mr PH Gardner	O	61.2v	67.3v	35.1v	45.1v	40.2v	43.1v	41.0v	0.0v	87.2v	39.1v	0.0v	458.13v
938	Mr O Van der Sluis	O	56.1v	66.3v	39.0v	35.1v	37.0v	31.1v	36.0v	63.3v	94.3v	0.0v	0.0v	457.12v
939	Cdt D Odutola	T	54.2v	61.1v	26.0v	34.0v	32.0v	38.0v	35.0v	61.2v	79.1v	37.1v	0.0v	457.7v
940	Mr JSR Rea	T	58.0v	65.2v	36.1v	0.0v	36.1v	41.1v	44.0v	66.2v	75.1v	35.1v	0.0v	456.9v
941	Mr CMS Duly	T	56.1v	56.2v	37.1v	25.0v	35.1v	45.1v	35.0v	48.0v	80.2v	35.2v	0.0v	452.10v
942	Mr JF Morris	O	0.0v	70.7v	45.4v	0.0v	44.4v	43.1v	47.4v	73.5v	98.3v	31.0v	0.0v	451.28v
943	Cdt G Le Vaillant	T	52.0v	62.3v	29.0v	38.2v	31.0v	39.1v	30.0v	65.3v	87.4v	17.0v	0.0v	450.13v
944	Cpl T O'Brien	T	62.2v	65.2v	0.0v	45.3v	33.1v	45.4v	49.6v	62.1v	87.3v	0.0v	0.0v	448.22v
945	Mr S Moss	T	43.0v	51.1v	28.1v	24.1v	43.3v	30.0v	42.3v	56.3v	86.1v	40.2v	0.0v	443.15v
946	Mr DAN Elliott	O	68.5v	69.5v	43.1v	41.3v	44.4v	40.1v	0.0v	70.6v	63.4v	0.0v	0.0v	438.29v
947	Mr WP Hanley	O	69.2v	72.6v	43.0v	46.4v	44.3v	46.3v	0.0v	71.7v	0.0v	44.3v	0.0v	435.28v
948	Cpl J East	T	54.2v	63.1v	40.2v	18.0v	0.0v	43.4v	42.2v	60.1v	79.1v	35.0v	0.0v	434.13v
949	Mr R McIlveen	O	69.3v	68.5v	40.1v	35.1v	46.2v	43.3v	0.0v	66.5v	32.1v	33.0v	0.0v	432.21v
950	Mr TE Hirst	T	64.1v	67.3v	38.2v	0.0v	45.2v	0.0v	48.4v	68.3v	101.9v	0.0v	0.0v	431.24v
951	Mr AC Thomson	A	68.7v	72.7v	47.5v	46.3v	47.3v	44.0v	0.0v	71.11v	0.0v	35.1v	0.0v	430.37v
952	Cdt D McGlynn	T	65.2v	63.2v	35.0v	45.3v	44.2v	0.0v	46.5v	0.0v	87.4v	40.2v	0.0v	425.20v
953	Mr DAP Stanley	T	56.0v	63.3v	35.0v	25.2v	29.1v	35.2v	35.2v	48.1v	70.2v	21.0v	0.0v	417.13v
954	Cdt H Lau	T	54.3v	56.2v	40.1v	34.1v	27.0v	39.1v	17.0v	47.1v	77.0v	24.0v	0.0v	415.9v
955	Cdt HG Green	T	62.0v	68.5v	39.0v	32.2v	45.4v	37.0v	0.0v	59.1v	29.1v	28.0v	0.0v	399.13v
956	Mr R Clark	T	42.0v	60.3v	37.1v	13.0v	33.0v	38.0v	20.0v	52.4v	76.1v	28.2v	0.0v	399.11v
957	Mr T Allthorpe-Mullis	T	50.1v	66.1v	25.0v	0.0v	32.0v	0.0v	36.0v	64.5v	89.1v	32.0v	0.0v	394.8v
958	Sgt S Fahy	T	65.3v	66.3v	36.1v	37.0v	43.0v	36.1v	0.0v	67.1v	0.0v	41.3v	0.0v	391.12v
959	Cpl N Jones	T	59.2v	61.1v	23.0v	28.0v	38.3v	28.0v	32.0v	33.0v	72.3v	10.0v	0.0v	384.9v
960	Mr EJP Robertson	T	65.3v	63.2v	45.2v	32.1v	41.0v	40.0v	0.0v	61.4v	0.0v	35.1v	0.0v	382.13v
961	Miss AZ Zulkharnain	T	52.1v	39.0v	28.1v	12.0v	27.0v	35.0v	37.0v	55.2v	79.1v	17.1v	0.0v	381.6v
962	M Roper	T	52.1v	57.0v	32.0v	23.0v	22.0v	14.0v	37.0v	62.2v	45.1v	32.1v	0.0v	376.5v
963	Miss TR Rewston	T	57.0v	46.0v	36.0v	30.1v	18.0v	19.1v	26.0v	48.0v	68.4v	23.0v	0.0v	371.6v
964	Mr GJO Pearson	T	59.1v	0.0v	0.0v	0.0v	37.0v	40.2v	44.3v	61.1v	88.5v	38.0v	0.0v	367.12v
965	M P Mullett	O	64.2v	66.1v	43.0v	41.2v	46.4v	0.0v	0.0v	71.4v	0.0v	33.0v	0.0v	364.13v
966	Mr BR Shouler	O	64.0v	72.4v	46.3v	45.3v	44.2v	46.4v	0.0v	0.0v	0.0v	37.0v	0.0v	354.16v
967	Mr S Heard	T	0.0v	0.0v	0.0v	0.0v	46.4v	44.0v	45.3v	69.6v	96.8v	39.0v	0.0v	339.21v
968	Miss KM Parks	T	69.2v	0.0v	0.0v	39.0v	46.2v	46.1v	0.0v	67.2v	32.2v	33.0v	0.0v	332.9v
969	Mr JM Man	T	18.0v	35.0v	24.0v	25.1v	25.0v	29.0v	33.1v	49.2v	62.0v	19.0v	0.0v	319.4v
970	Miss NR Ball	T	33.6v	30.0v	18.0v	19.0v	15.0v	13.0v	23.0v	45.1v	44.0v	18.0v	0.0v	258.7v
971	Mr PG Seebohm	X	72.6v	69.5v	50.6v	43.3v	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	234.20v
972	Mr G Baillie	T	69.3v	63.2v	45.1v	41.1v	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	218.7v
973	Mr PR Sirett	X	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	47.6v	68.6v	98.8v	0.0v	0.0v	213.20v
974	Mr A Edwards	T	0.0v	0.0v	0.0v	0.0v	42.1v	0.0v	44.5v	66.3v	61.2v	0.0v	0.0v	213.11v
975	Miss HR Mackintosh	A	61.0v	0.0v	0.0v	0.0v	0.0v	0.0v	47.4v	0.0v	98.11v	0.0v	0.0v	206.15v
976	Mr R Jackson	O	68.2v	0.0v	43.4v	41.2v	0.0v	0.0v	0.0v	0.0v	0.0v	43.2v	0.0v	195.10v
977	Major DA Livingstone	O	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	41.0v	58.2v	93.10v	0.0v	0.0v	192.12v
978	Mr OK Weber	O	57.0v	0.0v	43.0v	0.0v	0.0v	0.0v	0.0v	0.0v	0.0v	37.4v	0.0v	137.4v

