

Grand Aggregate

	DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	Corp	POW	Total	
<b>The DCRA Challenge Shield, The N.R.A. Gold Cross, a Gold Bar and £200.00</b>													
1 Mr DC Luckman	XS	72.9v	75.11v	50.6v	50.8v	50.9v	49.7v	48.5v	75.14v	105.18v	49.7v	75.12v	698.106v £ 4
<b>The N.R.A. Silver Cross, a Silver Bar and £175.00</b>													
2 Dr GCD Barnett	XS	75.6v	74.8v	49.6v	50.6v	50.8v	49.3v	48.3v	75.10v	105.14v	48.2v	75.12v	698.78v £ 4
<b>The N.R.A. Bronze Cross, a Bronze Bar and £150.00</b>													
3 Mr JC Underwood	XS	75.12v	74.13v	49.8v	48.6v	50.8v	49.5v	47.4v	75.12v	105.12v	50.6v	75.12v	697.98v £ 4
<b>An N.R.A. Bronze Cross, a Bronze Bar and £125.00</b>													
4 Mr GE Morris	XS	74.8v	74.13v	50.6v	49.3v	50.7v	50.4v	48.6v	75.13v	102.11v	50.6v	75.13v	697.90v £ 4
<b>An N.R.A. Bronze Cross, a Bronze Bar and £100.00</b>													
5 Sgt SJ Hier	XS	73.8v	73.6v	50.6v	49.7v	49.8v	49.5v	49.4v	74.13v	105.19v	49.3v	75.9v	695.88v £ 4
6 Mr J Pugsley	XS	74.9v	75.12v	50.7v	50.6v	49.8v	48.3v	49.5v	74.12v	103.14v	48.4v	74.10v	694.90v £ 4
<b>An N.R.A. Bronze Cross, a Bronze Bar and £80.00</b>													
7 Mr ANR Walker	X	75.8v	75.11v	47.4v	50.9v	49.7v	50.6v	50.8v	75.11v	103.10v	45.6v	75.8v	694.88v
8 Miss JH Messer	XS	73.7v	72.11v	49.7v	50.6v	49.7v	48.4v	49.4v	75.13v	104.12v	50.5v	75.7v	694.83v £ 4
9 Mr JCT Kent	XS	75.8v	75.13v	50.6v	49.6v	50.8v	48.4v	47.5v	75.8v	104.13v	47.3v	74.9v	694.83v £ 4
10 Mr WCP Richards	XS	74.9v	74.8v	48.6v	49.7v	50.8v	49.4v	46.4v	75.10v	104.12v	50.5v	75.6v	694.79v £ 4
<b>An N.R.A. Bronze Cross and 60.00</b>													
11 Mr JAM Paton	XS	75.12v	73.9v	49.7v	50.6v	49.5v	48.4v	48.2v	75.11v	105.16v	47.3v	74.12v	693.87v £ 4
12 Mr RJW Smeltzer	X	75.8v	73.9v	49.8v	46.4v	49.7v	47.3v	50.4v	75.10v	105.14v	50.6v	74.12v	693.85v
13 Dr PD Sykes	X	74.7v	74.12v	50.4v	48.2v	50.9v	49.5v	50.8v	75.12v	104.12v	48.4v	71.9v	693.84v
14 Mr C Fitzpatrick	X	73.10v	75.10v	49.3v	50.5v	49.3v	49.5v	48.4v	73.9v	104.10v	49.5v	74.10v	693.74v
15 Mr S Young	X	73.7v	74.11v	49.7v	50.9v	50.7v	50.4v	49.6v	74.13v	102.11v	47.3v	74.8v	692.86v
<b>The Olle Beckett Memorial Trophy</b>													
16 Mr DC Crispin	X	73.4v	73.10v	48.5v	49.6v	50.7v	49.5v	50.8v	75.10v	101.13v	49.4v	75.12v	692.84v
17 Mr JMA Thompson	XS	75.9v	70.6v	49.5v	49.5v	50.7v	49.8v	48.7v	75.12v	103.10v	49.4v	75.9v	692.82v £ 4
18 Mr CN Tremlett	XS	74.9v	75.10v	46.3v	49.3v	50.7v	48.5v	47.3v	75.13v	103.10v	50.10v	75.8v	692.81v £ 4
19 Mr PG Kent	XS	75.10v	73.10v	50.7v	50.6v	45.7v	48.7v	49.7v	74.10v	103.15v	49.8v	75.11v	691.98v
20 Mr J Corbett	X	75.13v	73.9v	49.5v	50.9v	49.5v	46.5v	46.6v	75.12v	105.18v	48.5v	75.11v	691.98v
<b>An N.R.A. Bronze Cross, a Bronze Bar and £40.00</b>													
21 Mr TA Ringer	XS	74.10v	74.8v	49.8v	49.7v	49.6v	49.5v	48.7v	74.13v	101.11v	50.9v	74.11v	691.95v
22 Mr SJ Cane	X	73.9v	74.12v	50.9v	49.6v	50.7v	49.7v	49.7v	74.14v	102.11v	47.2v	74.9v	691.93v
23 Wg Cdr DP Calvert	XS	75.11v	75.12v	49.6v	48.3v	50.8v	48.3v	49.5v	74.9v	105.16v	45.4v	73.10v	691.87v
24 Dr JG Robertson	XS	74.9v	74.8v	47.5v	50.6v	49.8v	47.4v	48.3v	75.14v	103.15v	50.6v	74.8v	691.86v
25 Dr AM Jory	XS	74.10v	73.8v	50.7v	48.5v	48.7v	48.4v	49.4v	75.10v	103.14v	48.5v	75.11v	691.85v
26 Mr JA Watson	XS	72.8v	73.6v	47.4v	48.5v	50.7v	50.6v	47.4v	75.12v	105.14v	49.4v	75.10v	691.80v
27 Mr AC Haley	A	74.12v	73.7v	50.4v	49.8v	50.6v	50.3v	47.5v	74.12v	103.10v	47.3v	74.10v	691.80v
28 Mr GA Cann	XS	74.6v	73.9v	49.6v	48.5v	48.4v	50.7v	48.5v	73.9v	104.13v	49.7v	75.8v	691.79v
29 Mr MJ Ensor	A	72.7v	75.9v	49.7v	47.5v	50.6v	50.7v	47.5v	75.12v	103.13v	49.5v	73.9v	690.85v
30 Cdt HP McCullough	XS	75.10v	72.8v	50.4v	46.5v	49.5v	49.8v	48.4v	74.12v	103.11v	49.6v	75.11v	690.84v
31 Zulkeflee Hamsan	X	74.10v	74.9v	49.6v	47.1v	50.8v	48.4v	50.9v	73.7v	103.12v	47.4v	75.9v	690.79v
32 Mr SKC Hunter	O	72.6v	73.8v	49.4v	49.7v	49.8v	49.6v	49.2v	75.11v	102.10v	48.5v	75.11v	690.78v
33 Mr NJ Ball	XS	73.10v	72.9v	49.2v	49.7v	50.8v	49.4v	48.2v	75.9v	105.13v	46.4v	74.9v	690.77v
34 Mr D Lowe	OS	75.11v	73.6v	49.7v	50.6v	49.4v	48.4v	47.3v	73.8v	103.15v	49.6v	74.6v	690.76v £ 4
35 Mr ATB Tompson	X	74.7v	73.5v	48.4v	48.3v	50.6v	48.4v	48.5v	74.10v	105.13v	47.2v	75.7v	690.66v
<b>An N.R.A. Bronze Cross, a Bronze Bar and £20.00</b>													
36 Mr CJ Morton	XS	74.8v	74.9v	48.6v	49.6v	50.7v	48.6v	46.5v	75.15v	103.11v	47.2v	75.10v	689.85v
37 Mr AJ Sims	XS	72.11v	72.7v	47.6v	48.4v	49.3v	49.6v	49.6v	75.10v	105.11v	50.10v	73.10v	689.84v
38 Mr JWE Lewis	XS	75.10v	75.11v	50.6v	50.7v	49.4v	47.4v	44.2v	74.10v	104.14v	47.3v	74.12v	689.83v
39 Mr CTS Belk	AS	74.9v	72.10v	47.4v	48.2v	48.6v	50.4v	47.6v	73.11v	105.13v	50.5v	75.12v	689.82v £ 4
40 Mr JRO Boyd	AS	74.12v	72.4v	48.7v	49.7v	49.6v	49.6v	48.6v	75.8v	100.10v	50.2v	75.10v	689.78v £ 4
41 Mrs SV Luckman	A	75.7v	73.10v	48.5v	50.5v	47.5v	49.3v	47.2v	75.14v	105.14v	47.2v	73.9v	689.76v
42 Sgt. HJ Golaszewski	AS	74.9v	74.6v	47.3v	47.4v	50.7v	49.3v	48.4v	75.11v	102.11v	49.4v	74.9v	689.71v £ 4
43 Mr J Cload	XS	73.10v	73.12v	49.8v	49.7v	50.7v	47.5v	47.7v	75.11v	104.12v	47.5v	74.10v	688.94v
44 Mr CJ Watson	X	74.11v	75.12v	48.7v	49.3v	50.9v	48.3v	48.7v	74.11v	103.14v	45.5v	74.10v	688.92v
45 Mr P Patel	XS	73.9v	73.9v	49.7v	48.8v	50.9v	48.5v	49.5v	75.14v	100.6v	48.5v	75.11v	688.88v
46 Mrs BA Bell	XS	73.8v	71.8v	48.5v	50.5v	50.9v	48.3v	48.5v	75.10v	103.10v	47.5v	75.12v	688.80v
47 Mr AJ Wilson	X	72.9v	73.12v	46.3v	50.7v	49.8v	50.4v	49.6v	75.6v	102.10v	50.3v	72.11v	688.79v
48 Mr NBS Logan	AS	74.11v	75.8v	48.5v	50.4v	48.7v	48.4v	47.5v	73.9v	104.13v	46.3v	75.10v	688.79v £ 4
49 Mr CA Brook	X	72.8v	75.11v	48.5v	50.5v	50.6v	47.4v	49.6v	74.11v	100.7v	48.5v	75.9v	688.77v
50 Mr FWA Coetzee	X	73.9v	74.9v	50.5v	47.2v	50.5v	48.6v	49.5v	74.8v	102.13v	48.4v	73.8v	688.74v

Winners of a Bronze Bar



129	Mr MJ Barlow	XS	74.9v	72.8v	48.4v	49.4v	46.4v	49.5v	46.1v	75.12v	101.9v	48.7v	75.12v	683.75v
130	Mr JR Davies	XS	72.6v	73.8v	49.5v	49.6v	49.8v	50.4v	46.6v	75.12v	103.11v	43.2v	74.7v	683.75v
131	Mr GMLN Gilpin	XS	72.7v	75.11v	50.5v	46.5v	48.7v	48.7v	49.5v	74.8v	102.11v	49.3v	70.5v	683.74v
132	Mr BV Cambray	AS	74.10v	70.7v	50.8v	48.4v	49.3v	48.3v	48.5v	74.12v	103.9v	45.3v	74.10v	683.74v
133	Mr MF Martel	XS	74.11v	73.5v	50.6v	49.4v	50.7v	48.4v	46.3v	74.11v	103.11v	45.3v	71.8v	683.73v
134	Mr NW Penn	A	70.6v	74.9v	48.4v	48.6v	48.6v	49.6v	46.6v	74.7v	103.9v	49.4v	74.9v	683.72v
135	Cpl J Wallace	OS	73.10v	73.5v	49.8v	49.4v	49.4v	48.4v	48.3v	75.11v	102.15v	46.3v	71.5v	683.72v £ 4
136	Mr JGM Webster	XS	74.9v	75.6v	50.8v	48.4v	48.5v	45.4v	47.3v	73.9v	101.12v	50.5v	72.6v	683.71v
137	Mr RBC Baker	A	75.9v	72.7v	48.6v	48.4v	49.6v	50.4v	47.3v	74.10v	102.9v	46.5v	72.8v	683.71v
138	Mrs JA Wagland	XS	72.7v	72.10v	49.4v	49.6v	49.5v	47.3v	49.5v	72.7v	102.11v	49.4v	73.7v	683.69v
139	Mr PRD Stock	A	70.8v	72.7v	50.6v	49.7v	49.8v	47.4v	49.7v	73.6v	102.6v	48.4v	74.6v	683.69v
140	Lt AW Gill	O	72.6v	73.5v	48.4v	48.1v	49.6v	50.8v	48.5v	74.11v	101.11v	48.3v	72.7v	683.67v
141	Cdt AW Boyd	OS	72.8v	74.6v	47.6v	49.5v	49.3v	49.6v	46.4v	73.8v	104.10v	47.2v	73.9v	683.67v £ 4
142	Mr RR Goodluck	O	74.6v	72.6v	49.7v	48.3v	48.3v	47.4v	46.5v	73.6v	103.13v	49.4v	74.9v	683.66v
143	Mr JB Hull	XS	72.10v	74.9v	50.5v	48.4v	50.6v	45.1v	49.6v	71.7v	103.9v	50.3v	71.5v	683.65v
144	Mr M Woolger	XS	75.10v	74.8v	49.6v	47.3v	49.4v	48.2v	49.5v	75.8v	103.8v	45.5v	69.6v	683.65v
145	Mr G Grosskreutz	X	74.4v	73.10v	49.7v	49.5v	49.5v	47.3v	47.4v	75.9v	104.8v	44.2v	72.7v	683.64v
146	Mr RCT Jeens	XS	72.6v	74.9v	49.5v	50.5v	50.6v	46.4v	49.1v	73.6v	98.11v	48.3v	74.5v	683.61v
147	Mr JA Anderson	XS	73.7v	71.7v	49.6v	48.3v	49.7v	50.4v	47.3v	74.6v	99.6v	49.3v	74.8v	683.60v
148	Mr IP Davison	XS	73.10v	72.8v	47.6v	49.9v	50.8v	49.5v	47.3v	74.12v	101.10v	47.6v	73.7v	682.84v
149	Mr GW Woodman	XS	73.8v	73.12v	48.6v	46.1v	49.8v	48.6v	47.5v	75.13v	104.15v	47.2v	72.7v	682.83v
150	Dr JR Deane	XS	71.8v	72.7v	50.9v	48.4v	49.8v	47.4v	47.2v	75.12v	104.14v	45.5v	74.10v	682.83v
151	Flt Lt NP Moxon	AS	74.8v	74.13v	49.5v	50.6v	48.4v	44.4v	49.7v	73.10v	102.12v	47.4v	72.7v	682.80v
152	Mr JPL Sweet	XS	71.7v	73.4v	48.5v	49.4v	48.5v	49.7v	48.5v	74.11v	99.14v	50.7v	73.6v	682.75v
153	Mr JH Wood	OS	75.9v	70.6v	49.6v	48.6v	50.7v	49.4v	47.3v	72.9v	101.11v	48.4v	73.10v	682.75v £ 4
154	Mr SC Postins	X	70.5v	73.9v	50.7v	48.5v	50.3v	48.6v	47.5v	75.10v	100.11v	47.4v	74.10v	682.75v
155	Mr ML Millar	XS	73.10v	75.9v	47.3v	46.4v	50.7v	49.3v	47.4v	74.7v	102.14v	46.4v	73.10v	682.75v
156	Mr D Blake	X	72.9v	74.8v	47.5v	48.5v	48.5v	48.3v	48.6v	74.8v	101.10v	48.5v	74.9v	682.73v
157	Mr GS Cotton	X	72.8v	74.8v	49.6v	48.6v	50.7v	48.5v	50.8v	75.8v	101.8v	43.2v	72.6v	682.72v
158	Mr HN Watson	X	72.10v	72.5v	47.5v	48.6v	48.6v	46.3v	49.5v	74.7v	102.9v	50.7v	74.8v	682.71v
159	Mr PCA Slater	OS	71.6v	73.7v	48.6v	48.4v	48.4v	47.4v	48.1v	75.14v	101.10v	48.2v	75.13v	682.71v £ 4
160	Miss JM Rankin	OS	75.7v	75.8v	49.8v	49.5v	50.5v	45.4v	47.4v	72.9v	103.11v	46.4v	71.6v	682.71v £ 4
161	Flt Lt BN Roth	X	73.7v	74.9v	48.7v	46.3v	49.6v	48.3v	48.5v	74.10v	101.9v	48.5v	73.6v	682.70v
162	Mr RA Jobson	AS	71.6v	74.6v	49.5v	46.1v	50.7v	48.5v	50.4v	75.10v	102.14v	46.7v	71.5v	682.70v
163	Miss SP Ward	X	71.7v	73.6v	48.3v	47.3v	48.4v	48.6v	46.5v	75.14v	103.7v	50.6v	73.8v	682.69v
164	Mr LT Wicker	X	71.5v	71.7v	50.6v	49.6v	48.2v	49.5v	47.2v	75.8v	102.14v	48.6v	72.8v	682.69v
165	Mr CRM Asquith	A	73.8v	73.10v	50.6v	48.4v	49.4v	45.2v	47.4v	71.6v	104.10v	48.5v	74.10v	682.69v
166	Mr RJS Curtis	X	72.6v	74.9v	48.6v	49.6v	50.8v	48.4v	48.4v	71.4v	104.13v	45.2v	73.7v	682.69v
167	Mr M Fray	OS	74.4v	73.3v	48.5v	46.3v	50.6v	49.6v	47.4v	75.13v	99.9v	49.5v	72.5v	682.63v £ 4
168	Mr GC Baylis	OS	73.7v	70.4v	47.5v	50.4v	50.8v	48.5v	47.4v	74.5v	101.8v	48.4v	74.8v	682.62v £ 4
169	Mr DFP Richards	X	72.10v	72.7v	50.6v	48.7v	49.5v	48.2v	44.4v	74.13v	102.13v	48.3v	74.10v	681.80v
170	Mr RN Stebbings	O	72.11v	73.7v	48.5v	49.4v	49.6v	47.6v	46.4v	74.11v	102.12v	47.6v	74.8v	681.80v
171	Mr JA Bullock	XS	74.9v	73.8v	50.8v	46.3v	48.6v	48.7v	46.2v	75.9v	102.11v	44.4v	75.12v	681.79v
172	Mr DC Dyson	X	75.12v	72.5v	47.5v	48.3v	50.7v	46.3v	44.4v	74.9v	104.13v	46.3v	75.12v	681.76v
173	Mr AC Griffin	AS	73.11v	71.9v	49.3v	50.4v	49.7v	46.4v	44.3v	74.10v	104.10v	47.4v	74.8v	681.73v
174	Mr A Burton	A	73.11v	75.10v	48.4v	48.4v	50.5v	50.6v	43.3v	74.9v	100.8v	46.3v	74.9v	681.72v
175	Mr KM Willingale	A	73.5v	71.7v	46.4v	47.3v	49.4v	48.5v	49.6v	74.11v	101.8v	49.7v	74.11v	681.71v
176	Mr RN Stangroom	X	72.9v	73.8v	47.3v	50.7v	49.5v	49.5v	49.4v	71.6v	101.9v	47.5v	73.10v	681.71v
177	Mr DGP Vamplew	XS	73.9v	70.6v	48.7v	49.7v	49.6v	49.3v	48.4v	74.11v	103.10v	48.4v	70.3v	681.70v
178	Mr PG Oxnam	AS	72.9v	74.11v	49.5v	49.4v	48.6v	49.5v	48.4v	69.6v	103.9v	47.5v	73.5v	681.69v
179	Dr AF Aspin	A	71.4v	72.6v	50.7v	47.2v	50.5v	48.4v	49.7v	73.8v	103.13v	47.4v	71.8v	681.68v
180	Mr PJ Johnson	X	74.9v	73.7v	49.7v	47.5v	49.4v	48.3v	47.3v	75.10v	104.8v	46.5v	69.6v	681.67v
181	Mr SH Cox	AS	72.6v	74.4v	49.5v	47.5v	50.5v	50.5v	47.4v	73.8v	102.13v	45.2v	72.10v	681.67v
182	Mr J Huber	X	72.7v	74.7v	50.7v	46.4v	49.3v	50.4v	48.3v	75.11v	101.11v	45.2v	71.7v	681.66v
183	Mr SD Fulmer	X	72.5v	73.4v	46.5v	50.6v	48.5v	48.5v	48.4v	74.10v	101.12v	47.2v	74.7v	681.65v
184	Mr GW Clarke	O	73.5v	74.6v	47.5v	49.5v	50.7v	45.2v	47.4v	75.11v	104.9v	44.2v	73.9v	681.65v
185	Mr MJ Wood	X	72.3v	70.3v	49.7v	46.3v	50.2v	48.5v	46.3v	75.9v	103.15v	47.5v	75.9v	681.64v
186	Mr DGEM Mutter	O	73.6v	74.11v	50.8v	48.6v	48.5v	49.7v	47.4v	74.8v	101.13v	45.5v	71.7v	680.80v
187	Mr MA Kirkillo-Stacewicz	AS	73.10v	74.8v	49.5v	46.4v	50.7v	47.3v	48.6v	74.12v	102.12v	45.2v	72.10v	680.79v
188	Mr PJ Westlake	XS	73.8v	72.8v	49.5v	47.5v	50.7v	47.4v	50.5v	74.12v	102.13v	47.3v	69.6v	680.76v
189	Mr C Mallett	XS	73.7v	73.10v	50.5v	47.4v	49.7v	49.7v	48.3v	74.11v	101.11v	44.2v	72.9v	680.76v
190	Mr R Birtwistle	A	73.9v	73.7v	45.3v	47.6v	49.6v	48.4v	46.4v	74.7v	102.13v	49.4v	74.10v	680.73v
191	Mr RL Cuthbert	XS	74.7v	72.10v	49.5v	46.2v	48.7v	46.3v	49.3v	75.11v	104.13v	43.2v	74.9v	680.72v
192	Mr SNS Penrose	X	73.9v	69.4v	50.5v	47.3v	48.4v	47.5v	48.3v	75.11v	104.15v	48.4v	71.8v	680.71v
193	Dr CI Johnson	AS	73.6v	74.5v	49.3v	44.5v	49.8v	48.7v	50.6v	74.13v	100.9v	47.2v	72.6v	680.70v
194	Miss AMG Ogilvie	O	73.8v	69.7v	50.6v	48.3v	49.7v	48.7v	48.2v	74.10v	102.7v	45.3v	74.10v	680.70v
195	Mr T Steele	X	72.4v	73.8v	48.5v	49.7v	48.5v	48.5v	48.3v	72.9v	101.11v	47.4v	74.8v	680.69v
196	Mr J Payne	A	75.12v	73.10v	48.7v	49.4v	47.3v	45.3v	46.0v	72.7v	104.12v	47.3v	74.8v	680.69v
197	Cdt CS Milton	OS	73.8v	74.11v	50.5v	47.5v	50.7v	47.5v	45.3v	73.5v	101.9v	46.2v	74.9v	680.69v £ 4
198	Mr IF Luckman	O	70.5v	75.8v	46.4v	49.7v	48.3v	50.4v	49.5v	75.12v	98.10v	45.3v	75.8v	680.69v
199	Mr P Dawes	OS	73.7v	72.5v	50.9v	49.8v	50.4v	46.2v	48.7v	73.9v	101.10v	46.0v	72.7v	680.68v £ 4
200	Mr KB Hill	OS	71.7v	72.7v	47.2v	50.6v	49.5v	49.5v	48.2v	74.11v	102.10v	45.3v	73.6v	680.64v £ 4

# NRA 150th Anniversary Meeting

## Grand Aggregate

		DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	Corp	POW	Total	
1	Mr DC Luckman	X	72.9v	75.11v	50.6v	50.8v	50.9v	49.7v	48.5v	75.14v	105.18v	49.7v	75.12v	698.106v
2	Dr GCD Barnett	X	75.6v	74.8v	49.6v	50.6v	50.8v	49.3v	48.3v	75.10v	105.14v	48.2v	75.12v	698.78v
3	Mr JC Underwood	X	75.12v	74.13v	49.8v	48.6v	50.8v	49.5v	47.4v	75.12v	105.12v	50.6v	75.12v	697.98v
4	Mr GE Morris	X	74.8v	74.13v	50.6v	49.3v	50.7v	50.4v	48.6v	75.13v	102.11v	50.6v	75.13v	697.90v
5	Sgt SJ Hier	X	73.8v	73.6v	50.6v	49.7v	49.8v	49.5v	49.4v	74.13v	105.19v	49.3v	75.9v	695.88v
6	Mr J Pugsley	X	74.9v	75.12v	50.7v	50.6v	49.8v	48.3v	49.5v	74.12v	103.14v	48.4v	74.10v	694.90v
7	Mr ANR Walker	X	75.8v	75.11v	47.4v	50.9v	49.7v	50.6v	50.8v	75.11v	103.10v	45.6v	75.8v	694.88v
8	Miss JH Messer	X	73.7v	72.11v	49.7v	50.6v	49.7v	48.4v	49.4v	75.13v	104.12v	50.5v	75.7v	694.83v
9	Mr JCT Kent	X	75.8v	75.13v	50.6v	49.6v	50.8v	48.4v	47.5v	75.8v	104.13v	47.3v	74.9v	694.83v
10	Mr WCP Richards	X	74.9v	74.8v	48.6v	49.7v	50.8v	49.4v	46.4v	75.10v	104.12v	50.5v	75.6v	694.79v
11	Mr JAM Paton	X	75.12v	73.9v	49.7v	50.6v	49.5v	48.4v	48.2v	75.11v	105.16v	47.3v	74.12v	693.87v
12	Mr RJW Smeltzer	X	75.8v	73.9v	49.8v	46.4v	49.7v	47.3v	50.4v	75.10v	105.14v	50.6v	74.12v	693.85v
13	Dr PD Sykes	X	74.7v	74.12v	50.4v	48.2v	50.9v	49.5v	50.8v	75.12v	104.12v	48.4v	71.9v	693.84v
14	Mr C Fitzpatrick	X	73.10v	75.10v	49.3v	50.5v	49.3v	49.5v	48.4v	73.9v	104.10v	49.5v	74.10v	693.74v
15	Mr S Young	X	73.7v	74.11v	49.7v	50.9v	50.7v	50.4v	49.6v	74.13v	102.11v	47.3v	74.8v	692.86v
16	Mr DC Crispin	X	73.4v	73.10v	48.5v	49.6v	50.7v	49.5v	50.8v	75.10v	101.13v	49.4v	75.12v	692.84v
17	Mr JMA Thompson	X	75.9v	70.6v	49.5v	49.5v	50.7v	49.8v	48.7v	75.12v	103.10v	49.4v	75.9v	692.82v
18	Mr CN Tremlett	X	74.9v	75.10v	46.3v	49.3v	50.7v	48.5v	47.3v	75.13v	103.10v	50.10v	75.8v	692.81v
19	Mr PG Kent	X	75.10v	73.10v	50.7v	50.6v	45.7v	48.7v	49.7v	74.10v	103.15v	49.8v	75.11v	691.98v
20	Mr J Corbett	X	75.13v	73.9v	49.5v	50.9v	49.5v	46.5v	46.6v	75.12v	105.18v	48.5v	75.11v	691.98v
21	Mr TA Ringer	X	74.10v	74.8v	49.8v	49.7v	49.6v	49.5v	48.7v	74.13v	101.11v	50.9v	74.11v	691.95v
22	Mr SJ Cane	X	73.9v	74.12v	50.9v	49.6v	50.7v	49.7v	49.7v	74.14v	102.11v	47.2v	74.9v	691.93v
23	Wg Cdr DP Calvert	X	75.11v	75.12v	49.6v	48.3v	50.8v	48.3v	49.5v	74.9v	105.16v	45.4v	73.10v	691.87v
24	Dr JG Robertson	X	74.9v	74.8v	47.5v	50.6v	49.8v	47.4v	48.3v	75.14v	103.15v	50.6v	74.8v	691.86v
25	Dr AM Jory	X	74.10v	73.8v	50.7v	48.5v	48.7v	48.4v	49.4v	75.10v	103.14v	48.5v	75.11v	691.85v
26	Mr JA Watson	X	72.8v	73.6v	47.4v	48.5v	50.7v	50.6v	47.4v	75.12v	105.14v	49.4v	75.10v	691.80v
27	Mr AC Haley	A	74.12v	73.7v	50.4v	49.8v	50.6v	50.3v	47.5v	74.12v	103.10v	47.3v	74.10v	691.80v
28	Mr GA Cann	X	74.6v	73.9v	49.6v	48.5v	48.4v	50.7v	48.5v	73.9v	104.13v	49.7v	75.8v	691.79v
29	Mr MJ Ensor	A	72.7v	75.9v	49.7v	47.5v	50.6v	50.7v	47.5v	75.12v	103.13v	49.5v	73.9v	690.85v
30	Cdt HP McCullough	X	75.10v	72.8v	50.4v	46.5v	49.5v	49.8v	48.4v	74.12v	103.11v	49.6v	75.11v	690.84v
31	Zulkeflee Hamsan	X	74.10v	74.9v	49.6v	47.1v	50.8v	48.4v	50.9v	73.7v	103.12v	47.4v	75.9v	690.79v
32	Mr SKC Hunter	O	72.6v	73.8v	49.4v	49.7v	49.8v	49.6v	49.2v	75.11v	102.10v	48.5v	75.11v	690.78v
33	Mr NJ Ball	X	73.10v	72.9v	49.2v	49.7v	50.8v	49.4v	48.2v	75.9v	105.13v	46.4v	74.9v	690.77v
34	Mr D Lowe	O	75.11v	73.6v	49.7v	50.6v	49.4v	48.4v	47.3v	73.8v	103.15v	49.6v	74.6v	690.76v
35	Mr ATB Tompson	X	74.7v	73.5v	48.4v	48.3v	50.6v	48.4v	48.5v	74.10v	105.13v	47.2v	75.7v	690.66v
36	Mr CJ Morton	X	74.8v	74.9v	48.6v	49.6v	50.7v	48.6v	46.5v	75.15v	103.11v	47.2v	75.10v	689.85v
37	Mr AJ Sims	X	72.11v	72.7v	47.6v	48.4v	49.3v	49.6v	49.6v	75.10v	105.11v	50.10v	73.10v	689.84v
38	Mr JWE Lewis	X	75.10v	75.11v	50.6v	50.7v	49.4v	47.4v	44.2v	74.10v	104.14v	47.3v	74.12v	689.83v
39	Mr CTS Belk	A	74.9v	72.10v	47.4v	48.2v	48.6v	50.4v	47.6v	73.11v	105.13v	50.5v	75.12v	689.82v
40	Mr JRO Boyd	A	74.12v	72.4v	48.7v	49.7v	49.6v	49.6v	48.6v	75.8v	100.10v	50.2v	75.10v	689.78v
41	Mrs SV Luckman	A	75.7v	73.10v	48.5v	50.5v	47.5v	49.3v	47.2v	75.14v	105.14v	47.2v	73.9v	689.76v
42	Sgt. HJ Golaszewski	A	74.9v	74.6v	47.3v	47.4v	50.7v	49.3v	48.4v	75.11v	102.11v	49.4v	74.9v	689.71v
43	Mr J Cload	X	73.10v	73.12v	49.8v	49.7v	50.7v	47.5v	47.7v	75.11v	104.12v	47.5v	74.10v	688.94v
44	Mr CJ Watson	X	74.11v	75.12v	48.7v	49.3v	50.9v	48.3v	48.7v	74.11v	103.14v	45.5v	74.10v	688.92v
45	Mr P Patel	X	73.9v	73.9v	49.7v	48.8v	50.9v	48.5v	49.5v	75.14v	100.6v	48.5v	75.11v	688.88v
46	Mrs BA Bell	X	73.8v	71.8v	48.5v	50.5v	50.9v	48.3v	48.5v	75.10v	103.10v	47.5v	75.12v	688.80v
47	Mr AJ Wilson	X	72.9v	73.12v	46.3v	50.7v	49.8v	50.4v	49.6v	75.6v	102.10v	50.3v	72.11v	688.79v
48	Mr NBS Logan	A	74.11v	75.8v	48.5v	50.4v	48.7v	48.4v	47.5v	73.9v	104.13v	46.3v	75.10v	688.79v
49	Mr CA Brook	X	72.8v	75.11v	48.5v	50.5v	50.6v	47.4v	49.6v	74.11v	100.7v	48.5v	75.9v	688.77v
50	Mr FWA Coetzee	X	73.9v	74.9v	50.5v	47.2v	50.5v	48.6v	49.5v	74.8v	102.13v	48.4v	73.8v	688.74v
51	Mr DA Richardson	X	73.9v	75.10v	48.7v	48.4v	50.6v	45.1v	49.5v	75.10v	103.11v	48.2v	74.9v	688.74v
52	Mr ASH McCullough	X	73.9v	75.8v	48.4v	47.5v	50.9v	49.6v	49.7v	74.12v	103.18v	49.5v	70.7v	687.90v
53	Mr TM Green	X	72.10v	75.10v	50.7v	49.9v	50.6v	49.5v	46.4v	74.13v	103.13v	48.5v	71.8v	687.90v
54	Miss EJ Nuttall	X	73.8v	75.11v	49.7v	46.4v	50.8v	49.4v	49.4v	75.14v	103.13v	47.7v	71.7v	687.87v
55	Mr PM Jory	X	74.9v	73.8v	49.6v	48.5v	50.8v	44.4v	49.4v	74.11v	104.14v	47.3v	75.8v	687.80v
56	Mr TLW Kidner	X	74.9v	73.8v	49.6v	48.6v	49.7v	48.5v	49.5v	75.11v	103.11v	46.2v	73.9v	687.79v

57	Mr GK Alexander	X	72.6v	74.13v	49.7v	46.4v	50.6v	49.5v	49.5v	74.10v	104.11v	46.3v	74.8v	687.78v
58	Mr SD Shouler	X	74.11v	75.7v	49.7v	48.5v	49.6v	45.1v	47.2v	75.10v	104.11v	47.4v	74.13v	687.77v
59	Mrs MM Norman	A	73.8v	73.4v	48.7v	50.6v	50.6v	49.5v	47.6v	75.12v	104.10v	47.4v	71.8v	687.76v
60	Cdt GW Davies	A	74.6v	71.10v	47.3v	47.4v	50.7v	49.7v	48.3v	74.10v	103.13v	49.4v	75.8v	687.75v
61	Mrs LK Mace	X	73.6v	75.8v	49.8v	48.5v	49.5v	47.5v	50.8v	73.9v	105.13v	46.4v	72.4v	687.75v
62	Dr JD Warburton	X	73.7v	74.8v	49.6v	45.5v	50.7v	48.3v	49.7v	74.11v	104.10v	47.2v	74.8v	687.74v
63	Mr PB Bromley	X	72.10v	75.8v	50.8v	49.4v	50.6v	49.6v	47.4v	75.9v	103.9v	46.3v	71.7v	687.74v
64	Mr DA Taylor	A	73.7v	73.7v	49.4v	49.6v	49.5v	49.6v	45.2v	74.9v	105.10v	48.6v	73.7v	687.69v
65	Mr AG Mitchell	A	74.8v	74.6v	49.5v	50.5v	46.2v	48.2v	49.5v	74.8v	105.12v	43.1v	75.8v	687.62v
66	Dr HHG Pollock	A	74.9v	72.9v	49.7v	50.6v	49.8v	49.3v	47.4v	73.12v	101.13v	49.6v	73.8v	686.85v
67	Mr ERT Jeens	X	72.7v	74.10v	47.5v	46.3v	50.8v	48.6v	50.8v	75.14v	103.13v	47.4v	74.5v	686.83v
68	Mr DR Armstrong	X	73.10v	74.10v	49.6v	47.3v	50.8v	48.5v	48.5v	74.11v	103.15v	46.1v	74.7v	686.81v
69	Mr KWD Ramsey	X	73.12v	73.7v	47.5v	49.7v	50.8v	48.6v	49.4v	74.8v	104.12v	47.4v	72.6v	686.79v
70	Mr NC Mace	X	73.9v	73.8v	49.8v	49.3v	50.8v	47.5v	47.4v	75.10v	103.10v	45.3v	75.10v	686.78v
71	Mr JP Tapster	X	75.9v	75.9v	50.7v	46.3v	50.6v	48.4v	46.6v	75.11v	101.10v	45.3v	75.10v	686.78v
72	Mr N Cole-Hawkins	A	72.7v	73.10v	50.7v	49.6v	50.8v	47.2v	48.6v	74.9v	101.10v	49.5v	73.7v	686.77v
73	Mr MH Shaw	A	74.8v	73.10v	48.2v	50.6v	48.5v	46.2v	48.7v	74.10v	103.14v	47.6v	75.7v	686.77v
74	Mr AF Powell	X	73.8v	74.9v	48.4v	50.6v	49.6v	48.6v	47.3v	75.11v	103.11v	47.6v	72.6v	686.76v
75	Mr RSF Shouler	X	74.13v	71.3v	50.7v	49.4v	49.7v	47.3v	47.3v	74.10v	105.13v	49.2v	71.8v	686.73v
76	Dr JDS Langley	X	73.8v	72.6v	45.2v	49.5v	50.8v	48.2v	49.6v	75.10v	101.10v	50.5v	74.10v	686.72v
77	Cdt MJ Purdy	A	71.4v	71.4v	49.6v	49.3v	50.6v	50.8v	46.3v	75.11v	101.13v	49.4v	75.10v	686.72v
78	Miss KAN Jack	X	74.11v	73.8v	50.8v	49.7v	49.7v	47.6v	46.2v	74.12v	103.10v	47.3v	73.10v	685.84v
79	Mr BW Schlam	X	72.8v	74.10v	48.5v	48.6v	49.8v	48.5v	48.4v	73.8v	104.13v	47.3v	74.10v	685.80v
80	Mr TG Rylands	X	73.7v	74.8v	49.4v	43.3v	47.6v	49.2v	50.9v	74.12v	103.13v	49.4v	74.11v	685.79v
81	Mr DGM Coleman	X	71.8v	74.8v	50.6v	48.4v	49.6v	49.5v	49.6v	74.11v	102.9v	45.5v	74.11v	685.79v
82	Mr GC Childs	A	73.7v	72.10v	48.5v	50.5v	48.6v	49.8v	49.7v	75.6v	104.12v	47.5v	70.7v	685.78v
83	Mr CES Dickenson	X	72.8v	73.7v	47.5v	49.7v	49.7v	50.5v	49.8v	73.10v	101.12v	47.1v	75.8v	685.78v
84	Mr MI Buchanan	X	75.8v	72.8v	49.5v	48.4v	50.9v	47.2v	46.3v	75.13v	102.13v	46.2v	75.11v	685.78v
85	Mrs CJ Clifford-Evans	X	74.11v	71.8v	48.5v	50.9v	48.2v	48.6v	47.2v	74.11v	104.13v	48.5v	73.5v	685.77v
86	Mr R McQuillan	X	74.9v	75.10v	48.4v	44.2v	50.5v	48.6v	49.8v	75.11v	104.13v	44.3v	74.6v	685.77v
87	Mr JC Evans	O	69.5v	75.9v	49.2v	50.7v	48.7v	47.5v	49.7v	74.11v	103.15v	48.4v	73.4v	685.76v
88	Zainal Md Zain	X	71.5v	73.7v	49.4v	47.5v	50.9v	47.6v	49.4v	74.13v	103.10v	48.3v	74.10v	685.76v
89	Mr MG Whicher	A	74.6v	72.7v	49.7v	48.5v	50.7v	48.4v	47.4v	73.8v	104.13v	48.4v	72.9v	685.74v
90	Mr AJ Luckman	X	72.9v	73.10v	50.6v	50.4v	50.10v	50.6v	49.3v	73.9v	99.10v	44.0v	75.7v	685.74v
91	Mr DRG Rich	X	74.8v	75.5v	47.5v	50.6v	48.7v	48.5v	46.2v	73.11v	102.11v	48.2v	74.10v	685.72v
92	Cpl JP Nice	A	73.7v	75.7v	50.6v	46.3v	48.5v	49.6v	49.5v	74.11v	101.12v	47.3v	73.7v	685.72v
93	Mr RC Oxford	A	73.5v	73.9v	49.6v	50.7v	49.4v	50.5v	47.4v	75.8v	100.10v	46.4v	73.10v	685.72v
94	Ft Lt IW Robertson	A	74.6v	73.11v	49.4v	46.4v	50.3v	49.4v	47.3v	72.8v	105.8v	47.5v	73.12v	685.68v
95	Cdt Cpl HAD Howard	O	73.2v	74.7v	48.3v	49.7v	48.6v	49.5v	47.5v	72.11v	103.11v	47.1v	75.10v	685.68v
96	Mr S Harding	X	72.9v	72.5v	50.6v	48.3v	48.5v	47.2v	49.5v	74.11v	102.6v	49.6v	74.8v	685.66v
97	Mr NRJ Brasier	X	71.9v	75.12v	49.5v	48.7v	49.7v	48.7v	48.4v	75.13v	103.12v	45.5v	73.12v	684.93v
98	Mr GC Edser	X	72.10v	74.8v	48.4v	48.6v	48.7v	49.6v	49.6v	74.14v	103.13v	45.2v	74.11v	684.87v
99	Mr MT Phipps	O	73.8v	72.12v	49.5v	49.5v	50.7v	49.6v	45.3v	74.11v	104.13v	48.7v	71.9v	684.86v
100	Mr SA Thomas	X	74.9v	67.9v	47.4v	48.6v	50.8v	48.3v	49.6v	75.14v	102.11v	49.4v	75.7v	684.81v
101	Mr ML Pozzebon	O	73.10v	73.7v	48.3v	50.8v	49.5v	48.5v	48.6v	74.11v	103.13v	44.3v	74.10v	684.81v
102	Mr IT Jones	O	75.13v	72.9v	50.5v	46.3v	50.5v	48.4v	48.6v	74.11v	103.9v	48.5v	70.7v	684.77v
103	Dr AJ Pilgrim	X	72.7v	73.12v	48.4v	50.5v	50.4v	48.6v	48.6v	74.11v	102.12v	46.2v	73.8v	684.77v
104	Mr KO Pugh	A	72.7v	74.6v	46.5v	50.6v	50.7v	48.5v	46.3v	74.7v	104.15v	47.3v	73.11v	684.75v
105	Mr DG Young	X	70.5v	74.10v	50.8v	49.5v	50.7v	48.5v	45.4v	75.6v	104.11v	47.3v	72.11v	684.75v
106	Miss KA Berman	X	68.5v	72.5v	49.8v	49.4v	49.5v	50.6v	49.3v	75.11v	103.13v	45.3v	75.11v	684.74v
107	Eur Ing CA Painting	X	73.8v	73.7v	50.6v	48.5v	50.5v	50.7v	48.4v	72.6v	102.15v	43.1v	75.10v	684.74v
108	Mr TP Hammond	A	74.9v	72.7v	49.7v	49.6v	48.5v	48.3v	49.5v	74.8v	101.10v	46.2v	74.11v	684.73v
109	Mr ISL Dampney	X	70.6v	73.7v	50.8v	46.4v	50.8v	48.2v	49.6v	75.9v	103.13v	48.3v	72.6v	684.72v
110	Mr MCJ Button	X	72.6v	73.6v	47.4v	50.4v	50.7v	48.5v	46.3v	74.8v	103.12v	47.6v	74.11v	684.72v
111	Mr RJ Booth	O	71.7v	70.6v	48.7v	49.4v	49.6v	50.5v	49.6v	75.9v	101.9v	48.4v	74.8v	684.71v
112	Mr RA Benest	X	73.6v	72.9v	49.5v	48.5v	50.5v	49.6v	46.3v	75.11v	101.7v	47.3v	74.11v	684.71v
113	Mr MJM Black	A	73.9v	75.9v	47.5v	50.8v	50.8v	49.3v	46.3v	74.8v	101.9v	46.1v	73.8v	684.71v
114	Mr DJ Gass	X	74.7v	72.7v	49.7v	44.4v	49.5v	48.6v	49.3v	74.11v	103.10v	47.3v	75.7v	684.70v
115	Prof AR Horrocks	X	75.11v	73.9v	48.2v	49.3v	48.4v	47.3v	49.6v	73.10v	104.11v	46.3v	72.8v	684.70v
116	Mr KR Trowbridge	X	72.8v	72.6v	49.8v	49.6v	49.6v	47.2v	49.8v	74.6v	100.6v	49.3v	74.9v	684.68v
117	Mr LM Peden	A	72.8v	73.5v	49.5v	48.4v	50.9v	50.6v	48.5v	74.9v	102.6v	45.4v	73.7v	684.68v
118	Mr AP Barnes	X	70.6v	72.3v	50.8v	49.5v	49.6v	48.4v	50.5v	74.7v	101.8v	47.3v	74.11v	684.66v
119	Mr AM Bullen	A	72.8v	74.8v	49.5v	46.1v	50.1v	47.5v	50.5v	73.7v	102.10v	48.3v	73.8v	684.61v
120	Cdt LAE Crowson	T	74.11v	74.11v	49.6v	49.6v	47.4v	44.4v	44.3v	74.9v	104.12v	49.5v	75.12v	683.83v
121	Mr TJD Raincock	X	74.9v	71.5v	48.5v	48.3v	49.8v	48.5v	49.7v	74.12v	102.13v	49.6v	71.9v	683.82v
122	Lt Col CR Claridge	O	72.5v	74.10v	47.5v	47.4v	50.10v	48.4v	49.6v	75.12v	104.13v	46.3v	71.10v	683.82v
123	Mr JEM Bellringer	X	71.9v	74.9v	49.4v	48.4v	48.7v	48.7v	49.5v	72.10v	104.14v	48.5v	72.6v	683.80v
124	Mr BA Horwood	X	71.8v	75.11v	48.4v	48.6v	48.4v	48.5v	48.5v	75.12v	102.12v	47.4v	73.6v	683.77v
125	Mr JR Tuck	X	71.6v	74.10v	48.2v	45.3v	50.9v	48.5v	49.7v	75.13v	105.9v	46.4v	72.9v	683.77v
126	Major JRW Postle	A	74.6v	74.11v	48.3v	48.6v	50.7v	47.5v	47.4v	73.10v	104.12v	43.1v	75.12v	683.77v
127	Mr APW Daw	A	67.7v	72.8v	50.7v	49.4v	50.6v	46.1v	48.4v	75.12v	104.14v	49.4v	73.9v	683.76v

128	Mr CP Weeden	X	71.7v	68.4v	48.5v	49.7v	49.7v	49.5v	49.5v	75.9v	103.13v	48.5v	74.9v	683.76v
129	Mr MJ Barlow	X	74.9v	72.8v	48.4v	49.4v	46.4v	49.5v	46.1v	75.12v	101.9v	48.7v	75.12v	683.75v
130	Mr JR Davies	X	72.6v	73.8v	49.5v	49.6v	49.8v	50.4v	46.6v	75.12v	103.11v	43.2v	74.7v	683.75v
131	Mr GMLN Gilpin	X	72.7v	75.11v	50.5v	46.5v	48.7v	48.7v	49.5v	74.8v	102.11v	49.3v	70.5v	683.74v
132	Mr BV Cambray	A	74.10v	70.7v	50.8v	48.4v	49.3v	48.3v	48.5v	74.12v	103.9v	45.3v	74.10v	683.74v
133	Mr MF Martel	X	74.11v	73.5v	50.6v	49.4v	50.7v	48.4v	46.3v	74.11v	103.11v	45.3v	71.8v	683.73v
134	Mr NW Penn	A	70.6v	74.9v	48.4v	48.6v	48.6v	49.6v	46.6v	74.7v	103.9v	49.4v	74.9v	683.72v
135	Cpl J Wallace	O	73.10v	73.5v	49.8v	49.4v	49.4v	48.4v	48.3v	75.11v	102.15v	46.3v	71.5v	683.72v
136	Mr JGM Webster	X	74.9v	75.6v	50.8v	48.4v	48.5v	45.4v	47.3v	73.9v	101.12v	50.5v	72.6v	683.71v
137	Mr RBC Baker	A	75.9v	72.7v	48.6v	48.4v	49.6v	50.4v	47.3v	74.10v	102.9v	46.5v	72.8v	683.71v
138	Mrs JA Wagland	X	72.7v	72.10v	49.4v	49.6v	49.5v	47.3v	49.5v	72.7v	102.11v	49.4v	73.7v	683.69v
139	Mr PRD Stock	A	70.8v	72.7v	50.6v	49.7v	49.8v	47.4v	49.7v	73.6v	102.6v	48.4v	74.6v	683.69v
140	Lt AW Gill	O	72.6v	73.5v	48.4v	48.1v	49.6v	50.8v	48.5v	74.11v	101.11v	48.3v	72.7v	683.67v
141	Cdt AW Boyd	O	72.8v	74.6v	47.6v	49.5v	49.3v	49.6v	46.4v	73.8v	104.10v	47.2v	73.9v	683.67v
142	Mr RR Goodluck	O	74.6v	72.6v	49.7v	48.3v	48.3v	47.4v	46.5v	73.6v	103.13v	49.4v	74.9v	683.66v
143	Mr JB Hull	X	72.10v	74.9v	50.5v	48.4v	50.6v	45.1v	49.6v	71.7v	103.9v	50.3v	71.5v	683.65v
144	Mr M Woolger	X	75.10v	74.8v	49.6v	47.3v	49.4v	48.2v	49.5v	75.8v	103.8v	45.5v	69.6v	683.65v
145	Mr G Grosskreutz	X	74.4v	73.10v	49.7v	49.5v	49.5v	47.3v	47.4v	75.9v	104.8v	44.2v	72.7v	683.64v
146	Mr RCT Jeens	X	72.6v	74.9v	49.5v	50.5v	50.6v	46.4v	49.1v	73.6v	98.11v	48.3v	74.5v	683.61v
147	Mr JA Anderson	X	73.7v	71.7v	49.6v	48.3v	49.7v	50.4v	47.3v	74.6v	99.6v	49.3v	74.8v	683.60v
148	Mr IP Davison	X	73.10v	72.8v	47.6v	49.9v	50.8v	49.5v	47.3v	74.12v	101.10v	47.6v	73.7v	682.84v
149	Mr GW Woodman	X	73.8v	73.12v	48.6v	46.1v	49.8v	48.6v	47.5v	75.13v	104.15v	47.2v	72.7v	682.83v
150	Dr JR Deane	X	71.8v	72.7v	50.9v	48.4v	49.8v	47.4v	47.2v	75.12v	104.14v	45.5v	74.10v	682.83v
151	Flt Lt NP Moxon	A	74.8v	74.13v	49.5v	50.6v	48.4v	44.4v	49.7v	73.10v	102.12v	47.4v	72.7v	682.80v
152	Mr JPL Sweet	X	71.7v	73.4v	48.5v	49.4v	48.5v	49.7v	48.5v	74.11v	99.14v	50.7v	73.6v	682.75v
153	Mr JH Wood	O	75.9v	70.6v	49.6v	48.6v	50.7v	49.4v	47.3v	72.9v	101.11v	48.4v	73.10v	682.75v
154	Mr SC Postins	X	70.5v	73.9v	50.7v	48.5v	50.3v	48.6v	47.5v	75.10v	100.11v	47.4v	74.10v	682.75v
155	Mr ML Millar	X	73.10v	75.9v	47.3v	46.4v	50.7v	49.3v	47.4v	74.7v	102.14v	46.4v	73.10v	682.75v
156	Mr D Blake	X	72.9v	74.8v	47.5v	48.5v	48.5v	48.3v	48.6v	74.8v	101.10v	48.5v	74.9v	682.73v
157	Mr GS Cotton	X	72.8v	74.8v	49.6v	48.6v	50.7v	48.5v	50.8v	75.8v	101.8v	43.2v	72.6v	682.72v
158	Mr HN Watson	X	72.10v	72.5v	47.5v	48.6v	48.6v	46.3v	49.5v	74.7v	102.9v	50.7v	74.8v	682.71v
159	Mr PCA Slater	O	71.6v	73.7v	48.6v	48.4v	48.4v	47.4v	48.1v	75.14v	101.10v	48.2v	75.13v	682.71v
160	Miss JM Rankin	O	75.7v	75.8v	49.8v	49.5v	50.5v	45.4v	47.4v	72.9v	103.11v	46.4v	71.6v	682.71v
161	Flt Lt BN Roth	X	73.7v	74.9v	48.7v	46.3v	49.6v	48.3v	48.5v	74.10v	101.9v	48.5v	73.6v	682.70v
162	Mr RA Jobson	A	71.6v	74.6v	49.5v	46.1v	50.7v	48.5v	50.4v	75.10v	102.14v	46.7v	71.5v	682.70v
163	Miss SP Ward	X	71.7v	73.6v	48.3v	47.3v	48.4v	48.6v	46.5v	75.14v	103.7v	50.6v	73.8v	682.69v
164	Mr LT Wicker	X	71.5v	71.7v	50.6v	49.6v	48.2v	49.5v	47.2v	75.8v	102.14v	48.6v	72.8v	682.69v
165	Mr CRM Asquith	A	73.8v	73.10v	50.6v	48.4v	49.4v	45.2v	47.4v	71.6v	104.10v	48.5v	74.10v	682.69v
166	Mr RJS Curtis	X	72.6v	74.9v	48.6v	49.6v	50.8v	48.4v	48.4v	71.4v	104.13v	45.2v	73.7v	682.69v
167	Mr M Fray	O	74.4v	73.3v	48.5v	46.3v	50.6v	49.6v	47.4v	75.13v	99.9v	49.5v	72.5v	682.63v
168	Mr GC Baylis	O	73.7v	70.4v	47.5v	50.4v	50.8v	48.5v	47.4v	74.5v	101.8v	48.4v	74.8v	682.62v
169	Mr DFP Richards	X	72.10v	72.7v	50.6v	48.7v	49.5v	48.2v	44.4v	74.13v	102.13v	48.3v	74.10v	681.80v
170	Mr RN Stebbings	O	72.11v	73.7v	48.5v	49.4v	49.6v	47.6v	46.4v	74.11v	102.12v	47.6v	74.8v	681.80v
171	Mr JA Bullock	X	74.9v	73.8v	50.8v	46.3v	48.6v	48.7v	46.2v	75.9v	102.11v	44.4v	75.12v	681.79v
172	Mr DC Dyson	X	75.12v	72.5v	47.5v	48.3v	50.7v	46.3v	44.4v	74.9v	104.13v	46.3v	75.12v	681.76v
173	Mr AC Griffin	A	73.11v	71.9v	49.3v	50.4v	49.7v	46.4v	44.3v	74.10v	104.10v	47.4v	74.8v	681.73v
174	Mr A Burton	A	73.11v	75.10v	48.4v	48.4v	50.5v	50.6v	43.3v	74.9v	100.8v	46.3v	74.9v	681.72v
175	Mr KM Willingale	A	73.5v	71.7v	46.4v	47.3v	49.4v	48.5v	49.6v	74.11v	101.8v	49.7v	74.11v	681.71v
176	Mr ND Stangroom	X	72.9v	73.8v	47.3v	50.7v	49.5v	49.5v	49.4v	71.6v	101.9v	47.5v	73.10v	681.71v
177	Mr DGP Vamplew	X	73.9v	70.6v	48.7v	49.7v	49.6v	49.3v	48.4v	74.11v	103.10v	48.4v	70.3v	681.70v
178	Mr PG Oxnam	A	72.9v	74.11v	49.5v	49.4v	48.6v	49.5v	48.4v	69.6v	103.9v	47.5v	73.5v	681.69v
179	Dr AF Aspin	A	71.4v	72.6v	50.7v	47.2v	50.5v	48.4v	49.7v	73.8v	103.13v	47.4v	71.8v	681.68v
180	Mr PJ Johnson	X	74.9v	73.7v	49.7v	47.5v	49.4v	48.3v	47.3v	75.10v	104.8v	46.5v	69.6v	681.67v
181	Mr SH Cox	A	72.6v	74.4v	49.5v	47.5v	50.5v	50.5v	47.4v	73.8v	102.13v	45.2v	72.10v	681.67v
182	Mr J Huber	X	72.7v	74.7v	50.7v	46.4v	49.3v	50.4v	48.3v	75.11v	101.11v	45.2v	71.7v	681.66v
183	Mr SD Fulmer	X	72.5v	73.4v	46.5v	50.6v	48.5v	48.5v	48.4v	74.10v	101.12v	47.2v	74.7v	681.65v
184	Mr GW Clarke	O	73.5v	74.6v	47.5v	49.5v	50.7v	45.2v	47.4v	75.11v	104.9v	44.2v	73.9v	681.65v
185	Mr MJ Wood	X	72.3v	70.3v	49.7v	46.3v	50.2v	48.5v	46.3v	75.9v	103.15v	47.5v	75.9v	681.64v
186	Mr DGEM Mutter	O	73.6v	74.11v	50.8v	48.6v	48.5v	49.7v	47.4v	74.8v	101.13v	45.5v	71.7v	680.80v
187	Mr MA Kirkillo-Stacewicz	A	73.10v	74.8v	49.5v	46.4v	50.7v	47.3v	48.6v	74.12v	102.12v	45.2v	72.10v	680.79v
188	Mr PJ Westlake	X	73.8v	72.8v	49.5v	47.5v	50.7v	47.4v	50.5v	74.12v	102.13v	47.3v	69.6v	680.76v
189	Mr C Mallett	X	73.7v	73.10v	50.5v	47.4v	49.7v	49.7v	48.3v	74.11v	101.11v	44.2v	72.9v	680.76v
190	Mr R Birtwistle	A	73.9v	73.7v	45.3v	47.6v	49.6v	48.4v	46.4v	74.7v	102.13v	49.4v	74.10v	680.73v
191	Mr RL Cuthbert	X	74.7v	72.10v	49.5v	46.2v	48.7v	46.3v	49.3v	75.11v	104.13v	43.2v	74.9v	680.72v
192	Mr SNS Penrose	X	73.9v	69.4v	50.5v	47.3v	48.4v	47.5v	48.3v	75.11v	104.15v	48.4v	71.8v	680.71v
193	Dr CI Johnston	A	73.6v	74.5v	49.3v	44.5v	49.8v	48.7v	50.6v	74.13v	100.9v	47.2v	72.6v	680.70v
194	Miss AMG Ogilvie	O	73.8v	69.7v	50.6v	48.3v	49.7v	48.7v	48.2v	74.10v	102.7v	45.3v	74.10v	680.70v
195	Mr T Steele	X	72.4v	73.8v	48.5v	49.7v	48.5v	48.5v	48.3v	72.9v	101.11v	47.4v	74.8v	680.69v
196	Mr J Payne	A	75.12v	73.10v	48.7v	49.4v	47.3v	45.3v	46.0v	72.7v	104.12v	47.3v	74.8v	680.69v
197	Cdt CS Milton	O	73.8v	74.11v	50.5v	47.5v	50.7v	47.5v	45.3v	73.5v	101.9v	46.2v	74.9v	680.69v
198	Mr IF Luckman	O	70.5v	75.8v	46.4v	49.7v	48.3v	50.4v	49.5v	75.12v	98.10v	45.3v	75.8v	680.69v

199	Mr P Dawes	O	73.7v	72.5v	50.9v	49.8v	50.4v	46.2v	48.7v	73.9v	101.10v	46.0v	72.7v	680.68v
200	Mr KB Hill	O	71.7v	72.7v	47.2v	50.6v	49.5v	49.5v	48.2v	74.11v	102.10v	45.3v	73.6v	680.64v
201	Mr AJC Wilson	A	72.7v	74.8v	48.4v	49.7v	47.4v	49.6v	49.2v	74.5v	98.8v	48.5v	72.6v	680.62v
202	Mr SJ Carson	A	71.7v	75.9v	48.4v	49.2v	50.8v	46.3v	48.4v	75.8v	98.7v	46.3v	74.6v	680.61v
203	Mr WDH Burden	X	74.9v	73.6v	49.4v	48.2v	49.4v	47.5v	48.5v	75.8v	101.7v	45.2v	71.9v	680.61v
204	Mr A Tikkanen	X	71.5v	70.7v	50.4v	49.8v	48.3v	49.4v	48.2v	74.10v	102.8v	46.2v	73.7v	680.60v
205	Mr ITG Shaw	X	69.7v	73.7v	49.3v	45.6v	50.7v	47.5v	49.8v	74.13v	105.16v	46.4v	72.7v	679.83v
206	Mr BA Young	A	73.11v	74.12v	49.3v	44.3v	49.6v	48.7v	49.5v	74.12v	104.13v	44.3v	71.7v	679.82v
207	Mr JA Borland	O	71.7v	73.10v	49.6v	47.4v	48.6v	47.5v	48.6v	75.10v	104.12v	44.3v	73.10v	679.79v
208	Mr AS Errey	A	73.10v	75.11v	49.6v	48.6v	50.8v	47.2v	47.4v	75.8v	101.13v	44.4v	70.6v	679.78v
209	Mr JP Barry	O	71.7v	73.10v	45.0v	47.2v	50.7v	49.6v	48.7v	72.7v	99.13v	50.8v	75.9v	679.76v
210	Mr NJ Burnip	O	72.9v	71.6v	49.6v	47.4v	49.6v	48.7v	49.5v	73.11v	103.8v	47.3v	71.9v	679.74v
211	Mr SHJ Harley	X	71.8v	73.9v	50.7v	48.6v	50.3v	47.6v	49.5v	74.10v	102.11v	45.3v	70.6v	679.74v
212	Mr RP Rosling	O	71.7v	72.9v	49.5v	47.3v	49.5v	49.6v	48.6v	75.13v	102.9v	46.3v	71.7v	679.73v
213	Mr MJ MacKeith	A	74.10v	71.4v	49.6v	50.7v	50.6v	46.4v	47.5v	75.11v	104.10v	46.2v	67.7v	679.72v
214	Mr NG Smith	O	72.8v	74.11v	50.4v	47.2v	50.7v	46.3v	48.6v	75.12v	102.7v	42.2v	73.10v	679.72v
215	Mr DE Nuthall	X	75.9v	72.6v	48.5v	45.4v	49.8v	47.3v	50.4v	74.10v	103.11v	42.4v	74.7v	679.71v
216	Mr CM Brooks	O	72.10v	72.8v	49.5v	46.2v	48.6v	48.2v	50.6v	73.9v	99.10v	48.3v	74.9v	679.70v
217	Mr NA Cock	X	73.9v	73.9v	48.4v	46.3v	48.7v	50.6v	47.6v	75.10v	101.7v	44.0v	74.8v	679.69v
218	Mr SC Williamson	X	74.8v	73.10v	48.3v	49.6v	49.8v	46.2v	45.5v	73.10v	103.7v	45.2v	74.7v	679.68v
219	Mr B Langille	X	72.8v	70.7v	47.3v	49.1v	50.8v	46.4v	46.4v	75.10v	103.9v	47.4v	74.9v	679.67v
220	Mr C Rivett-Carnac	O	72.9v	72.4v	49.5v	49.5v	49.5v	46.3v	46.3v	74.9v	102.11v	46.4v	74.9v	679.67v
221	Mr ER Johnson	X	74.6v	73.8v	49.6v	49.4v	49.5v	46.3v	47.2v	75.12v	104.14v	42.2v	71.5v	679.67v
222	Miss S-J Binder	X	70.6v	75.8v	47.3v	49.5v	50.8v	50.6v	44.3v	73.5v	101.11v	48.3v	72.8v	679.66v
223	Mr RAV Hebblethwaite	X	74.7v	74.7v	49.9v	44.0v	50.4v	48.3v	50.7v	75.14v	100.6v	42.1v	73.7v	679.65v
224	Miss JE Ouston	O	74.8v	75.10v	50.4v	49.5v	45.2v	48.4v	47.3v	72.9v	102.11v	46.1v	71.7v	679.64v
225	Mr PR Coley	A	71.5v	72.7v	48.3v	50.6v	48.4v	49.5v	48.3v	72.8v	102.11v	44.3v	75.9v	679.64v
226	Dr JS Rennie	X	72.4v	72.7v	48.6v	49.4v	50.6v	47.4v	45.2v	74.7v	97.7v	50.6v	75.10v	679.63v
227	Mr AA Williams	A	73.7v	71.6v	49.6v	49.5v	50.8v	46.4v	48.4v	74.10v	104.9v	46.1v	69.3v	679.63v
228	Mr BGE Picton	O	70.6v	75.8v	48.3v	46.3v	50.6v	50.5v	48.3v	73.7v	101.11v	45.3v	73.8v	679.63v
229	Mr RI Nelson	A	74.9v	72.8v	47.6v	49.7v	49.6v	50.4v	47.5v	75.11v	102.13v	44.1v	69.8v	678.78v
230	Mr H Ball	A	70.7v	72.10v	48.8v	47.4v	50.6v	49.5v	50.6v	75.10v	99.8v	45.5v	73.8v	678.77v
231	Mr PAE Charlton	A	71.6v	74.12v	49.3v	46.2v	49.6v	48.6v	49.5v	74.8v	98.11v	46.3v	74.13v	678.75v
232	Mr E Malleison	O	74.9v	73.8v	49.6v	47.5v	50.5v	47.5v	49.5v	74.10v	100.11v	48.6v	67.4v	678.74v
233	Mr DW Baker	X	71.8v	70.5v	49.5v	44.2v	50.9v	46.4v	48.6v	75.11v	105.12v	48.6v	72.5v	678.73v
234	Mr RdeV Chase	X	72.5v	74.10v	49.6v	49.5v	50.7v	46.2v	46.1v	74.13v	100.12v	47.3v	71.6v	678.70v
235	Mr RW Shaw	A	73.6v	73.8v	47.3v	46.4v	50.6v	46.5v	49.4v	75.13v	103.14v	45.2v	71.5v	678.70v
236	Mr DJ Curtis	A	69.5v	73.6v	48.7v	45.4v	49.6v	49.3v	47.3v	75.9v	100.11v	49.7v	74.8v	678.69v
237	Mr ACH Bryson	X	74.8v	72.9v	48.4v	48.4v	48.3v	46.5v	48.4v	75.10v	100.10v	49.6v	70.6v	678.69v
238	Mr TJ Roberts	A	71.8v	73.6v	48.5v	48.3v	50.8v	49.6v	48.4v	72.10v	99.9v	47.2v	73.8v	678.69v
239	Mr BMA Stevens	X	73.8v	73.6v	49.7v	46.3v	48.3v	47.4v	49.6v	74.8v	99.13v	46.2v	74.9v	678.69v
240	Mr TP Clarke	A	73.11v	73.5v	49.7v	48.6v	50.7v	47.3v	47.2v	73.6v	100.12v	46.2v	72.8v	678.69v
241	Mr EC Dickson	X	74.7v	73.9v	49.7v	49.6v	50.8v	45.5v	47.2v	75.9v	101.9v	42.1v	73.6v	678.69v
242	Mr HA Day	X	71.4v	74.8v	48.2v	49.3v	50.7v	47.5v	48.5v	74.10v	100.12v	46.4v	71.8v	678.68v
243	Mr WH Putter	O	74.9v	72.8v	48.5v	49.3v	48.6v	47.3v	47.6v	74.6v	101.12v	45.2v	73.8v	678.68v
244	CSjt D Taylor	O	73.5v	71.6v	47.2v	49.5v	49.5v	49.4v	46.4v	74.8v	103.14v	43.3v	74.11v	678.67v
245	Mr AP Smith	O	73.9v	70.6v	48.4v	48.4v	50.5v	48.5v	47.3v	72.6v	102.10v	45.4v	75.10v	678.66v
246	Mr RJ Coffin	O	72.5v	73.8v	49.6v	47.4v	50.4v	48.7v	45.4v	73.7v	103.11v	46.4v	72.5v	678.65v
247	Mr S Robinson	A	74.5v	73.10v	47.4v	47.3v	50.4v	48.3v	47.3v	73.11v	102.13v	45.2v	72.7v	678.65v
248	Mr IMR Power	O	73.8v	73.5v	50.7v	47.3v	47.4v	49.6v	47.4v	74.8v	102.9v	43.4v	73.6v	678.64v
249	Mr E McConnell	O	72.6v	71.4v	47.2v	49.5v	49.6v	45.2v	46.3v	75.12v	104.10v	48.3v	72.10v	678.63v
250	Mr S Belither	A	74.12v	73.6v	45.4v	49.1v	49.4v	48.6v	46.3v	75.8v	99.10v	47.2v	73.7v	678.63v
251	Mr RM Hatcher	X	73.7v	72.6v	49.4v	49.5v	48.4v	46.3v	48.3v	75.12v	102.11v	45.2v	71.5v	678.62v
252	Ms LA Johnson	A	74.5v	74.7v	48.4v	45.1v	49.5v	48.7v	49.8v	74.10v	100.8v	46.2v	71.3v	678.60v
253	Mr D Le Quesne	X	73.9v	71.9v	50.7v	45.6v	49.4v	47.5v	48.6v	74.9v	104.16v	47.6v	69.3v	677.80v
254	Mr WLL Lewis	A	72.10v	71.6v	50.6v	49.7v	47.4v	47.3v	46.4v	74.13v	101.12v	46.3v	74.11v	677.79v
255	Wg Cdr RJS Clark	A	72.7v	72.6v	49.6v	50.8v	49.8v	49.4v	47.5v	74.11v	100.9v	43.2v	72.8v	677.74v
256	Dr CD Haley	X	73.8v	74.10v	49.4v	44.1v	50.8v	48.4v	47.6v	70.11v	101.11v	48.3v	73.7v	677.73v
257	Mrs GD Webb-Enslin	X	74.9v	73.9v	47.3v	49.4v	50.8v	44.3v	42.0v	74.11v	104.15v	47.6v	73.5v	677.73v
258	Mr AP Sykes	X	72.8v	73.7v	50.7v	47.3v	49.5v	48.5v	49.4v	71.10v	102.13v	43.2v	73.9v	677.73v
259	Mr PJ Chapman-Sheath	O	71.8v	70.5v	50.3v	49.7v	49.7v	47.6v	47.6v	72.9v	104.9v	47.4v	71.8v	677.72v
260	Mr T Keen	A	72.9v	72.7v	49.4v	50.4v	48.5v	47.7v	47.5v	74.10v	100.12v	45.4v	73.5v	677.72v
261	Mr GW Morgan	O	67.6v	74.6v	48.5v	49.5v	50.6v	48.5v	48.6v	73.9v	101.11v	45.3v	74.10v	677.72v
262	Mr T Horrocks	O	74.9v	68.2v	50.7v	48.7v	49.4v	48.6v	50.7v	74.12v	101.7v	44.2v	71.8v	677.71v
263	Mr OP Henry	A	70.7v	73.6v	48.6v	49.6v	50.5v	46.5v	47.2v	72.9v	101.9v	48.5v	73.9v	677.69v
264	Mr C Mitchell	O	73.9v	73.8v	49.4v	48.5v	48.6v	48.4v	45.2v	73.8v	101.12v	48.5v	71.6v	677.69v
265	Lt Col AJW Sturrock	A	73.8v	71.7v	49.6v	45.3v	49.4v	49.6v	47.5v	73.9v	101.11v	47.2v	73.8v	677.69v
266	Mr R Kloosterman	A	71.5v	70.7v	50.7v	50.6v	49.5v	50.7v	48.7v	70.7v	100.6v	47.4v	72.7v	677.68v
267	Mr JI Jobson	O	71.8v	72.9v	49.6v	48.3v	49.5v	48.3v	48.4v	72.8v	101.11v	45.3v	74.8v	677.68v
268	Mr SJ East	A	72.7v	71.6v	48.3v	49.6v	48.6v	50.4v	47.5v	74.12v	100.9v	45.2v	73.8v	677.68v
269	Mr TW Hunter	X	71.6v	74.7v	47.3v	45.4v	49.8v	46.4v	48.5v	74.9v	105.11v	44.1v	74.10v	677.68v

270	Mr CD Atkins	O	71.7v	75.11v	50.8v	49.6v	49.6v	46.3v	46.3v	72.6v	99.8v	48.3v	72.6v	677.67v
271	Mr JDI Hossack	O	71.5v	73.4v	49.7v	47.4v	49.7v	49.4v	47.3v	75.11v	103.13v	42.2v	72.7v	677.67v
272	Mr R Winney	O	72.8v	71.6v	48.5v	49.4v	48.7v	48.3v	44.0v	72.6v	105.14v	48.3v	72.6v	677.62v
273	Mr MR Fugeman	X	70.3v	74.8v	48.5v	47.3v	50.4v	50.6v	49.5v	74.9v	99.10v	45.2v	71.5v	677.60v
274	Mr DR Cadden	X	74.6v	70.5v	50.6v	48.6v	49.6v	47.2v	48.3v	72.6v	104.7v	41.1v	74.8v	677.56v
275	Mr PJR Holden	X	72.5v	69.2v	50.5v	49.2v	50.2v	49.4v	48.4v	74.9v	101.10v	44.1v	71.8v	677.52v
276	Mr A Chown	A	75.9v	71.5v	47.5v	48.5v	47.4v	45.3v	48.6v	75.10v	103.16v	42.2v	75.12v	676.77v
277	Mr R Sandlant	X	73.7v	72.6v	49.4v	47.5v	48.6v	45.4v	47.5v	74.10v	100.12v	47.4v	74.11v	676.74v
278	Cdt JW Alexander	O	72.6v	74.8v	50.5v	47.6v	49.8v	47.6v	48.5v	74.10v	103.9v	41.4v	71.6v	676.73v
279	Mr MJJ Charlton	X	70.6v	74.9v	47.5v	48.4v	49.6v	49.3v	45.3v	73.13v	100.9v	47.3v	74.11v	676.72v
280	Mr RW Hallows	O	72.6v	71.7v	48.5v	48.6v	47.4v	47.7v	48.5v	75.12v	104.13v	48.2v	68.4v	676.71v
281	Mr RK Sheead	A	71.8v	72.5v	50.4v	49.7v	49.5v	47.3v	47.6v	74.11v	96.6v	47.6v	74.10v	676.71v
282	Cdt AEC Corner	O	70.6v	73.6v	49.4v	48.7v	49.5v	49.4v	49.7v	74.10v	99.13v	46.3v	70.6v	676.71v
283	Mr L Chisholm	T	74.10v	71.6v	45.2v	45.2v	48.5v	46.1v	47.5v	74.14v	103.9v	48.6v	75.9v	676.69v
284	Cdt HCM Bennett	O	72.7v	73.8v	48.5v	46.3v	50.8v	48.5v	45.4v	72.9v	101.8v	48.6v	73.6v	676.69v
285	Mr RE Ellis	A	72.8v	75.6v	50.9v	46.4v	49.5v	45.4v	48.6v	73.7v	101.10v	47.4v	70.6v	676.69v
286	Mr RH Kitson	O	72.6v	73.7v	47.6v	47.4v	50.6v	46.4v	48.4v	75.11v	100.10v	46.3v	72.8v	676.69v
287	Mr SL Larter-Whitcher	O	72.8v	68.4v	47.4v	48.6v	48.6v	50.4v	47.1v	72.6v	103.12v	48.5v	73.12v	676.68v
288	Mr SJ Comins	A	70.6v	69.8v	48.6v	50.8v	49.3v	50.6v	49.5v	74.7v	97.9v	47.1v	73.9v	676.68v
289	Wg Cdr CJ Hockley	O	73.8v	73.5v	47.3v	42.0v	49.8v	48.3v	49.9v	75.12v	102.8v	45.3v	73.9v	676.68v
290	Mr BJ Page	A	73.11v	73.9v	47.4v	48.4v	49.6v	48.8v	45.3v	75.8v	103.8v	40.1v	75.6v	676.68v
291	Mr PD Griggs	X	74.11v	69.3v	48.4v	49.5v	49.6v	48.3v	46.6v	72.7v	104.12v	46.3v	71.5v	676.65v
292	Mr WA Langley	A	71.6v	74.6v	47.4v	47.3v	48.4v	48.6v	48.4v	72.8v	101.11v	48.5v	72.7v	676.64v
293	Mr EI Cartwright	O	69.3v	74.9v	50.7v	46.5v	50.6v	46.2v	49.3v	75.10v	102.10v	45.2v	70.6v	676.63v
294	Mr HWR Gilbert	O	69.4v	71.5v	48.5v	50.7v	49.5v	48.3v	48.8v	72.7v	102.9v	47.2v	72.6v	676.61v
295	Mr JA Dallas	O	72.5v	72.9v	48.5v	48.4v	47.5v	49.5v	49.5v	73.5v	99.10v	46.2v	73.5v	676.60v
296	Mr EBD Reis	A	73.8v	73.10v	50.6v	47.6v	49.8v	42.2v	47.4v	75.11v	101.12v	46.3v	72.7v	675.77v
297	Mr NJ Branch	X	72.8v	73.6v	47.5v	49.4v	48.4v	48.5v	47.4v	71.10v	102.14v	44.3v	74.10v	675.73v
298	Mr RJ Waters	A	73.5v	72.8v	48.5v	49.4v	49.8v	48.5v	46.3v	72.11v	101.8v	48.4v	69.9v	675.70v
299	Mr B Taylor	X	72.8v	73.10v	49.7v	50.8v	48.6v	47.4v	47.4v	73.9v	98.11v	46.2v	72.1v	675.70v
300	Capt BW Yarmoshuk	O	70.3v	73.11v	49.7v	48.3v	49.7v	47.4v	47.5v	74.11v	100.8v	47.3v	71.7v	675.69v
301	Mr ER Welford	A	68.6v	72.7v	47.5v	46.3v	50.9v	48.4v	50.7v	74.10v	101.7v	47.5v	72.5v	675.68v
302	Miss MU Burger	O	70.6v	73.10v	50.6v	47.5v	48.6v	45.3v	49.5v	74.8v	100.9v	45.4v	74.6v	675.68v
303	Mr CC Mallett Jnr	A	73.9v	74.8v	47.3v	49.7v	49.6v	47.4v	49.5v	74.10v	100.7v	40.1v	73.8v	675.68v
304	Mr JIB Halahan	A	71.7v	73.8v	49.7v	45.1v	49.4v	45.4v	46.4v	74.10v	102.12v	48.5v	73.5v	675.67v
305	Mr DA Whalan	O	72.8v	72.3v	47.5v	50.7v	45.1v	49.5v	48.5v	74.9v	100.11v	47.4v	71.8v	675.66v
306	Mr AR Wilde	X	72.7v	74.5v	49.6v	46.3v	50.7v	46.3v	48.6v	74.10v	101.13v	46.2v	69.4v	675.66v
307	Mr PS Gray	A	71.7v	74.9v	49.3v	50.4v	48.6v	48.6v	47.4v	74.7v	98.9v	43.1v	73.10v	675.66v
308	Miss GC O'Leary	X	71.7v	71.8v	47.5v	50.6v	50.6v	46.5v	47.2v	73.5v	103.10v	42.3v	75.9v	675.66v
309	Cpl WJD Broad	A	72.4v	75.7v	47.4v	48.5v	49.6v	47.3v	46.2v	74.7v	101.13v	46.5v	70.9v	675.65v
310	Mr WJ Rowland	A	75.8v	75.9v	47.2v	47.5v	49.6v	44.1v	48.7v	72.7v	101.10v	45.2v	72.7v	675.64v
311	Miss RJA Argo	T	75.9v	72.7v	50.3v	48.4v	48.4v	49.6v	48.4v	70.6v	100.13v	44.3v	71.5v	675.64v
312	Mr PG Thurtell	X	69.3v	72.7v	48.4v	48.5v	50.7v	48.2v	47.3v	74.9v	102.12v	43.2v	74.9v	675.63v
313	Mr GAE Larcombe	O	71.7v	74.12v	47.3v	47.2v	49.5v	47.4v	46.3v	74.7v	100.9v	50.4v	70.6v	675.62v
314	Mr JF Lawrie	O	73.9v	73.6v	49.5v	46.3v	48.1v	45.3v	49.4v	73.6v	103.12v	44.4v	72.8v	675.61v
315	Mr CA White	A	71.7v	73.10v	47.4v	48.6v	48.3v	49.2v	46.3v	73.8v	104.9v	42.2v	74.7v	675.61v
316	Mr TA Chapman	A	70.6v	72.8v	50.5v	47.3v	48.5v	45.4v	48.6v	73.5v	102.10v	47.4v	73.4v	675.60v
317	Mr RF Barrington	A	74.10v	73.7v	47.3v	48.3v	50.7v	47.4v	45.2v	73.6v	100.10v	48.1v	70.5v	675.58v
318	Hon D Cooper	A	73.5v	73.9v	49.6v	49.5v	46.2v	48.5v	46.1v	73.6v	101.8v	46.3v	71.7v	675.57v
319	Mr BW Macdonald	O	72.7v	70.4v	50.5v	46.3v	49.7v	48.4v	49.3v	74.6v	102.13v	44.4v	71.1v	675.57v
320	Miss RC Stevens	T	72.7v	73.10v	46.3v	47.3v	49.5v	48.2v	47.3v	72.7v	102.6v	47.4v	72.6v	675.56v
321	Capt G-M T Strachan-Heyes	O	70.3v	74.5v	47.5v	48.4v	48.4v	49.4v	45.3v	74.7v	100.9v	46.4v	74.7v	675.55v
322	Cdt MC Evans	T	71.4v	72.5v	46.4v	48.3v	45.2v	47.2v	48.4v	74.8v	102.7v	48.5v	74.8v	675.52v
323	Mr SJ Bissonnette	X	71.6v	73.11v	41.1v	50.8v	49.6v	49.7v	45.2v	74.11v	102.9v	47.3v	73.11v	674.75v
324	Mr TAD Lilley	A	73.7v	74.8v	46.5v	43.0v	49.8v	43.3v	50.7v	75.12v	100.12v	48.4v	73.7v	674.73v
325	Miss HA Foster	A	72.8v	75.12v	47.7v	49.5v	46.3v	50.7v	45.3v	74.10v	102.7v	46.4v	68.6v	674.72v
326	Mr P De Voil	A	74.9v	72.9v	48.6v	47.5v	49.6v	47.4v	48.3v	71.9v	103.10v	46.3v	69.8v	674.72v
327	Cdt MJ Lidgitt	O	72.6v	73.11v	46.4v	49.5v	50.8v	45.3v	47.4v	73.10v	99.9v	47.3v	73.7v	674.70v
328	Mr MJ Brister	X	72.7v	73.7v	46.3v	49.3v	48.4v	44.3v	47.6v	75.10v	101.11v	46.5v	73.10v	674.69v
329	Cdt AW Dowle	T	72.5v	75.7v	50.8v	49.6v	49.8v	45.5v	48.3v	74.9v	102.8v	40.3v	70.6v	674.68v
330	Mr DS Murray	X	70.8v	73.9v	49.5v	49.5v	50.5v	48.5v	49.4v	72.6v	100.13v	40.0v	74.8v	674.68v
331	Cdt O Ahmed	O	68.6v	74.11v	50.4v	48.3v	50.2v	48.4v	48.5v	73.9v	103.14v	38.1v	74.9v	674.68v
332	Mr FA Ellis	X	70.5v	74.8v	49.5v	47.4v	50.9v	45.3v	48.4v	72.7v	101.9v	46.2v	72.11v	674.67v
333	Miss C Choquette	T	70.5v	72.7v	50.5v	47.5v	47.5v	47.5v	46.5v	74.9v	101.5v	47.6v	73.9v	674.66v
334	C Saina	O	74.8v	72.9v	48.5v	47.6v	50.6v	46.4v	47.4v	73.5v	101.12v	47.4v	69.3v	674.66v
335	Mr IRM Brown	A	73.9v	72.6v	49.3v	47.4v	48.4v	46.4v	47.3v	75.10v	101.10v	43.1v	73.11v	674.65v
336	Mr MR Place	O	71.10v	71.5v	45.5v	49.3v	50.3v	48.7v	49.3v	72.7v	99.6v	47.5v	73.9v	674.63v
337	Wg Cdr MJ Gregory	A	73.8v	73.7v	49.4v	46.4v	47.4v	43.2v	47.4v	74.7v	101.11v	46.1v	75.10v	674.62v
338	Mrs A Tracey	A	73.6v	75.9v	46.1v	48.7v	50.8v	44.0v	47.4v	72.8v	100.10v	45.2v	74.6v	674.61v
339	Mr CD Heales	A	73.11v	72.8v	46.3v	49.5v	48.4v	49.7v	47.4v	71.3v	102.7v	45.1v	72.8v	674.61v
340	Mr CDP Pocock	O	74.9v	74.8v	47.4v	48.2v	47.5v	45.4v	50.6v	73.7v	100.7v	44.2v	72.6v	674.60v



341	Mr PJS Bysshe	A	70.3v	72.3v	48.4v	47.5v	50.8v	48.5v	48.1v	71.7v	101.10v	45.4v	74.7v	674.57v
342	Mr TL Bedwell	O	71.6v	72.6v	49.2v	46.4v	48.5v	48.4v	48.4v	72.5v	100.10v	48.2v	72.8v	674.56v
343	E Legei	O	72.6v	74.8v	46.0v	47.2v	49.3v	45.1v	46.4v	72.5v	101.9v	49.6v	73.9v	674.53v
344	Miss D O'Kelly	O	70.6v	69.6v	47.4v	48.5v	49.7v	49.3v	46.6v	74.12v	98.9v	48.5v	75.14v	673.77v
345	Cdt CA Staples	O	73.7v	74.10v	50.7v	39.2v	49.7v	46.5v	47.4v	75.10v	102.10v	45.4v	73.9v	673.75v
346	Miss DS Hume	A	74.7v	74.11v	48.4v	47.6v	48.7v	46.4v	49.5v	74.13v	98.6v	43.2v	72.8v	673.73v
347	Mr DV Enslin	X	73.5v	71.9v	48.6v	48.4v	49.6v	48.6v	49.4v	72.9v	101.11v	44.4v	70.8v	673.72v
348	Mr DH Allen	O	73.10v	71.11v	43.3v	50.6v	49.4v	47.5v	47.2v	73.7v	100.11v	47.6v	73.6v	673.71v
349	Mr DMC Dodds	X	74.6v	72.8v	48.5v	49.6v	50.6v	45.3v	45.3v	73.10v	103.16v	41.1v	73.7v	673.71v
350	Mr RG Scott	A	70.2v	73.11v	47.6v	46.4v	50.5v	46.4v	48.5v	73.10v	104.16v	43.0v	73.7v	673.70v
351	Mr T Drysdale	O	73.9v	72.8v	45.3v	47.2v	47.3v	48.3v	47.5v	75.12v	99.12v	45.3v	75.8v	673.68v
352	Mr MD Joyce	A	73.6v	71.8v	49.7v	46.2v	50.7v	47.7v	45.4v	73.10v	103.10v	45.2v	71.5v	673.68v
353	Mr I Francis	O	72.7v	71.7v	50.3v	50.6v	47.5v	49.5v	49.6v	75.11v	102.12v	39.1v	69.5v	673.68v
354	Mr M Stewart	O	71.9v	71.2v	49.6v	47.4v	50.8v	48.5v	50.8v	75.9v	103.11v	36.1v	73.5v	673.68v
355	Major P Mathenge	X	70.4v	73.10v	50.8v	45.3v	50.7v	45.2v	46.5v	75.7v	98.9v	49.2v	72.8v	673.65v
356	Mr PR Thompson	A	69.5v	73.7v	45.2v	48.5v	50.8v	49.6v	49.7v	73.7v	101.9v	44.3v	72.6v	673.65v
357	Mr AD Hunter	X	72.5v	72.6v	47.5v	48.4v	50.8v	47.3v	43.3v	75.10v	103.11v	45.0v	71.7v	673.62v
358	Mr NC Granger	O	72.9v	73.7v	47.2v	46.1v	49.8v	43.2v	48.5v	74.8v	103.8v	49.5v	69.6v	673.61v
359	Mr JE White	A	74.5v	70.3v	47.3v	47.4v	47.5v	50.6v	46.1v	71.7v	100.13v	47.4v	74.9v	673.60v
360	Mr JA Lindsay III	A	73.3v	68.5v	45.4v	49.5v	49.8v	46.4v	47.5v	73.9v	103.6v	48.1v	72.9v	673.59v
361	Mr R Harwood	O	73.5v	73.6v	49.7v	46.1v	48.6v	48.4v	47.2v	73.7v	101.10v	45.5v	70.6v	673.59v
362	Mr M Liversage	O	75.8v	69.5v	46.3v	50.6v	49.3v	46.3v	48.5v	73.9v	101.7v	44.3v	72.7v	673.59v
363	Miss S Cheslyn-Curtis	O	69.6v	74.9v	49.4v	45.3v	49.6v	48.5v	48.4v	73.6v	101.11v	48.1v	69.3v	673.58v
364	Mr DCW Lloyd	O	72.7v	74.5v	47.4v	47.5v	50.8v	48.4v	45.4v	73.7v	101.9v	44.0v	72.5v	673.58v
365	Mr ML Wilks	T	72.7v	73.10v	48.2v	48.5v	44.4v	49.3v	46.3v	73.6v	101.6v	47.4v	72.7v	673.57v
366	Mr B Hirst	O	69.8v	71.6v	49.6v	47.2v	48.3v	46.3v	49.5v	70.6v	103.8v	48.2v	73.6v	673.55v
367	Mr MC Parker	O	74.10v	71.5v	47.3v	49.6v	48.4v	45.2v	44.4v	72.6v	101.7v	47.3v	75.5v	673.55v
368	Cdt WBP Hutton	O	71.7v	70.6v	45.3v	47.3v	49.4v	49.3v	47.4v	74.8v	101.8v	47.2v	73.7v	673.55v
369	Mr MRM Millar	O	72.6v	72.8v	48.6v	42.3v	49.5v	45.5v	50.8v	72.8v	102.9v	47.4v	73.9v	672.71v
370	Mr NJB Blunsom	T	73.8v	71.5v	47.6v	48.5v	49.6v	47.7v	50.5v	73.9v	102.9v	43.2v	69.5v	672.67v
371	Miss HM Taylor	A	72.7v	74.9v	47.5v	49.5v	48.5v	49.4v	42.2v	74.10v	101.11v	44.3v	72.5v	672.66v
372	Prof MJ Guille	O	73.9v	72.9v	47.5v	50.6v	46.6v	47.6v	45.6v	72.4v	102.6v	46.2v	72.6v	672.65v
373	Mr AJD Saunders	O	73.7v	75.10v	47.2v	48.4v	47.5v	47.3v	49.6v	72.8v	98.10v	43.2v	73.5v	672.62v
374	Mr S Pearson	A	74.7v	72.6v	43.0v	50.6v	50.8v	43.3v	47.5v	73.7v	99.11v	48.2v	73.6v	672.61v
375	Mr RL Mundy	O	69.8v	73.10v	48.6v	50.4v	49.6v	49.6v	46.2v	74.7v	98.6v	43.3v	73.3v	672.61v
376	Mr G Boehme	X	72.5v	71.9v	49.5v	47.2v	48.7v	47.5v	48.2v	73.8v	100.10v	43.1v	74.7v	672.61v
377	Mr OL Ryzdziejewicz	O	72.7v	73.4v	47.4v	45.2v	50.6v	48.5v	45.4v	73.7v	100.8v	48.7v	71.6v	672.60v
378	Mr RJ Quay	A	73.7v	74.7v	49.4v	47.3v	48.6v	47.3v	46.3v	74.8v	103.11v	40.2v	71.6v	672.60v
379	Mr IDC Brechin	O	72.5v	72.6v	48.6v	48.5v	44.2v	43.1v	48.5v	73.5v	104.11v	46.4v	74.7v	672.57v
380	Mr DQM Harvey	O	72.5v	71.6v	48.4v	47.4v	49.5v	44.2v	46.3v	73.6v	102.12v	47.1v	73.8v	672.56v
381	Mrs T Newbold	O	75.7v	71.6v	48.4v	46.1v	47.6v	48.5v	46.2v	75.8v	100.9v	44.3v	72.5v	672.56v
382	Wg Cdr CR Smith	A	70.5v	73.6v	47.5v	49.4v	47.1v	47.3v	46.3v	74.8v	102.8v	46.2v	71.4v	672.49v
383	Mr J Pyne	O	73.10v	73.9v	44.4v	46.4v	49.8v	45.3v	47.5v	74.10v	102.15v	44.1v	74.7v	671.76v
384	Miss DL Fenn	X	70.8v	74.9v	48.7v	44.5v	49.7v	49.6v	47.7v	74.10v	101.9v	43.2v	72.4v	671.74v
385	Mr P Barber	O	69.7v	71.7v	48.7v	47.1v	46.2v	49.5v	46.6v	75.11v	100.12v	49.5v	71.8v	671.71v
386	Mr MW Silver	X	71.6v	70.6v	46.3v	47.4v	50.10v	45.3v	47.2v	73.12v	104.13v	43.2v	75.8v	671.69v
387	Mr JA Garnett	A	74.6v	74.11v	47.6v	47.4v	49.6v	44.3v	49.6v	73.8v	104.13v	41.0v	69.5v	671.68v
388	Mr DJ Tracey	A	73.9v	71.7v	46.5v	48.4v	49.7v	46.2v	48.5v	70.6v	100.8v	46.3v	74.10v	671.66v
389	Mr OC Collas	X	74.6v	72.6v	50.9v	46.6v	48.3v	45.4v	47.3v	70.4v	101.11v	45.2v	73.9v	671.63v
390	Mr RG Faulkner	A	71.3v	72.6v	45.2v	50.5v	47.6v	44.2v	45.3v	75.7v	102.13v	47.5v	73.8v	671.60v
391	Lt Col CST Lehmann	A	73.5v	75.9v	48.6v	47.4v	46.4v	46.2v	49.6v	72.5v	101.12v	42.2v	72.4v	671.59v
392	Mr G Trembath	A	70.5v	72.5v	49.7v	50.3v	45.3v	46.3v	47.3v	73.9v	101.10v	43.1v	75.9v	671.58v
393	Cdt Sgt HW Orpen-Smellie	O	70.7v	72.8v	49.3v	44.1v	50.7v	46.2v	49.5v	73.7v	99.7v	47.3v	72.7v	671.57v
394	Mr B Jones	A	75.9v	73.8v	48.3v	48.4v	50.4v	49.0v	45.0v	72.10v	97.8v	42.3v	72.6v	671.55v
395	Lt RK Whalen	X	70.2v	70.6v	47.4v	49.5v	50.7v	48.2v	44.4v	74.9v	100.6v	50.4v	69.4v	671.53v
396	Mr PM Lanigan	X	68.6v	74.11v	49.6v	44.4v	49.7v	49.6v	49.5v	74.10v	102.11v	43.3v	69.6v	670.75v
397	Mr SM Smallwood	X	72.5v	73.5v	48.6v	48.5v	50.8v	46.3v	45.3v	73.8v	99.11v	47.6v	69.9v	670.69v
398	Mr G Harris	A	74.5v	72.9v	49.8v	42.2v	50.7v	50.6v	42.2v	73.7v	102.10v	44.3v	72.9v	670.68v
399	Mr MJLA Landreville	X	72.7v	68.5v	45.6v	48.7v	48.1v	48.5v	48.5v	73.7v	97.9v	49.6v	74.9v	670.67v
400	Miss SL Hayes	O	75.12v	70.6v	48.5v	49.5v	47.4v	44.2v	47.4v	71.5v	102.11v	43.1v	74.10v	670.65v
401	Mr RB Morgan	O	73.10v	73.8v	49.4v	44.8v	49.6v	47.4v	49.5v	72.4v	99.9v	43.1v	72.3v	670.62v
402	Mr KG Ellett	O	71.4v	72.6v	48.5v	47.4v	48.5v	47.4v	46.4v	73.10v	102.12v	42.0v	74.8v	670.62v
403	Mr MSE Firman	A	74.7v	71.5v	48.3v	46.3v	48.5v	48.8v	48.4v	73.10v	102.7v	43.3v	69.5v	670.60v
404	Mr DJ Stewart	O	72.10v	70.5v	46.4v	46.4v	47.2v	49.6v	49.7v	74.6v	100.7v	48.4v	69.4v	670.59v
405	Mr CR Hirst	O	72.5v	75.10v	47.5v	48.4v	48.5v	44.3v	46.4v	75.5v	100.10v	46.1v	69.7v	670.59v
406	Mrs JC Scott Langley	O	74.8v	70.5v	49.3v	45.2v	48.6v	45.2v	48.5v	75.13v	101.6v	42.0v	73.9v	670.59v
407	Mr GJ Dyson	A	72.6v	72.6v	46.5v	49.5v	49.4v	47.3v	49.6v	69.6v	101.11v	49.2v	67.4v	670.58v
408	Mr G French	O	72.6v	74.3v	48.4v	49.6v	50.6v	43.3v	47.3v	74.9v	96.8v	46.3v	71.7v	670.58v
409	Mr ID Markwell	O	72.7v	71.6v	49.5v	48.5v	49.6v	49.3v	45.3v	74.6v	94.5v	45.2v	74.10v	670.58v
410	Miss CJ Dee	O	71.5v	73.7v	46.3v	43.2v	49.4v	45.4v	49.6v	72.6v	103.12v	47.4v	72.4v	670.57v
411	Mr J Dunn	X	72.7v	69.3v	49.5v	46.1v	46.3v	48.5v	46.4v	74.6v	99.5v	47.1v	74.8v	670.48v

412	Mr AF Donald	O	74.5v	71.3v	47.5v	48.3v	48.4v	47.4v	47.4v	73.6v	97.9v	46.0v	72.5v	670.48v
413	Mr DJ Archer	A	67.5v	72.6v	48.6v	49.7v	48.7v	46.3v	47.6v	72.11v	101.12v	45.4v	74.8v	669.75v
414	Mr ADJ Stewart	O	72.8v	70.6v	48.7v	47.6v	48.5v	46.4v	48.6v	71.10v	103.13v	43.2v	73.7v	669.74v
415	Mr S Glen	X	74.7v	74.11v	49.7v	48.4v	50.6v	48.4v	44.3v	75.10v	101.8v	37.2v	69.7v	669.69v
416	Lt JW Jenkins	X	71.8v	73.7v	48.5v	50.7v	47.6v	47.4v	44.4v	70.6v	100.10v	45.3v	74.7v	669.67v
417	Major AG McLean	X	71.9v	74.6v	46.4v	47.4v	49.6v	44.2v	48.4v	74.10v	100.11v	44.1v	72.8v	669.65v
418	Mr BA Boyle	T	71.6v	70.6v	49.5v	48.5v	46.4v	46.5v	49.4v	74.10v	104.13v	43.1v	69.6v	669.65v
419	Mrs MF Barry	O	71.6v	69.3v	49.6v	48.6v	46.2v	50.6v	46.4v	72.10v	101.11v	47.4v	70.6v	669.64v
420	Mr RH Gardiner	O	73.7v	69.4v	50.6v	48.6v	48.5v	47.3v	49.6v	69.4v	97.9v	47.5v	72.8v	669.63v
421	Mr RHG Riley	O	72.11v	72.7v	47.5v	47.3v	47.5v	48.5v	47.3v	72.8v	101.9v	46.2v	70.5v	669.63v
422	Mr CA Skellett	O	71.7v	73.10v	50.7v	42.3v	50.7v	46.3v	46.4v	73.6v	101.4v	45.4v	72.8v	669.63v
423	Mr MG Reid	A	71.6v	71.7v	46.5v	48.4v	50.7v	47.2v	49.4v	72.7v	96.6v	48.3v	71.8v	669.59v
424	Mr ML Cotillard	O	72.6v	70.4v	48.7v	43.3v	50.5v	46.2v	47.3v	74.7v	101.11v	46.4v	72.6v	669.58v
425	Mr AGH Van Koetsveld	X	71.5v	70.7v	48.4v	46.4v	49.7v	46.2v	46.4v	74.8v	100.7v	46.3v	73.7v	669.58v
426	Mr JWE Lothian	X	70.6v	72.4v	49.7v	46.4v	48.5v	46.2v	47.2v	74.10v	100.7v	45.3v	72.6v	669.56v
427	Mr JR Stirland	O	73.7v	72.5v	44.3v	49.3v	50.6v	46.3v	48.4v	74.8v	99.9v	42.1v	72.4v	669.53v
428	Mr TR Webster	A	71.5v	73.8v	46.2v	48.2v	46.4v	43.5v	49.3v	72.7v	99.9v	49.2v	73.4v	669.51v
429	Dr GP Nelson	A	67.10v	72.10v	47.6v	48.4v	47.7v	48.4v	47.4v	73.7v	101.14v	47.5v	71.4v	668.75v
430	Major AR McLeod	X	69.7v	73.8v	46.3v	49.4v	50.6v	44.4v	47.5v	74.13v	100.7v	45.3v	71.7v	668.67v
431	Mr RJS Scoones	X	74.5v	69.4v	49.5v	38.4v	50.8v	47.6v	49.7v	70.4v	104.10v	47.5v	71.4v	668.62v
432	Mr RW McVeigh	O	73.8v	73.8v	49.5v	50.8v	49.6v	44.4v	45.2v	73.8v	101.7v	41.1v	70.5v	668.62v
433	Mr KRN Nelson	O	71.5v	72.6v	45.2v	47.2v	48.7v	46.1v	47.4v	74.12v	101.10v	44.3v	73.9v	668.61v
434	Mr J Gould	O	73.8v	65.3v	48.7v	49.6v	47.5v	45.4v	49.1v	74.8v	102.10v	43.1v	73.7v	668.60v
435	Mr D Davies	X	72.8v	71.4v	45.3v	45.3v	49.7v	46.5v	47.1v	72.7v	102.11v	47.3v	72.5v	668.57v
436	Mr R Modenbach	X	69.2v	74.11v	47.6v	44.1v	50.5v	50.6v	46.4v	68.2v	101.9v	44.1v	75.9v	668.56v
437	Mr DGF Evans	O	73.4v	71.7v	48.6v	48.4v	46.3v	47.2v	49.5v	72.8v	99.9v	43.1v	72.7v	668.56v
438	Mr JRJ Kennedy	O	70.4v	70.6v	48.2v	48.4v	49.6v	48.4v	45.3v	74.7v	100.9v	43.2v	73.8v	668.55v
439	Mstr SJ Jauncey	T	72.3v	71.9v	50.3v	47.4v	48.5v	47.3v	48.6v	72.8v	99.7v	44.0v	70.3v	668.51v
440	Mr JA Haward	X	74.9v	74.6v	48.6v	48.5v	49.7v	48.6v	47.4v	71.9v	99.10v	40.2v	69.4v	667.68v
441	Cdt RL Johnson	O	72.7v	72.10v	48.4v	45.3v	48.8v	45.4v	48.5v	73.6v	101.11v	44.2v	71.7v	667.67v
442	Mr DW Gardiner	O	72.6v	75.8v	49.5v	47.5v	50.7v	49.5v	43.2v	75.7v	104.12v	30.1v	73.9v	667.67v
443	Mr K Hardyman	O	68.5v	71.5v	47.3v	46.4v	49.6v	45.3v	49.5v	72.10v	99.9v	47.6v	74.10v	667.66v
444	Mr PJ Chance	X	71.7v	74.8v	49.7v	45.3v	48.6v	49.5v	48.5v	71.6v	93.8v	45.2v	74.8v	667.65v
445	Mr J Howard Davies	O	70.5v	72.5v	49.7v	48.5v	43.1v	49.4v	42.3v	73.10v	101.12v	47.1v	73.11v	667.64v
446	Mr R Knapstein	X	67.5v	74.8v	44.4v	48.5v	48.5v	48.1v	49.6v	74.11v	102.11v	44.4v	69.4v	667.64v
447	Mr MAJ Barber	O	73.4v	72.8v	50.7v	46.5v	48.4v	43.5v	44.2v	73.9v	100.10v	44.3v	74.7v	667.64v
448	Mr HCG Ives	O	71.10v	69.6v	48.5v	48.5v	47.4v	47.2v	48.5v	70.7v	101.9v	47.1v	71.9v	667.63v
449	Mr AT Pettigrew	O	71.6v	68.5v	50.5v	49.5v	49.3v	49.4v	44.4v	73.10v	94.10v	46.4v	74.7v	667.63v
450	Mr S Mortimer	O	71.7v	71.5v	49.3v	43.2v	47.4v	44.2v	46.0v	74.10v	102.15v	46.4v	74.11v	667.63v
451	Mr EM Brice	O	72.9v	70.6v	49.6v	49.7v	49.6v	46.3v	43.5v	71.5v	100.4v	43.3v	75.9v	667.63v
452	Mr WHC Alexander	A	67.4v	72.9v	48.6v	47.4v	48.4v	50.6v	50.5v	73.9v	101.9v	41.1v	70.6v	667.63v
453	Mr RHC Gott	A	69.7v	71.3v	50.6v	45.3v	48.5v	47.5v	49.2v	74.12v	102.11v	45.4v	67.4v	667.62v
454	Mr DS Goodwin	O	72.8v	72.7v	46.1v	48.3v	50.8v	48.6v	47.2v	74.11v	96.8v	44.2v	70.6v	667.62v
455	Mr AF Downer	O	72.7v	70.7v	48.6v	49.3v	48.5v	47.5v	49.5v	75.10v	100.8v	40.1v	69.5v	667.62v
456	Miss DE Andrews	O	73.9v	73.6v	48.5v	47.5v	45.4v	50.6v	46.2v	73.11v	97.5v	46.1v	69.7v	667.61v
457	Mr JM Taylor	A	73.8v	73.10v	48.3v	47.5v	50.8v	46.2v	47.5v	74.9v	98.7v	45.1v	66.3v	667.61v
458	Mr RI Coventry	O	72.6v	71.7v	49.7v	47.4v	50.6v	47.3v	48.3v	73.9v	99.9v	42.2v	69.5v	667.61v
459	Mr C Herter	X	72.9v	73.4v	48.3v	47.6v	49.4v	45.4v	44.3v	73.8v	99.7v	44.3v	73.9v	667.60v
460	S Letoya	O	72.4v	71.7v	47.6v	48.6v	48.5v	49.5v	46.3v	70.5v	102.11v	44.2v	70.5v	667.59v
461	Dr NP Tucker	O	69.5v	72.6v	48.3v	50.4v	49.5v	47.3v	48.5v	72.9v	101.12v	46.2v	65.3v	667.57v
462	Mr AI Brown	A	69.5v	72.6v	48.6v	45.5v	49.4v	46.3v	49.5v	72.5v	100.8v	45.3v	72.7v	667.57v
463	Dr MJ Schwarz	O	73.8v	70.6v	45.2v	48.5v	48.4v	47.2v	41.1v	71.6v	103.12v	47.2v	74.8v	667.56v
464	Mr MJ Creber	X	70.3v	74.10v	49.5v	45.3v	47.2v	48.2v	45.2v	73.7v	101.12v	46.4v	69.6v	667.56v
465	Mr JA Marshall	A	68.2v	71.2v	50.7v	47.4v	46.4v	45.3v	47.5v	71.7v	101.11v	48.3v	73.7v	667.55v
466	Miss S Ponter	O	74.8v	72.5v	49.5v	47.3v	46.5v	49.2v	47.4v	70.5v	99.8v	46.3v	68.5v	667.53v
467	Mr MT Dodd	O	70.3v	71.7v	47.1v	49.6v	49.6v	46.3v	43.1v	71.6v	101.6v	47.4v	73.5v	667.48v
468	Cdt SAJ Dowley	T	73.8v	71.8v	46.5v	48.3v	47.6v	47.5v	41.6v	74.9v	105.14v	42.4v	72.6v	666.74v
469	Miss JF Hossack	O	71.4v	72.8v	48.6v	47.5v	49.2v	48.4v	46.5v	73.12v	100.11v	42.1v	70.6v	666.64v
470	Mr ARN Kinross	A	73.9v	70.3v	49.7v	50.6v	49.9v	44.3v	46.3v	67.5v	100.9v	46.3v	72.6v	666.63v
471	Mr A Thomson	A	67.7v	71.8v	48.4v	44.4v	49.3v	47.5v	48.2v	72.8v	100.8v	47.3v	73.9v	666.61v
472	Mr CC Chevrier	T	74.7v	69.3v	48.4v	49.7v	50.8v	44.3v	47.4v	71.9v	102.7v	46.4v	66.3v	666.59v
473	Rozli Mohamad	X	71.9v	64.4v	47.3v	46.3v	48.8v	49.4v	49.5v	74.8v	98.5v	46.2v	74.7v	666.58v
474	Mrs MJ van Strien-Buitelaar	O	74.8v	70.5v	47.3v	49.4v	50.6v	48.5v	46.4v	73.9v	97.5v	44.3v	68.6v	666.58v
475	Ms BM Moore	O	72.7v	68.4v	47.2v	48.5v	50.5v	47.2v	47.5v	75.11v	103.7v	38.2v	71.7v	666.57v
476	Miss HA Pugsley	O	72.5v	73.9v	47.3v	47.2v	49.3v	46.4v	50.3v	72.10v	101.10v	42.1v	67.6v	666.56v
477	Cdt FE Burden	T	71.7v	71.3v	47.2v	48.5v	45.1v	48.3v	46.4v	74.12v	97.6v	44.3v	75.9v	666.55v
478	Mr RF Burden	O	73.7v	72.7v	48.3v	47.5v	48.6v	47.2v	49.3v	70.7v	101.9v	42.1v	69.5v	666.55v
479	Mr JP Mackay	A	71.4v	72.3v	49.5v	48.5v	47.4v	48.4v	46.4v	74.7v	95.8v	44.3v	72.7v	666.54v
480	Mr DMJ Coutts	X	69.5v	71.7v	48.4v	46.5v	47.7v	44.2v	47.2v	75.9v	104.7v	43.1v	72.5v	666.54v
481	Dr J Mehta	O	68.4v	71.5v	48.3v	49.5v	50.6v	46.1v	48.3v	71.7v	100.9v	43.5v	72.5v	666.53v
482	Mr RJ Cade	A	65.3v	74.6v	45.2v	49.2v	48.4v	48.4v	47.1v	74.9v	99.13v	46.2v	71.6v	666.52v

483	Mr DN Lindsay	O	73.5v	70.4v	49.8v	49.5v	45.1v	47.1v	48.4v	71.6v	103.11v	40.0v	71.7v	666.52v
484	Mr N Maynard	X	74.8v	73.7v	48.3v	46.3v	49.6v	49.3v	43.3v	71.8v	102.7v	45.1v	66.2v	666.51v
485	Pte KTS Burden	O	72.3v	70.7v	49.3v	49.5v	50.3v	49.6v	49.2v	70.3v	98.5v	43.0v	67.5v	666.42v
486	S Williams	O	72.5v	73.12v	46.5v	45.4v	50.9v	48.4v	49.6v	72.7v	98.11v	43.2v	69.10v	665.75v
487	Mr GW Robinson	A	71.8v	72.8v	48.3v	47.4v	49.7v	48.6v	41.3v	73.11v	103.13v	47.5v	66.3v	665.71v
488	Mr A Wilson	O	71.6v	71.5v	46.3v	49.7v	46.5v	47.5v	44.2v	72.6v	101.11v	45.4v	73.8v	665.62v
489	Miss SIM Anderson	O	73.10v	71.7v	46.3v	48.3v	48.3v	46.4v	45.3v	73.8v	97.6v	46.3v	72.9v	665.59v
490	Miss GJFO Ogden	A	71.4v	72.9v	48.5v	46.3v	48.4v	47.4v	44.3v	72.7v	103.9v	43.2v	71.9v	665.59v
491	Mr CP Goad	O	69.5v	69.4v	48.2v	50.7v	48.5v	46.2v	44.0v	71.8v	100.12v	49.4v	71.9v	665.58v
492	Mr JFJ Bryson	O	71.7v	72.7v	48.4v	45.3v	48.5v	49.4v	45.2v	73.5v	102.14v	43.0v	69.7v	665.58v
493	Mr PMJ Tooley	T	70.6v	73.5v	47.5v	48.4v	47.5v	47.6v	44.2v	74.11v	99.11v	48.0v	68.2v	665.57v
494	Mr KG Firth	O	69.4v	69.4v	45.3v	50.7v	49.6v	47.4v	43.3v	75.7v	100.8v	47.5v	71.6v	665.57v
495	Mr J Purdy	O	72.10v	71.6v	50.5v	40.2v	48.5v	47.2v	50.4v	70.4v	101.7v	46.5v	70.7v	665.57v
496	Dr BJ Winney	O	69.6v	73.4v	44.2v	46.4v	49.6v	49.4v	50.7v	74.7v	98.10v	43.2v	70.5v	665.57v
497	Cdt Sgt GC Coburn	T	71.5v	75.9v	47.3v	45.3v	48.5v	47.2v	47.3v	70.6v	102.12v	40.2v	73.5v	665.55v
498	Mr CN McEachran	O	73.5v	71.6v	48.4v	44.3v	49.5v	46.4v	46.1v	72.9v	100.7v	45.3v	71.5v	665.52v
499	Mrs JR Elcombe	O	68.3v	72.7v	46.2v	48.5v	47.3v	49.6v	43.0v	73.7v	99.8v	49.3v	71.4v	665.48v
500	Mr MR Ebbetts	O	72.8v	72.8v	49.6v	44.3v	48.6v	46.4v	47.4v	72.8v	96.8v	46.3v	72.7v	664.65v
501	Cdt JWB Ball	T	74.8v	73.6v	45.2v	47.5v	47.5v	48.4v	39.0v	74.10v	100.11v	43.1v	74.12v	664.64v
502	Mr M Persaud	A	74.11v	70.9v	49.4v	48.6v	48.5v	39.2v	46.3v	71.6v	103.9v	43.2v	73.4v	664.61v
503	Miss CHM Mckeever	T	69.9v	69.6v	47.3v	43.3v	49.5v	49.4v	47.1v	73.8v	102.12v	42.2v	74.8v	664.61v
504	Mr JD Dugal	T	64.3v	75.9v	50.4v	44.1v	48.8v	46.5v	48.2v	72.7v	99.10v	46.4v	72.7v	664.60v
505	Mr AJCB de Launay	A	73.8v	71.6v	46.5v	47.5v	48.6v	44.2v	48.5v	74.8v	99.7v	44.2v	70.5v	664.59v
506	Mr TH Emck	O	73.4v	72.7v	48.5v	48.5v	49.6v	46.2v	48.4v	72.8v	101.10v	37.2v	70.6v	664.59v
507	Mr MP Watkins	O	69.4v	73.7v	45.3v	47.2v	45.2v	48.6v	48.4v	74.11v	96.8v	46.2v	73.9v	664.58v
508	Mr CJ Sherratt	O	72.5v	71.6v	49.4v	50.7v	46.5v	45.3v	45.2v	73.9v	98.8v	43.2v	72.7v	664.58v
509	Mr A Sladek	T	72.6v	73.8v	47.2v	49.6v	50.7v	46.4v	41.2v	73.6v	99.8v	42.2v	72.7v	664.58v
510	Mr AS Fraser	A	70.5v	70.5v	47.1v	45.6v	50.6v	45.3v	48.6v	73.5v	101.8v	43.1v	72.6v	664.52v
511	SL Otundo	O	68.4v	73.5v	47.6v	48.3v	46.4v	46.2v	44.1v	72.5v	101.10v	47.1v	72.9v	664.50v
512	M. P Ginestet	O	72.5v	70.7v	44.1v	47.4v	49.3v	47.3v	45.3v	74.8v	97.9v	46.2v	73.4v	664.49v
513	Mr D de Vere	O	70.6v	72.7v	45.4v	43.3v	49.7v	49.3v	49.4v	70.8v	101.13v	45.3v	70.7v	663.65v
514	Cdt ERT Torrance	T	73.4v	71.8v	49.5v	47.6v	48.6v	43.3v	50.7v	75.10v	100.10v	41.1v	66.4v	663.64v
515	Mr JG Bennett	X	69.4v	71.6v	48.4v	49.6v	47.4v	44.6v	46.3v	73.8v	100.9v	43.3v	73.7v	663.60v
516	Mr K Dauncey	T	72.7v	73.5v	49.5v	49.7v	47.5v	45.3v	42.2v	73.10v	96.7v	46.2v	71.6v	663.59v
517	Cdt LCpl GM Irish	T	71.8v	69.6v	46.3v	48.5v	48.7v	44.1v	47.5v	74.10v	101.10v	44.0v	71.4v	663.59v
518	Mr CL Leighton	O	71.8v	68.3v	47.2v	49.7v	49.5v	48.2v	45.3v	75.10v	96.6v	41.2v	74.11v	663.59v
519	Mr MD Jenvey	O	71.5v	71.8v	46.4v	49.4v	48.4v	45.2v	47.6v	71.9v	96.8v	48.3v	71.5v	663.58v
520	Mr D Rose	X	66.7v	71.7v	47.4v	43.4v	48.4v	46.2v	50.9v	74.7v	101.5v	45.2v	72.7v	663.58v
521	Mr KJ Aldridge	O	70.5v	73.6v	45.2v	46.4v	47.3v	46.5v	48.6v	72.7v	100.8v	45.4v	71.6v	663.56v
522	Mr JR Lindsay	O	69.5v	73.7v	49.4v	46.4v	45.2v	47.4v	48.4v	68.4v	99.11v	46.1v	73.8v	663.54v
523	D Kirui	O	71.6v	75.6v	47.4v	48.3v	49.7v	44.4v	45.2v	72.8v	100.8v	40.0v	72.6v	663.54v
524	Mr WP Hanley	O	69.5v	70.5v	48.2v	48.3v	49.6v	47.3v	46.2v	74.10v	97.9v	41.2v	74.6v	663.53v
525	Cdt DSC Chadwick	T	71.6v	67.3v	49.3v	49.5v	48.6v	50.5v	43.2v	67.7v	101.7v	48.1v	70.7v	663.52v
526	Major N Stebbings	O	73.5v	75.11v	42.3v	48.3v	48.2v	48.6v	44.3v	71.4v	97.7v	47.3v	70.5v	663.52v
527	Mr TEO Richards	O	71.8v	70.7v	48.6v	47.4v	49.5v	47.3v	44.4v	71.9v	102.10v	41.4v	72.11v	662.71v
528	Mr RJ Hull	A	69.6v	74.8v	44.2v	47.5v	46.3v	45.2v	48.6v	72.6v	102.15v	43.3v	72.8v	662.64v
529	Mr DJ Dick	T	69.4v	74.8v	46.5v	46.4v	46.2v	46.2v	47.5v	74.8v	98.9v	45.3v	71.9v	662.59v
530	Mr TJ Bullock	T	70.6v	73.8v	49.6v	46.3v	43.0v	47.3v	47.3v	72.9v	100.11v	43.2v	72.8v	662.59v
531	Mr MTM Macleod	X	71.4v	71.8v	46.5v	47.2v	48.3v	47.3v	45.3v	72.9v	99.10v	44.3v	72.8v	662.58v
532	Mr A Alvey	O	70.5v	74.8v	46.2v	47.7v	48.6v	48.4v	47.4v	74.10v	101.8v	41.1v	66.3v	662.58v
533	Miss EL Hoolahan	T	67.6v	72.8v	48.4v	49.5v	48.5v	48.3v	46.2v	72.6v	100.9v	39.1v	73.9v	662.58v
534	Dr IT Matsumoto	O	74.7v	69.4v	47.4v	49.4v	48.6v	43.2v	46.3v	75.15v	94.3v	46.3v	71.5v	662.56v
535	Mr SJ Whitby	A	70.7v	73.8v	47.2v	49.4v	45.1v	47.6v	48.4v	68.5v	103.10v	43.4v	69.4v	662.55v
536	SD Spinney	X	73.8v	71.4v	47.2v	45.1v	48.4v	47.5v	47.5v	73.10v	99.8v	45.3v	67.4v	662.54v
537	Cdt AGP Poulter	O	71.8v	68.5v	48.3v	43.4v	47.4v	49.3v	47.3v	72.8v	99.8v	46.0v	72.7v	662.53v
538	Mr D Hanson	O	70.4v	72.8v	48.3v	44.5v	49.8v	46.1v	47.2v	73.9v	99.7v	45.4v	69.2v	662.53v
539	Mrs SG Sirett	O	71.6v	70.7v	47.5v	49.4v	49.8v	44.2v	46.2v	72.4v	99.7v	43.0v	72.7v	662.52v
540	Cdt TS Smith	O	68.5v	70.3v	47.3v	48.5v	47.4v	50.4v	43.2v	73.9v	95.5v	47.5v	74.6v	662.51v
541	Mr MR Cosway	A	70.7v	71.6v	49.4v	48.3v	50.4v	47.2v	42.2v	74.8v	95.6v	44.1v	72.7v	662.50v
542	Cdt CR Rancourt	T	69.5v	71.4v	49.4v	45.4v	44.5v	46.2v	48.4v	73.8v	100.6v	45.3v	72.4v	662.49v
543	Mr CJ McCallum	O	71.8v	72.7v	47.7v	50.4v	48.5v	44.3v	47.4v	72.8v	100.11v	36.1v	74.7v	661.65v
544	Mr AG Harrison	O	66.6v	67.3v	49.7v	44.4v	49.4v	45.3v	48.3v	73.10v	101.10v	45.3v	74.11v	661.64v
545	Cdt A Southall	T	66.5v	70.4v	47.5v	47.5v	47.6v	45.2v	48.3v	75.12v	102.12v	43.3v	71.7v	661.64v
546	Mr CW Slator	X	65.8v	75.8v	43.3v	48.3v	49.7v	48.6v	50.5v	73.7v	99.8v	44.5v	67.3v	661.63v
547	Miss A Durrant	T	68.5v	73.9v	46.2v	45.3v	50.8v	49.5v	46.4v	73.9v	99.8v	45.4v	67.4v	661.61v
548	Dr N Hart	O	70.7v	68.5v	45.1v	48.6v	46.2v	46.3v	44.1v	73.7v	99.10v	49.6v	73.11v	661.59v
549	Mr B Newgard	T	68.5v	71.4v	45.5v	46.4v	47.4v	47.2v	49.4v	72.7v	102.10v	41.3v	73.11v	661.59v
550	Mr RL Eayrs	O	69.6v	75.6v	47.5v	47.7v	48.6v	45.3v	41.2v	73.8v	100.11v	45.1v	71.3v	661.58v
551	Mr TW Tatchell	O	70.4v	72.5v	47.5v	47.2v	46.2v	45.3v	48.3v	71.9v	103.12v	40.3v	72.8v	661.56v
552	Mr HRM Bailie	A	71.9v	71.6v	50.3v	41.2v	47.3v	44.4v	49.4v	72.9v	100.8v	46.2v	70.4v	661.54v
553	Capt D Morris	O	69.4v	70.6v	49.4v	48.1v	50.5v	45.2v	49.3v	71.7v	95.9v	42.1v	73.5v	661.47v

554	Mr DN Webber	O	71.7v	70.2v	46.3v	48.3v	47.4v	45.2v	49.7v	71.5v	96.4v	45.3v	73.6v	661.46v
555	Mr P Waldron	O	70.7v	74.10v	48.5v	49.7v	46.4v	45.2v	40.3v	70.6v	97.11v	48.4v	73.11v	660.70v
556	Cdt F-XC Cliche	O	70.6v	71.7v	46.4v	43.5v	50.6v	49.6v	47.3v	71.8v	98.8v	42.2v	73.9v	660.64v
557	Miss IRJD Stevenson	A	72.7v	74.10v	49.5v	44.4v	48.5v	44.2v	46.5v	74.8v	101.9v	38.0v	70.9v	660.64v
558	Mr RA Welford	O	72.8v	69.5v	46.3v	46.4v	49.7v	45.4v	46.3v	73.8v	98.11v	43.5v	73.5v	660.63v
559	Miss LCP-L Watson	O	68.6v	74.8v	50.5v	41.3v	49.6v	42.3v	49.6v	72.7v	101.7v	44.4v	70.6v	660.61v
560	Mr JEC Branch	X	70.5v	66.5v	47.4v	40.1v	46.3v	49.1v	50.9v	72.8v	100.9v	47.7v	73.8v	660.60v
561	Mr JC Holdsworth	O	72.7v	67.4v	45.4v	50.5v	47.2v	45.3v	48.4v	73.8v	101.12v	44.2v	68.5v	660.56v
562	Mr JG Powell	O	72.5v	70.3v	44.3v	45.2v	49.6v	48.5v	47.4v	71.5v	98.11v	43.3v	73.9v	660.56v
563	Mr ADE Grounds	X	71.8v	72.6v	46.4v	47.5v	48.7v	44.3v	49.3v	70.3v	97.8v	42.1v	74.8v	660.56v
564	Mr J Balson	T	70.4v	70.3v	49.5v	46.2v	48.4v	45.2v	46.4v	75.12v	100.12v	42.1v	69.6v	660.55v
565	Mr BR Ebbetts	O	71.8v	69.5v	48.1v	50.6v	42.1v	46.1v	44.3v	71.6v	100.11v	48.5v	71.6v	660.53v
566	Mr TEW Ward	O	71.6v	66.3v	48.5v	48.2v	48.5v	47.7v	47.6v	69.4v	100.8v	46.4v	70.1v	660.51v
567	Mr TSM Gordon	T	68.2v	74.8v	45.3v	45.3v	44.1v	46.4v	49.1v	72.7v	100.9v	44.2v	73.8v	660.48v
568	Mr RD Macmillan	O	71.0v	69.6v	45.3v	48.3v	49.3v	45.4v	45.2v	70.7v	100.7v	45.2v	73.8v	660.45v
569	Mr D Cottrill	T	71.3v	71.6v	40.2v	46.2v	46.4v	49.4v	48.3v	70.3v	100.9v	44.0v	75.6v	660.42v
570	Cdt JCpl CA Evans	T	69.7v	73.9v	45.4v	43.4v	49.5v	47.2v	48.2v	75.14v	97.5v	41.0v	72.6v	659.58v
571	Mr P Lusted	O	67.2v	72.5v	50.8v	48.4v	46.3v	45.3v	38.1v	69.4v	103.14v	47.4v	74.8v	659.56v
572	D Kiprotich	O	68.2v	72.4v	49.2v	49.6v	47.5v	46.3v	44.2v	71.5v	98.11v	42.4v	73.11v	659.55v
573	Mr AJ Horton	O	71.4v	68.4v	47.4v	47.4v	48.5v	44.3v	48.6v	74.8v	95.6v	49.4v	68.3v	659.51v
574	Mr RJ Ashton	X	74.11v	73.9v	45.2v	45.0v	48.4v	45.3v	46.1v	74.6v	96.7v	44.4v	69.4v	659.51v
575	Mr SW Maris	O	70.7v	63.3v	49.4v	47.4v	49.4v	48.5v	45.3v	73.5v	101.9v	42.1v	72.6v	659.51v
576	Mr KH Tumschat	X	74.8v	72.7v	47.3v	44.1v	49.7v	42.1v	46.3v	69.5v	103.10v	41.2v	72.4v	659.51v
577	Mr GH Porter	O	71.7v	74.6v	47.2v	44.2v	48.5v	47.3v	46.5v	70.5v	95.8v	45.3v	72.4v	659.50v
578	Mr SWH Huish	T	73.9v	71.1v	47.1v	48.3v	48.6v	46.4v	40.0v	72.5v	101.10v	40.1v	73.9v	659.49v
579	Mr WR Steward	A	69.4v	75.9v	48.7v	45.1v	50.3v	45.3v	50.6v	67.2v	96.7v	44.2v	70.4v	659.48v
580	Mrs RMS Merridew	O	72.5v	72.6v	47.3v	45.3v	48.3v	47.4v	45.1v	73.8v	101.10v	42.2v	67.3v	659.48v
581	Mr MA Atyeo	T	73.7v	68.5v	48.3v	49.4v	49.5v	45.1v	44.2v	72.8v	103.7v	40.2v	68.4v	659.48v
582	Mr LW Belton	T	70.6v	71.5v	49.6v	45.2v	48.2v	44.1v	48.5v	71.4v	98.8v	48.3v	67.4v	659.46v
583	Mr DAF Parkinson	O	72.7v	66.3v	49.2v	45.4v	46.5v	49.4v	47.1v	72.8v	99.6v	43.2v	71.3v	659.45v
584	Mr RW Needham	O	72.5v	71.4v	47.4v	47.3v	47.4v	46.2v	45.3v	71.4v	100.7v	44.2v	69.5v	659.43v
585	S Ndambuki	O	73.5v	74.5v	46.4v	45.2v	47.5v	45.1v	42.1v	69.6v	103.5v	46.3v	69.5v	659.42v
586	Mr ETE Egge	T	71.4v	70.3v	44.3v	47.4v	43.0v	44.4v	46.4v	72.6v	103.9v	48.2v	71.0v	659.39v
587	Mr RA Mullin	A	68.10v	70.10v	49.4v	45.1v	46.5v	49.7v	50.7v	75.7v	94.6v	44.2v	68.7v	658.66v
588	Mr DF Williams	O	70.6v	70.6v	48.5v	40.1v	50.8v	49.5v	48.5v	71.5v	96.11v	47.4v	69.7v	658.63v
589	Mr B Lottridge	X	70.7v	71.7v	48.4v	46.5v	44.3v	47.1v	44.4v	71.7v	98.8v	48.3v	71.7v	658.56v
590	Major M Geernaert-Davies	O	70.8v	66.5v	47.3v	47.5v	46.5v	47.3v	46.2v	72.7v	95.4v	47.4v	75.10v	658.56v
591	Mr TA French	T	69.4v	69.5v	47.5v	47.3v	47.4v	41.3v	45.2v	74.9v	100.9v	46.3v	73.9v	658.56v
592	Mr K Gladding	T	69.3v	70.5v	45.2v	43.2v	48.7v	47.5v	48.4v	69.4v	102.12v	45.2v	72.8v	658.54v
593	Mr S Wiktorowski	O	74.6v	68.7v	47.5v	42.4v	49.7v	47.3v	45.3v	73.8v	100.7v	44.2v	69.2v	658.54v
594	Mr AW Coupland	O	69.3v	71.6v	48.5v	45.3v	48.5v	44.2v	46.4v	69.7v	102.13v	45.1v	71.4v	658.53v
595	Miss A Calvert	O	69.5v	70.7v	46.3v	47.4v	46.3v	46.4v	45.3v	70.6v	101.9v	47.4v	71.4v	658.52v
596	Mr DF Robinson	O	71.6v	71.6v	45.5v	41.2v	48.3v	48.1v	48.5v	73.7v	101.6v	46.3v	66.7v	658.51v
597	P Munene	O	69.6v	70.5v	49.3v	48.5v	50.6v	42.2v	47.6v	73.7v	95.4v	47.1v	68.5v	658.50v
598	G Kariuki	O	70.3v	70.7v	47.4v	42.1v	50.4v	47.4v	47.2v	69.5v	98.10v	45.3v	73.7v	658.50v
599	Mr AM Norman	T	71.6v	72.8v	47.6v	48.4v	45.3v	48.4v	43.1v	70.4v	98.6v	43.2v	73.6v	658.50v
600	Mr ES Maclean	T	72.6v	71.5v	47.4v	49.3v	48.5v	45.1v	44.2v	72.6v	98.7v	41.1v	71.9v	658.49v
601	Mr WRD Mott	O	72.6v	71.6v	45.1v	49.4v	46.1v	48.5v	42.1v	71.5v	97.4v	45.1v	72.11v	658.45v
602	Mr AJ Haggerty	O	70.4v	71.8v	48.2v	49.7v	47.2v	43.0v	45.2v	70.2v	97.5v	49.3v	69.7v	658.42v
603	Mr AK Fitch	O	70.5v	71.7v	49.5v	46.1v	49.7v	47.4v	45.3v	69.5v	97.10v	42.0v	72.9v	657.56v
604	Mr FF Lalear	O	70.6v	71.4v	46.2v	45.2v	45.3v	45.3v	48.6v	69.9v	100.6v	46.6v	72.7v	657.54v
605	Mr RJ Shehan	O	73.5v	74.8v	47.3v	47.3v	45.5v	46.2v	46.1v	70.6v	93.4v	44.3v	72.9v	657.49v
606	Mr PM Weston	O	72.4v	70.6v	49.5v	46.2v	45.2v	45.2v	47.3v	73.9v	101.6v	42.1v	67.5v	657.45v
607	Cdt Cpl J Thompstone	T	70.3v	67.1v	41.0v	43.1v	48.3v	48.4v	49.6v	73.9v	101.8v	46.3v	71.6v	657.44v
608	Mr TA Purvis	T	68.4v	65.3v	46.4v	45.1v	47.6v	48.4v	46.2v	73.7v	99.4v	48.3v	72.5v	657.43v
609	Cpl T Ford	T	71.7v	70.6v	44.1v	49.5v	45.4v	47.7v	42.1v	71.9v	101.10v	44.4v	72.6v	656.60v
610	Mr SD Douglas	O	74.8v	69.5v	48.4v	48.6v	45.2v	45.3v	43.1v	72.8v	101.11v	42.3v	69.3v	656.54v
611	Mr P Papisideris	O	70.8v	70.4v	48.2v	47.3v	46.5v	47.5v	46.3v	72.8v	99.8v	41.0v	70.4v	656.50v
612	Mr DJ Painting	A	72.5v	72.8v	47.2v	48.5v	46.4v	46.3v	48.3v	70.6v	92.4v	45.2v	70.7v	656.49v
613	Mr TS McDowell	O	69.5v	71.6v	49.6v	49.3v	46.3v	45.2v	46.2v	71.6v	98.10v	42.2v	70.4v	656.49v
614	Cdt Cpl OL Lyon	O	71.6v	70.5v	47.4v	48.3v	44.2v	45.2v	46.5v	69.5v	98.8v	47.4v	71.4v	656.48v
615	N Batai	O	71.4v	71.4v	48.4v	48.2v	48.3v	39.2v	45.2v	72.8v	95.7v	47.5v	72.4v	656.45v
616	Mr GL Clarke	O	70.5v	70.5v	48.6v	47.3v	49.2v	46.1v	47.4v	70.2v	97.7v	41.1v	71.8v	656.44v
617	Mr MH Roberts	O	71.7v	68.4v	44.2v	45.3v	48.5v	47.4v	43.2v	73.7v	98.6v	47.1v	72.2v	656.43v
618	Cdt KD Dycer	T	66.1v	67.4v	44.2v	47.4v	47.3v	49.3v	46.3v	74.8v	102.8v	44.0v	70.5v	656.41v
619	JL Breeze	O	71.8v	72.9v	45.3v	45.2v	44.4v	46.2v	43.3v	71.7v	101.11v	45.3v	72.8v	655.60v
620	Mr MJ Moran	O	67.4v	69.7v	47.4v	44.4v	50.6v	45.4v	47.3v	75.7v	100.10v	41.3v	70.7v	655.59v
621	Cdt AC Brooker	O	72.9v	70.3v	46.5v	47.6v	48.7v	44.2v	42.2v	72.8v	100.9v	42.1v	72.5v	655.57v
622	Mr TJ Brooking	A	70.5v	73.6v	45.5v	44.2v	47.4v	44.3v	49.5v	69.8v	103.10v	48.5v	63.3v	655.56v
623	Mr F Bilton	O	72.5v	67.9v	46.4v	45.2v	49.6v	49.3v	48.3v	71.8v	98.9v	40.2v	70.4v	655.55v
624	Mr MK Townsend	O	69.5v	70.4v	43.3v	50.5v	44.5v	47.4v	47.5v	67.4v	99.6v	48.4v	71.9v	655.54v

625	Mr RW Smith	T	71.7v	71.3v	47.6v	46.2v	50.8v	44.3v	46.3v	69.7v	92.5v	47.1v	72.8v	655.53v
626	Mr ID Macdonald	O	67.7v	73.8v	48.4v	42.2v	47.5v	46.3v	44.2v	73.7v	99.7v	48.3v	68.3v	655.51v
627	Dr PJ Morris	O	71.8v	71.3v	49.6v	46.2v	45.3v	47.5v	46.2v	68.5v	100.9v	44.2v	68.6v	655.51v
628	Mr DA Smith	O	66.2v	71.5v	48.5v	46.4v	49.2v	48.5v	48.5v	69.5v	95.7v	43.1v	72.9v	655.50v
629	Mr A Lakhani	O	71.5v	73.6v	49.3v	45.3v	46.3v	45.2v	43.2v	69.7v	100.9v	41.2v	73.8v	655.50v
630	Mr R Shaw	O	71.4v	70.6v	47.3v	43.3v	47.2v	47.3v	45.3v	74.8v	99.8v	44.4v	68.3v	655.47v
631	Mr SCW Dixon	O	70.6v	70.3v	46.3v	48.4v	46.4v	45.3v	49.3v	73.5v	98.3v	42.0v	68.3v	655.37v
632	Mr TJ Goodger	O	70.7v	69.7v	48.5v	39.2v	46.4v	43.4v	47.4v	75.8v	101.10v	42.3v	74.10v	654.64v
633	Mr IR Thomson	O	71.7v	70.5v	49.4v	49.6v	46.5v	41.2v	44.5v	72.6v	97.11v	42.3v	73.4v	654.58v
634	Mr JD Glen	O	71.4v	72.6v	46.4v	48.4v	49.6v	42.3v	44.4v	72.5v	98.12v	40.1v	72.9v	654.58v
635	Cdt FS T Marsh	T	72.10v	70.4v	49.6v	45.5v	49.5v	44.3v	47.5v	72.7v	99.6v	35.0v	72.5v	654.56v
636	Mr HD Werner	X	72.6v	74.9v	46.5v	42.4v	49.4v	42.1v	48.5v	70.3v	100.8v	44.3v	67.7v	654.55v
637	Mr DEF Fields	O	71.5v	70.6v	48.4v	47.3v	48.5v	47.4v	46.5v	71.7v	98.8v	42.3v	66.5v	654.55v
638	Mr ST Welsh	T	72.6v	66.2v	45.3v	50.4v	49.6v	45.3v	44.3v	67.5v	98.8v	45.1v	73.8v	654.49v
639	Mr C Waldron	O	69.4v	72.8v	49.4v	41.2v	48.5v	46.5v	46.1v	70.8v	98.6v	46.1v	69.4v	654.48v
640	E Muleyi	O	66.3v	68.5v	45.3v	48.5v	48.5v	49.4v	42.3v	70.5v	100.8v	45.3v	73.4v	654.48v
641	Mr A Coakes	O	72.6v	74.6v	47.4v	44.2v	46.0v	46.4v	42.0v	70.5v	100.11v	39.3v	74.7v	654.48v
642	Ms TC East	O	73.8v	69.6v	47.1v	45.2v	48.7v	44.3v	40.0v	73.4v	101.10v	44.1v	70.5v	654.47v
643	Mr SE Frost	X	64.3v	71.6v	45.2v	48.6v	49.5v	44.2v	45.3v	70.3v	101.9v	44.0v	73.8v	654.47v
644	Mr SR Davis	O	70.4v	71.7v	46.4v	47.0v	48.6v	46.3v	47.5v	68.4v	96.8v	44.2v	71.3v	654.46v
645	Mr JS Chapman	O	71.7v	68.7v	49.4v	48.5v	46.1v	48.4v	45.4v	72.6v	99.5v	43.2v	65.1v	654.46v
646	Mr S Mcginnis	X	68.5v	70.7v	49.5v	46.2v	48.2v	41.2v	47.1v	70.5v	101.8v	42.0v	72.7v	654.44v
647	Miss RR Davis	O	68.5v	70.6v	47.5v	43.4v	49.6v	50.5v	46.2v	69.7v	100.12v	41.2v	70.5v	653.59v
648	Mrs RKE Penrose	O	69.6v	68.7v	44.2v	48.4v	47.3v	48.7v	46.6v	70.6v	97.5v	46.5v	70.7v	653.58v
649	Mr DT O'Leary	O	72.7v	71.7v	42.2v	49.4v	43.2v	48.5v	45.3v	70.10v	98.7v	43.3v	72.7v	653.57v
650	Mr HJG Green	T	71.6v	71.9v	45.4v	47.2v	49.6v	47.3v	43.3v	70.3v	97.10v	39.1v	74.10v	653.57v
651	Mr SG Hunter	O	70.5v	72.8v	48.6v	46.3v	47.5v	44.2v	40.2v	73.7v	98.7v	45.4v	70.7v	653.56v
652	Mr PS Holmes	O	74.11v	69.7v	49.3v	47.4v	46.4v	47.2v	45.3v	75.10v	100.8v	32.0v	69.4v	653.56v
653	Mr MR Frost	O	74.8v	74.7v	46.5v	46.3v	44.4v	43.2v	48.4v	65.5v	100.7v	41.2v	72.8v	653.55v
654	Mr JJ Jalili	T	70.5v	73.9v	49.4v	45.2v	49.5v	45.3v	40.3v	71.4v	100.12v	44.1v	67.5v	653.53v
655	Mr H Lottritz	X	73.6v	67.5v	49.2v	46.5v	46.4v	45.2v	46.6v	67.6v	100.9v	50.2v	64.5v	653.52v
656	Cdt MJG Neal	T	70.5v	71.7v	48.7v	48.5v	48.6v	44.1v	47.3v	64.0v	98.9v	44.1v	71.8v	653.52v
657	Capt WF Squires	O	73.6v	72.8v	45.3v	40.2v	49.3v	45.3v	50.5v	74.7v	96.7v	41.2v	68.5v	653.51v
658	Cdt LA Sutton	T	70.2v	72.9v	44.0v	48.4v	49.5v	45.5v	49.2v	73.8v	92.6v	45.2v	66.7v	653.50v
659	Mr M Robson	O	71.4v	69.6v	45.3v	46.5v	48.2v	39.0v	47.5v	72.4v	100.9v	44.2v	72.9v	653.49v
660	Mr ME Barr	O	71.4v	73.8v	49.4v	50.5v	46.3v	49.5v	43.2v	70.6v	99.6v	43.2v	60.4v	653.49v
661	Mr J Tuffen	O	72.7v	69.5v	48.5v	46.3v	48.2v	49.5v	47.2v	72.8v	91.5v	40.0v	71.6v	653.48v
662	J Serem	O	72.7v	68.3v	48.6v	47.3v	47.1v	46.3v	47.3v	74.8v	99.10v	39.1v	66.2v	653.47v
663	Mr BH Jones	O	69.3v	69.7v	48.2v	43.3v	48.4v	47.3v	47.2v	73.7v	98.10v	44.2v	67.3v	653.46v
664	Mr E Stuart-Bamford	O	70.6v	64.1v	46.1v	49.5v	46.1v	46.5v	47.4v	67.2v	98.7v	47.4v	73.9v	653.45v
665	Mr A Mabon	O	69.0v	73.9v	48.5v	42.2v	47.3v	46.3v	47.3v	70.6v	101.10v	44.1v	66.3v	653.45v
666	Mr SJ Dawes	O	68.4v	68.4v	47.4v	50.4v	48.2v	46.4v	44.2v	72.6v	95.8v	43.3v	72.4v	653.45v
667	Cdr MF Jordan	X	70.6v	69.3v	49.2v	47.3v	50.4v	45.4v	45.1v	71.5v	91.5v	47.3v	69.4v	653.40v
668	Mr AGM Fyfe	O	72.8v	69.3v	44.1v	47.4v	47.1v	46.0v	45.4v	73.3v	98.9v	42.0v	70.5v	653.38v
669	Miss EG Joseph	O	71.4v	72.8v	47.4v	43.1v	49.8v	44.4v	48.4v	72.10v	99.11v	38.0v	69.5v	652.59v
670	Mr MR Rewston	O	65.2v	69.8v	46.3v	43.1v	46.3v	48.4v	46.5v	71.8v	99.9v	47.6v	72.8v	652.57v
671	Miss HV Southall	T	68.4v	72.8v	48.1v	46.4v	46.5v	48.5v	44.4v	69.5v	96.7v	46.5v	69.7v	652.55v
672	Mr RS Binns	T	66.4v	71.4v	47.3v	49.5v	48.7v	46.3v	46.4v	71.5v	102.11v	38.1v	68.6v	652.53v
673	Mr AC Grant	O	71.9v	69.7v	41.0v	46.1v	47.2v	47.3v	46.4v	74.9v	94.7v	45.0v	72.7v	652.49v
674	Mr R Jackson	O	67.3v	71.5v	42.3v	49.4v	50.5v	49.5v	46.4v	71.5v	96.6v	41.2v	70.6v	652.48v
675	Mr B Langille	T	73.7v	72.4v	48.4v	45.4v	44.1v	43.1v	46.2v	69.5v	93.8v	47.3v	72.8v	652.47v
676	Mr K Todd	T	71.6v	70.5v	45.4v	46.3v	46.3v	44.3v	44.3v	70.5v	101.9v	45.0v	70.6v	652.47v
677	Mr BN Craig	O	68.2v	73.5v	49.6v	48.5v	48.7v	45.2v	38.0v	71.5v	97.7v	41.1v	74.6v	652.46v
678	Mr AC Morley	O	68.3v	69.4v	48.5v	49.2v	48.4v	48.3v	45.2v	72.8v	97.4v	40.1v	68.5v	652.41v
679	Mr RE Clarke	O	71.4v	70.8v	47.6v	42.3v	43.3v	47.4v	46.6v	72.6v	102.10v	45.4v	66.3v	651.57v
680	Mr N Houle	T	72.7v	69.7v	45.3v	46.4v	49.6v	46.2v	47.1v	73.6v	99.11v	41.1v	64.5v	651.53v
681	Mr JBC Corr	O	72.9v	73.9v	44.2v	45.3v	47.3v	47.4v	45.4v	72.4v	100.10v	44.1v	62.3v	651.52v
682	Mr BK McFall	T	71.4v	72.5v	48.5v	45.4v	47.6v	46.2v	47.2v	73.10v	95.5v	35.3v	72.6v	651.52v
683	WO2 M Carberry	O	70.3v	65.4v	45.3v	43.1v	49.4v	50.5v	45.4v	72.7v	100.10v	41.3v	71.5v	651.49v
684	Cdt CG Dickson	O	71.7v	69.8v	46.4v	44.1v	47.4v	45.3v	48.2v	71.6v	96.4v	44.2v	70.7v	651.48v
685	Mr GRP Shapland	O	69.7v	67.2v	48.4v	47.3v	44.2v	45.0v	45.2v	73.10v	95.6v	46.4v	72.7v	651.47v
686	Mr G Hart	O	71.5v	69.4v	46.4v	46.3v	47.6v	43.3v	47.3v	70.8v	97.6v	45.1v	70.4v	651.47v
687	Cdt CW Boag	T	72.4v	73.9v	49.4v	47.2v	47.4v	48.5v	34.0v	73.4v	95.6v	42.2v	71.7v	651.47v
688	Miss RL Laird	A	69.5v	66.2v	46.4v	46.3v	43.2v	46.4v	48.7v	67.3v	102.6v	47.4v	71.6v	651.46v
689	Mr U Soetzer	X	68.2v	70.5v	46.3v	46.3v	45.1v	46.2v	48.3v	67.3v	98.5v	45.4v	72.8v	651.39v
690	Miss ATJV Voorthuyzen	T	71.7v	66.4v	44.2v	45.3v	48.6v	45.4v	48.5v	72.9v	94.7v	43.4v	74.8v	650.59v
691	Mr NS Roberts	O	70.6v	67.4v	46.2v	47.4v	47.5v	44.4v	44.4v	73.9v	99.8v	43.3v	70.7v	650.56v
692	Mr A Rempel	O	70.4v	67.4v	45.2v	47.2v	47.5v	45.5v	47.5v	70.8v	101.12v	48.4v	63.4v	650.55v
693	Lt CP Judge	T	71.5v	72.3v	43.4v	46.4v	49.8v	44.1v	46.2v	74.9v	95.5v	48.5v	62.4v	650.50v
694	Mr NS Suffield-Jones	O	70.7v	68.3v	44.4v	47.4v	45.3v	48.5v	46.2v	66.3v	97.6v	47.4v	72.8v	650.49v
695	Mr OClK Kember	O	66.3v	72.7v	44.3v	48.4v	48.5v	45.3v	40.1v	69.3v	99.8v	46.4v	73.8v	650.49v

696	Miss KMA Atkinson	T	68.5v	69.4v	48.5v	45.1v	47.3v	46.5v	48.4v	71.7v	90.3v	46.4v	72.7v	650.48v
697	Mr J Golling	X	71.6v	71.8v	47.5v	50.3v	47.6v	45.3v	43.2v	64.7v	96.5v	43.1v	73.2v	650.48v
698	Mr M Cooper	T	69.5v	73.9v	47.5v	46.2v	46.2v	49.2v	48.4v	69.8v	98.5v	41.2v	64.4v	650.48v
699	Mr V Robertshaw	O	68.5v	73.7v	47.3v	44.2v	46.3v	46.1v	46.2v	68.7v	99.6v	44.4v	69.4v	650.44v
700	Mr JT Boyd	T	69.6v	70.6v	41.3v	45.2v	46.1v	49.4v	45.2v	71.2v	98.8v	47.2v	69.7v	650.43v
701	Cdt NM Taylor	T	70.5v	70.4v	48.2v	47.2v	45.2v	44.3v	47.4v	72.9v	96.5v	40.1v	71.5v	650.42v
702	Mr GK Goodwin	O	70.4v	69.2v	48.2v	47.4v	45.3v	45.1v	48.6v	75.7v	100.8v	37.1v	66.4v	650.42v
703	Mr PD Pelly	O	64.5v	69.4v	48.5v	44.3v	48.2v	46.3v	48.1v	72.4v	97.6v	47.4v	67.4v	650.41v
704	Mr AI Lawrie	O	72.1v	73.5v	49.3v	49.3v	47.2v	44.2v	44.1v	72.8v	101.7v	34.0v	65.4v	650.36v
705	Mr PB Cutts	O	73.9v	70.6v	47.3v	48.7v	49.4v	42.3v	43.3v	71.6v	91.9v	41.2v	74.10v	649.62v
706	Mr BG White	O	71.7v	70.6v	43.5v	48.4v	47.5v	45.3v	45.3v	72.6v	96.11v	43.2v	69.4v	649.56v
707	Miss TD Duhre	A	66.4v	72.7v	44.1v	47.5v	48.7v	45.6v	49.4v	69.6v	98.7v	44.0v	67.6v	649.53v
708	Mr RJA Ritchie	O	68.4v	70.7v	46.6v	45.1v	46.5v	48.3v	46.5v	72.8v	98.7v	45.1v	65.3v	649.50v
709	Mr DA Grant	O	71.3v	72.5v	45.2v	43.2v	47.4v	45.4v	46.3v	71.6v	97.9v	41.1v	71.9v	649.48v
710	Mr PGW Purdy	O	68.5v	68.5v	49.4v	48.5v	46.3v	50.5v	41.0v	73.9v	97.6v	41.2v	68.3v	649.47v
711	Mr T Galliers	O	71.7v	70.3v	46.3v	47.2v	43.1v	46.3v	48.2v	70.7v	97.9v	44.3v	67.5v	649.45v
712	W Odhiambo	O	73.7v	69.4v	47.3v	45.2v	48.5v	44.2v	47.2v	73.7v	99.7v	39.1v	65.3v	649.43v
713	Dr KW Genders	O	70.5v	67.4v	47.3v	43.1v	48.6v	43.1v	48.6v	70.6v	97.5v	47.3v	69.2v	649.42v
714	Mr JW Webber	O	71.4v	69.4v	46.5v	48.3v	39.1v	45.3v	46.3v	70.3v	98.5v	45.4v	72.7v	649.42v
715	Sgt DA Rowell	T	70.4v	72.9v	46.3v	47.3v	49.4v	46.5v	38.1v	68.8v	101.12v	37.2v	74.7v	648.58v
716	Mr RS Mason	O	72.7v	73.10v	50.5v	43.1v	48.5v	46.6v	44.2v	69.8v	96.7v	35.0v	72.6v	648.57v
717	Mr RL Sampson	A	73.9v	70.8v	47.3v	48.5v	48.5v	44.2v	43.2v	71.7v	98.6v	43.2v	63.2v	648.51v
718	J Birgen	O	70.7v	65.2v	45.1v	47.4v	47.4v	45.3v	44.4v	71.5v	93.4v	47.2v	74.9v	648.45v
719	Mr GR Capell	O	70.5v	68.3v	46.2v	44.3v	47.3v	45.5v	47.3v	73.7v	98.6v	40.1v	70.7v	648.45v
720	Mr RP Bawden	O	70.4v	69.5v	49.6v	46.4v	45.1v	48.4v	47.3v	71.5v	98.4v	37.1v	68.6v	648.43v
721	Mr KG Garside	O	68.2v	73.5v	45.2v	44.2v	48.5v	44.1v	46.4v	70.6v	96.5v	41.3v	73.7v	648.42v
722	Mr AP Biggs	O	69.5v	69.4v	47.4v	46.1v	45.3v	46.5v	43.1v	74.7v	97.6v	40.1v	72.5v	648.42v
723	Mr RB Fields	O	70.6v	69.5v	41.2v	47.4v	47.3v	46.6v	45.5v	73.10v	103.9v	46.0v	60.2v	647.52v
724	Miss HR Mackintosh	O	66.4v	72.4v	46.3v	38.1v	46.3v	46.1v	50.6v	73.9v	99.9v	42.2v	69.5v	647.47v
725	Miss CK Skelton	T	74.6v	71.6v	44.1v	49.5v	48.3v	42.3v	41.1v	66.3v	92.5v	47.4v	73.7v	647.44v
726	Mr J Shanks	O	69.6v	67.5v	47.1v	48.5v	48.3v	44.2v	44.3v	69.6v	94.5v	45.3v	72.5v	647.44v
727	Mr FS Stewart	T	71.5v	68.3v	48.3v	46.4v	47.3v	43.2v	47.6v	70.6v	96.9v	43.3v	68.0v	647.44v
728	Mr PD Le Poidevin	O	70.5v	69.4v	46.4v	44.1v	47.4v	44.3v	49.8v	72.4v	96.3v	42.1v	68.4v	647.41v
729	Cpl PS Lehmann	T	73.6v	72.8v	45.3v	47.3v	45.2v	42.0v	46.4v	67.2v	94.4v	48.3v	68.4v	647.39v
730	Dr MW Wrigley	A	70.2v	65.3v	49.5v	47.3v	46.2v	44.1v	45.4v	72.5v	95.5v	45.2v	69.5v	647.37v
731	Mr PW Glen	T	68.1v	67.4v	47.3v	49.4v	47.2v	48.4v	42.1v	68.3v	99.6v	38.2v	74.7v	647.37v
732	Judge AP Powell	O	73.10v	67.5v	48.3v	49.8v	41.1v	45.4v	46.4v	74.9v	97.7v	40.0v	66.5v	646.56v
733	Cdt GA Astin	T	70.7v	69.6v	47.4v	47.3v	45.7v	47.5v	43.3v	69.4v	95.8v	44.2v	70.4v	646.53v
734	Sgt M Devine	O	71.7v	66.1v	45.3v	47.6v	47.5v	46.3v	44.0v	73.9v	98.10v	48.4v	61.3v	646.51v
735	Mr MP Perez	O	67.4v	75.8v	49.6v	45.2v	48.5v	46.4v	40.2v	70.4v	98.11v	41.2v	67.3v	646.51v
736	Mr HP Noss	X	67.4v	71.5v	45.5v	44.2v	49.6v	50.5v	47.2v	74.8v	96.6v	43.2v	60.3v	646.48v
737	Miss C Halleran	O	70.5v	71.6v	46.3v	45.6v	46.3v	48.4v	47.3v	73.7v	97.8v	40.2v	63.1v	646.48v
738	Mr P Merry	O	68.4v	67.2v	49.5v	47.4v	47.4v	47.7v	44.2v	70.8v	98.6v	38.1v	71.4v	646.47v
739	Mr PJ Holden	O	68.5v	65.3v	45.2v	49.7v	46.4v	43.1v	47.5v	71.7v	98.7v	41.0v	73.5v	646.46v
740	Mr ITRJ Jobling	T	68.4v	70.8v	48.2v	47.2v	45.3v	45.3v	50.4v	67.0v	100.8v	37.1v	69.8v	646.43v
741	Mr MJ Judge	O	68.5v	70.4v	47.5v	48.6v	49.5v	44.2v	49.6v	61.1v	98.3v	45.1v	67.4v	646.42v
742	Mr SJ Frank	T	69.3v	71.4v	48.4v	47.4v	48.4v	40.1v	48.5v	69.2v	97.9v	45.3v	64.2v	646.41v
743	Miss JE Harris	O	70.6v	69.5v	46.3v	44.1v	49.4v	44.3v	47.1v	72.7v	93.6v	47.0v	65.3v	646.39v
744	Miss ZL Latimer	T	68.5v	70.0v	47.2v	47.4v	48.8v	41.0v	49.3v	68.3v	98.8v	44.3v	66.3v	646.39v
745	Mr PS Calvert	T	66.6v	74.6v	43.1v	46.1v	49.7v	47.3v	40.1v	70.4v	98.7v	45.0v	68.2v	646.38v
746	P Lepario	O	70.3v	72.6v	46.3v	44.3v	46.4v	41.1v	42.0v	72.7v	100.8v	43.1v	70.2v	646.38v
747	Flt Lt G Basnett	T	69.5v	71.8v	46.6v	46.5v	42.3v	49.4v	47.5v	64.2v	101.6v	40.3v	70.5v	645.52v
748	Mr JR Dodd	O	66.5v	68.4v	46.4v	48.2v	47.5v	48.4v	49.7v	67.4v	101.6v	41.2v	64.6v	645.49v
749	Dr G Stevenson	O	72.9v	70.4v	47.2v	45.2v	46.4v	46.3v	47.1v	67.8v	95.8v	46.2v	64.3v	645.46v
750	Mr TJB Barkel	T	67.5v	69.7v	46.0v	46.3v	47.2v	47.4v	46.3v	68.3v	98.7v	43.4v	68.5v	645.43v
751	Mr R Kligge	X	68.4v	69.5v	45.1v	44.2v	48.4v	44.1v	49.4v	68.7v	96.7v	45.2v	69.5v	645.42v
752	Cdt ADP Partridge	T	69.4v	70.2v	47.3v	45.2v	50.5v	45.3v	46.5v	68.3v	98.4v	38.1v	69.4v	645.36v
753	Mr F Roberts	O	69.4v	68.3v	47.6v	45.2v	47.4v	41.2v	47.5v	69.6v	97.8v	45.3v	69.7v	644.50v
754	Mr RG Hilyard	O	69.3v	70.5v	49.6v	44.3v	47.4v	46.4v	40.3v	70.3v	100.10v	41.1v	68.5v	644.47v
755	Mr OSR Ridd	T	68.3v	72.7v	46.3v	47.3v	40.1v	44.3v	49.3v	73.5v	97.12v	36.1v	72.6v	644.47v
756	E Odeo	O	72.4v	67.4v	49.3v	46.4v	46.4v	44.4v	44.2v	66.3v	100.7v	40.1v	70.4v	644.40v
757	Mr D Mesletzky	X	70.5v	69.4v	46.2v	47.1v	49.6v	47.2v	47.2v	66.4v	92.4v	48.5v	63.3v	644.38v
758	Dr CW Freeman	O	68.4v	71.5v	44.1v	43.1v	48.5v	47.4v	42.2v	69.5v	99.6v	43.1v	70.3v	644.37v
759	Mr CRW Downing	T	69.1v	69.3v	48.4v	48.3v	48.5v	43.1v	47.3v	68.5v	92.4v	45.2v	67.4v	644.35v
760	Mr MG Grimsdell	O	70.7v	70.4v	47.6v	46.3v	40.5v	48.4v	46.3v	72.7v	92.7v	45.3v	67.3v	643.52v
761	Mr JS Ritchie	O	70.7v	68.6v	43.2v	47.3v	47.5v	46.4v	45.3v	66.1v	97.6v	45.4v	69.2v	643.43v
762	Mr DJ Pay	O	70.5v	67.4v	46.4v	50.4v	46.2v	41.1v	48.4v	65.4v	96.6v	44.4v	70.3v	643.41v
763	Mr MW Brown	O	71.4v	68.4v	45.1v	48.3v	47.4v	38.2v	47.2v	71.9v	94.5v	44.2v	70.5v	643.41v
764	Mr RJ Dare	O	69.3v	73.6v	45.5v	46.2v	43.3v	44.1v	45.0v	67.4v	99.8v	46.1v	66.4v	643.37v
765	F Mwema	O	63.1v	66.5v	47.3v	46.3v	48.4v	45.3v	46.0v	71.4v	98.4v	43.2v	70.6v	643.35v
766	Cdt SM Amin	T	71.7v	69.5v	46.3v	32.3v	47.4v	41.2v	44.2v	72.10v	100.9v	48.4v	72.6v	642.55v

767	Cpl N McGowan	T	63.1v	69.6v	44.1v	48.6v	41.1v	46.4v	45.4v	71.5v	100.10v	42.2v	73.12v	642.52v
768	Sgt H Walker	T	62.2v	66.4v	46.5v	45.2v	46.5v	49.3v	47.1v	71.10v	102.11v	39.3v	69.6v	642.52v
769	Sjt BG Mulvey	T	67.4v	71.4v	48.5v	43.2v	48.4v	42.3v	40.0v	74.11v	98.10v	38.1v	73.8v	642.52v
770	Sjt CL Atherton	T	70.2v	69.3v	50.6v	47.5v	42.4v	42.2v	46.3v	68.4v	97.10v	45.3v	66.5v	642.47v
771	Miss EK Gibson	O	69.4v	74.7v	47.4v	48.3v	46.5v	44.3v	41.1v	70.5v	93.6v	44.3v	66.2v	642.43v
772	Mr J Paul	O	66.3v	72.6v	48.4v	46.4v	48.6v	42.4v	42.2v	68.5v	93.7v	45.3v	71.9v	641.53v
773	Miss CPD Pearce	T	63.2v	74.9v	48.4v	50.7v	46.2v	44.2v	41.2v	66.2v	100.9v	38.2v	71.10v	641.51v
774	Miss CJ Moogk	T	65.4v	71.8v	46.2v	45.3v	49.3v	45.2v	42.3v	72.7v	98.10v	43.1v	65.5v	641.48v
775	Mr RCG Knight	O	70.6v	71.6v	46.1v	46.4v	47.6v	40.1v	47.3v	69.5v	94.4v	38.2v	73.6v	641.44v
776	Miss ER Lewin	O	69.5v	70.5v	47.5v	46.5v	43.2v	44.2v	45.4v	69.7v	94.3v	38.3v	75.12v	640.53v
777	Mr G Hart	T	67.4v	69.6v	49.5v	47.5v	48.5v	39.2v	45.2v	68.7v	89.4v	47.1v	72.7v	640.48v
778	Mr SHM Keith	T	67.5v	72.7v	45.1v	43.2v	47.5v	47.3v	45.4v	71.3v	99.7v	34.1v	70.6v	640.44v
779	Mr MD Wright	T	64.3v	67.5v	45.3v	49.5v	49.5v	45.4v	45.3v	70.8v	95.7v	43.4v	67.5v	639.52v
780	J Muriuki	O	69.6v	71.6v	46.2v	46.5v	48.3v	46.4v	45.3v	68.6v	97.7v	32.1v	71.6v	639.49v
781	J Sichei	O	67.4v	70.6v	47.4v	45.3v	47.4v	44.2v	46.0v	68.4v	98.7v	37.0v	70.4v	639.38v
782	Mr CSJ Marlow	O	70.7v	65.4v	48.5v	50.6v	46.3v	46.2v	39.3v	70.5v	93.7v	41.0v	70.5v	638.47v
783	Mr CN Jaynes	T	69.5v	69.3v	44.3v	48.3v	48.3v	44.3v	42.1v	69.5v	91.4v	43.2v	71.9v	638.41v
784	L/Cpl B Turner	O	67.5v	67.2v	49.7v	46.1v	47.6v	45.3v	47.3v	71.6v	98.5v	34.0v	67.3v	638.41v
785	Mr SP Hill	O	69.5v	69.5v	47.3v	47.4v	44.2v	47.4v	41.2v	71.5v	93.2v	42.1v	68.6v	638.39v
786	Mrs CIM Le Poidevin	O	70.3v	73.6v	50.4v	41.2v	46.4v	41.0v	43.1v	65.2v	96.6v	42.2v	71.5v	638.35v
787	Mr MB Grant	T	72.7v	69.7v	47.3v	45.3v	46.2v	47.2v	45.4v	67.4v	89.5v	41.2v	69.5v	637.44v
788	Mr BF Witts	O	69.4v	66.2v	45.2v	47.3v	45.3v	43.3v	48.2v	71.9v	96.8v	43.2v	64.1v	637.39v
789	Mr JE Fraser	O	66.4v	70.5v	39.1v	50.4v	46.0v	49.3v	39.3v	70.7v	95.7v	43.1v	70.4v	637.39v
790	Mrs SM Mott	O	69.1v	69.6v	48.4v	49.5v	44.3v	38.0v	45.2v	71.3v	89.4v	43.1v	72.5v	637.34v
791	Mr NM Duncan	T	73.6v	70.6v	47.3v	43.2v	42.3v	46.4v	43.2v	69.6v	97.8v	39.1v	67.5v	636.46v
792	Mr C Palfrey	T	67.5v	69.7v	44.2v	48.3v	43.1v	44.2v	44.4v	67.2v	98.6v	45.4v	67.3v	636.39v
793	Sjt P Tucker	T	68.3v	73.7v	48.5v	42.1v	44.5v	44.2v	48.5v	69.5v	91.3v	43.1v	66.2v	636.39v
794	Miss IS O'Bryan	T	66.4v	68.4v	45.3v	47.3v	44.3v	40.0v	44.2v	66.4v	99.6v	46.3v	71.4v	636.36v
795	Mr KC Marshall	O	65.0v	70.6v	48.4v	42.1v	45.2v	45.3v	45.0v	67.5v	96.6v	45.1v	68.4v	636.32v
796	Mr T Horsfield	O	65.2v	67.2v	47.2v	43.2v	46.0v	46.3v	46.3v	72.3v	96.7v	39.0v	69.3v	636.27v
797	Sgt CJ Beddow	T	67.5v	65.2v	44.3v	46.4v	46.4v	48.5v	46.6v	70.7v	97.6v	39.3v	67.4v	635.49v
798	Miss CM McKenzie	T	64.2v	70.8v	45.4v	49.5v	39.1v	48.1v	47.3v	65.5v	97.9v	41.3v	70.4v	635.45v
799	Mr COB Perkins	T	68.3v	72.6v	44.3v	44.2v	44.2v	43.1v	41.1v	71.6v	95.9v	45.2v	68.5v	635.40v
800	Cdt CSM ATPP Pattison	T	61.2v	71.4v	47.1v	47.3v	48.5v	47.1v	46.3v	63.1v	103.3v	33.1v	69.3v	635.27v
801	Sjt J McCreedy	T	69.7v	70.5v	47.5v	45.3v	32.0v	46.2v	48.6v	71.7v	96.7v	47.4v	63.4v	634.50v
802	Mr JT Kennedy	T	68.5v	69.5v	45.2v	46.4v	48.6v	44.2v	45.4v	66.2v	93.4v	40.2v	70.7v	634.43v
803	LCpl L Le Breuilley	T	68.5v	67.3v	46.1v	47.4v	44.4v	47.2v	48.3v	68.6v	92.7v	37.0v	70.8v	634.43v
804	K Kiarie	O	68.2v	69.5v	46.4v	45.4v	46.4v	41.3v	47.2v	67.6v	96.6v	42.4v	66.3v	633.43v
805	LCpl EP Bryant	T	65.3v	68.4v	44.3v	46.4v	47.3v	45.3v	41.0v	72.8v	96.7v	40.1v	69.6v	633.42v
806	Mr RA Grundy	X	70.4v	71.3v	46.2v	36.0v	46.3v	41.2v	48.3v	74.8v	102.10v	30.1v	69.6v	633.42v
807	Mr KSPB Brown	T	65.2v	70.2v	45.2v	30.1v	46.4v	48.3v	40.1v	70.4v	101.12v	48.1v	70.8v	633.40v
808	Mr ND Anderson	O	65.3v	73.7v	44.0v	49.6v	46.2v	43.2v	40.0v	64.2v	96.8v	45.3v	68.6v	633.39v
809	Mr NC Boyde	O	74.8v	73.10v	41.1v	48.3v	50.6v	45.2v	47.4v	72.5v	76.5v	37.2v	69.5v	632.51v
810	Mr GS Strong	T	67.2v	71.8v	42.1v	46.7v	48.3v	48.3v	41.4v	66.3v	92.5v	41.3v	70.8v	632.47v
811	Miss R Werner	X	68.3v	69.6v	40.2v	49.4v	43.1v	44.2v	42.3v	68.6v	94.7v	45.2v	70.8v	632.44v
812	Mrs KD Robertson	O	70.6v	68.3v	43.3v	47.3v	46.4v	41.1v	44.4v	68.6v	92.8v	44.2v	69.4v	632.44v
813	Cdt Cpl RJ Stilgoe	T	62.1v	66.3v	47.1v	41.3v	47.6v	47.4v	47.2v	71.5v	97.3v	45.4v	62.4v	632.36v
814	Mr A Wombell	O	69.5v	69.3v	47.3v	45.2v	39.0v	47.5v	41.1v	70.8v	97.5v	35.0v	73.4v	632.36v
815	LCpl A Gray	T	70.7v	67.4v	48.3v	30.2v	49.6v	45.4v	46.4v	71.3v	91.3v	46.4v	68.5v	631.45v
816	Mr FL Laberge	T	64.1v	70.4v	45.2v	46.4v	46.5v	43.2v	45.3v	65.6v	97.6v	42.2v	68.5v	631.40v
817	Mr PT Dwyer	A	69.5v	66.3v	45.1v	47.3v	45.5v	46.3v	46.3v	66.5v	99.9v	36.1v	66.1v	631.39v
818	Mr WH Handley	O	66.2v	70.6v	49.7v	46.4v	48.4v	46.4v	48.3v	69.8v	98.7v	18.1v	72.6v	630.52v
819	Mr JW Anderson	T	71.6v	70.7v	45.5v	45.2v	44.3v	46.2v	45.4v	72.3v	91.7v	41.2v	60.0v	630.41v
820	Cdt BJB Briggs	T	65.3v	68.6v	47.1v	44.2v	48.3v	46.4v	43.1v	70.5v	97.9v	34.1v	68.4v	630.39v
821	J Kamau	O	64.4v	71.4v	44.2v	45.0v	44.1v	47.2v	46.5v	67.4v	94.7v	40.1v	68.6v	630.36v
822	Mr JPS Bloomfield	X	74.7v	73.5v	46.5v	46.5v	49.7v	49.5v	0.0v	73.10v	102.11v	47.4v	70.4v	629.63v
823	Cpl L Thirlaway	T	64.3v	71.6v	42.3v	43.1v	43.1v	43.4v	47.4v	70.7v	93.8v	44.2v	69.6v	629.45v
824	Mr GD Moffatt	O	66.2v	72.8v	46.4v	46.4v	44.2v	42.3v	41.1v	62.5v	99.5v	42.3v	69.2v	629.39v
825	Mr NJ Atkins	T	70.5v	68.3v	43.2v	45.2v	45.1v	43.2v	43.2v	66.3v	91.6v	44.2v	71.7v	629.35v
826	Mr JL Poulin	O	67.4v	68.4v	47.4v	43.3v	44.1v	45.2v	45.2v	65.2v	95.5v	46.4v	63.4v	628.35v
827	Cdt PI Mare	T	62.4v	72.5v	44.2v	43.1v	46.4v	44.0v	44.3v	68.4v	96.7v	45.2v	64.1v	628.33v
828	Mr JA Horton	O	68.2v	68.4v	45.0v	44.4v	43.4v	44.2v	46.4v	70.2v	90.2v	47.5v	62.4v	627.33v
829	Cdt A Johnston	T	63.2v	71.4v	45.3v	45.4v	49.6v	47.2v	45.3v	61.2v	92.6v	40.0v	68.4v	626.36v
830	Mr M Ayling	O	68.2v	66.5v	45.2v	41.2v	42.1v	43.0v	44.3v	72.9v	97.7v	43.1v	65.3v	626.35v
831	CSgt A McBain	T	68.5v	66.4v	45.3v	43.2v	45.0v	42.1v	43.3v	63.3v	94.4v	45.3v	72.5v	626.33v
832	Mr TV Vlad	T	71.8v	70.5v	48.4v	46.4v	49.6v	0.0v	46.2v	74.9v	102.11v	45.2v	74.6v	625.57v
833	Mr B Humphreys	O	68.3v	71.7v	48.5v	46.3v	46.5v	44.3v	47.2v	73.10v	64.4v	48.4v	70.4v	625.50v
834	Mr FTG Amy	T	69.4v	70.6v	49.6v	47.3v	40.1v	41.1v	29.1v	71.8v	92.9v	47.4v	70.6v	625.49v
835	Mr LA Fisher	X	63.5v	67.2v	44.3v	49.4v	47.4v	43.4v	41.1v	61.2v	96.8v	46.4v	68.5v	625.42v
836	E Kimisik	O	70.4v	70.6v	48.2v	43.2v	45.2v	43.3v	45.1v	64.3v	90.7v	45.3v	62.3v	625.36v
837	Mr ND Gomez	O	70.4v	71.7v	50.6v	43.2v	46.4v	48.5v	46.3v	72.7v	65.4v	42.2v	71.6v	624.50v

838	Mr MS Savage	T	65.1v	67.4v	50.2v	43.2v	44.4v	36.0v	47.2v	71.9v	91.12v	44.3v	66.3v	624.42v
839	Miss E Stewart	T	62.0v	68.6v	43.1v	47.3v	46.4v	47.3v	46.2v	65.3v	88.2v	42.1v	70.9v	624.34v
840	Mr SA Lippiatt	O	65.3v	66.6v	48.3v	47.3v	44.1v	45.4v	47.4v	66.3v	91.4v	41.1v	64.1v	624.33v
841	Miss ME Wicker	O	70.4v	71.6v	45.4v	45.1v	44.2v	46.2v	40.0v	66.3v	91.3v	39.2v	67.4v	624.31v
842	Mr D Odutola	T	68.2v	70.10v	46.5v	39.0v	44.2v	44.2v	47.3v	70.5v	93.6v	39.1v	63.2v	623.38v
843	Mr I Brotherston	T	67.2v	62.1v	44.3v	45.2v	42.3v	42.1v	43.0v	68.6v	99.9v	43.1v	68.6v	623.34v
844	Mr AE Le Page	X	67.3v	67.4v	46.3v	40.2v	48.3v	44.1v	42.2v	68.6v	97.6v	42.1v	62.1v	623.32v
845	Miss M Miller	T	64.1v	64.2v	43.2v	45.3v	47.2v	41.2v	46.4v	74.6v	87.1v	43.3v	69.4v	623.30v
846	Major RJ Aitken	O	71.6v	65.4v	48.5v	46.5v	43.2v	43.1v	44.2v	70.5v	83.5v	44.1v	65.5v	622.41v
847	Mr TW Harrison	O	67.4v	66.4v	45.2v	47.4v	44.3v	42.1v	43.3v	70.4v	95.7v	38.0v	65.5v	622.37v
848	Mr AW Sainter	O	64.3v	70.4v	45.2v	45.2v	40.1v	44.2v	45.2v	68.2v	99.10v	41.2v	61.2v	622.32v
849	Cdt MT Lehmann	T	64.0v	66.3v	42.1v	46.2v	41.1v	43.5v	45.2v	68.5v	95.8v	40.2v	71.6v	621.35v
850	Mrs I Pioche	O	65.3v	70.2v	48.4v	46.5v	46.3v	34.0v	42.0v	67.5v	99.7v	36.1v	68.1v	621.31v
851	Miss LP McKibbin	O	65.3v	63.0v	45.5v	42.1v	46.3v	43.2v	43.3v	69.2v	91.4v	42.1v	72.5v	621.29v
852	Dr NG Jeffs	O	72.7v	67.4v	49.3v	49.4v	48.4v	44.5v	42.2v	69.6v	64.5v	47.6v	69.4v	620.50v
853	Mr JP Raine	O	69.7v	69.8v	48.3v	43.2v	44.1v	38.1v	41.1v	61.3v	94.5v	42.3v	71.7v	620.41v
854	Cdt GBA Anderson	T	71.6v	65.3v	44.3v	43.3v	47.4v	38.1v	45.4v	65.2v	95.3v	44.2v	63.1v	620.32v
855	Mr AJ Mazumdar	T	66.0v	68.2v	46.4v	40.1v	41.3v	46.2v	46.5v	68.3v	98.6v	39.1v	62.2v	620.29v
856	Cpl S Livingston	T	62.3v	71.3v	41.2v	47.3v	43.0v	49.3v	43.1v	69.2v	97.7v	34.1v	64.3v	620.28v
857	Mr BR Shouler	O	69.4v	69.7v	48.3v	48.3v	45.3v	47.4v	47.2v	72.3v	65.4v	41.2v	68.3v	619.38v
858	Mr SJ Clark	O	66.3v	69.3v	44.3v	45.2v	44.2v	45.2v	46.3v	64.5v	94.5v	37.1v	65.4v	619.33v
859	Mr JH Molesworth	T	71.3v	63.1v	45.2v	41.1v	36.0v	47.2v	35.4v	67.2v	102.7v	47.4v	65.2v	619.28v
860	Mr RJ Jardine	T	68.5v	66.3v	43.2v	48.5v	41.1v	45.1v	46.5v	63.1v	88.5v	40.0v	70.2v	618.30v
861	Cpl M Day	T	68.2v	64.4v	46.3v	44.1v	43.2v	42.1v	45.4v	66.2v	95.4v	39.1v	66.6v	618.30v
862	Mr DL Wiles	O	71.7v	75.10v	47.3v	47.6v	49.4v	44.2v	43.0v	65.3v	61.2v	45.3v	70.5v	617.45v
863	LCpl B Robson	T	61.3v	69.4v	42.3v	44.4v	44.4v	39.0v	44.3v	68.6v	98.6v	39.0v	69.7v	617.40v
864	Cdt AR Riopel	T	70.7v	70.5v	42.1v	46.4v	45.1v	49.6v	41.2v	72.7v	92.2v	29.0v	61.2v	617.37v
865	Mr RP Birch	T	59.2v	66.3v	43.1v	40.1v	48.5v	44.2v	46.4v	65.3v	96.7v	45.3v	65.3v	617.34v
866	Mr AJ Ball	O	66.3v	69.4v	46.4v	46.0v	48.3v	45.2v	40.2v	66.4v	94.10v	37.0v	60.1v	617.33v
867	J/Cpl AF Filhol	T	73.9v	65.2v	44.2v	45.0v	44.2v	44.0v	41.2v	70.4v	94.6v	38.0v	59.2v	617.29v
868	M Dida	O	65.3v	66.4v	48.4v	39.0v	47.4v	42.0v	45.3v	66.2v	90.3v	43.2v	66.2v	617.27v
869	Mr WT Bridger	O	69.5v	66.0v	45.1v	47.1v	42.1v	44.2v	41.3v	69.4v	86.1v	42.2v	65.2v	616.22v
870	Mr P Cameron Taylor	O	68.5v	74.9v	47.5v	48.6v	48.6v	0.0v	47.4v	74.7v	102.7v	35.1v	72.10v	615.60v
871	Mr SMW Clifford	T	68.4v	69.3v	44.1v	49.3v	49.7v	46.3v	48.3v	70.8v	66.3v	44.3v	62.2v	615.40v
872	Cdt SR Sharma	T	64.1v	69.2v	46.3v	42.2v	43.2v	43.2v	45.4v	71.6v	89.3v	38.2v	65.3v	615.30v
873	Miss JC Melling	T	61.0v	68.4v	40.0v	47.3v	46.5v	48.4v	45.2v	63.1v	97.5v	47.2v	53.0v	615.26v
874	Mr J Macaulay	T	71.9v	72.8v	45.3v	46.4v	46.4v	49.4v	45.3v	67.3v	103.12v	0.0v	70.6v	614.56v
875	Miss PK Kirk	T	66.4v	70.3v	46.2v	41.2v	47.3v	40.1v	49.5v	66.3v	82.3v	41.5v	66.0v	614.31v
876	Mr SJ Ayres	O	67.1v	68.2v	44.0v	45.5v	48.4v	39.1v	40.2v	67.6v	92.3v	40.1v	64.3v	614.28v
877	Mr HL Hunter	X	72.7v	73.9v	47.3v	46.3v	47.3v	0.0v	44.3v	72.7v	97.6v	45.1v	70.6v	613.48v
878	Mr TF Kurn	O	72.5v	70.6v	49.5v	0.0v	46.6v	43.1v	49.5v	74.9v	100.7v	41.2v	68.4v	612.50v
879	Mr L Gibbons	T	67.4v	66.4v	47.6v	45.5v	48.6v	43.2v	42.0v	61.1v	87.1v	40.1v	66.4v	612.34v
880	Mr JSW Hunter	O	69.4v	67.3v	47.2v	46.4v	46.1v	45.1v	38.1v	59.4v	87.5v	44.5v	64.2v	612.32v
881	Miss CLP Peacock	O	65.3v	64.1v	42.2v	42.1v	46.4v	46.4v	46.1v	68.5v	94.5v	29.0v	70.5v	612.31v
882	Mr PJW Sparks	O	67.2v	65.2v	41.2v	44.1v	42.1v	42.2v	43.3v	71.6v	96.6v	36.1v	64.2v	611.28v
883	Cdt HSJC Cubbin	T	71.4v	68.5v	44.2v	45.3v	48.4v	46.4v	48.3v	72.9v	101.10v	0.0v	67.3v	610.47v
884	Mr P Wale	O	64.2v	66.3v	44.4v	40.3v	47.3v	37.1v	45.1v	67.3v	90.2v	44.3v	66.4v	610.29v
885	Dr R Pizer	O	65.1v	64.4v	44.4v	42.1v	47.2v	45.3v	44.1v	64.4v	89.5v	43.2v	63.2v	610.29v
886	Mr FE Neale	O	70.3v	69.4v	49.6v	0.0v	44.1v	43.3v	49.6v	71.6v	100.9v	45.3v	69.3v	609.44v
887	Mr PH Gardner	O	67.2v	67.3v	45.4v	44.1v	43.1v	30.2v	40.1v	68.8v	93.3v	45.2v	67.2v	609.29v
888	Mr BS Preece	O	62.0v	66.3v	44.2v	45.2v	43.4v	43.3v	41.3v	70.4v	91.2v	37.1v	67.2v	609.26v
889	Mr PJS Smith	O	70.4v	70.6v	46.5v	46.4v	50.3v	45.2v	46.4v	72.6v	96.6v	0.0v	67.4v	608.44v
890	Mr MP Hudson	T	61.2v	71.7v	40.1v	47.3v	43.2v	48.4v	41.3v	61.0v	89.5v	41.2v	66.3v	608.32v
891	Mr BW Cairns	O	72.6v	73.7v	50.5v	41.1v	45.3v	44.3v	0.0v	73.11v	102.11v	43.1v	64.4v	607.52v
892	Mr CP Moon	O	70.4v	66.5v	43.1v	41.1v	43.1v	47.3v	37.1v	64.1v	87.9v	43.1v	66.4v	607.31v
893	Ms SJ Dick	T	71.3v	62.6v	46.2v	44.4v	39.1v	37.1v	38.1v	70.5v	95.7v	37.1v	67.4v	606.35v
894	Mr HJM Awin	T	62.4v	69.3v	43.3v	47.4v	43.3v	38.0v	39.0v	68.3v	85.5v	45.3v	67.5v	606.33v
895	Cdt CH Sayers	T	60.4v	62.2v	44.2v	44.4v	47.2v	34.1v	43.3v	63.3v	100.7v	43.2v	66.3v	606.33v
896	Mr EA Graves	T	63.4v	71.4v	45.3v	42.1v	45.4v	39.1v	47.4v	70.3v	96.5v	28.1v	60.2v	606.32v
897	Mr G Williams	X	72.7v	74.10v	50.4v	44.6v	50.2v	47.3v	48.5v	74.12v	100.5v	46.5v	0.0v	605.59v
898	Miss KE Pope	T	68.4v	70.4v	48.5v	0.0v	49.8v	47.3v	50.5v	68.6v	99.4v	37.1v	68.4v	604.44v
899	Mr C Crabtree	T	68.4v	66.2v	40.2v	46.2v	47.3v	45.4v	45.2v	63.4v	96.7v	41.1v	46.4v	603.35v
900	Mr RM Culverwell	O	64.0v	69.4v	42.2v	46.2v	40.0v	42.2v	45.4v	56.0v	99.9v	39.2v	61.2v	603.27v
901	Cpl T Shair	T	68.4v	72.7v	49.8v	47.3v	42.2v	0.0v	47.5v	71.5v	95.5v	39.2v	72.9v	602.50v
902	Cpl LM Potter	T	67.6v	70.4v	36.1v	45.1v	43.2v	41.3v	46.1v	69.3v	87.3v	29.2v	68.5v	601.31v
903	Mr NR Wells	O	66.4v	70.8v	0.0v	45.4v	46.2v	46.1v	48.3v	67.3v	98.6v	42.1v	72.7v	600.39v
904	Pte G Evans	T	64.3v	66.5v	43.2v	43.1v	42.3v	46.3v	44.3v	66.5v	93.4v	32.3v	61.2v	600.34v
905	LCpl T Mason	T	62.2v	66.4v	40.3v	38.3v	42.0v	38.1v	46.2v	65.5v	92.4v	43.3v	67.5v	599.32v
906	Mr PERD Hunt	T	70.6v	65.2v	42.3v	46.3v	37.2v	41.3v	44.2v	69.3v	90.5v	34.0v	61.3v	599.32v
907	Mr SFD Dash	O	0.0v	67.6v	49.6v	46.1v	49.6v	47.5v	45.2v	74.10v	102.14v	47.3v	72.8v	598.61v
908	Mr JMF Ford	A	70.3v	74.8v	49.5v	49.3v	48.4v	43.0v	49.4v	74.11v	28.3v	44.3v	70.5v	598.49v



909	Mr CA Stewart	O	68.4v	69.4v	47.3v	47.5v	44.3v	48.5v	0.0v	64.4v	94.5v	44.1v	72.3v	597.37v
910	Mr CJ Anyan	O	60.2v	46.1v	37.1v	45.1v	47.2v	45.2v	46.4v	65.3v	97.7v	43.1v	66.3v	597.27v
911	Mr WA O'Dair	O	58.3v	63.2v	46.1v	40.0v	40.0v	42.2v	47.3v	64.2v	92.3v	37.1v	68.3v	597.20v
912	Miss LE Kennedy	T	70.7v	71.5v	42.2v	44.3v	46.3v	45.2v	46.2v	67.6v	96.6v	43.2v	26.2v	596.40v
913	Mr NH Heal	T	63.1v	72.6v	0.0v	47.3v	45.4v	43.2v	41.1v	70.2v	99.10v	46.1v	69.10v	595.40v
914	Miss ER Chamberlain	T	62.2v	63.1v	43.3v	45.3v	43.3v	46.2v	35.1v	59.2v	91.4v	44.2v	64.3v	595.26v
915	Mr AJ Mayers	O	72.3v	72.5v	46.4v	48.6v	47.3v	47.5v	46.4v	74.9v	98.7v	44.1v	0.0v	594.47v
916	Miss M McLoughlin	O	73.5v	60.4v	39.1v	39.2v	41.2v	42.4v	41.1v	66.1v	90.7v	35.2v	68.5v	594.34v
917	Cdt RF Fagan	T	62.1v	68.4v	32.1v	43.5v	46.6v	40.1v	46.3v	67.3v	94.3v	35.2v	61.2v	594.31v
918	Miss EL Sweet	T	65.3v	62.2v	42.2v	48.5v	45.3v	43.0v	45.4v	48.2v	91.6v	43.1v	58.1v	590.29v
919	Miss LMA Bogie	A	68.4v	74.5v	48.5v	47.4v	47.4v	47.5v	42.2v	72.9v	100.12v	44.3v	0.0v	589.53v
920	LCpl WA Shelton	T	65.2v	72.5v	45.3v	0.0v	47.4v	47.6v	34.0v	72.6v	93.6v	46.2v	68.4v	589.38v
921	Mr PJ Amy	O	68.3v	61.2v	41.0v	47.2v	43.0v	44.3v	37.2v	65.5v	94.5v	37.0v	52.0v	589.22v
922	Mr DF Nesbitt	O	70.6v	70.5v	48.6v	47.3v	48.5v	47.3v	45.3v	74.9v	99.8v	40.0v	0.0v	588.48v
923	Dr JC Jobling	O	65.2v	72.6v	47.5v	47.2v	47.4v	49.3v	47.5v	74.8v	97.7v	42.2v	0.0v	587.44v
924	Cdt CJ Beynon	T	71.4v	68.4v	43.1v	45.2v	46.3v	46.4v	0.0v	68.5v	98.5v	33.0v	69.4v	587.32v
925	Mr RJS McIlveen	O	72.7v	68.4v	41.0v	47.6v	47.3v	46.3v	47.3v	73.10v	101.9v	44.2v	0.0v	586.47v
926	Mr JMP Fitzsimons	O	69.6v	67.4v	47.4v	46.3v	48.3v	47.1v	49.2v	70.5v	100.10v	43.2v	0.0v	586.40v
927	Jnr Cpl HL Holah	T	64.3v	65.3v	46.4v	37.1v	40.2v	46.2v	44.3v	68.15v	79.3v	34.2v	62.5v	585.43v
928	Cdt J Surmon	T	67.7v	69.3v	49.6v	47.4v	0.0v	46.3v	45.2v	67.6v	87.5v	39.1v	67.4v	583.41v
929	Mr AJP Paluch	T	63.2v	58.1v	45.4v	39.1v	39.1v	40.1v	43.2v	69.5v	85.2v	36.2v	66.4v	583.25v
930	Dr PR Wheeler	O	72.8v	70.4v	45.2v	46.5v	46.6v	47.3v	45.3v	71.8v	94.4v	46.3v	0.0v	582.46v
931	Miss RE Knight	O	66.5v	71.0v	48.6v	47.1v	47.3v	44.4v	45.3v	0.0v	100.10v	42.3v	71.7v	581.42v
932	Pte C Howells	T	67.4v	61.2v	37.1v	41.4v	41.3v	38.1v	38.1v	60.2v	93.5v	43.2v	62.1v	581.26v
933	Mr FJ Carlin	O	69.3v	67.6v	46.4v	46.3v	45.3v	49.5v	46.4v	72.6v	94.5v	46.5v	0.0v	580.44v
934	Cpl JH Holding	T	62.3v	67.4v	0.0v	45.1v	42.2v	45.1v	44.4v	64.3v	93.5v	45.2v	73.5v	580.30v
935	Miss JE Lewsey	T	65.2v	68.5v	42.2v	0.0v	48.3v	42.1v	43.3v	68.3v	96.5v	43.2v	65.3v	580.29v
936	Mr HGM Mooiman	O	74.9v	65.7v	44.2v	49.7v	46.4v	48.3v	44.3v	70.7v	98.6v	41.4v	0.0v	579.52v
937	Miss EKB Beech	T	68.2v	68.5v	47.4v	38.3v	43.3v	42.2v	37.2v	63.2v	80.3v	39.1v	50.0v	575.27v
938	Mr IF Coventry	O	64.1v	67.2v	42.1v	37.3v	36.1v	44.4v	47.2v	61.3v	87.3v	32.1v	57.3v	574.24v
939	Cdt PA Evans	T	63.2v	66.4v	39.1v	42.3v	40.1v	37.2v	42.2v	60.1v	84.2v	35.0v	65.3v	573.21v
940	Cdt ASW Waterworth	T	64.3v	70.4v	36.2v	40.2v	48.5v	38.1v	37.0v	56.0v	86.5v	28.0v	67.3v	570.25v
941	Mr CMAG Greaves	T	62.3v	63.3v	39.1v	39.0v	43.2v	39.1v	33.0v	65.5v	93.6v	30.1v	63.2v	569.24v
942	Miss KR Sharpington	T	61.0v	65.3v	45.1v	42.2v	45.5v	36.0v	40.1v	63.2v	86.3v	24.0v	62.4v	569.21v
943	Cdt HIM Macrae	T	66.4v	70.7v	45.2v	43.3v	49.6v	44.4v	44.3v	72.6v	94.8v	40.2v	0.0v	567.45v
944	Mr WJS Hayman	T	67.5v	69.4v	44.4v	48.4v	47.4v	46.4v	42.1v	0.0v	101.9v	41.1v	61.1v	566.37v
945	Cdt DB O'Hare	T	61.1v	60.2v	46.1v	46.5v	37.1v	39.0v	42.2v	63.3v	88.3v	27.1v	57.1v	566.20v
946	Mr PA Cullimore	O	68.5v	65.3v	46.4v	49.3v	44.1v	45.5v	42.2v	72.8v	90.5v	44.5v	0.0v	565.41v
947	Mr H Buitelaar	O	61.3v	69.4v	45.4v	46.2v	45.1v	47.3v	43.1v	70.4v	93.4v	45.3v	0.0v	564.29v
948	Mr AJ Bryant	O	70.6v	68.1v	45.2v	46.1v	46.2v	38.2v	45.2v	64.3v	97.8v	44.1v	0.0v	563.28v
949	Mr H Sanders	A	68.7v	71.7v	44.3v	48.5v	48.7v	46.0v	47.4v	75.12v	66.3v	49.4v	0.0v	562.52v
950	LC R Laughlin	T	63.4v	66.1v	37.1v	45.4v	46.6v	43.3v	43.2v	65.2v	87.4v	0.0v	67.6v	562.33v
951	Mr JN Lowe	T	0.0v	67.2v	39.0v	46.4v	47.2v	48.5v	45.2v	67.4v	95.8v	38.1v	69.5v	561.33v
952	Sjt CD Bean	T	62.2v	67.3v	39.0v	40.0v	40.2v	39.0v	41.1v	43.0v	87.2v	39.1v	62.3v	559.14v
953	Mr AC Abrahams	T	67.4v	65.3v	45.2v	46.3v	47.4v	44.2v	44.3v	61.2v	93.6v	45.3v	0.0v	557.32v
954	Mr SS Qaisar	T	65.4v	64.3v	44.3v	42.3v	43.1v	42.3v	3.0v	60.1v	93.4v	40.1v	60.3v	556.26v
955	Mr NT Davies	O	69.5v	70.8v	47.5v	49.2v	47.4v	39.1v	48.2v	71.3v	66.4v	47.4v	0.0v	553.38v
956	Miss C Clarke	O	69.6v	69.5v	40.2v	41.1v	45.2v	47.3v	44.6v	0.0v	86.5v	44.3v	68.4v	553.37v
957	Mr JF Jackman	O	70.6v	71.8v	46.1v	44.5v	50.8v	48.4v	0.0v	74.10v	103.5v	43.2v	0.0v	549.49v
958	Mrs LJ Brister	A	70.6v	71.4v	48.3v	46.4v	46.3v	48.7v	47.2v	71.3v	57.0v	45.1v	0.0v	549.33v
959	Cdt A Hay	T	61.0v	64.4v	44.1v	40.2v	41.2v	0.0v	37.1v	60.1v	94.8v	45.1v	61.4v	547.24v
960	Mr MR Ball	X	68.8v	0.0v	49.5v	40.5v	49.6v	46.3v	0.0v	74.9v	101.9v	47.6v	69.5v	543.56v
961	Mr BJA Parke	O	56.0v	66.4v	47.2v	40.4v	36.1v	38.0v	35.1v	52.1v	85.4v	31.0v	56.0v	542.17v
962	Cpl K Perrett	T	61.1v	67.5v	34.1v	39.0v	27.0v	43.1v	37.0v	61.3v	84.1v	22.0v	63.0v	538.12v
963	Cdt JM Price	T	49.2v	59.0v	42.1v	48.5v	24.0v	40.1v	42.3v	55.1v	88.3v	34.1v	56.1v	537.18v
964	Mr FCP Mostyn	O	70.5v	72.6v	46.3v	47.2v	49.3v	41.2v	0.0v	70.6v	98.7v	43.1v	0.0v	536.35v
965	Mr H Tancred-Holmes	T	64.3v	70.6v	44.3v	40.0v	44.3v	41.1v	40.2v	64.5v	97.7v	32.3v	0.0v	536.33v
966	Mr T Waycott	T	66.3v	66.5v	40.2v	40.1v	41.1v	36.2v	46.4v	63.8v	93.5v	40.2v	0.0v	531.33v
967	Mr JRC Stanford-Beale	T	64.1v	65.2v	43.2v	42.1v	35.0v	43.4v	0.0v	66.2v	82.3v	36.1v	53.1v	529.17v
968	Cpl A Jordan	T	61.3v	61.3v	41.1v	31.0v	30.0v	36.2v	44.0v	60.2v	58.2v	39.1v	60.1v	521.15v
969	WO2 J Petrie	T	50.1v	60.2v	32.0v	40.2v	32.0v	35.1v	47.2v	53.0v	82.6v	35.1v	54.1v	520.16v
970	Mr T Hendriks	O	67.4v	67.2v	48.7v	48.2v	42.2v	41.1v	30.2v	63.3v	68.6v	43.1v	0.0v	517.30v
971	Sgt H Martin	T	61.2v	58.2v	44.1v	33.4v	41.3v	30.0v	30.0v	50.2v	81.1v	40.2v	46.1v	514.18v
972	Mr W Quick	X	72.4v	67.4v	37.1v	28.2v	40.1v	41.2v	0.0v	66.5v	93.8v	0.0v	61.4v	505.31v
973	Mr GCRG Greenbury	T	67.5v	69.3v	47.5v	43.1v	47.2v	46.4v	44.2v	0.0v	98.5v	40.0v	0.0v	501.27v
974	Mr DR MacCallum	T	33.0v	62.3v	46.2v	0.0v	45.3v	39.2v	0.0v	70.5v	93.4v	37.1v	72.6v	497.26v
975	Miss HR Charles	O	16.1v	65.3v	43.2v	43.2v	40.2v	35.0v	26.1v	56.1v	79.2v	32.1v	62.2v	497.17v
976	Mr S Ennion	O	73.6v	72.9v	42.3v	46.6v	44.5v	43.2v	0.0v	73.6v	99.9v	0.0v	0.0v	492.46v
977	Mr PR Sirett	X	69.5v	65.3v	45.1v	42.2v	44.2v	40.2v	46.5v	68.6v	31.0v	42.1v	0.0v	492.27v
978	Mr PL Redstone	A	69.3v	69.6v	46.4v	47.3v	48.5v	40.2v	0.0v	64.4v	62.2v	46.2v	0.0v	491.31v
979	Mr C Downer	T	67.2v	69.2v	46.3v	48.6v	48.7v	42.2v	38.2v	0.0v	89.4v	44.2v	0.0v	491.30v

