

NRA 142nd Imperial Meeting

Grand Aggregate (as at Tuesday, 19th July 2011)

		DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	Corp	POW	Total	
1	Dr GCD Barnett	X	75.9v	73.8v	50.5v	50.7v	50.7v	0.0v	75.12v	0.0v	49.4v	0.0v	472.59v	
2	Mr DC Luckman	X	75.12v	75.10v	49.6v	50.8v	49.6v	49.7v	0.0v	75.13v	0.0v	48.5v	0.0v	470.67v
3	Mr FWA Coetzee	X	75.12v	74.8v	49.5v	50.8v	49.7v	50.7v	0.0v	75.13v	0.0v	48.3v	0.0v	470.63v
4	Mr T Steele	X	74.10v	75.11v	47.6v	50.4v	49.3v	50.7v	0.0v	75.10v	0.0v	49.5v	0.0v	469.56v
5	Mr SD Shouler	X	75.6v	72.5v	50.6v	50.6v	49.8v	50.7v	0.0v	74.9v	0.0v	49.3v	0.0v	469.50v
6	Mr P Patel	X	73.8v	73.10v	50.7v	49.5v	49.7v	49.7v	0.0v	75.11v	0.0v	50.9v	0.0v	468.64v
7	Mr J Corbett	X	75.10v	75.14v	48.5v	50.5v	50.9v	49.4v	0.0v	75.15v	0.0v	46.2v	0.0v	468.64v
8	Mr DA Richardson	X	74.9v	73.11v	49.4v	49.4v	50.7v	49.7v	0.0v	75.10v	0.0v	49.6v	0.0v	468.58v
9	Mr WCP Richards	X	73.9v	74.9v	50.5v	49.6v	50.6v	50.7v	0.0v	75.12v	0.0v	47.3v	0.0v	468.57v
10	Mr DC Dyson	X	75.9v	73.9v	47.5v	50.3v	50.8v	50.6v	0.0v	74.11v	0.0v	49.3v	0.0v	468.54v
11	Mr PB Bromley	X	75.11v	75.5v	49.5v	50.5v	50.9v	49.4v	0.0v	74.12v	0.0v	46.3v	0.0v	468.54v
12	Mr PG Kent	X	71.5v	73.6v	50.8v	50.9v	49.6v	50.9v	0.0v	75.12v	0.0v	49.7v	0.0v	467.62v
13	Mr ANR Walker	X	72.10v	73.8v	48.5v	49.5v	50.7v	50.9v	0.0v	75.9v	0.0v	50.5v	0.0v	467.58v
14	Miss S-J Binder	X	75.12v	73.7v	49.5v	49.7v	50.5v	49.5v	0.0v	75.10v	0.0v	47.4v	0.0v	467.55v
15	Mr CN Tremlett	X	74.7v	73.7v	49.4v	48.3v	49.7v	50.5v	0.0v	75.12v	0.0v	49.3v	0.0v	467.48v
16	Dr HHG Pollock	A	74.8v	70.7v	49.4v	50.7v	49.6v	50.8v	0.0v	75.13v	0.0v	49.6v	0.0v	466.59v
17	Cdt WJD Broad	A	74.10v	75.8v	50.7v	47.4v	48.4v	50.6v	0.0v	75.9v	0.0v	47.2v	0.0v	466.50v
18	Wg Cdr DP Calvert	X	74.7v	74.8v	49.5v	50.7v	48.6v	50.5v	0.0v	74.7v	0.0v	47.4v	0.0v	466.49v
19	Mr AD Le Cheminant	X	73.8v	74.8v	49.2v	50.4v	50.8v	49.2v	0.0v	75.13v	0.0v	46.4v	0.0v	466.49v
20	Mr AG Mitchell	A	73.8v	74.8v	49.5v	49.6v	49.7v	49.5v	0.0v	75.13v	0.0v	47.5v	0.0v	465.57v
21	Mr CJ Watson	X	73.10v	74.13v	48.4v	49.7v	48.3v	50.8v	0.0v	74.7v	0.0v	49.3v	0.0v	465.55v
22	Dr JD Warburton	X	75.8v	75.12v	48.5v	47.5v	50.6v	48.5v	0.0v	75.11v	0.0v	47.3v	0.0v	465.55v
23	Mr PR Bain	O	73.9v	74.9v	49.6v	50.6v	50.3v	50.6v	0.0v	75.11v	0.0v	44.2v	0.0v	465.52v
24	Mr ARH Jones	O	75.13v	75.11v	47.3v	47.2v	50.8v	47.2v	0.0v	75.8v	0.0v	49.4v	0.0v	465.51v
25	Mr T Drysdale	O	73.10v	73.5v	49.6v	50.4v	48.5v	50.4v	0.0v	74.10v	0.0v	48.7v	0.0v	465.51v
26	Mr IP Davison	X	75.9v	74.8v	50.5v	49.4v	50.5v	48.7v	0.0v	75.11v	0.0v	44.2v	0.0v	465.51v
27	Wg Cdr RJS Clark	A	74.9v	73.5v	49.4v	50.7v	49.6v	47.2v	0.0v	75.12v	0.0v	48.5v	0.0v	465.50v
28	Mr SNS Penrose	X	74.8v	75.10v	49.5v	49.2v	48.5v	48.6v	0.0v	74.11v	0.0v	48.3v	0.0v	465.50v
29	Capt AW Gill	A	74.9v	74.7v	50.7v	47.2v	50.7v	50.5v	0.0v	75.11v	0.0v	45.0v	0.0v	465.48v
30	Mr KWD Ramsey	X	75.11v	71.9v	50.4v	48.5v	49.7v	49.8v	0.0v	74.10v	0.0v	48.3v	0.0v	464.57v
31	Mr GS Cotton	X	74.9v	73.7v	50.9v	47.6v	50.5v	48.6v	0.0v	75.10v	0.0v	47.4v	0.0v	464.56v
32	Mr TJD Raincock	X	75.11v	74.6v	50.7v	49.5v	48.7v	46.3v	0.0v	75.11v	0.0v	47.4v	0.0v	464.54v
33	Mr SA Thomas	X	71.4v	74.8v	49.7v	49.4v	50.8v	49.7v	0.0v	75.11v	0.0v	47.4v	0.0v	464.53v
34	Mr GW Morgan	O	74.8v	71.7v	50.7v	47.2v	47.4v	50.8v	0.0v	75.13v	0.0v	50.3v	0.0v	464.52v
35	Mr NC Mace	X	75.8v	74.10v	48.5v	47.4v	50.6v	48.5v	0.0v	74.12v	0.0v	48.2v	0.0v	464.52v
36	Mr ERT Jeens	X	75.10v	73.6v	47.4v	49.5v	49.2v	50.8v	0.0v	73.11v	0.0v	48.4v	0.0v	464.50v
37	Mr PS Gray	A	72.5v	74.6v	50.6v	49.6v	50.6v	47.5v	0.0v	75.7v	0.0v	47.5v	0.0v	464.46v
38	Cdt MCE Evans	O	74.5v	73.4v	49.1v	49.1v	49.3v	49.4v	0.0v	74.2v	0.0v	47.1v	0.0v	464.21v
39	Mr AR Langley	X	74.10v	74.9v	50.7v	47.3v	48.8v	50.5v	0.0v	72.7v	0.0v	48.7v	0.0v	463.56v
40	Mr S Young	X	74.9v	73.9v	49.6v	49.6v	50.6v	47.2v	0.0v	74.10v	0.0v	47.3v	0.0v	463.51v
41	Cdt CA Evans	O	74.9v	72.8v	49.6v	48.4v	48.4v	49.4v	0.0v	75.12v	0.0v	48.2v	0.0v	463.49v
42	Mr MG Whicher	X	75.9v	73.7v	49.4v	48.5v	50.6v	48.5v	0.0v	75.11v	0.0v	45.2v	0.0v	463.49v
43	Mr BH Huget	T	75.10v	71.8v	50.1v	49.4v	50.9v	48.4v	0.0v	74.8v	0.0v	46.3v	0.0v	463.47v
44	Sgt HJ Golaszewski	X	72.5v	73.10v	50.8v	50.4v	48.4v	49.6v	0.0v	73.7v	0.0v	48.2v	0.0v	463.46v
45	Mr IMR Power	O	75.7v	73.7v	50.6v	48.2v	50.6v	48.5v	0.0v	73.7v	0.0v	46.1v	0.0v	463.41v
46	Dr CD Haley	X	73.10v	74.14v	49.8v	48.7v	48.7v	49.5v	0.0v	75.11v	0.0v	46.1v	0.0v	462.63v
47	Mr PR Thompson	A	74.9v	73.11v	49.6v	48.7v	49.6v	45.2v	0.0v	75.10v	0.0v	49.8v	0.0v	462.59v
48	Mr JGM Webster	X	75.14v	73.5v	49.8v	47.2v	50.6v	49.5v	0.0v	75.13v	0.0v	44.4v	0.0v	462.57v
49	Mr ER Welford	X	71.6v	75.11v	48.6v	50.7v	48.6v	47.2v	0.0v	74.11v	0.0v	49.5v	0.0v	462.54v
50	Mr D Le Quesne	X	75.10v	75.11v	47.3v	48.7v	50.5v	46.4v	0.0v	75.10v	0.0v	46.4v	0.0v	462.54v
51	Mr CL Leighton	O	75.11v	73.7v	48.7v	48.5v	49.7v	49.6v	0.0v	74.8v	0.0v	46.3v	0.0v	462.54v
52	Mr JR Tuck	X	73.6v	74.10v	50.8v	49.5v	50.10v	48.4v	0.0v	75.8v	0.0v	43.3v	0.0v	462.54v
53	Mr NBS Logan	X	71.7v	74.9v	48.6v	47.6v	49.6v	50.5v	0.0v	75.12v	0.0v	48.2v	0.0v	462.53v
54	Mr GK Alexander	X	74.9v	73.9v	49.6v	49.4v	48.5v	49.8v	0.0v	73.7v	0.0v	47.4v	0.0v	462.52v

55	Mr MT Phipps	A	74.6v	71.6v	50.6v	48.6v	48.5v	49.7v	0.0v	74.10v	0.0v	48.4v	0.0v	462.50v
56	Mr RI Nelson	A	72.9v	73.9v	47.1v	50.7v	49.7v	49.4v	0.0v	74.8v	0.0v	48.2v	0.0v	462.47v
57	Mrs LK Mace	X	75.8v	72.8v	49.5v	48.4v	49.4v	49.5v	0.0v	74.8v	0.0v	46.2v	0.0v	462.44v
58	Miss JH Messer	X	73.11v	75.11v	50.8v	48.8v	50.8v	48.6v	0.0v	70.13v	0.0v	47.5v	0.0v	461.70v
59	Capt NJ Ball	X	75.12v	74.12v	50.5v	47.4v	49.8v	48.3v	0.0v	75.13v	0.0v	43.2v	0.0v	461.59v
60	Mr DR Armstrong	X	74.11v	73.7v	48.6v	49.6v	49.5v	47.5v	0.0v	74.11v	0.0v	47.5v	0.0v	461.56v
61	Mr OP Henry	A	73.10v	72.9v	45.3v	50.8v	50.4v	50.5v	0.0v	74.8v	0.0v	47.6v	0.0v	461.53v
62	Dr IT Matsumoto	O	74.6v	73.7v	49.6v	48.5v	46.4v	50.8v	0.0v	74.13v	0.0v	47.4v	0.0v	461.53v
63	Mr JRJ Hinde	X	75.11v	71.8v	50.2v	49.6v	49.7v	47.3v	0.0v	75.12v	0.0v	45.3v	0.0v	461.52v
64	Mr TM Green	A	70.5v	72.8v	49.7v	50.6v	50.5v	50.6v	0.0v	70.7v	0.0v	50.7v	0.0v	461.51v
65	Mr MJ Purdy	A	72.10v	74.7v	48.6v	47.3v	50.6v	49.3v	0.0v	74.12v	0.0v	47.3v	0.0v	461.50v
66	Mr JA Borland	A	73.10v	74.8v	49.4v	48.7v	50.6v	49.4v	0.0v	75.8v	0.0v	43.3v	0.0v	461.50v
67	Mr NRJ Brasier	X	71.8v	73.10v	48.5v	49.5v	49.6v	49.4v	0.0v	72.7v	0.0v	50.4v	0.0v	461.49v
68	Mr PM Lanigan	X	74.9v	74.5v	48.5v	47.3v	48.6v	50.6v	0.0v	74.10v	0.0v	46.5v	0.0v	461.49v
69	Mr SJ Bissonnette	X	74.11v	72.8v	49.4v	48.4v	48.4v	49.6v	0.0v	75.8v	0.0v	46.4v	0.0v	461.49v
70	Mr MRM Millar	X	74.8v	72.8v	49.5v	49.6v	47.4v	49.4v	0.0v	73.9v	0.0v	48.4v	0.0v	461.48v
71	Mr SHJ Harley	X	74.7v	73.5v	47.4v	48.5v	50.6v	50.8v	0.0v	73.9v	0.0v	46.4v	0.0v	461.48v
72	Mr D Blake	X	73.8v	75.6v	48.5v	48.5v	50.8v	48.5v	0.0v	74.9v	0.0v	45.2v	0.0v	461.48v
73	Mr BA Young	X	73.7v	69.5v	49.6v	50.6v	49.3v	49.4v	0.0v	74.11v	0.0v	48.5v	0.0v	461.47v
74	Mr DG Young	X	74.9v	73.7v	47.5v	47.4v	49.5v	49.5v	0.0v	75.8v	0.0v	47.4v	0.0v	461.47v
75	Mr CR Aitken	A	73.10v	72.6v	49.2v	46.3v	50.6v	50.4v	0.0v	75.10v	0.0v	46.5v	0.0v	461.46v
76	Mr RE Clarke	O	74.11v	74.10v	47.4v	47.6v	50.7v	47.6v	0.0v	74.10v	0.0v	47.5v	0.0v	460.59v
77	Mr JB Hull	X	74.11v	71.7v	48.4v	47.3v	48.5v	49.8v	0.0v	74.13v	0.0v	49.6v	0.0v	460.57v
78	Mr JAM Paton	X	72.7v	74.11v	50.8v	47.4v	47.3v	48.7v	0.0v	74.12v	0.0v	48.4v	0.0v	460.56v
79	Mr MJ Lidgitt	O	72.8v	74.10v	48.5v	45.2v	50.7v	48.7v	0.0v	75.11v	0.0v	48.5v	0.0v	460.55v
80	Mr RJ Booth	A	73.6v	71.8v	46.5v	50.6v	50.7v	48.5v	0.0v	75.14v	0.0v	47.4v	0.0v	460.55v
81	Mr GC Childs	A	73.9v	71.6v	47.3v	49.7v	50.6v	50.8v	0.0v	74.12v	0.0v	46.4v	0.0v	460.55v
82	Mr TA Ringer	X	74.11v	73.7v	48.6v	47.3v	48.8v	48.4v	0.0v	75.12v	0.0v	47.3v	0.0v	460.54v
83	Mr B Jones	O	74.8v	74.9v	47.6v	50.8v	50.6v	47.5v	0.0v	75.9v	0.0v	43.3v	0.0v	460.54v
84	Mr RA Benest	X	75.9v	71.8v	49.3v	47.5v	48.6v	49.6v	0.0v	75.13v	0.0v	46.3v	0.0v	460.53v
85	Mr RK Sheead	O	75.11v	73.6v	50.6v	45.6v	49.8v	48.3v	0.0v	73.7v	0.0v	47.4v	0.0v	460.51v
86	Mr AS Errey	O	74.7v	73.7v	48.5v	48.5v	47.6v	50.5v	0.0v	75.12v	0.0v	45.4v	0.0v	460.51v
87	Miss LCP-L Watson	O	73.6v	74.9v	50.5v	49.7v	49.6v	49.4v	0.0v	74.12v	0.0v	42.2v	0.0v	460.51v
88	Mr SKC Hunter	X	74.10v	74.7v	50.5v	49.8v	47.4v	47.5v	0.0v	73.7v	0.0v	46.4v	0.0v	460.50v
89	Mr CES Dickenson	X	73.6v	73.8v	49.5v	48.5v	49.6v	49.8v	0.0v	75.9v	0.0v	44.3v	0.0v	460.50v
90	Miss SP Ward	X	71.6v	70.4v	48.3v	50.10v	50.8v	49.4v	0.0v	74.10v	0.0v	48.4v	0.0v	460.49v
91	Dr CI Johnston	X	74.9v	73.5v	49.5v	46.7v	49.7v	48.3v	0.0v	74.9v	0.0v	47.4v	0.0v	460.49v
92	Mr JA Watson	X	73.8v	71.5v	50.6v	47.5v	49.5v	48.3v	0.0v	74.8v	0.0v	48.5v	0.0v	460.45v
93	Mr AC Haley	X	74.8v	72.7v	49.7v	47.4v	47.3v	50.5v	0.0v	73.8v	0.0v	48.3v	0.0v	460.45v
94	Dr AF Aspin	A	72.7v	73.8v	50.5v	49.4v	50.7v	49.7v	0.0v	72.5v	0.0v	45.2v	0.0v	460.45v
95	Mr D Rose	X	74.4v	72.7v	48.4v	47.4v	48.5v	49.6v	0.0v	73.7v	0.0v	49.6v	0.0v	460.43v
96	Mrs CJ Clifford-Evans	X	73.9v	73.7v	49.8v	49.5v	50.1v	48.3v	0.0v	70.5v	0.0v	48.5v	0.0v	460.43v
97	Mr SJ East	A	74.8v	72.4v	49.5v	47.6v	48.4v	49.4v	0.0v	73.6v	0.0v	48.3v	0.0v	460.40v
98	Mr RHG Riley	O	73.6v	72.5v	49.3v	49.6v	48.3v	49.7v	0.0v	73.6v	0.0v	47.3v	0.0v	460.39v
99	Mr DGM Coleman	X	73.7v	73.9v	49.7v	45.5v	49.5v	49.9v	0.0v	73.11v	0.0v	48.4v	0.0v	459.57v
100	Mr JC Underwood	X	72.8v	70.9v	49.5v	50.6v	50.8v	49.6v	0.0v	72.8v	0.0v	47.4v	0.0v	459.54v
101	Mr RA Dix	X	73.12v	72.10v	48.6v	47.2v	50.6v	50.7v	0.0v	74.8v	0.0v	45.3v	0.0v	459.54v
102	Mr JP Tapster	X	73.8v	74.8v	49.7v	50.6v	49.6v	47.6v	0.0v	75.13v	0.0v	42.0v	0.0v	459.54v
103	Mr R McQuillan	X	71.8v	75.7v	48.4v	47.7v	49.5v	48.7v	0.0v	74.9v	0.0v	47.6v	0.0v	459.53v
104	Mr TJG Greenhalgh	O	74.11v	72.8v	44.2v	49.4v	50.7v	49.7v	0.0v	75.10v	0.0v	46.3v	0.0v	459.52v
105	Dr AJ Pilgrim	X	70.6v	73.11v	50.6v	46.4v	47.4v	49.7v	0.0v	75.10v	0.0v	49.3v	0.0v	459.51v
106	Miss LAE Crowson	X	73.9v	73.9v	48.6v	45.3v	48.6v	49.7v	0.0v	74.9v	0.0v	49.2v	0.0v	459.51v
107	Mr G Trembath	O	72.10v	72.5v	48.5v	49.7v	48.6v	49.5v	0.0v	74.8v	0.0v	47.5v	0.0v	459.51v
108	Mr DC Crispin	X	74.11v	71.8v	48.5v	48.5v	49.6v	47.4v	0.0v	72.7v	0.0v	50.4v	0.0v	459.50v
109	Mr MD Joyce	A	72.7v	70.8v	50.6v	49.6v	49.4v	49.5v	0.0v	72.8v	0.0v	48.6v	0.0v	459.50v
110	Dr JDS Langley	X	70.6v	74.9v	45.4v	49.7v	50.6v	49.6v	0.0v	75.11v	0.0v	47.1v	0.0v	459.50v
111	Dr AM Jory	X	72.8v	73.9v	50.6v	49.3v	47.5v	48.3v	0.0v	75.12v	0.0v	45.3v	0.0v	459.49v
112	Miss HM Taylor	A	74.6v	73.8v	48.1v	47.6v	49.6v	50.8v	0.0v	71.9v	0.0v	47.3v	0.0v	459.47v
113	Mr PJ Johnson	X	69.4v	74.6v	48.8v	48.6v	50.7v	50.5v	0.0v	74.10v	0.0v	46.1v	0.0v	459.47v
114	Mr RCT Jeens	X	72.5v	73.3v	47.3v	49.9v	49.8v	49.5v	0.0v	73.8v	0.0v	47.5v	0.0v	459.46v
115	Mr LT Wicker	X	75.10v	74.5v	50.4v	47.3v	48.5v	47.4v	0.0v	75.11v	0.0v	43.2v	0.0v	459.44v
116	Lt Col CR Claridge	X	73.8v	74.9v	47.3v	49.5v	47.5v	48.4v	0.0v	72.5v	0.0v	49.4v	0.0v	459.43v
117	Mr J Payne	A	73.6v	73.6v	48.5v	49.4v	48.5v	49.6v	0.0v	74.10v	0.0v	45.1v	0.0v	459.43v
118	Mr DJ Archer	A	73.6v	72.8v	47.0v	48.4v	48.5v	49.4v	0.0v	75.12v	0.0v	47.2v	0.0v	459.41v
119	Mr IDC Brechin	O	72.5v	72.5v	45.3v	48.3v	49.7v	48.4v	0.0v	75.8v	0.0v	50.4v	0.0v	459.39v
120	Mr KO Pugh	A	73.9v	74.7v	47.2v	50.4v	48.2v	48.2v	0.0v	73.10v	0.0v	46.3v	0.0v	459.39v
121	Mr EM Brice	O	74.9v	73.6v	50.1v	46.3v	48.4v	45.2v	0.0v	74.8v	0.0v	49.4v	0.0v	459.37v
122	Mr MF Martel	O	73.6v	72.6v	48.4v	49.3v	48.3v	48.4v	0.0v	74.6v	0.0v	47.4v	0.0v	459.36v
123	Mr GE Morris	X	71.9v	72.7v	48.7v	49.8v	50.8v	50.7v	0.0v	73.9v	0.0v	45.1v	0.0v	458.56v
124	Mr RP Rosling	X	73.9v	74.14v	50.7v	48.4v	45.3v	47.5v	0.0v	72.9v	0.0v	49.4v	0.0v	458.55v
125	Mr J Cload	X	72.8v	72.11v	47.3v	50.6v	47.4v	49.7v	0.0v	75.12v	0.0v	46.3v	0.0v	458.54v

126	Mr C Mallett	A	72.9v	72.8v	49.6v	49.6v	50.8v	48.6v	0.0v	73.7v	0.0v	45.4v	0.0v	458.54v
127	Mr MJ O'Leary	A	74.7v	72.8v	48.5v	49.6v	49.7v	49.4v	0.0v	73.10v	0.0v	44.3v	0.0v	458.50v
128	Mr MR Fugeman	X	74.8v	70.6v	50.6v	48.5v	49.3v	48.6v	0.0v	72.11v	0.0v	47.4v	0.0v	458.49v
129	Miss EG Joseph	O	73.9v	70.8v	47.5v	49.6v	48.4v	50.5v	0.0v	74.9v	0.0v	47.3v	0.0v	458.49v
130	Mr TA Purvis	O	73.11v	71.5v	45.4v	50.4v	50.5v	48.6v	0.0v	74.8v	0.0v	47.5v	0.0v	458.48v
131	Mr AJ Luckman	X	73.7v	74.10v	48.2v	49.7v	49.6v	48.2v	0.0v	74.11v	0.0v	43.3v	0.0v	458.48v
132	Mr GMLN Gilpin	X	75.7v	74.8v	48.7v	49.4v	48.4v	49.7v	0.0v	74.9v	0.0v	41.2v	0.0v	458.48v
133	Mr IF Luckman	A	74.9v	73.7v	47.3v	48.3v	44.5v	49.5v	0.0v	75.9v	0.0v	48.6v	0.0v	458.47v
134	Mr WDH Burden	X	72.6v	73.4v	50.7v	47.6v	48.8v	49.4v	0.0v	74.10v	0.0v	45.2v	0.0v	458.47v
135	Mr TLW Kidner	X	75.10v	70.6v	48.4v	48.3v	48.4v	50.6v	0.0v	74.10v	0.0v	45.3v	0.0v	458.46v
136	Mr JCT Kent	X	73.8v	73.7v	49.6v	50.7v	48.5v	45.2v	0.0v	73.6v	0.0v	47.4v	0.0v	458.45v
137	Mr LM Peden	A	73.8v	70.6v	48.3v	49.6v	49.6v	49.7v	0.0v	75.5v	0.0v	45.4v	0.0v	458.45v
138	Mr IW Robertson	X	72.6v	74.8v	49.8v	46.3v	49.4v	49.5v	0.0v	74.9v	0.0v	45.2v	0.0v	458.45v
139	Mr NJ Branch	X	74.6v	73.7v	49.5v	49.7v	48.6v	49.5v	0.0v	74.9v	0.0v	42.0v	0.0v	458.45v
140	Mr P De Voil	A	71.5v	72.9v	49.1v	47.5v	50.5v	48.5v	0.0v	72.9v	0.0v	49.5v	0.0v	458.44v
141	Major AG McLean	X	73.8v	73.8v	47.1v	48.6v	46.2v	49.6v	0.0v	75.9v	0.0v	47.4v	0.0v	458.44v
142	Mr A Thomson	A	72.9v	73.7v	47.4v	48.4v	49.5v	50.6v	0.0v	72.8v	0.0v	47.1v	0.0v	458.44v
143	Sgt J Wallace	A	71.6v	74.8v	49.6v	48.3v	48.4v	48.3v	0.0v	74.11v	0.0v	46.3v	0.0v	458.44v
144	Mr RA Hyndman	O	72.4v	69.7v	49.8v	46.4v	49.6v	50.3v	0.0v	73.7v	0.0v	50.4v	0.0v	458.43v
145	Mr RJ Waters	A	74.9v	71.4v	48.5v	49.6v	48.4v	49.4v	0.0v	71.6v	0.0v	48.5v	0.0v	458.43v
146	Flt Lt KP Cressy	A	71.5v	75.10v	47.4v	49.5v	47.3v	48.1v	0.0v	75.12v	0.0v	46.3v	0.0v	458.43v
147	Mr TJ Roberts	A	71.4v	73.7v	46.3v	49.5v	49.6v	49.6v	0.0v	74.9v	0.0v	47.2v	0.0v	458.42v
148	Mr AK Henderson	O	74.5v	71.9v	48.4v	46.4v	49.5v	50.4v	0.0v	74.8v	0.0v	46.3v	0.0v	458.42v
149	Mr RI Coventry	O	72.7v	73.7v	49.6v	49.6v	50.6v	50.2v	0.0v	71.6v	0.0v	44.2v	0.0v	458.42v
150	Mr RS Shouler	X	71.7v	71.1v	48.5v	49.3v	47.2v	48.6v	0.0v	74.8v	0.0v	50.6v	0.0v	458.38v
151	Sgt D Cottrill	T	73.10v	74.6v	43.2v	49.3v	48.2v	49.7v	0.0v	73.5v	0.0v	49.3v	0.0v	458.38v
152	Dr MJ Schwarz	O	73.11v	72.9v	47.4v	46.2v	50.7v	49.8v	0.0v	72.8v	0.0v	48.3v	0.0v	457.52v
153	Mr MJ Wood	X	73.8v	71.8v	47.4v	48.6v	48.6v	50.8v	0.0v	72.10v	0.0v	48.2v	0.0v	457.52v
154	Mrs MM Norman	A	75.11v	75.10v	49.6v	47.3v	48.4v	50.4v	0.0v	74.13v	0.0v	39.1v	0.0v	457.52v
155	Mr ADJ Stewart	O	74.10v	72.7v	48.6v	46.4v	47.5v	49.4v	0.0v	75.11v	0.0v	46.4v	0.0v	457.51v
156	Mr MA Kirkillo-Stacewicz	X	73.7v	74.9v	46.4v	49.7v	50.6v	48.5v	0.0v	74.11v	0.0v	43.2v	0.0v	457.51v
157	Mr ACH Bryson	X	74.12v	70.6v	48.3v	45.3v	49.6v	50.6v	0.0v	74.10v	0.0v	47.4v	0.0v	457.50v
158	Mr APW Daw	A	73.7v	70.9v	48.7v	49.4v	49.5v	48.6v	0.0v	71.5v	0.0v	49.5v	0.0v	457.48v
159	Mr GW Robinson	A	72.7v	72.10v	48.7v	47.4v	49.5v	47.4v	0.0v	74.8v	0.0v	48.3v	0.0v	457.48v
160	Cdt HAD Howard	A	72.9v	73.6v	43.2v	47.2v	49.6v	50.7v	0.0v	75.10v	0.0v	48.5v	0.0v	457.47v
161	Mr IRM Brown	A	72.9v	73.7v	48.7v	49.4v	50.6v	48.3v	0.0v	72.9v	0.0v	45.2v	0.0v	457.47v
162	Mr TAD Lilley	X	74.9v	74.9v	48.6v	47.3v	50.5v	48.2v	0.0v	74.10v	0.0v	42.3v	0.0v	457.47v
163	Mr CJ Morton	X	74.6v	74.9v	41.1v	50.7v	50.8v	47.3v	0.0v	74.9v	0.0v	47.3v	0.0v	457.46v
164	Mr ML Cotillard	O	73.9v	71.7v	48.3v	47.3v	48.3v	49.5v	0.0v	75.13v	0.0v	46.2v	0.0v	457.45v
165	Mr RAV Hebblethwaite	X	73.10v	71.8v	48.5v	47.5v	48.5v	49.3v	0.0v	75.8v	0.0v	46.1v	0.0v	457.45v
166	Sgt M Lekalaile	O	73.9v	71.5v	46.4v	47.4v	50.6v	48.3v	0.0v	73.8v	0.0v	49.5v	0.0v	457.44v
167	Mr S Glen	A	72.8v	73.7v	45.2v	48.5v	47.4v	49.5v	0.0v	75.8v	0.0v	48.5v	0.0v	457.44v
168	Mr RG Scott	A	71.8v	72.6v	50.5v	48.2v	47.2v	49.6v	0.0v	75.14v	0.0v	45.1v	0.0v	457.44v
169	Mr D de Vere	O	74.6v	71.4v	46.5v	49.7v	48.3v	49.6v	0.0v	73.6v	0.0v	47.6v	0.0v	457.43v
170	Mr TJ Brooking	A	71.6v	75.5v	49.6v	49.3v	50.5v	49.6v	0.0v	71.10v	0.0v	43.2v	0.0v	457.43v
171	Mr SJ Pascoe	O	73.7v	71.5v	49.5v	47.3v	50.6v	46.4v	0.0v	74.9v	0.0v	47.3v	0.0v	457.42v
172	Mr SP O'Brien	O	73.7v	71.8v	46.4v	50.3v	49.6v	49.6v	0.0v	73.7v	0.0v	46.1v	0.0v	457.42v
173	Mr SW Cullinan	O	72.5v	72.8v	49.7v	44.2v	50.3v	49.3v	0.0v	75.10v	0.0v	46.3v	0.0v	457.41v
174	Mr JC Branch	A	73.7v	74.5v	46.5v	50.7v	49.5v	48.4v	0.0v	71.6v	0.0v	46.1v	0.0v	457.40v
175	Mr JA Lindsay III	A	74.9v	74.4v	47.5v	48.2v	42.4v	49.4v	0.0v	73.7v	0.0v	50.4v	0.0v	457.39v
176	Cdt RL Johnson	O	71.4v	75.8v	44.5v	49.4v	48.4v	49.5v	0.0v	72.7v	0.0v	49.2v	0.0v	457.39v
177	Mr A Marion	X	74.5v	72.5v	48.4v	48.3v	49.5v	49.5v	0.0v	75.11v	0.0v	42.1v	0.0v	457.39v
178	Mr DA Taylor	A	70.3v	75.8v	48.1v	48.5v	50.4v	46.4v	0.0v	73.6v	0.0v	47.6v	0.0v	457.37v
179	Mr M Neal	O	71.4v	75.6v	48.5v	47.4v	49.6v	49.2v	0.0v	74.8v	0.0v	44.1v	0.0v	457.36v
180	Mr RBC Baker	A	73.8v	72.8v	48.6v	50.8v	50.6v	49.5v	0.0v	74.9v	0.0v	40.3v	0.0v	456.53v
181	Mr C Fitzpatrick	X	73.8v	71.7v	48.7v	48.5v	47.4v	49.7v	0.0v	74.10v	0.0v	46.4v	0.0v	456.52v
182	Mr BJ Le Cheminant	O	74.9v	72.10v	48.1v	47.5v	50.6v	48.6v	0.0v	72.11v	0.0v	45.3v	0.0v	456.51v
183	Mr SH Cox	X	75.8v	74.10v	48.7v	49.7v	48.6v	45.1v	0.0v	73.9v	0.0v	44.3v	0.0v	456.51v
184	Mr BMA Stevens	X	74.11v	74.11v	48.5v	47.4v	49.4v	49.4v	0.0v	73.10v	0.0v	42.2v	0.0v	456.51v
185	Mr RA Mullin	A	73.8v	70.5v	47.3v	49.7v	50.8v	49.7v	0.0v	73.9v	0.0v	45.3v	0.0v	456.50v
186	Mr H Sanders	A	73.6v	72.7v	47.5v	50.6v	47.4v	50.9v	0.0v	75.10v	0.0v	42.3v	0.0v	456.50v
187	Mr MJ Barlow	X	74.13v	72.5v	49.5v	49.7v	47.5v	48.5v	0.0v	75.9v	0.0v	42.0v	0.0v	456.49v
188	Mr RM Hatcher	X	72.4v	69.8v	48.6v	49.7v	49.3v	49.5v	0.0v	71.8v	0.0v	49.4v	0.0v	456.45v
189	Mr S Belither	O	72.11v	72.7v	47.2v	48.2v	46.5v	49.4v	0.0v	73.8v	0.0v	49.5v	0.0v	456.44v
190	Miss HA Pugsley	O	72.7v	72.7v	49.6v	48.1v	47.5v	49.7v	0.0v	74.6v	0.0v	45.4v	0.0v	456.43v
191	Mr TP Clarke	A	71.6v	72.7v	48.6v	46.3v	50.6v	49.5v	0.0v	72.4v	0.0v	48.5v	0.0v	456.42v
192	Mr CW Slator	A	70.5v	73.8v	47.3v	49.5v	46.4v	50.4v	0.0v	75.8v	0.0v	46.4v	0.0v	456.41v
193	TP Wharram	O	70.6v	72.5v	46.3v	50.5v	47.3v	50.7v	0.0v	73.9v	0.0v	48.2v	0.0v	456.40v
194	Cdt BA Boyle	T	71.5v	74.10v	49.3v	46.3v	49.4v	50.8v	0.0v	72.5v	0.0v	45.2v	0.0v	456.40v
195	Mr D Lowe	X	73.8v	73.6v	46.3v	48.2v	46.3v	50.4v	0.0v	74.10v	0.0v	46.3v	0.0v	456.39v
196	Miss D O'Kelly	A	74.7v	73.6v	49.6v	47.4v	49.3v	46.3v	0.0v	72.7v	0.0v	46.3v	0.0v	456.39v

197	Mr DN Lindsay	O	72.7v	73.7v	49.5v	47.2v	47.4v	49.4v	0.0v	74.5v	0.0v	45.2v	0.0v	456.36v
198	Mr DJ Tracey	A	75.15v	74.10v	48.3v	47.5v	45.5v	47.5v	0.0v	75.13v	0.0v	44.4v	0.0v	455.60v
199	Mr ITG Shaw	X	71.7v	70.4v	49.6v	48.6v	50.8v	49.6v	0.0v	75.13v	0.0v	43.2v	0.0v	455.52v
200	Cdt HW Orpen-Smellie	O	74.7v	71.9v	47.6v	42.2v	49.5v	50.8v	0.0v	75.11v	0.0v	47.3v	0.0v	455.51v