

## NRA 142nd Imperial Meeting

### Grand Aggregate (as at Tuesday, 19th July 2011)

		DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	Corp	POW	Total	
1	Dr GCD Barnett	X	75.9v	73.8v	50.5v	50.7v	50.7v	0.0v	75.12v	0.0v	49.4v	0.0v	472.59v	
2	Mr DC Luckman	X	75.12v	75.10v	49.6v	50.8v	49.6v	49.7v	0.0v	75.13v	0.0v	48.5v	0.0v	470.67v
3	Mr FWA Coetzee	X	75.12v	74.8v	49.5v	50.8v	49.7v	50.7v	0.0v	75.13v	0.0v	48.3v	0.0v	470.63v
4	Mr T Steele	X	74.10v	75.11v	47.6v	50.4v	49.3v	50.7v	0.0v	75.10v	0.0v	49.5v	0.0v	469.56v
5	Mr SD Shouler	X	75.6v	72.5v	50.6v	50.6v	49.8v	50.7v	0.0v	74.9v	0.0v	49.3v	0.0v	469.50v
6	Mr P Patel	X	73.8v	73.10v	50.7v	49.5v	49.7v	49.7v	0.0v	75.11v	0.0v	50.9v	0.0v	468.64v
7	Mr J Corbett	X	75.10v	75.14v	48.5v	50.5v	50.9v	49.4v	0.0v	75.15v	0.0v	46.2v	0.0v	468.64v
8	Mr DA Richardson	X	74.9v	73.11v	49.4v	49.4v	50.7v	49.7v	0.0v	75.10v	0.0v	49.6v	0.0v	468.58v
9	Mr WCP Richards	X	73.9v	74.9v	50.5v	49.6v	50.6v	50.7v	0.0v	75.12v	0.0v	47.3v	0.0v	468.57v
10	Mr DC Dyson	X	75.9v	73.9v	47.5v	50.3v	50.8v	50.6v	0.0v	74.11v	0.0v	49.3v	0.0v	468.54v
11	Mr PB Bromley	X	75.11v	75.5v	49.5v	50.5v	50.9v	49.4v	0.0v	74.12v	0.0v	46.3v	0.0v	468.54v
12	Mr PG Kent	X	71.5v	73.6v	50.8v	50.9v	49.6v	50.9v	0.0v	75.12v	0.0v	49.7v	0.0v	467.62v
13	Mr ANR Walker	X	72.10v	73.8v	48.5v	49.5v	50.7v	50.9v	0.0v	75.9v	0.0v	50.5v	0.0v	467.58v
14	Miss S-J Binder	X	75.12v	73.7v	49.5v	49.7v	50.5v	49.5v	0.0v	75.10v	0.0v	47.4v	0.0v	467.55v
15	Mr CN Tremlett	X	74.7v	73.7v	49.4v	48.3v	49.7v	50.5v	0.0v	75.12v	0.0v	49.3v	0.0v	467.48v
16	Dr HHG Pollock	A	74.8v	70.7v	49.4v	50.7v	49.6v	50.8v	0.0v	75.13v	0.0v	49.6v	0.0v	466.59v
17	Cdt WJD Broad	A	74.10v	75.8v	50.7v	47.4v	48.4v	50.6v	0.0v	75.9v	0.0v	47.2v	0.0v	466.50v
18	Wg Cdr DP Calvert	X	74.7v	74.8v	49.5v	50.7v	48.6v	50.5v	0.0v	74.7v	0.0v	47.4v	0.0v	466.49v
19	Mr AD Le Cheminant	X	73.8v	74.8v	49.2v	50.4v	50.8v	49.2v	0.0v	75.13v	0.0v	46.4v	0.0v	466.49v
20	Mr AG Mitchell	A	73.8v	74.8v	49.5v	49.6v	49.7v	49.5v	0.0v	75.13v	0.0v	47.5v	0.0v	465.57v
21	Mr CJ Watson	X	73.10v	74.13v	48.4v	49.7v	48.3v	50.8v	0.0v	74.7v	0.0v	49.3v	0.0v	465.55v
22	Dr JD Warburton	X	75.8v	75.12v	48.5v	47.5v	50.6v	48.5v	0.0v	75.11v	0.0v	47.3v	0.0v	465.55v
23	Mr PR Bain	O	73.9v	74.9v	49.6v	50.6v	50.3v	50.6v	0.0v	75.11v	0.0v	44.2v	0.0v	465.52v
24	Mr ARH Jones	O	75.13v	75.11v	47.3v	47.2v	50.8v	47.2v	0.0v	75.8v	0.0v	49.4v	0.0v	465.51v
25	Mr T Drysdale	O	73.10v	73.5v	49.6v	50.4v	48.5v	50.4v	0.0v	74.10v	0.0v	48.7v	0.0v	465.51v
26	Mr IP Davison	X	75.9v	74.8v	50.5v	49.4v	50.5v	48.7v	0.0v	75.11v	0.0v	44.2v	0.0v	465.51v
27	Wg Cdr RJS Clark	A	74.9v	73.5v	49.4v	50.7v	49.6v	47.2v	0.0v	75.12v	0.0v	48.5v	0.0v	465.50v
28	Mr SNS Penrose	X	74.8v	75.10v	49.5v	49.2v	48.5v	48.6v	0.0v	74.11v	0.0v	48.3v	0.0v	465.50v
29	Capt AW Gill	A	74.9v	74.7v	50.7v	47.2v	50.7v	50.5v	0.0v	75.11v	0.0v	45.0v	0.0v	465.48v
30	Mr KWD Ramsey	X	75.11v	71.9v	50.4v	48.5v	49.7v	49.8v	0.0v	74.10v	0.0v	48.3v	0.0v	464.57v
31	Mr GS Cotton	X	74.9v	73.7v	50.9v	47.6v	50.5v	48.6v	0.0v	75.10v	0.0v	47.4v	0.0v	464.56v
32	Mr TJD Raincock	X	75.11v	74.6v	50.7v	49.5v	48.7v	46.3v	0.0v	75.11v	0.0v	47.4v	0.0v	464.54v
33	Mr SA Thomas	X	71.4v	74.8v	49.7v	49.4v	50.8v	49.7v	0.0v	75.11v	0.0v	47.4v	0.0v	464.53v
34	Mr GW Morgan	O	74.8v	71.7v	50.7v	47.2v	47.4v	50.8v	0.0v	75.13v	0.0v	50.3v	0.0v	464.52v
35	Mr NC Mace	X	75.8v	74.10v	48.5v	47.4v	50.6v	48.5v	0.0v	74.12v	0.0v	48.2v	0.0v	464.52v
36	Mr ERT Jeens	X	75.10v	73.6v	47.4v	49.5v	49.2v	50.8v	0.0v	73.11v	0.0v	48.4v	0.0v	464.50v
37	Mr PS Gray	A	72.5v	74.6v	50.6v	49.6v	50.6v	47.5v	0.0v	75.7v	0.0v	47.5v	0.0v	464.46v
38	Cdt MCE Evans	O	74.5v	73.4v	49.1v	49.1v	49.3v	49.4v	0.0v	74.2v	0.0v	47.1v	0.0v	464.21v
39	Mr AR Langley	X	74.10v	74.9v	50.7v	47.3v	48.8v	50.5v	0.0v	72.7v	0.0v	48.7v	0.0v	463.56v
40	Mr S Young	X	74.9v	73.9v	49.6v	49.6v	50.6v	47.2v	0.0v	74.10v	0.0v	47.3v	0.0v	463.51v
41	Cdt CA Evans	O	74.9v	72.8v	49.6v	48.4v	48.4v	49.4v	0.0v	75.12v	0.0v	48.2v	0.0v	463.49v
42	Mr MG Whicher	X	75.9v	73.7v	49.4v	48.5v	50.6v	48.5v	0.0v	75.11v	0.0v	45.2v	0.0v	463.49v
43	Mr BH Huget	T	75.10v	71.8v	50.1v	49.4v	50.9v	48.4v	0.0v	74.8v	0.0v	46.3v	0.0v	463.47v
44	Sgt HJ Golaszewski	X	72.5v	73.10v	50.8v	50.4v	48.4v	49.6v	0.0v	73.7v	0.0v	48.2v	0.0v	463.46v
45	Mr IMR Power	O	75.7v	73.7v	50.6v	48.2v	50.6v	48.5v	0.0v	73.7v	0.0v	46.1v	0.0v	463.41v
46	Dr CD Haley	X	73.10v	74.14v	49.8v	48.7v	48.7v	49.5v	0.0v	75.11v	0.0v	46.1v	0.0v	462.63v
47	Mr PR Thompson	A	74.9v	73.11v	49.6v	48.7v	49.6v	45.2v	0.0v	75.10v	0.0v	49.8v	0.0v	462.59v
48	Mr JGM Webster	X	75.14v	73.5v	49.8v	47.2v	50.6v	49.5v	0.0v	75.13v	0.0v	44.4v	0.0v	462.57v
49	Mr ER Welford	X	71.6v	75.11v	48.6v	50.7v	48.6v	47.2v	0.0v	74.11v	0.0v	49.5v	0.0v	462.54v
50	Mr D Le Quesne	X	75.10v	75.11v	47.3v	48.7v	50.5v	46.4v	0.0v	75.10v	0.0v	46.4v	0.0v	462.54v
51	Mr CL Leighton	O	75.11v	73.7v	48.7v	48.5v	49.7v	49.6v	0.0v	74.8v	0.0v	46.3v	0.0v	462.54v
52	Mr JR Tuck	X	73.6v	74.10v	50.8v	49.5v	50.10v	48.4v	0.0v	75.8v	0.0v	43.3v	0.0v	462.54v
53	Mr NBS Logan	X	71.7v	74.9v	48.6v	47.6v	49.6v	50.5v	0.0v	75.12v	0.0v	48.2v	0.0v	462.53v
54	Mr GK Alexander	X	74.9v	73.9v	49.6v	49.4v	48.5v	49.8v	0.0v	73.7v	0.0v	47.4v	0.0v	462.52v

55	Mr MT Phipps	A	74.6v	71.6v	50.6v	48.6v	48.5v	49.7v	0.0v	74.10v	0.0v	48.4v	0.0v	462.50v
56	Mr RI Nelson	A	72.9v	73.9v	47.1v	50.7v	49.7v	49.4v	0.0v	74.8v	0.0v	48.2v	0.0v	462.47v
57	Mrs LK Mace	X	75.8v	72.8v	49.5v	48.4v	49.4v	49.5v	0.0v	74.8v	0.0v	46.2v	0.0v	462.44v
58	Miss JH Messer	X	73.11v	75.11v	50.8v	48.8v	50.8v	48.6v	0.0v	70.13v	0.0v	47.5v	0.0v	461.70v
59	Capt NJ Ball	X	75.12v	74.12v	50.5v	47.4v	49.8v	48.3v	0.0v	75.13v	0.0v	43.2v	0.0v	461.59v
60	Mr DR Armstrong	X	74.11v	73.7v	48.6v	49.6v	49.5v	47.5v	0.0v	74.11v	0.0v	47.5v	0.0v	461.56v
61	Mr OP Henry	A	73.10v	72.9v	45.3v	50.8v	50.4v	50.5v	0.0v	74.8v	0.0v	47.6v	0.0v	461.53v
62	Dr IT Matsumoto	O	74.6v	73.7v	49.6v	48.5v	46.4v	50.8v	0.0v	74.13v	0.0v	47.4v	0.0v	461.53v
63	Mr JRJ Hinde	X	75.11v	71.8v	50.2v	49.6v	49.7v	47.3v	0.0v	75.12v	0.0v	45.3v	0.0v	461.52v
64	Mr TM Green	A	70.5v	72.8v	49.7v	50.6v	50.5v	50.6v	0.0v	70.7v	0.0v	50.7v	0.0v	461.51v
65	Mr MJ Purdy	A	72.10v	74.7v	48.6v	47.3v	50.6v	49.3v	0.0v	74.12v	0.0v	47.3v	0.0v	461.50v
66	Mr JA Borland	A	73.10v	74.8v	49.4v	48.7v	50.6v	49.4v	0.0v	75.8v	0.0v	43.3v	0.0v	461.50v
67	Mr NRJ Brasier	X	71.8v	73.10v	48.5v	49.5v	49.6v	49.4v	0.0v	72.7v	0.0v	50.4v	0.0v	461.49v
68	Mr PM Lanigan	X	74.9v	74.5v	48.5v	47.3v	48.6v	50.6v	0.0v	74.10v	0.0v	46.5v	0.0v	461.49v
69	Mr SJ Bissonnette	X	74.11v	72.8v	49.4v	48.4v	48.4v	49.6v	0.0v	75.8v	0.0v	46.4v	0.0v	461.49v
70	Mr MRM Millar	X	74.8v	72.8v	49.5v	49.6v	47.4v	49.4v	0.0v	73.9v	0.0v	48.4v	0.0v	461.48v
71	Mr SHJ Harley	X	74.7v	73.5v	47.4v	48.5v	50.6v	50.8v	0.0v	73.9v	0.0v	46.4v	0.0v	461.48v
72	Mr D Blake	X	73.8v	75.6v	48.5v	48.5v	50.8v	48.5v	0.0v	74.9v	0.0v	45.2v	0.0v	461.48v
73	Mr BA Young	X	73.7v	69.5v	49.6v	50.6v	49.3v	49.4v	0.0v	74.11v	0.0v	48.5v	0.0v	461.47v
74	Mr DG Young	X	74.9v	73.7v	47.5v	47.4v	49.5v	49.5v	0.0v	75.8v	0.0v	47.4v	0.0v	461.47v
75	Mr CR Aitken	A	73.10v	72.6v	49.2v	46.3v	50.6v	50.4v	0.0v	75.10v	0.0v	46.5v	0.0v	461.46v
76	Mr RE Clarke	O	74.11v	74.10v	47.4v	47.6v	50.7v	47.6v	0.0v	74.10v	0.0v	47.5v	0.0v	460.59v
77	Mr JB Hull	X	74.11v	71.7v	48.4v	47.3v	48.5v	49.8v	0.0v	74.13v	0.0v	49.6v	0.0v	460.57v
78	Mr JAM Paton	X	72.7v	74.11v	50.8v	47.4v	47.3v	48.7v	0.0v	74.12v	0.0v	48.4v	0.0v	460.56v
79	Mr MJ Lidgitt	O	72.8v	74.10v	48.5v	45.2v	50.7v	48.7v	0.0v	75.11v	0.0v	48.5v	0.0v	460.55v
80	Mr RJ Booth	A	73.6v	71.8v	46.5v	50.6v	50.7v	48.5v	0.0v	75.14v	0.0v	47.4v	0.0v	460.55v
81	Mr GC Childs	A	73.9v	71.6v	47.3v	49.7v	50.6v	50.8v	0.0v	74.12v	0.0v	46.4v	0.0v	460.55v
82	Mr TA Ringer	X	74.11v	73.7v	48.6v	47.3v	48.8v	48.4v	0.0v	75.12v	0.0v	47.3v	0.0v	460.54v
83	Mr B Jones	O	74.8v	74.9v	47.6v	50.8v	50.6v	47.5v	0.0v	75.9v	0.0v	43.3v	0.0v	460.54v
84	Mr RA Benest	X	75.9v	71.8v	49.3v	47.5v	48.6v	49.6v	0.0v	75.13v	0.0v	46.3v	0.0v	460.53v
85	Mr RK Sheead	O	75.11v	73.6v	50.6v	45.6v	49.8v	48.3v	0.0v	73.7v	0.0v	47.4v	0.0v	460.51v
86	Mr AS Errey	O	74.7v	73.7v	48.5v	48.5v	47.6v	50.5v	0.0v	75.12v	0.0v	45.4v	0.0v	460.51v
87	Miss LCP-L Watson	O	73.6v	74.9v	50.5v	49.7v	49.6v	49.4v	0.0v	74.12v	0.0v	42.2v	0.0v	460.51v
88	Mr SKC Hunter	X	74.10v	74.7v	50.5v	49.8v	47.4v	47.5v	0.0v	73.7v	0.0v	46.4v	0.0v	460.50v
89	Mr CES Dickenson	X	73.6v	73.8v	49.5v	48.5v	49.6v	49.8v	0.0v	75.9v	0.0v	44.3v	0.0v	460.50v
90	Miss SP Ward	X	71.6v	70.4v	48.3v	50.10v	50.8v	49.4v	0.0v	74.10v	0.0v	48.4v	0.0v	460.49v
91	Dr CI Johnston	X	74.9v	73.5v	49.5v	46.7v	49.7v	48.3v	0.0v	74.9v	0.0v	47.4v	0.0v	460.49v
92	Mr JA Watson	X	73.8v	71.5v	50.6v	47.5v	49.5v	48.3v	0.0v	74.8v	0.0v	48.5v	0.0v	460.45v
93	Mr AC Haley	X	74.8v	72.7v	49.7v	47.4v	47.3v	50.5v	0.0v	73.8v	0.0v	48.3v	0.0v	460.45v
94	Dr AF Aspin	A	72.7v	73.8v	50.5v	49.4v	50.7v	49.7v	0.0v	72.5v	0.0v	45.2v	0.0v	460.45v
95	Mr D Rose	X	74.4v	72.7v	48.4v	47.4v	48.5v	49.6v	0.0v	73.7v	0.0v	49.6v	0.0v	460.43v
96	Mrs CJ Clifford-Evans	X	73.9v	73.7v	49.8v	49.5v	50.1v	48.3v	0.0v	70.5v	0.0v	48.5v	0.0v	460.43v
97	Mr SJ East	A	74.8v	72.4v	49.5v	47.6v	48.4v	49.4v	0.0v	73.6v	0.0v	48.3v	0.0v	460.40v
98	Mr RHG Riley	O	73.6v	72.5v	49.3v	49.6v	48.3v	49.7v	0.0v	73.6v	0.0v	47.3v	0.0v	460.39v
99	Mr DGM Coleman	X	73.7v	73.9v	49.7v	45.5v	49.5v	49.9v	0.0v	73.11v	0.0v	48.4v	0.0v	459.57v
100	Mr JC Underwood	X	72.8v	70.9v	49.5v	50.6v	50.8v	49.6v	0.0v	72.8v	0.0v	47.4v	0.0v	459.54v
101	Mr RA Dix	X	73.12v	72.10v	48.6v	47.2v	50.6v	50.7v	0.0v	74.8v	0.0v	45.3v	0.0v	459.54v
102	Mr JP Tapster	X	73.8v	74.8v	49.7v	50.6v	49.6v	47.6v	0.0v	75.13v	0.0v	42.0v	0.0v	459.54v
103	Mr R McQuillan	X	71.8v	75.7v	48.4v	47.7v	49.5v	48.7v	0.0v	74.9v	0.0v	47.6v	0.0v	459.53v
104	Mr TJG Greenhalgh	O	74.11v	72.8v	44.2v	49.4v	50.7v	49.7v	0.0v	75.10v	0.0v	46.3v	0.0v	459.52v
105	Dr AJ Pilgrim	X	70.6v	73.11v	50.6v	46.4v	47.4v	49.7v	0.0v	75.10v	0.0v	49.3v	0.0v	459.51v
106	Miss LAE Crowson	X	73.9v	73.9v	48.6v	45.3v	48.6v	49.7v	0.0v	74.9v	0.0v	49.2v	0.0v	459.51v
107	Mr G Trembath	O	72.10v	72.5v	48.5v	49.7v	48.6v	49.5v	0.0v	74.8v	0.0v	47.5v	0.0v	459.51v
108	Mr DC Crispin	X	74.11v	71.8v	48.5v	48.5v	49.6v	47.4v	0.0v	72.7v	0.0v	50.4v	0.0v	459.50v
109	Mr MD Joyce	A	72.7v	70.8v	50.6v	49.6v	49.4v	49.5v	0.0v	72.8v	0.0v	48.6v	0.0v	459.50v
110	Dr JDS Langley	X	70.6v	74.9v	45.4v	49.7v	50.6v	49.6v	0.0v	75.11v	0.0v	47.1v	0.0v	459.50v
111	Dr AM Jory	X	72.8v	73.9v	50.6v	49.3v	47.5v	48.3v	0.0v	75.12v	0.0v	45.3v	0.0v	459.49v
112	Miss HM Taylor	A	74.6v	73.8v	48.1v	47.6v	49.6v	50.8v	0.0v	71.9v	0.0v	47.3v	0.0v	459.47v
113	Mr PJ Johnson	X	69.4v	74.6v	48.8v	48.6v	50.7v	50.5v	0.0v	74.10v	0.0v	46.1v	0.0v	459.47v
114	Mr RCT Jeens	X	72.5v	73.3v	47.3v	49.9v	49.8v	49.5v	0.0v	73.8v	0.0v	47.5v	0.0v	459.46v
115	Mr LT Wicker	X	75.10v	74.5v	50.4v	47.3v	48.5v	47.4v	0.0v	75.11v	0.0v	43.2v	0.0v	459.44v
116	Lt Col CR Claridge	X	73.8v	74.9v	47.3v	49.5v	47.5v	48.4v	0.0v	72.5v	0.0v	49.4v	0.0v	459.43v
117	Mr J Payne	A	73.6v	73.6v	48.5v	49.4v	48.5v	49.6v	0.0v	74.10v	0.0v	45.1v	0.0v	459.43v
118	Mr DJ Archer	A	73.6v	72.8v	47.0v	48.4v	48.5v	49.4v	0.0v	75.12v	0.0v	47.2v	0.0v	459.41v
119	Mr IDC Brechin	O	72.5v	72.5v	45.3v	48.3v	49.7v	48.4v	0.0v	75.8v	0.0v	50.4v	0.0v	459.39v
120	Mr KO Pugh	A	73.9v	74.7v	47.2v	50.4v	48.2v	48.2v	0.0v	73.10v	0.0v	46.3v	0.0v	459.39v
121	Mr EM Brice	O	74.9v	73.6v	50.1v	46.3v	48.4v	45.2v	0.0v	74.8v	0.0v	49.4v	0.0v	459.37v
122	Mr MF Martel	O	73.6v	72.6v	48.4v	49.3v	48.3v	48.4v	0.0v	74.6v	0.0v	47.4v	0.0v	459.36v
123	Mr GE Morris	X	71.9v	72.7v	48.7v	49.8v	50.8v	50.7v	0.0v	73.9v	0.0v	45.1v	0.0v	458.56v
124	Mr RP Rosling	X	73.9v	74.14v	50.7v	48.4v	45.3v	47.5v	0.0v	72.9v	0.0v	49.4v	0.0v	458.55v
125	Mr J Cload	X	72.8v	72.11v	47.3v	50.6v	47.4v	49.7v	0.0v	75.12v	0.0v	46.3v	0.0v	458.54v

126	Mr C Mallett	A	72.9v	72.8v	49.6v	49.6v	50.8v	48.6v	0.0v	73.7v	0.0v	45.4v	0.0v	458.54v
127	Mr MJ O'Leary	A	74.7v	72.8v	48.5v	49.6v	49.7v	49.4v	0.0v	73.10v	0.0v	44.3v	0.0v	458.50v
128	Mr MR Fugeman	X	74.8v	70.6v	50.6v	48.5v	49.3v	48.6v	0.0v	72.11v	0.0v	47.4v	0.0v	458.49v
129	Miss EG Joseph	O	73.9v	70.8v	47.5v	49.6v	48.4v	50.5v	0.0v	74.9v	0.0v	47.3v	0.0v	458.49v
130	Mr TA Purvis	O	73.11v	71.5v	45.4v	50.4v	50.5v	48.6v	0.0v	74.8v	0.0v	47.5v	0.0v	458.48v
131	Mr AJ Luckman	X	73.7v	74.10v	48.2v	49.7v	49.6v	48.2v	0.0v	74.11v	0.0v	43.3v	0.0v	458.48v
132	Mr GMLN Gilpin	X	75.7v	74.8v	48.7v	49.4v	48.4v	49.7v	0.0v	74.9v	0.0v	41.2v	0.0v	458.48v
133	Mr IF Luckman	A	74.9v	73.7v	47.3v	48.3v	44.5v	49.5v	0.0v	75.9v	0.0v	48.6v	0.0v	458.47v
134	Mr WDH Burden	X	72.6v	73.4v	50.7v	47.6v	48.8v	49.4v	0.0v	74.10v	0.0v	45.2v	0.0v	458.47v
135	Mr TLW Kidner	X	75.10v	70.6v	48.4v	48.3v	48.4v	50.6v	0.0v	74.10v	0.0v	45.3v	0.0v	458.46v
136	Mr JCT Kent	X	73.8v	73.7v	49.6v	50.7v	48.5v	45.2v	0.0v	73.6v	0.0v	47.4v	0.0v	458.45v
137	Mr LM Peden	A	73.8v	70.6v	48.3v	49.6v	49.6v	49.7v	0.0v	75.5v	0.0v	45.4v	0.0v	458.45v
138	Mr IW Robertson	X	72.6v	74.8v	49.8v	46.3v	49.4v	49.5v	0.0v	74.9v	0.0v	45.2v	0.0v	458.45v
139	Mr NJ Branch	X	74.6v	73.7v	49.5v	49.7v	48.6v	49.5v	0.0v	74.9v	0.0v	42.0v	0.0v	458.45v
140	Mr P De Voil	A	71.5v	72.9v	49.1v	47.5v	50.5v	48.5v	0.0v	72.9v	0.0v	49.5v	0.0v	458.44v
141	Major AG McLean	X	73.8v	73.8v	47.1v	48.6v	46.2v	49.6v	0.0v	75.9v	0.0v	47.4v	0.0v	458.44v
142	Mr A Thomson	A	72.9v	73.7v	47.4v	48.4v	49.5v	50.6v	0.0v	72.8v	0.0v	47.1v	0.0v	458.44v
143	Sgt J Wallace	A	71.6v	74.8v	49.6v	48.3v	48.4v	48.3v	0.0v	74.11v	0.0v	46.3v	0.0v	458.44v
144	Mr RA Hyndman	O	72.4v	69.7v	49.8v	46.4v	49.6v	50.3v	0.0v	73.7v	0.0v	50.4v	0.0v	458.43v
145	Mr RJ Waters	A	74.9v	71.4v	48.5v	49.6v	48.4v	49.4v	0.0v	71.6v	0.0v	48.5v	0.0v	458.43v
146	Flt Lt KP Cressy	A	71.5v	75.10v	47.4v	49.5v	47.3v	48.1v	0.0v	75.12v	0.0v	46.3v	0.0v	458.43v
147	Mr TJ Roberts	A	71.4v	73.7v	46.3v	49.5v	49.6v	49.6v	0.0v	74.9v	0.0v	47.2v	0.0v	458.42v
148	Mr AK Henderson	O	74.5v	71.9v	48.4v	46.4v	49.5v	50.4v	0.0v	74.8v	0.0v	46.3v	0.0v	458.42v
149	Mr RI Coventry	O	72.7v	73.7v	49.6v	49.6v	50.6v	50.2v	0.0v	71.6v	0.0v	44.2v	0.0v	458.42v
150	Mr RS Shouler	X	71.7v	71.1v	48.5v	49.3v	47.2v	48.6v	0.0v	74.8v	0.0v	50.6v	0.0v	458.38v
151	Sgt D Cottrill	T	73.10v	74.6v	43.2v	49.3v	48.2v	49.7v	0.0v	73.5v	0.0v	49.3v	0.0v	458.38v
152	Dr MJ Schwarz	O	73.11v	72.9v	47.4v	46.2v	50.7v	49.8v	0.0v	72.8v	0.0v	48.3v	0.0v	457.52v
153	Mr MJ Wood	X	73.8v	71.8v	47.4v	48.6v	48.6v	50.8v	0.0v	72.10v	0.0v	48.2v	0.0v	457.52v
154	Mrs MM Norman	A	75.11v	75.10v	49.6v	47.3v	48.4v	50.4v	0.0v	74.13v	0.0v	39.1v	0.0v	457.52v
155	Mr ADJ Stewart	O	74.10v	72.7v	48.6v	46.4v	47.5v	49.4v	0.0v	75.11v	0.0v	46.4v	0.0v	457.51v
156	Mr MA Kirkillo-Stacewicz	X	73.7v	74.9v	46.4v	49.7v	50.6v	48.5v	0.0v	74.11v	0.0v	43.2v	0.0v	457.51v
157	Mr ACH Bryson	X	74.12v	70.6v	48.3v	45.3v	49.6v	50.6v	0.0v	74.10v	0.0v	47.4v	0.0v	457.50v
158	Mr APW Daw	A	73.7v	70.9v	48.7v	49.4v	49.5v	48.6v	0.0v	71.5v	0.0v	49.5v	0.0v	457.48v
159	Mr GW Robinson	A	72.7v	72.10v	48.7v	47.4v	49.5v	47.4v	0.0v	74.8v	0.0v	48.3v	0.0v	457.48v
160	Cdt HAD Howard	A	72.9v	73.6v	43.2v	47.2v	49.6v	50.7v	0.0v	75.10v	0.0v	48.5v	0.0v	457.47v
161	Mr IRM Brown	A	72.9v	73.7v	48.7v	49.4v	50.6v	48.3v	0.0v	72.9v	0.0v	45.2v	0.0v	457.47v
162	Mr TAD Lilley	X	74.9v	74.9v	48.6v	47.3v	50.5v	48.2v	0.0v	74.10v	0.0v	42.3v	0.0v	457.47v
163	Mr CJ Morton	X	74.6v	74.9v	41.1v	50.7v	50.8v	47.3v	0.0v	74.9v	0.0v	47.3v	0.0v	457.46v
164	Mr ML Cotillard	O	73.9v	71.7v	48.3v	47.3v	48.3v	49.5v	0.0v	75.13v	0.0v	46.2v	0.0v	457.45v
165	Mr RAV Hebblethwaite	X	73.10v	71.8v	48.5v	47.5v	48.5v	49.3v	0.0v	75.8v	0.0v	46.1v	0.0v	457.45v
166	Sgt M Lekalaile	O	73.9v	71.5v	46.4v	47.4v	50.6v	48.3v	0.0v	73.8v	0.0v	49.5v	0.0v	457.44v
167	Mr S Glen	A	72.8v	73.7v	45.2v	48.5v	47.4v	49.5v	0.0v	75.8v	0.0v	48.5v	0.0v	457.44v
168	Mr RG Scott	A	71.8v	72.6v	50.5v	48.2v	47.2v	49.6v	0.0v	75.14v	0.0v	45.1v	0.0v	457.44v
169	Mr D de Vere	O	74.6v	71.4v	46.5v	49.7v	48.3v	49.6v	0.0v	73.6v	0.0v	47.6v	0.0v	457.43v
170	Mr TJ Brooking	A	71.6v	75.5v	49.6v	49.3v	50.5v	49.6v	0.0v	71.10v	0.0v	43.2v	0.0v	457.43v
171	Mr SJ Pascoe	O	73.7v	71.5v	49.5v	47.3v	50.6v	46.4v	0.0v	74.9v	0.0v	47.3v	0.0v	457.42v
172	Mr SP O'Brien	O	73.7v	71.8v	46.4v	50.3v	49.6v	49.6v	0.0v	73.7v	0.0v	46.1v	0.0v	457.42v
173	Mr SW Cullinan	O	72.5v	72.8v	49.7v	44.2v	50.3v	49.3v	0.0v	75.10v	0.0v	46.3v	0.0v	457.41v
174	Mr JC Branch	A	73.7v	74.5v	46.5v	50.7v	49.5v	48.4v	0.0v	71.6v	0.0v	46.1v	0.0v	457.40v
175	Mr JA Lindsay III	A	74.9v	74.4v	47.5v	48.2v	42.4v	49.4v	0.0v	73.7v	0.0v	50.4v	0.0v	457.39v
176	Cdt RL Johnson	O	71.4v	75.8v	44.5v	49.4v	48.4v	49.5v	0.0v	72.7v	0.0v	49.2v	0.0v	457.39v
177	Mr A Marion	X	74.5v	72.5v	48.4v	48.3v	49.5v	49.5v	0.0v	75.11v	0.0v	42.1v	0.0v	457.39v
178	Mr DA Taylor	A	70.3v	75.8v	48.1v	48.5v	50.4v	46.4v	0.0v	73.6v	0.0v	47.6v	0.0v	457.37v
179	Mr M Neal	O	71.4v	75.6v	48.5v	47.4v	49.6v	49.2v	0.0v	74.8v	0.0v	44.1v	0.0v	457.36v
180	Mr RBC Baker	A	73.8v	72.8v	48.6v	50.8v	50.6v	49.5v	0.0v	74.9v	0.0v	40.3v	0.0v	456.53v
181	Mr C Fitzpatrick	X	73.8v	71.7v	48.7v	48.5v	47.4v	49.7v	0.0v	74.10v	0.0v	46.4v	0.0v	456.52v
182	Mr BJ Le Cheminant	O	74.9v	72.10v	48.1v	47.5v	50.6v	48.6v	0.0v	72.11v	0.0v	45.3v	0.0v	456.51v
183	Mr SH Cox	X	75.8v	74.10v	48.7v	49.7v	48.6v	45.1v	0.0v	73.9v	0.0v	44.3v	0.0v	456.51v
184	Mr BMA Stevens	X	74.11v	74.11v	48.5v	47.4v	49.4v	49.4v	0.0v	73.10v	0.0v	42.2v	0.0v	456.51v
185	Mr RA Mullin	A	73.8v	70.5v	47.3v	49.7v	50.8v	49.7v	0.0v	73.9v	0.0v	45.3v	0.0v	456.50v
186	Mr H Sanders	A	73.6v	72.7v	47.5v	50.6v	47.4v	50.9v	0.0v	75.10v	0.0v	42.3v	0.0v	456.50v
187	Mr MJ Barlow	X	74.13v	72.5v	49.5v	49.7v	47.5v	48.5v	0.0v	75.9v	0.0v	42.0v	0.0v	456.49v
188	Mr RM Hatcher	X	72.4v	69.8v	48.6v	49.7v	49.3v	49.5v	0.0v	71.8v	0.0v	49.4v	0.0v	456.45v
189	Mr S Belither	O	72.11v	72.7v	47.2v	48.2v	46.5v	49.4v	0.0v	73.8v	0.0v	49.5v	0.0v	456.44v
190	Miss HA Pugsley	O	72.7v	72.7v	49.6v	48.1v	47.5v	49.7v	0.0v	74.6v	0.0v	45.4v	0.0v	456.43v
191	Mr TP Clarke	A	71.6v	72.7v	48.6v	46.3v	50.6v	49.5v	0.0v	72.4v	0.0v	48.5v	0.0v	456.42v
192	Mr CW Slator	A	70.5v	73.8v	47.3v	49.5v	46.4v	50.4v	0.0v	75.8v	0.0v	46.4v	0.0v	456.41v
193	TP Wharram	O	70.6v	72.5v	46.3v	50.5v	47.3v	50.7v	0.0v	73.9v	0.0v	48.2v	0.0v	456.40v
194	Cdt BA Boyle	T	71.5v	74.10v	49.3v	46.3v	49.4v	50.8v	0.0v	72.5v	0.0v	45.2v	0.0v	456.40v
195	Mr D Lowe	X	73.8v	73.6v	46.3v	48.2v	46.3v	50.4v	0.0v	74.10v	0.0v	46.3v	0.0v	456.39v
196	Miss D O'Kelly	A	74.7v	73.6v	49.6v	47.4v	49.3v	46.3v	0.0v	72.7v	0.0v	46.3v	0.0v	456.39v

197	Mr DN Lindsay	O	72.7v	73.7v	49.5v	47.2v	47.4v	49.4v	0.0v	74.5v	0.0v	45.2v	0.0v	456.36v
198	Mr DJ Tracey	A	75.15v	74.10v	48.3v	47.5v	45.5v	47.5v	0.0v	75.13v	0.0v	44.4v	0.0v	455.60v
199	Mr ITG Shaw	X	71.7v	70.4v	49.6v	48.6v	50.8v	49.6v	0.0v	75.13v	0.0v	43.2v	0.0v	455.52v
200	Cdt HW Orpen-Smellie	O	74.7v	71.9v	47.6v	42.2v	49.5v	50.8v	0.0v	75.11v	0.0v	47.3v	0.0v	455.51v
201	Mr PM Jory	X	73.9v	70.8v	48.3v	49.4v	50.8v	49.7v	0.0v	73.8v	0.0v	43.4v	0.0v	455.51v
202	Mr TW Hunter	X	71.7v	70.7v	49.6v	46.4v	49.6v	48.7v	0.0v	75.11v	0.0v	47.2v	0.0v	455.50v
203	Mr MW Silver	X	70.8v	71.5v	47.5v	50.5v	49.6v	49.7v	0.0v	74.10v	0.0v	45.4v	0.0v	455.50v
204	Miss DS Hume	A	73.6v	71.6v	47.4v	48.4v	50.8v	49.6v	0.0v	70.9v	0.0v	47.5v	0.0v	455.48v
205	Mr J Bullock	X	67.6v	73.6v	47.8v	48.5v	49.4v	50.7v	0.0v	74.9v	0.0v	47.3v	0.0v	455.48v
206	Lt Col AJW Sturrock	A	71.6v	73.7v	45.4v	49.7v	49.5v	49.6v	0.0v	74.9v	0.0v	45.4v	0.0v	455.48v
207	Mrs K Le Quesne	A	71.6v	73.7v	50.7v	46.3v	48.6v	47.5v	0.0v	75.11v	0.0v	45.3v	0.0v	455.48v
208	Mr CP Weeden	X	73.9v	73.8v	47.4v	47.5v	49.6v	46.3v	0.0v	75.12v	0.0v	45.1v	0.0v	455.48v
209	Miss GJF Ogden	O	69.7v	70.7v	47.3v	49.4v	50.6v	50.5v	0.0v	75.14v	0.0v	45.1v	0.0v	455.47v
210	Mr AW Lothian	A	73.6v	73.10v	45.6v	48.7v	49.4v	47.6v	0.0v	75.7v	0.0v	45.1v	0.0v	455.47v
211	Miss DL Fenn	X	73.10v	70.7v	47.2v	49.5v	47.3v	49.4v	0.0v	73.10v	0.0v	47.5v	0.0v	455.46v
212	Mr C Rivett-Carnac	O	71.5v	72.9v	48.5v	45.4v	48.6v	49.6v	0.0v	75.8v	0.0v	47.3v	0.0v	455.46v
213	Major JRW Postle	A	75.6v	72.5v	48.6v	47.5v	47.5v	49.4v	0.0v	73.12v	0.0v	44.3v	0.0v	455.46v
214	Mr RJR Mott	O	72.4v	74.10v	46.2v	48.6v	49.5v	49.7v	0.0v	75.9v	0.0v	42.3v	0.0v	455.46v
215	Mr SJ Carson	A	73.10v	71.4v	50.6v	48.3v	48.2v	49.8v	0.0v	69.6v	0.0v	47.6v	0.0v	455.45v
216	Mr R Winney	O	73.6v	75.11v	50.7v	48.4v	47.2v	47.3v	0.0v	74.11v	0.0v	41.1v	0.0v	455.45v
217	Mr H Lottritz	O	69.5v	72.8v	47.4v	50.2v	49.9v	48.4v	0.0v	72.7v	0.0v	48.5v	0.0v	455.44v
218	Mr KB Hill	A	72.5v	72.9v	49.6v	46.3v	49.6v	48.5v	0.0v	71.5v	0.0v	48.5v	0.0v	455.44v
219	Mr MJJ Charlton	A	73.4v	71.8v	49.4v	49.5v	47.5v	48.7v	0.0v	71.6v	0.0v	47.5v	0.0v	455.44v
220	Mr ATB Tompson	X	73.4v	74.7v	46.6v	47.5v	49.6v	49.6v	0.0v	75.8v	0.0v	44.3v	0.0v	455.44v
221	Mr HL Hunter	X	72.5v	72.7v	48.2v	49.7v	50.8v	46.3v	0.0v	73.7v	0.0v	45.4v	0.0v	455.43v
222	Mr S Pearson	A	72.7v	73.9v	47.5v	50.8v	48.3v	48.3v	0.0v	75.7v	0.0v	42.1v	0.0v	455.43v
223	Mr SD Spinney	X	70.6v	68.4v	50.5v	48.4v	49.5v	49.6v	0.0v	74.8v	0.0v	47.3v	0.0v	455.41v
224	Mr EC Dickson	X	72.7v	71.3v	46.2v	47.4v	49.3v	50.8v	0.0v	74.11v	0.0v	46.3v	0.0v	455.41v
225	Miss TJ Fitzsimons	A	71.4v	74.6v	50.6v	48.3v	48.5v	47.5v	0.0v	75.10v	0.0v	42.2v	0.0v	455.41v
226	Mr P Seebohm	O	73.5v	71.5v	47.4v	50.4v	49.6v	47.5v	0.0v	73.9v	0.0v	45.2v	0.0v	455.40v
227	Mr PR Coley	A	70.7v	69.2v	49.4v	49.6v	50.5v	48.7v	0.0v	74.5v	0.0v	46.3v	0.0v	455.39v
228	Mr KM Willingale	A	70.5v	72.8v	50.3v	49.3v	48.2v	47.3v	0.0v	72.8v	0.0v	47.5v	0.0v	455.37v
229	CWO A Sladek	O	72.6v	72.7v	49.4v	49.5v	46.4v	48.4v	0.0v	74.5v	0.0v	45.2v	0.0v	455.37v
230	Mr JR Stirland	O	72.7v	73.3v	48.2v	49.5v	48.2v	49.6v	0.0v	73.10v	0.0v	43.1v	0.0v	455.36v
231	Mr R de V Chase	A	73.5v	72.3v	45.3v	49.3v	49.7v	46.1v	0.0v	74.4v	0.0v	47.5v	0.0v	455.31v
232	Mr PG Oxnam	A	72.10v	70.7v	49.8v	48.5v	46.5v	50.8v	0.0v	74.8v	0.0v	45.5v	0.0v	454.56v
233	CWO ATJW Voorthuyzen	O	70.6v	71.4v	46.6v	47.4v	48.8v	49.5v	0.0v	74.13v	0.0v	49.6v	0.0v	454.52v
234	Mr DJ Gass	X	71.9v	72.7v	48.7v	48.4v	50.8v	49.5v	0.0v	72.9v	0.0v	44.2v	0.0v	454.51v
235	Mr CJ Sherratt	O	70.6v	74.9v	48.4v	48.5v	47.5v	47.7v	0.0v	72.9v	0.0v	48.5v	0.0v	454.50v
236	Mr CI Cooper	O	73.6v	71.9v	49.7v	44.4v	49.8v	46.2v	0.0v	74.12v	0.0v	48.2v	0.0v	454.50v
237	Mr MR Frost	O	69.7v	70.7v	50.5v	48.4v	49.5v	50.9v	0.0v	73.9v	0.0v	45.4v	0.0v	454.50v
238	Mr CTS Belk	X	70.7v	74.9v	47.4v	47.2v	49.8v	48.5v	0.0v	73.8v	0.0v	46.4v	0.0v	454.47v
239	Mr JEM Bellringer	A	72.9v	68.7v	47.5v	48.5v	50.5v	49.8v	0.0v	72.6v	0.0v	48.0v	0.0v	454.45v
240	Mr JMA Thompson	X	73.11v	72.8v	49.5v	47.4v	48.3v	48.3v	0.0v	71.7v	0.0v	46.4v	0.0v	454.45v
241	Miss JM Rankin	A	72.6v	69.5v	48.6v	49.5v	50.9v	48.2v	0.0v	75.11v	0.0v	43.1v	0.0v	454.45v
242	Mr A Dowle	O	71.8v	71.5v	46.3v	48.3v	49.4v	49.6v	0.0v	74.9v	0.0v	46.6v	0.0v	454.44v
243	Mr NC Granger	O	72.8v	73.6v	50.4v	47.5v	49.6v	47.3v	0.0v	75.12v	0.0v	41.0v	0.0v	454.44v
244	Mr S Osmond	O	71.4v	71.6v	47.4v	46.5v	47.5v	49.3v	0.0v	75.13v	0.0v	48.3v	0.0v	454.43v
245	Prof AR Horrocks	X	71.7v	70.6v	48.3v	49.6v	47.6v	49.5v	0.0v	73.8v	0.0v	47.2v	0.0v	454.43v
246	Mr MD Hayter	T	72.7v	73.4v	49.6v	47.5v	48.5v	49.6v	0.0v	72.9v	0.0v	44.1v	0.0v	454.43v
247	Mr JM Taylor	A	75.9v	71.7v	49.5v	49.6v	47.3v	47.2v	0.0v	73.10v	0.0v	43.1v	0.0v	454.43v
248	Mr MJLA Landreville	O	71.8v	74.9v	48.4v	46.4v	50.6v	48.5v	0.0v	74.6v	0.0v	43.1v	0.0v	454.43v
249	Mr DCW Lloyd	O	72.8v	72.9v	49.3v	49.6v	48.3v	49.5v	0.0v	73.7v	0.0v	42.2v	0.0v	454.43v
250	Mr AI Brown	A	70.5v	70.5v	50.7v	48.4v	48.4v	49.4v	0.0v	74.10v	0.0v	45.3v	0.0v	454.42v
251	Mr PCAG Slater	X	74.7v	73.6v	47.4v	48.5v	47.4v	49.4v	0.0v	74.10v	0.0v	42.2v	0.0v	454.42v
252	Mr RE Ellis	A	74.9v	73.5v	47.2v	50.7v	49.5v	44.2v	0.0v	75.11v	0.0v	42.1v	0.0v	454.42v
253	Cdt AT Talbot	T	74.9v	70.6v	48.4v	47.5v	49.2v	49.4v	0.0v	75.10v	0.0v	42.0v	0.0v	454.40v
254	Mr M Cooper	O	71.7v	73.7v	48.3v	48.4v	48.4v	47.3v	0.0v	75.8v	0.0v	44.2v	0.0v	454.38v
255	Major M Geernaert-Davies	O	69.5v	70.5v	49.5v	47.4v	49.5v	46.3v	0.0v	75.7v	0.0v	49.2v	0.0v	454.36v
256	Cpl K Dycer	O	72.6v	72.6v	48.4v	47.4v	49.4v	50.4v	0.0v	68.0v	0.0v	48.5v	0.0v	454.33v
257	Mr SJ Comins	O	74.10v	69.6v	48.5v	48.5v	48.6v	47.4v	0.0v	73.11v	0.0v	46.1v	0.0v	453.48v
258	Mr A Chown	A	71.7v	69.7v	46.2v	47.7v	50.7v	49.5v	0.0v	75.9v	0.0v	46.3v	0.0v	453.47v
259	Mr JA Anderson	X	74.8v	73.11v	49.5v	45.3v	48.4v	48.6v	0.0v	71.7v	0.0v	45.3v	0.0v	453.47v
260	Miss HP McCullough	X	73.7v	70.9v	46.3v	50.8v	48.6v	48.4v	0.0v	74.8v	0.0v	44.2v	0.0v	453.47v
261	Mr DH Allen	O	68.6v	74.9v	46.4v	49.7v	47.3v	50.8v	0.0v	73.7v	0.0v	46.2v	0.0v	453.46v
262	Eur Ing CA Painting	X	72.9v	70.7v	49.6v	49.6v	49.5v	45.1v	0.0v	71.6v	0.0v	48.5v	0.0v	453.45v
263	Wg Cdr MJ Gregory	O	73.6v	69.7v	45.2v	49.4v	48.6v	49.6v	0.0v	72.9v	0.0v	48.4v	0.0v	453.44v
264	Mr TG Rylands	X	73.7v	69.4v	47.3v	50.8v	50.8v	46.2v	0.0v	75.9v	0.0v	43.2v	0.0v	453.43v
265	Dr GP Nelson	A	74.10v	71.3v	47.5v	46.2v	49.6v	48.5v	0.0v	75.11v	0.0v	43.1v	0.0v	453.43v
266	Mr C Brook	O	73.7v	69.7v	48.7v	46.2v	48.6v	48.4v	0.0v	72.8v	0.0v	49.1v	0.0v	453.42v
267	Mr MJ Ensor	X	73.6v	70.5v	48.5v	48.5v	47.4v	47.4v	0.0v	75.10v	0.0v	45.3v	0.0v	453.42v

268	Mr WR Steward	A	73.8v	70.5v	47.4v	48.4v	49.6v	49.5v	0.0v	74.10v	0.0v	43.0v	0.0v	453.42v
269	Mr MCJ Button	X	74.8v	70.8v	49.2v	49.5v	48.7v	47.3v	0.0v	70.6v	0.0v	46.2v	0.0v	453.41v
270	Wg Cdr CR Smith	A	73.6v	71.5v	45.5v	46.4v	47.4v	50.5v	0.0v	75.11v	0.0v	46.1v	0.0v	453.41v
271	Mr PJS Bysshe	O	72.8v	70.8v	48.4v	49.4v	49.2v	45.3v	0.0v	72.8v	0.0v	48.3v	0.0v	453.40v
272	Mr R Kloosterman	A	70.4v	71.8v	47.3v	48.6v	46.2v	50.3v	0.0v	73.7v	0.0v	48.6v	0.0v	453.39v
273	Mr D Davies	X	71.7v	71.3v	46.4v	47.2v	48.5v	47.4v	0.0v	75.11v	0.0v	48.3v	0.0v	453.39v
274	Mr TJ Reeve	O	73.6v	69.2v	48.4v	45.3v	49.4v	49.6v	0.0v	72.9v	0.0v	48.4v	0.0v	453.38v
275	Mr PG Cann	X	74.5v	73.7v	45.2v	47.6v	47.3v	48.4v	0.0v	71.4v	0.0v	48.6v	0.0v	453.37v
276	Mr B Lottritz	O	70.5v	71.4v	47.4v	45.2v	50.5v	50.8v	0.0v	73.6v	0.0v	47.3v	0.0v	453.37v
277	Mr JPL Sweet	X	72.8v	73.4v	48.3v	48.5v	45.2v	49.5v	0.0v	74.8v	0.0v	44.2v	0.0v	453.37v
278	Mr NC Boyde	O	70.2v	67.5v	49.5v	49.4v	48.4v	50.6v	0.0v	75.6v	0.0v	45.3v	0.0v	453.35v
279	WO2 M Carberry	O	73.7v	74.8v	46.3v	50.1v	48.7v	47.2v	0.0v	73.5v	0.0v	42.2v	0.0v	453.35v
280	Cdt HJC Green	T	74.8v	75.10v	48.7v	47.4v	42.5v	46.3v	0.0v	75.11v	0.0v	45.3v	0.0v	452.51v
281	Miss HCM Bennett	O	73.9v	72.9v	46.2v	43.3v	50.8v	49.5v	0.0v	74.13v	0.0v	45.2v	0.0v	452.51v
282	Mr MJM Black	A	72.11v	72.7v	44.1v	49.8v	49.5v	48.6v	0.0v	74.9v	0.0v	44.2v	0.0v	452.49v
283	Mr JW Alexander	A	72.6v	72.6v	48.5v	49.5v	47.4v	42.3v	0.0v	75.13v	0.0v	47.5v	0.0v	452.47v
284	Mr RH Gardiner	O	73.10v	71.8v	47.1v	49.5v	48.3v	50.5v	0.0v	69.8v	0.0v	45.5v	0.0v	452.45v
285	Mr DMJ Coutts	X	72.7v	70.4v	48.5v	47.6v	49.7v	48.5v	0.0v	73.10v	0.0v	45.1v	0.0v	452.45v
286	Mr GW Clarke	O	72.6v	74.9v	47.5v	47.3v	50.9v	48.4v	0.0v	71.4v	0.0v	43.4v	0.0v	452.44v
287	Mr T Horrocks	O	74.9v	75.9v	47.5v	45.4v	46.4v	44.2v	0.0v	74.10v	0.0v	47.0v	0.0v	452.43v
288	Mr OC Collas	O	72.9v	73.9v	49.3v	47.4v	48.5v	46.4v	0.0v	73.6v	0.0v	44.3v	0.0v	452.43v
289	Mr EBD Reis	A	73.9v	69.5v	47.3v	50.7v	50.3v	47.6v	0.0v	73.8v	0.0v	43.2v	0.0v	452.43v
290	Mr ORW Russell	O	72.8v	70.8v	47.5v	46.1v	50.6v	48.7v	0.0v	74.6v	0.0v	45.1v	0.0v	452.42v
291	Mr DGF Evans	O	73.7v	73.4v	49.6v	43.4v	47.4v	47.4v	0.0v	74.8v	0.0v	46.4v	0.0v	452.41v
292	Cdt NJB Blunsom	O	71.6v	71.7v	47.2v	49.3v	47.7v	48.5v	0.0v	75.9v	0.0v	44.2v	0.0v	452.41v
293	Mr NW Penn	A	71.8v	73.9v	48.4v	44.0v	47.4v	50.5v	0.0v	73.8v	0.0v	46.2v	0.0v	452.40v
294	Cdt RJA Argo	O	71.4v	68.4v	47.4v	48.5v	48.2v	48.5v	0.0v	73.10v	0.0v	49.5v	0.0v	452.39v
295	Mr K Todd	T	68.4v	72.7v	46.2v	45.2v	50.5v	49.5v	0.0v	75.10v	0.0v	47.4v	0.0v	452.39v
296	Cdt DLT Taylor	O	72.3v	71.4v	46.2v	48.5v	47.4v	49.7v	0.0v	73.8v	0.0v	46.5v	0.0v	452.38v
297	Mr JWE Lewis	X	73.7v	72.5v	48.3v	47.5v	46.2v	49.5v	0.0v	71.6v	0.0v	46.3v	0.0v	452.36v
298	Mr S Harding	X	70.6v	72.5v	48.3v	49.4v	48.5v	48.4v	0.0v	73.7v	0.0v	44.1v	0.0v	452.35v
299	Mr DE Nuthall	X	72.9v	72.11v	48.4v	47.4v	47.5v	48.5v	0.0v	68.10v	0.0v	49.6v	0.0v	451.54v
300	Prof MJ Guille	O	71.10v	70.8v	48.7v	47.4v	46.3v	50.7v	0.0v	74.8v	0.0v	45.6v	0.0v	451.53v
301	Dr JR Deane	X	74.10v	67.7v	50.7v	47.7v	50.6v	49.5v	0.0v	75.10v	0.0v	39.0v	0.0v	451.52v
302	Mr MJ Creber	X	73.11v	71.8v	45.1v	48.7v	47.4v	50.8v	0.0v	74.11v	0.0v	43.1v	0.0v	451.51v
303	Mr G Williams	O	72.7v	72.9v	47.4v	46.5v	49.8v	48.6v	0.0v	74.9v	0.0v	43.2v	0.0v	451.50v
304	Mr CB Cotillard	A	72.6v	71.8v	46.3v	48.5v	48.4v	48.7v	0.0v	73.12v	0.0v	45.2v	0.0v	451.47v
305	Mr NP Moxon	A	68.5v	71.8v	47.4v	45.4v	48.5v	49.7v	0.0v	75.9v	0.0v	48.4v	0.0v	451.46v
306	Mr JDI Hossack	A	69.4v	74.10v	48.6v	47.4v	46.4v	48.5v	0.0v	74.10v	0.0v	45.3v	0.0v	451.46v
307	PC S Otundo	O	73.9v	73.7v	48.5v	46.4v	48.5v	48.7v	0.0v	74.8v	0.0v	41.1v	0.0v	451.46v
308	Mr ISL Dampney	X	72.9v	71.8v	49.6v	46.5v	45.4v	50.6v	0.0v	69.5v	0.0v	49.2v	0.0v	451.45v
309	Mr BA Horwood	X	69.4v	72.10v	48.5v	48.5v	47.5v	49.8v	0.0v	72.5v	0.0v	46.3v	0.0v	451.45v
310	Flt Lt BDW Parsons	O	72.7v	72.9v	47.5v	47.4v	47.3v	47.4v	0.0v	75.11v	0.0v	44.2v	0.0v	451.45v
311	Mr T Hembrow	O	73.5v	71.6v	44.5v	45.3v	50.6v	49.6v	0.0v	70.6v	0.0v	49.6v	0.0v	451.43v
312	Mr GW Davies	X	74.9v	70.7v	47.4v	47.2v	47.5v	47.3v	0.0v	74.12v	0.0v	45.1v	0.0v	451.43v
313	Mr RG Faulkner	A	73.8v	75.11v	47.3v	48.3v	44.4v	45.2v	0.0v	73.10v	0.0v	46.1v	0.0v	451.42v
314	Miss SIM Anderson	O	72.6v	70.4v	48.5v	45.3v	50.6v	48.4v	0.0v	73.8v	0.0v	45.6v	0.0v	451.42v
315	Wg Cdr CJ Hockley	O	74.5v	70.8v	48.4v	49.3v	46.4v	48.7v	0.0v	68.6v	0.0v	48.4v	0.0v	451.41v
316	Mr PWG Glen	T	70.4v	70.8v	49.5v	48.6v	50.7v	47.5v	0.0v	71.4v	0.0v	46.2v	0.0v	451.41v
317	Mr E McConnell	O	71.6v	72.7v	49.4v	48.3v	48.6v	47.5v	0.0v	71.8v	0.0v	45.2v	0.0v	451.41v
318	Miss AMG Ogilvie	A	73.5v	75.12v	47.3v	49.7v	46.4v	46.3v	0.0v	71.4v	0.0v	44.3v	0.0v	451.41v
319	Mr ND Stangroom	X	74.9v	69.4v	47.3v	49.5v	47.2v	49.6v	0.0v	72.9v	0.0v	44.3v	0.0v	451.41v
320	Mr C Mitchell	O	73.8v	71.4v	47.5v	45.4v	49.8v	46.1v	0.0v	72.7v	0.0v	48.3v	0.0v	451.40v
321	Mr MM Moore	T	69.7v	72.9v	45.1v	50.6v	50.6v	47.2v	0.0v	72.6v	0.0v	46.3v	0.0v	451.40v
322	PC J Serem	O	71.5v	70.6v	48.4v	46.3v	49.7v	50.5v	0.0v	74.9v	0.0v	43.1v	0.0v	451.40v
323	Miss EJ Cannings	O	74.7v	72.7v	47.6v	49.6v	48.3v	49.3v	0.0v	71.7v	0.0v	41.1v	0.0v	451.40v
324	Mr JR Davies	X	69.7v	74.9v	50.6v	48.1v	46.5v	45.3v	0.0v	74.6v	0.0v	45.2v	0.0v	451.39v
325	Ag IP S Letoya	O	69.5v	71.6v	48.4v	46.4v	50.2v	48.5v	0.0v	74.11v	0.0v	45.2v	0.0v	451.39v
326	Mr TA French	T	70.4v	72.6v	48.5v	48.6v	47.4v	44.2v	0.0v	73.6v	0.0v	49.4v	0.0v	451.37v
327	Mr PJ Chance	X	72.4v	71.6v	49.4v	47.3v	49.8v	46.4v	0.0v	70.6v	0.0v	47.2v	0.0v	451.37v
328	Mr G French	O	72.4v	70.5v	47.3v	50.7v	48.6v	48.5v	0.0v	71.5v	0.0v	45.2v	0.0v	451.37v
329	Lt Col FC Sykes	O	72.6v	71.5v	46.3v	48.6v	48.4v	48.3v	0.0v	75.7v	0.0v	43.1v	0.0v	451.35v
330	Cdt OL Ryndziewicz	O	74.7v	69.4v	48.3v	48.5v	47.2v	49.6v	0.0v	72.5v	0.0v	44.1v	0.0v	451.33v
331	Mr JWE Lothian	X	70.8v	73.4v	49.6v	44.2v	48.5v	49.1v	0.0v	70.3v	0.0v	48.3v	0.0v	451.32v
332	Mr M Woolger	X	70.8v	73.7v	49.7v	47.6v	47.5v	44.2v	0.0v	74.13v	0.0v	46.5v	0.0v	450.53v
333	Mr AP Smith	O	71.8v	73.7v	46.2v	48.3v	43.5v	50.9v	0.0v	73.10v	0.0v	46.4v	0.0v	450.48v
334	Mr WA Langley	A	72.11v	70.8v	47.5v	47.4v	49.4v	47.2v	0.0v	73.10v	0.0v	45.2v	0.0v	450.46v
335	Mr CD Heales	A	73.8v	72.8v	47.4v	47.5v	45.4v	48.4v	0.0v	71.7v	0.0v	47.5v	0.0v	450.45v
336	Mr JA Haward	A	68.3v	69.6v	47.5v	48.6v	49.7v	48.4v	0.0v	71.7v	0.0v	50.6v	0.0v	450.44v
337	Mr J Purdy	O	73.7v	72.7v	46.3v	49.6v	46.4v	46.4v	0.0v	73.8v	0.0v	45.5v	0.0v	450.44v
338	Mr BH Jones	O	71.4v	72.9v	49.6v	45.3v	47.5v	48.5v	0.0v	73.9v	0.0v	45.3v	0.0v	450.44v

339	Dr PD Sykes	X	71.8v	70.8v	45.2v	48.5v	50.5v	46.2v	0.0v	73.8v	0.0v	47.4v	0.0v	450.42v
340	Mr ARN Kinross	O	73.10v	69.4v	47.5v	46.4v	48.4v	47.4v	0.0v	71.7v	0.0v	49.3v	0.0v	450.41v
341	Mr WHC Alexander	A	67.6v	71.2v	49.4v	48.3v	48.6v	47.6v	0.0v	72.8v	0.0v	48.5v	0.0v	450.40v
342	Mr R Birtwistle	A	69.3v	72.7v	50.7v	46.3v	48.5v	48.7v	0.0v	70.5v	0.0v	47.3v	0.0v	450.40v
343	Mr JC Ng	O	71.6v	69.6v	49.4v	45.4v	47.3v	49.3v	0.0v	73.10v	0.0v	47.3v	0.0v	450.39v
344	Mr SC Postins	X	72.5v	69.3v	47.3v	47.6v	50.7v	47.4v	0.0v	72.8v	0.0v	46.3v	0.0v	450.39v
345	Mr TW Tatchell	A	72.5v	73.8v	46.3v	46.3v	50.7v	47.3v	0.0v	71.7v	0.0v	45.3v	0.0v	450.39v
346	Mr RCG Knight	O	72.8v	71.3v	46.2v	49.8v	50.7v	48.6v	0.0v	69.2v	0.0v	45.2v	0.0v	450.38v
347	Mr DS Murray	X	73.8v	72.6v	45.2v	47.3v	48.3v	50.2v	0.0v	73.10v	0.0v	42.3v	0.0v	450.37v
348	Mr ND Gomez	O	73.5v	71.5v	48.2v	45.2v	48.6v	49.5v	0.0v	73.8v	0.0v	43.3v	0.0v	450.36v
349	Mr PB Cutts	O	71.3v	70.4v	48.4v	44.2v	48.4v	47.4v	0.0v	73.8v	0.0v	49.5v	0.0v	450.34v
350	Mr GRP Shapland	O	70.3v	71.7v	48.5v	47.6v	47.3v	45.1v	0.0v	73.6v	0.0v	49.3v	0.0v	450.34v
351	Mr P Merry	O	70.3v	70.4v	47.3v	49.1v	47.5v	48.6v	0.0v	73.8v	0.0v	46.4v	0.0v	450.34v
352	Mrs T Newbold	A	65.1v	72.8v	48.4v	47.3v	48.4v	50.3v	0.0v	72.7v	0.0v	48.2v	0.0v	450.32v
353	Mr PJ Chapman-Sheath	O	73.8v	73.7v	45.2v	47.5v	46.3v	47.4v	0.0v	75.12v	0.0v	43.6v	0.0v	449.47v
354	Mr SAJ Dowley	A	72.7v	74.7v	45.4v	48.6v	49.5v	47.4v	0.0v	74.12v	0.0v	40.1v	0.0v	449.46v
355	Mr RJ Hull	A	69.5v	67.4v	49.7v	49.7v	47.3v	47.6v	0.0v	73.8v	0.0v	48.5v	0.0v	449.45v
356	Cpl D Kirui	O	74.11v	70.7v	45.0v	46.4v	50.3v	47.5v	0.0v	74.11v	0.0v	43.3v	0.0v	449.44v
357	Mr GAE Lacombe	O	70.7v	70.7v	46.3v	47.4v	50.10v	47.4v	0.0v	72.3v	0.0v	47.3v	0.0v	449.41v
358	Mr DL Wiles	O	71.9v	70.3v	47.5v	49.4v	49.7v	46.3v	0.0v	71.8v	0.0v	46.2v	0.0v	449.41v
359	Mrs RMS Merridew	O	72.6v	69.7v	48.5v	47.3v	49.6v	48.4v	0.0v	69.4v	0.0v	47.5v	0.0v	449.40v
360	Cdt GC Coburn	O	72.7v	68.7v	48.5v	48.3v	48.4v	49.6v	0.0v	72.5v	0.0v	44.3v	0.0v	449.40v
361	Mr EI Cartwright	X	73.9v	68.3v	49.5v	48.4v	48.4v	47.4v	0.0v	71.6v	0.0v	45.4v	0.0v	449.39v
362	Mr A Kolenko	X	71.9v	70.6v	48.2v	49.4v	48.5v	46.3v	0.0v	73.8v	0.0v	44.2v	0.0v	449.39v
363	Miss EL Hoolahan	T	71.7v	71.2v	49.8v	44.3v	46.6v	49.4v	0.0v	75.8v	0.0v	44.1v	0.0v	449.39v
364	Mr MHH John	O	71.6v	72.9v	47.3v	49.4v	48.2v	48.4v	0.0v	72.8v	0.0v	42.3v	0.0v	449.39v
365	Miss JE Ouston	O	71.10v	68.2v	48.3v	46.4v	47.5v	48.4v	0.0v	73.7v	0.0v	48.3v	0.0v	449.38v
366	Dr N Hart	O	71.7v	72.4v	47.4v	47.4v	48.3v	48.3v	0.0v	71.8v	0.0v	45.5v	0.0v	449.38v
367	Mr PD Griggs	X	75.5v	70.6v	41.1v	46.4v	47.4v	50.9v	0.0v	74.8v	0.0v	46.0v	0.0v	449.37v
368	Mr CA Skellett	O	73.5v	69.6v	47.7v	47.4v	48.2v	50.5v	0.0v	72.5v	0.0v	43.3v	0.0v	449.37v
369	Mr GH Porter	O	73.3v	71.5v	47.4v	47.4v	44.2v	48.5v	0.0v	73.9v	0.0v	46.2v	0.0v	449.34v
370	Cpl P Munene	O	70.1v	71.6v	46.5v	50.4v	48.3v	48.5v	0.0v	73.7v	0.0v	43.2v	0.0v	449.33v
371	Mr M Persaud	A	71.7v	71.7v	48.6v	43.4v	49.6v	47.6v	0.0v	75.9v	0.0v	44.2v	0.0v	448.47v
372	Dr JS Rennie	X	70.4v	72.8v	48.4v	46.4v	50.8v	50.6v	0.0v	71.7v	0.0v	41.2v	0.0v	448.43v
373	Mr RW McVeigh	O	72.6v	70.7v	46.4v	43.1v	50.7v	49.5v	0.0v	74.10v	0.0v	44.2v	0.0v	448.42v
374	Mr ME Barr	O	73.9v	64.6v	47.5v	47.1v	48.4v	47.5v	0.0v	72.4v	0.0v	50.6v	0.0v	448.40v
375	Mr TP Hammond	A	73.5v	68.5v	48.7v	46.4v	50.5v	46.6v	0.0v	71.5v	0.0v	46.3v	0.0v	448.40v
376	Mr RJ Quay	A	68.4v	72.6v	47.3v	49.7v	49.6v	49.5v	0.0v	74.8v	0.0v	40.1v	0.0v	448.40v
377	Mr KG Firth	O	72.11v	70.6v	48.3v	44.1v	47.4v	46.2v	0.0v	73.9v	0.0v	48.3v	0.0v	448.39v
378	Mr RJ Coffin	O	71.6v	71.5v	47.4v	50.6v	47.3v	48.6v	0.0v	70.7v	0.0v	44.2v	0.0v	448.39v
379	Mr ITR Jobling	O	71.7v	69.5v	46.4v	45.1v	49.1v	49.6v	0.0v	75.10v	0.0v	44.3v	0.0v	448.37v
380	Mr CM Brooks	O	68.3v	73.9v	49.5v	49.3v	46.4v	46.3v	0.0v	69.6v	0.0v	48.3v	0.0v	448.36v
381	Mr FCP Mostyn	O	74.9v	73.7v	48.5v	42.2v	48.3v	48.2v	0.0v	73.6v	0.0v	42.1v	0.0v	448.35v
382	Mr BBB Bingham	T	70.5v	74.4v	50.4v	45.2v	47.5v	47.2v	0.0v	74.11v	0.0v	41.1v	0.0v	448.34v
383	Cdt CHM Mckeever	O	70.3v	68.5v	48.4v	50.5v	47.4v	45.3v	0.0v	72.5v	0.0v	48.3v	0.0v	448.32v
384	Mr DDS Stanoev	X	71.2v	71.7v	47.4v	46.3v	47.3v	49.1v	0.0v	73.9v	0.0v	44.2v	0.0v	448.31v
385	Mr JA Garnett	A	72.9v	68.4v	48.6v	49.5v	44.3v	47.7v	0.0v	71.9v	0.0v	48.6v	0.0v	447.49v
386	CSjt BG Mulvey	T	69.4v	72.9v	46.6v	48.7v	49.7v	46.3v	0.0v	71.9v	0.0v	46.4v	0.0v	447.49v
387	Cdt ES Maclean	T	72.8v	74.8v	50.8v	46.4v	48.6v	44.2v	0.0v	73.8v	0.0v	40.3v	0.0v	447.47v
388	Mr RM Roberts	X	73.8v	73.8v	48.2v	43.3v	46.5v	47.5v	0.0v	75.13v	0.0v	42.2v	0.0v	447.46v
389	Miss RL Laird	A	71.6v	72.6v	48.5v	45.4v	48.3v	49.7v	0.0v	73.10v	0.0v	41.3v	0.0v	447.44v
390	Mr AG Jones	T	74.7v	72.9v	50.7v	46.4v	47.5v	44.2v	0.0v	68.5v	0.0v	46.3v	0.0v	447.42v
391	Mr J Macaulay	T	72.5v	72.9v	45.2v	46.5v	42.1v	49.6v	0.0v	74.6v	0.0v	47.7v	0.0v	447.41v
392	Mr SO Jauncey	O	69.5v	71.3v	48.5v	46.4v	49.8v	48.5v	0.0v	71.9v	0.0v	45.2v	0.0v	447.41v
393	Mr SJ Whitby	A	70.6v	71.7v	45.2v	48.6v	46.3v	49.4v	0.0v	75.10v	0.0v	43.3v	0.0v	447.41v
394	Mr I Hindshaw	O	72.5v	69.4v	47.3v	48.6v	47.6v	48.8v	0.0v	74.8v	0.0v	42.1v	0.0v	447.41v
395	Miss KA Berman	X	71.6v	69.4v	47.3v	49.6v	45.4v	49.3v	0.0v	72.9v	0.0v	45.5v	0.0v	447.40v
396	Mr DR Niblett	O	71.6v	74.8v	45.1v	47.5v	45.4v	49.5v	0.0v	73.7v	0.0v	43.4v	0.0v	447.40v
397	Mr S Sehmi	O	72.11v	67.5v	48.4v	48.6v	46.2v	47.3v	0.0v	72.5v	0.0v	47.3v	0.0v	447.39v
398	Miss S Cheslyn-Curtis	O	71.3v	68.3v	49.7v	45.5v	48.4v	48.3v	0.0v	72.9v	0.0v	46.5v	0.0v	447.39v
399	Mr T Keen	A	70.6v	71.6v	48.6v	44.2v	46.5v	49.5v	0.0v	73.6v	0.0v	46.2v	0.0v	447.38v
400	Cpl AC Brooker	O	69.4v	70.3v	49.7v	50.3v	46.5v	49.7v	0.0v	71.7v	0.0v	43.2v	0.0v	447.38v
401	Cdt MAJ Barber	O	68.6v	71.3v	47.7v	48.4v	50.5v	49.3v	0.0v	71.9v	0.0v	43.1v	0.0v	447.38v
402	Mr CP Goad	O	72.8v	70.6v	48.1v	47.5v	48.7v	49.2v	0.0v	72.7v	0.0v	41.2v	0.0v	447.38v
403	Mr BR Ebbetts	O	69.7v	66.0v	50.7v	45.3v	46.5v	48.3v	0.0v	73.5v	0.0v	50.6v	0.0v	447.36v
404	Mr FPR Northam	O	73.8v	72.6v	49.5v	46.2v	45.3v	47.4v	0.0v	69.5v	0.0v	46.3v	0.0v	447.36v
405	Dr IA Mollan	O	70.5v	70.5v	47.5v	48.3v	47.5v	48.5v	0.0v	73.6v	0.0v	44.2v	0.0v	447.36v
406	Mr SL Larter-Whitcher	O	72.5v	72.3v	46.2v	42.2v	47.6v	48.6v	0.0v	75.8v	0.0v	45.3v	0.0v	447.35v
407	Lt Col CST Lehmann	A	71.6v	72.6v	45.2v	49.7v	44.2v	48.3v	0.0v	73.6v	0.0v	45.2v	0.0v	447.34v
408	Mr MD Jenvey	O	72.6v	74.6v	46.3v	49.6v	45.4v	48.4v	0.0v	68.1v	0.0v	45.3v	0.0v	447.33v
409	Mr ADE Grounds	A	71.4v	70.8v	47.2v	46.4v	44.1v	50.6v	0.0v	71.1v	0.0v	48.6v	0.0v	447.32v

410	Mr CRM Asquith	A	71.6v	71.4v	48.4v	43.1v	49.5v	49.5v	0.0v	72.6v	0.0v	44.1v	0.0v	447.32v
411	Mr NJ Atkins	O	72.5v	70.4v	45.2v	48.3v	47.1v	49.4v	0.0v	71.6v	0.0v	45.2v	0.0v	447.27v
412	Mr AP Barnes	X	72.8v	71.7v	48.4v	47.4v	44.4v	44.6v	0.0v	72.9v	0.0v	48.5v	0.0v	446.47v
413	Mr M Liversage	O	73.9v	70.5v	46.4v	46.4v	47.6v	48.3v	0.0v	73.11v	0.0v	43.2v	0.0v	446.44v
414	Mr RDP Knapstein	A	69.5v	71.5v	45.4v	48.5v	49.8v	48.7v	0.0v	74.9v	0.0v	42.1v	0.0v	446.44v
415	Mr A Leech	O	72.10v	70.8v	48.3v	48.5v	47.4v	45.4v	0.0v	71.6v	0.0v	45.3v	0.0v	446.43v
416	Cdt LCpl GM Irish	T	71.7v	73.12v	49.6v	49.2v	44.3v	49.4v	0.0v	71.7v	0.0v	40.1v	0.0v	446.42v
417	Miss AR Southall	T	71.6v	71.8v	49.6v	45.4v	48.6v	47.3v	0.0v	71.6v	0.0v	44.1v	0.0v	446.40v
418	Mr JF Lawrie	O	67.4v	68.5v	48.5v	46.5v	47.4v	49.3v	0.0v	74.7v	0.0v	47.6v	0.0v	446.39v
419	Mr A Mabon	O	68.2v	73.7v	46.2v	48.6v	46.3v	45.5v	0.0v	73.9v	0.0v	47.3v	0.0v	446.37v
420	Capt D Morris	O	69.5v	72.3v	49.5v	45.2v	47.5v	49.7v	0.0v	70.8v	0.0v	45.2v	0.0v	446.37v
421	Cl E Legei	O	71.7v	69.6v	47.3v	46.3v	49.6v	48.6v	0.0v	71.5v	0.0v	45.1v	0.0v	446.37v
422	Mr LW Belton	O	72.5v	67.2v	46.3v	48.7v	47.4v	46.4v	0.0v	72.9v	0.0v	48.2v	0.0v	446.36v
423	Mr RW Smith	O	68.5v	69.5v	48.4v	48.5v	46.3v	49.5v	0.0v	72.7v	0.0v	46.2v	0.0v	446.36v
424	Capt MG Reid	A	71.3v	70.5v	46.4v	46.1v	47.6v	49.5v	0.0v	72.8v	0.0v	45.4v	0.0v	446.36v
425	Miss JF Hossack	O	73.9v	71.6v	47.5v	49.4v	45.2v	46.1v	0.0v	72.7v	0.0v	43.2v	0.0v	446.36v
426	Cdt RR Davis	O	69.7v	75.9v	46.5v	47.2v	48.1v	48.4v	0.0v	71.6v	0.0v	42.2v	0.0v	446.36v
427	Mr WJ Gilpin	T	71.7v	71.5v	45.1v	46.3v	47.5v	48.7v	0.0v	72.6v	0.0v	46.0v	0.0v	446.34v
428	Cdt Sgt JH Holding	T	70.8v	72.6v	49.4v	48.4v	50.6v	46.3v	0.0v	70.2v	0.0v	41.1v	0.0v	446.34v
429	Mr HJM Awin	T	70.5v	71.6v	49.4v	48.3v	47.2v	49.4v	0.0v	72.4v	0.0v	40.0v	0.0v	446.28v
430	Mr SFD Dash	O	73.11v	70.6v	44.3v	46.4v	49.8v	49.6v	0.0v	75.12v	0.0v	39.2v	0.0v	445.52v
431	Mr CDP Pocock	O	74.11v	68.3v	47.5v	47.3v	48.6v	44.3v	0.0v	73.8v	0.0v	44.2v	0.0v	445.41v
432	Mr X Barrette Lecoin	T	70.6v	74.7v	47.3v	46.2v	49.7v	46.4v	0.0v	70.9v	0.0v	43.3v	0.0v	445.41v
433	Mr SCW Dixon	O	72.8v	70.7v	47.4v	48.4v	47.4v	43.2v	0.0v	71.7v	0.0v	47.3v	0.0v	445.39v
434	Mr JM Burger	T	73.9v	70.4v	46.3v	46.3v	49.3v	48.3v	0.0v	73.11v	0.0v	40.3v	0.0v	445.39v
435	Mr CA Stewart	O	71.2v	70.9v	44.2v	46.4v	49.6v	46.3v	0.0v	70.6v	0.0v	49.5v	0.0v	445.37v
436	Dr PJ Morris	O	69.4v	68.7v	47.5v	47.2v	49.2v	47.5v	0.0v	70.6v	0.0v	48.6v	0.0v	445.37v
437	Mr DJ Curtis	X	73.9v	69.4v	45.1v	42.2v	47.2v	49.7v	0.0v	73.8v	0.0v	47.4v	0.0v	445.37v
438	Cpl A Gitonga	O	71.4v	73.8v	48.4v	45.2v	47.5v	46.3v	0.0v	71.8v	0.0v	44.3v	0.0v	445.37v
439	Mr LR Chisholm	O	71.6v	70.5v	42.4v	48.4v	49.4v	49.4v	0.0v	74.8v	0.0v	42.1v	0.0v	445.36v
440	Mr CJ Macdonald	T	71.5v	72.6v	44.2v	47.4v	45.2v	50.7v	0.0v	73.8v	0.0v	43.1v	0.0v	445.35v
441	Mr SWO Owen	T	72.5v	71.5v	49.6v	47.4v	45.1v	45.5v	0.0v	74.7v	0.0v	42.2v	0.0v	445.35v
442	Mr JJ Jalili	T	70.5v	72.9v	49.5v	44.2v	46.0v	47.3v	0.0v	70.5v	0.0v	47.5v	0.0v	445.34v
443	Mr PF Davel	T	72.4v	67.5v	46.1v	45.4v	49.5v	48.4v	0.0v	71.7v	0.0v	47.4v	0.0v	445.34v
444	Mr AK Fitch	O	69.6v	70.6v	46.2v	49.7v	46.3v	48.2v	0.0v	72.6v	0.0v	45.2v	0.0v	445.34v
445	SAC(T) SDJ Glanville	A	73.8v	69.5v	47.3v	45.3v	47.5v	47.1v	0.0v	73.9v	0.0v	44.0v	0.0v	445.34v
446	Cdt OS Marshall	T	71.4v	65.1v	48.2v	46.4v	49.6v	48.3v	0.0v	72.8v	0.0v	46.5v	0.0v	445.33v
447	Mr AC Grant	O	72.2v	69.3v	48.4v	46.4v	49.7v	47.3v	0.0v	72.7v	0.0v	42.1v	0.0v	445.31v
448	Mr SH Dickson	O	72.7v	68.2v	48.3v	48.2v	47.3v	47.5v	0.0v	70.5v	0.0v	45.3v	0.0v	445.30v
449	Cdt GB Anderson	T	68.4v	71.3v	46.2v	46.4v	46.3v	47.4v	0.0v	74.6v	0.0v	47.3v	0.0v	445.29v
450	Mr HRM Bailie	A	71.7v	68.3v	49.4v	46.1v	49.4v	47.4v	0.0v	70.5v	0.0v	45.1v	0.0v	445.29v
451	Mr HA Day	A	72.2v	69.3v	48.4v	45.1v	46.3v	48.3v	0.0v	71.7v	0.0v	46.3v	0.0v	445.26v
452	Major N Stebbings	O	70.6v	68.1v	50.6v	48.3v	48.3v	49.2v	0.0v	68.2v	0.0v	44.2v	0.0v	445.25v
453	Mr B Taylor	A	74.12v	72.9v	50.4v	48.2v	46.5v	38.2v	0.0v	71.6v	0.0v	45.3v	0.0v	444.43v
454	Cdt RC Stevens	O	70.8v	72.7v	44.1v	47.4v	47.4v	49.4v	0.0v	75.12v	0.0v	40.3v	0.0v	444.43v
455	Mr RH Kitson	A	72.4v	68.6v	47.4v	45.3v	50.5v	41.4v	0.0v	73.8v	0.0v	48.6v	0.0v	444.40v
456	Mr BP Etienne	T	72.7v	73.8v	48.6v	48.4v	44.1v	46.4v	0.0v	73.9v	0.0v	40.1v	0.0v	444.40v
457	Mr B Hirst	O	74.10v	73.6v	41.0v	47.5v	47.5v	48.7v	0.0v	70.3v	0.0v	44.3v	0.0v	444.39v
458	Mr JA Munnion	O	71.6v	70.8v	48.6v	47.3v	49.4v	45.3v	0.0v	70.6v	0.0v	44.3v	0.0v	444.39v
459	Cdt JC Charbonneau	T	72.6v	72.8v	47.1v	46.2v	48.6v	48.6v	0.0v	71.8v	0.0v	40.2v	0.0v	444.39v
460	Mr IR Thomson	O	73.9v	68.4v	44.2v	44.4v	49.4v	50.5v	0.0v	69.6v	0.0v	47.4v	0.0v	444.38v
461	Dr PR Wheeler	O	68.4v	71.8v	49.4v	42.6v	49.5v	50.6v	0.0v	68.2v	0.0v	47.3v	0.0v	444.38v
462	Mr MSE Firman	A	69.6v	70.4v	44.5v	47.5v	49.5v	47.4v	0.0v	72.4v	0.0v	46.3v	0.0v	444.36v
463	Mr MJ Moran	O	69.4v	71.7v	48.6v	46.3v	48.3v	46.2v	0.0v	70.5v	0.0v	46.5v	0.0v	444.35v
464	Mr MR Leyman	O	68.4v	70.6v	47.2v	46.2v	49.6v	47.3v	0.0v	72.10v	0.0v	45.2v	0.0v	444.35v
465	Mr RJ Stilgoe	T	70.3v	68.5v	47.5v	45.1v	46.3v	49.7v	0.0v	70.5v	0.0v	49.5v	0.0v	444.34v
466	Mr MR Cosway	O	69.3v	73.9v	48.5v	46.3v	48.3v	47.5v	0.0v	69.4v	0.0v	44.2v	0.0v	444.34v
467	Cpl J Kamau	O	69.6v	67.5v	48.3v	47.5v	47.3v	49.4v	0.0v	73.8v	0.0v	44.0v	0.0v	444.34v
468	Cdt SM Montreuil	T	70.4v	70.7v	47.1v	46.3v	47.4v	50.5v	0.0v	72.7v	0.0v	42.3v	0.0v	444.34v
469	Mr U Solzer	O	73.6v	71.4v	48.2v	47.5v	44.3v	48.3v	0.0v	70.8v	0.0v	43.2v	0.0v	444.33v
470	Miss S Ponter	O	71.5v	72.6v	47.3v	46.3v	47.4v	47.4v	0.0v	71.7v	0.0v	43.1v	0.0v	444.33v
471	Mr A Coakes	O	73.4v	64.5v	47.3v	47.3v	47.4v	47.2v	0.0v	72.8v	0.0v	47.3v	0.0v	444.32v
472	Mr AGH Van Koetsveld	A	73.5v	72.5v	50.3v	45.2v	47.4v	43.4v	0.0v	72.5v	0.0v	42.2v	0.0v	444.30v
473	Col D Cooper	O	68.3v	67.1v	48.3v	46.2v	50.6v	46.4v	0.0v	71.5v	0.0v	48.4v	0.0v	444.28v
474	Cdt CJC Beynon	T	69.5v	71.5v	45.2v	46.2v	46.4v	47.3v	0.0v	75.5v	0.0v	45.2v	0.0v	444.28v
475	Mr R Van Den Bossche	T	69.3v	69.4v	46.2v	45.2v	50.5v	47.4v	0.0v	72.4v	0.0v	46.3v	0.0v	444.27v
476	Mr ID Macdonald	O	73.9v	68.4v	47.5v	39.1v	46.5v	49.6v	0.0v	74.10v	0.0v	47.4v	0.0v	443.44v
477	Mr NS Suffield-Jones	O	71.4v	70.7v	47.4v	46.5v	47.2v	48.5v	0.0v	70.11v	0.0v	44.5v	0.0v	443.43v
478	Mr CM Mcguile	T	69.7v	70.6v	49.6v	45.3v	46.4v	46.4v	0.0v	72.9v	0.0v	46.3v	0.0v	443.42v
479	Mr HS Bush	O	72.8v	70.5v	44.1v	47.5v	48.5v	49.7v	0.0v	73.9v	0.0v	40.1v	0.0v	443.41v
480	Sgt OJN Lyon	O	69.4v	69.6v	47.5v	49.6v	45.4v	47.5v	0.0v	71.6v	0.0v	46.4v	0.0v	443.40v

481	Ms BM Moore	O	74.8v	73.7v	45.2v	38.2v	46.2v	47.5v	0.0v	74.10v	0.0v	46.4v	0.0v	443.40v
482	Cdt CG Dickson	O	72.10v	68.5v	47.2v	44.4v	48.6v	47.3v	0.0v	72.9v	0.0v	45.1v	0.0v	443.40v
483	Cdt CE Mawson	T	70.5v	72.6v	47.5v	47.5v	46.3v	48.4v	0.0v	70.6v	0.0v	43.4v	0.0v	443.38v
484	Mr ER Johnson	X	73.8v	71.5v	45.5v	47.5v	47.3v	46.5v	0.0v	71.4v	0.0v	43.3v	0.0v	443.38v
485	Mr MR Place	O	73.8v	69.6v	46.5v	49.5v	47.5v	47.1v	0.0v	71.6v	0.0v	41.2v	0.0v	443.38v
486	Mr AJ Haggerty	O	68.5v	71.6v	48.3v	47.3v	45.4v	49.7v	0.0v	70.6v	0.0v	45.3v	0.0v	443.37v
487	Mr SM Amin	O	69.6v	70.4v	48.2v	43.5v	48.2v	46.4v	0.0v	72.8v	0.0v	47.5v	0.0v	443.36v
488	S/Sgt JR Allum	T	70.5v	67.8v	45.3v	47.3v	48.5v	47.3v	0.0v	73.6v	0.0v	46.3v	0.0v	443.36v
489	Mr KR Trowbridge	X	72.6v	71.10v	46.4v	46.2v	48.2v	47.4v	0.0v	66.3v	0.0v	47.3v	0.0v	443.34v
490	Mr SR Davis	O	70.6v	70.5v	48.2v	48.5v	48.4v	45.3v	0.0v	71.7v	0.0v	43.1v	0.0v	443.33v
491	Mr DAF Parkinson	O	68.4v	69.3v	47.4v	49.4v	47.3v	47.4v	0.0v	69.5v	0.0v	47.3v	0.0v	443.30v
492	Mr C Waldron	O	71.5v	68.5v	49.4v	46.3v	48.2v	46.3v	0.0v	71.6v	0.0v	44.2v	0.0v	443.30v
493	Miss KE Pope	O	72.8v	72.4v	46.1v	49.3v	45.2v	46.4v	0.0v	70.6v	0.0v	43.2v	0.0v	443.30v
494	Mrs SG Sirett	O	69.4v	69.3v	46.0v	49.5v	49.5v	47.5v	0.0v	71.7v	0.0v	43.1v	0.0v	443.30v
495	Miss JE Harris	O	69.6v	70.5v	50.5v	48.2v	48.2v	49.5v	0.0v	63.2v	0.0v	46.2v	0.0v	443.29v
496	PR Sirett	O	70.6v	71.5v	48.4v	47.2v	45.2v	47.3v	0.0v	70.4v	0.0v	45.3v	0.0v	443.29v
497	Mr JE White	A	69.4v	69.4v	46.3v	46.2v	45.2v	50.5v	0.0v	73.6v	0.0v	45.3v	0.0v	443.29v
498	Mr IC Brotherston	T	73.4v	69.2v	45.4v	48.3v	43.1v	47.1v	0.0v	72.7v	0.0v	46.5v	0.0v	443.27v
499	Mr JF Hager	T	72.7v	70.6v	48.6v	43.3v	47.5v	47.4v	0.0v	71.11v	0.0v	44.3v	0.0v	442.45v
500	Mr N Cole-Hawkins	A	70.7v	71.7v	45.4v	46.5v	48.6v	47.5v	0.0v	72.7v	0.0v	43.3v	0.0v	442.44v
501	Mr SW Maris	O	69.4v	72.7v	49.4v	48.7v	48.4v	46.5v	0.0v	71.10v	0.0v	39.2v	0.0v	442.43v
502	Cdt AD Partridge	O	72.8v	72.4v	47.5v	43.6v	48.3v	46.4v	0.0v	68.7v	0.0v	46.3v	0.0v	442.40v
503	Mr R Webb	O	68.7v	69.6v	47.4v	47.1v	48.6v	50.7v	0.0v	72.6v	0.0v	41.2v	0.0v	442.39v
504	CSjt C Beddow	T	67.5v	69.8v	48.3v	48.3v	47.4v	48.6v	0.0v	70.7v	0.0v	45.2v	0.0v	442.38v
505	Mr TEW Ward	O	72.8v	69.5v	45.3v	45.4v	46.3v	48.4v	0.0v	72.9v	0.0v	45.2v	0.0v	442.38v
506	Mr PT Dwyer	A	70.5v	67.3v	46.4v	48.4v	47.5v	48.6v	0.0v	71.7v	0.0v	45.3v	0.0v	442.37v
507	Mr JD Glen	T	72.7v	71.5v	47.3v	45.3v	47.5v	46.4v	0.0v	70.5v	0.0v	44.5v	0.0v	442.37v
508	Dr BJ Winney	O	71.5v	65.5v	45.4v	48.5v	49.6v	49.3v	0.0v	73.7v	0.0v	42.2v	0.0v	442.37v
509	Mr AJCB de Launay	A	65.7v	69.6v	46.2v	47.2v	47.4v	48.3v	0.0v	74.9v	0.0v	46.3v	0.0v	442.36v
510	Mr P Barber	O	71.8v	69.5v	45.2v	47.5v	47.2v	49.6v	0.0v	71.7v	0.0v	43.1v	0.0v	442.36v
511	Mr RJS McIlveen	O	70.8v	71.4v	46.3v	46.3v	46.4v	46.3v	0.0v	72.7v	0.0v	45.3v	0.0v	442.35v
512	Mr TR Webster	A	73.9v	68.5v	43.3v	46.0v	48.2v	46.5v	0.0v	73.7v	0.0v	45.1v	0.0v	442.32v
513	Mr FS Stewart	T	73.5v	70.5v	43.2v	47.3v	49.7v	45.3v	0.0v	73.7v	0.0v	42.0v	0.0v	442.32v
514	Mr WF de Beer	O	71.7v	72.5v	48.5v	45.1v	49.4v	47.3v	0.0v	73.7v	0.0v	37.0v	0.0v	442.32v
515	Mr AN Tongue	O	73.6v	71.4v	49.3v	48.6v	44.2v	48.3v	0.0v	64.3v	0.0v	45.4v	0.0v	442.31v
516	Ms I Butland	T	72.4v	68.3v	44.1v	45.1v	47.7v	49.6v	0.0v	73.5v	0.0v	44.4v	0.0v	442.31v
517	Miss TD Duhre	A	70.6v	69.5v	50.3v	47.4v	47.3v	46.3v	0.0v	71.5v	0.0v	44.2v	0.0v	442.31v
518	Mr DJ Stewart	O	68.5v	74.8v	43.2v	48.3v	43.1v	47.2v	0.0v	73.8v	0.0v	46.1v	0.0v	442.30v
519	Miss SL Hayes	O	69.5v	72.7v	48.2v	46.1v	47.6v	47.5v	0.0v	69.2v	0.0v	44.1v	0.0v	442.29v
520	Mr RF Barrington	A	73.7v	70.2v	47.2v	47.5v	47.3v	45.3v	0.0v	67.3v	0.0v	46.1v	0.0v	442.26v
521	Mr AW Coupland	O	69.2v	70.5v	46.2v	47.1v	48.2v	47.6v	0.0v	70.6v	0.0v	45.2v	0.0v	442.26v
522	Mr SE Frost	X	74.7v	72.3v	45.2v	47.3v	47.2v	43.2v	0.0v	70.4v	0.0v	44.1v	0.0v	442.24v
523	Mr BN Craig	O	71.5v	73.3v	49.1v	45.3v	44.1v	48.3v	0.0v	69.4v	0.0v	43.2v	0.0v	442.22v
524	Mr NJ Burnip	O	72.9v	68.7v	41.2v	50.8v	46.5v	48.5v	0.0v	70.7v	0.0v	46.4v	0.0v	441.47v
525	Cdt AJH Hines	T	73.6v	69.8v	46.3v	45.3v	50.6v	46.4v	0.0v	72.9v	0.0v	40.3v	0.0v	441.42v
526	Mr RG Hilyard	O	71.8v	68.5v	45.3v	49.4v	46.2v	49.5v	0.0v	68.6v	0.0v	45.6v	0.0v	441.39v
527	Miss LMA Bogie	O	70.8v	73.6v	45.3v	48.3v	46.4v	45.1v	0.0v	74.11v	0.0v	40.3v	0.0v	441.39v
528	Mr MJL Traynor	T	72.5v	72.7v	39.1v	46.2v	47.4v	48.4v	0.0v	72.11v	0.0v	45.1v	0.0v	441.35v
529	Mr RA Welford	O	69.7v	71.5v	46.2v	47.4v	47.3v	47.4v	0.0v	70.6v	0.0v	44.4v	0.0v	441.35v
530	Mr R Harwood	O	72.7v	69.4v	49.2v	46.4v	47.3v	49.4v	0.0v	72.9v	0.0v	37.2v	0.0v	441.35v
531	Mr ZCY Cheung	T	69.2v	67.9v	49.5v	46.4v	48.3v	47.2v	0.0v	69.6v	0.0v	46.3v	0.0v	441.34v
532	Mr MP Hudson	T	73.5v	69.4v	47.3v	42.1v	49.6v	48.6v	0.0v	67.3v	0.0v	46.5v	0.0v	441.33v
533	Mr AC Morley	O	71.8v	70.5v	44.2v	46.2v	47.2v	50.5v	0.0v	71.7v	0.0v	42.2v	0.0v	441.33v
534	Mr CD Atkins	O	73.7v	68.3v	46.4v	47.3v	49.5v	47.4v	0.0v	69.5v	0.0v	42.1v	0.0v	441.32v
535	Mr RW Shaw	A	72.7v	70.5v	47.3v	49.2v	41.0v	47.5v	0.0v	75.9v	0.0v	40.1v	0.0v	441.32v
536	WO1 N Batai	O	69.6v	70.3v	49.3v	50.6v	44.1v	45.2v	0.0v	71.9v	0.0v	43.1v	0.0v	441.31v
537	Miss JC Melling	T	71.6v	72.6v	45.1v	41.0v	48.5v	48.5v	0.0v	72.6v	0.0v	44.1v	0.0v	441.30v
538	Mr TS McDowell	O	71.6v	67.4v	46.3v	49.3v	48.6v	45.2v	0.0v	70.4v	0.0v	45.1v	0.0v	441.29v
539	Mr RA Aube	T	72.7v	62.2v	44.2v	49.4v	49.4v	46.2v	0.0v	73.4v	0.0v	46.1v	0.0v	441.26v
540	Mr AM Bullen	A	71.7v	71.6v	40.1v	47.6v	48.5v	50.6v	0.0v	72.7v	0.0v	41.3v	0.0v	440.41v
541	Mr AJD Saunders	O	68.6v	67.3v	46.3v	48.5v	46.4v	47.4v	0.0v	73.9v	0.0v	45.3v	0.0v	440.37v
542	Mr JIB Halahan	A	71.7v	68.4v	42.5v	47.3v	48.5v	47.1v	0.0v	73.9v	0.0v	44.3v	0.0v	440.37v
543	Mr SJ Frank	T	72.6v	66.3v	49.4v	43.0v	48.6v	47.4v	0.0v	69.9v	0.0v	46.3v	0.0v	440.35v
544	Mr J Hager	O	71.5v	67.3v	48.6v	45.3v	47.3v	49.7v	0.0v	72.7v	0.0v	41.0v	0.0v	440.34v
545	PC C Saina	O	70.5v	69.3v	48.4v	49.6v	49.4v	46.3v	0.0v	71.7v	0.0v	38.0v	0.0v	440.32v
546	Miss CH Sayers	T	71.4v	70.8v	47.2v	44.3v	49.6v	45.2v	0.0v	70.5v	0.0v	44.1v	0.0v	440.31v
547	Dr KW Genders	O	71.7v	71.7v	46.3v	46.2v	47.1v	46.3v	0.0v	69.6v	0.0v	44.1v	0.0v	440.30v
548	Miss HA Foster	A	71.5v	67.7v	47.2v	45.2v	48.5v	48.5v	0.0v	69.2v	0.0v	45.1v	0.0v	440.29v
549	Mr G Meijer	O	69.3v	70.6v	46.2v	44.2v	48.3v	49.4v	0.0v	72.7v	0.0v	42.2v	0.0v	440.29v
550	M. P Ginestet	O	70.4v	70.3v	46.3v	47.2v	46.6v	48.4v	0.0v	69.3v	0.0v	44.2v	0.0v	440.27v
551	Mr KC Crabtree	T	69.3v	69.4v	49.3v	46.1v	45.4v	46.1v	0.0v	69.4v	0.0v	47.3v	0.0v	440.23v



552	Mr F Bilton	O	73.11v	67.5v	49.8v	46.2v	48.7v	47.3v	0.0v	68.3v	0.0v	41.1v	0.0v	439.40v
553	Mr K Baxby	O	73.10v	73.6v	47.5v	42.3v	45.2v	46.4v	0.0v	69.6v	0.0v	44.3v	0.0v	439.39v
554	Mr JG Powell	O	70.8v	72.9v	47.1v	46.2v	47.5v	44.5v	0.0v	70.7v	0.0v	43.2v	0.0v	439.39v
555	Mr RCQ Martin	O	71.7v	72.10v	45.2v	44.1v	46.2v	45.5v	0.0v	71.9v	0.0v	45.2v	0.0v	439.38v
556	Mr V Robertshaw	O	71.4v	71.6v	45.3v	45.1v	49.4v	46.4v	0.0v	72.8v	0.0v	40.2v	0.0v	439.32v
557	Ms CH Hearn	T	68.5v	64.2v	49.5v	47.5v	50.3v	49.3v	0.0v	73.7v	0.0v	39.2v	0.0v	439.32v
558	Mr DN Webber	O	70.6v	68.2v	48.2v	46.2v	45.2v	47.5v	0.0v	71.8v	0.0v	44.4v	0.0v	439.31v
559	Mr TL Bedwell	O	69.6v	70.4v	41.2v	48.4v	46.6v	46.1v	0.0v	70.4v	0.0v	49.3v	0.0v	439.30v
560	Dr J Mehta	O	71.7v	68.4v	47.0v	48.4v	44.3v	44.3v	0.0v	72.5v	0.0v	45.3v	0.0v	439.29v
561	Dr NP Tucker	O	73.7v	70.4v	44.0v	46.3v	46.3v	46.3v	0.0v	71.5v	0.0v	43.4v	0.0v	439.29v
562	Mr JT Kennedy	T	67.3v	68.7v	47.5v	46.1v	46.3v	47.3v	0.0v	70.4v	0.0v	48.2v	0.0v	439.28v
563	WO1 E Muleyi	O	68.4v	73.5v	41.2v	48.4v	48.4v	47.3v	0.0v	68.2v	0.0v	46.4v	0.0v	439.28v
564	Sgt H Walker	T	72.6v	69.1v	46.3v	45.4v	45.2v	49.4v	0.0v	73.6v	0.0v	40.2v	0.0v	439.28v
565	Mr TEO Richards	O	72.4v	70.5v	43.1v	44.3v	47.2v	46.0v	0.0v	73.8v	0.0v	44.1v	0.0v	439.24v
566	Mr PGW Purdy	O	73.9v	69.7v	46.2v	47.4v	43.5v	46.5v	0.0v	68.6v	0.0v	46.2v	0.0v	438.40v
567	Mr FTG Amy	T	70.6v	67.2v	48.5v	43.2v	50.7v	49.7v	0.0v	72.8v	0.0v	39.1v	0.0v	438.38v
568	Mr R Kligge	O	68.5v	69.6v	47.6v	48.3v	47.5v	48.5v	0.0v	70.5v	0.0v	41.2v	0.0v	438.37v
569	Mr JA Dallas	O	72.6v	71.8v	46.3v	41.3v	46.4v	46.3v	0.0v	72.7v	0.0v	44.1v	0.0v	438.35v
570	Mr AE Leigh-Pemberton	T	66.3v	70.6v	48.3v	48.4v	45.6v	48.5v	0.0v	72.7v	0.0v	41.1v	0.0v	438.35v
571	Mr TS Smith	O	69.6v	70.7v	45.2v	48.5v	48.3v	47.4v	0.0v	71.7v	0.0v	40.1v	0.0v	438.35v
572	Mr JR Lindsay	O	69.5v	70.5v	45.3v	50.7v	47.4v	43.2v	0.0v	70.6v	0.0v	44.2v	0.0v	438.34v
573	Mr DF Nesbit	O	66.2v	72.5v	49.6v	45.4v	47.3v	48.5v	0.0v	68.3v	0.0v	43.5v	0.0v	438.33v
574	Mr S Hunt	T	69.5v	72.8v	49.3v	48.4v	46.2v	46.3v	0.0v	63.5v	0.0v	45.2v	0.0v	438.32v
575	Mr TH Emck	O	70.7v	71.4v	48.4v	48.3v	43.3v	46.3v	0.0v	69.7v	0.0v	43.1v	0.0v	438.32v
576	Cdt T Marsh	T	69.7v	73.8v	43.1v	44.1v	48.4v	45.4v	0.0v	73.6v	0.0v	43.1v	0.0v	438.32v
577	Mr MR Ebbetts	O	72.4v	70.7v	47.3v	43.4v	48.3v	46.2v	0.0v	67.5v	0.0v	45.3v	0.0v	438.31v
578	Miss CA Staples	A	70.6v	71.7v	46.2v	43.1v	46.4v	46.2v	0.0v	72.5v	0.0v	44.4v	0.0v	438.31v
579	Sgt G Kariuki	O	71.8v	68.3v	46.3v	46.3v	46.4v	46.4v	0.0v	71.5v	0.0v	44.1v	0.0v	438.31v
580	Miss HR Mackintosh	O	71.2v	69.3v	45.3v	48.2v	49.7v	41.3v	0.0v	70.6v	0.0v	45.0v	0.0v	438.26v
581	Sgt M Day	T	70.6v	70.5v	45.0v	44.2v	45.0v	46.1v	0.0v	72.5v	0.0v	46.2v	0.0v	438.21v
582	Maj P Mathenge	X	71.6v	73.9v	44.2v	37.1v	50.6v	48.5v	0.0v	73.9v	0.0v	41.3v	0.0v	437.41v
583	Mr MR Rewston	O	67.5v	70.7v	47.4v	49.5v	47.5v	49.5v	0.0v	71.7v	0.0v	37.0v	0.0v	437.38v
584	Mr RS Binns	T	69.5v	69.6v	46.5v	48.4v	44.2v	47.5v	0.0v	70.8v	0.0v	44.2v	0.0v	437.37v
585	Mr D Hanson	O	71.9v	68.7v	45.3v	43.0v	47.3v	50.6v	0.0v	71.6v	0.0v	42.2v	0.0v	437.36v
586	Cdt OG Grazioso	T	69.5v	67.6v	46.4v	46.1v	47.2v	48.4v	0.0v	74.12v	0.0v	40.1v	0.0v	437.35v
587	Dr CW Freeman	O	69.7v	70.3v	46.3v	48.4v	40.2v	45.3v	0.0v	74.9v	0.0v	45.3v	0.0v	437.34v
588	Mr G Harris	A	69.6v	67.4v	46.1v	44.3v	49.5v	50.6v	0.0v	69.6v	0.0v	43.3v	0.0v	437.34v
589	Mr FJT Puckle Hobbs	A	67.5v	67.4v	48.5v	48.5v	44.0v	50.4v	0.0v	68.7v	0.0v	45.3v	0.0v	437.33v
590	Mr S Sharma	T	73.8v	72.3v	44.2v	45.4v	48.5v	44.2v	0.0v	74.8v	0.0v	37.1v	0.0v	437.33v
591	Cdt WO2 PS Lehmann	O	67.4v	68.7v	43.2v	48.4v	44.2v	49.5v	0.0v	70.5v	0.0v	48.2v	0.0v	437.31v
592	Mr JD Webber	O	70.3v	69.5v	42.5v	47.3v	45.2v	46.5v	0.0v	73.6v	0.0v	45.2v	0.0v	437.31v
593	Miss FMD Danczak	O	67.4v	73.8v	45.3v	41.2v	47.5v	50.3v	0.0v	73.5v	0.0v	41.1v	0.0v	437.31v
594	Mr JS Chapman	X	72.6v	70.4v	45.2v	46.4v	45.4v	48.3v	0.0v	68.6v	0.0v	43.1v	0.0v	437.30v
595	Mr FJ Carlin	O	69.4v	68.3v	49.6v	46.1v	47.3v	49.5v	0.0v	64.5v	0.0v	45.2v	0.0v	437.29v
596	Mr MJ Judge	O	70.5v	70.7v	44.2v	49.4v	46.1v	45.3v	0.0v	70.5v	0.0v	43.2v	0.0v	437.29v
597	Cpl O Holloway	T	71.4v	72.5v	44.5v	44.4v	47.2v	47.2v	0.0v	70.5v	0.0v	42.1v	0.0v	437.28v
598	Mr RF Burden	O	69.4v	71.4v	46.2v	49.5v	44.1v	45.2v	0.0v	68.4v	0.0v	45.1v	0.0v	437.23v
599	Mr FN Neathercoat	O	68.3v	68.5v	46.3v	45.1v	49.2v	44.2v	0.0v	72.3v	0.0v	45.3v	0.0v	437.22v
600	Mr GA Cann	X	72.7v	70.5v	48.4v	49.2v	50.6v	49.5v	0.0v	49.5v	0.0v	49.6v	0.0v	436.40v
601	Mr JFJ Bryson	O	68.5v	72.7v	46.3v	37.4v	47.5v	47.3v	0.0v	72.5v	0.0v	47.3v	0.0v	436.35v
602	Mr J Tuffen	O	66.3v	69.4v	48.6v	46.3v	46.4v	47.5v	0.0v	70.9v	0.0v	44.0v	0.0v	436.34v
603	Cpl S Livingston	T	70.3v	71.4v	44.3v	44.4v	46.2v	48.6v	0.0v	70.7v	0.0v	43.4v	0.0v	436.33v
604	Mr BF Witts	O	70.5v	68.5v	46.6v	43.1v	48.7v	46.1v	0.0v	72.4v	0.0v	43.4v	0.0v	436.33v
605	Mr GED Hart	T	70.6v	69.5v	50.5v	44.2v	46.3v	44.3v	0.0v	71.6v	0.0v	42.3v	0.0v	436.33v
606	Mr JH Molesworth	T	71.6v	68.6v	45.3v	42.3v	44.2v	49.4v	0.0v	73.6v	0.0v	44.2v	0.0v	436.32v
607	Mr PL Redstone	X	69.6v	70.5v	47.4v	47.3v	46.5v	46.3v	0.0v	69.5v	0.0v	42.1v	0.0v	436.32v
608	Mr T Newson	T	72.8v	66.4v	47.4v	48.5v	48.3v	44.4v	0.0v	70.4v	0.0v	41.0v	0.0v	436.32v
609	Ms MB Burke	T	67.5v	67.3v	46.3v	45.3v	46.1v	48.6v	0.0v	70.5v	0.0v	47.5v	0.0v	436.31v
610	Cpl LA Sutton	T	68.4v	66.4v	47.4v	45.4v	48.3v	46.4v	0.0v	71.6v	0.0v	45.2v	0.0v	436.31v
611	Mr E Stuart-Bamford	O	70.2v	72.8v	46.4v	44.2v	49.5v	41.1v	0.0v	69.5v	0.0v	45.3v	0.0v	436.30v
612	Mr PD Pelly	O	68.1v	68.4v	47.5v	47.3v	47.4v	43.2v	0.0v	74.9v	0.0v	42.2v	0.0v	436.30v
613	Mr P Dorrer	O	68.8v	68.3v	45.4v	47.2v	48.3v	47.6v	0.0v	66.1v	0.0v	47.2v	0.0v	436.29v
614	Cpl J Thompstone	T	68.3v	69.3v	48.5v	47.2v	40.1v	46.3v	0.0v	71.5v	0.0v	47.6v	0.0v	436.28v
615	Mr JRJ Kennedy	O	67.2v	67.4v	47.4v	49.4v	48.1v	47.5v	0.0v	68.3v	0.0v	43.1v	0.0v	436.24v
616	Mr ID Markwell	O	71.7v	71.6v	46.4v	48.4v	42.2v	48.4v	0.0v	71.7v	0.0v	38.1v	0.0v	435.35v
617	Mr CC Mallett Jnr	A	72.7v	69.5v	49.4v	34.2v	48.5v	46.3v	0.0v	72.4v	0.0v	45.3v	0.0v	435.33v
618	Mr D Markie	O	67.8v	67.4v	41.0v	48.3v	49.5v	49.4v	0.0v	71.6v	0.0v	43.2v	0.0v	435.32v
619	Sgt L Thirlaway	T	68.3v	70.3v	43.2v	50.5v	45.5v	43.4v	0.0v	70.7v	0.0v	46.2v	0.0v	435.31v
620	Mr TSM Gordon	O	67.5v	71.4v	47.4v	46.3v	47.4v	46.4v	0.0v	66.6v	0.0v	45.1v	0.0v	435.31v
621	Cdt JWJ Annison	T	72.5v	66.4v	46.3v	47.2v	43.2v	50.5v	0.0v	70.4v	0.0v	41.4v	0.0v	435.29v
622	Mr BRF Perkins	T	67.4v	67.4v	45.2v	48.4v	49.4v	44.2v	0.0v	71.6v	0.0v	44.2v	0.0v	435.28v

623	Mr JP Hakim	O	69.4v	70.5v	47.3v	47.6v	48.4v	47.2v	0.0v	69.4v	0.0v	38.0v	0.0v	435.28v
624	Mr JS Ritchie	O	66.6v	72.3v	42.2v	47.3v	46.4v	47.3v	0.0v	71.4v	0.0v	44.1v	0.0v	435.26v
625	Mr HFM Hemsley	O	68.5v	72.7v	47.2v	45.2v	44.3v	45.2v	0.0v	68.3v	0.0v	46.1v	0.0v	435.25v
626	Mr HSJ Cubbin	T	68.5v	66.3v	47.2v	40.0v	47.2v	50.3v	0.0v	73.6v	0.0v	44.3v	0.0v	435.24v
627	Cdt AD Despres	T	70.5v	68.1v	45.1v	45.2v	45.2v	47.2v	0.0v	69.6v	0.0v	46.4v	0.0v	435.23v
628	Cdt A Hay	T	69.2v	64.1v	45.3v	48.3v	45.2v	46.2v	0.0v	71.5v	0.0v	47.2v	0.0v	435.20v
629	Mr TJ Bryan	O	72.3v	72.9v	48.5v	45.3v	48.4v	49.7v	0.0v	72.8v	0.0v	50.4v	0.0v	434.41v
630	Mr JS Shepherd	T	73.8v	69.5v	43.3v	40.3v	44.1v	46.4v	0.0v	70.6v	0.0v	49.6v	0.0v	434.36v
631	Mr F Roberts	O	72.5v	64.5v	48.5v	42.2v	46.3v	45.2v	0.0v	74.8v	0.0v	43.4v	0.0v	434.34v
632	Miss C Halleran	O	70.8v	70.5v	45.3v	46.4v	48.3v	46.6v	0.0v	67.3v	0.0v	42.2v	0.0v	434.34v
633	Mr JR Mckellar	X	69.7v	71.5v	48.4v	38.1v	45.3v	45.3v	0.0v	72.6v	0.0v	46.3v	0.0v	434.32v
634	Cdt RF Fagan	T	72.8v	68.1v	44.1v	44.1v	46.5v	45.3v	0.0v	70.5v	0.0v	45.3v	0.0v	434.27v
635	Mr NM Duncan	T	71.4v	67.3v	39.2v	44.3v	48.4v	48.2v	0.0v	67.3v	0.0v	50.4v	0.0v	434.25v
636	Mr FM Evers	O	70.4v	68.4v	45.1v	46.6v	46.3v	41.1v	0.0v	72.6v	0.0v	46.0v	0.0v	434.25v
637	LCpl H Abdille	O	71.6v	67.3v	50.4v	39.0v	48.2v	45.3v	0.0v	71.4v	0.0v	43.1v	0.0v	434.23v
638	Mr J Gould	O	73.6v	66.4v	46.3v	46.2v	46.7v	48.6v	0.0v	69.8v	0.0v	39.1v	0.0v	433.37v
639	Miss KMA Atkinson	T	71.7v	69.6v	46.2v	42.3v	45.2v	46.4v	0.0v	72.9v	0.0v	42.2v	0.0v	433.35v
640	Mr RJ Dare	O	68.5v	72.7v	42.1v	46.4v	46.3v	45.3v	0.0v	66.2v	0.0v	48.5v	0.0v	433.30v
641	Mr PD Le Poidevin	O	67.5v	68.3v	45.4v	47.5v	47.1v	47.5v	0.0v	67.3v	0.0v	45.4v	0.0v	433.30v
642	Mr DA Rowell	T	66.2v	73.8v	44.1v	39.1v	48.3v	49.5v	0.0v	71.7v	0.0v	43.3v	0.0v	433.30v
643	Mr GMO Overton	T	69.5v	66.5v	47.5v	47.4v	43.2v	48.3v	0.0v	71.4v	0.0v	42.2v	0.0v	433.30v
644	Dr C Wall	O	70.8v	68.3v	47.2v	47.3v	45.5v	48.2v	0.0v	67.4v	0.0v	41.2v	0.0v	433.29v
645	Mr HD Werner	O	73.6v	73.10v	44.3v	42.3v	43.3v	47.1v	0.0v	73.10v	0.0v	37.0v	0.0v	432.36v
646	Miss HV Southall	T	68.4v	72.6v	45.4v	41.2v	48.6v	46.3v	0.0v	68.5v	0.0v	44.3v	0.0v	432.33v
647	Mr DJ Pay	O	63.3v	69.7v	48.6v	47.5v	45.2v	45.3v	0.0v	72.5v	0.0v	43.2v	0.0v	432.33v
648	Mr DM Smith	O	72.9v	63.5v	45.1v	44.2v	45.2v	47.4v	0.0v	70.7v	0.0v	46.1v	0.0v	432.31v
649	Sgt J Birgen	O	72.4v	71.6v	39.0v	49.5v	47.4v	43.3v	0.0v	70.7v	0.0v	41.2v	0.0v	432.31v
650	Dr JC Jobling	O	69.5v	68.3v	47.1v	49.5v	48.6v	44.3v	0.0v	71.8v	0.0v	36.0v	0.0v	432.31v
651	Miss LR Mckerrell	T	69.4v	69.6v	44.2v	45.3v	49.4v	43.2v	0.0v	71.7v	0.0v	42.1v	0.0v	432.29v
652	Mr DJ Painting	O	73.7v	64.3v	44.2v	45.3v	47.4v	45.1v	0.0v	70.5v	0.0v	44.3v	0.0v	432.28v
653	Mr AP Powell	O	67.3v	69.1v	45.1v	47.3v	47.4v	48.3v	0.0v	69.5v	0.0v	40.0v	0.0v	432.20v
654	Cdt S James	T	65.6v	68.4v	49.4v	46.4v	44.5v	47.7v	0.0v	73.8v	0.0v	39.0v	0.0v	431.38v
655	Cdt SHM Keith	T	60.0v	65.3v	49.7v	46.2v	49.6v	48.3v	0.0v	67.5v	0.0v	47.6v	0.0v	431.32v
656	Mr DHP Phillips	T	67.4v	71.8v	44.3v	43.2v	48.6v	44.3v	0.0v	67.2v	0.0v	47.4v	0.0v	431.32v
657	Flt Lt G Basnett	T	69.4v	69.4v	43.1v	44.4v	46.6v	44.4v	0.0v	70.6v	0.0v	46.2v	0.0v	431.31v
658	Mr OCRB Ballsdon	T	73.8v	69.5v	48.3v	45.2v	45.5v	46.3v	0.0v	63.3v	0.0v	42.0v	0.0v	431.29v
659	Mr T Stevenson	T	68.2v	67.5v	44.3v	46.3v	47.3v	42.1v	0.0v	72.7v	0.0v	45.2v	0.0v	431.26v
660	Mr KC Marshall	O	70.2v	70.4v	44.3v	44.2v	44.2v	48.6v	0.0v	67.3v	0.0v	44.4v	0.0v	431.26v
661	Cpl J Chebii	O	71.7v	68.2v	42.2v	46.3v	41.2v	46.4v	0.0v	70.2v	0.0v	47.2v	0.0v	431.24v
662	Mr AGM Fyfe	O	64.1v	69.5v	44.0v	44.2v	48.3v	47.2v	0.0v	70.4v	0.0v	45.2v	0.0v	431.19v
663	Mr MJ Brister	X	70.3v	60.4v	43.3v	47.5v	47.5v	49.5v	0.0v	71.8v	0.0v	43.3v	0.0v	430.36v
664	Cdt WJ Briggs	T	68.7v	70.4v	46.6v	46.3v	43.3v	43.2v	0.0v	69.6v	0.0v	45.4v	0.0v	430.35v
665	Mr RJ Cade	A	72.6v	71.9v	45.1v	42.1v	46.4v	48.5v	0.0v	64.5v	0.0v	42.2v	0.0v	430.33v
666	Mr TJ Bullock	T	70.6v	69.5v	47.3v	41.2v	47.4v	48.7v	0.0v	66.4v	0.0v	42.2v	0.0v	430.33v
667	Sgt RT Taylor	T	66.4v	71.4v	45.2v	43.3v	43.2v	46.5v	0.0v	68.6v	0.0v	48.4v	0.0v	430.30v
668	Miss AM Gray	T	71.5v	67.3v	45.3v	43.2v	47.1v	43.4v	0.0v	67.4v	0.0v	47.6v	0.0v	430.28v
669	Mr GL Clarke	O	70.7v	64.2v	48.4v	46.1v	47.3v	45.3v	0.0v	73.6v	0.0v	37.1v	0.0v	430.27v
670	Cdt J Surmon	T	70.5v	70.6v	43.0v	45.2v	44.3v	47.4v	0.0v	68.4v	0.0v	43.2v	0.0v	430.26v
671	Mr H Kamp	O	68.3v	66.2v	43.2v	45.3v	48.5v	45.0v	0.0v	72.7v	0.0v	43.2v	0.0v	430.24v
672	Mr LMDC Cheek	T	64.0v	68.1v	47.4v	47.3v	45.1v	45.2v	0.0v	71.7v	0.0v	43.1v	0.0v	430.19v
673	Sgt P Lepario	O	70.5v	63.3v	48.2v	43.4v	47.3v	48.4v	0.0v	71.6v	0.0v	39.1v	0.0v	429.28v
674	Mr B Stoichescu	T	67.6v	63.2v	45.3v	46.1v	46.3v	48.5v	0.0v	71.5v	0.0v	43.1v	0.0v	429.26v
675	Mr ED Carrick	T	71.5v	63.2v	48.0v	41.1v	47.5v	45.2v	0.0v	71.5v	0.0v	43.2v	0.0v	429.22v
676	Miss JE Lewsey	T	69.5v	63.1v	46.2v	44.1v	47.2v	47.4v	0.0v	69.3v	0.0v	44.3v	0.0v	429.21v
677	Mr NH Heal	O	69.5v	68.3v	46.3v	42.0v	48.3v	49.5v	0.0v	72.10v	0.0v	34.1v	0.0v	428.30v
678	Mr NR Wells	O	70.5v	67.4v	47.4v	36.1v	45.2v	47.4v	0.0v	71.7v	0.0v	45.2v	0.0v	428.29v
679	Miss A Calvert	O	72.7v	73.7v	42.1v	45.3v	42.2v	47.3v	0.0v	63.2v	0.0v	44.3v	0.0v	428.28v
680	Mr JR Dodd	O	68.4v	70.2v	44.3v	47.4v	48.5v	45.3v	0.0v	66.2v	0.0v	40.1v	0.0v	428.24v
681	Mr MP Perez	O	67.3v	68.4v	46.0v	42.3v	45.2v	48.4v	0.0v	70.4v	0.0v	42.2v	0.0v	428.22v
682	Mr J Balson	T	70.5v	72.3v	40.1v	42.1v	47.4v	45.3v	0.0v	70.5v	0.0v	42.0v	0.0v	428.22v
683	Mr PO Oppelt	T	70.3v	68.3v	45.2v	44.2v	41.2v	46.2v	0.0v	66.4v	0.0v	48.3v	0.0v	428.21v
684	Mr MK Townsend	O	72.4v	69.3v	46.2v	46.3v	45.2v	43.2v	0.0v	69.4v	0.0v	38.1v	0.0v	428.21v
685	Mr PS Calvert	O	71.8v	74.9v	40.1v	45.4v	41.1v	43.2v	0.0v	67.3v	0.0v	46.1v	0.0v	427.29v
686	Mr BH Yates	O	66.4v	70.6v	47.3v	43.2v	45.5v	49.3v	0.0v	66.5v	0.0v	41.1v	0.0v	427.29v
687	Cdr MF Jordan	X	66.4v	68.4v	46.2v	48.6v	49.5v	44.1v	0.0v	64.5v	0.0v	42.1v	0.0v	427.28v
688	Sgt JE Lawson	T	71.7v	66.6v	49.5v	42.0v	43.1v	47.3v	0.0v	70.5v	0.0v	39.1v	0.0v	427.28v
689	Cdt Cpl LM Potter	T	66.4v	69.3v	48.4v	41.2v	47.4v	48.6v	0.0v	67.1v	0.0v	41.2v	0.0v	427.26v
690	Mrs RKE Penrose	O	69.5v	73.7v	44.3v	45.3v	42.1v	46.4v	0.0v	67.3v	0.0v	41.0v	0.0v	427.26v
691	Mr MD Wright	T	67.4v	75.6v	46.3v	44.0v	45.2v	45.3v	0.0v	69.2v	0.0v	36.0v	0.0v	427.20v
692	Mr JC Hambro	O	71.7v	64.5v	43.1v	42.1v	46.4v	45.3v	0.0v	70.4v	0.0v	45.4v	0.0v	426.29v
693	Miss LE Kennedy	T	69.5v	63.2v	47.3v	41.2v	47.5v	44.3v	0.0v	71.6v	0.0v	44.2v	0.0v	426.28v

694	Mr MJ Willing	T	72.7v	66.4v	45.3v	41.2v	47.3v	44.3v	0.0v	66.1v	0.0v	45.3v	0.0v	426.26v
695	Mr N Palfrey	T	66.3v	65.4v	46.2v	47.3v	43.3v	49.3v	0.0v	70.5v	0.0v	40.2v	0.0v	426.25v
696	Miss M Sanders	T	68.6v	69.1v	45.1v	47.3v	48.4v	44.3v	0.0v	69.6v	0.0v	36.1v	0.0v	426.25v
697	Mr JC Cockerill	T	74.8v	68.4v	46.1v	41.2v	41.1v	45.1v	0.0v	70.4v	0.0v	41.2v	0.0v	426.23v
698	Mr R Jackson	O	70.6v	69.4v	47.4v	46.2v	43.4v	39.0v	0.0v	70.8v	0.0v	41.1v	0.0v	425.29v
699	Mr M Eifler	O	66.4v	68.2v	44.3v	46.3v	44.3v	48.3v	0.0v	66.8v	0.0v	43.2v	0.0v	425.28v
700	Mr DA Wilson	O	60.2v	73.9v	43.2v	48.3v	47.3v	47.2v	0.0v	71.6v	0.0v	36.1v	0.0v	425.28v
701	Mr GD Moffatt	O	65.2v	64.1v	45.3v	46.4v	42.2v	47.7v	0.0v	72.4v	0.0v	44.4v	0.0v	425.27v
702	J Petrie	T	68.5v	68.5v	43.2v	43.1v	45.3v	47.4v	0.0v	65.3v	0.0v	46.2v	0.0v	425.25v
703	Mr SP Hill	O	70.7v	69.3v	46.4v	44.2v	45.1v	45.2v	0.0v	65.2v	0.0v	41.3v	0.0v	425.24v
704	Mr T Horsfield	O	66.3v	67.2v	45.2v	45.1v	44.5v	46.4v	0.0v	72.5v	0.0v	40.0v	0.0v	425.22v
705	Mr MT Lehmann	T	68.4v	68.2v	44.1v	40.1v	45.2v	43.1v	0.0v	71.5v	0.0v	46.1v	0.0v	425.17v
706	Mr NM Taylor	T	68.4v	69.5v	45.7v	45.4v	46.4v	48.3v	0.0v	64.2v	0.0v	39.2v	0.0v	424.31v
707	Mr TF Fielder	T	69.3v	70.3v	42.3v	48.3v	46.5v	47.2v	0.0v	73.7v	0.0v	29.0v	0.0v	424.26v
708	Mr H Buitelaar	O	71.5v	67.3v	42.3v	43.0v	44.2v	44.3v	0.0v	71.5v	0.0v	42.2v	0.0v	424.23v
709	Miss EL Sweet	T	69.3v	67.1v	44.3v	46.4v	43.0v	47.5v	0.0v	66.3v	0.0v	42.2v	0.0v	424.21v
710	Cdt NJ Bass	T	69.4v	69.2v	42.1v	45.3v	47.3v	48.3v	0.0v	67.2v	0.0v	37.1v	0.0v	424.19v
711	Mr T Waycott	T	69.1v	63.2v	44.2v	44.4v	49.4v	45.1v	0.0v	68.4v	0.0v	42.0v	0.0v	424.18v
712	Ms SJ Dick	T	70.6v	67.3v	44.2v	47.4v	36.1v	47.6v	0.0v	65.4v	0.0v	47.5v	0.0v	423.31v
713	Cdt T Matthewson	T	68.3v	69.5v	45.2v	46.2v	44.4v	46.2v	0.0v	67.5v	0.0v	38.4v	0.0v	423.27v
714	Mr RJ Copeland	T	65.3v	66.3v	40.0v	47.5v	44.3v	48.5v	0.0v	70.5v	0.0v	43.2v	0.0v	423.26v
715	Mr G Sarin	T	68.2v	64.3v	45.4v	42.3v	49.5v	47.4v	0.0v	66.3v	0.0v	42.1v	0.0v	423.25v
716	Mr DF Robinson	O	62.1v	65.3v	44.3v	46.1v	46.3v	46.3v	0.0v	69.5v	0.0v	45.1v	0.0v	423.20v
717	Mr ML Easden	T	60.2v	68.2v	37.1v	48.8v	45.2v	47.5v	0.0v	70.7v	0.0v	47.4v	0.0v	422.31v
718	Mr KG Garside	O	68.6v	71.6v	45.4v	42.2v	43.1v	45.3v	0.0v	65.4v	0.0v	43.1v	0.0v	422.27v
719	Cdt E Egre	O	68.5v	62.2v	46.3v	33.0v	50.4v	49.4v	0.0v	70.5v	0.0v	44.0v	0.0v	422.23v
720	Sgt J McCready	T	68.5v	69.5v	41.0v	44.0v	45.4v	46.3v	0.0v	66.3v	0.0v	43.3v	0.0v	422.23v
721	Cdt L Yu	T	68.3v	66.6v	43.3v	42.2v	47.3v	43.4v	0.0v	69.6v	0.0v	43.3v	0.0v	421.30v
722	Mr GEH Pilkington-Oates	T	61.4v	66.3v	45.3v	48.6v	47.2v	47.5v	0.0v	73.7v	0.0v	34.0v	0.0v	421.30v
723	Mr MA Houston	T	73.7v	67.5v	46.4v	38.0v	47.5v	42.0v	0.0v	71.7v	0.0v	37.1v	0.0v	421.29v
724	Miss LE Stokes	T	67.5v	60.1v	42.2v	41.2v	47.4v	47.4v	0.0v	74.7v	0.0v	43.1v	0.0v	421.26v
725	Cdt FCD Flanagan	T	65.5v	69.6v	46.3v	42.2v	45.2v	39.1v	0.0v	69.3v	0.0v	46.3v	0.0v	421.25v
726	Mr JY Savage	T	68.5v	68.4v	41.0v	43.2v	48.5v	44.3v	0.0v	63.3v	0.0v	46.2v	0.0v	421.24v
727	Mr JA Rowley	O	64.0v	70.4v	46.2v	38.1v	49.5v	45.2v	0.0v	67.5v	0.0v	42.2v	0.0v	421.21v
728	Mr JL Poulin	X	70.2v	68.6v	40.1v	47.2v	48.3v	45.4v	0.0v	64.3v	0.0v	39.0v	0.0v	421.21v
729	Mr LF Le Breuille	T	66.2v	68.4v	43.1v	46.3v	46.5v	38.0v	0.0v	71.3v	0.0v	43.1v	0.0v	421.19v
730	Sgt SP Ireson	T	70.4v	67.3v	47.3v	46.1v	47.2v	47.4v	0.0v	65.2v	0.0v	32.0v	0.0v	421.19v
731	Dr NG Jeffs	O	62.0v	65.3v	44.2v	48.4v	40.1v	46.0v	0.0v	70.2v	0.0v	46.2v	0.0v	421.14v
732	Mr WJD Dineen	T	67.3v	62.1v	48.5v	44.3v	50.7v	46.3v	0.0v	62.4v	0.0v	41.1v	0.0v	420.27v
733	Mr WT Bridger	O	70.4v	68.2v	40.2v	47.4v	45.2v	43.4v	0.0v	67.5v	0.0v	40.1v	0.0v	420.24v
734	Cpl FM King	T	68.1v	68.6v	43.2v	42.2v	46.4v	48.6v	0.0v	67.3v	0.0v	38.0v	0.0v	420.24v
735	Mr WH Handley	O	68.4v	68.2v	42.1v	42.2v	47.4v	46.2v	0.0v	69.5v	0.0v	38.2v	0.0v	420.22v
736	Mr A Alvey	O	70.4v	69.3v	44.3v	37.1v	45.5v	47.5v	0.0v	67.4v	0.0v	40.1v	0.0v	419.26v
737	Mr T Galliers	O	71.2v	65.3v	41.1v	45.3v	43.4v	43.4v	0.0v	68.2v	0.0v	43.5v	0.0v	419.24v
738	Mr A Robertson	O	66.2v	63.4v	46.3v	43.1v	41.1v	46.2v	0.0v	72.7v	0.0v	42.0v	0.0v	419.20v
739	Mr RM Culverwell	O	65.1v	71.2v	46.4v	43.2v	43.3v	44.2v	0.0v	64.1v	0.0v	43.2v	0.0v	419.17v
740	Mr CSJ Marlow	O	65.3v	67.6v	40.2v	42.3v	44.3v	45.3v	0.0v	70.6v	0.0v	45.2v	0.0v	418.28v
741	Sgt RK Littleproud	T	67.4v	63.2v	45.3v	45.1v	43.1v	46.1v	0.0v	67.3v	0.0v	42.2v	0.0v	418.17v
742	Mr P Wale	O	66.2v	68.4v	44.2v	43.2v	45.4v	44.1v	0.0v	71.10v	0.0v	36.0v	0.0v	417.25v
743	Mr LID Alban-Davies	T	61.1v	66.4v	46.3v	43.2v	44.6v	46.1v	0.0v	68.4v	0.0v	43.2v	0.0v	417.23v
744	Cdt EEP Pomeroy	T	67.4v	68.2v	44.2v	39.0v	48.4v	41.1v	0.0v	64.2v	0.0v	46.4v	0.0v	417.19v
745	Miss LG Taylor	T	67.1v	67.2v	45.4v	46.0v	40.3v	47.3v	0.0v	69.3v	0.0v	36.3v	0.0v	417.19v
746	Spr L Rooney	T	67.4v	70.5v	42.1v	38.3v	39.1v	47.6v	0.0v	68.4v	0.0v	45.4v	0.0v	416.28v
747	Mr PJ Holden	O	46.4v	65.5v	48.2v	45.2v	48.4v	48.4v	0.0v	68.2v	0.0v	48.3v	0.0v	416.26v
748	Cdt N McGowan	T	46.0v	69.6v	45.3v	46.5v	48.4v	46.4v	0.0v	72.3v	0.0v	43.6v	0.0v	415.31v
749	Mr R Shaw	O	69.4v	66.3v	45.4v	42.0v	46.3v	47.7v	0.0v	68.5v	0.0v	32.0v	0.0v	415.26v
750	Cpl L Sawe	O	71.7v	66.1v	43.1v	42.2v	43.1v	46.0v	0.0v	66.2v	0.0v	38.0v	0.0v	415.14v
751	Mr ATTP Pattison	T	65.0v	66.1v	48.2v	45.1v	48.3v	48.1v	0.0v	67.2v	0.0v	28.0v	0.0v	415.10v
752	W Dooley	T	69.5v	70.5v	39.0v	44.4v	48.3v	37.0v	0.0v	65.6v	0.0v	42.4v	0.0v	414.27v
753	Cpl M Ekiru	O	62.3v	68.3v	48.4v	47.4v	43.2v	45.3v	0.0v	67.3v	0.0v	34.1v	0.0v	414.23v
754	Mr GA Astin	T	67.5v	56.2v	49.3v	46.4v	50.8v	48.5v	0.0v	64.6v	0.0v	33.2v	0.0v	413.35v
755	Mr SA Lippiatt	O	60.1v	71.9v	45.2v	48.6v	45.2v	48.5v	0.0v	60.3v	0.0v	36.0v	0.0v	413.28v
756	Mr RH Young	T	67.5v	65.4v	44.3v	43.3v	44.3v	42.1v	0.0v	64.3v	0.0v	42.3v	0.0v	411.25v
757	Cdt B McLain	T	67.3v	62.3v	42.2v	42.1v	44.2v	43.1v	0.0v	66.1v	0.0v	45.2v	0.0v	411.15v
758	Mr JJ Lunn	T	63.2v	64.1v	44.2v	43.2v	47.2v	43.2v	0.0v	67.3v	0.0v	40.1v	0.0v	411.15v
759	L/Bdr T Rewston	O	68.4v	67.6v	42.4v	41.2v	43.1v	43.2v	0.0v	68.6v	0.0v	38.2v	0.0v	410.27v
760	Mr BA Ross	T	66.3v	66.5v	38.1v	40.2v	49.5v	42.1v	0.0v	64.2v	0.0v	45.2v	0.0v	410.21v
761	Dr G Stevenson	O	69.6v	66.2v	44.2v	38.2v	42.1v	46.4v	0.0v	66.2v	0.0v	39.1v	0.0v	410.20v
762	Sgt AS Davis	T	72.8v	57.1v	40.0v	42.4v	46.4v	42.1v	0.0v	69.5v	0.0v	41.3v	0.0v	409.26v
763	Cpl J Bell	T	59.4v	68.2v	44.2v	43.1v	37.2v	46.1v	0.0v	67.6v	0.0v	45.2v	0.0v	409.20v
764	Mr KMS Wong	T	68.4v	67.3v	36.1v	45.2v	41.1v	47.2v	0.0v	64.2v	0.0v	41.0v	0.0v	409.15v

765	Mr JHL Longworth	T	67.4v	46.2v	46.1v	48.2v	45.2v	45.2v	0.0v	70.7v	0.0v	41.2v	0.0v	408.22v
766	Mr LK Kucharczyk	T	62.1v	67.2v	44.2v	38.0v	46.4v	43.3v	0.0v	66.4v	0.0v	42.2v	0.0v	408.18v
767	Sgt S Pevler	T	67.4v	65.1v	33.0v	41.3v	43.4v	47.4v	0.0v	69.6v	0.0v	42.1v	0.0v	407.23v
768	Mr CB Stone	O	69.2v	65.3v	39.1v	40.0v	45.1v	42.2v	0.0v	70.3v	0.0v	37.2v	0.0v	407.14v
769	Mr JF Jackman	O	72.9v	72.6v	49.8v	0.0v	48.6v	47.5v	0.0v	73.7v	0.0v	45.2v	0.0v	406.43v
770	Miss EP Bryant	T	68.1v	68.4v	41.1v	41.3v	43.5v	46.2v	0.0v	67.5v	0.0v	32.0v	0.0v	406.21v
771	Mr PS Holmes	O	72.9v	71.6v	50.5v	42.1v	50.6v	46.5v	0.0v	74.11v	0.0v	0.0v	0.0v	405.43v
772	Mr AJ Ball	O	66.1v	67.5v	41.0v	45.1v	42.1v	42.3v	0.0v	65.4v	0.0v	37.0v	0.0v	405.15v
773	Mr JPS Bloomfield	X	68.7v	73.6v	47.4v	47.3v	49.5v	46.4v	0.0v	74.8v	0.0v	0.0v	0.0v	404.37v
774	Mr CA Venter	T	62.0v	68.7v	43.1v	43.3v	40.1v	37.2v	0.0v	67.3v	0.0v	44.0v	0.0v	404.17v
775	Mr JA Horton	O	67.2v	66.3v	44.5v	44.2v	39.1v	37.0v	0.0v	65.4v	0.0v	42.0v	0.0v	404.17v
776	Mr CP Moon	O	59.1v	65.0v	41.2v	42.3v	44.3v	48.2v	0.0v	65.2v	0.0v	40.1v	0.0v	404.14v
777	Cdt HL Holah	T	58.0v	64.4v	42.3v	43.1v	45.3v	43.1v	0.0v	66.4v	0.0v	42.3v	0.0v	403.19v
778	Mr AM Norman	O	65.5v	67.4v	43.3v	43.2v	36.1v	44.1v	0.0v	67.2v	0.0v	38.0v	0.0v	403.18v
779	Sjt C Naumann	T	65.2v	69.1v	37.1v	41.0v	39.3v	48.7v	0.0v	67.3v	0.0v	37.1v	0.0v	403.18v
780	Mr AE Le Page	O	66.4v	66.3v	43.0v	36.0v	47.4v	39.2v	0.0v	63.3v	0.0v	43.0v	0.0v	403.16v
781	Mr JSW Hunter	O	67.5v	64.2v	37.0v	43.4v	43.2v	46.4v	0.0v	59.4v	0.0v	43.2v	0.0v	402.23v
782	Mr JM Mbugua	O	61.3v	67.3v	46.4v	43.1v	42.2v	37.0v	0.0v	64.1v	0.0v	42.2v	0.0v	402.16v
783	Sgt AJW Woodward	T	65.4v	62.0v	43.2v	41.0v	43.1v	43.2v	0.0v	66.4v	0.0v	39.1v	0.0v	402.14v
784	Mr DAF Firth	T	51.1v	66.0v	46.3v	44.1v	45.1v	40.1v	0.0v	67.3v	0.0v	43.2v	0.0v	402.12v
785	Miss DK Upshall	O	67.2v	63.1v	45.2v	41.1v	39.0v	44.0v	0.0v	59.0v	0.0v	44.1v	0.0v	402.7v
786	Mr JN Lowe	T	60.2v	68.2v	40.1v	37.2v	46.4v	46.3v	0.0v	57.4v	0.0v	47.4v	0.0v	401.22v
787	Mr TR Ward	T	65.2v	67.5v	47.3v	44.3v	48.4v	48.2v	0.0v	57.1v	0.0v	25.0v	0.0v	401.20v
788	Cdt T Dowd	T	62.4v	66.3v	46.5v	31.0v	40.0v	43.2v	0.0v	69.3v	0.0v	44.0v	0.0v	401.17v
789	A McBain	T	68.6v	61.2v	42.2v	44.1v	43.1v	42.3v	0.0v	61.1v	0.0v	40.1v	0.0v	401.17v
790	Mr BJ Gradwell	O	72.8v	64.5v	48.6v	49.5v	45.3v	48.7v	0.0v	74.9v	0.0v	0.0v	0.0v	400.43v
791	Ms SM Williams	O	69.7v	72.9v	45.4v	0.0v	46.5v	50.7v	0.0v	73.8v	0.0v	45.2v	0.0v	400.42v
792	Miss EKB Beech	T	69.4v	63.3v	38.0v	43.2v	44.1v	38.2v	0.0v	65.8v	0.0v	39.1v	0.0v	399.21v
793	Mr DI Lekapana	O	60.0v	66.3v	45.3v	45.2v	44.0v	28.1v	0.0v	64.3v	0.0v	47.1v	0.0v	399.13v
794	Mr NJ Hall	T	65.1v	62.2v	46.1v	45.2v	41.0v	44.2v	0.0v	54.1v	0.0v	42.2v	0.0v	399.11v
795	Mr CR Hirst	O	70.8v	69.4v	0.0v	43.4v	50.7v	48.5v	0.0v	71.8v	0.0v	47.3v	0.0v	398.39v
796	Cpl A Drape	T	64.3v	69.5v	46.2v	29.1v	47.4v	44.3v	0.0v	67.4v	0.0v	32.1v	0.0v	398.23v
797	Cpl A Towler	T	65.4v	66.2v	43.2v	42.3v	41.3v	35.1v	0.0v	66.4v	0.0v	40.1v	0.0v	398.20v
798	Mr MAG Woodrow	T	65.0v	59.0v	43.2v	45.3v	43.3v	43.3v	0.0v	65.5v	0.0v	35.2v	0.0v	398.18v
799	Lt Cdr PERD Hunt	T	63.1v	60.4v	44.1v	35.1v	43.2v	45.1v	0.0v	67.3v	0.0v	41.1v	0.0v	398.14v
800	Mr RS Mason	O	70.6v	70.4v	47.2v	0.0v	49.6v	47.5v	0.0v	70.5v	0.0v	44.3v	0.0v	397.31v
801	Mr M Ayling	O	70.4v	70.5v	43.1v	45.4v	41.2v	40.0v	0.0v	53.2v	0.0v	35.0v	0.0v	397.18v
802	Mr HN Watson	X	75.6v	67.6v	44.1v	46.5v	48.5v	0.0v	0.0v	75.11v	0.0v	41.0v	0.0v	396.34v
803	Mr CRF Leather	O	69.5v	71.4v	47.4v	45.5v	47.4v	0.0v	0.0v	73.8v	0.0v	44.3v	0.0v	396.33v
804	Miss ZL Latimer	T	72.8v	68.4v	0.0v	48.4v	49.3v	48.5v	0.0v	71.7v	0.0v	40.0v	0.0v	396.31v
805	Mr AW Sainter	O	35.1v	70.5v	43.2v	47.5v	45.2v	45.2v	0.0v	66.1v	0.0v	45.2v	0.0v	396.20v
806	Mr HGM Mooiman	O	70.8v	72.9v	47.5v	43.2v	44.4v	48.4v	0.0v	71.9v	0.0v	0.0v	0.0v	395.41v
807	Miss T Smith	T	63.3v	68.4v	41.1v	32.1v	42.2v	39.2v	0.0v	67.7v	0.0v	43.0v	0.0v	395.20v
808	LCpl J Gair	T	63.2v	66.0v	41.1v	35.0v	37.0v	42.1v	0.0v	69.6v	0.0v	40.2v	0.0v	393.12v
809	Sgt T Biggins	T	63.1v	55.0v	40.2v	40.2v	37.2v	45.2v	0.0v	69.4v	0.0v	43.1v	0.0v	392.14v
810	Mr MW Brown	O	72.7v	74.8v	44.3v	49.4v	0.0v	44.2v	0.0v	68.3v	0.0v	40.0v	0.0v	391.27v
811	Mr WA O'Dair	O	60.0v	61.4v	41.2v	45.4v	40.0v	46.5v	0.0v	64.2v	0.0v	34.3v	0.0v	391.20v
812	Mr JM de Bruijn	O	71.5v	67.6v	47.3v	0.0v	46.1v	44.3v	0.0v	70.7v	0.0v	45.4v	0.0v	390.29v
813	Mr RM Smith	T	64.2v	64.3v	39.2v	35.1v	44.3v	34.0v	0.0v	69.7v	0.0v	41.1v	0.0v	390.19v
814	Sgt A Todd	T	62.1v	70.8v	34.0v	46.4v	38.2v	41.3v	0.0v	61.0v	0.0v	38.0v	0.0v	390.18v
815	Mr GS Strong	T	66.3v	65.2v	45.4v	31.2v	42.3v	37.0v	0.0v	64.3v	0.0v	38.3v	0.0v	388.20v
816	Mr PJ Amy	O	66.2v	64.2v	40.2v	39.1v	37.3v	45.2v	0.0v	60.1v	0.0v	37.1v	0.0v	388.14v
817	LCpl F Mohammed	O	66.2v	64.5v	38.2v	32.1v	42.1v	49.4v	0.0v	54.5v	0.0v	42.3v	0.0v	387.23v
818	Mr ADWH Wheeler	T	70.6v	66.4v	38.0v	41.1v	46.1v	46.2v	0.0v	68.6v	0.0v	12.0v	0.0v	387.20v
819	Miss ME Wicker	O	68.4v	61.4v	43.2v	41.2v	34.1v	43.2v	0.0v	63.2v	0.0v	34.1v	0.0v	387.18v
820	Mr J Pugsley	X	74.8v	73.8v	46.6v	47.4v	50.4v	48.4v	0.0v	0.0v	0.0v	48.5v	0.0v	386.39v
821	Cdt PA Evans	T	67.4v	68.7v	48.5v	0.0v	45.4v	46.2v	0.0v	66.3v	0.0v	46.2v	0.0v	386.27v
822	Mr CGC Costello	T	67.3v	62.0v	35.1v	44.4v	28.1v	44.1v	0.0v	60.2v	0.0v	46.2v	0.0v	386.14v
823	Cdt OJ Rolfe	T	68.2v	72.5v	39.0v	47.3v	0.0v	46.4v	0.0v	68.3v	0.0v	44.2v	0.0v	384.19v
824	Mr RW Hallows	A	0.0v	72.8v	47.2v	48.4v	49.4v	49.6v	0.0v	73.10v	0.0v	45.2v	0.0v	383.36v
825	Sgt J Dixon	T	58.1v	73.7v	46.3v	42.3v	42.2v	43.2v	0.0v	67.5v	0.0v	12.1v	0.0v	383.24v
826	Mr J Huber	A	0.0v	72.7v	47.5v	48.5v	48.4v	49.6v	0.0v	72.4v	0.0v	45.1v	0.0v	381.32v
827	Mr PHC Costello	T	71.8v	67.3v	45.2v	43.4v	46.2v	45.1v	0.0v	64.1v	0.0v	0.0v	0.0v	381.21v
828	Mr RW Needham	O	69.4v	63.3v	44.4v	45.2v	42.0v	48.5v	0.0v	68.5v	0.0v	0.0v	0.0v	379.23v
829	Cpl M Davidson	T	64.4v	64.3v	44.2v	16.0v	37.3v	46.4v	0.0v	63.2v	0.0v	45.3v	0.0v	379.21v
830	Mr M Fray	A	0.0v	67.4v	47.5v	48.7v	49.7v	48.4v	0.0v	73.9v	0.0v	46.2v	0.0v	378.38v
831	Mr GT Hart	O	64.4v	69.7v	42.3v	45.1v	42.2v	1.0v	0.0v	71.5v	0.0v	44.4v	0.0v	378.26v
832	Mr EA Graves	T	69.2v	70.3v	44.3v	44.4v	44.4v	0.0v	0.0v	70.6v	0.0v	37.3v	0.0v	378.25v
833	Cdt THD Dodds	T	67.3v	64.3v	46.3v	40.1v	44.4v	43.1v	0.0v	73.5v	0.0v	0.0v	0.0v	377.20v
834	Mrs I Pioche	O	69.2v	64.4v	43.3v	0.0v	42.1v	49.4v	0.0v	70.3v	0.0v	40.1v	0.0v	377.18v
835	Mr MP Watkins	O	0.0v	70.7v	44.3v	47.4v	46.6v	50.6v	0.0v	70.9v	0.0v	48.6v	0.0v	375.41v

