

HM The Queen's Diamond Jubilee Imperial Meeting

Grand Aggregate (as at Monday, 16th July 2012)

		DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	Corp	POW	Total	
1	Mr JA Watson	X	74.12v	75.11v	49.7v	50.7v	49.6v	50.8v	0.0v	0.0v	0.0v	50.6v	0.0v	397.57v
2	Mr DC Luckman	X	75.14v	74.10v	50.9v	50.6v	50.9v	48.6v	0.0v	0.0v	0.0v	50.3v	0.0v	397.57v
3	Mr ITG Shaw	X	75.12v	75.7v	50.6v	50.6v	50.8v	49.8v	0.0v	0.0v	0.0v	48.5v	0.0v	397.52v
4	Mr PG Kent	X	75.11v	75.11v	50.6v	50.9v	50.7v	47.5v	0.0v	0.0v	0.0v	49.5v	0.0v	396.54v
5	Mr P Patel	X	75.13v	75.14v	49.4v	49.5v	50.7v	49.4v	0.0v	0.0v	0.0v	49.2v	0.0v	396.49v
6	Mr TJD Raincock	X	75.13v	73.7v	50.8v	49.7v	49.5v	50.6v	0.0v	0.0v	0.0v	50.2v	0.0v	396.48v
7	Mr CTS Belk	X	75.10v	73.6v	49.6v	50.6v	50.6v	50.7v	0.0v	0.0v	0.0v	49.4v	0.0v	396.45v
8	Mr J Corbett	X	75.13v	75.8v	50.9v	49.7v	49.8v	48.7v	0.0v	0.0v	0.0v	49.7v	0.0v	395.59v
9	Dr PD Sykes	X	75.13v	73.10v	49.7v	50.5v	50.9v	50.8v	0.0v	0.0v	0.0v	48.7v	0.0v	395.59v
10	Wg. Cdr. DP Calvert	X	75.10v	75.13v	50.7v	50.6v	49.6v	50.6v	0.0v	0.0v	0.0v	46.5v	0.0v	395.53v
11	Mr J A M Paton	X	75.14v	74.10v	50.6v	50.7v	48.5v	50.5v	0.0v	0.0v	0.0v	48.5v	0.0v	395.52v
12	Major AR McLeod	X	75.12v	75.11v	50.8v	49.5v	50.6v	50.8v	0.0v	0.0v	0.0v	46.2v	0.0v	395.52v
13	Miss JH Messer	X	74.11v	73.10v	50.5v	50.5v	50.7v	49.4v	0.0v	0.0v	0.0v	49.5v	0.0v	395.47v
14	Dr JDS Langley	X	75.9v	74.12v	50.6v	50.5v	49.5v	49.5v	0.0v	0.0v	0.0v	48.4v	0.0v	395.46v
15	Mr AP Barnes	X	73.7v	75.9v	48.3v	50.7v	50.6v	49.5v	0.0v	0.0v	0.0v	50.5v	0.0v	395.42v
16	Mr SA Thomas	X	75.14v	75.11v	50.9v	49.7v	49.8v	49.8v	0.0v	0.0v	0.0v	47.1v	0.0v	394.58v
17	Dr GCD Barnett	X	74.12v	73.12v	49.9v	50.8v	50.8v	49.2v	0.0v	0.0v	0.0v	49.6v	0.0v	394.57v
18	Mr TW Hunter	X	75.14v	74.10v	48.7v	49.7v	49.5v	50.6v	0.0v	0.0v	0.0v	49.7v	0.0v	394.56v
19	Mr J Pugsley	X	75.13v	73.11v	49.9v	49.7v	50.7v	49.5v	0.0v	0.0v	0.0v	49.4v	0.0v	394.56v
20	Mr GA Cann	X	75.13v	75.13v	50.7v	48.6v	50.6v	47.2v	0.0v	0.0v	0.0v	49.8v	0.0v	394.55v
21	Mr WCP Richards	X	75.10v	74.11v	49.8v	49.6v	50.5v	49.7v	0.0v	0.0v	0.0v	48.5v	0.0v	394.52v
22	Miss JM Rankin	X	74.11v	74.9v	49.7v	50.8v	49.6v	50.8v	0.0v	0.0v	0.0v	48.3v	0.0v	394.52v
23	Mr JP Tapster	X	74.8v	73.11v	50.7v	49.6v	50.6v	49.6v	0.0v	0.0v	0.0v	49.3v	0.0v	394.47v
24	Mr HA Day	A	75.13v	74.7v	50.5v	48.6v	49.4v	49.7v	0.0v	0.0v	0.0v	49.4v	0.0v	394.46v
25	Mr T Keen	A	75.8v	73.6v	48.4v	50.6v	50.6v	48.3v	0.0v	0.0v	0.0v	50.5v	0.0v	394.38v
26	Mr DR Armstrong	X	75.11v	74.11v	49.5v	50.7v	50.6v	49.7v	0.0v	0.0v	0.0v	46.6v	0.0v	393.53v
27	Mrs LK Mace	A	74.10v	74.10v	50.7v	49.7v	49.7v	49.4v	0.0v	0.0v	0.0v	48.6v	0.0v	393.51v
28	Mr CN Tremlett	X	75.12v	74.11v	49.5v	48.5v	50.8v	48.5v	0.0v	0.0v	0.0v	49.3v	0.0v	393.49v
29	Mr WJD Broad	X	75.12v	75.10v	48.3v	47.6v	49.6v	49.7v	0.0v	0.0v	0.0v	50.4v	0.0v	393.48v
30	Mr DG Young	X	74.10v	75.9v	48.4v	49.8v	49.5v	50.7v	0.0v	0.0v	0.0v	48.4v	0.0v	393.47v
31	Mr KWD Ramsey	X	75.14v	74.9v	50.4v	47.4v	49.6v	49.4v	0.0v	0.0v	0.0v	49.3v	0.0v	393.44v
32	Mr BA Horwood	X	75.8v	74.5v	50.5v	49.9v	48.5v	49.5v	0.0v	0.0v	0.0v	48.4v	0.0v	393.41v
33	Mr SFD Dash	A	73.7v	72.7v	49.4v	50.3v	50.7v	49.5v	0.0v	0.0v	0.0v	50.4v	0.0v	393.37v
34	Miss AMG Ogilvie	A	75.8v	74.5v	47.4v	50.8v	50.5v	50.5v	0.0v	0.0v	0.0v	47.2v	0.0v	393.37v
35	Mr DC Crispin	X	75.11v	73.10v	47.5v	50.7v	50.8v	49.8v	0.0v	0.0v	0.0v	48.7v	0.0v	392.56v
36	Mr CJ Morton	X	75.14v	72.8v	49.7v	49.7v	50.9v	50.6v	0.0v	0.0v	0.0v	47.2v	0.0v	392.53v
37	Mr PB Bromley	X	74.12v	73.6v	48.5v	50.8v	50.9v	50.7v	0.0v	0.0v	0.0v	47.5v	0.0v	392.52v
38	Mr JCT Kent	X	74.10v	74.10v	50.7v	48.5v	50.6v	48.7v	0.0v	0.0v	0.0v	48.5v	0.0v	392.50v
39	Mr JA Borland	A	75.10v	71.5v	49.5v	49.5v	50.8v	50.9v	0.0v	0.0v	0.0v	48.6v	0.0v	392.48v
40	Mr RM Roberts	X	74.11v	74.10v	49.7v	49.6v	49.4v	50.6v	0.0v	0.0v	0.0v	47.4v	0.0v	392.48v
41	Mr ERT Jeens	X	75.9v	74.11v	49.5v	49.6v	50.8v	48.6v	0.0v	0.0v	0.0v	47.3v	0.0v	392.48v
42	Mr C Fitzpatrick	X	75.14v	74.8v	49.6v	48.5v	50.7v	50.5v	0.0v	0.0v	0.0v	46.3v	0.0v	392.48v
43	Mr MG Whicher	X	75.10v	75.8v	50.7v	50.8v	50.4v	47.6v	0.0v	0.0v	0.0v	45.4v	0.0v	392.47v
44	Mr IP Davison	X	74.9v	72.8v	48.6v	50.7v	49.7v	50.5v	0.0v	0.0v	0.0v	49.3v	0.0v	392.45v
45	Mr DC Dyson	X	74.9v	75.8v	50.6v	47.3v	49.8v	50.8v	0.0v	0.0v	0.0v	47.2v	0.0v	392.44v
46	Mr T Steele	X	74.7v	72.8v	47.3v	49.5v	50.6v	50.9v	0.0v	0.0v	0.0v	50.5v	0.0v	392.43v
47	Mr MJ Barlow	X	74.7v	74.10v	48.4v	49.4v	50.8v	49.5v	0.0v	0.0v	0.0v	48.5v	0.0v	392.43v
48	Ms LA Johnson	A	74.11v	73.10v	50.4v	48.5v	50.5v	50.5v	0.0v	0.0v	0.0v	47.3v	0.0v	392.43v
49	Mr DJ Archer	A	74.8v	73.8v	48.3v	50.7v	49.7v	49.4v	0.0v	0.0v	0.0v	49.4v	0.0v	392.41v
50	Mr JW Alexander	X	75.11v	74.10v	49.3v	48.2v	50.4v	47.3v	0.0v	0.0v	0.0v	49.7v	0.0v	392.40v
51	Mr GW Morgan	X	75.8v	75.9v	49.3v	48.4v	50.4v	48.7v	0.0v	0.0v	0.0v	47.4v	0.0v	392.39v
52	Mr TA Ringer	X	75.14v	74.7v	48.3v	48.6v	50.8v	49.6v	0.0v	0.0v	0.0v	47.5v	0.0v	391.49v
53	Mr GS Cotton	X	75.10v	74.12v	49.5v	49.7v	50.6v	49.5v	0.0v	0.0v	0.0v	45.4v	0.0v	391.49v
54	Mr BJ Le Cheminant	X	75.10v	74.10v	49.4v	48.5v	50.8v	48.6v	0.0v	0.0v	0.0v	47.5v	0.0v	391.48v

55	Dr CD Haley	X	74.9v	71.6v	49.9v	49.4v	50.7v	50.7v	0.0v	0.0v	0.0v	48.5v	0.0v	391.47v
56	Dr MJ Schwarz	A	75.8v	71.5v	47.4v	50.10v	50.6v	50.9v	0.0v	0.0v	0.0v	48.3v	0.0v	391.45v
57	Mr PM Lanigan	X	74.9v	73.10v	49.6v	49.4v	50.6v	47.5v	0.0v	0.0v	0.0v	49.4v	0.0v	391.44v
58	Mr ER Welford	X	74.10v	72.11v	50.3v	49.8v	50.6v	48.2v	0.0v	0.0v	0.0v	48.4v	0.0v	391.44v
59	Mr JA Anderson	X	75.10v	74.9v	49.6v	45.4v	50.7v	50.5v	0.0v	0.0v	0.0v	48.3v	0.0v	391.44v
60	SGT SJ Hier	X	74.11v	73.8v	50.7v	49.5v	50.5v	49.5v	0.0v	0.0v	0.0v	46.2v	0.0v	391.43v
61	Mr S J Pascoe	X	74.4v	74.9v	49.6v	48.6v	48.4v	49.6v	0.0v	0.0v	0.0v	49.6v	0.0v	391.41v
62	Miss EJ Cannings	O	75.7v	73.10v	49.4v	50.7v	49.4v	49.6v	0.0v	0.0v	0.0v	46.3v	0.0v	391.41v
63	Miss DL Fenn	X	74.11v	73.5v	48.4v	50.8v	48.5v	50.5v	0.0v	0.0v	0.0v	48.2v	0.0v	391.40v
64	Mr SD Shouler	X	75.11v	71.6v	50.5v	50.7v	49.6v	49.2v	0.0v	0.0v	0.0v	47.3v	0.0v	391.40v
65	Mr JC Underwood	X	75.13v	74.11v	50.7v	49.5v	49.8v	48.7v	0.0v	0.0v	0.0v	45.3v	0.0v	390.54v
66	Mr DR Le Quesne	X	75.11v	72.7v	50.8v	49.8v	49.8v	49.7v	0.0v	0.0v	0.0v	46.3v	0.0v	390.52v
67	Mr NJ Ball	X	74.9v	75.13v	50.6v	50.6v	50.10v	48.5v	0.0v	0.0v	0.0v	43.3v	0.0v	390.52v
68	Mr GE Morris	X	75.13v	70.7v	49.5v	49.7v	50.8v	50.7v	0.0v	0.0v	0.0v	47.4v	0.0v	390.51v
69	Mr PM Jory	X	73.11v	74.10v	49.6v	49.7v	50.8v	49.4v	0.0v	0.0v	0.0v	46.5v	0.0v	390.51v
70	Mr EC Dickson	X	71.10v	74.9v	50.10v	49.6v	49.7v	48.5v	0.0v	0.0v	0.0v	49.3v	0.0v	390.50v
71	Miss LCP-L Watson	A	74.12v	74.10v	48.7v	48.2v	50.10v	49.6v	0.0v	0.0v	0.0v	47.3v	0.0v	390.50v
72	Mrs SV Luckman	X	75.13v	70.5v	50.5v	49.6v	50.7v	50.9v	0.0v	0.0v	0.0v	46.5v	0.0v	390.50v
73	Capt. AW Gill	X	74.11v	74.8v	50.7v	45.4v	49.6v	50.8v	0.0v	0.0v	0.0v	48.5v	0.0v	390.49v
74	Mr RG Scott	A	75.13v	75.8v	48.4v	50.9v	48.6v	49.5v	0.0v	0.0v	0.0v	45.1v	0.0v	390.46v
75	Sgt. H J Golaszewski	X	74.11v	72.8v	50.7v	46.5v	50.6v	49.4v	0.0v	0.0v	0.0v	49.4v	0.0v	390.45v
76	Dr JO Ahrens	X	75.11v	74.11v	49.5v	47.3v	49.5v	48.5v	0.0v	0.0v	0.0v	48.5v	0.0v	390.45v
77	Mr PRD Stock	A	75.6v	75.11v	50.8v	48.6v	47.5v	48.4v	0.0v	0.0v	0.0v	47.5v	0.0v	390.45v
78	Mr GC Childs	X	73.11v	72.9v	49.3v	49.5v	50.7v	50.5v	0.0v	0.0v	0.0v	47.4v	0.0v	390.44v
79	Mr N Cole-Hawkins	A	75.10v	75.8v	48.2v	47.4v	49.6v	50.10v	0.0v	0.0v	0.0v	46.3v	0.0v	390.43v
80	Mr DE Nuthall	X	75.10v	75.9v	48.6v	46.4v	50.3v	48.5v	0.0v	0.0v	0.0v	48.5v	0.0v	390.42v
81	Mrs K Le Quesne	A	73.9v	74.8v	50.6v	47.6v	50.3v	49.5v	0.0v	0.0v	0.0v	47.5v	0.0v	390.42v
82	Mr D Rose	A	74.8v	75.12v	46.2v	49.4v	49.5v	48.6v	0.0v	0.0v	0.0v	49.4v	0.0v	390.41v
83	Mr TP Clarke	A	73.9v	75.7v	47.5v	49.7v	50.5v	48.4v	0.0v	0.0v	0.0v	48.4v	0.0v	390.41v
84	Mr D Blake	X	75.10v	74.9v	46.0v	48.4v	50.9v	50.5v	0.0v	0.0v	0.0v	47.3v	0.0v	390.40v
85	Mr IDC Brechin	O	74.6v	73.5v	50.7v	48.7v	49.7v	49.3v	0.0v	0.0v	0.0v	47.4v	0.0v	390.39v
86	LCpl O J Rolfe	T	74.8v	74.6v	49.5v	49.3v	50.5v	48.7v	0.0v	0.0v	0.0v	46.4v	0.0v	390.38v
87	Mr RP Rosling	X	74.6v	74.8v	49.5v	50.6v	49.4v	46.4v	0.0v	0.0v	0.0v	48.4v	0.0v	390.37v
88	Mr JWE Lewis	X	75.11v	74.7v	46.4v	49.5v	49.0v	49.8v	0.0v	0.0v	0.0v	48.2v	0.0v	390.37v
89	Mr PR Thompson	X	75.5v	73.8v	49.5v	46.1v	49.3v	48.3v	0.0v	0.0v	0.0v	50.7v	0.0v	390.32v
90	Mr SM Negus	X	73.12v	74.13v	49.8v	49.6v	49.7v	48.7v	0.0v	0.0v	0.0v	47.5v	0.0v	389.58v
91	Mr R McQuillan	X	75.15v	74.9v	48.4v	49.5v	50.9v	47.6v	0.0v	0.0v	0.0v	46.4v	0.0v	389.52v
92	Mr A Stewart	X	73.10v	75.12v	47.4v	47.4v	50.8v	48.7v	0.0v	0.0v	0.0v	49.6v	0.0v	389.51v
93	Mr JR Tuck	X	75.14v	74.11v	48.3v	48.8v	49.7v	47.3v	0.0v	0.0v	0.0v	48.4v	0.0v	389.50v
94	Mr CP Weeden	X	75.11v	75.9v	50.9v	45.4v	49.8v	49.6v	0.0v	0.0v	0.0v	46.3v	0.0v	389.50v
95	Mr CL Leighton	A	72.8v	75.12v	49.5v	48.6v	50.6v	49.6v	0.0v	0.0v	0.0v	46.5v	0.0v	389.48v
96	Mr SJ East	A	72.8v	72.11v	50.6v	49.7v	49.7v	49.5v	0.0v	0.0v	0.0v	48.3v	0.0v	389.47v
97	Mr SKC Hunter	X	73.10v	73.5v	47.6v	50.8v	50.6v	49.8v	0.0v	0.0v	0.0v	47.4v	0.0v	389.47v
98	Mr CJ Watson	X	75.13v	71.6v	50.7v	49.6v	50.6v	48.7v	0.0v	0.0v	0.0v	46.2v	0.0v	389.47v
99	Mr RCT Jeens	X	75.10v	74.9v	48.6v	50.7v	50.6v	48.6v	0.0v	0.0v	0.0v	44.3v	0.0v	389.47v
100	Mr GK Alexander	X	75.12v	74.7v	48.7v	49.4v	48.6v	48.4v	0.0v	0.0v	0.0v	47.6v	0.0v	389.46v
101	Mr RBC Baker	A	74.12v	74.10v	49.7v	49.5v	49.2v	49.6v	0.0v	0.0v	0.0v	45.4v	0.0v	389.46v
102	Mr BJ Page	X	74.14v	74.10v	50.6v	45.1v	48.7v	49.3v	0.0v	0.0v	0.0v	49.4v	0.0v	389.45v
103	Mr KO Pugh	A	72.9v	75.10v	50.7v	46.5v	50.5v	48.4v	0.0v	0.0v	0.0v	48.5v	0.0v	389.45v
104	Mr TLW Kidner	X	74.11v	71.8v	49.6v	50.6v	50.7v	46.4v	0.0v	0.0v	0.0v	49.2v	0.0v	389.44v
105	Mr AC Haley	X	75.9v	72.7v	49.6v	50.7v	50.6v	48.5v	0.0v	0.0v	0.0v	45.4v	0.0v	389.44v
106	Mr P S Holmes	O	74.8v	73.8v	49.5v	45.5v	50.7v	50.6v	0.0v	0.0v	0.0v	48.4v	0.0v	389.43v
107	Mr RJ Booth	X	75.11v	72.7v	49.5v	47.3v	50.8v	49.5v	0.0v	0.0v	0.0v	47.4v	0.0v	389.43v
108	Mr DGM Coleman	A	73.10v	73.9v	50.8v	47.5v	49.4v	48.3v	0.0v	0.0v	0.0v	49.3v	0.0v	389.42v
109	Mr NP Moxon	A	73.7v	74.10v	50.7v	50.4v	50.8v	46.4v	0.0v	0.0v	0.0v	46.2v	0.0v	389.42v
110	Mr JA Lindsay III	A	74.9v	73.8v	50.7v	49.5v	49.5v	48.6v	0.0v	0.0v	0.0v	46.2v	0.0v	389.42v
111	Mr TM Green	A	74.10v	74.6v	48.3v	46.5v	49.6v	49.5v	0.0v	0.0v	0.0v	49.5v	0.0v	389.40v
112	Mr AJ Luckman	X	75.10v	73.6v	49.4v	49.6v	49.6v	49.5v	0.0v	0.0v	0.0v	45.1v	0.0v	389.38v
113	Capt AG McLean	X	74.7v	71.5v	49.5v	48.5v	48.4v	49.5v	0.0v	0.0v	0.0v	50.3v	0.0v	389.34v
114	Mr NC Mace	X	74.13v	75.10v	45.4v	49.4v	49.6v	50.9v	0.0v	0.0v	0.0v	46.5v	0.0v	388.51v
115	Mr J Cload	X	73.9v	73.8v	50.8v	48.6v	50.8v	47.5v	0.0v	0.0v	0.0v	47.6v	0.0v	388.50v
116	Cdt F E Purdy	O	75.11v	74.9v	46.2v	47.6v	50.10v	48.7v	0.0v	0.0v	0.0v	48.4v	0.0v	388.49v
117	Dr JD Warburton	X	75.10v	72.7v	48.4v	49.8v	50.8v	48.6v	0.0v	0.0v	0.0v	46.4v	0.0v	388.47v
118	Mr D de Vere	O	74.13v	71.6v	48.2v	49.7v	50.6v	50.8v	0.0v	0.0v	0.0v	46.4v	0.0v	388.46v
119	Miss L Hearn	X	73.11v	73.12v	49.7v	49.4v	49.4v	48.4v	0.0v	0.0v	0.0v	47.2v	0.0v	388.44v
120	Mrs CJ Clifford-Evans	X	74.12v	72.7v	49.3v	48.5v	50.9v	47.2v	0.0v	0.0v	0.0v	48.5v	0.0v	388.43v
121	Mr RJS Curtis	X	75.10v	74.10v	49.6v	46.3v	47.5v	49.4v	0.0v	0.0v	0.0v	48.5v	0.0v	388.43v
122	Mr KB Hill	A	75.11v	74.11v	47.1v	50.7v	49.7v	46.4v	0.0v	0.0v	0.0v	47.2v	0.0v	388.43v
123	Wg. Cdr. CJ Hockley	O	74.10v	72.7v	46.5v	50.6v	50.4v	48.7v	0.0v	0.0v	0.0v	48.3v	0.0v	388.42v
124	Mr MRM Millar	X	74.10v	75.11v	48.5v	47.3v	48.4v	49.5v	0.0v	0.0v	0.0v	47.4v	0.0v	388.42v
125	Mr SC Postins	X	73.11v	75.12v	48.6v	47.3v	49.4v	49.3v	0.0v	0.0v	0.0v	47.3v	0.0v	388.42v

126	Mr RJW Smeltzer	X	74.7v	72.8v	50.8v	47.1v	50.8v	49.6v	0.0v	0.0v	0.0v	46.4v	0.0v	388.42v
127	Dr JR Deane	X	75.11v	74.7v	48.5v	49.4v	48.6v	49.7v	0.0v	0.0v	0.0v	45.2v	0.0v	388.42v
128	R D P Knapstein	A	75.12v	72.5v	47.4v	48.5v	50.6v	48.6v	0.0v	0.0v	0.0v	48.3v	0.0v	388.41v
129	Dr PR Wheeler	O	74.7v	74.10v	49.6v	47.3v	49.6v	48.4v	0.0v	0.0v	0.0v	47.5v	0.0v	388.41v
130	Mr AD Le Cheminant	X	74.9v	74.7v	49.4v	49.6v	48.6v	48.5v	0.0v	0.0v	0.0v	46.4v	0.0v	388.41v
131	Mr DFP Richards	X	75.10v	73.7v	49.6v	46.4v	48.6v	49.5v	0.0v	0.0v	0.0v	48.2v	0.0v	388.40v
132	Mr J Ford	A	74.10v	74.8v	50.6v	45.3v	50.6v	48.4v	0.0v	0.0v	0.0v	47.3v	0.0v	388.40v
133	Mr DA Taylor	A	75.9v	74.8v	47.6v	47.5v	50.5v	48.6v	0.0v	0.0v	0.0v	47.1v	0.0v	388.40v
134	Mr DJ Gass	X	75.6v	74.9v	50.8v	47.3v	50.6v	50.5v	0.0v	0.0v	0.0v	42.3v	0.0v	388.40v
135	Mr PG Cann	A	73.10v	73.7v	50.6v	50.5v	50.5v	46.3v	0.0v	0.0v	0.0v	46.3v	0.0v	388.39v
136	Mr RB Morgan	O	73.6v	73.10v	47.2v	50.7v	48.6v	49.5v	0.0v	0.0v	0.0v	48.2v	0.0v	388.38v
137	Mr AF Donald	O	75.11v	73.4v	48.4v	46.3v	50.5v	48.5v	0.0v	0.0v	0.0v	48.4v	0.0v	388.36v
138	Mr D Davies	A	75.8v	73.7v	48.4v	48.6v	50.6v	46.3v	0.0v	0.0v	0.0v	48.2v	0.0v	388.36v
139	Mr SO Jauncey	O	73.6v	73.6v	50.6v	46.3v	50.3v	48.4v	0.0v	0.0v	0.0v	48.7v	0.0v	388.35v
140	Mr CJ Palmer-Makowski	T	72.7v	72.9v	49.7v	48.0v	50.4v	49.4v	0.0v	0.0v	0.0v	48.4v	0.0v	388.35v
141	Mr J Purdy	O	75.8v	73.6v	50.6v	46.4v	47.3v	50.5v	0.0v	0.0v	0.0v	47.3v	0.0v	388.35v
142	Mr BH Jones	O	73.7v	74.9v	48.5v	49.1v	50.6v	48.5v	0.0v	0.0v	0.0v	46.2v	0.0v	388.35v
143	Dr JS Rennie	A	73.10v	73.7v	50.4v	46.2v	47.5v	50.1v	0.0v	0.0v	0.0v	49.5v	0.0v	388.34v
144	Miss EJ Nuttall	X	75.12v	73.8v	45.7v	48.4v	48.3v	50.8v	0.0v	0.0v	0.0v	48.5v	0.0v	387.47v
145	Mr GP Perron	X	75.12v	74.9v	48.6v	45.3v	49.6v	49.7v	0.0v	0.0v	0.0v	47.3v	0.0v	387.46v
146	Mr R Kitson	A	75.12v	72.9v	50.8v	50.4v	48.5v	49.4v	0.0v	0.0v	0.0v	43.4v	0.0v	387.46v
147	Mr B Jones	A	75.10v	72.11v	50.6v	47.3v	48.6v	48.4v	0.0v	0.0v	0.0v	47.5v	0.0v	387.45v
148	Mr DA Richardson	X	75.13v	72.9v	49.4v	47.5v	49.5v	49.7v	0.0v	0.0v	0.0v	46.2v	0.0v	387.45v
149	Mr C Rivett-Carnac	X	75.11v	71.8v	48.4v	50.6v	50.7v	49.5v	0.0v	0.0v	0.0v	44.3v	0.0v	387.44v
150	Mr H Sanders	A	74.11v	73.9v	48.5v	50.4v	48.4v	48.5v	0.0v	0.0v	0.0v	46.5v	0.0v	387.43v
151	Mr P Dawes	A	74.7v	72.7v	47.4v	50.6v	47.6v	49.5v	0.0v	0.0v	0.0v	48.6v	0.0v	387.41v
152	Mr AJ Haggerty	O	74.7v	72.7v	48.5v	48.5v	49.5v	49.7v	0.0v	0.0v	0.0v	47.5v	0.0v	387.41v
153	Mr LR Chisholm	A	75.9v	71.3v	48.6v	48.7v	48.5v	49.5v	0.0v	0.0v	0.0v	48.5v	0.0v	387.40v
154	Mr NBS Logan	X	75.11v	74.10v	48.4v	46.2v	48.4v	48.6v	0.0v	0.0v	0.0v	48.3v	0.0v	387.40v
155	Cdt CE Mawson	T	75.10v	71.6v	48.5v	46.4v	50.7v	49.6v	0.0v	0.0v	0.0v	48.2v	0.0v	387.40v
156	Mr TS Smith	O	73.9v	73.6v	50.6v	47.6v	50.5v	47.5v	0.0v	0.0v	0.0v	47.3v	0.0v	387.40v
157	Mr RH Gardiner	O	73.7v	72.7v	50.10v	48.5v	49.7v	48.2v	0.0v	0.0v	0.0v	47.2v	0.0v	387.40v
158	Mr RA Dix	A	75.13v	74.8v	50.6v	47.4v	49.4v	48.3v	0.0v	0.0v	0.0v	44.2v	0.0v	387.40v
159	Mr S Belither	A	75.9v	74.9v	47.6v	49.5v	48.5v	48.3v	0.0v	0.0v	0.0v	46.2v	0.0v	387.39v
160	Mr I T R Jobling	A	74.8v	73.8v	50.7v	46.3v	49.7v	49.5v	0.0v	0.0v	0.0v	46.1v	0.0v	387.39v
161	Prof. MJ Guille	A	74.9v	73.9v	49.4v	47.4v	49.3v	50.7v	0.0v	0.0v	0.0v	45.3v	0.0v	387.39v
162	Mr S Glen	A	75.7v	74.6v	50.7v	47.5v	48.6v	48.6v	0.0v	0.0v	0.0v	45.2v	0.0v	387.39v
163	LCpl JR Dunbar	O	74.8v	72.7v	50.5v	48.3v	47.5v	46.2v	0.0v	0.0v	0.0v	50.7v	0.0v	387.37v
164	Mr R Winney	A	75.8v	72.6v	50.4v	49.6v	48.4v	46.3v	0.0v	0.0v	0.0v	47.4v	0.0v	387.35v
165	F W A Coetzee	X	75.12v	74.10v	48.4v	44.3v	50.10v	50.7v	0.0v	0.0v	0.0v	45.3v	0.0v	386.49v
166	Mr ANR Walker	X	75.9v	75.12v	50.9v	49.5v	46.5v	48.6v	0.0v	0.0v	0.0v	43.3v	0.0v	386.49v
167	Mr M J Ensor	X	74.10v	72.8v	48.7v	50.8v	49.8v	50.6v	0.0v	0.0v	0.0v	43.2v	0.0v	386.49v
168	Mr JA Howard	A	74.11v	73.9v	46.2v	50.10v	48.4v	47.7v	0.0v	0.0v	0.0v	48.5v	0.0v	386.48v
169	Mr ATB Tompson	A	73.12v	73.7v	49.6v	47.5v	49.6v	48.6v	0.0v	0.0v	0.0v	47.6v	0.0v	386.48v
170	Mr MA Kirkillio-Stacewicz	X	75.13v	71.7v	50.7v	47.5v	49.6v	47.4v	0.0v	0.0v	0.0v	47.5v	0.0v	386.47v
171	Mr SNS Penrose	X	74.12v	72.8v	49.5v	50.8v	47.3v	48.7v	0.0v	0.0v	0.0v	46.3v	0.0v	386.46v
172	Major RHG Riley	X	72.9v	72.7v	45.3v	50.9v	48.5v	50.8v	0.0v	0.0v	0.0v	49.3v	0.0v	386.44v
173	Mr S I G Pearson	A	71.9v	74.9v	48.6v	49.5v	49.6v	46.4v	0.0v	0.0v	0.0v	49.3v	0.0v	386.42v
174	Mr PR Bear	A	73.9v	72.6v	48.5v	48.5v	50.8v	50.6v	0.0v	0.0v	0.0v	45.3v	0.0v	386.42v
175	Miss H P McCullough	X	74.9v	73.8v	49.6v	46.4v	49.5v	50.7v	0.0v	0.0v	0.0v	45.3v	0.0v	386.42v
176	Prof. AR Horrocks	X	74.10v	74.10v	49.5v	48.5v	49.5v	49.5v	0.0v	0.0v	0.0v	43.1v	0.0v	386.41v
177	Mr MP Watkins	O	75.11v	70.6v	50.6v	46.2v	49.6v	49.5v	0.0v	0.0v	0.0v	47.4v	0.0v	386.40v
178	Wg. Cdr. RJS Clark	X	74.7v	74.9v	47.4v	48.5v	49.5v	48.6v	0.0v	0.0v	0.0v	46.4v	0.0v	386.40v
179	Mr BMA Stevens	X	75.10v	73.9v	49.6v	48.5v	47.3v	47.4v	0.0v	0.0v	0.0v	47.2v	0.0v	386.39v
180	Mr RAH Vary	X	73.10v	73.6v	49.4v	49.5v	50.9v	48.4v	0.0v	0.0v	0.0v	44.1v	0.0v	386.39v
181	Mr WDH Burden	A	75.8v	73.8v	46.3v	47.5v	48.3v	48.5v	0.0v	0.0v	0.0v	49.6v	0.0v	386.38v
182	Mr J Bullock	X	74.7v	71.6v	49.7v	49.2v	48.7v	47.6v	0.0v	0.0v	0.0v	48.3v	0.0v	386.38v
183	Mr PJ Johnson	X	74.8v	74.7v	48.7v	49.3v	47.4v	47.5v	0.0v	0.0v	0.0v	47.4v	0.0v	386.38v
184	Mr APW Daw	A	74.9v	74.11v	46.4v	50.5v	50.4v	49.4v	0.0v	0.0v	0.0v	43.1v	0.0v	386.38v
185	Mr JM Taylor	A	73.6v	70.6v	47.5v	50.6v	48.3v	49.7v	0.0v	0.0v	0.0v	49.4v	0.0v	386.37v
186	Sac(t) SDJ Glanville	A	72.10v	72.9v	49.5v	47.3v	50.3v	48.3v	0.0v	0.0v	0.0v	48.4v	0.0v	386.37v
187	Mr TAD Lilley	X	73.6v	73.4v	50.6v	49.4v	47.6v	48.6v	0.0v	0.0v	0.0v	46.4v	0.0v	386.36v
188	Mr WR Steward	A	73.9v	74.9v	48.2v	48.5v	49.6v	48.3v	0.0v	0.0v	0.0v	46.2v	0.0v	386.36v
189	Mr RW Hallows	A	75.6v	73.4v	48.7v	49.6v	50.7v	45.3v	0.0v	0.0v	0.0v	46.2v	0.0v	386.35v
190	Mr NJ Atkins	O	72.3v	74.8v	48.7v	48.2v	49.3v	48.4v	0.0v	0.0v	0.0v	47.7v	0.0v	386.34v
191	Mr OJNL Lyon	O	74.5v	75.7v	47.4v	48.4v	50.5v	47.7v	0.0v	0.0v	0.0v	45.2v	0.0v	386.34v
192	Mr CD Heales	A	75.8v	73.8v	48.2v	48.5v	46.0v	50.7v	0.0v	0.0v	0.0v	46.2v	0.0v	386.32v
193	WO1 M Carberry	O	74.6v	73.4v	49.6v	47.5v	46.3v	49.4v	0.0v	0.0v	0.0v	48.3v	0.0v	386.31v
194	Mr NT Davies	O	74.5v	71.8v	48.2v	47.4v	49.3v	49.3v	0.0v	0.0v	0.0v	48.3v	0.0v	386.28v
195	Dr HHG Pollock	X	75.15v	72.7v	49.9v	48.6v	50.7v	42.3v	0.0v	0.0v	0.0v	49.5v	0.0v	385.52v
196	Mr GW Davies	X	74.10v	75.10v	47.7v	49.8v	49.5v	45.5v	0.0v	0.0v	0.0v	46.4v	0.0v	385.49v

197	Miss SP Ward	X	75.10v	71.7v	48.4v	49.8v	50.8v	44.5v	0.0v	0.0v	0.0v	48.5v	0.0v	385.47v
198	Mr GMLN Gilpin	X	72.9v	70.6v	49.7v	49.6v	50.7v	49.7v	0.0v	0.0v	0.0v	46.5v	0.0v	385.47v
199	Mr MR Fugeman	A	73.10v	75.12v	50.6v	47.4v	50.6v	47.3v	0.0v	0.0v	0.0v	43.4v	0.0v	385.45v
200	Mr JEM Bellringer	X	75.10v	72.9v	49.8v	50.7v	46.4v	47.3v	0.0v	0.0v	0.0v	46.3v	0.0v	385.44v
201	Mr M.R. Frost	A	72.12v	74.10v	47.4v	47.6v	50.5v	49.5v	0.0v	0.0v	0.0v	46.2v	0.0v	385.44v
202	Dr C I Johnston	X	72.9v	73.9v	47.4v	48.5v	49.6v	49.3v	0.0v	0.0v	0.0v	47.6v	0.0v	385.42v
203	Mr MJ Purdy	X	74.10v	71.9v	46.5v	50.3v	49.8v	48.5v	0.0v	0.0v	0.0v	47.2v	0.0v	385.42v
204	Miss JE Ouston	O	73.11v	74.10v	49.6v	45.3v	49.4v	49.5v	0.0v	0.0v	0.0v	46.3v	0.0v	385.42v
205	Mr D Adams	X	74.8v	71.7v	49.7v	49.5v	49.6v	48.6v	0.0v	0.0v	0.0v	45.3v	0.0v	385.42v
206	Mr G E Grosskreutz	X	75.10v	72.9v	48.6v	49.5v	48.3v	50.7v	0.0v	0.0v	0.0v	43.2v	0.0v	385.42v
207	Mr R Birtwistle	A	74.7v	74.9v	43.1v	49.7v	50.7v	49.5v	0.0v	0.0v	0.0v	46.4v	0.0v	385.40v
208	Mr DJ Curtis	X	73.7v	74.10v	49.4v	47.4v	49.7v	49.6v	0.0v	0.0v	0.0v	44.2v	0.0v	385.40v
209	Mr RG Faulkner	A	72.9v	72.7v	45.3v	50.5v	48.4v	50.7v	0.0v	0.0v	0.0v	48.4v	0.0v	385.39v
210	Mr CM Brooks	O	74.9v	71.6v	49.4v	48.5v	49.8v	47.3v	0.0v	0.0v	0.0v	47.4v	0.0v	385.39v
211	Mr J Payne	A	74.12v	71.6v	49.3v	49.4v	48.5v	49.7v	0.0v	0.0v	0.0v	45.2v	0.0v	385.39v
212	Mr P Cameron Taylor	O	74.6v	73.10v	46.3v	46.3v	50.7v	49.5v	0.0v	0.0v	0.0v	47.4v	0.0v	385.38v
213	Miss EG Joseph	A	75.10v	72.8v	46.3v	49.5v	49.5v	45.2v	0.0v	0.0v	0.0v	49.4v	0.0v	385.37v
214	Mr JGM Webster	X	74.8v	72.4v	48.3v	45.4v	50.8v	49.5v	0.0v	0.0v	0.0v	47.5v	0.0v	385.37v
215	Mr OP Henry	A	74.9v	74.9v	48.4v	47.2v	47.5v	48.5v	0.0v	0.0v	0.0v	47.3v	0.0v	385.37v
216	Mr GW Robinson	O	74.9v	72.5v	50.5v	48.5v	49.6v	49.5v	0.0v	0.0v	0.0v	43.1v	0.0v	385.36v
217	Miss CJ Dee	X	75.10v	70.5v	48.4v	49.4v	47.3v	49.5v	0.0v	0.0v	0.0v	47.4v	0.0v	385.35v
218	Mr JD Ward	O	73.10v	73.6v	47.2v	46.4v	50.6v	49.3v	0.0v	0.0v	0.0v	47.3v	0.0v	385.34v
219	Mr WP Hanley	O	74.7v	73.7v	48.2v	47.7v	48.4v	49.6v	0.0v	0.0v	0.0v	46.1v	0.0v	385.34v
220	Mr MR Place	O	71.5v	71.8v	50.4v	48.4v	49.4v	49.4v	0.0v	0.0v	0.0v	47.4v	0.0v	385.33v
221	Mr PJ Chance	O	72.7v	74.7v	49.4v	48.3v	47.3v	48.5v	0.0v	0.0v	0.0v	47.3v	0.0v	385.32v
222	Mr TJ Roberts	A	74.8v	73.7v	47.2v	45.3v	50.5v	49.4v	0.0v	0.0v	0.0v	47.2v	0.0v	385.31v
223	Mr M D Joyce	A	74.7v	70.4v	48.3v	48.4v	49.6v	49.6v	0.0v	0.0v	0.0v	47.1v	0.0v	385.31v
224	Mr M Persaud	X	74.7v	75.7v	48.4v	48.2v	47.5v	48.2v	0.0v	0.0v	0.0v	45.2v	0.0v	385.29v
225	Mr AP Smith	O	74.7v	73.5v	46.3v	48.5v	48.2v	48.4v	0.0v	0.0v	0.0v	48.2v	0.0v	385.28v
226	Mr JWE Lothian	X	74.11v	72.7v	48.7v	49.5v	49.8v	49.8v	0.0v	0.0v	0.0v	43.5v	0.0v	384.51v
227	Dr AJ Pilgrim	X	74.12v	74.11v	46.2v	47.5v	49.6v	47.5v	0.0v	0.0v	0.0v	47.5v	0.0v	384.46v
228	Mr RI Nelson	X	74.13v	70.7v	50.7v	43.2v	50.8v	47.5v	0.0v	0.0v	0.0v	50.2v	0.0v	384.44v
229	Cdt C A Evans	A	75.12v	70.6v	46.4v	47.2v	50.7v	49.8v	0.0v	0.0v	0.0v	47.4v	0.0v	384.43v
230	Mr RM Hatcher	A	74.9v	75.11v	49.7v	48.6v	49.4v	47.4v	0.0v	0.0v	0.0v	42.2v	0.0v	384.43v
231	Mr T Drysdale	X	71.8v	74.10v	47.5v	46.4v	49.7v	49.5v	0.0v	0.0v	0.0v	48.3v	0.0v	384.42v
232	Sqn Ldr KP Cressy	A	75.9v	73.10v	48.5v	47.4v	49.7v	46.4v	0.0v	0.0v	0.0v	46.3v	0.0v	384.42v
233	Mr S Harding	X	74.12v	73.6v	47.3v	49.7v	49.4v	48.7v	0.0v	0.0v	0.0v	44.3v	0.0v	384.42v
234	Mr RJ Quay	A	73.11v	73.5v	50.8v	46.4v	49.5v	50.6v	0.0v	0.0v	0.0v	43.2v	0.0v	384.41v
235	Mr CI Cooper	O	74.11v	75.7v	47.6v	46.3v	48.5v	46.3v	0.0v	0.0v	0.0v	48.5v	0.0v	384.40v
236	Mr RJ Coffin	O	73.11v	73.7v	47.5v	47.2v	49.4v	49.5v	0.0v	0.0v	0.0v	46.6v	0.0v	384.40v
237	Mr ORW Russell	O	75.6v	72.9v	48.4v	47.5v	48.6v	48.7v	0.0v	0.0v	0.0v	46.3v	0.0v	384.40v
238	Mr MJ Wood	X	75.7v	72.10v	48.6v	49.5v	49.5v	47.4v	0.0v	0.0v	0.0v	44.3v	0.0v	384.40v
239	Mr MCJ Button	X	74.6v	75.14v	49.3v	47.4v	49.4v	48.5v	0.0v	0.0v	0.0v	42.4v	0.0v	384.40v
240	Mr D Cottrill	A	73.9v	71.8v	46.3v	48.3v	49.7v	50.5v	0.0v	0.0v	0.0v	47.4v	0.0v	384.39v
241	Major JRW Postle	A	71.6v	74.11v	47.5v	50.7v	50.6v	45.1v	0.0v	0.0v	0.0v	47.3v	0.0v	384.39v
242	Mr AM Bullen	A	74.9v	74.10v	49.3v	46.4v	47.3v	50.8v	0.0v	0.0v	0.0v	44.1v	0.0v	384.38v
243	Dr AF Aspin	A	75.7v	69.6v	48.4v	49.6v	47.3v	50.7v	0.0v	0.0v	0.0v	46.3v	0.0v	384.36v
244	Mr IMR Power	A	73.7v	72.6v	49.4v	47.4v	49.4v	49.7v	0.0v	0.0v	0.0v	45.4v	0.0v	384.36v
245	Mr SJ Carson	X	73.4v	73.8v	50.8v	50.8v	45.1v	48.6v	0.0v	0.0v	0.0v	45.1v	0.0v	384.36v
246	Mr MJ MacKeith	X	74.10v	74.3v	46.4v	47.3v	49.6v	49.5v	0.0v	0.0v	0.0v	45.1v	0.0v	384.32v
247	Mr AB Banea	T	73.7v	68.4v	50.5v	48.5v	47.3v	48.3v	0.0v	0.0v	0.0v	50.4v	0.0v	384.31v
248	Mr A Thomson	A	74.9v	72.4v	50.6v	48.3v	48.4v	47.3v	0.0v	0.0v	0.0v	45.2v	0.0v	384.31v
249	Eur Ing C. A. Painting	A	75.11v	73.8v	47.3v	48.7v	46.6v	47.5v	0.0v	0.0v	0.0v	47.7v	0.0v	383.47v
250	Mr C Mallett	A	74.10v	74.8v	47.6v	48.6v	48.6v	46.4v	0.0v	0.0v	0.0v	46.5v	0.0v	383.45v
251	Mr BN Craig	O	75.13v	70.4v	49.7v	50.6v	47.7v	50.6v	0.0v	0.0v	0.0v	42.2v	0.0v	383.45v
252	Miss LR Mckerrell	O	73.9v	70.6v	48.3v	47.5v	50.7v	50.8v	0.0v	0.0v	0.0v	45.5v	0.0v	383.43v
253	Mr RL Johnson	O	72.7v	74.11v	49.8v	44.3v	48.2v	49.6v	0.0v	0.0v	0.0v	47.4v	0.0v	383.41v
254	Mr MJ Brister	X	72.10v	72.7v	50.6v	47.4v	49.7v	48.5v	0.0v	0.0v	0.0v	45.2v	0.0v	383.41v
255	Mr BA Young	X	74.9v	70.7v	47.5v	48.6v	50.5v	47.4v	0.0v	0.0v	0.0v	47.4v	0.0v	383.40v
256	Mr GD Palmer	O	74.11v	71.8v	49.6v	47.3v	49.5v	48.6v	0.0v	0.0v	0.0v	45.1v	0.0v	383.40v
257	Miss HM Taylor	A	74.9v	70.7v	49.5v	48.2v	48.5v	46.5v	0.0v	0.0v	0.0v	48.5v	0.0v	383.38v
258	Mr DJ Rowland	O	74.11v	73.3v	50.5v	43.3v	48.5v	50.8v	0.0v	0.0v	0.0v	45.3v	0.0v	383.38v
259	Mr RAV Hebblethwaite	A	75.13v	74.9v	50.5v	48.2v	49.4v	46.3v	0.0v	0.0v	0.0v	41.2v	0.0v	383.38v
260	Wg. Cdr. MJ Gregory	A	73.7v	71.6v	50.6v	49.6v	46.2v	48.7v	0.0v	0.0v	0.0v	46.3v	0.0v	383.37v
261	Mr IRM Brown	A	72.6v	71.6v	49.6v	48.4v	50.8v	47.4v	0.0v	0.0v	0.0v	46.3v	0.0v	383.37v
262	Mr MJM Black	A	75.11v	69.1v	50.6v	46.3v	47.6v	47.4v	0.0v	0.0v	0.0v	49.5v	0.0v	383.36v
263	B Lottritz	O	73.10v	75.7v	44.4v	47.2v	49.7v	48.2v	0.0v	0.0v	0.0v	47.4v	0.0v	383.36v
264	Capt WF Squires	O	74.8v	72.6v	47.3v	45.4v	50.7v	49.6v	0.0v	0.0v	0.0v	46.2v	0.0v	383.36v
265	Mr SC Williamson	O	73.9v	71.6v	49.6v	48.3v	49.5v	49.4v	0.0v	0.0v	0.0v	44.3v	0.0v	383.36v
266	Mr PJ Chapman-Sheath	X	75.11v	71.8v	50.7v	45.3v	49.2v	50.5v	0.0v	0.0v	0.0v	43.0v	0.0v	383.36v
267	Mr M Cooper	O	75.12v	72.4v	49.5v	43.2v	48.2v	47.6v	0.0v	0.0v	0.0v	49.4v	0.0v	383.35v

268	Mr A Mabon	O	74.8v	71.5v	47.5v	48.6v	48.4v	48.4v	0.0v	0.0v	0.0v	47.3v	0.0v	383.35v
269	Mr PR Coley	A	74.11v	72.5v	48.3v	47.5v	47.5v	48.5v	0.0v	0.0v	0.0v	47.1v	0.0v	383.35v
270	Mr M Lidgitt	A	75.9v	73.3v	48.5v	46.4v	48.5v	47.5v	0.0v	0.0v	0.0v	46.4v	0.0v	383.35v
271	Mr SJ Bissonnette	X	67.6v	74.6v	48.5v	48.5v	49.5v	50.6v	0.0v	0.0v	0.0v	47.1v	0.0v	383.34v
272	Mr HJM Awin	O	74.8v	71.5v	48.5v	48.5v	48.5v	48.3v	0.0v	0.0v	0.0v	46.3v	0.0v	383.34v
273	Dr N Hart	O	74.8v	72.6v	49.4v	48.3v	46.3v	48.5v	0.0v	0.0v	0.0v	46.4v	0.0v	383.33v
274	Mr AJ Horton	O	73.9v	73.9v	48.4v	50.4v	47.5v	44.0v	0.0v	0.0v	0.0v	48.1v	0.0v	383.32v
275	Mr PS Gray	A	74.6v	70.7v	47.4v	48.1v	49.6v	48.6v	0.0v	0.0v	0.0v	47.2v	0.0v	383.32v
276	Mr AJCB de Launay	A	72.9v	72.7v	49.3v	48.4v	49.3v	47.2v	0.0v	0.0v	0.0v	46.4v	0.0v	383.32v
277	Mr JB Hull	X	73.7v	74.8v	49.3v	45.3v	49.3v	50.6v	0.0v	0.0v	0.0v	43.2v	0.0v	383.32v
278	Mr EM Brice	A	73.5v	73.9v	49.6v	46.2v	47.1v	50.8v	0.0v	0.0v	0.0v	45.0v	0.0v	383.31v
279	Mr P Dobell	X	75.8v	75.5v	44.1v	45.3v	47.4v	49.5v	0.0v	0.0v	0.0v	48.3v	0.0v	383.29v
280	Miss TJ Fitzsimons	A	71.4v	71.5v	46.2v	49.5v	50.6v	47.2v	0.0v	0.0v	0.0v	49.4v	0.0v	383.28v
281	Mr NC Granger	A	74.5v	74.6v	50.5v	42.2v	50.5v	47.2v	0.0v	0.0v	0.0v	46.3v	0.0v	383.28v
282	Mr SAJ Dowley	A	71.3v	74.5v	47.5v	46.2v	50.5v	48.5v	0.0v	0.0v	0.0v	47.1v	0.0v	383.26v
283	Mr JDI Hossack	A	71.2v	71.5v	49.5v	46.1v	50.5v	50.6v	0.0v	0.0v	0.0v	46.2v	0.0v	383.26v
284	Mr PGW Purdy	O	75.6v	69.3v	48.4v	46.2v	48.4v	48.2v	0.0v	0.0v	0.0v	49.3v	0.0v	383.24v
285	Mr P Waldron	O	73.8v	68.7v	48.7v	49.6v	48.7v	50.7v	0.0v	0.0v	0.0v	46.1v	0.0v	382.43v
286	Mr HAD Howard	A	75.11v	72.6v	48.7v	47.5v	45.4v	46.4v	0.0v	0.0v	0.0v	49.5v	0.0v	382.42v
287	Mr P De Voil	A	72.10v	72.8v	46.2v	47.4v	49.5v	48.6v	0.0v	0.0v	0.0v	48.7v	0.0v	382.42v
288	Mr SJ Whitby	A	70.6v	73.7v	49.9v	48.6v	47.6v	48.3v	0.0v	0.0v	0.0v	47.5v	0.0v	382.42v
289	Mr NJ Hall	T	73.8v	72.8v	49.8v	45.3v	49.7v	48.4v	0.0v	0.0v	0.0v	46.4v	0.0v	382.42v
290	Mr MH Shaw	A	71.8v	73.6v	47.6v	47.4v	49.6v	49.7v	0.0v	0.0v	0.0v	46.4v	0.0v	382.41v
291	Mr WHC Alexander	O	75.9v	73.8v	48.7v	48.6v	46.5v	47.2v	0.0v	0.0v	0.0v	45.4v	0.0v	382.41v
292	Mr P Goubert	O	72.8v	74.9v	48.5v	47.5v	49.6v	49.6v	0.0v	0.0v	0.0v	43.0v	0.0v	382.39v
293	Mr LT Wicker	X	73.10v	70.5v	48.6v	47.5v	48.3v	49.7v	0.0v	0.0v	0.0v	47.2v	0.0v	382.38v
294	Mr MR Ebbetts	O	74.10v	72.4v	45.2v	47.6v	48.7v	50.6v	0.0v	0.0v	0.0v	46.3v	0.0v	382.38v
295	Mrs GC O'Leary	O	74.9v	71.7v	48.5v	48.2v	48.5v	48.6v	0.0v	0.0v	0.0v	45.4v	0.0v	382.38v
296	Mr AK Katona	X	73.9v	71.7v	48.6v	48.4v	49.6v	49.4v	0.0v	0.0v	0.0v	44.2v	0.0v	382.38v
297	Dr CW Freeman	O	75.10v	72.7v	47.4v	50.5v	48.4v	47.6v	0.0v	0.0v	0.0v	43.2v	0.0v	382.38v
298	Mr WA Langley	O	74.10v	72.10v	48.3v	47.5v	49.5v	49.3v	0.0v	0.0v	0.0v	43.2v	0.0v	382.38v
299	Mr AI Brown	O	71.10v	72.5v	47.6v	46.3v	49.3v	48.5v	0.0v	0.0v	0.0v	49.4v	0.0v	382.36v
300	Mr MJ Creber	O	74.8v	72.8v	49.6v	45.2v	50.3v	47.7v	0.0v	0.0v	0.0v	45.2v	0.0v	382.36v
301	Mr PD Griggs	X	75.10v	71.8v	50.3v	47.3v	48.5v	43.3v	0.0v	0.0v	0.0v	48.3v	0.0v	382.35v
302	Mr C Mitchell	O	73.5v	73.11v	46.3v	47.4v	50.7v	48.3v	0.0v	0.0v	0.0v	45.2v	0.0v	382.35v
303	Mr T Horrocks	O	74.6v	73.7v	45.2v	49.4v	49.8v	48.2v	0.0v	0.0v	0.0v	44.3v	0.0v	382.32v
304	Mr NJ Burnip	O	68.4v	73.7v	49.4v	50.4v	47.4v	48.4v	0.0v	0.0v	0.0v	47.4v	0.0v	382.31v
305	Mr JPL Sweet	X	74.9v	72.7v	47.2v	47.4v	47.2v	48.4v	0.0v	0.0v	0.0v	47.3v	0.0v	382.31v
306	Mr JDJ Webber	O	73.8v	71.6v	50.9v	49.4v	48.3v	44.1v	0.0v	0.0v	0.0v	47.0v	0.0v	382.31v
307	Mr AG Mitchell	X	72.5v	73.5v	49.5v	46.3v	49.5v	48.6v	0.0v	0.0v	0.0v	45.1v	0.0v	382.30v
308	Mr CP Goad	O	74.6v	69.4v	49.2v	47.5v	50.5v	50.7v	0.0v	0.0v	0.0v	43.1v	0.0v	382.30v
309	Mr JR Stirland	O	73.7v	72.7v	49.5v	46.3v	48.1v	49.5v	0.0v	0.0v	0.0v	45.1v	0.0v	382.29v
310	Miss HA Pugsley-Pearse	O	74.11v	74.11v	47.4v	44.4v	49.6v	49.7v	0.0v	0.0v	0.0v	44.4v	0.0v	381.47v
311	Lt. Col. AJW Sturrock	A	72.9v	70.4v	49.5v	50.10v	47.3v	48.8v	0.0v	0.0v	0.0v	45.5v	0.0v	381.44v
312	Mr RW Shaw	A	74.12v	74.11v	47.5v	45.1v	50.6v	45.5v	0.0v	0.0v	0.0v	46.2v	0.0v	381.42v
313	R Kligge	O	75.6v	73.10v	45.3v	45.5v	49.7v	49.6v	0.0v	0.0v	0.0v	45.5v	0.0v	381.42v
314	Mr WJ Rowland	A	74.9v	73.8v	46.3v	50.7v	48.5v	49.9v	0.0v	0.0v	0.0v	41.1v	0.0v	381.42v
315	Mr MF Boucher	T	69.9v	72.5v	49.9v	48.6v	49.5v	48.4v	0.0v	0.0v	0.0v	46.3v	0.0v	381.41v
316	Mr CC Mallett Jnr	A	75.10v	74.13v	48.6v	46.4v	48.5v	46.2v	0.0v	0.0v	0.0v	44.1v	0.0v	381.41v
317	Sgt J Wallace	A	73.10v	73.7v	46.3v	47.3v	49.5v	47.6v	0.0v	0.0v	0.0v	46.5v	0.0v	381.39v
318	Mr A Chown	A	74.9v	74.7v	48.6v	46.3v	48.5v	48.4v	0.0v	0.0v	0.0v	43.5v	0.0v	381.39v
319	Mr SJ Comins	O	73.10v	67.2v	48.5v	50.6v	48.6v	49.6v	0.0v	0.0v	0.0v	46.3v	0.0v	381.38v
320	Mr G Williams	O	74.10v	70.6v	49.5v	46.4v	50.7v	47.2v	0.0v	0.0v	0.0v	45.4v	0.0v	381.38v
321	Cdt A D Partridge	O	75.12v	73.9v	48.2v	45.3v	49.5v	48.4v	0.0v	0.0v	0.0v	43.2v	0.0v	381.37v
322	Mr BDW Parsons	O	74.8v	68.4v	48.5v	47.4v	48.5v	49.6v	0.0v	0.0v	0.0v	47.4v	0.0v	381.36v
323	Mr SL Lévesque	T	72.5v	72.7v	48.5v	45.2v	49.7v	49.7v	0.0v	0.0v	0.0v	46.3v	0.0v	381.36v
324	Mr GAE Larcombe	O	74.10v	72.7v	46.2v	48.4v	49.5v	46.6v	0.0v	0.0v	0.0v	46.2v	0.0v	381.36v
325	Mr RJ Waters	A	75.13v	69.2v	50.3v	47.7v	49.4v	49.5v	0.0v	0.0v	0.0v	42.2v	0.0v	381.36v
326	Mr A Wilson	O	73.9v	71.4v	46.2v	46.4v	50.6v	48.5v	0.0v	0.0v	0.0v	47.5v	0.0v	381.35v
327	Mrs RMS Merridew	O	72.7v	73.7v	48.4v	43.1v	48.8v	50.5v	0.0v	0.0v	0.0v	47.2v	0.0v	381.34v
328	Miss AR Southall	T	73.11v	73.4v	50.2v	46.5v	49.5v	48.4v	0.0v	0.0v	0.0v	42.3v	0.0v	381.34v
329	Mrs JE Dickson	O	75.7v	70.6v	49.3v	45.1v	49.7v	48.4v	0.0v	0.0v	0.0v	45.5v	0.0v	381.33v
330	Mr JC Evans	A	75.11v	72.4v	46.3v	50.6v	49.6v	46.1v	0.0v	0.0v	0.0v	43.2v	0.0v	381.33v
331	Mr KM Willingale	A	73.9v	71.7v	47.3v	46.3v	49.3v	48.5v	0.0v	0.0v	0.0v	47.2v	0.0v	381.32v
332	Mr GW Clarke	A	74.7v	70.8v	47.2v	50.7v	49.3v	45.4v	0.0v	0.0v	0.0v	46.1v	0.0v	381.32v
333	Mr BV Cambray	A	70.2v	74.12v	44.1v	49.5v	48.4v	49.3v	0.0v	0.0v	0.0v	47.4v	0.0v	381.31v
334	Mr TP Hammond	A	73.5v	73.7v	48.3v	49.7v	47.2v	48.5v	0.0v	0.0v	0.0v	43.2v	0.0v	381.31v
335	Mr JR Dodd	O	72.4v	72.8v	47.3v	49.5v	49.5v	49.6v	0.0v	0.0v	0.0v	43.0v	0.0v	381.31v
336	Mr B Taylor	O	74.4v	70.5v	48.1v	46.6v	49.7v	48.3v	0.0v	0.0v	0.0v	46.4v	0.0v	381.30v
337	Mr HWR Gilbert	O	74.8v	71.5v	47.3v	48.5v	49.4v	46.4v	0.0v	0.0v	0.0v	46.1v	0.0v	381.30v
338	Mr A Coakes	O	72.10v	70.6v	48.5v	49.6v	47.5v	47.7v	0.0v	0.0v	0.0v	47.5v	0.0v	380.44v

339	Mr GED Hart	O	74.10v	71.9v	48.5v	46.4v	47.3v	49.7v	0.0v	0.0v	0.0v	45.4v	0.0v	380.42v
340	Miss SIM Anderson	O	75.8v	71.7v	49.6v	48.4v	45.8v	48.5v	0.0v	0.0v	0.0v	44.3v	0.0v	380.41v
341	Mr MM Moore	O	73.9v	72.9v	45.2v	48.4v	50.7v	49.5v	0.0v	0.0v	0.0v	43.4v	0.0v	380.40v
342	Mrs MM Norman	A	74.11v	73.7v	45.4v	49.6v	49.6v	48.4v	0.0v	0.0v	0.0v	42.2v	0.0v	380.40v
343	Mr JR Lindsay	O	74.11v	72.5v	49.5v	44.2v	48.4v	47.5v	0.0v	0.0v	0.0v	46.6v	0.0v	380.38v
344	Mr JR Davies	X	73.10v	74.12v	46.2v	46.3v	50.8v	46.3v	0.0v	0.0v	0.0v	45.0v	0.0v	380.38v
345	Flt. Lt. CM Fopp	O	74.12v	72.7v	48.5v	49.4v	46.6v	47.2v	0.0v	0.0v	0.0v	44.2v	0.0v	380.38v
346	Mr JFJ Bryson	O	71.7v	73.8v	46.3v	47.4v	50.7v	49.7v	0.0v	0.0v	0.0v	44.1v	0.0v	380.37v
347	Mr M Liversage	O	75.10v	68.4v	48.5v	44.2v	50.7v	50.7v	0.0v	0.0v	0.0v	45.1v	0.0v	380.36v
348	Mr DCW Lloyd	O	75.7v	71.7v	49.4v	50.4v	50.6v	43.6v	0.0v	0.0v	0.0v	42.2v	0.0v	380.36v
349	Mr W Briggs	O	74.6v	74.8v	48.4v	47.4v	49.7v	45.4v	0.0v	0.0v	0.0v	43.2v	0.0v	380.35v
350	Mr TJ Brooking	A	72.5v	70.6v	49.5v	47.4v	48.5v	48.4v	0.0v	0.0v	0.0v	46.5v	0.0v	380.34v
351	Mr TF Fielder	T	70.5v	74.9v	48.3v	48.6v	48.6v	47.3v	0.0v	0.0v	0.0v	45.2v	0.0v	380.34v
352	Mr R I Coventry	O	72.7v	74.8v	48.5v	47.4v	45.4v	49.4v	0.0v	0.0v	0.0v	45.2v	0.0v	380.34v
353	Mr RC Copeland	O	74.8v	72.9v	45.3v	47.3v	50.6v	46.3v	0.0v	0.0v	0.0v	46.1v	0.0v	380.33v
354	Mr CB Cotillard	A	72.7v	74.6v	50.5v	46.4v	48.4v	49.4v	0.0v	0.0v	0.0v	41.2v	0.0v	380.32v
355	U Solzer	O	72.4v	70.7v	47.2v	48.5v	50.7v	47.5v	0.0v	0.0v	0.0v	46.0v	0.0v	380.30v
356	Mr D Hanson	O	74.9v	72.4v	48.3v	48.5v	47.1v	49.4v	0.0v	0.0v	0.0v	42.1v	0.0v	380.27v
357	Miss HA Foster	A	74.5v	72.5v	47.3v	47.2v	49.6v	46.1v	0.0v	0.0v	0.0v	45.3v	0.0v	380.25v
358	Miss D O'Kelly	A	75.13v	73.7v	47.3v	41.2v	47.7v	49.7v	0.0v	0.0v	0.0v	47.3v	0.0v	379.42v
359	Dr KW Genders	O	73.7v	74.12v	45.3v	45.5v	47.3v	49.6v	0.0v	0.0v	0.0v	46.5v	0.0v	379.41v
360	Mr IF Luckman	A	74.12v	70.7v	47.6v	48.5v	49.5v	44.1v	0.0v	0.0v	0.0v	47.4v	0.0v	379.40v
361	Mr SH Cox	X	71.8v	75.11v	48.4v	48.5v	50.8v	45.2v	0.0v	0.0v	0.0v	42.2v	0.0v	379.40v
362	Mr SW Maris	O	72.10v	73.8v	49.5v	44.2v	49.6v	49.5v	0.0v	0.0v	0.0v	43.3v	0.0v	379.39v
363	Mr NW Penn	A	74.8v	69.3v	48.6v	49.7v	50.6v	46.6v	0.0v	0.0v	0.0v	43.1v	0.0v	379.37v
364	Cdt O G Graziosi	T	73.10v	73.6v	46.3v	48.5v	49.6v	47.6v	0.0v	0.0v	0.0v	43.1v	0.0v	379.37v
365	Mr HGM Mooiman	O	74.10v	73.7v	45.6v	46.1v	49.5v	48.6v	0.0v	0.0v	0.0v	44.1v	0.0v	379.36v
366	Mr AGH Van Koetsveld	A	71.6v	72.10v	48.6v	48.4v	49.5v	48.3v	0.0v	0.0v	0.0v	43.2v	0.0v	379.36v
367	Mr RA Mullin	A	75.8v	73.9v	41.2v	48.5v	49.5v	47.1v	0.0v	0.0v	0.0v	46.5v	0.0v	379.35v
368	Dr J Mehta	O	72.4v	72.6v	45.2v	47.6v	49.9v	49.6v	0.0v	0.0v	0.0v	45.2v	0.0v	379.35v
369	Mr ML Cotillard	A	72.9v	73.5v	49.6v	50.6v	45.4v	46.3v	0.0v	0.0v	0.0v	44.2v	0.0v	379.35v
370	Mr JP Barry	O	71.4v	71.7v	48.5v	44.2v	48.5v	48.5v	0.0v	0.0v	0.0v	49.6v	0.0v	379.34v
371	FS RW Smith	O	71.5v	73.8v	46.4v	46.4v	48.7v	46.1v	0.0v	0.0v	0.0v	49.5v	0.0v	379.34v
372	Mr CRF Leather	O	73.6v	72.9v	44.4v	48.5v	48.5v	49.4v	0.0v	0.0v	0.0v	45.1v	0.0v	379.34v
373	Mr JMG Redman	O	73.4v	72.7v	48.4v	48.5v	48.4v	48.4v	0.0v	0.0v	0.0v	42.6v	0.0v	379.34v
374	Mr I Hindshaw	O	74.10v	71.6v	48.1v	47.4v	50.8v	46.2v	0.0v	0.0v	0.0v	43.2v	0.0v	379.33v
375	Cdt Sgt T Matthewson	T	72.8v	74.11v	48.5v	48.2v	47.2v	49.4v	0.0v	0.0v	0.0v	41.1v	0.0v	379.33v
376	Mr TL Bedwell	O	72.6v	72.11v	48.5v	48.4v	48.3v	43.0v	0.0v	0.0v	0.0v	48.3v	0.0v	379.32v
377	Mr GRP Shapland	O	72.5v	73.6v	48.3v	46.5v	49.6v	47.4v	0.0v	0.0v	0.0v	44.3v	0.0v	379.32v
378	Mr RA Welford	O	75.9v	73.6v	47.4v	45.3v	46.3v	49.6v	0.0v	0.0v	0.0v	44.1v	0.0v	379.32v
379	Mr MJLA Landreville	O	73.8v	72.7v	50.5v	46.2v	46.3v	47.4v	0.0v	0.0v	0.0v	45.1v	0.0v	379.30v
380	Cadet OS Marshall	O	74.9v	72.5v	46.2v	45.3v	47.5v	48.2v	0.0v	0.0v	0.0v	47.3v	0.0v	379.29v
381	Mr AK Fitch	O	71.6v	71.5v	49.5v	47.4v	48.3v	46.2v	0.0v	0.0v	0.0v	47.3v	0.0v	379.28v
382	Mr ZCY Cheung	O	73.6v	72.5v	48.5v	46.3v	48.3v	47.4v	0.0v	0.0v	0.0v	45.2v	0.0v	379.28v
383	Mr DMJ Coutts	A	74.13v	73.10v	48.7v	45.3v	45.3v	46.4v	0.0v	0.0v	0.0v	47.3v	0.0v	378.43v
384	Capt BW Yarmoshuk	X	74.12v	72.6v	48.5v	43.5v	48.6v	48.6v	0.0v	0.0v	0.0v	45.3v	0.0v	378.43v
385	Mr PG Oxnam	A	74.9v	74.9v	48.7v	44.2v	47.5v	48.6v	0.0v	0.0v	0.0v	43.2v	0.0v	378.40v
386	FSgt Cdt L A Sutton	O	75.14v	71.5v	46.5v	46.3v	46.2v	48.5v	0.0v	0.0v	0.0v	46.3v	0.0v	378.37v
387	Mr MTJ Downes	T	74.11v	73.6v	47.4v	48.6v	47.3v	48.5v	0.0v	0.0v	0.0v	41.2v	0.0v	378.37v
388	Mr DJ Tracey	A	70.4v	70.6v	47.5v	44.3v	49.8v	49.4v	0.0v	0.0v	0.0v	49.6v	0.0v	378.36v
389	Mr RMR Stearn	O	73.8v	72.7v	47.5v	44.2v	47.4v	49.7v	0.0v	0.0v	0.0v	46.3v	0.0v	378.36v
390	Flt Lt M R Leyman	O	74.6v	73.12v	49.4v	41.1v	49.8v	46.3v	0.0v	0.0v	0.0v	46.2v	0.0v	378.36v
391	O/Cdt BA Boyle	A	73.6v	73.9v	47.4v	47.3v	49.7v	48.4v	0.0v	0.0v	0.0v	41.1v	0.0v	378.34v
392	Mr JE White	O	72.5v	72.4v	48.4v	48.7v	49.5v	42.3v	0.0v	0.0v	0.0v	47.5v	0.0v	378.33v
393	Mr D Lowe	X	71.6v	71.8v	45.2v	49.3v	48.6v	48.5v	0.0v	0.0v	0.0v	46.3v	0.0v	378.33v
394	Mr CJ Sherratt	O	75.12v	68.2v	50.7v	48.3v	43.1v	49.5v	0.0v	0.0v	0.0v	45.2v	0.0v	378.32v
395	Mr RA Jobson	A	73.5v	72.5v	45.5v	43.2v	48.5v	49.4v	0.0v	0.0v	0.0v	48.5v	0.0v	378.31v
396	Sgt R P F Fagan	O	72.6v	73.5v	49.3v	43.3v	49.6v	46.5v	0.0v	0.0v	0.0v	46.3v	0.0v	378.31v
397	Mr MP Mann	T	71.10v	69.5v	49.3v	48.4v	48.3v	48.3v	0.0v	0.0v	0.0v	45.3v	0.0v	378.31v
398	Lt. Col. CST Lehmann	O	72.9v	72.7v	47.3v	49.4v	48.5v	45.2v	0.0v	0.0v	0.0v	45.1v	0.0v	378.31v
399	Mr RF Barrington	O	73.8v	73.7v	50.5v	47.3v	48.6v	46.2v	0.0v	0.0v	0.0v	41.0v	0.0v	378.31v
400	Mr R A Webb	O	72.6v	67.5v	47.2v	50.4v	48.6v	47.3v	0.0v	0.0v	0.0v	47.4v	0.0v	378.30v
401	Mr SE Frost	X	75.8v	70.6v	48.4v	45.3v	46.3v	47.5v	0.0v	0.0v	0.0v	47.1v	0.0v	378.30v
402	Miss SL Hayes	O	73.9v	70.4v	47.1v	45.4v	50.5v	46.5v	0.0v	0.0v	0.0v	47.1v	0.0v	378.29v
403	Mr AG Harrison	O	74.4v	72.5v	47.4v	46.4v	47.3v	44.2v	0.0v	0.0v	0.0v	48.6v	0.0v	378.28v
404	Mr ID Markwell	O	71.7v	67.3v	50.5v	46.3v	46.3v	50.3v	0.0v	0.0v	0.0v	48.4v	0.0v	378.28v
405	Mr DQM Harvey	O	72.4v	71.4v	46.3v	49.6v	49.6v	48.3v	0.0v	0.0v	0.0v	43.1v	0.0v	378.27v
406	Miss JC Melling	T	75.13v	72.9v	49.5v	43.4v	47.6v	47.5v	0.0v	0.0v	0.0v	44.4v	0.0v	377.46v
407	Mr RA Benest	X	69.14v	73.8v	47.5v	45.3v	50.9v	48.4v	0.0v	0.0v	0.0v	45.2v	0.0v	377.45v
408	Wg. Cdr. CR Smith	O	74.11v	65.6v	47.3v	48.6v	49.6v	47.4v	0.0v	0.0v	0.0v	47.3v	0.0v	377.39v
409	Mr WLL Lewis	A	73.9v	73.7v	49.7v	41.3v	47.4v	50.6v	0.0v	0.0v	0.0v	44.3v	0.0v	377.39v

410	Mr RJR Mott	A	74.8v	74.11v	47.4v	45.3v	47.3v	45.4v	0.0v	0.0v	0.0v	45.5v	0.0v	377.38v
411	Dr BJ Winney	O	75.12v	67.4v	48.5v	47.7v	48.5v	47.3v	0.0v	0.0v	0.0v	45.2v	0.0v	377.38v
412	Mr TEO Richards	O	71.5v	73.8v	44.3v	48.5v	48.8v	47.4v	0.0v	0.0v	0.0v	46.3v	0.0v	377.36v
413	Mr RCQ Martin	X	73.8v	71.5v	48.6v	45.4v	49.5v	46.5v	0.0v	0.0v	0.0v	45.2v	0.0v	377.35v
414	Mr MT Dodd	O	72.7v	72.9v	46.4v	48.3v	48.6v	47.3v	0.0v	0.0v	0.0v	44.3v	0.0v	377.35v
415	Mr JD Badman	T	72.8v	67.5v	48.3v	47.7v	46.2v	49.5v	0.0v	0.0v	0.0v	48.4v	0.0v	377.34v
416	Mr MG Reid	O	73.6v	72.8v	47.3v	48.3v	44.4v	49.5v	0.0v	0.0v	0.0v	44.5v	0.0v	377.34v
417	Mr IR Thomson	O	71.7v	71.5v	47.3v	48.4v	48.6v	45.3v	0.0v	0.0v	0.0v	47.5v	0.0v	377.33v
418	Mr RG Best	X	74.11v	69.6v	48.2v	44.3v	49.5v	47.3v	0.0v	0.0v	0.0v	46.3v	0.0v	377.33v
419	Mr DH Allen	O	70.5v	70.6v	47.5v	48.5v	48.3v	49.6v	0.0v	0.0v	0.0v	45.2v	0.0v	377.32v
420	Mr S R Sharma	T	73.9v	74.8v	50.5v	45.2v	47.2v	49.6v	0.0v	0.0v	0.0v	39.0v	0.0v	377.32v
421	Mr CG Dickson	O	73.11v	72.4v	48.5v	45.2v	47.3v	46.2v	0.0v	0.0v	0.0v	46.4v	0.0v	377.31v
422	Sgt S P Ireson	T	70.6v	71.4v	49.3v	49.5v	48.5v	46.4v	0.0v	0.0v	0.0v	44.3v	0.0v	377.30v
423	Mr GH Porter	O	71.5v	72.8v	47.5v	48.2v	48.2v	47.5v	0.0v	0.0v	0.0v	44.2v	0.0v	377.29v
424	Mr BGM Mulvey	T	72.6v	72.3v	46.5v	44.3v	48.5v	48.3v	0.0v	0.0v	0.0v	47.3v	0.0v	377.28v
425	Mr AP Powell	O	72.5v	70.3v	50.6v	46.3v	47.3v	48.6v	0.0v	0.0v	0.0v	44.1v	0.0v	377.27v
426	Mr AS Fraser	A	74.6v	74.10v	45.1v	43.1v	49.3v	49.4v	0.0v	0.0v	0.0v	43.2v	0.0v	377.27v
427	Mr AI Lawrie	O	73.9v	73.7v	45.6v	45.4v	47.7v	46.4v	0.0v	0.0v	0.0v	47.4v	0.0v	376.41v
428	Miss RJA Argo	O	73.7v	73.10v	48.7v	44.4v	46.2v	47.6v	0.0v	0.0v	0.0v	45.2v	0.0v	376.38v
429	Mr J Dunn	O	71.7v	70.7v	49.6v	48.5v	47.6v	47.3v	0.0v	0.0v	0.0v	44.3v	0.0v	376.37v
430	Mr J A Garnett	O	74.9v	72.10v	47.4v	44.4v	47.4v	48.4v	0.0v	0.0v	0.0v	44.1v	0.0v	376.36v
431	Miss GE Coburn	O	74.11v	72.3v	46.6v	44.2v	47.7v	49.6v	0.0v	0.0v	0.0v	44.1v	0.0v	376.36v
432	Mr CES Dickenson	A	74.12v	64.2v	47.3v	48.7v	49.2v	48.4v	0.0v	0.0v	0.0v	46.5v	0.0v	376.35v
433	Mr MJJ Charlton	A	69.5v	70.8v	49.7v	49.4v	47.4v	46.4v	0.0v	0.0v	0.0v	46.3v	0.0v	376.35v
434	Mr R Kloosterman	A	74.11v	74.6v	49.5v	45.6v	47.3v	44.2v	0.0v	0.0v	0.0v	43.2v	0.0v	376.35v
435	Mr GC Baylis	A	73.7v	73.8v	48.3v	43.2v	48.5v	48.6v	0.0v	0.0v	0.0v	43.2v	0.0v	376.33v
436	Mr GM Overton	O	72.6v	71.5v	48.6v	44.3v	47.4v	49.5v	0.0v	0.0v	0.0v	45.3v	0.0v	376.32v
437	Mr ID Macdonald	O	70.5v	74.8v	45.1v	47.4v	50.7v	44.4v	0.0v	0.0v	0.0v	46.2v	0.0v	376.31v
438	Mr J Thompstone	O	73.6v	71.6v	49.5v	45.2v	47.2v	46.4v	0.0v	0.0v	0.0v	45.6v	0.0v	376.31v
439	Mr LW Belton	O	74.9v	70.3v	44.2v	47.3v	49.6v	47.4v	0.0v	0.0v	0.0v	45.4v	0.0v	376.31v
440	Mr TA French	O	73.7v	71.8v	42.0v	45.2v	50.4v	47.3v	0.0v	0.0v	0.0v	48.6v	0.0v	376.30v
441	Mr HT-H Tancred-Holmes	T	73.10v	69.7v	43.0v	47.3v	48.4v	48.3v	0.0v	0.0v	0.0v	48.3v	0.0v	376.30v
442	Mr ISL Dampney	X	73.10v	73.7v	45.0v	48.3v	48.7v	48.2v	0.0v	0.0v	0.0v	41.1v	0.0v	376.30v
443	Mr G Trembath	A	72.5v	70.5v	47.4v	47.4v	47.2v	47.4v	0.0v	0.0v	0.0v	46.5v	0.0v	376.29v
444	Mr DEM Matthews	T	73.6v	74.8v	48.2v	45.2v	46.4v	45.3v	0.0v	0.0v	0.0v	45.3v	0.0v	376.28v
445	Mrs T Newbold	A	73.11v	67.5v	44.0v	49.0v	50.8v	49.3v	0.0v	0.0v	0.0v	44.1v	0.0v	376.28v
446	Dr MW Wrigley	A	72.8v	74.7v	46.1v	47.1v	48.6v	46.2v	0.0v	0.0v	0.0v	43.1v	0.0v	376.26v
447	Mr NC Beesley	O	68.7v	73.10v	47.6v	46.3v	48.4v	48.5v	0.0v	0.0v	0.0v	45.5v	0.0v	375.40v
448	Mr PWG Glen	T	75.11v	69.5v	48.7v	41.2v	49.5v	47.2v	0.0v	0.0v	0.0v	46.4v	0.0v	375.36v
449	Lt. Col. FC Sykes	O	74.11v	72.6v	46.3v	47.4v	46.5v	45.4v	0.0v	0.0v	0.0v	45.3v	0.0v	375.36v
450	Cdt B R Fraser-Burn	T	74.8v	70.10v	50.4v	43.3v	49.5v	48.6v	0.0v	0.0v	0.0v	41.0v	0.0v	375.36v
451	Mr PJ Carr	T	73.9v	73.6v	49.7v	46.4v	48.6v	44.2v	0.0v	0.0v	0.0v	42.1v	0.0v	375.35v
452	Mr DA Smith	O	73.5v	68.6v	46.5v	47.5v	48.6v	47.3v	0.0v	0.0v	0.0v	46.4v	0.0v	375.34v
453	Mr PJS Bysshe	O	73.9v	70.5v	48.5v	47.4v	47.3v	44.4v	0.0v	0.0v	0.0v	46.4v	0.0v	375.34v
454	Mr DL Wiles	O	72.9v	71.3v	48.6v	46.3v	47.4v	49.6v	0.0v	0.0v	0.0v	42.2v	0.0v	375.33v
455	Mr DJ Painting	O	72.8v	64.1v	50.6v	46.3v	48.5v	47.5v	0.0v	0.0v	0.0v	48.4v	0.0v	375.32v
456	Mr JRJ Kennedy	O	71.8v	73.8v	46.3v	49.6v	47.2v	46.5v	0.0v	0.0v	0.0v	43.0v	0.0v	375.32v
457	Mr V Robertshaw	O	73.7v	70.7v	45.2v	46.3v	48.6v	48.3v	0.0v	0.0v	0.0v	45.3v	0.0v	375.31v
458	Mr SP O'Brien	O	73.8v	71.6v	45.4v	47.3v	49.7v	45.1v	0.0v	0.0v	0.0v	45.2v	0.0v	375.31v
459	Mr BT Thebeau	T	75.8v	70.6v	50.5v	42.3v	45.3v	49.5v	0.0v	0.0v	0.0v	44.1v	0.0v	375.31v
460	Mr PR Sirett	O	71.6v	71.6v	48.3v	47.4v	46.3v	46.4v	0.0v	0.0v	0.0v	46.3v	0.0v	375.29v
461	Mr AJB Brennan	T	72.5v	73.5v	48.6v	43.2v	50.6v	46.3v	0.0v	0.0v	0.0v	43.2v	0.0v	375.29v
462	Ms CH Hearn	O	74.11v	72.4v	47.4v	45.2v	47.2v	48.4v	0.0v	0.0v	0.0v	42.1v	0.0v	375.28v
463	Mr LMDC Cheek	T	73.6v	70.5v	48.4v	44.2v	48.2v	44.2v	0.0v	0.0v	0.0v	48.5v	0.0v	375.26v
464	Ms BM Moore	O	74.7v	72.6v	46.0v	47.3v	44.2v	47.5v	0.0v	0.0v	0.0v	45.1v	0.0v	375.24v
465	Mr K Todd MBE	O	72.7v	71.7v	45.3v	44.3v	49.5v	48.7v	0.0v	0.0v	0.0v	45.4v	0.0v	374.36v
466	Mr TH Emck	O	74.9v	69.7v	48.3v	42.2v	47.4v	47.5v	0.0v	0.0v	0.0v	47.5v	0.0v	374.35v
467	Sgt GM Irish	O	73.8v	70.6v	49.7v	40.1v	47.4v	49.7v	0.0v	0.0v	0.0v	46.2v	0.0v	374.35v
468	Mr CJ Fullerton	O	72.7v	71.5v	46.7v	44.3v	47.4v	49.6v	0.0v	0.0v	0.0v	45.2v	0.0v	374.34v
469	Mr T J Bullock	O	73.5v	71.7v	47.4v	43.2v	49.7v	48.6v	0.0v	0.0v	0.0v	43.3v	0.0v	374.34v
470	Mr N Meintjes	O	73.7v	69.6v	47.3v	41.3v	48.6v	48.2v	0.0v	0.0v	0.0v	48.5v	0.0v	374.32v
471	Mr JAT Taylor	T	74.5v	69.6v	46.3v	43.3v	50.4v	46.5v	0.0v	0.0v	0.0v	46.6v	0.0v	374.32v
472	Mr DN Webber	O	71.7v	67.6v	48.3v	48.5v	46.4v	50.5v	0.0v	0.0v	0.0v	44.2v	0.0v	374.32v
473	Lt JW Jenkins	X	73.8v	72.9v	45.3v	43.3v	48.2v	49.4v	0.0v	0.0v	0.0v	44.2v	0.0v	374.31v
474	LCpl S A Hill	T	74.6v	70.9v	47.3v	49.5v	50.4v	45.2v	0.0v	0.0v	0.0v	39.2v	0.0v	374.31v
475	Mr DS Goodwin	O	71.6v	71.5v	46.5v	45.2v	48.5v	47.5v	0.0v	0.0v	0.0v	46.1v	0.0v	374.29v
476	Mr RF Burden	O	73.6v	67.2v	45.4v	47.3v	47.7v	50.3v	0.0v	0.0v	0.0v	45.4v	0.0v	374.29v
477	Mr MT Lehmann	T	74.11v	67.2v	48.4v	45.2v	46.3v	47.4v	0.0v	0.0v	0.0v	47.2v	0.0v	374.28v
478	Mr SB-M Brewer-Marchant	T	72.6v	70.6v	46.3v	46.1v	47.2v	48.8v	0.0v	0.0v	0.0v	45.2v	0.0v	374.28v
479	Mr TSM Gordon	O	71.6v	70.5v	46.3v	47.4v	47.2v	49.6v	0.0v	0.0v	0.0v	44.2v	0.0v	374.28v
480	Mr DR Niblett	O	73.9v	74.6v	49.5v	46.2v	45.3v	45.2v	0.0v	0.0v	0.0v	42.1v	0.0v	374.28v

481	Mr JS Chapman	X	69.5v	71.4v	44.2v	50.5v	45.3v	48.5v	0.0v	0.0v	0.0v	47.1v	0.0v	374.25v
482	Mr CBW Wilcox	T	75.11v	74.14v	44.3v	40.2v	48.4v	49.6v	0.0v	0.0v	0.0v	43.4v	0.0v	373.44v
483	Mr DN Lindsay	A	72.9v	73.8v	47.5v	49.6v	47.3v	46.3v	0.0v	0.0v	0.0v	39.3v	0.0v	373.37v
484	Mr RN Stebbings	A	74.12v	71.7v	46.2v	46.4v	46.3v	46.5v	0.0v	0.0v	0.0v	44.3v	0.0v	373.36v
485	Mr GL Clarke	O	70.4v	71.7v	44.2v	49.5v	47.8v	44.3v	0.0v	0.0v	0.0v	48.5v	0.0v	373.34v
486	Mr ARN Kinross	O	73.9v	68.4v	45.3v	50.6v	50.5v	48.7v	0.0v	0.0v	0.0v	39.0v	0.0v	373.34v
487	Mr T S McDowell	O	75.8v	73.8v	44.2v	43.3v	42.2v	48.5v	0.0v	0.0v	0.0v	48.5v	0.0v	373.33v
488	Mr SL Cleveland	O	74.11v	68.4v	46.3v	47.5v	46.2v	45.5v	0.0v	0.0v	0.0v	47.3v	0.0v	373.33v
489	Mr AC Brooker	O	73.4v	71.7v	46.4v	46.5v	50.7v	46.3v	0.0v	0.0v	0.0v	41.3v	0.0v	373.33v
490	Mr OCRB Ballsdon	T	70.5v	69.4v	46.4v	47.3v	48.7v	46.4v	0.0v	0.0v	0.0v	47.5v	0.0v	373.32v
491	Miss EL Hoolahan	O	70.7v	73.8v	45.2v	48.4v	47.3v	45.3v	0.0v	0.0v	0.0v	45.5v	0.0v	373.32v
492	Mr GH Harris	A	73.11v	72.8v	46.3v	44.1v	46.2v	48.3v	0.0v	0.0v	0.0v	44.3v	0.0v	373.31v
493	Mr JA Marshall	X	68.6v	72.6v	47.4v	47.4v	49.5v	46.5v	0.0v	0.0v	0.0v	44.1v	0.0v	373.31v
494	Mr SL Larter-Whitcher	O	74.7v	70.5v	46.4v	47.2v	48.2v	46.5v	0.0v	0.0v	0.0v	42.4v	0.0v	373.29v
495	Mr JJ James	T	70.5v	71.8v	49.2v	45.4v	48.3v	46.2v	0.0v	0.0v	0.0v	44.2v	0.0v	373.26v
496	Mr B Heatley	T	73.10v	73.7v	48.4v	42.3v	47.5v	45.5v	0.0v	0.0v	0.0v	44.2v	0.0v	372.36v
497	Miss LE Kennedy	T	72.8v	73.7v	43.4v	45.3v	50.9v	47.3v	0.0v	0.0v	0.0v	42.2v	0.0v	372.36v
498	Mr GR Horder	O	74.10v	69.5v	48.5v	48.4v	48.4v	47.5v	0.0v	0.0v	0.0v	38.2v	0.0v	372.35v
499	Mr BP Etienne	O	72.7v	69.5v	47.6v	45.3v	47.4v	46.5v	0.0v	0.0v	0.0v	46.4v	0.0v	372.34v
500	Miss SH Hassan	T	71.9v	71.4v	44.4v	47.4v	43.1v	48.8v	0.0v	0.0v	0.0v	48.3v	0.0v	372.33v
501	Mr R Hodgson-Jones	T	71.6v	71.6v	45.5v	49.4v	46.5v	46.4v	0.0v	0.0v	0.0v	44.1v	0.0v	372.31v
502	Mr AJD Saunders	O	72.9v	70.6v	48.5v	43.1v	46.2v	45.4v	0.0v	0.0v	0.0v	48.3v	0.0v	372.30v
503	Mr GK Goodwin	O	74.7v	73.8v	45.2v	41.3v	47.5v	46.3v	0.0v	0.0v	0.0v	46.1v	0.0v	372.29v
504	Mr CJ Macdonald	O	72.11v	72.8v	48.5v	43.2v	48.2v	48.0v	0.0v	0.0v	0.0v	41.1v	0.0v	372.29v
505	Miss HCM Bennett	O	74.6v	65.4v	46.3v	46.4v	49.6v	44.0v	0.0v	0.0v	0.0v	48.3v	0.0v	372.26v
506	Mr TJ Bryan	O	72.7v	66.4v	49.2v	49.4v	48.6v	44.1v	0.0v	0.0v	0.0v	44.2v	0.0v	372.26v
507	Mr JS Ritchie	O	70.4v	72.5v	47.4v	46.4v	46.3v	47.4v	0.0v	0.0v	0.0v	44.2v	0.0v	372.26v
508	Sgt A Drape	T	74.6v	69.3v	45.4v	47.4v	47.3v	46.4v	0.0v	0.0v	0.0v	44.1v	0.0v	372.25v
509	Dr G Stevenson	O	73.7v	72.4v	49.5v	43.2v	47.4v	45.2v	0.0v	0.0v	0.0v	43.1v	0.0v	372.25v
510	Mr G French	O	69.6v	72.10v	46.3v	48.5v	49.6v	48.4v	0.0v	0.0v	0.0v	39.2v	0.0v	371.36v
511	Mr J Branch	A	73.7v	69.8v	45.2v	39.3v	48.3v	50.6v	0.0v	0.0v	0.0v	47.4v	0.0v	371.33v
512	Mr HRM Bailie	O	72.8v	70.3v	48.4v	46.3v	49.7v	46.3v	0.0v	0.0v	0.0v	40.2v	0.0v	371.30v
513	Mr K Hardyman	O	73.8v	69.5v	47.2v	47.3v	50.9v	48.2v	0.0v	0.0v	0.0v	37.1v	0.0v	371.30v
514	Dr N P Tucker	O	75.8v	72.6v	45.2v	42.3v	46.2v	46.3v	0.0v	0.0v	0.0v	45.5v	0.0v	371.29v
515	Mr SJ Dawes	O	70.6v	69.7v	46.2v	45.3v	48.3v	48.6v	0.0v	0.0v	0.0v	45.2v	0.0v	371.29v
516	Miss KE Pope	O	72.7v	70.3v	47.5v	43.2v	44.3v	47.3v	0.0v	0.0v	0.0v	48.4v	0.0v	371.27v
517	Mr RGM Newman	O	74.7v	69.2v	40.3v	48.4v	48.4v	48.6v	0.0v	0.0v	0.0v	44.1v	0.0v	371.27v
518	Mr KG Firth	O	71.5v	71.5v	45.2v	44.5v	48.3v	47.5v	0.0v	0.0v	0.0v	45.1v	0.0v	371.26v
519	Mr C Brook	O	75.12v	69.1v	45.2v	47.1v	41.1v	48.4v	0.0v	0.0v	0.0v	46.4v	0.0v	371.25v
520	Miss LE Stokes	T	71.5v	72.6v	46.3v	41.0v	49.6v	47.3v	0.0v	0.0v	0.0v	45.2v	0.0v	371.25v
521	Miss LMA Bogie	O	71.7v	68.2v	46.2v	45.4v	50.6v	47.0v	0.0v	0.0v	0.0v	44.4v	0.0v	371.25v
522	Mrs SG Sirett	O	72.5v	72.8v	46.4v	43.1v	48.6v	46.1v	0.0v	0.0v	0.0v	44.0v	0.0v	371.25v
523	Mr DAF Firth	T	71.7v	69.5v	45.1v	48.2v	46.2v	46.3v	0.0v	0.0v	0.0v	46.3v	0.0v	371.23v
524	Mr MJL Traynor	O	73.7v	68.5v	50.5v	45.0v	45.1v	46.4v	0.0v	0.0v	0.0v	44.0v	0.0v	371.22v
525	Mr ASH Hay	T	71.6v	71.9v	47.5v	42.2v	48.5v	45.5v	0.0v	0.0v	0.0v	46.3v	0.0v	370.35v
526	Mr MD Jenvey	O	63.4v	72.10v	49.6v	45.2v	44.1v	49.5v	0.0v	0.0v	0.0v	48.4v	0.0v	370.32v
527	Mr PJ Holden	O	69.5v	68.7v	47.3v	43.3v	47.3v	50.6v	0.0v	0.0v	0.0v	46.4v	0.0v	370.31v
528	Mr AC Morley	O	74.11v	66.3v	48.4v	47.6v	45.3v	50.3v	0.0v	0.0v	0.0v	40.1v	0.0v	370.31v
529	Mr BR Ebbetts	O	74.8v	66.3v	49.6v	46.5v	43.1v	46.5v	0.0v	0.0v	0.0v	46.2v	0.0v	370.30v
530	Ms E Barr	O	72.7v	74.8v	45.3v	46.5v	48.4v	43.1v	0.0v	0.0v	0.0v	42.2v	0.0v	370.30v
531	Miss AT Tessier	T	73.7v	69.5v	42.1v	48.6v	49.7v	44.1v	0.0v	0.0v	0.0v	45.2v	0.0v	370.29v
532	SSgt J R Allum	O	72.7v	71.5v	45.3v	45.5v	46.5v	47.2v	0.0v	0.0v	0.0v	44.2v	0.0v	370.29v
533	Mr JF Jackman	O	73.8v	72.4v	42.0v	46.4v	48.6v	47.5v	0.0v	0.0v	0.0v	42.2v	0.0v	370.29v
534	Mr TEM Mills	T	69.4v	70.7v	49.3v	42.2v	48.5v	48.5v	0.0v	0.0v	0.0v	44.2v	0.0v	370.28v
535	Mr R Jackson	O	71.7v	67.4v	47.6v	41.0v	47.3v	49.4v	0.0v	0.0v	0.0v	48.3v	0.0v	370.27v
536	M. P Ginestet	O	72.6v	68.5v	48.4v	49.5v	42.3v	45.1v	0.0v	0.0v	0.0v	46.3v	0.0v	370.27v
537	Mr P S Lehmann	O	70.5v	71.5v	45.4v	43.1v	50.4v	46.5v	0.0v	0.0v	0.0v	45.3v	0.0v	370.27v
538	Mr ND Gomez	O	72.6v	70.2v	49.7v	43.3v	46.4v	48.2v	0.0v	0.0v	0.0v	42.3v	0.0v	370.27v
539	Mr MW Brown	O	74.4v	72.8v	45.1v	47.3v	48.6v	47.3v	0.0v	0.0v	0.0v	37.0v	0.0v	370.25v
540	Mr F P R Northam	O	73.4v	68.6v	46.2v	46.3v	47.3v	46.3v	0.0v	0.0v	0.0v	44.2v	0.0v	370.23v
541	Dr PJ Morris	O	72.7v	72.6v	43.0v	45.4v	48.3v	46.2v	0.0v	0.0v	0.0v	44.0v	0.0v	370.22v
542	Capt CP Judge	O	74.9v	69.8v	45.3v	44.3v	49.6v	43.4v	0.0v	0.0v	0.0v	45.3v	0.0v	369.36v
543	Miss H Gedney	T	71.5v	71.6v	46.3v	50.7v	49.9v	47.5v	0.0v	0.0v	0.0v	35.0v	0.0v	369.35v
544	Mr RW Large	O	73.8v	69.7v	46.3v	41.2v	48.5v	46.4v	0.0v	0.0v	0.0v	46.3v	0.0v	369.32v
545	Mr K Gladding	T	72.8v	63.5v	48.5v	45.2v	48.4v	48.6v	0.0v	0.0v	0.0v	45.2v	0.0v	369.32v
546	Mr AC Abrahams	T	75.9v	71.8v	44.1v	48.5v	50.7v	42.0v	0.0v	0.0v	0.0v	39.2v	0.0v	369.32v
547	Mr TA Bravis	A	71.9v	71.9v	44.3v	45.2v	43.2v	48.2v	0.0v	0.0v	0.0v	47.4v	0.0v	369.31v
548	Mr R Van Den Bossche	T	71.9v	69.5v	47.4v	45.3v	48.4v	48.5v	0.0v	0.0v	0.0v	41.0v	0.0v	369.30v
549	Sgt L Hamilton	T	71.8v	68.3v	46.3v	43.2v	47.4v	49.4v	0.0v	0.0v	0.0v	45.2v	0.0v	369.26v
550	Mr E Stuart-Bamford	O	71.7v	71.6v	47.2v	45.3v	47.5v	48.2v	0.0v	0.0v	0.0v	40.1v	0.0v	369.26v
551	Miss S Mcintosh	T	71.6v	72.6v	48.3v	40.2v	44.1v	49.4v	0.0v	0.0v	0.0v	45.3v	0.0v	369.25v

552	Mr MJW Willing	T	68.10v	72.4v	49.6v	43.1v	49.8v	45.4v	0.0v	0.0v	0.0v	42.2v	0.0v	368.35v
553	Mrs DA Thompson	O	74.9v	69.7v	47.4v	39.1v	48.5v	47.4v	0.0v	0.0v	0.0v	44.3v	0.0v	368.33v
554	Mr RW McVeigh	O	70.4v	71.8v	47.3v	45.4v	41.3v	47.5v	0.0v	0.0v	0.0v	47.5v	0.0v	368.32v
555	Mr SR Davis	O	69.5v	70.7v	44.3v	47.3v	44.3v	49.7v	0.0v	0.0v	0.0v	45.2v	0.0v	368.30v
556	Mr COA Berntsen	O	71.7v	68.4v	43.1v	45.3v	48.6v	47.2v	0.0v	0.0v	0.0v	46.5v	0.0v	368.28v
557	Mr CD Atkins	O	73.4v	73.7v	49.4v	45.4v	45.1v	46.5v	0.0v	0.0v	0.0v	37.1v	0.0v	368.26v
558	Dr JC Jobling	O	70.5v	69.3v	47.5v	44.2v	49.3v	46.2v	0.0v	0.0v	0.0v	43.1v	0.0v	368.21v
559	Mr SCW Dixon	O	72.9v	69.6v	43.1v	49.4v	43.1v	48.3v	0.0v	0.0v	0.0v	43.4v	0.0v	367.28v
560	Cpl A Clarke	T	72.7v	68.6v	45.1v	47.4v	47.5v	46.3v	0.0v	0.0v	0.0v	42.1v	0.0v	367.27v
561	Mr WA Shelton	T	71.3v	73.9v	43.5v	39.0v	48.4v	47.4v	0.0v	0.0v	0.0v	46.1v	0.0v	367.26v
562	Mr MK Townsend	O	67.4v	70.5v	46.3v	47.4v	46.4v	46.2v	0.0v	0.0v	0.0v	45.3v	0.0v	367.25v
563	Mr A Alvey	O	71.6v	68.4v	49.4v	44.2v	48.5v	48.3v	0.0v	0.0v	0.0v	39.1v	0.0v	367.25v
564	Ms SJ Dick	T	74.6v	70.3v	44.1v	45.2v	41.3v	49.6v	0.0v	0.0v	0.0v	44.3v	0.0v	367.24v
565	Mr TEBF Brankin-Frisby	T	70.7v	67.4v	46.4v	47.2v	47.1v	46.4v	0.0v	0.0v	0.0v	44.2v	0.0v	367.24v
566	Mr DMD Dineen	T	71.7v	67.3v	46.2v	46.2v	48.2v	48.6v	0.0v	0.0v	0.0v	41.1v	0.0v	367.23v
567	Mr JIB Halahan	O	72.8v	73.9v	41.1v	49.6v	48.5v	45.4v	0.0v	0.0v	0.0v	38.3v	0.0v	366.36v
568	Cdt N Boyle	T	72.10v	71.3v	48.6v	38.2v	50.6v	50.8v	0.0v	0.0v	0.0v	37.1v	0.0v	366.36v
569	H Lottritz	O	72.9v	69.6v	47.3v	35.1v	49.7v	46.4v	0.0v	0.0v	0.0v	48.5v	0.0v	366.35v
570	Mr CDP Pocock	O	75.12v	74.9v	49.5v	35.0v	37.0v	49.3v	0.0v	0.0v	0.0v	47.6v	0.0v	366.35v
571	Mr KJ Aldridge	O	70.6v	69.6v	47.4v	41.2v	48.4v	45.5v	0.0v	0.0v	0.0v	46.6v	0.0v	366.33v
572	Mr SM Amin	O	70.8v	71.8v	44.3v	48.2v	45.5v	41.5v	0.0v	0.0v	0.0v	47.1v	0.0v	366.32v
573	Miss LGT Taylor	T	73.8v	69.5v	47.5v	46.1v	47.6v	45.4v	0.0v	0.0v	0.0v	39.1v	0.0v	366.30v
574	Miss M Sanders	T	70.6v	65.2v	44.2v	45.3v	48.6v	47.6v	0.0v	0.0v	0.0v	47.3v	0.0v	366.28v
575	Mr T M Stevenson	T	73.10v	73.6v	42.3v	38.1v	49.2v	46.2v	0.0v	0.0v	0.0v	45.4v	0.0v	366.28v
576	Mr MG Godin	T	69.4v	73.7v	44.4v	43.2v	47.5v	48.2v	0.0v	0.0v	0.0v	42.1v	0.0v	366.25v
577	Miss ZL Latimer	T	69.5v	69.5v	49.6v	43.1v	49.5v	47.1v	0.0v	0.0v	0.0v	40.1v	0.0v	366.24v
578	Mr AC Grant	O	64.3v	70.5v	48.4v	46.3v	46.1v	46.4v	0.0v	0.0v	0.0v	46.3v	0.0v	366.23v
579	Mr LA Bridle	T	68.4v	73.8v	46.3v	43.1v	46.2v	46.2v	0.0v	0.0v	0.0v	44.3v	0.0v	366.23v
580	Mr DF Robinson	O	73.6v	69.3v	43.3v	47.4v	45.4v	47.2v	0.0v	0.0v	0.0v	42.1v	0.0v	366.23v
581	LCpl N J B Bass	T	69.5v	69.5v	50.2v	46.4v	47.2v	44.2v	0.0v	0.0v	0.0v	41.0v	0.0v	366.20v
582	Miss C Halleran	O	69.5v	72.4v	46.4v	43.0v	49.4v	47.3v	0.0v	0.0v	0.0v	40.0v	0.0v	366.20v
583	Cdt H G Martin	T	70.8v	72.7v	44.4v	43.1v	42.3v	48.7v	0.0v	0.0v	0.0v	46.3v	0.0v	365.33v
584	Cdt H J Green	O	74.7v	70.3v	48.5v	44.5v	46.5v	45.4v	0.0v	0.0v	0.0v	38.1v	0.0v	365.30v
585	Mr MP Hudson	O	72.9v	73.7v	41.1v	45.4v	44.4v	44.1v	0.0v	0.0v	0.0v	46.2v	0.0v	365.28v
586	Mr NS Suffield-Jones	O	70.5v	67.3v	42.2v	48.5v	48.5v	43.2v	0.0v	0.0v	0.0v	47.5v	0.0v	365.27v
587	Dr C Wall	O	71.7v	70.6v	38.3v	47.3v	46.2v	46.3v	0.0v	0.0v	0.0v	47.3v	0.0v	365.27v
588	Mr F Roberts	O	74.6v	68.4v	46.2v	46.3v	45.6v	45.3v	0.0v	0.0v	0.0v	41.2v	0.0v	365.26v
589	Cdt G B Anderson	O	72.6v	66.3v	46.2v	45.3v	47.6v	46.3v	0.0v	0.0v	0.0v	43.0v	0.0v	365.23v
590	Miss E Marsh	T	70.3v	73.8v	38.2v	47.1v	46.0v	45.5v	0.0v	0.0v	0.0v	46.3v	0.0v	365.22v
591	Mr DJ Stewart	O	74.5v	71.3v	46.3v	47.4v	42.3v	44.2v	0.0v	0.0v	0.0v	41.2v	0.0v	365.22v
592	Mr SJ Ayres	O	73.9v	70.5v	47.2v	45.2v	39.1v	47.2v	0.0v	0.0v	0.0v	44.0v	0.0v	365.21v
593	Mr NS Roberts	O	71.4v	68.2v	46.2v	45.3v	48.3v	47.5v	0.0v	0.0v	0.0v	40.2v	0.0v	365.21v
594	Miss DK Upshall	O	69.3v	69.7v	48.5v	45.1v	44.1v	47.2v	0.0v	0.0v	0.0v	43.0v	0.0v	365.19v
595	Mr GD Moffatt	O	70.2v	72.3v	45.2v	41.3v	46.3v	48.4v	0.0v	0.0v	0.0v	43.1v	0.0v	365.18v
596	Mr SD Hunt	T	74.9v	60.5v	49.6v	49.5v	47.5v	45.3v	0.0v	0.0v	0.0v	40.2v	0.0v	364.35v
597	H D Werner	O	71.6v	67.4v	47.5v	39.3v	49.5v	49.4v	0.0v	0.0v	0.0v	42.1v	0.0v	364.28v
598	Mr DC Clegg	T	72.5v	68.4v	42.1v	44.3v	47.6v	48.5v	0.0v	0.0v	0.0v	43.2v	0.0v	364.26v
599	Mr J P Hakim	O	71.4v	67.3v	44.1v	47.4v	44.3v	46.3v	0.0v	0.0v	0.0v	45.6v	0.0v	364.24v
600	Mr TW Harrison	O	66.4v	69.5v	45.4v	44.3v	45.2v	49.2v	0.0v	0.0v	0.0v	46.3v	0.0v	364.23v
601	Mr RSG Graham	T	71.3v	69.5v	46.3v	47.4v	45.2v	47.5v	0.0v	0.0v	0.0v	39.1v	0.0v	364.23v
602	Miss KE McGuigan	O	69.5v	70.5v	44.2v	42.1v	47.3v	46.1v	0.0v	0.0v	0.0v	46.3v	0.0v	364.20v
603	Cdt J Surmon	T	70.8v	70.8v	47.3v	39.1v	46.2v	47.5v	0.0v	0.0v	0.0v	44.1v	0.0v	363.28v
604	LCpl J F Meyer	T	67.7v	67.2v	46.5v	46.4v	47.1v	42.4v	0.0v	0.0v	0.0v	48.4v	0.0v	363.27v
605	Cdt B A Fenn	T	67.3v	73.7v	45.2v	48.6v	42.4v	49.3v	0.0v	0.0v	0.0v	39.0v	0.0v	363.25v
606	Mr EA Graves	T	73.6v	67.3v	46.5v	46.4v	47.3v	47.2v	0.0v	0.0v	0.0v	37.2v	0.0v	363.25v
607	Mr JT Kennedy	T	67.5v	72.8v	44.1v	45.0v	46.3v	46.5v	0.0v	0.0v	0.0v	43.1v	0.0v	363.23v
608	Mr MJ Judge	O	69.4v	70.4v	44.3v	43.4v	47.2v	45.4v	0.0v	0.0v	0.0v	45.0v	0.0v	363.21v
609	Mr FM Evers	O	69.3v	69.3v	45.3v	46.1v	47.3v	46.2v	0.0v	0.0v	0.0v	41.0v	0.0v	363.15v
610	Mr MJC Cameron	T	70.5v	66.3v	46.6v	44.4v	48.7v	47.3v	0.0v	0.0v	0.0v	41.3v	0.0v	362.31v
611	Mr JC Cockerill	O	73.7v	69.6v	45.2v	40.2v	50.7v	47.6v	0.0v	0.0v	0.0v	38.0v	0.0v	362.30v
612	C H Sayers	T	73.4v	63.2v	47.4v	35.1v	48.6v	50.7v	0.0v	0.0v	0.0v	46.5v	0.0v	362.29v
613	F/Sgt H Walker	O	73.5v	70.7v	46.2v	44.3v	42.2v	43.2v	0.0v	0.0v	0.0v	44.4v	0.0v	362.25v
614	Gdsm L Nicholson	T	71.4v	70.6v	43.3v	45.2v	48.5v	49.4v	0.0v	0.0v	0.0v	36.1v	0.0v	362.25v
615	Mr SJ Clark	O	64.2v	69.4v	48.4v	47.6v	43.3v	47.2v	0.0v	0.0v	0.0v	44.2v	0.0v	362.23v
616	Cdt S A Cox	T	72.3v	70.6v	49.6v	45.2v	45.4v	45.2v	0.0v	0.0v	0.0v	36.0v	0.0v	362.23v
617	Mr D Markie	O	70.4v	67.3v	43.1v	45.2v	49.6v	43.2v	0.0v	0.0v	0.0v	45.4v	0.0v	362.22v
618	Mr IC Brotherston	O	71.7v	64.2v	44.3v	43.2v	50.5v	46.2v	0.0v	0.0v	0.0v	44.1v	0.0v	362.22v
619	Mr NNTK Kerins	T	70.5v	64.2v	47.3v	47.5v	46.3v	45.1v	0.0v	0.0v	0.0v	43.1v	0.0v	362.20v
620	Mr F Bilton	O	74.8v	72.10v	48.3v	29.1v	50.6v	46.2v	0.0v	0.0v	0.0v	42.4v	0.0v	361.34v
621	Mr B Stoichescu	O	68.5v	67.6v	48.7v	46.3v	45.4v	44.3v	0.0v	0.0v	0.0v	43.2v	0.0v	361.30v
622	Miss FMK King	T	71.7v	70.4v	40.0v	44.5v	45.1v	48.5v	0.0v	0.0v	0.0v	43.2v	0.0v	361.24v

623	Miss PA Evans	T	69.5v	72.5v	45.1v	41.2v	46.3v	44.4v	0.0v	0.0v	0.0v	44.3v	0.0v	361.23v
624	Mr AGPP Poulter	X	66.5v	67.4v	47.4v	49.3v	47.3v	45.3v	0.0v	0.0v	0.0v	40.1v	0.0v	361.23v
625	Mrs RKE Penrose	O	68.4v	66.5v	40.0v	47.4v	47.3v	49.5v	0.0v	0.0v	0.0v	43.3v	0.0v	360.24v
626	LCpl J Gair	T	72.7v	69.4v	44.0v	44.4v	47.4v	42.1v	0.0v	0.0v	0.0v	42.1v	0.0v	360.21v
627	Mr CJ Salji	T	72.8v	68.6v	44.3v	36.1v	44.4v	47.3v	0.0v	0.0v	0.0v	48.3v	0.0v	359.28v
628	Mr DJ Pay	O	70.6v	67.4v	47.3v	46.4v	42.2v	42.4v	0.0v	0.0v	0.0v	45.2v	0.0v	359.25v
629	Mr SHM Keith	O	69.7v	69.4v	49.4v	42.2v	39.1v	46.4v	0.0v	0.0v	0.0v	45.2v	0.0v	359.24v
630	Miss LC Thompson	T	72.7v	65.4v	43.3v	46.2v	46.5v	43.1v	0.0v	0.0v	0.0v	44.2v	0.0v	359.24v
631	Mr DM Smith	O	71.8v	66.4v	47.4v	43.2v	45.2v	47.4v	0.0v	0.0v	0.0v	40.0v	0.0v	359.24v
632	Miss R A McNaught	T	67.3v	70.6v	46.3v	36.1v	48.5v	45.3v	0.0v	0.0v	0.0v	47.2v	0.0v	359.23v
633	LCpl H Y H Lei	T	70.6v	65.2v	42.2v	48.4v	47.5v	43.3v	0.0v	0.0v	0.0v	44.1v	0.0v	359.23v
634	A Soelzer-Hermes	O	71.7v	68.4v	47.3v	47.2v	39.3v	45.3v	0.0v	0.0v	0.0v	42.1v	0.0v	359.23v
635	Mr FJ Anderson	T	72.7v	67.4v	44.2v	40.1v	45.2v	43.1v	0.0v	0.0v	0.0v	48.5v	0.0v	359.22v
636	Mr N M Duncan	O	70.6v	71.5v	41.0v	46.2v	44.1v	44.4v	0.0v	0.0v	0.0v	43.2v	0.0v	359.20v
637	Mr V A S Shenshin	T	74.8v	67.7v	44.3v	46.3v	43.2v	44.2v	0.0v	0.0v	0.0v	40.0v	0.0v	358.25v
638	Sqn Ldr HM French	O	70.7v	67.4v	44.2v	38.1v	46.3v	46.4v	0.0v	0.0v	0.0v	47.1v	0.0v	358.22v
639	Mr J Tuffen	O	71.6v	66.2v	47.5v	40.2v	48.4v	46.1v	0.0v	0.0v	0.0v	40.1v	0.0v	358.21v
640	Cdt S Treacy	T	72.5v	69.3v	38.2v	43.3v	46.2v	45.2v	0.0v	0.0v	0.0v	45.3v	0.0v	358.20v
641	Mr JG Powell	O	67.5v	68.2v	47.5v	44.1v	45.4v	46.1v	0.0v	0.0v	0.0v	41.1v	0.0v	358.19v
642	Mr RJA Ritchie	O	70.4v	68.4v	43.1v	42.3v	48.3v	45.1v	0.0v	0.0v	0.0v	42.2v	0.0v	358.18v
643	Mr MSC Chandler	T	69.6v	71.7v	47.2v	34.0v	47.5v	46.3v	0.0v	0.0v	0.0v	43.4v	0.0v	357.27v
644	CDT SGT JH Holding	O	68.2v	74.7v	46.6v	42.2v	46.3v	49.4v	0.0v	0.0v	0.0v	32.1v	0.0v	357.25v
645	Dr R Pizer	O	70.6v	70.7v	45.2v	43.1v	45.2v	43.2v	0.0v	0.0v	0.0v	41.2v	0.0v	357.22v
646	Mr TLB Burton	T	73.5v	66.5v	41.2v	44.2v	46.2v	42.1v	0.0v	0.0v	0.0v	45.4v	0.0v	357.21v
647	Mr WHCL Ledsham	T	70.7v	70.4v	44.1v	45.1v	42.0v	45.1v	0.0v	0.0v	0.0v	41.3v	0.0v	357.17v
648	Mr HN Watson	X	47.10v	72.6v	48.3v	48.4v	48.4v	47.4v	0.0v	0.0v	0.0v	46.3v	0.0v	356.34v
649	Mr JJ Lunn	T	68.3v	68.5v	43.2v	43.3v	45.4v	48.4v	0.0v	0.0v	0.0v	41.4v	0.0v	356.25v
650	Mr JL Poulin	O	69.5v	69.5v	45.3v	39.1v	48.4v	43.3v	0.0v	0.0v	0.0v	43.3v	0.0v	356.24v
651	Csjt C Naumann	T	69.3v	69.4v	47.4v	42.3v	49.6v	40.1v	0.0v	0.0v	0.0v	40.1v	0.0v	356.22v
652	Cadet J Tordoff	T	66.6v	70.3v	46.4v	47.4v	48.3v	49.1v	0.0v	0.0v	0.0v	30.0v	0.0v	356.21v
653	Mr TE Parker	T	70.6v	66.1v	48.3v	47.5v	44.1v	46.1v	0.0v	0.0v	0.0v	35.2v	0.0v	356.19v
654	Mr D O'Hare	O	64.4v	67.3v	43.2v	46.1v	47.3v	46.2v	0.0v	0.0v	0.0v	43.1v	0.0v	356.16v
655	Mr NJ Branch	X	50.7v	70.5v	49.7v	47.2v	50.6v	45.2v	0.0v	0.0v	0.0v	44.3v	0.0v	355.32v
656	Cdt Sgt T H Dodds	O	75.9v	73.6v	45.3v	34.0v	45.3v	46.5v	0.0v	0.0v	0.0v	37.3v	0.0v	355.29v
657	Mr MS Smith	T	70.6v	61.2v	46.4v	47.3v	49.3v	45.3v	0.0v	0.0v	0.0v	37.2v	0.0v	355.23v
658	Mr MM Matloob	T	69.7v	70.3v	44.2v	45.2v	44.4v	44.3v	0.0v	0.0v	0.0v	39.0v	0.0v	355.21v
659	Mr TJG Hendriks	O	68.6v	69.4v	45.1v	46.2v	43.4v	44.1v	0.0v	0.0v	0.0v	40.2v	0.0v	355.20v
660	Mr RM Culverwell	O	67.3v	68.3v	41.2v	45.2v	45.3v	47.1v	0.0v	0.0v	0.0v	42.4v	0.0v	355.18v
661	Mr CMB Bowring	T	71.9v	68.5v	45.3v	49.6v	48.2v	43.2v	0.0v	0.0v	0.0v	30.1v	0.0v	354.28v
662	Cdt T A N Dowd	T	67.3v	73.8v	48.6v	43.1v	42.1v	44.3v	0.0v	0.0v	0.0v	37.2v	0.0v	354.24v
663	Cdt D W Leitch	T	67.5v	66.5v	43.1v	42.1v	48.5v	46.3v	0.0v	0.0v	0.0v	42.2v	0.0v	354.22v
664	Sjt A Towler	T	68.3v	64.4v	46.1v	45.1v	46.4v	45.3v	0.0v	0.0v	0.0v	40.3v	0.0v	354.19v
665	Ms AM Michano	T	71.4v	66.4v	46.4v	42.1v	48.7v	45.4v	0.0v	0.0v	0.0v	35.1v	0.0v	353.25v
666	Cdt Sgt L I D Alban-Davies	T	67.3v	69.6v	48.5v	37.1v	45.3v	44.4v	0.0v	0.0v	0.0v	43.1v	0.0v	353.23v
667	Mr MB Bumford	T	66.3v	70.6v	45.4v	45.1v	44.4v	46.4v	0.0v	0.0v	0.0v	37.1v	0.0v	353.23v
668	Miss PGM Macdonald	T	64.3v	70.3v	39.2v	48.4v	44.2v	45.4v	0.0v	0.0v	0.0v	43.1v	0.0v	353.19v
669	Major N Stebbings	O	65.2v	69.4v	43.2v	43.2v	44.4v	47.2v	0.0v	0.0v	0.0v	42.2v	0.0v	353.18v
670	Mr WJD Dineen	O	72.5v	68.3v	47.4v	40.0v	41.1v	48.3v	0.0v	0.0v	0.0v	37.2v	0.0v	353.18v
671	Cpl F Hawes	T	73.9v	66.5v	47.3v	37.1v	45.4v	48.5v	0.0v	0.0v	0.0v	36.1v	0.0v	352.28v
672	Mr KC Crabtree	T	71.5v	71.4v	45.4v	31.1v	48.5v	45.3v	0.0v	0.0v	0.0v	41.1v	0.0v	352.23v
673	Mr S J Smith-Maxwell	T	64.7v	72.5v	44.3v	38.2v	45.3v	47.1v	0.0v	0.0v	0.0v	42.1v	0.0v	352.22v
674	Mr DA Wilson	O	65.2v	63.1v	43.2v	47.4v	45.3v	44.3v	0.0v	0.0v	0.0v	45.3v	0.0v	352.18v
675	Mr FGAC Becker	T	70.4v	63.3v	41.2v	46.3v	42.5v	45.3v	0.0v	0.0v	0.0v	44.1v	0.0v	351.21v
676	Mr ND Anderson	O	68.3v	65.3v	41.2v	46.2v	44.4v	44.2v	0.0v	0.0v	0.0v	43.0v	0.0v	351.16v
677	Cdt P C De Souza	T	68.4v	67.3v	50.6v	44.3v	39.1v	39.1v	0.0v	0.0v	0.0v	43.1v	0.0v	350.19v
678	Mr SA Lippiatt	O	66.1v	69.3v	43.2v	46.3v	44.3v	43.1v	0.0v	0.0v	0.0v	39.2v	0.0v	350.15v
679	Mr SWO Owen	O	71.8v	73.8v	47.6v	16.0v	48.1v	48.4v	0.0v	0.0v	0.0v	46.3v	0.0v	349.30v
680	Mr CA Aantjes	T	64.2v	69.3v	42.2v	46.6v	44.5v	45.3v	0.0v	0.0v	0.0v	39.2v	0.0v	349.23v
681	Mr KC Marshall	O	72.6v	63.3v	44.2v	46.2v	41.4v	42.2v	0.0v	0.0v	0.0v	41.3v	0.0v	349.22v
682	Mr MAG Woodrow	T	72.5v	64.2v	41.2v	46.3v	43.3v	39.1v	0.0v	0.0v	0.0v	44.3v	0.0v	349.19v
683	Sjt A Swaffield	T	73.4v	68.2v	43.2v	30.1v	48.5v	44.3v	0.0v	0.0v	0.0v	43.1v	0.0v	349.18v
684	Mr AM Norman	O	72.7v	66.2v	45.3v	39.0v	42.1v	44.2v	0.0v	0.0v	0.0v	41.1v	0.0v	349.16v
685	Mr EJE Mearns	T	65.2v	70.6v	36.0v	46.1v	46.3v	46.2v	0.0v	0.0v	0.0v	39.4v	0.0v	348.18v
686	Mr WT Bridger	O	68.2v	68.3v	41.2v	38.1v	46.3v	46.6v	0.0v	0.0v	0.0v	41.0v	0.0v	348.17v
687	Mr J J Jalili	O	73.9v	72.6v	45.3v	46.4v	18.4v	45.2v	0.0v	0.0v	0.0v	48.3v	0.0v	347.31v
688	Mr PJW Sparks	T	66.3v	65.3v	48.6v	42.2v	42.1v	41.0v	0.0v	0.0v	0.0v	43.2v	0.0v	347.17v
689	Mr T Galliers	O	71.5v	63.4v	42.1v	43.3v	43.1v	41.1v	0.0v	0.0v	0.0v	44.1v	0.0v	347.16v
690	Mr ED Halford	T	65.0v	66.3v	43.3v	42.3v	46.4v	46.3v	0.0v	0.0v	0.0v	39.0v	0.0v	347.16v
691	Sgt L Fennell	T	72.4v	70.8v	44.3v	37.1v	45.2v	44.3v	0.0v	0.0v	0.0v	34.1v	0.0v	346.22v
692	Mr JT Truelove	T	64.2v	66.4v	45.2v	45.3v	48.5v	47.3v	0.0v	0.0v	0.0v	31.2v	0.0v	346.21v
693	Cpl O Holloway	T	72.9v	62.3v	43.1v	44.3v	41.2v	41.2v	0.0v	0.0v	0.0v	42.2v	0.0v	345.22v

694	Miss EL Sweet	T	69.8v	61.1v	41.1v	46.3v	43.1v	45.4v	0.0v	0.0v	0.0v	40.2v	0.0v	345.20v
695	Mr MG Faulkner	T	66.3v	63.2v	40.2v	42.0v	48.4v	41.3v	0.0v	0.0v	0.0v	44.5v	0.0v	344.19v
696	Miss EP Bryant	T	60.1v	70.7v	43.1v	38.3v	49.5v	40.3v	0.0v	0.0v	0.0v	43.2v	0.0v	343.22v
697	Mr JPS Bloomfield	X	73.10v	74.5v	50.4v	49.5v	50.8v	46.2v	0.0v	0.0v	0.0v	0.0v	0.0v	342.34v
698	SSgt J L Dixon	T	65.5v	64.2v	43.1v	46.1v	46.3v	40.3v	0.0v	0.0v	0.0v	38.3v	0.0v	342.18v
699	Mr JC Hambro	O	70.4v	66.2v	43.2v	36.0v	44.3v	40.1v	0.0v	0.0v	0.0v	43.1v	0.0v	342.13v
700	K Jahnke	O	70.6v	57.0v	41.0v	42.1v	47.4v	45.1v	0.0v	0.0v	0.0v	40.0v	0.0v	342.12v
701	Mr JMA Thompson	X	74.8v	72.8v	49.3v	50.6v	47.5v	49.6v	0.0v	0.0v	0.0v	0.0v	0.0v	341.36v
702	Cpl A Mackenzie	T	65.4v	69.5v	37.2v	44.1v	45.5v	41.3v	0.0v	0.0v	0.0v	40.2v	0.0v	341.22v
703	Sgt A M S Sadler	O	68.4v	70.4v	45.2v	47.3v	46.4v	25.0v	0.0v	0.0v	0.0v	40.1v	0.0v	341.18v
704	Sgt D Clark	T	61.2v	68.2v	43.2v	48.2v	47.4v	31.0v	0.0v	0.0v	0.0v	43.3v	0.0v	341.15v
705	Mr JMD McCready	T	69.6v	71.3v	46.2v	30.0v	45.2v	41.1v	0.0v	0.0v	0.0v	38.1v	0.0v	340.15v
706	Mr PJ Dudzinski	X	74.14v	74.9v	48.5v	47.5v	0.0v	49.6v	0.0v	0.0v	0.0v	47.4v	0.0v	339.43v
707	Mr RG Hilyard	O	54.5v	66.4v	44.1v	44.4v	46.1v	46.2v	0.0v	0.0v	0.0v	39.2v	0.0v	339.19v
708	Mr IW Robertson	X	73.9v	74.9v	49.3v	49.4v	49.4v	0.0v	0.0v	0.0v	0.0v	44.2v	0.0v	338.31v
709	Cdt Rudge	T	54.4v	69.4v	45.6v	40.3v	43.1v	43.4v	0.0v	0.0v	0.0v	44.3v	0.0v	338.25v
710	Spr C A Pearce	T	67.4v	62.3v	41.2v	43.1v	47.3v	39.1v	0.0v	0.0v	0.0v	39.1v	0.0v	338.15v
711	Bdr D Yhia	T	59.1v	70.3v	41.0v	46.2v	40.1v	45.1v	0.0v	0.0v	0.0v	37.0v	0.0v	338.8v
712	Mr JRC Stanford-Beale	T	67.1v	64.1v	45.0v	39.0v	38.1v	44.1v	0.0v	0.0v	0.0v	41.2v	0.0v	338.6v
713	LCpl T J Smith	T	65.6v	50.3v	47.4v	41.1v	46.4v	45.4v	0.0v	0.0v	0.0v	42.1v	0.0v	336.23v
714	Mr MLH Lee	T	70.7v	64.1v	43.2v	38.1v	40.2v	41.1v	0.0v	0.0v	0.0v	40.1v	0.0v	336.15v
715	Mr MI Buchanan	X	73.10v	72.9v	49.7v	45.3v	0.0v	49.9v	0.0v	0.0v	0.0v	47.6v	0.0v	335.44v
716	Miss ME Wicker	O	69.4v	69.6v	40.1v	39.1v	38.0v	42.2v	0.0v	0.0v	0.0v	38.2v	0.0v	335.16v
717	Cdt E N Ng	T	66.4v	68.3v	45.2v	40.1v	41.0v	42.4v	0.0v	0.0v	0.0v	33.1v	0.0v	335.15v
718	Mr KR Trowbridge	A	71.7v	73.9v	46.4v	48.5v	0.0v	47.5v	0.0v	0.0v	0.0v	49.4v	0.0v	334.34v
719	Mr MD Wright	O	70.7v	74.5v	45.2v	0.0v	49.5v	48.4v	0.0v	0.0v	0.0v	47.4v	0.0v	333.27v
720	Mr SRE Ewing	T	73.7v	67.5v	46.3v	44.2v	49.4v	50.6v	0.0v	0.0v	0.0v	3.2v	0.0v	332.29v
721	Cfn S J Hartnett	T	66.3v	60.2v	39.2v	42.2v	45.1v	39.2v	0.0v	0.0v	0.0v	41.1v	0.0v	332.13v
722	Mrs I Pioche	O	62.1v	64.1v	40.0v	37.0v	44.1v	42.1v	0.0v	0.0v	0.0v	43.2v	0.0v	332.6v
723	Mr HW Orpen-Smellie	A	75.10v	73.9v	46.5v	47.6v	46.3v	0.0v	0.0v	0.0v	0.0v	43.2v	0.0v	330.35v
724	Mr LWHR Stewart	T	73.10v	73.4v	0.0v	42.1v	49.6v	47.3v	0.0v	0.0v	0.0v	46.5v	0.0v	330.29v
725	Mr JCK Kelleher	T	70.7v	56.2v	35.2v	34.0v	47.4v	49.4v	0.0v	0.0v	0.0v	39.1v	0.0v	330.20v
726	Mr MSE Firman	A	72.9v	72.7v	47.6v	44.3v	0.0v	47.2v	0.0v	0.0v	0.0v	47.4v	0.0v	329.31v
727	Mr RE Ellis	A	75.10v	71.7v	45.4v	46.2v	0.0v	48.4v	0.0v	0.0v	0.0v	44.4v	0.0v	329.31v
728	Mr LF Rooney	T	72.6v	58.6v	40.0v	46.4v	35.1v	47.1v	0.0v	0.0v	0.0v	31.0v	0.0v	329.18v
729	Mr RA Hyndman	O	75.9v	71.5v	48.4v	45.0v	43.2v	46.4v	0.0v	0.0v	0.0v	0.0v	0.0v	328.24v
730	Mr CA Stewart	O	73.7v	72.6v	0.0v	47.4v	47.5v	47.4v	0.0v	0.0v	0.0v	41.4v	0.0v	327.30v
731	Mr TR Webster	O	71.4v	69.5v	48.3v	0.0v	48.5v	46.3v	0.0v	0.0v	0.0v	45.2v	0.0v	327.22v
732	Mr W P Dooley	T	68.1v	65.5v	42.2v	33.1v	44.3v	41.1v	0.0v	0.0v	0.0v	34.1v	0.0v	327.14v
733	Lcpl R E W Williams	T	67.4v	63.3v	41.0v	43.1v	38.1v	38.0v	0.0v	0.0v	0.0v	37.1v	0.0v	327.10v
734	Mr BJA Parke	O	64.2v	65.3v	37.0v	46.1v	36.1v	36.1v	0.0v	0.0v	0.0v	43.0v	0.0v	327.8v
735	Mr DA Rowell	O	69.5v	73.9v	49.6v	0.0v	50.5v	47.2v	0.0v	0.0v	0.0v	38.0v	0.0v	326.27v
736	Sjt J Calcutt	T	71.7v	70.3v	48.7v	42.2v	49.6v	46.2v	0.0v	0.0v	0.0v	0.0v	0.0v	326.27v
737	Mr CSJ Marlow	O	73.7v	72.3v	42.4v	44.4v	49.4v	46.3v	0.0v	0.0v	0.0v	0.0v	0.0v	326.25v
738	Cpl J Lowes	T	61.2v	67.1v	25.0v	46.3v	48.7v	39.0v	0.0v	0.0v	0.0v	40.1v	0.0v	326.14v
739	Mr PB Cutts	O	71.6v	71.5v	43.2v	46.4v	49.6v	0.0v	0.0v	0.0v	0.0v	45.3v	0.0v	325.26v
740	Miss AL Matthews	T	71.5v	70.7v	44.3v	48.5v	12.1v	38.1v	0.0v	0.0v	0.0v	41.3v	0.0v	324.25v
741	Mr BHA Allen	T	68.5v	66.5v	43.1v	43.3v	38.0v	46.2v	0.0v	0.0v	0.0v	20.0v	0.0v	324.16v
742	Lcpl CG Gray	T	63.0v	62.3v	36.1v	35.1v	44.3v	42.2v	0.0v	0.0v	0.0v	42.2v	0.0v	324.12v
743	Mr TABC Coonan	T	69.6v	57.1v	42.2v	37.0v	42.0v	41.1v	0.0v	0.0v	0.0v	36.0v	0.0v	324.10v
744	Mr ST Welsh	O	75.12v	71.5v	43.1v	42.0v	47.5v	0.0v	0.0v	0.0v	0.0v	45.1v	0.0v	323.24v
745	Mr BR Shouler	O	71.5v	67.3v	47.1v	47.3v	43.4v	48.5v	0.0v	0.0v	0.0v	0.0v	0.0v	323.21v
746	Cpl J Bowey	T	60.2v	64.3v	43.1v	39.1v	39.1v	36.1v	0.0v	0.0v	0.0v	42.2v	0.0v	323.11v
747	Miss CP Peacock	O	64.1v	66.2v	33.0v	42.2v	43.1v	42.1v	0.0v	0.0v	0.0v	33.0v	0.0v	323.7v
748	Cdt G B Astin	O	69.7v	68.3v	41.2v	45.3v	50.5v	49.5v	0.0v	0.0v	0.0v	0.0v	0.0v	322.25v
749	Mr JD Glen	T	71.8v	68.5v	47.2v	45.3v	48.5v	43.1v	0.0v	0.0v	0.0v	0.0v	0.0v	322.24v
750	Mr S A Hunting	T	72.4v	72.6v	38.2v	0.0v	49.5v	46.3v	0.0v	0.0v	0.0v	45.3v	0.0v	322.23v
751	Sjt M Taylor	T	68.1v	66.4v	50.7v	47.5v	44.2v	47.4v	0.0v	0.0v	0.0v	0.0v	0.0v	322.23v
752	Mr RD Macmillan	O	67.4v	71.4v	47.4v	44.2v	0.0v	46.3v	0.0v	0.0v	0.0v	47.2v	0.0v	322.19v
753	Mr HL Hunter	X	72.7v	72.5v	43.2v	45.2v	0.0v	44.2v	0.0v	0.0v	0.0v	45.2v	0.0v	321.20v
754	CI JL Calcutt	T	59.1v	66.1v	45.5v	26.0v	41.0v	42.3v	0.0v	0.0v	0.0v	42.3v	0.0v	321.13v
755	Mr RS Mason MRCVS	O	66.3v	64.3v	46.2v	46.4v	45.1v	46.4v	0.0v	0.0v	0.0v	7.0v	0.0v	320.17v
756	Cdt R Butt	T	62.0v	59.1v	46.3v	38.1v	39.1v	40.1v	0.0v	0.0v	0.0v	36.1v	0.0v	320.8v
757	Mr B G McLain	X	71.7v	69.1v	44.2v	45.3v	0.0v	46.3v	0.0v	0.0v	0.0v	44.2v	0.0v	319.18v
758	Mr CP Moon	O	62.1v	62.4v	43.4v	43.3v	34.0v	39.2v	0.0v	0.0v	0.0v	36.1v	0.0v	319.15v
759	Cdt G Manchip	T	68.4v	63.3v	40.2v	29.0v	39.2v	38.1v	0.0v	0.0v	0.0v	41.0v	0.0v	318.12v
760	Cdt J W J Annison	O	72.5v	70.7v	45.1v	35.1v	46.4v	48.5v	0.0v	0.0v	0.0v	0.0v	0.0v	316.23v
761	Miss R K Littleproud	T	67.2v	69.6v	44.4v	43.0v	40.1v	47.4v	0.0v	0.0v	0.0v	4.0v	0.0v	314.17v
762	Miss EEP Pomeroy	T	65.1v	67.3v	44.4v	48.5v	43.1v	47.1v	0.0v	0.0v	0.0v	0.0v	0.0v	314.15v
763	Cpl J A C Burgess	T	72.6v	65.4v	44.3v	43.4v	45.3v	44.4v	0.0v	0.0v	0.0v	0.0v	0.0v	313.24v
764	Mr ACH Bryson	X	0.0v	70.5v	49.5v	50.4v	49.4v	48.4v	0.0v	0.0v	0.0v	43.2v	0.0v	309.24v

