

HM The Queen's Diamond Jubilee Imperial Meeting

Grand Aggregate (as at Tuesday, 17th July 2012)

		DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	Corp	POW	Total	
1	Mr JA Watson	X	74.12v	75.11v	49.7v	50.7v	49.6v	50.8v	0.0v	75.14v	0.0v	50.6v	0.0v	472.71v
2	Mr DC Luckman	X	75.14v	74.10v	50.9v	50.6v	50.9v	48.6v	0.0v	75.12v	0.0v	50.3v	0.0v	472.69v
3	Mr ITG Shaw	X	75.12v	75.7v	50.6v	50.6v	50.8v	49.8v	0.0v	75.12v	0.0v	48.5v	0.0v	472.64v
4	Mr PG Kent	X	75.11v	75.11v	50.6v	50.9v	50.7v	47.5v	0.0v	75.10v	0.0v	49.5v	0.0v	471.64v
5	Mr CTS Belk	X	75.10v	73.6v	49.6v	50.6v	50.6v	50.7v	0.0v	75.10v	0.0v	49.4v	0.0v	471.55v
6	Mr J Corbett	X	75.13v	75.8v	50.9v	49.7v	49.8v	48.7v	0.0v	75.15v	0.0v	49.7v	0.0v	470.74v
7	Dr PD Sykes	X	75.13v	73.10v	49.7v	50.5v	50.9v	50.8v	0.0v	75.11v	0.0v	48.7v	0.0v	470.70v
8	Mr J A M Paton	X	75.14v	74.10v	50.6v	50.7v	48.5v	50.5v	0.0v	75.13v	0.0v	48.5v	0.0v	470.65v
9	Wg. Cdr. DP Calvert	X	75.10v	75.13v	50.7v	50.6v	49.6v	50.6v	0.0v	75.12v	0.0v	46.5v	0.0v	470.65v
10	Mr TJD Raincock	X	75.13v	73.7v	50.8v	49.7v	49.5v	50.6v	0.0v	74.10v	0.0v	50.2v	0.0v	470.58v
11	Miss JH Messer	X	74.11v	73.10v	50.5v	50.5v	50.7v	49.4v	0.0v	75.11v	0.0v	49.5v	0.0v	470.58v
12	Mr P Patel	X	75.13v	75.14v	49.4v	49.5v	50.7v	49.4v	0.0v	74.9v	0.0v	49.2v	0.0v	470.58v
13	Dr GCD Barnett	X	74.12v	73.12v	49.9v	50.8v	50.8v	49.2v	0.0v	75.13v	0.0v	49.6v	0.0v	469.70v
14	Mr TW Hunter	X	75.14v	74.10v	48.7v	49.7v	49.5v	50.6v	0.0v	75.9v	0.0v	49.7v	0.0v	469.65v
15	Mr WCP Richards	X	75.10v	74.11v	49.8v	49.6v	50.5v	49.7v	0.0v	75.13v	0.0v	48.5v	0.0v	469.65v
16	Miss JM Rankin	X	74.11v	74.9v	49.7v	50.8v	49.6v	50.8v	0.0v	75.12v	0.0v	48.3v	0.0v	469.64v
17	Mr GA Cann	X	75.13v	75.13v	50.7v	48.6v	50.6v	47.2v	0.0v	75.8v	0.0v	49.8v	0.0v	469.63v
18	Major AR McLeod	X	75.12v	75.11v	50.8v	49.5v	50.6v	50.8v	0.0v	74.10v	0.0v	46.2v	0.0v	469.62v
19	Mr HA Day	A	75.13v	74.7v	50.5v	48.6v	49.4v	49.7v	0.0v	75.11v	0.0v	49.4v	0.0v	469.57v
20	Dr JDS Langley	X	75.9v	74.12v	50.6v	50.5v	49.5v	49.5v	0.0v	74.11v	0.0v	48.4v	0.0v	469.57v
21	Mr T Keen	A	75.8v	73.6v	48.4v	50.6v	50.6v	48.3v	0.0v	75.10v	0.0v	50.5v	0.0v	469.48v
22	Mr SA Thomas	X	75.14v	75.11v	50.9v	49.7v	49.8v	49.8v	0.0v	74.11v	0.0v	47.1v	0.0v	468.69v
23	Mr J Pugsley	X	75.13v	73.11v	49.9v	49.7v	50.7v	49.5v	0.0v	74.10v	0.0v	49.4v	0.0v	468.66v
24	Mr BA Horwood	X	75.8v	74.5v	50.5v	49.9v	48.5v	49.5v	0.0v	75.8v	0.0v	48.4v	0.0v	468.49v
25	Mr CJ Morton	X	75.14v	72.8v	49.7v	49.7v	50.9v	50.6v	0.0v	75.12v	0.0v	47.2v	0.0v	467.65v
26	Mr DR Armstrong	X	75.11v	74.11v	49.5v	50.7v	50.6v	49.7v	0.0v	74.9v	0.0v	46.6v	0.0v	467.62v
27	Mr CN Tremlett	X	75.12v	74.11v	49.5v	48.5v	50.8v	48.5v	0.0v	74.11v	0.0v	49.3v	0.0v	467.60v
28	Mrs LK Mace	A	74.10v	74.10v	50.7v	49.7v	49.7v	49.4v	0.0v	74.9v	0.0v	48.6v	0.0v	467.60v
29	Mr ERT Jeens	X	75.9v	74.11v	49.5v	49.6v	50.8v	48.6v	0.0v	75.12v	0.0v	47.3v	0.0v	467.60v
30	Mr MG Whicher	X	75.10v	75.8v	50.7v	50.8v	50.4v	47.6v	0.0v	75.13v	0.0v	45.4v	0.0v	467.60v
31	Mr PB Bromley	X	74.12v	73.6v	48.5v	50.8v	50.9v	50.7v	0.0v	75.7v	0.0v	47.5v	0.0v	467.59v
32	Mr JP Tapster	X	74.8v	73.11v	50.7v	49.6v	50.6v	49.6v	0.0v	73.10v	0.0v	49.3v	0.0v	467.57v
33	Mr DC Dyson	X	74.9v	75.8v	50.6v	47.3v	49.8v	50.8v	0.0v	75.11v	0.0v	47.2v	0.0v	467.55v
34	Mr KWD Ramsey	X	75.14v	74.9v	50.4v	47.4v	49.6v	49.4v	0.0v	74.8v	0.0v	49.3v	0.0v	467.52v
35	Mr MJ Barlow	X	74.7v	74.10v	48.4v	49.4v	50.8v	49.5v	0.0v	75.9v	0.0v	48.5v	0.0v	467.52v
36	Mr DC Crispin	X	75.11v	73.10v	47.5v	50.7v	50.8v	49.8v	0.0v	74.12v	0.0v	48.7v	0.0v	466.68v
37	Mr JA Borland	A	75.10v	71.5v	49.5v	49.5v	50.8v	50.9v	0.0v	74.11v	0.0v	48.6v	0.0v	466.59v
38	Mr WJD Broad	X	75.12v	75.10v	48.3v	47.6v	49.6v	49.7v	0.0v	73.10v	0.0v	50.4v	0.0v	466.58v
39	Mr BJ Le Cheminant	X	75.10v	74.10v	49.4v	48.5v	50.8v	48.6v	0.0v	75.10v	0.0v	47.5v	0.0v	466.58v
40	Mr IP Davison	X	74.9v	72.8v	48.6v	50.7v	49.7v	50.5v	0.0v	74.11v	0.0v	49.3v	0.0v	466.56v
41	Mr DG Young	X	74.10v	75.9v	48.4v	49.8v	49.5v	50.7v	0.0v	73.8v	0.0v	48.4v	0.0v	466.55v
42	Mr T Steele	X	74.7v	72.8v	47.3v	49.5v	50.6v	50.9v	0.0v	74.5v	0.0v	50.5v	0.0v	466.48v
43	Miss AMG Ogilvie	A	75.8v	74.5v	47.4v	50.8v	50.5v	50.5v	0.0v	73.5v	0.0v	47.2v	0.0v	466.42v
44	Mr GE Morris	X	75.13v	70.7v	49.5v	49.7v	50.8v	50.7v	0.0v	75.14v	0.0v	47.4v	0.0v	465.65v
45	Mr JC Underwood	X	75.13v	74.11v	50.7v	49.5v	49.8v	48.7v	0.0v	75.11v	0.0v	45.3v	0.0v	465.65v
46	Mr NJ Ball	X	74.9v	75.13v	50.6v	50.6v	50.10v	48.5v	0.0v	75.12v	0.0v	43.3v	0.0v	465.64v
47	Mr EC Dickson	X	71.10v	74.9v	50.10v	49.6v	49.7v	48.5v	0.0v	75.13v	0.0v	49.3v	0.0v	465.63v
48	Miss SP Ward	X	75.10v	71.7v	48.4v	49.8v	50.8v	49.5v	0.0v	75.14v	0.0v	48.5v	0.0v	465.61v
49	Mr TA Ringer	X	75.14v	74.7v	48.3v	48.6v	50.8v	49.6v	0.0v	74.12v	0.0v	47.5v	0.0v	465.61v
50	Mr JCT Kent	X	74.10v	74.10v	50.7v	48.5v	50.6v	48.7v	0.0v	73.10v	0.0v	48.5v	0.0v	465.60v
51	Mr C Fitzpatrick	X	75.14v	74.8v	49.6v	48.5v	50.7v	50.5v	0.0v	73.10v	0.0v	46.3v	0.0v	465.58v
52	Mr PM Lanigan	X	74.9v	73.10v	49.6v	49.4v	50.6v	47.5v	0.0v	74.13v	0.0v	49.4v	0.0v	465.57v
53	Mr PM Jory	X	73.11v	74.10v	49.6v	49.7v	50.8v	49.4v	0.0v	75.6v	0.0v	46.5v	0.0v	465.57v
54	Mr PRD Stock	A	75.6v	75.11v	50.8v	48.6v	47.5v	48.4v	0.0v	75.11v	0.0v	47.5v	0.0v	465.56v

55	Dr JO Ahrens	X	75.11v	74.11v	49.5v	47.3v	49.5v	48.5v	0.0v	75.9v	0.0v	48.5v	0.0v	465.54v
56	Mr D Blake	X	75.10v	74.9v	46.0v	48.4v	50.9v	50.5v	0.0v	75.14v	0.0v	47.3v	0.0v	465.54v
57	Mr JA Anderson	X	75.10v	74.9v	49.6v	45.4v	50.7v	50.5v	0.0v	74.9v	0.0v	48.3v	0.0v	465.53v
58	Mr DE Nuthall	X	75.10v	75.9v	48.6v	46.4v	50.3v	48.5v	0.0v	75.10v	0.0v	48.5v	0.0v	465.52v
59	Mr DJ Archer	A	74.8v	73.8v	48.3v	50.7v	49.7v	49.4v	0.0v	73.9v	0.0v	49.4v	0.0v	465.50v
60	Mr AP Barnes	X	73.7v	75.9v	48.3v	50.7v	50.6v	49.5v	0.0v	70.7v	0.0v	50.5v	0.0v	465.49v
61	Mr SD Shouler	X	75.11v	71.6v	50.5v	50.7v	49.6v	49.2v	0.0v	74.9v	0.0v	47.3v	0.0v	465.49v
62	Mr GW Morgan	X	75.8v	75.9v	49.3v	48.4v	50.4v	48.7v	0.0v	73.8v	0.0v	47.4v	0.0v	465.47v
63	Mr JW Alexander	X	75.11v	74.10v	49.3v	48.2v	50.4v	47.3v	0.0v	73.6v	0.0v	49.7v	0.0v	465.46v
64	Mr SFD Dash	A	73.7v	72.7v	49.4v	50.3v	50.7v	49.5v	0.0v	72.8v	0.0v	50.4v	0.0v	465.45v
65	Mr SM Negus	X	73.12v	74.13v	49.8v	49.6v	49.7v	48.7v	0.0v	75.10v	0.0v	47.5v	0.0v	464.68v
66	Mr A Stewart	X	73.10v	75.12v	47.4v	47.4v	50.8v	48.7v	0.0v	75.10v	0.0v	49.6v	0.0v	464.61v
67	Mr CJ Watson	X	75.13v	71.6v	50.7v	49.6v	50.6v	48.7v	0.0v	75.14v	0.0v	46.2v	0.0v	464.61v
68	Mr SJ East	A	72.8v	72.11v	50.6v	49.7v	49.7v	49.5v	0.0v	75.13v	0.0v	48.3v	0.0v	464.60v
69	Mr GS Cotton	X	75.10v	74.12v	49.5v	49.7v	50.6v	49.5v	0.0v	73.11v	0.0v	45.4v	0.0v	464.60v
70	Capt. AW Gill	X	74.11v	74.8v	50.7v	45.4v	49.6v	50.8v	0.0v	74.9v	0.0v	48.5v	0.0v	464.58v
71	Miss LCP-L Watson	A	74.12v	74.10v	48.7v	48.2v	50.10v	49.6v	0.0v	74.8v	0.0v	47.3v	0.0v	464.58v
72	Mr DR Le Quesne	X	75.11v	72.7v	50.8v	49.8v	49.8v	49.7v	0.0v	74.6v	0.0v	46.3v	0.0v	464.58v
73	Dr CD Haley	X	74.9v	71.6v	49.9v	49.4v	50.7v	50.7v	0.0v	73.10v	0.0v	48.5v	0.0v	464.57v
74	Mr TLW Kidner	X	74.11v	71.8v	49.6v	50.6v	50.7v	46.4v	0.0v	75.11v	0.0v	49.2v	0.0v	464.55v
75	Mr KO Pugh	A	72.9v	75.10v	50.7v	46.5v	50.5v	48.4v	0.0v	75.9v	0.0v	48.5v	0.0v	464.54v
76	Mr DGM Coleman	A	73.10v	73.9v	50.8v	47.5v	49.4v	48.3v	0.0v	75.11v	0.0v	49.3v	0.0v	464.53v
77	Mr AC Haley	X	75.9v	72.7v	49.6v	50.7v	50.6v	48.5v	0.0v	75.9v	0.0v	45.4v	0.0v	464.53v
78	Mr RBC Baker	A	74.12v	74.10v	49.7v	49.5v	49.2v	49.6v	0.0v	75.7v	0.0v	45.4v	0.0v	464.53v
79	Mr GC Childs	X	73.11v	72.9v	49.3v	49.5v	50.7v	50.5v	0.0v	74.8v	0.0v	47.4v	0.0v	464.52v
80	Ms LA Johnson	A	74.11v	73.10v	50.4v	48.5v	50.5v	50.5v	0.0v	72.9v	0.0v	47.3v	0.0v	464.52v
81	Miss EJ Cannings	O	75.7v	73.10v	49.4v	50.7v	49.4v	49.6v	0.0v	73.11v	0.0v	46.3v	0.0v	464.52v
82	Mr N Cole-Hawkins	A	75.10v	75.8v	48.2v	47.4v	49.6v	50.10v	0.0v	74.8v	0.0v	46.3v	0.0v	464.51v
83	Mr JWE Lewis	X	75.11v	74.7v	46.4v	49.5v	49.5v	49.8v	0.0v	74.8v	0.0v	48.2v	0.0v	464.50v
84	Mr D Rose	A	74.8v	75.12v	46.2v	49.4v	49.5v	48.6v	0.0v	74.7v	0.0v	49.4v	0.0v	464.48v
85	Miss DL Fenn	X	74.11v	73.5v	48.4v	50.8v	48.5v	50.5v	0.0v	73.8v	0.0v	48.2v	0.0v	464.48v
86	LCpl O J Rolfe	T	74.8v	74.6v	49.5v	49.3v	50.5v	48.7v	0.0v	74.9v	0.0v	46.4v	0.0v	464.47v
87	Mr IDC Brechin	O	74.6v	73.5v	50.7v	48.7v	49.7v	49.3v	0.0v	74.5v	0.0v	47.4v	0.0v	464.44v
88	Mr NC Mace	X	74.13v	75.10v	45.4v	49.4v	49.6v	50.9v	0.0v	75.14v	0.0v	46.5v	0.0v	463.65v
89	Mr JR Tuck	X	75.14v	74.11v	48.3v	48.8v	49.7v	47.3v	0.0v	74.12v	0.0v	48.4v	0.0v	463.62v
90	Mrs SV Luckman	X	75.13v	70.5v	50.5v	49.6v	50.7v	50.9v	0.0v	73.12v	0.0v	46.5v	0.0v	463.62v
91	Mr J Cload	X	73.9v	73.8v	50.8v	48.6v	50.8v	47.5v	0.0v	75.10v	0.0v	47.6v	0.0v	463.60v
92	Mr R McQuillan	X	75.15v	74.9v	48.4v	49.5v	50.9v	47.6v	0.0v	74.8v	0.0v	46.4v	0.0v	463.60v
93	Dr JD Warburton	X	75.10v	72.7v	48.4v	49.8v	50.8v	48.6v	0.0v	75.12v	0.0v	46.4v	0.0v	463.59v
94	Mr CP Weeden	X	75.11v	75.9v	50.9v	45.4v	49.8v	49.6v	0.0v	74.9v	0.0v	46.3v	0.0v	463.59v
95	Mr D de Vere	O	74.13v	71.6v	48.2v	49.7v	50.6v	50.8v	0.0v	75.11v	0.0v	46.4v	0.0v	463.57v
96	Mr RG Scott	A	75.13v	75.8v	48.4v	50.9v	48.6v	49.5v	0.0v	73.11v	0.0v	45.1v	0.0v	463.57v
97	Mr SKC Hunter	X	73.10v	73.5v	47.6v	50.8v	50.6v	49.8v	0.0v	74.9v	0.0v	47.4v	0.0v	463.56v
98	Sgt. H J Golaszewski	X	74.11v	72.8v	50.7v	46.5v	50.6v	49.4v	0.0v	73.10v	0.0v	49.4v	0.0v	463.55v
99	Dr MJ Schwarz	A	75.8v	71.5v	47.4v	50.10v	50.6v	50.9v	0.0v	72.9v	0.0v	48.3v	0.0v	463.54v
100	Mr RJ Booth	X	75.11v	72.7v	49.5v	47.3v	50.8v	49.5v	0.0v	74.11v	0.0v	47.4v	0.0v	463.54v
101	Mr RCT Jeens	X	75.10v	74.9v	48.6v	50.7v	50.6v	48.6v	0.0v	74.7v	0.0v	44.3v	0.0v	463.54v
102	Mr AD Le Cheminant	X	74.9v	74.7v	49.4v	49.6v	48.6v	48.5v	0.0v	75.11v	0.0v	46.4v	0.0v	463.52v
103	SGT SJ Hier	X	74.11v	73.8v	50.7v	49.5v	50.5v	49.5v	0.0v	72.9v	0.0v	46.2v	0.0v	463.52v
104	Mr P S Holmes	O	74.8v	73.8v	49.5v	45.5v	50.7v	50.6v	0.0v	74.8v	0.0v	48.4v	0.0v	463.51v
105	Mr JA Lindsay III	A	74.9v	73.8v	50.7v	49.5v	49.5v	48.6v	0.0v	74.9v	0.0v	46.2v	0.0v	463.51v
106	Mr TM Green	A	74.10v	74.6v	48.3v	46.5v	49.6v	49.5v	0.0v	74.10v	0.0v	49.5v	0.0v	463.50v
107	Mr ER Welford	X	74.10v	72.11v	50.3v	49.8v	50.6v	48.2v	0.0v	72.6v	0.0v	48.4v	0.0v	463.50v
108	Mr RM Roberts	X	74.11v	74.10v	49.7v	49.6v	49.4v	50.6v	0.0v	71.2v	0.0v	47.4v	0.0v	463.50v
109	Mr PG Cann	A	73.10v	73.7v	50.6v	50.5v	50.5v	46.3v	0.0v	75.11v	0.0v	46.3v	0.0v	463.50v
110	Mr TP Clarke	A	73.9v	75.7v	47.5v	49.7v	50.5v	48.4v	0.0v	73.8v	0.0v	48.4v	0.0v	463.49v
111	Mr SC Postins	X	73.11v	75.12v	48.6v	47.3v	49.4v	49.3v	0.0v	75.7v	0.0v	47.3v	0.0v	463.49v
112	Mr J Ford	A	74.10v	74.8v	50.6v	45.3v	50.6v	48.4v	0.0v	75.9v	0.0v	47.3v	0.0v	463.49v
113	Mr DJ Gass	X	75.6v	74.9v	50.8v	47.3v	50.6v	50.5v	0.0v	75.7v	0.0v	42.3v	0.0v	463.47v
114	Capt AG McLean	X	74.7v	71.5v	49.5v	48.5v	48.4v	49.5v	0.0v	74.8v	0.0v	50.3v	0.0v	463.42v
115	Mr DA Richardson	X	75.13v	72.9v	49.4v	47.5v	49.5v	49.7v	0.0v	75.13v	0.0v	46.2v	0.0v	462.58v
116	Cdt F E Purdy	O	75.11v	74.9v	46.2v	47.6v	50.10v	48.7v	0.0v	74.8v	0.0v	48.4v	0.0v	462.57v
117	Mr CL Leighton	A	72.8v	75.12v	49.5v	48.6v	50.6v	49.6v	0.0v	73.9v	0.0v	46.5v	0.0v	462.57v
118	Mr B Jones	A	75.10v	72.11v	50.6v	47.3v	48.6v	48.4v	0.0v	75.10v	0.0v	47.5v	0.0v	462.55v
119	Mr NP Moxon	A	73.7v	74.10v	50.7v	50.4v	50.8v	46.4v	0.0v	73.12v	0.0v	46.2v	0.0v	462.54v
120	Miss L Hearn	X	73.11v	73.12v	49.7v	49.4v	49.4v	48.4v	0.0v	74.9v	0.0v	47.2v	0.0v	462.53v
121	Mr DFP Richards	X	75.10v	73.7v	49.6v	46.4v	48.6v	49.5v	0.0v	74.11v	0.0v	48.2v	0.0v	462.51v
122	Mr GK Alexander	X	75.12v	74.7v	48.7v	49.4v	48.6v	48.4v	0.0v	73.5v	0.0v	47.6v	0.0v	462.51v
123	Mr H Sanders	A	74.11v	73.9v	48.5v	50.4v	48.4v	48.5v	0.0v	75.8v	0.0v	46.5v	0.0v	462.51v
124	Wg. Cdr. CJ Hockley	O	74.10v	72.7v	46.5v	50.6v	50.4v	48.7v	0.0v	74.8v	0.0v	48.3v	0.0v	462.50v
125	Mr RJW Smeltzer	X	74.7v	72.8v	50.8v	47.1v	50.8v	49.6v	0.0v	74.8v	0.0v	46.4v	0.0v	462.50v

126	Mr S Glen	A	75.7v	74.6v	50.7v	47.5v	48.6v	48.6v	0.0v	75.11v	0.0v	45.2v	0.0v	462.50v
127	Mr S J Pascoe	X	74.4v	74.9v	49.6v	48.6v	48.4v	49.6v	0.0v	71.6v	0.0v	49.6v	0.0v	462.47v
128	Mr AJ Luckman	X	75.10v	73.6v	49.4v	49.6v	49.6v	49.5v	0.0v	73.9v	0.0v	45.1v	0.0v	462.47v
129	Mr BH Jones	O	73.7v	74.9v	48.5v	49.1v	50.6v	48.5v	0.0v	74.11v	0.0v	46.2v	0.0v	462.46v
130	Mr PR Thompson	X	75.5v	73.8v	49.5v	46.1v	49.3v	48.3v	0.0v	72.10v	0.0v	50.7v	0.0v	462.42v
131	F W A Coetzee	X	75.12v	74.10v	48.4v	44.3v	50.10v	50.7v	0.0v	75.10v	0.0v	45.3v	0.0v	461.59v
132	Miss EJ Nuttall	X	75.12v	73.8v	45.7v	48.4v	48.3v	50.8v	0.0v	74.11v	0.0v	48.5v	0.0v	461.58v
133	Mr ATB Tompson	A	73.12v	73.7v	49.6v	47.5v	49.6v	48.6v	0.0v	75.10v	0.0v	47.6v	0.0v	461.58v
134	Mr GP Perron	X	75.12v	74.9v	48.6v	45.3v	49.6v	49.7v	0.0v	74.11v	0.0v	47.3v	0.0v	461.57v
135	Major RHG Riley	X	72.9v	72.7v	45.3v	50.9v	48.5v	50.8v	0.0v	75.11v	0.0v	49.3v	0.0v	461.55v
136	Mr JA Haward	A	74.11v	73.9v	46.2v	50.10v	48.4v	47.7v	0.0v	75.7v	0.0v	48.5v	0.0v	461.55v
137	Mr NBS Logan	X	75.11v	74.10v	48.4v	46.2v	48.4v	48.6v	0.0v	74.13v	0.0v	48.3v	0.0v	461.53v
138	Mr C Rivett-Carnac	X	75.11v	71.8v	48.4v	50.6v	50.7v	49.5v	0.0v	74.8v	0.0v	44.3v	0.0v	461.52v
139	Mr MRM Millar	X	74.10v	75.11v	48.5v	47.3v	48.4v	49.5v	0.0v	73.9v	0.0v	47.4v	0.0v	461.51v
140	Mr LR Chisholm	A	75.9v	71.3v	48.6v	48.7v	48.5v	49.5v	0.0v	74.10v	0.0v	48.5v	0.0v	461.50v
141	Mr RAH Vary	X	73.10v	73.6v	49.4v	49.5v	50.9v	48.4v	0.0v	75.11v	0.0v	44.1v	0.0v	461.50v
142	Miss H P McCullough	X	74.9v	73.8v	49.6v	46.4v	49.5v	50.7v	0.0v	75.7v	0.0v	45.3v	0.0v	461.49v
143	Mr RA Dix	A	75.13v	74.8v	50.6v	47.4v	49.4v	48.3v	0.0v	74.9v	0.0v	44.2v	0.0v	461.49v
144	Mr RH Gardiner	O	73.7v	72.7v	50.10v	48.5v	49.7v	48.2v	0.0v	74.8v	0.0v	47.2v	0.0v	461.48v
145	Mr S Belither	A	75.9v	74.9v	47.6v	49.5v	48.5v	48.3v	0.0v	74.9v	0.0v	46.2v	0.0v	461.48v
146	Mrs K Le Quesne	A	73.9v	74.8v	50.6v	47.6v	50.3v	49.5v	0.0v	71.5v	0.0v	47.5v	0.0v	461.47v
147	Mr J Bullock	X	74.7v	71.6v	49.7v	49.2v	48.7v	47.6v	0.0v	75.8v	0.0v	48.3v	0.0v	461.46v
148	Mr RP Rosling	X	74.6v	74.8v	49.5v	50.6v	49.4v	46.4v	0.0v	71.5v	0.0v	48.4v	0.0v	461.42v
149	Dr JS Rennie	A	73.10v	73.7v	50.4v	46.2v	47.5v	50.1v	0.0v	73.6v	0.0v	49.5v	0.0v	461.40v
150	Dr HHG Pollock	X	75.15v	72.7v	49.9v	48.6v	50.7v	42.3v	0.0v	75.11v	0.0v	49.5v	0.0v	460.63v
151	Mr GMLN Gilpin	X	72.9v	70.6v	49.7v	49.6v	50.7v	49.7v	0.0v	75.13v	0.0v	46.5v	0.0v	460.60v
152	Mr M J Ensor	X	74.10v	72.8v	48.7v	50.8v	49.8v	50.6v	0.0v	74.9v	0.0v	43.2v	0.0v	460.58v
153	Mr ANR Walker	X	75.9v	75.12v	50.9v	49.5v	46.5v	48.6v	0.0v	74.8v	0.0v	43.3v	0.0v	460.57v
154	Mr PJ Dudzinski	X	74.14v	74.9v	48.5v	47.5v	48.5v	49.6v	0.0v	73.7v	0.0v	47.4v	0.0v	460.55v
155	Mr R Kitson	A	75.12v	72.9v	50.8v	50.4v	48.5v	49.4v	0.0v	73.9v	0.0v	43.4v	0.0v	460.55v
156	Mr KB Hill	A	75.11v	74.11v	47.1v	50.7v	49.7v	46.4v	0.0v	72.10v	0.0v	47.2v	0.0v	460.53v
157	Mr BJ Page	X	74.14v	74.10v	50.6v	45.1v	48.7v	49.3v	0.0v	71.7v	0.0v	49.4v	0.0v	460.52v
158	Mr SNS Penrose	X	74.12v	72.8v	49.5v	50.8v	47.3v	48.7v	0.0v	74.6v	0.0v	46.3v	0.0v	460.52v
159	Miss JE Ouston	O	73.11v	74.10v	49.6v	45.3v	49.4v	49.5v	0.0v	75.10v	0.0v	46.3v	0.0v	460.52v
160	Mr PR Bain	A	73.9v	72.6v	48.5v	48.5v	50.8v	50.6v	0.0v	74.10v	0.0v	45.3v	0.0v	460.52v
161	Dr JR Deane	X	75.11v	74.7v	48.5v	49.4v	48.6v	49.7v	0.0v	72.10v	0.0v	45.2v	0.0v	460.52v
162	Mr AJ Haggerty	O	74.7v	72.7v	48.5v	48.5v	49.5v	49.7v	0.0v	73.10v	0.0v	47.5v	0.0v	460.51v
163	Sac(t) SDJ Glanville	A	72.10v	72.9v	49.5v	47.3v	50.3v	48.3v	0.0v	74.13v	0.0v	48.4v	0.0v	460.50v
164	R D P Knapstein	A	75.12v	72.5v	47.4v	48.5v	50.6v	48.6v	0.0v	72.9v	0.0v	48.3v	0.0v	460.50v
165	Mr TS Smith	O	73.9v	73.6v	50.6v	47.6v	50.5v	47.5v	0.0v	73.10v	0.0v	47.3v	0.0v	460.50v
166	Mr J Payne	A	74.12v	71.6v	49.3v	49.4v	48.5v	49.7v	0.0v	75.10v	0.0v	45.2v	0.0v	460.49v
167	Mr APW Daw	A	74.9v	74.11v	46.4v	50.5v	50.4v	49.4v	0.0v	74.11v	0.0v	43.1v	0.0v	460.49v
168	Mr WDH Burden	A	75.8v	73.8v	46.3v	47.5v	48.3v	48.5v	0.0v	74.10v	0.0v	49.6v	0.0v	460.48v
169	Mr DA Taylor	A	75.9v	74.8v	47.6v	47.5v	50.5v	48.6v	0.0v	72.8v	0.0v	47.1v	0.0v	460.48v
170	Mr JM Taylor	A	73.6v	70.6v	47.5v	50.6v	48.3v	49.7v	0.0v	74.10v	0.0v	49.4v	0.0v	460.47v
171	Mr CM Brooks	O	74.9v	71.6v	49.4v	48.5v	49.8v	47.3v	0.0v	75.8v	0.0v	47.4v	0.0v	460.47v
172	Mr AF Donald	O	75.11v	73.4v	48.4v	46.3v	50.5v	48.5v	0.0v	72.9v	0.0v	48.4v	0.0v	460.45v
173	Mr RW Hallows	A	75.6v	73.4v	48.7v	49.6v	50.7v	45.3v	0.0v	74.10v	0.0v	46.2v	0.0v	460.45v
174	Mr IW Robertson	X	73.9v	74.9v	49.3v	49.4v	49.4v	48.5v	0.0v	74.9v	0.0v	44.2v	0.0v	460.45v
175	LCpl JR Dunbar	O	74.8v	72.7v	50.5v	48.3v	47.5v	46.2v	0.0v	73.7v	0.0v	50.7v	0.0v	460.44v
176	Mr SO Jauncey	O	73.6v	73.6v	50.6v	46.3v	50.3v	48.4v	0.0v	72.7v	0.0v	48.7v	0.0v	460.42v
177	Mr D Davies	A	75.8v	73.7v	48.4v	48.6v	50.6v	46.3v	0.0v	72.6v	0.0v	48.2v	0.0v	460.42v
178	Mr CJ Palmer-Makowski	T	72.7v	72.9v	49.7v	48.0v	50.4v	49.4v	0.0v	72.5v	0.0v	48.4v	0.0v	460.40v
179	Mr JWE Lothian	X	74.11v	72.7v	48.7v	49.5v	49.8v	49.8v	0.0v	75.4v	0.0v	43.5v	0.0v	459.55v
180	Dr C I Johnston	X	72.9v	73.9v	47.4v	48.5v	49.6v	49.3v	0.0v	74.12v	0.0v	47.6v	0.0v	459.54v
181	Mr M.R. Frost	A	72.12v	74.10v	47.4v	47.6v	50.5v	49.5v	0.0v	74.9v	0.0v	46.2v	0.0v	459.53v
182	Dr AJ Pilgrim	X	74.12v	74.11v	46.2v	47.5v	49.6v	47.5v	0.0v	75.6v	0.0v	47.5v	0.0v	459.52v
183	Mr MP Watkins	O	75.11v	70.6v	50.6v	46.2v	49.6v	49.5v	0.0v	73.10v	0.0v	47.4v	0.0v	459.50v
184	Major JRW Postle	A	71.6v	74.11v	47.5v	50.7v	50.6v	45.1v	0.0v	75.11v	0.0v	47.3v	0.0v	459.50v
185	Mr JEM Bellringer	X	75.10v	72.9v	49.8v	50.7v	46.4v	47.3v	0.0v	74.6v	0.0v	46.3v	0.0v	459.50v
186	Wg. Cdr. RJS Clark	X	74.7v	74.9v	47.4v	48.5v	49.5v	48.6v	0.0v	73.9v	0.0v	46.4v	0.0v	459.49v
187	Mr SJ Carson	X	73.4v	73.8v	50.8v	50.8v	45.1v	48.6v	0.0v	75.13v	0.0v	45.1v	0.0v	459.49v
188	Mr G E Grosskreutz	X	75.10v	72.9v	48.6v	49.5v	48.3v	50.7v	0.0v	74.7v	0.0v	43.2v	0.0v	459.49v
189	Prof. AR Horrocks	X	74.10v	74.10v	49.5v	48.5v	49.5v	49.5v	0.0v	73.8v	0.0v	43.1v	0.0v	459.49v
190	Mr P Dawes	A	74.7v	72.7v	47.4v	50.6v	47.6v	49.5v	0.0v	72.7v	0.0v	48.6v	0.0v	459.48v
191	Mr JGM Webster	X	74.8v	72.4v	48.3v	45.4v	50.8v	49.5v	0.0v	74.11v	0.0v	47.5v	0.0v	459.48v
192	Mr BMA Stevens	X	75.10v	73.9v	49.6v	48.5v	47.3v	47.4v	0.0v	73.9v	0.0v	47.2v	0.0v	459.48v
193	Mr R Birtwistle	A	74.7v	74.9v	43.1v	49.7v	50.7v	49.5v	0.0v	74.8v	0.0v	46.4v	0.0v	459.48v
194	Mr CI Cooper	O	74.11v	75.7v	47.6v	46.3v	48.5v	46.3v	0.0v	75.7v	0.0v	48.5v	0.0v	459.47v
195	Cdt CE Mawson	T	75.10v	71.6v	48.5v	46.4v	50.7v	49.6v	0.0v	72.7v	0.0v	48.2v	0.0v	459.47v
196	Dr AF Aspin	A	75.7v	69.6v	48.4v	49.6v	47.3v	50.7v	0.0v	75.11v	0.0v	46.3v	0.0v	459.47v

197	Mr ORW Russell	O	75.6v	72.9v	48.4v	47.5v	48.6v	48.7v	0.0v	75.7v	0.0v	46.3v	0.0v	459.47v
198	Mr WR Steward	A	73.9v	74.9v	48.2v	48.5v	49.6v	48.3v	0.0v	73.11v	0.0v	46.2v	0.0v	459.47v
199	Mr J Purdy	O	75.8v	73.6v	50.6v	46.4v	47.3v	50.5v	0.0v	71.6v	0.0v	47.3v	0.0v	459.41v
200	Mr CD Heales	A	75.8v	73.8v	48.2v	48.5v	46.0v	50.7v	0.0v	73.9v	0.0v	46.2v	0.0v	459.41v
201	Mr OJNL Lyon	O	74.5v	75.7v	47.4v	48.4v	50.5v	47.7v	0.0v	73.7v	0.0v	45.2v	0.0v	459.41v
202	WO1 M Carberry	O	74.6v	73.4v	49.6v	47.5v	46.3v	49.4v	0.0v	73.8v	0.0v	48.3v	0.0v	459.39v
203	Mr BN Craig	O	75.13v	70.4v	49.7v	50.6v	49.8v	50.6v	0.0v	73.9v	0.0v	42.2v	0.0v	458.55v
204	Mr C Mallett	A	74.10v	74.8v	47.6v	48.6v	48.6v	46.4v	0.0v	75.9v	0.0v	46.5v	0.0v	458.54v
205	Mrs CJ Clifford-Evans	X	74.12v	72.7v	49.3v	48.5v	50.9v	47.2v	0.0v	70.8v	0.0v	48.5v	0.0v	458.51v
206	Mr D Adams	X	74.8v	71.7v	49.7v	49.5v	49.6v	48.6v	0.0v	73.8v	0.0v	45.3v	0.0v	458.50v
207	Mr S Harding	X	74.12v	73.6v	47.3v	49.7v	49.4v	48.7v	0.0v	74.8v	0.0v	44.3v	0.0v	458.50v
208	Mr RJ Quay	A	73.11v	73.5v	50.8v	46.4v	49.5v	50.6v	0.0v	74.9v	0.0v	43.2v	0.0v	458.50v
209	Mr RM Hatcher	A	74.9v	75.11v	49.7v	48.6v	49.4v	47.4v	0.0v	74.7v	0.0v	42.2v	0.0v	458.50v
210	Dr PR Wheeler	O	74.7v	74.10v	49.6v	47.3v	49.6v	48.4v	0.0v	70.6v	0.0v	47.5v	0.0v	458.47v
211	Mr RB Morgan	O	73.6v	73.10v	47.2v	50.7v	48.6v	49.5v	0.0v	70.8v	0.0v	48.2v	0.0v	458.46v
212	Mr TAD Lilley	X	73.6v	73.4v	50.6v	49.4v	47.6v	48.6v	0.0v	72.10v	0.0v	46.4v	0.0v	458.46v
213	Prof. MJ Guille	A	74.9v	73.9v	49.4v	47.4v	49.3v	50.7v	0.0v	71.7v	0.0v	45.3v	0.0v	458.46v
214	Mr GW Robinson	O	74.9v	72.5v	50.5v	48.5v	49.6v	49.5v	0.0v	73.9v	0.0v	43.1v	0.0v	458.45v
215	Miss CJ Dee	X	75.10v	70.5v	48.4v	49.4v	47.3v	49.5v	0.0v	73.9v	0.0v	47.4v	0.0v	458.44v
216	Mr OP Henry	A	74.9v	74.9v	48.4v	47.2v	47.5v	48.5v	0.0v	73.7v	0.0v	47.3v	0.0v	458.44v
217	Mr SJ Bissonnette	X	67.6v	74.6v	48.5v	48.5v	49.5v	50.6v	0.0v	75.10v	0.0v	47.1v	0.0v	458.44v
218	Mr IMR Power	A	73.7v	72.6v	49.4v	47.4v	49.4v	49.7v	0.0v	74.8v	0.0v	45.4v	0.0v	458.44v
219	Mr PR Coley	A	74.11v	72.5v	48.3v	47.5v	47.5v	48.5v	0.0v	75.8v	0.0v	47.1v	0.0v	458.43v
220	Mr M Lidgitt	A	75.9v	73.3v	48.5v	46.4v	48.5v	47.5v	0.0v	75.8v	0.0v	46.4v	0.0v	458.43v
221	Mr PJ Johnson	X	74.8v	74.7v	48.7v	49.3v	47.4v	47.5v	0.0v	72.4v	0.0v	47.4v	0.0v	458.42v
222	Mr MJ MacKeith	X	74.10v	74.3v	46.4v	47.3v	49.6v	49.5v	0.0v	74.10v	0.0v	45.1v	0.0v	458.42v
223	Mr JB Hull	X	73.7v	74.8v	49.3v	45.3v	49.3v	50.6v	0.0v	75.10v	0.0v	43.2v	0.0v	458.42v
224	Mr JD Ward	O	73.10v	73.6v	47.2v	46.4v	50.6v	49.3v	0.0v	73.7v	0.0v	47.3v	0.0v	458.41v
225	Mr WP Hanley	O	74.7v	73.7v	48.2v	47.7v	48.4v	49.6v	0.0v	73.5v	0.0v	46.1v	0.0v	458.39v
226	Mr NT Davies	O	74.5v	71.8v	48.2v	47.4v	49.3v	49.3v	0.0v	72.8v	0.0v	48.3v	0.0v	458.36v
227	Mr M Persaud	X	74.7v	75.7v	48.4v	48.2v	47.5v	48.2v	0.0v	73.7v	0.0v	45.2v	0.0v	458.36v
228	Mr TJ Roberts	A	74.8v	73.7v	47.2v	45.3v	50.5v	49.4v	0.0v	73.3v	0.0v	47.2v	0.0v	458.34v
229	Eur Ing C. A. Painting	A	75.11v	73.8v	47.3v	48.7v	46.6v	47.5v	0.0v	74.11v	0.0v	47.7v	0.0v	457.58v
230	Mr GW Davies	X	74.10v	75.10v	47.7v	49.8v	49.5v	45.5v	0.0v	72.7v	0.0v	46.4v	0.0v	457.56v
231	Mr RI Nelson	X	74.13v	70.7v	50.7v	43.2v	50.8v	47.5v	0.0v	73.11v	0.0v	50.2v	0.0v	457.55v
232	Mr GD Palmer	O	74.11v	71.8v	49.6v	47.3v	49.5v	48.6v	0.0v	74.13v	0.0v	45.1v	0.0v	457.53v
233	Sqn Ldr KP Cressy	A	75.9v	73.10v	48.5v	47.4v	49.7v	46.4v	0.0v	73.10v	0.0v	46.3v	0.0v	457.52v
234	Mr MA Kirkillio-Stacewicz	X	75.13v	71.7v	50.7v	47.5v	49.6v	47.4v	0.0v	71.4v	0.0v	47.5v	0.0v	457.51v
235	Miss LR Mckerrell	O	73.9v	70.6v	48.3v	47.5v	50.7v	50.8v	0.0v	74.8v	0.0v	45.5v	0.0v	457.51v
236	Mr T Drysdale	X	71.8v	74.10v	47.5v	46.4v	49.7v	49.5v	0.0v	73.8v	0.0v	48.3v	0.0v	457.50v
237	Mr RL Johnson	O	72.7v	74.11v	49.8v	44.3v	48.2v	49.6v	0.0v	74.9v	0.0v	47.4v	0.0v	457.50v
238	Mr MJ Purdy	X	74.10v	71.9v	46.5v	50.3v	49.8v	48.5v	0.0v	72.8v	0.0v	47.2v	0.0v	457.50v
239	Mr S I G Pearson	A	71.9v	74.9v	48.6v	49.5v	49.6v	46.4v	0.0v	71.7v	0.0v	49.3v	0.0v	457.49v
240	Mr AM Bullen	A	74.9v	74.10v	49.3v	46.4v	47.3v	50.8v	0.0v	73.11v	0.0v	44.1v	0.0v	457.49v
241	Mr MR Fugeman	A	73.10v	75.12v	50.6v	47.4v	50.6v	47.3v	0.0v	72.4v	0.0v	43.4v	0.0v	457.49v
242	Mr RJS Curtis	X	75.10v	74.10v	49.6v	46.3v	47.5v	49.4v	0.0v	69.5v	0.0v	48.5v	0.0v	457.48v
243	Miss EG Joseph	A	75.10v	72.8v	46.3v	49.5v	49.5v	45.2v	0.0v	72.10v	0.0v	49.4v	0.0v	457.47v
244	Mr RG Faulkner	A	72.9v	72.7v	45.3v	50.5v	48.4v	50.7v	0.0v	72.7v	0.0v	48.4v	0.0v	457.46v
245	Mr D Cottrill	A	73.9v	71.8v	46.3v	48.3v	49.7v	50.5v	0.0v	73.7v	0.0v	47.4v	0.0v	457.46v
246	Mr I T R Jobling	A	74.8v	73.8v	50.7v	46.3v	49.7v	49.5v	0.0v	70.7v	0.0v	46.1v	0.0v	457.46v
247	Mr DJ Curtis	X	73.7v	74.10v	49.4v	47.4v	49.7v	49.6v	0.0v	72.6v	0.0v	44.2v	0.0v	457.46v
248	Mr MJM Black	A	75.11v	69.1v	50.6v	46.3v	47.6v	47.4v	0.0v	74.9v	0.0v	49.5v	0.0v	457.45v
249	Dr N Hart	O	74.8v	72.6v	49.4v	48.3v	46.3v	48.5v	0.0v	74.11v	0.0v	46.4v	0.0v	457.44v
250	Mr HN Watson	X	74.10v	72.6v	48.3v	48.4v	48.4v	47.4v	0.0v	74.9v	0.0v	46.3v	0.0v	457.43v
251	Mr A Mabon	O	74.8v	71.5v	47.5v	48.6v	48.4v	48.4v	0.0v	74.6v	0.0v	47.3v	0.0v	457.41v
252	Mr NJ Atkins	O	72.3v	74.8v	48.7v	48.2v	49.3v	48.4v	0.0v	71.6v	0.0v	47.7v	0.0v	457.40v
253	Mr PJ Chance	O	72.7v	74.7v	49.4v	48.3v	47.3v	48.5v	0.0v	72.8v	0.0v	47.3v	0.0v	457.40v
254	Mr AG Mitchell	X	72.5v	73.5v	49.5v	46.3v	49.5v	48.6v	0.0v	75.10v	0.0v	45.1v	0.0v	457.40v
255	Mr AB Banea	T	73.7v	68.4v	50.5v	48.5v	47.3v	48.3v	0.0v	73.6v	0.0v	50.4v	0.0v	457.37v
256	Mr AP Smith	O	74.7v	73.5v	46.3v	48.5v	48.2v	48.4v	0.0v	72.6v	0.0v	48.2v	0.0v	457.34v
257	Mr PGW Purdy	O	75.6v	69.3v	48.4v	46.2v	48.4v	48.2v	0.0v	74.9v	0.0v	49.3v	0.0v	457.33v
258	Cdt C A Evans	A	75.12v	70.6v	46.4v	47.2v	50.7v	49.8v	0.0v	72.10v	0.0v	47.4v	0.0v	456.53v
259	Mr RW Shaw	A	74.12v	74.11v	47.5v	45.1v	50.6v	45.5v	0.0v	75.11v	0.0v	46.2v	0.0v	456.53v
260	Lt. Col. AJW Sturrock	A	72.9v	70.4v	49.5v	50.10v	47.3v	48.8v	0.0v	75.8v	0.0v	45.5v	0.0v	456.52v
261	Mr MH Shaw	A	71.8v	73.6v	47.6v	47.4v	49.6v	49.7v	0.0v	74.8v	0.0v	46.4v	0.0v	456.49v
262	Mrs GC O'Leary	O	74.9v	71.7v	48.5v	48.2v	48.5v	48.6v	0.0v	74.11v	0.0v	45.4v	0.0v	456.49v
263	Mr MCJ Button	X	74.6v	75.14v	49.3v	47.4v	49.4v	48.5v	0.0v	72.9v	0.0v	42.4v	0.0v	456.49v
264	Mr WA Langley	O	74.10v	72.10v	48.3v	47.5v	49.5v	49.3v	0.0v	74.10v	0.0v	43.2v	0.0v	456.48v
265	Mr SC Williamson	O	73.9v	71.6v	49.6v	48.3v	49.5v	49.4v	0.0v	73.10v	0.0v	44.3v	0.0v	456.46v
266	Mr AI Brown	O	71.10v	72.5v	47.6v	46.3v	49.3v	48.5v	0.0v	74.9v	0.0v	49.4v	0.0v	456.45v
267	Mr DJ Rowland	O	74.11v	73.3v	50.5v	43.3v	48.5v	50.8v	0.0v	73.7v	0.0v	45.3v	0.0v	456.45v

268	Mr PJ Chapman-Sheath	X	75.11v	71.8v	50.7v	45.3v	49.2v	50.5v	0.0v	73.9v	0.0v	43.0v	0.0v	456.45v
269	Mr RAV Hebblethwaite	A	75.13v	74.9v	50.5v	48.2v	49.4v	46.3v	0.0v	73.7v	0.0v	41.2v	0.0v	456.45v
270	Mr LT Wicker	X	73.10v	70.5v	48.6v	47.5v	48.3v	49.7v	0.0v	74.6v	0.0v	47.2v	0.0v	456.44v
271	Mr JPL Sweet	X	74.9v	72.7v	47.2v	47.4v	47.2v	48.4v	0.0v	74.11v	0.0v	47.3v	0.0v	456.42v
272	Mr PS Gray	A	74.6v	70.7v	47.4v	48.1v	49.6v	48.6v	0.0v	73.9v	0.0v	47.2v	0.0v	456.41v
273	Mr JDJ Webber	O	73.8v	71.6v	50.9v	49.4v	48.3v	44.1v	0.0v	74.10v	0.0v	47.0v	0.0v	456.41v
274	Mr JR Dodd	O	72.4v	72.8v	47.3v	49.5v	49.5v	49.6v	0.0v	75.10v	0.0v	43.0v	0.0v	456.41v
275	Mr T Horrocks	O	74.6v	73.7v	45.2v	49.4v	49.8v	48.2v	0.0v	74.8v	0.0v	44.3v	0.0v	456.40v
276	Mr A Thomson	A	74.9v	72.4v	50.6v	48.3v	48.4v	47.3v	0.0v	72.8v	0.0v	45.2v	0.0v	456.39v
277	Miss HA Pugsley-Pearse	O	74.11v	74.11v	47.4v	44.4v	49.6v	49.7v	0.0v	74.10v	0.0v	44.4v	0.0v	455.57v
278	Mr HAD Howard	A	75.11v	72.6v	48.7v	47.5v	45.4v	46.4v	0.0v	73.9v	0.0v	49.5v	0.0v	455.51v
279	Mrs MM Norman	A	74.11v	73.7v	45.4v	49.6v	49.6v	48.4v	0.0v	75.11v	0.0v	42.2v	0.0v	455.51v
280	Miss SIM Anderson	O	75.8v	71.7v	49.6v	48.4v	45.8v	48.5v	0.0v	75.7v	0.0v	44.3v	0.0v	455.48v
281	Sgt J Wallace	A	73.10v	73.7v	46.3v	47.3v	49.5v	47.6v	0.0v	74.8v	0.0v	46.5v	0.0v	455.47v
282	Mr MJ Wood	X	75.7v	72.10v	48.6v	49.5v	49.5v	47.4v	0.0v	71.7v	0.0v	44.3v	0.0v	455.47v
283	Mr A Chown	A	74.9v	74.7v	48.6v	46.3v	48.5v	48.4v	0.0v	74.8v	0.0v	43.5v	0.0v	455.47v
284	Mr SJ Comins	O	73.10v	67.2v	48.5v	50.6v	48.6v	49.6v	0.0v	74.8v	0.0v	46.3v	0.0v	455.46v
285	Mr IRM Brown	A	72.6v	71.6v	49.6v	48.4v	50.8v	47.4v	0.0v	72.9v	0.0v	46.3v	0.0v	455.46v
286	Capt WF Squires	O	74.8v	72.6v	47.3v	45.4v	50.7v	49.6v	0.0v	72.8v	0.0v	46.2v	0.0v	455.44v
287	Mr AK Katona	X	73.9v	71.7v	48.6v	48.4v	49.6v	49.4v	0.0v	73.6v	0.0v	44.2v	0.0v	455.44v
288	Mr M Cooper	O	75.12v	72.4v	49.5v	43.2v	48.2v	47.6v	0.0v	72.8v	0.0v	49.4v	0.0v	455.43v
289	Wg. Cdr. MJ Gregory	A	73.7v	71.6v	50.6v	49.6v	46.2v	48.7v	0.0v	72.6v	0.0v	46.3v	0.0v	455.43v
290	Mr GW Clarke	A	74.7v	70.8v	47.2v	50.7v	49.3v	45.4v	0.0v	74.11v	0.0v	46.1v	0.0v	455.43v
291	Mr P Cameron Taylor	O	74.6v	73.10v	46.3v	46.3v	50.7v	49.5v	0.0v	70.4v	0.0v	47.4v	0.0v	455.42v
292	Mrs JE Dickson	O	75.7v	70.6v	49.3v	45.1v	49.7v	48.4v	0.0v	74.9v	0.0v	45.5v	0.0v	455.42v
293	Mr NJ Burnip	O	68.4v	73.7v	49.4v	50.4v	47.4v	48.4v	0.0v	73.8v	0.0v	47.4v	0.0v	455.39v
294	Mr MR Place	O	71.5v	71.8v	50.4v	48.4v	49.4v	49.4v	0.0v	70.6v	0.0v	47.4v	0.0v	455.39v
295	Mr JR Stirland	O	73.7v	72.7v	49.5v	46.3v	48.1v	49.5v	0.0v	73.9v	0.0v	45.1v	0.0v	455.38v
296	Miss TJ Fitzsimons	A	71.4v	71.5v	46.2v	49.5v	50.6v	47.2v	0.0v	72.7v	0.0v	49.4v	0.0v	455.35v
297	Mr M D Joyce	A	74.7v	70.4v	48.3v	48.4v	49.6v	49.6v	0.0v	70.4v	0.0v	47.1v	0.0v	455.35v
298	Miss D O'Kelly	A	75.13v	73.7v	47.3v	41.2v	47.7v	49.7v	0.0v	75.9v	0.0v	47.3v	0.0v	454.51v
299	Mr MF Boucher	T	69.9v	72.5v	49.9v	48.6v	49.5v	48.4v	0.0v	73.8v	0.0v	46.3v	0.0v	454.49v
300	Mr CC Mallett Jnr	A	75.10v	74.13v	48.6v	46.4v	48.5v	46.2v	0.0v	73.8v	0.0v	44.1v	0.0v	454.49v
301	Mr MM Moore	O	73.9v	72.9v	45.2v	48.4v	50.7v	49.5v	0.0v	74.9v	0.0v	43.4v	0.0v	454.49v
302	Mr R I Coventry	O	72.7v	74.8v	48.5v	47.4v	45.4v	49.4v	0.0v	74.12v	0.0v	45.2v	0.0v	454.46v
303	Mr P Goubert	O	72.8v	74.9v	48.5v	47.5v	49.6v	49.6v	0.0v	72.7v	0.0v	43.0v	0.0v	454.46v
304	Mr SH Cox	X	71.8v	75.11v	48.4v	48.5v	50.8v	45.2v	0.0v	75.6v	0.0v	42.2v	0.0v	454.46v
305	Mr MJ Brister	X	72.10v	72.7v	50.6v	47.4v	49.7v	48.5v	0.0v	71.4v	0.0v	45.2v	0.0v	454.45v
306	Mr AGH Van Koetsveld	A	71.6v	72.10v	48.6v	48.4v	49.5v	48.3v	0.0v	75.9v	0.0v	43.2v	0.0v	454.45v
307	Mr G Williams	O	74.10v	70.6v	49.5v	46.4v	50.7v	47.2v	0.0v	73.6v	0.0v	45.4v	0.0v	454.44v
308	Mr RJ Waters	A	75.13v	69.2v	50.3v	47.7v	49.4v	49.5v	0.0v	73.8v	0.0v	42.2v	0.0v	454.44v
309	Mr PD Griggs	X	75.10v	71.8v	50.3v	47.3v	48.5v	43.3v	0.0v	72.8v	0.0v	48.3v	0.0v	454.43v
310	Mr A Wilson	O	73.9v	71.4v	46.2v	46.4v	50.6v	48.5v	0.0v	73.8v	0.0v	47.5v	0.0v	454.43v
311	Mr JR Lindsay	O	74.11v	72.5v	49.5v	44.2v	48.4v	47.5v	0.0v	74.5v	0.0v	46.6v	0.0v	454.43v
312	Mr TJ Brooking	A	72.5v	70.6v	49.5v	47.4v	48.5v	48.4v	0.0v	74.9v	0.0v	46.5v	0.0v	454.43v
313	Mr DCW Lloyd	O	75.7v	71.7v	49.4v	50.4v	50.6v	43.6v	0.0v	74.7v	0.0v	42.2v	0.0v	454.43v
314	FS RW Smith	O	71.5v	73.8v	46.4v	46.4v	48.7v	46.1v	0.0v	75.8v	0.0v	49.5v	0.0v	454.42v
315	Mr MJ Creber	O	74.8v	72.8v	49.6v	45.2v	50.3v	47.7v	0.0v	72.6v	0.0v	45.2v	0.0v	454.42v
316	Mr CB Cotillard	A	72.7v	74.6v	50.5v	46.4v	48.4v	49.4v	0.0v	74.10v	0.0v	41.2v	0.0v	454.42v
317	Mr BV Cambray	A	70.2v	74.12v	44.1v	49.5v	48.4v	49.3v	0.0v	73.10v	0.0v	47.4v	0.0v	454.41v
318	Mr AJ Horton	O	73.9v	73.9v	48.4v	50.4v	47.5v	44.0v	0.0v	71.8v	0.0v	48.1v	0.0v	454.40v
319	Mr R Winney	A	75.8v	72.6v	50.4v	49.6v	48.4v	46.3v	0.0v	67.4v	0.0v	47.4v	0.0v	454.39v
320	Mr AJCB de Launay	A	72.9v	72.7v	49.3v	48.4v	49.3v	47.2v	0.0v	71.7v	0.0v	46.4v	0.0v	454.39v
321	Mr TP Hammond	A	73.5v	73.7v	48.3v	49.7v	47.2v	48.5v	0.0v	73.7v	0.0v	43.2v	0.0v	454.38v
322	Mr B Taylor	O	74.4v	70.5v	48.1v	46.6v	49.7v	48.3v	0.0v	73.7v	0.0v	46.4v	0.0v	454.37v
323	Mr P Dobell	X	75.8v	75.5v	44.1v	45.3v	47.4v	49.5v	0.0v	71.5v	0.0v	48.3v	0.0v	454.34v
324	Miss HA Foster	A	74.5v	72.5v	47.3v	47.2v	49.6v	46.1v	0.0v	74.7v	0.0v	45.3v	0.0v	454.32v
325	R Kligge	O	75.6v	73.10v	45.3v	45.5v	49.7v	49.6v	0.0v	72.8v	0.0v	45.5v	0.0v	453.50v
326	Mr P Waldron	O	73.8v	68.7v	48.7v	49.6v	48.7v	50.7v	0.0v	71.6v	0.0v	46.1v	0.0v	453.49v
327	Mr WJ Rowland	A	74.9v	73.8v	46.3v	50.7v	48.5v	49.9v	0.0v	72.7v	0.0v	41.1v	0.0v	453.49v
328	Mr BA Young	X	74.9v	70.7v	47.5v	48.6v	50.5v	47.4v	0.0v	70.6v	0.0v	47.4v	0.0v	453.46v
329	Mr C Mitchell	O	73.5v	73.11v	46.3v	47.4v	50.7v	48.3v	0.0v	71.10v	0.0v	45.2v	0.0v	453.45v
330	Mr JP Barry	O	71.4v	71.7v	48.5v	44.2v	48.5v	48.5v	0.0v	74.10v	0.0v	49.6v	0.0v	453.44v
331	Mr W Briggs	O	74.6v	74.8v	48.4v	47.4v	49.7v	45.4v	0.0v	73.9v	0.0v	43.2v	0.0v	453.44v
332	Mr JMG Redman	O	73.4v	72.7v	48.4v	48.5v	48.4v	48.4v	0.0v	74.9v	0.0v	42.6v	0.0v	453.43v
333	Miss AR Southall	T	73.11v	73.4v	50.2v	46.5v	49.5v	48.4v	0.0v	72.8v	0.0v	42.3v	0.0v	453.42v
334	B Lottritz	O	73.10v	75.7v	44.4v	47.2v	49.7v	48.2v	0.0v	70.5v	0.0v	47.4v	0.0v	453.41v
335	Mr SL Lévesque	T	72.5v	72.7v	48.5v	45.2v	49.7v	49.7v	0.0v	72.5v	0.0v	46.3v	0.0v	453.41v
336	Mr RA Welford	O	75.9v	73.6v	47.4v	45.3v	46.3v	49.6v	0.0v	74.8v	0.0v	44.1v	0.0v	453.40v
337	Mr KM Willingale	A	73.9v	71.7v	47.3v	46.3v	49.3v	48.5v	0.0v	72.7v	0.0v	47.2v	0.0v	453.39v
338	Mr EM Brice	A	73.5v	73.9v	49.6v	46.2v	47.1v	50.8v	0.0v	70.5v	0.0v	45.0v	0.0v	453.36v

339	Mr CP Goad	O	74.6v	69.4v	49.2v	47.5v	50.5v	50.7v	0.0v	71.3v	0.0v	43.1v	0.0v	453.33v
340	Mr SAJ Dowley	A	71.3v	74.5v	47.5v	46.2v	50.5v	48.5v	0.0v	70.4v	0.0v	47.1v	0.0v	453.30v
341	Mr RA Benest	X	69.14v	73.8v	47.5v	45.3v	50.9v	48.4v	0.0v	75.7v	0.0v	45.2v	0.0v	452.52v
342	Mr IF Luckman	A	74.12v	70.7v	47.6v	48.5v	49.5v	44.1v	0.0v	73.9v	0.0v	47.4v	0.0v	452.49v
343	Mr SJ Whitby	A	70.6v	73.7v	49.9v	48.6v	47.6v	48.3v	0.0v	70.6v	0.0v	47.5v	0.0v	452.48v
344	Mr SW Maris	O	72.10v	73.8v	49.5v	44.2v	49.6v	49.5v	0.0v	73.8v	0.0v	43.3v	0.0v	452.47v
345	Flt Lt M R Leyman	O	74.6v	73.12v	49.4v	41.1v	49.8v	46.3v	0.0v	74.9v	0.0v	46.2v	0.0v	452.45v
346	Mr NW Penn	A	74.8v	69.3v	48.6v	49.7v	50.6v	46.6v	0.0v	73.8v	0.0v	43.1v	0.0v	452.45v
347	Cdt O G Graziosi	T	73.10v	73.6v	46.3v	48.5v	49.6v	47.6v	0.0v	73.8v	0.0v	43.1v	0.0v	452.45v
348	Mr DH Allen	O	70.5v	70.6v	47.5v	48.5v	48.3v	49.6v	0.0v	75.12v	0.0v	45.2v	0.0v	452.44v
349	Mr JR Davies	X	73.10v	74.12v	46.2v	46.3v	50.8v	46.3v	0.0v	72.6v	0.0v	45.0v	0.0v	452.44v
350	Mr ML Cotillard	A	72.9v	73.5v	49.6v	50.6v	45.4v	46.3v	0.0v	73.9v	0.0v	44.2v	0.0v	452.44v
351	Mr GAE Larcombe	O	74.10v	72.7v	46.2v	48.4v	49.5v	46.6v	0.0v	71.7v	0.0v	46.2v	0.0v	452.43v
352	Mr RCQ Martin	X	73.8v	71.5v	48.6v	45.4v	49.5v	46.5v	0.0v	75.8v	0.0v	45.2v	0.0v	452.43v
353	Mr NJ Branch	X	74.11v	70.5v	49.7v	47.2v	50.6v	45.2v	0.0v	73.7v	0.0v	44.3v	0.0v	452.43v
354	O/Cdt BA Boyle	A	73.6v	73.9v	47.4v	47.3v	49.7v	48.4v	0.0v	74.9v	0.0v	41.1v	0.0v	452.43v
355	Mr CJ Sherratt	O	75.12v	68.2v	50.7v	48.3v	43.1v	49.5v	0.0v	74.10v	0.0v	45.2v	0.0v	452.42v
356	Mr JC Evans	A	75.11v	72.4v	46.3v	50.6v	49.6v	46.1v	0.0v	71.9v	0.0v	43.2v	0.0v	452.42v
357	Cdt Sgt T Matthewson	T	72.8v	74.11v	48.5v	48.2v	47.2v	49.4v	0.0v	73.9v	0.0v	41.1v	0.0v	452.42v
358	Mr M Liversage	O	75.10v	68.4v	48.5v	44.2v	50.7v	50.7v	0.0v	72.5v	0.0v	45.1v	0.0v	452.41v
359	Sgt S P Ireson	T	70.6v	71.4v	49.3v	49.5v	48.5v	46.4v	0.0v	75.10v	0.0v	44.3v	0.0v	452.40v
360	Cadet OS Marshall	O	74.9v	72.5v	46.2v	45.3v	47.5v	48.2v	0.0v	73.8v	0.0v	47.3v	0.0v	452.37v
361	Miss SL Hayes	O	73.9v	70.4v	47.1v	45.4v	50.5v	46.5v	0.0v	74.8v	0.0v	47.1v	0.0v	452.37v
362	Mr HJM Awin	O	74.8v	71.5v	48.5v	48.5v	48.5v	48.3v	0.0v	69.3v	0.0v	46.3v	0.0v	452.37v
363	Mr AK Fitch	O	71.6v	71.5v	49.5v	47.4v	48.3v	46.2v	0.0v	73.8v	0.0v	47.3v	0.0v	452.36v
364	Mr D Hanson	O	74.9v	72.4v	48.3v	48.5v	47.1v	49.4v	0.0v	72.8v	0.0v	42.1v	0.0v	452.35v
365	Miss JC Melling	T	75.13v	72.9v	49.5v	43.4v	47.6v	47.5v	0.0v	74.8v	0.0v	44.4v	0.0v	451.54v
366	Mr AI Lawrie	O	73.9v	73.7v	45.6v	45.4v	47.7v	46.4v	0.0v	75.11v	0.0v	47.4v	0.0v	451.52v
367	Mr A Coakes	O	72.10v	70.6v	48.5v	49.6v	47.5v	47.7v	0.0v	71.6v	0.0v	47.5v	0.0v	451.50v
368	Mr WHC Alexander	O	75.9v	73.8v	48.7v	48.6v	46.5v	47.2v	0.0v	69.6v	0.0v	45.4v	0.0v	451.47v
369	Mr GED Hart	O	74.10v	71.9v	48.5v	46.4v	47.3v	49.7v	0.0v	71.5v	0.0v	45.4v	0.0v	451.47v
370	Mr RJ Coffin	O	73.11v	73.7v	47.5v	47.2v	49.4v	49.5v	0.0v	67.6v	0.0v	46.6v	0.0v	451.46v
371	Mr TEO Richards	O	71.5v	73.8v	44.3v	48.5v	48.8v	47.4v	0.0v	74.10v	0.0v	46.3v	0.0v	451.46v
372	Mr DJ Tracey	A	70.4v	70.6v	47.5v	44.3v	49.8v	49.4v	0.0v	73.9v	0.0v	49.6v	0.0v	451.45v
373	Mr JD Badman	T	72.8v	67.5v	48.3v	47.7v	46.2v	49.5v	0.0v	74.11v	0.0v	48.4v	0.0v	451.45v
374	Mr MG Reid	O	73.6v	72.8v	47.3v	48.3v	44.4v	49.5v	0.0v	74.11v	0.0v	44.5v	0.0v	451.45v
375	Mr JFJ Bryson	O	71.7v	73.8v	46.3v	47.4v	50.7v	49.7v	0.0v	71.8v	0.0v	44.1v	0.0v	451.45v
376	Mr IR Thomson	O	71.7v	71.5v	47.3v	48.4v	48.6v	45.3v	0.0v	74.11v	0.0v	47.5v	0.0v	451.44v
377	Mr MTJ Downes	T	74.11v	73.6v	47.4v	48.6v	47.3v	48.5v	0.0v	73.7v	0.0v	41.2v	0.0v	451.44v
378	Miss HM Taylor	A	74.9v	70.7v	49.5v	48.2v	48.5v	46.5v	0.0v	68.5v	0.0v	48.5v	0.0v	451.43v
379	Mr BDW Parsons	O	74.8v	68.4v	48.5v	47.4v	48.5v	49.6v	0.0v	70.7v	0.0v	47.4v	0.0v	451.43v
380	Cdt A D Partridge	O	75.12v	73.9v	48.2v	45.3v	49.5v	48.4v	0.0v	70.6v	0.0v	43.2v	0.0v	451.43v
381	Mr ISL Dampney	X	73.10v	73.7v	45.0v	48.3v	48.7v	48.2v	0.0v	75.12v	0.0v	41.1v	0.0v	451.42v
382	Mr TL Bedwell	O	72.6v	72.11v	48.5v	48.4v	48.3v	43.0v	0.0v	72.8v	0.0v	48.3v	0.0v	451.40v
383	Mr GRP Shapland	O	72.5v	73.6v	48.3v	46.5v	49.6v	47.4v	0.0v	72.8v	0.0v	44.3v	0.0v	451.40v
384	Mr RA Jobson	A	73.5v	72.5v	45.5v	43.2v	48.5v	49.4v	0.0v	73.8v	0.0v	48.5v	0.0v	451.39v
385	Mr RG Best	X	74.11v	69.6v	48.2v	44.3v	49.5v	47.3v	0.0v	74.6v	0.0v	46.3v	0.0v	451.39v
386	Mr BGM Mulvey	T	72.6v	72.3v	46.5v	44.3v	48.5v	48.3v	0.0v	74.10v	0.0v	47.3v	0.0v	451.38v
387	Mrs RMS Merriew	O	72.7v	73.7v	48.4v	43.1v	48.8v	50.5v	0.0v	70.4v	0.0v	47.2v	0.0v	451.38v
388	Mr MJLA Landreville	O	73.8v	72.7v	50.5v	46.2v	46.3v	47.4v	0.0v	72.6v	0.0v	45.1v	0.0v	451.36v
389	U Solzer	O	72.4v	70.7v	47.2v	48.5v	50.7v	47.5v	0.0v	71.5v	0.0v	46.0v	0.0v	451.35v
390	Mr HWR Gilbert	O	74.8v	71.5v	47.3v	48.5v	49.4v	46.4v	0.0v	70.4v	0.0v	46.1v	0.0v	451.34v
391	Capt D Morris	O	70.4v	72.6v	47.5v	49.3v	48.3v	48.3v	0.0v	71.5v	0.0v	46.1v	0.0v	451.30v
392	Capt BW Yarmoshuk	X	74.12v	72.6v	48.5v	43.5v	48.6v	48.6v	0.0v	72.7v	0.0v	45.3v	0.0v	450.50v
393	Mr NJ Hall	T	73.8v	72.8v	49.8v	45.3v	49.7v	48.4v	0.0v	68.6v	0.0v	46.4v	0.0v	450.48v
394	Mr PG Oxnam	A	74.9v	74.9v	48.7v	44.2v	47.5v	48.6v	0.0v	72.8v	0.0v	43.2v	0.0v	450.48v
395	Mr P De Voil	A	72.10v	72.8v	46.2v	47.4v	49.5v	48.6v	0.0v	68.4v	0.0v	48.7v	0.0v	450.46v
396	Mr R Kloosterman	A	74.11v	74.6v	49.5v	45.6v	47.3v	44.2v	0.0v	74.11v	0.0v	43.2v	0.0v	450.46v
397	Mr CRF Leather	O	73.6v	72.9v	44.4v	48.5v	48.5v	49.4v	0.0v	71.8v	0.0v	45.1v	0.0v	450.42v
398	Mr J Dunn	O	71.7v	70.7v	49.6v	48.5v	47.6v	47.3v	0.0v	74.5v	0.0v	44.3v	0.0v	450.42v
399	Mr MT Dodd	O	72.7v	72.9v	46.4v	48.3v	48.6v	47.3v	0.0v	73.5v	0.0v	44.3v	0.0v	450.40v
400	Mr JE White	O	72.5v	72.4v	48.4v	48.7v	49.5v	42.3v	0.0v	72.6v	0.0v	47.5v	0.0v	450.39v
401	Mr LW Belton	O	74.9v	70.3v	44.2v	47.3v	49.6v	47.4v	0.0v	74.8v	0.0v	45.4v	0.0v	450.39v
402	Mr ID Markwell	O	71.7v	67.3v	50.5v	46.3v	46.3v	50.3v	0.0v	72.10v	0.0v	48.4v	0.0v	450.38v
403	Mr R A Webb	O	72.6v	67.5v	47.2v	50.4v	48.6v	47.3v	0.0v	72.8v	0.0v	47.4v	0.0v	450.38v
404	Mr SE Frost	X	75.8v	70.6v	48.4v	45.3v	46.3v	47.5v	0.0v	72.7v	0.0v	47.1v	0.0v	450.37v
405	Mr RC Copeland	O	74.8v	72.9v	45.3v	47.3v	50.6v	46.3v	0.0v	70.4v	0.0v	46.1v	0.0v	450.37v
406	Mr AP Powell	O	72.5v	70.3v	50.6v	46.3v	47.3v	48.6v	0.0v	73.8v	0.0v	44.1v	0.0v	450.35v
407	Ms BM Moore	O	74.7v	72.6v	46.0v	47.3v	44.2v	47.5v	0.0v	75.9v	0.0v	45.1v	0.0v	450.33v
408	Mr DMJ Coutts	A	74.13v	73.10v	48.7v	45.3v	45.3v	46.4v	0.0v	71.9v	0.0v	47.3v	0.0v	449.52v
409	Dr KW Genders	O	73.7v	74.12v	45.3v	45.5v	47.3v	49.6v	0.0v	70.7v	0.0v	46.5v	0.0v	449.48v

410	Wg. Cdr. CR Smith	O	74.11v	65.6v	47.3v	48.6v	49.6v	47.4v	0.0v	72.8v	0.0v	47.3v	0.0v	449.47v
411	Mr RJR Mott	A	74.8v	74.11v	47.4v	45.3v	47.3v	45.4v	0.0v	72.6v	0.0v	45.5v	0.0v	449.44v
412	Dr BJ Winney	O	75.12v	67.4v	48.5v	47.7v	48.5v	47.3v	0.0v	72.6v	0.0v	45.2v	0.0v	449.44v
413	Flt. Lt. CM Fopp	O	74.12v	72.7v	48.5v	49.4v	46.6v	47.2v	0.0v	69.6v	0.0v	44.2v	0.0v	449.44v
414	Mr J A Garnett	O	74.9v	72.10v	47.4v	44.4v	47.4v	48.4v	0.0v	73.8v	0.0v	44.1v	0.0v	449.44v
415	FSgt Cdt L A Sutton	O	75.14v	71.5v	46.5v	46.3v	46.2v	48.5v	0.0v	71.6v	0.0v	46.3v	0.0v	449.43v
416	Dr J Mehta	O	72.4v	72.6v	45.2v	47.6v	49.9v	49.6v	0.0v	70.8v	0.0v	45.2v	0.0v	449.43v
417	Mr WLL Lewis	A	73.9v	73.7v	49.7v	41.3v	47.4v	50.6v	0.0v	72.4v	0.0v	44.3v	0.0v	449.43v
418	Miss GE Coburn	O	74.11v	72.3v	46.6v	44.2v	47.7v	49.6v	0.0v	73.7v	0.0v	44.1v	0.0v	449.43v
419	Mr D Lowe	X	71.6v	71.8v	45.2v	49.3v	48.6v	48.5v	0.0v	71.8v	0.0v	46.3v	0.0v	449.41v
420	Mr S R Sharma	T	73.9v	74.8v	50.5v	45.2v	47.2v	49.6v	0.0v	72.8v	0.0v	39.0v	0.0v	449.40v
421	Mr TF Fielder	T	70.5v	74.9v	48.3v	48.6v	48.6v	47.3v	0.0v	69.5v	0.0v	45.2v	0.0v	449.39v
422	Mr N Meintjes	O	73.7v	69.6v	47.3v	41.3v	48.6v	48.2v	0.0v	75.5v	0.0v	48.5v	0.0v	449.37v
423	Sgt R P F Fagan	O	72.6v	73.5v	49.3v	43.3v	49.6v	46.5v	0.0v	71.6v	0.0v	46.3v	0.0v	449.37v
424	Mr TA French	O	73.7v	71.8v	42.0v	45.2v	50.4v	47.3v	0.0v	73.5v	0.0v	48.6v	0.0v	449.35v
425	Mr AS Fraser	A	74.6v	74.10v	45.1v	43.1v	49.3v	49.4v	0.0v	72.8v	0.0v	43.2v	0.0v	449.35v
426	Mr GH Porter	O	71.5v	72.8v	47.5v	48.2v	48.2v	47.5v	0.0v	72.4v	0.0v	44.2v	0.0v	449.33v
427	Mr NC Granger	A	74.5v	74.6v	50.5v	42.2v	50.5v	47.2v	0.0v	66.4v	0.0v	46.3v	0.0v	449.32v
428	Mr JS Chapman	X	69.5v	71.4v	44.2v	50.5v	49.3v	48.5v	0.0v	71.6v	0.0v	47.1v	0.0v	449.31v
429	Mr CES Dickenson	A	74.12v	64.2v	47.3v	48.7v	49.7v	48.4v	0.0v	72.8v	0.0v	46.5v	0.0v	448.48v
430	Lt. Col. FC Sykes	O	74.11v	72.6v	46.3v	47.4v	46.5v	45.4v	0.0v	73.10v	0.0v	45.3v	0.0v	448.46v
431	Cdt B R Fraser-Burn	T	74.8v	70.10v	50.4v	43.3v	49.5v	48.6v	0.0v	73.9v	0.0v	41.0v	0.0v	448.45v
432	Mr RA Mullin	A	75.8v	73.9v	41.2v	48.5v	49.5v	47.1v	0.0v	69.9v	0.0v	46.5v	0.0v	448.44v
433	Mr RE Ellis	A	75.10v	71.7v	45.4v	46.2v	46.3v	48.4v	0.0v	73.9v	0.0v	44.4v	0.0v	448.43v
434	Mr DA Smith	O	73.5v	68.6v	46.5v	47.5v	48.6v	47.3v	0.0v	73.8v	0.0v	46.4v	0.0v	448.42v
435	Mr PWG Glen	T	75.11v	69.5v	48.7v	41.2v	49.5v	47.2v	0.0v	73.6v	0.0v	46.4v	0.0v	448.42v
436	Mr MJJ Charlton	A	69.5v	70.8v	49.7v	49.4v	47.4v	46.4v	0.0v	72.7v	0.0v	46.3v	0.0v	448.42v
437	Mr J Thompstone	O	73.6v	71.6v	49.5v	45.2v	47.2v	46.4v	0.0v	72.10v	0.0v	45.6v	0.0v	448.41v
438	Mr SP O'Brien	O	73.8v	71.6v	45.4v	47.3v	49.7v	45.1v	0.0v	73.9v	0.0v	45.2v	0.0v	448.40v
439	Mr HT-H Tancred-Holmes	T	73.10v	69.7v	43.0v	47.3v	48.4v	48.3v	0.0v	72.9v	0.0v	48.3v	0.0v	448.39v
440	Mr J J Jalili	O	73.9v	72.6v	45.3v	46.4v	48.4v	45.2v	0.0v	71.8v	0.0v	48.3v	0.0v	448.39v
441	Mr G Trembath	A	72.5v	70.5v	47.4v	47.4v	47.2v	47.4v	0.0v	72.10v	0.0v	46.5v	0.0v	448.39v
442	Mr GC Baylis	A	73.7v	73.8v	48.3v	43.2v	48.5v	48.6v	0.0v	72.6v	0.0v	43.2v	0.0v	448.39v
443	Mr RMR Stearn	O	73.8v	72.7v	47.5v	44.2v	47.4v	49.7v	0.0v	70.2v	0.0v	46.3v	0.0v	448.38v
444	Mr JRJ Kennedy	O	71.8v	73.8v	46.3v	49.6v	47.2v	46.5v	0.0v	73.6v	0.0v	43.0v	0.0v	448.38v
445	Mrs T Newbold	A	73.11v	67.5v	44.0v	49.0v	50.8v	49.3v	0.0v	72.9v	0.0v	44.1v	0.0v	448.37v
446	Mr RF Barrington	O	73.8v	73.7v	50.5v	47.3v	48.6v	46.2v	0.0v	70.6v	0.0v	41.0v	0.0v	448.37v
447	Mr DEM Matthews	T	73.6v	74.8v	48.2v	45.2v	46.4v	45.3v	0.0v	72.7v	0.0v	45.3v	0.0v	448.35v
448	Lt. Col. CST Lehmann	O	72.9v	72.7v	47.3v	49.4v	48.5v	45.2v	0.0v	70.3v	0.0v	45.1v	0.0v	448.34v
449	Mr DQM Harvey	O	72.4v	71.4v	46.3v	49.6v	49.6v	48.3v	0.0v	70.7v	0.0v	43.1v	0.0v	448.34v
450	Mr MR Ebbetts	O	74.10v	72.4v	45.2v	47.6v	48.7v	50.6v	0.0v	65.6v	0.0v	46.3v	0.0v	447.44v
451	Mr PJS Bysshe	O	73.9v	70.5v	48.5v	47.4v	47.3v	44.4v	0.0v	72.9v	0.0v	46.4v	0.0v	447.43v
452	Dr CW Freeman	O	75.10v	72.7v	47.4v	50.5v	48.4v	47.6v	0.0v	65.4v	0.0v	43.2v	0.0v	447.42v
453	LCpl S A Hill	T	74.6v	70.9v	47.3v	49.5v	50.4v	45.2v	0.0v	73.9v	0.0v	39.2v	0.0v	447.40v
454	Mr DN Webber	O	71.7v	67.6v	48.3v	48.5v	46.4v	50.5v	0.0v	73.7v	0.0v	44.2v	0.0v	447.39v
455	Mr I Hindshaw	O	74.10v	71.6v	48.1v	47.4v	50.8v	46.2v	0.0v	68.6v	0.0v	43.2v	0.0v	447.39v
456	Mr AJB Brennan	T	72.5v	73.5v	48.6v	43.2v	50.6v	46.3v	0.0v	72.9v	0.0v	43.2v	0.0v	447.38v
457	Mr CG Dickson	O	73.11v	72.4v	48.5v	45.2v	47.3v	46.2v	0.0v	70.4v	0.0v	46.4v	0.0v	447.35v
458	Mr MP Mann	T	71.10v	69.5v	49.3v	48.4v	48.3v	48.3v	0.0v	69.4v	0.0v	45.3v	0.0v	447.35v
459	Mr ZCY Cheung	O	73.6v	72.5v	48.5v	46.3v	48.3v	47.4v	0.0v	68.4v	0.0v	45.2v	0.0v	447.32v
460	Mr NC Beesley	O	68.7v	73.10v	47.6v	46.3v	48.4v	48.5v	0.0v	71.7v	0.0v	45.5v	0.0v	446.47v
461	Mr T J Bullock	O	73.5v	71.7v	47.4v	43.2v	49.7v	48.6v	0.0v	72.10v	0.0v	43.3v	0.0v	446.44v
462	Sgt GM Irish	O	73.8v	70.6v	49.7v	40.1v	47.4v	49.7v	0.0v	72.7v	0.0v	46.2v	0.0v	446.42v
463	Mr HGM Mooiman	O	74.10v	73.7v	45.6v	46.1v	49.5v	48.6v	0.0v	67.5v	0.0v	44.1v	0.0v	446.41v
464	Mr JAT Taylor	T	74.5v	69.6v	46.3v	43.3v	50.4v	46.5v	0.0v	72.7v	0.0v	46.6v	0.0v	446.39v
465	Mr V Robertshaw	O	73.7v	70.7v	45.2v	46.3v	48.6v	48.3v	0.0v	71.8v	0.0v	45.3v	0.0v	446.39v
466	Mr SL Cleveland	O	74.11v	68.4v	46.3v	47.5v	46.2v	45.5v	0.0v	73.5v	0.0v	47.3v	0.0v	446.38v
467	Mr GM Overton	O	72.6v	71.5v	48.6v	44.3v	47.4v	49.5v	0.0v	70.6v	0.0v	45.3v	0.0v	446.38v
468	Mr ID Macdonald	O	70.5v	74.8v	45.1v	47.4v	50.7v	44.4v	0.0v	70.5v	0.0v	46.2v	0.0v	446.36v
469	Mr SL Larter-Whitcher	O	74.7v	70.5v	46.4v	47.2v	48.2v	46.5v	0.0v	73.7v	0.0v	42.4v	0.0v	446.36v
470	Mr DR Niblett	O	73.9v	74.6v	49.5v	46.2v	45.3v	45.2v	0.0v	72.7v	0.0v	42.1v	0.0v	446.35v
471	Mr DS Goodwin	O	71.6v	71.5v	46.5v	45.2v	48.5v	47.5v	0.0v	72.5v	0.0v	46.1v	0.0v	446.34v
472	Mr RF Burden	O	73.6v	67.2v	45.4v	47.3v	47.7v	50.3v	0.0v	72.5v	0.0v	45.4v	0.0v	446.34v
473	Ms CH Hearn	O	74.11v	72.4v	47.4v	45.2v	47.2v	48.4v	0.0v	71.6v	0.0v	42.1v	0.0v	446.34v
474	Mr AG Harrison	O	74.4v	72.5v	47.4v	46.4v	47.3v	44.2v	0.0v	68.3v	0.0v	48.6v	0.0v	446.31v
475	Dr MW Wrigley	A	72.8v	74.7v	46.1v	47.1v	48.6v	46.2v	0.0v	70.5v	0.0v	43.1v	0.0v	446.31v
476	Mr TH Emck	O	74.9v	69.7v	48.3v	42.2v	47.4v	47.5v	0.0v	71.8v	0.0v	47.5v	0.0v	445.43v
477	Mr DN Lindsay	A	72.9v	73.8v	47.5v	49.6v	47.3v	46.3v	0.0v	72.5v	0.0v	39.3v	0.0v	445.42v
478	Mr GR Horder	O	74.10v	69.5v	48.5v	48.4v	48.4v	47.5v	0.0v	73.7v	0.0v	38.2v	0.0v	445.42v
479	Mr T S McDowell	O	75.8v	73.8v	44.2v	43.3v	42.2v	48.5v	0.0v	72.6v	0.0v	48.5v	0.0v	445.39v
480	Mr K Todd MBE	O	72.7v	71.7v	45.3v	44.3v	49.5v	48.7v	0.0v	71.3v	0.0v	45.4v	0.0v	445.39v

481	Mr DL Wiles	O	72.9v	71.3v	48.6v	46.3v	47.4v	49.6v	0.0v	70.6v	0.0v	42.2v	0.0v	445.39v
482	Mr AC Brooker	O	73.4v	71.7v	46.4v	46.5v	50.7v	46.3v	0.0v	72.6v	0.0v	41.3v	0.0v	445.39v
483	Mr GK Goodwin	O	74.7v	73.8v	45.2v	41.3v	47.5v	46.3v	0.0v	73.7v	0.0v	46.1v	0.0v	445.36v
484	Mr RGM Newman	O	74.7v	69.2v	40.3v	48.4v	48.4v	48.6v	0.0v	74.9v	0.0v	44.1v	0.0v	445.36v
485	Miss HCM Bennett	O	74.6v	65.4v	46.3v	46.4v	49.6v	44.0v	0.0v	73.9v	0.0v	48.3v	0.0v	445.35v
486	Mr TSM Gordon	O	71.6v	70.5v	46.3v	47.4v	47.2v	49.6v	0.0v	71.7v	0.0v	44.2v	0.0v	445.35v
487	Mr RN Stebbings	A	74.12v	71.7v	46.2v	46.4v	46.3v	46.5v	0.0v	71.9v	0.0v	44.3v	0.0v	444.45v
488	Mr PJ Carr	T	73.9v	73.6v	49.7v	46.4v	48.6v	44.2v	0.0v	69.6v	0.0v	42.1v	0.0v	444.41v
489	Mr ARN Kinross	O	73.9v	68.4v	45.3v	50.6v	50.5v	48.7v	0.0v	71.7v	0.0v	39.0v	0.0v	444.41v
490	Mr CJ Fullerton	O	72.7v	71.5v	46.7v	44.3v	47.4v	49.6v	0.0v	70.5v	0.0v	45.2v	0.0v	444.39v
491	Mr R Hodgson-Jones	T	71.6v	71.6v	45.5v	49.4v	46.5v	46.4v	0.0v	72.5v	0.0v	44.1v	0.0v	444.36v
492	Mr PJ Saunders	O	72.9v	70.6v	48.5v	43.1v	46.2v	45.4v	0.0v	72.4v	0.0v	48.3v	0.0v	444.34v
493	Mr PB Cutts	O	71.6v	71.5v	43.2v	46.4v	49.6v	48.3v	0.0v	71.5v	0.0v	45.3v	0.0v	444.34v
494	Mr KG Firth	O	71.5v	71.5v	45.2v	44.5v	48.3v	47.5v	0.0v	73.6v	0.0v	45.1v	0.0v	444.32v
495	Mr PR Sirett	O	71.6v	71.6v	48.3v	47.4v	46.3v	46.4v	0.0v	69.2v	0.0v	46.3v	0.0v	444.31v
496	Mr JJ James	T	70.5v	71.8v	49.2v	45.4v	48.3v	46.2v	0.0v	71.5v	0.0v	44.2v	0.0v	444.31v
497	Mr G French	O	69.6v	72.10v	46.3v	48.5v	49.6v	48.4v	0.0v	72.6v	0.0v	39.2v	0.0v	443.42v
498	Mr MD Jenvey	O	63.4v	72.10v	49.6v	45.2v	44.1v	49.5v	0.0v	73.7v	0.0v	48.4v	0.0v	443.39v
499	Miss EL Hoolahan	O	70.7v	73.8v	45.2v	48.4v	47.3v	45.3v	0.0v	70.6v	0.0v	45.5v	0.0v	443.38v
500	Dr N P Tucker	O	75.8v	72.6v	45.2v	42.3v	46.2v	46.3v	0.0v	72.8v	0.0v	45.5v	0.0v	443.37v
501	Mr BT Thebeau	T	75.8v	70.6v	50.5v	42.3v	45.3v	49.5v	0.0v	68.6v	0.0v	44.1v	0.0v	443.37v
502	Mr SJ Dawes	O	70.6v	69.7v	46.2v	45.3v	48.3v	48.6v	0.0v	72.7v	0.0v	45.2v	0.0v	443.36v
503	Mr GH Harris	A	73.11v	72.8v	46.3v	44.1v	46.2v	48.3v	0.0v	70.5v	0.0v	44.3v	0.0v	443.36v
504	Mr ND Gomez	O	72.6v	70.2v	49.7v	43.3v	46.4v	48.2v	0.0v	73.7v	0.0v	42.3v	0.0v	443.34v
505	Mr MW Brown	O	74.4v	72.8v	45.1v	47.3v	48.6v	47.3v	0.0v	73.9v	0.0v	37.0v	0.0v	443.34v
506	Mr C Brook	O	75.12v	69.1v	45.2v	47.1v	41.1v	48.4v	0.0v	72.8v	0.0v	46.4v	0.0v	443.33v
507	Mr LMDC Cheek	T	73.6v	70.5v	48.4v	44.2v	48.2v	44.2v	0.0v	68.5v	0.0v	48.5v	0.0v	443.31v
508	Mr K Gladding	T	72.8v	63.5v	48.5v	45.2v	48.4v	48.6v	0.0v	73.11v	0.0v	45.2v	0.0v	442.43v
509	Mr B Heatley	T	73.10v	73.7v	48.4v	42.3v	47.5v	45.5v	0.0v	70.7v	0.0v	44.2v	0.0v	442.43v
510	Mr BP Etienne	O	72.7v	69.5v	47.6v	45.3v	47.4v	46.5v	0.0v	70.8v	0.0v	46.4v	0.0v	442.42v
511	Miss RJA Argo	O	73.7v	73.10v	48.7v	44.4v	46.2v	47.6v	0.0v	66.3v	0.0v	45.2v	0.0v	442.41v
512	Miss SH Hassan	T	71.9v	71.4v	44.4v	47.4v	43.1v	48.8v	0.0v	70.7v	0.0v	48.3v	0.0v	442.40v
513	Mr TA Purvis	A	71.9v	71.9v	44.3v	45.2v	43.2v	48.2v	0.0v	73.9v	0.0v	47.4v	0.0v	442.40v
514	Miss LE Kennedy	T	72.8v	73.7v	43.4v	45.3v	50.9v	47.3v	0.0v	70.4v	0.0v	42.2v	0.0v	442.40v
515	Mr GL Clarke	O	70.4v	71.7v	44.2v	49.5v	47.8v	44.3v	0.0v	69.5v	0.0v	48.5v	0.0v	442.39v
516	Mr J Branch	A	73.7v	69.8v	45.2v	39.3v	48.3v	50.6v	0.0v	71.6v	0.0v	47.4v	0.0v	442.39v
517	Mr TEM Mills	T	69.4v	70.7v	49.3v	42.2v	48.5v	48.5v	0.0v	72.10v	0.0v	44.2v	0.0v	442.38v
518	Miss AT Tessier	T	73.7v	69.5v	42.1v	48.6v	49.7v	44.1v	0.0v	72.8v	0.0v	45.2v	0.0v	442.37v
519	Mr COA Berntsen	O	71.7v	68.4v	43.1v	45.3v	48.6v	47.2v	0.0v	74.8v	0.0v	46.5v	0.0v	442.36v
520	Mr K Hardyman	O	73.8v	69.5v	47.2v	47.3v	50.9v	48.2v	0.0v	71.6v	0.0v	37.1v	0.0v	442.36v
521	Mrs SG Sirett	O	72.5v	72.8v	46.4v	43.1v	48.6v	46.1v	0.0v	71.9v	0.0v	44.0v	0.0v	442.34v
522	Mr JF Jackman	O	73.8v	72.4v	42.0v	46.4v	48.6v	47.5v	0.0v	72.4v	0.0v	42.2v	0.0v	442.33v
523	Mr CJ Macdonald	O	72.11v	72.8v	48.5v	43.2v	48.2v	48.0v	0.0v	70.4v	0.0v	41.1v	0.0v	442.33v
524	Miss S Mcintosh	T	71.6v	72.6v	48.3v	40.2v	44.1v	49.4v	0.0v	73.7v	0.0v	45.3v	0.0v	442.32v
525	Miss KE Pope	O	72.7v	70.3v	47.5v	43.2v	44.3v	47.3v	0.0v	71.4v	0.0v	48.4v	0.0v	442.31v
526	Mr DAF Firth	T	71.7v	69.5v	45.1v	48.2v	46.2v	46.3v	0.0v	71.7v	0.0v	46.3v	0.0v	442.30v
527	Miss LE Stokes	T	71.5v	72.6v	46.3v	41.0v	49.6v	47.3v	0.0v	71.5v	0.0v	45.2v	0.0v	442.30v
528	Mr MJL Traynor	O	73.7v	68.5v	50.5v	45.0v	45.1v	46.4v	0.0v	71.8v	0.0v	44.0v	0.0v	442.30v
529	Mr CBW Wilcox	T	75.11v	74.14v	44.3v	40.2v	48.4v	49.6v	0.0v	68.4v	0.0v	43.4v	0.0v	441.48v
530	Mr SM Amin	O	70.8v	71.8v	44.3v	48.2v	45.5v	41.5v	0.0v	75.11v	0.0v	47.1v	0.0v	441.43v
531	SSgt J R Allum	O	72.7v	71.5v	45.3v	45.5v	46.5v	47.2v	0.0v	71.9v	0.0v	44.2v	0.0v	441.38v
532	Mr R Van Den Bossche	T	71.9v	69.5v	47.4v	45.3v	48.4v	48.5v	0.0v	72.8v	0.0v	41.0v	0.0v	441.38v
533	Ms E Barr	O	72.7v	74.8v	45.3v	46.5v	48.4v	43.1v	0.0v	71.5v	0.0v	42.2v	0.0v	441.35v
534	Mr T Hembrow	O	72.8v	70.5v	45.4v	44.1v	50.8v	49.3v	0.0v	70.3v	0.0v	41.3v	0.0v	441.35v
535	Mr SR Davis	O	69.5v	70.7v	44.3v	47.3v	44.3v	49.7v	0.0v	73.4v	0.0v	45.2v	0.0v	441.34v
536	M. P Ginestet	O	72.6v	68.5v	48.4v	49.5v	42.3v	45.1v	0.0v	71.3v	0.0v	46.3v	0.0v	441.30v
537	Mr TJ Bryan	O	72.7v	66.4v	49.2v	49.4v	48.6v	44.1v	0.0v	69.3v	0.0v	44.2v	0.0v	441.29v
538	Sgt A Drape	T	74.6v	69.3v	45.4v	47.4v	47.3v	46.4v	0.0v	69.4v	0.0v	44.1v	0.0v	441.29v
539	Dr PJ Morris	O	72.7v	72.6v	43.0v	45.4v	48.3v	46.2v	0.0v	71.5v	0.0v	44.0v	0.0v	441.27v
540	Mr ASH Hay	T	71.6v	71.9v	47.5v	42.2v	48.5v	45.5v	0.0v	70.5v	0.0v	46.3v	0.0v	440.40v
541	Mrs DA Thompson	O	74.9v	69.7v	47.4v	39.1v	48.5v	47.4v	0.0v	72.7v	0.0v	44.3v	0.0v	440.40v
542	Mr AC Morley	O	74.11v	66.3v	48.4v	47.6v	45.3v	50.3v	0.0v	70.8v	0.0v	40.1v	0.0v	440.39v
543	Mr RW Large	O	73.8v	69.7v	46.3v	41.2v	48.5v	46.4v	0.0v	71.6v	0.0v	46.3v	0.0v	440.38v
544	Miss H Gedney	T	71.5v	71.6v	46.3v	50.7v	49.9v	47.5v	0.0v	71.3v	0.0v	35.0v	0.0v	440.38v
545	Mr T M Stevenson	T	73.10v	73.6v	42.3v	38.1v	49.2v	46.2v	0.0v	74.8v	0.0v	45.4v	0.0v	440.36v
546	Mr SCW Dixon	O	72.9v	69.6v	43.1v	49.4v	43.1v	48.3v	0.0v	73.8v	0.0v	43.4v	0.0v	440.36v
547	Mr OCRB Ballsdon	T	70.5v	69.4v	46.4v	47.3v	48.7v	46.4v	0.0v	67.3v	0.0v	47.5v	0.0v	440.35v
548	Mr MT Lehmann	T	74.11v	67.2v	48.4v	45.2v	46.3v	47.4v	0.0v	66.7v	0.0v	47.2v	0.0v	440.35v
549	Mr CD Atkins	O	73.4v	73.7v	49.4v	45.4v	45.1v	46.5v	0.0v	72.8v	0.0v	37.1v	0.0v	440.34v
550	Cpl A Clarke	T	72.7v	68.6v	45.1v	47.4v	47.5v	46.3v	0.0v	73.6v	0.0v	42.1v	0.0v	440.33v
551	Mr TEBF Brankin-Frisby	T	70.7v	67.4v	46.4v	47.2v	47.1v	46.4v	0.0v	73.7v	0.0v	44.2v	0.0v	440.31v

552	Dr G Stevenson	O	73.7v	72.4v	49.5v	43.2v	47.4v	45.2v	0.0v	68.3v	0.0v	43.1v	0.0v	440.28v
553	Mr CDP Pocock	O	75.12v	74.9v	49.5v	35.0v	37.0v	49.3v	0.0v	73.9v	0.0v	47.6v	0.0v	439.44v
554	Mr JIB Halahan	O	72.8v	73.9v	41.1v	49.6v	48.5v	45.4v	0.0v	73.7v	0.0v	38.3v	0.0v	439.43v
555	Mr MJW Willing	T	68.10v	72.4v	49.6v	43.1v	49.8v	45.4v	0.0v	71.7v	0.0v	42.2v	0.0v	439.42v
556	Cdt H J Green	O	74.7v	70.3v	48.5v	44.5v	46.5v	45.4v	0.0v	74.11v	0.0v	38.1v	0.0v	439.41v
557	Mr AC Abrahams	T	75.9v	71.8v	44.1v	48.5v	50.7v	42.0v	0.0v	70.7v	0.0v	39.2v	0.0v	439.39v
558	Mr RW McVeigh	O	70.4v	71.8v	47.3v	45.4v	41.3v	47.5v	0.0v	71.6v	0.0v	47.5v	0.0v	439.38v
559	Mr A Alvey	O	71.6v	68.4v	49.4v	44.2v	48.5v	48.3v	0.0v	72.9v	0.0v	39.1v	0.0v	439.34v
560	Mr B G McLain	X	71.7v	69.1v	44.2v	45.3v	46.6v	46.3v	0.0v	74.9v	0.0v	44.2v	0.0v	439.33v
561	LCpl N J B Bass	T	69.5v	69.5v	50.2v	46.4v	47.2v	44.2v	0.0v	73.8v	0.0v	41.0v	0.0v	439.28v
562	Mr KJ Aldridge	O	70.6v	69.6v	47.4v	41.2v	48.4v	45.5v	0.0v	72.6v	0.0v	46.6v	0.0v	438.39v
563	Mr PJ Holden	O	69.5v	68.7v	47.3v	43.3v	47.3v	50.6v	0.0v	68.5v	0.0v	46.4v	0.0v	438.36v
564	Mr JA Marshall	X	68.6v	72.6v	47.4v	47.4v	49.5v	46.5v	0.0v	65.4v	0.0v	44.1v	0.0v	438.35v
565	Mr MG Godin	T	69.4v	73.7v	44.4v	43.2v	47.5v	48.2v	0.0v	72.9v	0.0v	42.1v	0.0v	438.34v
566	Mr DJ Painting	O	72.8v	64.1v	50.6v	46.3v	48.5v	47.5v	0.0v	63.0v	0.0v	48.4v	0.0v	438.32v
567	Mr AC Grant	O	64.3v	70.5v	48.4v	46.3v	46.1v	46.4v	0.0v	72.9v	0.0v	46.3v	0.0v	438.32v
568	Ms SJ Dick	T	74.6v	70.3v	44.1v	45.2v	41.3v	49.6v	0.0v	71.8v	0.0v	44.3v	0.0v	438.32v
569	Mr DJ Stewart	O	74.5v	71.3v	46.3v	47.4v	42.3v	44.2v	0.0v	73.7v	0.0v	41.2v	0.0v	438.29v
570	Mr SB-M Brewer-Marchant	T	72.6v	70.6v	46.3v	46.1v	47.2v	48.8v	0.0v	64.0v	0.0v	45.2v	0.0v	438.28v
571	Capt CP Judge	O	74.9v	69.8v	45.3v	44.3v	49.6v	43.4v	0.0v	68.5v	0.0v	45.3v	0.0v	437.41v
572	Cdt N Boyle	T	72.10v	71.3v	48.6v	38.2v	50.6v	50.8v	0.0v	71.3v	0.0v	37.1v	0.0v	437.39v
573	Dr C Wall	O	71.7v	70.6v	38.3v	47.3v	46.2v	46.3v	0.0v	72.7v	0.0v	47.3v	0.0v	437.34v
574	Mr HRM Bailie	O	72.8v	70.3v	48.4v	46.3v	49.7v	46.3v	0.0v	66.4v	0.0v	40.2v	0.0v	437.34v
575	Mr NS Suffield-Jones	O	70.5v	67.3v	42.2v	48.5v	48.5v	43.2v	0.0v	72.6v	0.0v	47.5v	0.0v	437.33v
576	Sgt L Hamilton	T	71.8v	68.3v	46.3v	43.2v	47.4v	49.4v	0.0v	68.6v	0.0v	45.2v	0.0v	437.32v
577	Mr E Stuart-Bamford	O	71.7v	71.6v	47.2v	45.3v	47.5v	48.2v	0.0v	68.6v	0.0v	40.1v	0.0v	437.32v
578	Mr WA Shelton	T	71.3v	73.9v	43.5v	39.0v	48.4v	47.4v	0.0v	70.4v	0.0v	46.1v	0.0v	437.30v
579	Miss LMA Bogie	O	71.7v	68.2v	46.2v	45.4v	50.6v	47.0v	0.0v	66.3v	0.0v	44.4v	0.0v	437.28v
580	Miss DK Upshall	O	69.3v	69.7v	48.5v	45.1v	44.1v	47.2v	0.0v	72.8v	0.0v	43.0v	0.0v	437.27v
581	Dr JC Jobling	O	70.5v	69.3v	47.5v	44.2v	49.3v	46.2v	0.0v	69.5v	0.0v	43.1v	0.0v	437.26v
582	Mr NS Roberts	O	71.4v	68.2v	46.2v	45.3v	48.3v	47.5v	0.0v	72.5v	0.0v	40.2v	0.0v	437.26v
583	H D Werner	O	71.6v	67.4v	47.5v	39.3v	49.5v	49.4v	0.0v	72.6v	0.0v	42.1v	0.0v	436.34v
584	Miss E Marsh	T	70.3v	73.8v	38.2v	47.1v	46.0v	45.5v	0.0v	71.9v	0.0v	46.3v	0.0v	436.31v
585	Mr R Jackson	O	71.7v	67.4v	47.6v	41.0v	47.3v	49.4v	0.0v	66.3v	0.0v	48.3v	0.0v	436.30v
586	Mr DF Robinson	O	73.6v	69.3v	43.3v	47.4v	45.4v	47.2v	0.0v	70.5v	0.0v	42.1v	0.0v	436.28v
587	Mr DMD Dineen	T	71.7v	67.3v	46.2v	46.2v	48.2v	48.6v	0.0v	69.4v	0.0v	41.1v	0.0v	436.27v
588	Mr SD Hunt	T	74.9v	60.5v	49.6v	49.5v	47.5v	45.3v	0.0v	71.6v	0.0v	40.2v	0.0v	435.41v
589	Cdt H G Martin	T	70.8v	72.7v	44.4v	43.1v	42.3v	48.7v	0.0v	70.3v	0.0v	46.3v	0.0v	435.36v
590	Miss M Sanders	T	70.6v	65.2v	44.2v	45.3v	48.6v	47.6v	0.0v	69.5v	0.0v	47.3v	0.0v	435.33v
591	Mr P S Lehmann	O	70.5v	71.5v	45.4v	43.1v	50.4v	46.5v	0.0v	65.4v	0.0v	45.3v	0.0v	435.31v
592	Mr D Markie	O	70.4v	67.3v	43.1v	45.2v	49.6v	43.2v	0.0v	73.8v	0.0v	45.4v	0.0v	435.30v
593	Cdt G B Anderson	O	72.6v	66.3v	46.2v	45.3v	47.6v	46.3v	0.0v	70.7v	0.0v	43.0v	0.0v	435.30v
594	Mr F P R Northam	O	73.4v	68.6v	46.2v	46.3v	47.3v	46.3v	0.0v	65.4v	0.0v	44.2v	0.0v	435.27v
595	Mr MP Hudson	O	72.9v	73.7v	41.1v	45.4v	44.4v	44.1v	0.0v	69.5v	0.0v	46.2v	0.0v	434.33v
596	Mr IC Brotherston	O	71.7v	64.2v	44.3v	43.2v	50.5v	46.2v	0.0v	72.6v	0.0v	44.1v	0.0v	434.28v
597	Miss ZL Latimer	T	69.5v	69.5v	49.6v	43.1v	49.5v	47.1v	0.0v	68.3v	0.0v	40.1v	0.0v	434.27v
598	Mr RSG Graham	T	71.3v	69.5v	46.3v	47.4v	45.2v	47.5v	0.0v	70.3v	0.0v	39.1v	0.0v	434.26v
599	Mr GD Moffatt	O	70.2v	72.3v	45.2v	41.3v	46.3v	48.4v	0.0v	69.5v	0.0v	43.1v	0.0v	434.23v
600	H Lottritz	O	72.9v	69.6v	47.3v	35.1v	49.7v	46.4v	0.0v	67.6v	0.0v	48.5v	0.0v	433.41v
601	Mr F Roberts	O	74.6v	68.4v	46.2v	46.3v	45.6v	45.3v	0.0v	68.8v	0.0v	41.2v	0.0v	433.34v
602	C H Sayers	T	73.4v	63.2v	47.4v	35.1v	48.6v	50.7v	0.0v	71.4v	0.0v	46.5v	0.0v	433.33v
603	Mr BR Ebbetts	O	74.8v	66.3v	49.6v	46.5v	43.1v	46.5v	0.0v	63.3v	0.0v	46.2v	0.0v	433.33v
604	Mr SJ Ayres	O	73.9v	70.5v	47.2v	45.2v	39.1v	47.2v	0.0v	68.4v	0.0v	44.0v	0.0v	433.25v
605	Mr FM Evers	O	69.3v	69.3v	45.3v	46.1v	47.3v	46.2v	0.0v	70.6v	0.0v	41.0v	0.0v	433.21v
606	Mr JT Kennedy	T	67.5v	72.8v	44.1v	45.0v	46.3v	46.5v	0.0v	69.6v	0.0v	43.1v	0.0v	432.29v
607	Mr MK Townsend	O	67.4v	70.5v	46.3v	47.4v	46.4v	46.2v	0.0v	65.3v	0.0v	45.3v	0.0v	432.28v
608	Mr EA Graves	T	73.6v	67.3v	46.5v	46.4v	47.3v	47.2v	0.0v	69.3v	0.0v	37.2v	0.0v	432.28v
609	Cdt S A Cox	T	72.3v	70.6v	49.6v	45.2v	45.4v	45.2v	0.0v	70.5v	0.0v	36.0v	0.0v	432.28v
610	Miss C Halleran	O	69.5v	72.4v	46.4v	43.0v	49.4v	47.3v	0.0v	66.2v	0.0v	40.0v	0.0v	432.22v
611	Mr CJ Salji	T	72.8v	68.6v	44.3v	36.1v	44.4v	47.3v	0.0v	72.8v	0.0v	48.3v	0.0v	431.36v
612	Cdt J Surmon	T	70.8v	70.8v	47.3v	39.1v	46.2v	47.5v	0.0v	68.1v	0.0v	44.1v	0.0v	431.29v
613	Mrs RKE Penrose	O	68.4v	66.5v	40.0v	47.4v	47.3v	49.5v	0.0v	71.4v	0.0v	43.3v	0.0v	431.28v
614	Mr MJ Judge	O	69.4v	70.4v	44.3v	43.4v	47.2v	45.4v	0.0v	68.6v	0.0v	45.0v	0.0v	431.27v
615	Mr F Bilton	O	74.8v	72.10v	48.3v	29.1v	50.6v	46.2v	0.0v	69.4v	0.0v	42.4v	0.0v	430.38v
616	Gdsm L Nicholson	T	71.4v	70.6v	43.3v	45.2v	48.5v	49.4v	0.0v	68.7v	0.0v	36.1v	0.0v	430.32v
617	F/Sgt H Walker	O	73.5v	70.7v	46.2v	44.3v	42.2v	43.2v	0.0v	68.6v	0.0v	44.4v	0.0v	430.31v
618	Mr J Tuffen	O	71.6v	66.2v	47.5v	40.2v	48.4v	46.1v	0.0v	72.9v	0.0v	40.1v	0.0v	430.30v
619	Mr SJ Clark	O	64.2v	69.4v	48.4v	47.6v	43.3v	47.2v	0.0v	68.6v	0.0v	44.2v	0.0v	430.29v
620	Mr DC Clegg	T	72.5v	68.4v	42.1v	44.3v	47.6v	48.5v	0.0v	66.3v	0.0v	43.2v	0.0v	430.29v
621	Cdt S Treacy	T	72.5v	69.3v	38.2v	43.3v	46.2v	45.2v	0.0v	72.7v	0.0v	45.3v	0.0v	430.27v
622	Mr AGPP Poulter	O	66.5v	67.4v	47.4v	49.3v	47.3v	45.3v	0.0v	69.4v	0.0v	40.1v	0.0v	430.27v

623	Mr B Stoichescu	O	68.5v	67.6v	48.7v	46.3v	45.4v	44.3v	0.0v	68.8v	0.0v	43.2v	0.0v	429.38v
624	Mr MJC Cameron	T	70.5v	66.3v	46.6v	44.4v	48.7v	47.3v	0.0v	67.6v	0.0v	41.3v	0.0v	429.37v
625	Cdt B A Fenn	T	67.3v	73.7v	45.2v	48.6v	42.4v	49.3v	0.0v	66.5v	0.0v	39.0v	0.0v	429.30v
626	Mr LA Bridle	T	68.4v	73.8v	46.3v	43.1v	46.2v	46.2v	0.0v	63.6v	0.0v	44.3v	0.0v	429.29v
627	Mr TW Harrison	O	66.4v	69.5v	45.4v	44.3v	45.2v	49.2v	0.0v	65.3v	0.0v	46.3v	0.0v	429.26v
628	Mr JG Powell	O	67.5v	68.2v	47.5v	44.1v	45.4v	46.1v	0.0v	71.5v	0.0v	41.1v	0.0v	429.24v
629	Miss KE McGuigan	O	69.5v	70.5v	44.2v	42.1v	47.3v	46.1v	0.0v	65.2v	0.0v	46.3v	0.0v	429.22v
630	Mr RJA Ritchie	O	70.4v	68.4v	43.1v	42.3v	48.3v	45.1v	0.0v	71.4v	0.0v	42.2v	0.0v	429.22v
631	Mr V A S Shenshin	T	74.8v	67.7v	44.3v	46.3v	43.2v	44.2v	0.0v	70.6v	0.0v	40.0v	0.0v	428.31v
632	Miss PA Evans	T	69.5v	72.5v	45.1v	41.2v	46.3v	44.4v	0.0v	67.6v	0.0v	44.3v	0.0v	428.29v
633	Mr MS Smith	T	70.6v	61.2v	46.4v	47.3v	49.3v	45.3v	0.0v	73.5v	0.0v	37.2v	0.0v	428.28v
634	Mr J P Hakim	O	71.4v	67.3v	44.1v	47.4v	44.3v	46.3v	0.0v	64.3v	0.0v	45.6v	0.0v	428.27v
635	Mr DM Smith	O	71.8v	66.4v	47.4v	43.2v	45.2v	47.4v	0.0v	69.2v	0.0v	40.0v	0.0v	428.26v
636	Miss LC Thompson	T	72.7v	65.4v	43.3v	46.2v	46.5v	43.1v	0.0v	68.7v	0.0v	44.2v	0.0v	427.31v
637	Cadet J Tordoff	T	66.6v	70.3v	46.4v	47.4v	48.3v	49.1v	0.0v	71.9v	0.0v	30.0v	0.0v	427.30v
638	Miss FMK King	T	71.7v	70.4v	40.0v	44.5v	45.1v	48.5v	0.0v	66.3v	0.0v	43.2v	0.0v	427.27v
639	Mr NNTK Kerins	T	70.5v	64.2v	47.3v	47.5v	46.3v	45.1v	0.0v	65.3v	0.0v	43.1v	0.0v	427.23v
640	LCpl J Gair	T	72.7v	69.4v	44.0v	44.4v	47.4v	42.1v	0.0v	67.2v	0.0v	42.1v	0.0v	427.23v
641	Mr WHCL Ledsham	T	70.7v	70.4v	44.1v	45.1v	42.0v	45.1v	0.0v	70.4v	0.0v	41.3v	0.0v	427.21v
642	Dr R Pizer	O	70.6v	70.7v	45.2v	43.1v	45.2v	43.2v	0.0v	69.4v	0.0v	41.2v	0.0v	426.26v
643	Miss R A McNaught	T	67.3v	70.6v	46.3v	36.1v	48.5v	45.3v	0.0v	67.2v	0.0v	47.2v	0.0v	426.25v
644	Mr TLB Burton	T	73.5v	66.5v	41.2v	44.2v	46.2v	42.1v	0.0v	69.4v	0.0v	45.4v	0.0v	426.25v
645	Mr D O'Hare	O	64.4v	67.3v	43.2v	46.1v	47.3v	46.2v	0.0v	70.5v	0.0v	43.1v	0.0v	426.21v
646	A Soelzer-Hermes	O	71.7v	68.4v	47.3v	47.2v	39.3v	45.3v	0.0v	66.5v	0.0v	42.1v	0.0v	425.28v
647	CDT SGT JH Holding	O	68.2v	74.7v	46.6v	42.2v	46.3v	49.4v	0.0v	68.3v	0.0v	32.1v	0.0v	425.28v
648	Mr FJ Anderson	T	72.7v	67.4v	44.2v	40.1v	45.2v	43.1v	0.0v	66.5v	0.0v	48.5v	0.0v	425.27v
649	Mr N M Duncan	O	70.6v	71.5v	41.0v	46.2v	44.1v	44.4v	0.0v	66.3v	0.0v	43.2v	0.0v	425.23v
650	Cdt D W Leitch	T	67.5v	66.5v	43.1v	42.1v	48.5v	46.3v	0.0v	70.6v	0.0v	42.2v	0.0v	424.28v
651	Sqn Ldr HM French	O	70.7v	67.4v	44.2v	38.1v	46.3v	46.4v	0.0v	66.4v	0.0v	47.1v	0.0v	424.26v
652	Mr TE Parker	T	70.6v	66.1v	48.3v	47.5v	44.1v	46.1v	0.0v	68.3v	0.0v	35.2v	0.0v	424.22v
653	Miss LGT Taylor	T	73.8v	69.5v	47.5v	46.1v	47.6v	45.4v	0.0v	57.3v	0.0v	39.1v	0.0v	423.33v
654	Mr MB Bumford	T	66.3v	70.6v	45.4v	45.1v	44.4v	46.4v	0.0v	70.4v	0.0v	37.1v	0.0v	423.27v
655	Cpl F Hawes	T	73.9v	66.5v	47.3v	37.1v	45.4v	48.5v	0.0v	70.6v	0.0v	36.1v	0.0v	422.34v
656	Mr CMB Bowring	T	71.9v	68.5v	45.3v	49.6v	48.2v	43.2v	0.0v	68.4v	0.0v	30.1v	0.0v	422.32v
657	Ms AM Michano	T	71.4v	66.4v	46.4v	42.1v	48.7v	45.4v	0.0v	69.4v	0.0v	35.1v	0.0v	422.29v
658	Mr FGAC Becker	T	70.4v	63.3v	41.2v	46.3v	42.5v	45.3v	0.0v	71.7v	0.0v	44.1v	0.0v	422.28v
659	Mr JL Poulin	O	69.5v	69.5v	45.3v	39.1v	48.4v	43.3v	0.0v	66.4v	0.0v	43.3v	0.0v	422.28v
660	Mr MM Matloob	T	69.7v	70.3v	44.2v	45.2v	44.4v	44.3v	0.0v	67.3v	0.0v	39.0v	0.0v	422.24v
661	Mr ND Anderson	O	68.3v	65.3v	41.2v	46.2v	44.4v	44.2v	0.0v	71.6v	0.0v	43.0v	0.0v	422.22v
662	Cdt Sgt T H Dodds	O	75.9v	73.6v	45.3v	34.0v	45.3v	46.5v	0.0v	66.7v	0.0v	37.3v	0.0v	421.36v
663	Mr DJ Pay	O	70.6v	67.4v	47.3v	46.4v	42.2v	42.4v	0.0v	62.9v	0.0v	45.2v	0.0v	421.34v
664	Mr MSC Chandler	T	69.6v	71.7v	47.2v	34.0v	47.5v	46.3v	0.0v	64.4v	0.0v	43.4v	0.0v	421.31v
665	Cdt P C De Souza	T	68.4v	67.3v	50.6v	44.3v	39.1v	39.1v	0.0v	71.10v	0.0v	43.1v	0.0v	421.29v
666	Mr JJ Lunn	T	68.3v	68.5v	43.2v	43.3v	45.4v	48.4v	0.0v	65.3v	0.0v	41.4v	0.0v	421.28v
667	Cdt T A N Dowd	T	67.3v	73.8v	48.6v	43.1v	42.1v	44.3v	0.0v	67.4v	0.0v	37.2v	0.0v	421.28v
668	Mr KC Crabtree	T	71.5v	71.4v	45.4v	31.1v	48.5v	45.3v	0.0v	69.4v	0.0v	41.1v	0.0v	421.27v
669	Csjt C Naumann	T	69.3v	69.4v	47.4v	42.3v	49.6v	40.1v	0.0v	65.4v	0.0v	40.1v	0.0v	421.26v
670	LCpl H Y H Lei	T	70.6v	65.2v	42.2v	48.4v	47.5v	43.3v	0.0v	62.2v	0.0v	44.1v	0.0v	421.25v
671	Mr CA Aantjes	T	64.2v	69.3v	42.2v	46.6v	44.5v	45.3v	0.0v	71.5v	0.0v	39.2v	0.0v	420.28v
672	Mr SHM Keith	O	69.7v	69.4v	49.4v	42.2v	39.1v	46.4v	0.0v	60.1v	0.0v	45.2v	0.0v	419.25v
673	Mr DA Wilson	O	65.2v	63.1v	43.2v	47.4v	45.3v	44.3v	0.0v	67.6v	0.0v	45.3v	0.0v	419.24v
674	Major N Stebbings	O	65.2v	69.4v	43.2v	43.2v	44.4v	47.2v	0.0v	66.4v	0.0v	42.2v	0.0v	419.22v
675	Mr RM Culverwell	O	67.3v	68.3v	41.2v	45.2v	45.3v	47.1v	0.0v	64.2v	0.0v	42.4v	0.0v	419.20v
676	Cdt Sgt L I D Alban-Davies	T	67.3v	69.6v	48.5v	37.1v	45.3v	44.4v	0.0v	65.4v	0.0v	43.1v	0.0v	418.27v
677	Mr S J Smith-Maxwell	T	64.7v	72.5v	44.3v	38.2v	45.3v	47.1v	0.0v	65.5v	0.0v	42.1v	0.0v	417.27v
678	Mr EJE Mearns	T	65.2v	70.6v	36.0v	46.1v	46.3v	46.2v	0.0v	69.9v	0.0v	39.4v	0.0v	417.27v
679	Sjt A Swaffield	T	73.4v	68.2v	43.2v	30.1v	48.5v	44.3v	0.0v	68.6v	0.0v	43.1v	0.0v	417.24v
680	Mr JPS Bloomfield	X	73.10v	74.5v	50.4v	49.5v	50.8v	46.2v	0.0v	74.7v	0.0v	0.0v	0.0v	416.41v
681	Mr KC Marshall	O	72.6v	63.3v	44.2v	46.2v	41.4v	42.2v	0.0v	67.4v	0.0v	41.3v	0.0v	416.26v
682	Mr AM Norman	O	72.7v	66.2v	45.3v	39.0v	42.1v	44.2v	0.0v	67.5v	0.0v	41.1v	0.0v	416.21v
683	Mr JMA Thompson	X	74.8v	72.8v	49.3v	50.6v	47.5v	49.6v	0.0v	74.12v	0.0v	0.0v	0.0v	415.48v
684	Mr SWO Owen	O	71.8v	73.8v	47.6v	16.0v	48.1v	48.4v	0.0v	66.6v	0.0v	46.3v	0.0v	415.36v
685	Mr MG Faulkner	T	66.3v	63.2v	40.2v	42.0v	48.4v	41.3v	0.0v	71.10v	0.0v	44.5v	0.0v	415.29v
686	Sgt A M S Sadler	O	68.4v	70.4v	45.2v	47.3v	46.4v	25.0v	0.0v	74.7v	0.0v	40.1v	0.0v	415.25v
687	Mr T Galliers	O	71.5v	63.4v	42.1v	43.3v	43.1v	41.1v	0.0v	68.6v	0.0v	44.1v	0.0v	415.22v
688	Miss PGM Macdonald	T	64.3v	70.3v	39.2v	48.4v	44.2v	45.4v	0.0v	62.3v	0.0v	43.1v	0.0v	415.22v
689	Sjt A Towler	T	68.3v	64.4v	46.1v	45.1v	46.4v	45.3v	0.0v	61.1v	0.0v	40.3v	0.0v	415.20v
690	Sgt L Fennell	T	72.4v	70.8v	44.3v	37.1v	45.2v	44.3v	0.0v	68.5v	0.0v	34.1v	0.0v	414.27v
691	Miss EL Sweet	T	69.8v	61.1v	41.1v	46.3v	43.1v	45.4v	0.0v	69.3v	0.0v	40.2v	0.0v	414.23v
692	Mr SA Lippiatt	O	66.1v	69.3v	43.2v	46.3v	44.3v	43.1v	0.0v	64.4v	0.0v	39.2v	0.0v	414.19v
693	Mr WJD Dineen	O	72.5v	68.3v	47.4v	40.0v	41.1v	48.3v	0.0v	61.1v	0.0v	37.2v	0.0v	414.19v

694	Mr JT Truelove	T	64.2v	66.4v	45.2v	45.3v	48.5v	47.3v	0.0v	67.5v	0.0v	31.2v	0.0v	413.26v
695	Mr WT Bridger	O	68.2v	68.3v	41.2v	38.1v	46.3v	46.6v	0.0v	64.4v	0.0v	41.0v	0.0v	412.21v
696	Mr JS Ritchie	O	70.4v	72.5v	47.4v	46.4v	46.3v	47.4v	0.0v	39.7v	0.0v	44.2v	0.0v	411.33v
697	Mr MI Buchanan	X	73.10v	72.9v	49.7v	45.3v	0.0v	49.9v	0.0v	75.10v	0.0v	47.6v	0.0v	410.54v
698	Mr RG Hilyard	O	54.5v	66.4v	44.1v	44.4v	46.1v	46.2v	0.0v	71.5v	0.0v	39.2v	0.0v	410.24v
699	K Jahnke	O	70.6v	57.0v	41.0v	42.1v	47.4v	45.1v	0.0v	68.1v	0.0v	40.0v	0.0v	410.13v
700	Sgt D Clark	T	61.2v	68.2v	43.2v	48.2v	47.4v	31.0v	0.0v	68.5v	0.0v	43.3v	0.0v	409.20v
701	Mr JC Hambro	O	70.4v	66.2v	43.2v	36.0v	44.3v	40.1v	0.0v	67.2v	0.0v	43.1v	0.0v	409.15v
702	Bdr D Yhia	T	59.1v	70.3v	41.0v	46.2v	40.1v	45.1v	0.0v	71.5v	0.0v	37.0v	0.0v	409.13v
703	SSgt J L Dixon	T	65.5v	64.2v	43.1v	46.1v	46.3v	40.3v	0.0v	65.5v	0.0v	38.3v	0.0v	407.23v
704	Mr PJW Sparks	T	66.3v	65.3v	48.6v	42.2v	42.1v	41.0v	0.0v	60.2v	0.0v	43.2v	0.0v	407.19v
705	Mr SRE Ewing	T	73.7v	67.5v	46.3v	44.2v	49.4v	50.6v	0.0v	74.6v	0.0v	3.2v	0.0v	406.35v
706	Cdt Rudge	T	54.4v	69.4v	45.6v	40.3v	43.1v	43.4v	0.0v	68.4v	0.0v	44.3v	0.0v	406.29v
707	Miss EP Bryant	T	60.1v	70.7v	43.1v	38.3v	49.5v	40.3v	0.0v	62.2v	0.0v	43.2v	0.0v	405.24v
708	Mr HW Orpen-Smellie	A	75.10v	73.9v	46.5v	47.6v	46.3v	0.0v	0.0v	74.6v	0.0v	43.2v	0.0v	404.41v
709	Mr MD Wright	O	70.7v	74.5v	45.2v	0.0v	49.5v	48.4v	0.0v	71.6v	0.0v	47.4v	0.0v	404.33v
710	Mr MLH Lee	T	70.7v	64.1v	43.2v	38.1v	40.2v	41.1v	0.0v	68.8v	0.0v	40.1v	0.0v	404.23v
711	Spr C A Pearce	T	67.4v	62.3v	41.2v	43.1v	47.3v	39.1v	0.0v	66.4v	0.0v	39.1v	0.0v	404.19v
712	Mr KR Trowbridge	A	71.7v	73.9v	46.4v	48.5v	0.0v	47.5v	0.0v	69.7v	0.0v	49.4v	0.0v	403.41v
713	Mr LWHR Stewart	T	73.10v	73.4v	0.0v	42.1v	49.6v	47.3v	0.0v	73.5v	0.0v	46.5v	0.0v	403.34v
714	Cpl O Holloway	T	72.9v	62.3v	43.1v	44.3v	41.2v	41.2v	0.0v	58.4v	0.0v	42.2v	0.0v	403.26v
715	Mr JMD McCready	T	69.6v	71.3v	46.2v	30.0v	45.2v	41.1v	0.0v	62.3v	0.0v	38.1v	0.0v	402.18v
716	Mr JRC Stanford-Beale	T	67.1v	64.1v	45.0v	39.0v	38.1v	44.1v	0.0v	64.3v	0.0v	41.2v	0.0v	402.9v
717	Mr CA Stewart	O	73.7v	72.6v	0.0v	47.4v	47.5v	47.4v	0.0v	74.7v	0.0v	41.4v	0.0v	401.37v
718	Mr JCK Kelleher	T	70.7v	56.2v	35.2v	34.0v	47.4v	49.4v	0.0v	71.7v	0.0v	39.1v	0.0v	401.27v
719	Mr DA Rowell	O	69.5v	73.9v	49.6v	0.0v	50.5v	47.2v	0.0v	74.10v	0.0v	38.0v	0.0v	400.37v
720	Mr TR Webster	O	71.4v	69.5v	48.3v	0.0v	48.5v	46.3v	0.0v	72.7v	0.0v	45.2v	0.0v	399.29v
721	Mr RA Hyndman	O	75.9v	71.5v	48.4v	45.0v	43.2v	46.4v	0.0v	71.5v	0.0v	0.0v	0.0v	399.29v
722	LCpl T J Smith	T	65.6v	50.3v	47.4v	41.1v	46.4v	45.4v	0.0v	63.3v	0.0v	42.1v	0.0v	399.26v
723	Sjt A Gray	T	67.3v	65.5v	36.2v	38.1v	42.4v	42.2v	0.0v	66.5v	0.0v	43.1v	0.0v	399.23v
724	Sjt J Calcutt	T	71.7v	70.3v	48.7v	42.2v	49.6v	46.2v	0.0v	72.7v	0.0v	0.0v	0.0v	398.34v
725	Cpl A Mackenzie	T	65.4v	69.5v	37.2v	44.1v	45.5v	41.3v	0.0v	57.4v	0.0v	40.2v	0.0v	398.26v
726	Mr MAG Woodrow	T	72.5v	64.2v	41.2v	46.3v	43.3v	39.1v	0.0v	49.1v	0.0v	44.3v	0.0v	398.20v
727	Mrs I Pioche	O	62.1v	64.1v	40.0v	37.0v	44.1v	42.1v	0.0v	66.3v	0.0v	43.2v	0.0v	398.9v
728	Cpl J Lowes	T	61.2v	67.1v	25.0v	46.3v	48.7v	39.0v	0.0v	71.7v	0.0v	40.1v	0.0v	397.21v
729	Mr CSJ Marlow	O	73.7v	72.3v	42.4v	44.4v	49.4v	46.3v	0.0v	70.3v	0.0v	0.0v	0.0v	396.28v
730	Lcpl R E W Williams	T	67.4v	63.3v	41.0v	43.1v	38.1v	38.0v	0.0v	69.7v	0.0v	37.1v	0.0v	396.17v
731	Mr MSE Firman	A	72.9v	72.7v	47.6v	44.3v	0.0v	47.2v	0.0v	66.5v	0.0v	47.4v	0.0v	395.36v
732	Mr HL Hunter	X	72.7v	72.5v	43.2v	45.2v	0.0v	44.2v	0.0v	74.4v	0.0v	45.2v	0.0v	395.24v
733	Mr ST Welsh	O	75.12v	71.5v	43.1v	42.0v	47.5v	0.0v	0.0v	71.9v	0.0v	45.1v	0.0v	394.33v
734	Sjt M Taylor	T	68.1v	66.4v	50.7v	47.5v	44.2v	47.4v	0.0v	72.8v	0.0v	0.0v	0.0v	394.31v
735	Mr S A Hunting	T	72.4v	72.6v	38.2v	0.0v	49.5v	46.3v	0.0v	72.7v	0.0v	45.3v	0.0v	394.30v
736	Cdt G B Astin	O	69.7v	68.3v	41.2v	45.3v	50.5v	49.5v	0.0v	70.7v	0.0v	0.0v	0.0v	392.32v
737	Mr RD Macmillan	O	67.4v	71.4v	47.4v	44.2v	0.0v	46.3v	0.0v	70.5v	0.0v	47.2v	0.0v	392.24v
738	Cdt E N Ng	T	66.4v	68.3v	45.2v	40.1v	41.0v	42.4v	0.0v	57.2v	0.0v	33.1v	0.0v	392.17v
739	Cfn S J Hartnett	T	66.3v	60.2v	39.2v	42.2v	45.1v	39.2v	0.0v	60.2v	0.0v	41.1v	0.0v	392.15v
740	Miss AL Matthews	T	71.5v	70.7v	44.3v	48.5v	12.1v	38.1v	0.0v	67.3v	0.0v	41.3v	0.0v	391.28v
741	Mr RS Mason MRCVS	O	66.3v	64.3v	46.2v	46.4v	45.1v	46.4v	0.0v	70.3v	0.0v	7.0v	0.0v	390.20v
742	CI JL Calcutt	T	59.1v	66.1v	45.5v	26.0v	41.0v	42.3v	0.0v	69.4v	0.0v	42.3v	0.0v	390.17v
743	Mr BR Shouler	O	71.5v	67.3v	47.1v	47.3v	43.4v	48.5v	0.0v	66.4v	0.0v	0.0v	0.0v	389.25v
744	Mr BJA Parke	O	64.2v	65.3v	37.0v	46.1v	36.1v	36.1v	0.0v	62.3v	0.0v	43.0v	0.0v	389.11v
745	Miss CP Peacock	O	64.1v	66.2v	33.0v	42.2v	43.1v	42.1v	0.0v	66.4v	0.0v	33.0v	0.0v	389.11v
746	Lcpl CG Gray	T	63.0v	62.3v	36.1v	35.1v	44.3v	42.2v	0.0v	64.4v	0.0v	42.2v	0.0v	388.16v
747	Mr JD Glen	T	71.8v	68.5v	47.2v	45.3v	48.5v	43.1v	0.0v	65.4v	0.0v	0.0v	0.0v	387.28v
748	Cdt J W J Annison	O	72.5v	70.7v	45.1v	35.1v	46.4v	48.5v	0.0v	70.8v	0.0v	0.0v	0.0v	386.31v
749	Mr W P Dooley	T	68.1v	65.5v	42.2v	33.1v	44.3v	41.1v	0.0v	59.3v	0.0v	34.1v	0.0v	386.17v
750	Mr BHA Allen	T	68.5v	66.5v	43.1v	43.3v	38.0v	46.2v	0.0v	61.3v	0.0v	20.0v	0.0v	385.19v
751	Mr ACH Bryson	X	0.0v	70.5v	49.5v	50.4v	49.4v	48.4v	0.0v	74.10v	0.0v	43.2v	0.0v	383.34v
752	Mr JDI Hossack	A	71.2v	71.5v	49.5v	46.1v	50.5v	50.6v	0.0v	0.0v	0.0v	46.2v	0.0v	383.26v
753	Cdt G Manchip	T	68.4v	63.3v	40.2v	29.0v	39.2v	38.1v	0.0v	65.3v	0.0v	41.0v	0.0v	383.15v
754	Mr TABC Coonan	T	69.6v	57.1v	42.2v	37.0v	42.0v	41.1v	0.0v	58.2v	0.0v	36.0v	0.0v	382.12v
755	Miss R K Littleproud	T	67.2v	69.6v	44.4v	43.0v	40.1v	47.4v	0.0v	67.2v	0.0v	4.0v	0.0v	381.19v
756	Cpl J Bowey	T	60.2v	64.3v	43.1v	39.1v	39.1v	36.1v	0.0v	56.3v	0.0v	42.2v	0.0v	379.14v
757	Mr FSW Whitehead	T	65.6v	65.1v	47.5v	38.1v	42.1v	47.4v	0.0v	74.12v	0.0v	0.0v	0.0v	378.30v
758	Cpl J A C Burgess	T	72.6v	65.4v	44.3v	43.4v	45.3v	44.4v	0.0v	65.4v	0.0v	0.0v	0.0v	378.28v
759	Mr LF Rooney	T	72.6v	58.6v	40.0v	46.4v	35.1v	47.1v	0.0v	48.1v	0.0v	31.0v	0.0v	377.19v
760	Mr PM Weston	O	67.2v	67.4v	0.0v	35.1v	48.3v	45.5v	0.0v	71.5v	0.0v	43.2v	0.0v	376.22v
761	Cdt R Butt	T	62.0v	59.1v	46.3v	38.1v	39.1v	40.1v	0.0v	56.1v	0.0v	36.1v	0.0v	376.9v
762	Miss EEP Pomeroy	T	65.1v	67.3v	44.4v	48.5v	43.1v	47.1v	0.0v	61.3v	0.0v	0.0v	0.0v	375.18v
763	Mr CP Moon	O	62.1v	62.4v	43.4v	43.3v	34.0v	39.2v	0.0v	56.2v	0.0v	36.1v	0.0v	375.17v
764	Lt JW Jenkins	X	73.8v	72.9v	45.3v	43.3v	48.2v	49.4v	0.0v	0.0v	0.0v	44.2v	0.0v	374.31v

