

HM The Queen's Diamond Jubilee Imperial Meeting
Grand Aggregate (as at Wednesday, 18th July 2012)

		DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	Corp	POW	Total	
1	Mr J Corbett	X	75.13v	75.8v	50.9v	49.7v	49.8v	48.7v	50.7v	75.15v	105.14v	49.7v	0.0v	625.95v
2	Mr DC Luckman	X	75.14v	74.10v	50.9v	50.6v	50.9v	48.6v	49.8v	75.12v	104.15v	50.3v	0.0v	625.92v
3	Mr ITG Shaw	X	75.12v	75.7v	50.6v	50.6v	50.8v	49.8v	49.4v	75.12v	104.12v	48.5v	0.0v	625.80v
4	Mr JA Watson	X	74.12v	75.11v	49.7v	50.7v	49.6v	50.8v	48.5v	75.14v	104.14v	50.6v	0.0v	624.90v
5	Mr J A M Paton	X	75.14v	74.10v	50.6v	50.7v	48.5v	50.5v	50.10v	75.13v	104.10v	48.5v	0.0v	624.85v
6	Miss JH Messer	X	74.11v	73.10v	50.5v	50.5v	50.7v	49.4v	49.7v	75.11v	105.11v	49.5v	0.0v	624.76v
7	Dr PD Sykes	X	75.13v	73.10v	49.7v	50.5v	50.9v	50.8v	49.7v	75.11v	104.13v	48.7v	0.0v	623.90v
8	Mr SA Thomas	X	75.14v	75.11v	50.9v	49.7v	49.8v	49.8v	49.5v	74.11v	105.14v	47.1v	0.0v	622.88v
9	Mr TW Hunter	X	75.14v	74.10v	48.7v	49.7v	49.5v	50.6v	49.3v	75.9v	104.16v	49.7v	0.0v	622.84v
10	Wg. Cdr. (Ret'd) DP Calvert	X	75.10v	75.13v	50.7v	50.6v	49.6v	50.6v	48.4v	75.12v	104.14v	46.5v	0.0v	622.83v
11	Miss JM Rankin	X	74.11v	74.9v	49.7v	50.8v	49.6v	50.8v	49.5v	75.12v	104.13v	48.3v	0.0v	622.82v
12	Mr P Patel	X	75.13v	75.14v	49.4v	49.5v	50.7v	49.4v	50.9v	74.9v	102.12v	49.2v	0.0v	622.79v
13	Mr TJD Raincock	X	75.13v	73.7v	50.8v	49.7v	49.5v	50.6v	49.6v	74.10v	103.14v	50.2v	0.0v	622.78v
14	Mr CTS Belk	X	75.10v	73.6v	49.6v	50.6v	50.6v	50.7v	48.5v	75.10v	103.10v	49.4v	0.0v	622.70v
15	Dr GCD Barnett	X	74.12v	73.12v	49.9v	50.8v	50.8v	49.2v	48.5v	75.13v	104.14v	49.6v	0.0v	621.89v
16	Mr WJD Broad	X	75.12v	75.10v	48.3v	47.6v	49.6v	49.7v	50.7v	73.10v	105.15v	50.4v	0.0v	621.80v
17	Mr JP Tapster	X	74.8v	73.11v	50.7v	49.6v	50.6v	49.6v	49.6v	73.10v	104.17v	49.3v	0.0v	620.80v
18	Mr WCP Richards	X	75.10v	74.11v	49.8v	49.6v	50.5v	49.7v	47.4v	75.13v	104.11v	48.5v	0.0v	620.80v
19	Mr HA Day	A	75.13v	74.7v	50.5v	48.6v	49.4v	49.7v	46.5v	75.11v	105.16v	49.4v	0.0v	620.78v
20	Dr JDS Langley	X	75.9v	74.12v	50.6v	50.5v	49.5v	49.5v	47.5v	74.11v	104.11v	48.4v	0.0v	620.73v
21	Mr NJ Ball	X	74.9v	75.13v	50.6v	50.6v	50.10v	48.5v	50.6v	75.12v	104.13v	43.3v	0.0v	619.83v
22	Mr GA Cann	X	75.13v	75.13v	50.7v	48.6v	50.6v	47.2v	50.9v	75.8v	100.9v	49.8v	0.0v	619.81v
23	Mr CN Tremlett	X	75.12v	74.11v	49.5v	48.5v	50.8v	48.5v	50.6v	74.11v	102.14v	49.3v	0.0v	619.80v
24	Mr ERT Jeens	X	75.9v	74.11v	49.5v	49.6v	50.8v	48.6v	50.6v	75.12v	102.14v	47.3v	0.0v	619.80v
25	Mr JCT Kent	X	74.10v	74.10v	50.7v	48.5v	50.6v	48.7v	50.8v	73.10v	104.10v	48.5v	0.0v	619.78v
26	Mrs LK Mace	A	74.10v	74.10v	50.7v	49.7v	49.7v	49.4v	49.7v	74.9v	103.10v	48.6v	0.0v	619.77v
27	Mr MG Whicher	X	75.10v	75.8v	50.7v	50.8v	50.4v	47.6v	48.7v	75.13v	104.10v	45.4v	0.0v	619.77v
28	Mr JW Alexander	X	75.11v	74.10v	49.3v	48.2v	50.4v	47.3v	49.6v	73.6v	105.15v	49.7v	0.0v	619.67v
29	Miss AMG Ogilvie	A	75.8v	74.5v	47.4v	50.8v	50.5v	50.5v	50.7v	73.5v	103.12v	47.2v	0.0v	619.61v
30	Mr GE Morris	X	75.13v	70.7v	49.5v	49.7v	50.8v	50.7v	48.4v	75.14v	105.19v	47.4v	0.0v	618.88v
31	Mr DC Crispin	X	75.11v	73.10v	47.5v	50.7v	50.8v	49.8v	49.7v	74.12v	103.11v	48.7v	0.0v	618.86v
32	Mr DR Armstrong	X	75.11v	74.11v	49.5v	50.7v	50.6v	49.7v	47.6v	74.9v	104.16v	46.6v	0.0v	618.84v
33	Mr JC Underwood	X	75.13v	74.11v	50.7v	49.5v	49.8v	48.7v	49.8v	75.11v	104.11v	45.3v	0.0v	618.84v
34	Mr PG Kent	X	75.11v	75.11v	50.6v	50.9v	50.7v	47.5v	47.6v	75.10v	100.13v	49.5v	0.0v	618.83v
35	Dr JD Warburton	X	75.10v	72.7v	48.4v	49.8v	50.8v	48.6v	50.7v	75.12v	105.17v	46.4v	0.0v	618.83v
36	Major AR McLeod	X	75.12v	75.11v	50.8v	49.5v	50.6v	50.8v	45.4v	74.10v	104.15v	46.2v	0.0v	618.81v
37	Mr A Stewart	X	73.10v	75.12v	47.4v	47.4v	50.8v	48.7v	49.5v	75.10v	105.13v	49.6v	0.0v	618.79v
38	Mr J Pugsley	X	75.13v	73.11v	49.9v	49.7v	50.7v	49.5v	49.5v	74.10v	101.7v	49.4v	0.0v	618.78v
39	Mr PB Bromley	X	74.12v	73.6v	48.5v	50.8v	50.9v	50.7v	48.7v	75.7v	103.10v	47.5v	0.0v	618.76v
40	Mr BJ Le Cheminant	X	75.10v	74.10v	49.4v	48.5v	50.8v	48.6v	49.4v	75.10v	103.9v	47.5v	0.0v	618.71v
41	Mr SD Shouler	X	75.11v	71.6v	50.5v	50.7v	49.6v	49.2v	50.6v	74.9v	103.15v	47.3v	0.0v	618.70v
42	Mr CJ Morton	X	75.14v	72.8v	49.7v	49.7v	50.9v	50.6v	49.6v	75.12v	101.8v	47.2v	0.0v	617.79v
43	Mr SJ East	A	72.8v	72.11v	50.6v	49.7v	49.7v	49.5v	49.7v	75.13v	104.11v	48.3v	0.0v	617.78v
44	Capt. AW Gill	X	74.11v	74.8v	50.7v	45.4v	49.6v	50.8v	50.8v	74.9v	103.11v	48.5v	0.0v	617.77v
45	Mr D de Vere	O	74.13v	71.6v	48.2v	49.7v	50.6v	50.8v	49.6v	75.11v	105.13v	46.4v	0.0v	617.76v
46	Mr DC Dyson	X	74.9v	75.8v	50.6v	47.3v	49.8v	50.8v	48.6v	75.11v	102.14v	47.2v	0.0v	617.75v
47	Mr D Blake	X	75.10v	74.9v	46.0v	48.4v	50.9v	50.5v	49.6v	75.14v	103.13v	47.3v	0.0v	617.73v
48	Mr PM Jory	X	73.11v	74.10v	49.6v	49.7v	50.8v	49.4v	48.5v	75.6v	104.11v	46.5v	0.0v	617.73v
49	Mr JA Anderson	X	75.10v	74.9v	49.6v	45.4v	50.7v	50.5v	50.4v	74.9v	102.14v	48.3v	0.0v	617.71v
50	Mr AP Barnes	X	73.7v	75.9v	48.3v	50.7v	50.6v	49.5v	50.7v	70.7v	102.12v	50.5v	0.0v	617.68v
51	Mr MJ Barlow	X	74.7v	74.10v	48.4v	49.4v	50.8v	49.5v	48.7v	75.9v	102.8v	48.5v	0.0v	617.67v
52	Mr RBC Baker	A	74.12v	74.10v	49.7v	49.5v	49.2v	49.6v	50.7v	75.7v	103.6v	45.4v	0.0v	617.66v
53	Mr TP Clarke	A	73.9v	75.7v	47.5v	49.7v	50.5v	48.4v	50.7v	73.8v	104.9v	48.4v	0.0v	617.65v
54	Mr SM Negus	X	73.12v	74.13v	49.8v	49.6v	49.7v	48.7v	48.5v	75.10v	104.12v	47.5v	0.0v	616.85v

