

## NRA 144th Imperial Meeting

### Grand Aggregate

		DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	Corp	POW	Total	
1	Mr DC Luckman	X	75.12v	75.13v	50.7v	50.8v	49.7v	48.5v	50.9v	75.11v	104.16v	49.7v	73.8v	698.103v
2	Mr JP Bailey	X	75.13v	75.9v	49.5v	50.8v	50.6v	49.6v	48.5v	75.13v	105.15v	48.6v	74.11v	698.97v
3	Mr P Patel	X	75.11v	75.8v	50.9v	48.4v	49.5v	48.5v	50.8v	75.14v	105.20v	48.6v	74.13v	697.103v
4	Mr SJ East	X	73.6v	74.11v	50.6v	50.7v	50.5v	49.6v	48.6v	75.11v	105.15v	48.4v	75.13v	697.90v
5	Mr GE Morris	X	75.13v	74.10v	50.9v	49.3v	49.8v	50.6v	49.5v	75.11v	105.19v	45.1v	75.10v	696.95v
6	Mr ERT Jeens	X	74.6v	75.10v	50.8v	50.7v	47.4v	49.6v	50.7v	72.8v	105.15v	49.6v	75.14v	696.91v
7	Miss JM Rankin	X	73.8v	73.6v	49.7v	48.4v	50.5v	50.7v	50.7v	75.14v	105.15v	49.6v	74.8v	696.87v
8	Miss JH Messer	X	74.10v	73.9v	50.7v	50.5v	50.7v	47.5v	50.8v	74.6v	103.13v	50.6v	75.9v	696.85v
9	Mr SA Thomas	X	73.10v	74.11v	49.5v	49.3v	50.9v	50.6v	50.7v	75.13v	105.16v	45.5v	75.8v	695.93v
10	Mr NBS Logan	X	75.7v	72.7v	50.8v	49.6v	50.5v	48.5v	50.5v	75.9v	103.14v	48.6v	75.8v	695.80v
11	Mr J Corbett	X	74.11v	75.15v	50.6v	50.10v	50.7v	50.7v	49.3v	73.8v	105.19v	44.1v	74.11v	694.98v
12	Mr GA Cann	X	73.10v	75.12v	50.8v	49.4v	48.4v	50.8v	49.4v	74.11v	104.16v	48.4v	74.13v	694.94v
13	Wg. Cdr. DP Calvert MBE RAF	X	73.7v	75.10v	50.9v	50.9v	48.4v	48.5v	50.7v	75.13v	104.16v	48.3v	73.8v	694.91v
14	Dr HHG Pollock	X	75.7v	75.9v	50.9v	44.1v	50.6v	50.8v	50.8v	75.11v	104.14v	48.5v	73.9v	694.87v
15	Mr CN Tremlett	X	75.12v	75.10v	50.4v	45.3v	50.7v	49.4v	50.6v	75.13v	103.15v	47.4v	75.8v	694.86v
16	Mr RJ Lygoe	O	73.8v	73.7v	50.6v	49.4v	49.5v	49.4v	50.5v	73.11v	104.18v	50.3v	74.8v	694.79v
17	Mr SM Negus	X	75.12v	73.6v	50.6v	47.5v	50.9v	49.5v	50.6v	75.13v	104.16v	46.4v	74.13v	693.95v
18	Mr PG Kent GC	X	75.12v	74.9v	49.8v	49.8v	50.6v	48.4v	50.6v	75.12v	105.15v	45.3v	73.11v	693.94v
19	Dr CD Haley	A	75.9v	75.8v	50.4v	43.4v	50.9v	48.4v	50.5v	75.14v	104.16v	48.5v	75.8v	693.86v
20	Mr RCT Jeens	A	74.8v	73.8v	50.8v	50.7v	50.6v	49.4v	50.6v	75.8v	103.10v	46.4v	73.10v	693.79v
21	Mr TJD Raincock	X	75.13v	75.9v	48.4v	50.7v	50.7v	50.6v	49.7v	75.13v	102.12v	45.3v	73.12v	692.93v
22	Mr JAM Paton	X	74.11v	72.8v	49.6v	50.5v	50.7v	49.5v	49.5v	75.13v	103.15v	47.3v	74.11v	692.89v
23	Mr NJ Ball	X	75.10v	73.7v	50.8v	49.4v	49.6v	47.3v	50.7v	74.11v	104.14v	47.4v	74.7v	692.81v
24	Mr DL Le Quesne	X	74.10v	74.9v	49.6v	48.4v	49.6v	48.6v	50.7v	73.9v	104.12v	50.5v	73.5v	692.79v
25	Mr AC Haley	X	74.9v	75.12v	48.5v	45.3v	50.9v	50.6v	50.6v	75.14v	104.18v	45.3v	75.13v	691.98v
26	Mr ASH McCullough	X	75.10v	73.8v	48.6v	49.5v	50.7v	50.8v	46.6v	74.13v	105.16v	46.5v	75.11v	691.95v
27	Mr GW Woodman	A	74.10v	74.8v	50.4v	50.7v	50.6v	49.8v	50.7v	74.13v	102.15v	44.2v	74.12v	691.92v
28	Dr JD Warburton	X	74.9v	72.8v	50.6v	49.5v	50.9v	49.5v	50.7v	73.8v	104.16v	46.5v	74.11v	691.89v
29	Mr DR Armstrong	X	74.8v	73.6v	50.7v	47.6v	50.5v	50.7v	48.6v	74.9v	105.14v	45.5v	75.13v	691.86v
30	Mr JEM Bellringer	X	73.10v	75.9v	50.7v	45.3v	50.7v	49.7v	49.6v	75.9v	103.10v	47.4v	75.11v	691.83v
31	Mr DA Richardson	X	73.9v	74.11v	49.6v	50.6v	49.4v	50.7v	50.5v	73.6v	103.13v	45.2v	75.12v	691.81v
32	Miss H P McCullough	X	73.6v	74.8v	50.8v	48.3v	49.5v	49.7v	50.6v	75.9v	104.13v	44.0v	75.12v	691.77v
33	Mr DR Cadden	X	72.8v	75.12v	50.6v	50.3v	50.5v	49.6v	49.5v	74.10v	102.7v	47.4v	73.9v	691.75v
34	Mr CA Brook	X	74.9v	73.10v	49.4v	50.6v	49.3v	50.5v	50.5v	73.7v	103.13v	46.3v	74.10v	691.75v
35	Dr PR Wheeler	O	71.2v	74.9v	50.8v	48.5v	50.5v	49.4v	48.8v	74.6v	105.10v	49.2v	73.8v	691.67v
36	Miss EJ Nuttall	X	75.9v	73.9v	49.5v	43.4v	49.8v	50.5v	48.6v	75.12v	105.16v	48.4v	75.12v	690.90v
37	Mr NC Mace	X	72.7v	74.7v	48.8v	47.5v	49.7v	50.8v	50.9v	75.12v	104.16v	47.2v	74.7v	690.88v
38	Mr JA Watson	X	75.8v	75.13v	50.7v	47.3v	50.5v	49.4v	50.6v	74.12v	105.15v	43.2v	72.9v	690.84v
39	Mr JC Underwood	X	74.8v	75.12v	50.8v	47.3v	50.7v	48.5v	49.8v	73.10v	102.13v	47.2v	75.7v	690.83v
40	Mr PA Haasbroek	X	75.12v	72.7v	48.5v	48.1v	50.10v	48.5v	50.6v	75.11v	103.11v	46.0v	75.14v	690.82v
41	Mr IW Robertson	X	74.11v	73.6v	50.4v	49.7v	49.6v	50.8v	49.6v	71.9v	102.10v	49.4v	74.9v	690.80v
42	Mr AG Mitchell	X	74.11v	72.5v	50.4v	46.4v	50.6v	47.5v	49.4v	75.12v	105.14v	47.4v	75.9v	690.78v
43	Mr J N McLaren	X	73.8v	73.10v	50.5v	50.6v	48.5v	49.3v	49.4v	71.7v	105.11v	48.6v	74.9v	690.74v
44	Mr BA Horwood	A	74.8v	75.9v	49.6v	49.7v	50.4v	48.5v	47.2v	75.8v	104.11v	46.4v	73.7v	690.71v
45	Mr ITG Shaw	X	75.12v	73.8v	49.9v	48.5v	49.6v	46.3v	48.6v	74.7v	105.16v	47.4v	75.8v	689.84v
46	Mr T Drysdale	X	73.9v	74.6v	50.5v	46.4v	50.3v	50.7v	50.8v	75.9v	104.17v	45.6v	72.10v	689.84v
47	Dr JDS Langley	X	71.6v	73.8v	50.6v	48.3v	50.9v	50.7v	48.5v	75.10v	105.16v	47.2v	72.6v	689.78v
48	Mr A Marion	X	74.8v	74.10v	49.7v	50.7v	49.4v	50.5v	49.5v	75.7v	102.9v	44.2v	73.10v	689.74v
49	Mr JWE Lewis	X	73.3v	73.9v	49.6v	48.4v	48.6v	50.7v	47.5v	75.10v	104.12v	47.2v	75.9v	689.73v
50	Mr GK Alexander	X	73.9v	71.6v	50.6v	50.6v	48.7v	49.5v	49.4v	74.7v	101.6v	49.4v	75.9v	689.69v
51	Mr SKC Hunter	X	75.8v	73.12v	49.7v	49.5v	46.6v	49.8v	47.5v	73.9v	105.15v	47.5v	75.15v	688.95v
52	Mr S Osmond	A	72.7v	72.8v	49.6v	47.4v	49.8v	47.4v	49.5v	75.12v	105.19v	48.3v	75.9v	688.85v
53	Mrs LK Mace	X	74.9v	72.9v	48.6v	47.4v	49.4v	49.9v	49.6v	73.10v	104.13v	48.6v	75.8v	688.84v
54	Mr DE Nuthall	X	71.10v	73.9v	49.5v	46.2v	50.10v	49.7v	49.3v	75.13v	103.10v	48.4v	75.11v	688.84v
55	Mr TA Ringer	X	71.5v	72.9v	49.5v	49.6v	50.9v	48.4v	50.10v	75.10v	104.12v	47.4v	73.10v	688.84v
56	Mr JMA Thompson	X	73.11v	75.10v	48.6v	49.7v	50.7v	49.2v	49.4v	73.9v	102.13v	46.4v	74.10v	688.83v

57	Mr TP Clarke	A	75.10v	75.9v	49.8v	46.5v	50.6v	49.5v	47.4v	72.8v	105.13v	47.5v	73.9v	688.82v
58	Mr FWA Coetzee	X	74.13v	73.6v	48.4v	47.5v	49.5v	50.6v	49.4v	74.11v	104.13v	46.4v	74.10v	688.81v
59	Dr AJ Pilgrim	X	74.7v	73.9v	49.3v	49.4v	49.7v	49.3v	50.10v	75.11v	104.15v	44.2v	72.10v	688.81v
60	Mr DC Crispin	X	75.8v	74.7v	50.6v	45.3v	50.6v	48.5v	49.7v	74.8v	103.15v	47.4v	73.10v	688.79v
61	Capt AG McLean	X	72.8v	73.7v	49.7v	47.6v	50.6v	48.5v	47.5v	74.7v	105.11v	48.5v	75.11v	688.78v
62	Mr FTG Amy	O	72.9v	74.9v	49.8v	49.6v	50.6v	50.6v	49.3v	73.6v	103.12v	45.3v	74.10v	688.78v
63	Mr R McQuillan	X	74.6v	72.8v	49.8v	49.3v	50.8v	50.7v	46.5v	72.9v	104.9v	47.4v	75.10v	688.77v
64	Mr D Rose	X	75.9v	72.5v	50.5v	47.2v	50.6v	50.10v	48.2v	73.10v	104.13v	45.5v	74.8v	688.75v
65	Mr MRM Millar	X	74.7v	74.6v	50.4v	46.3v	50.6v	48.4v	49.5v	74.8v	105.10v	45.2v	73.7v	688.62v
66	Dr JR Deane	X	74.11v	74.8v	48.7v	47.6v	50.9v	48.4v	49.5v	74.13v	104.15v	48.6v	71.6v	687.90v
67	Capt AW Gill	X	75.12v	72.8v	46.2v	50.3v	49.5v	47.7v	47.7v	75.13v	104.16v	49.7v	73.8v	687.88v
68	Dr JO Ahrens	X	73.8v	68.6v	50.9v	49.5v	50.8v	50.5v	50.7v	74.12v	104.14v	47.7v	72.6v	687.87v
69	Mr AK Henderson	X	73.5v	74.13v	50.9v	45.2v	50.9v	50.7v	50.4v	73.10v	102.13v	46.5v	74.8v	687.85v
70	Mr RSF Shouler	A	75.10v	71.5v	47.5v	48.2v	49.4v	49.9v	49.5v	73.11v	104.17v	48.4v	74.11v	687.83v
71	Flt Lt NP Moxon	A	72.6v	74.9v	48.7v	49.4v	50.6v	48.8v	49.7v	73.6v	103.14v	47.5v	74.7v	687.79v
72	Mr ML Millar	A	75.8v	73.10v	50.6v	48.5v	48.6v	47.3v	48.5v	72.9v	104.14v	49.4v	73.7v	687.77v
73	Mr CJ Watson	X	72.5v	74.9v	50.7v	48.3v	49.3v	49.4v	49.7v	75.13v	103.14v	45.2v	73.10v	687.77v
74	Mr ER Welford	X	73.11v	74.7v	48.5v	46.3v	50.8v	47.4v	49.4v	75.9v	104.14v	48.4v	73.7v	687.76v
75	Mr D de Vere	X	73.6v	73.7v	48.4v	48.5v	49.4v	48.5v	49.7v	74.8v	104.14v	48.6v	73.8v	687.74v
76	Mr TG Rylands	X	74.6v	69.5v	50.9v	45.2v	50.3v	50.8v	50.6v	73.10v	103.11v	48.5v	75.9v	687.74v
77	Mr S Belither	X	73.8v	71.4v	49.4v	49.7v	50.7v	48.4v	50.8v	74.6v	104.12v	46.4v	73.10v	687.74v
78	Mr BMA Stevens	A	71.6v	73.7v	49.6v	44.2v	50.7v	49.5v	50.3v	74.9v	104.10v	50.6v	73.10v	687.71v
79	Mr MD Jenvey	O	74.9v	74.9v	49.6v	47.4v	50.5v	50.6v	49.4v	73.6v	103.10v	46.5v	72.5v	687.69v
80	Mr GV Feast	O	68.6v	73.7v	50.4v	50.3v	48.4v	47.3v	50.4v	74.9v	103.9v	49.5v	75.9v	687.63v
81	Mr C Fitzpatrick	X	73.9v	74.10v	49.6v	46.3v	49.7v	50.8v	49.7v	75.10v	105.14v	43.3v	73.11v	686.88v
82	Mr PB Vamplew	X	75.12v	75.9v	49.6v	47.3v	49.4v	50.6v	46.4v	74.11v	104.15v	44.3v	73.11v	686.84v
83	Mr S Young	X	74.8v	73.12v	50.6v	43.1v	49.6v	49.6v	48.4v	74.13v	105.15v	48.6v	73.6v	686.83v
84	Mr DG Young	X	73.7v	74.8v	48.6v	46.3v	50.7v	50.5v	50.6v	72.8v	104.15v	44.5v	75.11v	686.81v
85	Mrs MM Norman	A	75.12v	73.8v	49.8v	45.2v	50.5v	49.6v	50.8v	72.7v	102.12v	48.3v	73.8v	686.79v
86	Dr C I Johnston	X	73.4v	72.8v	49.6v	46.4v	49.8v	48.3v	50.7v	75.8v	103.15v	48.5v	73.9v	686.77v
87	Mr BN Craig	A	71.4v	72.7v	49.6v	49.9v	49.3v	50.5v	48.6v	74.11v	103.12v	46.2v	75.11v	686.76v
88	Maj J Cload	X	75.11v	71.7v	49.7v	47.3v	49.6v	49.7v	50.6v	74.8v	103.11v	46.2v	73.8v	686.76v
89	Mr PJ Johnson	A	74.5v	72.5v	48.7v	46.4v	49.7v	50.6v	50.8v	75.7v	103.15v	48.4v	71.6v	686.74v
90	2Lt PA Hatfield	O	73.8v	74.10v	48.2v	48.4v	47.5v	49.6v	50.5v	74.9v	102.8v	46.5v	75.6v	686.68v
91	Mr P Westlake	X	71.7v	72.5v	50.7v	49.6v	49.5v	49.4v	50.5v	74.8v	104.12v	44.1v	74.4v	686.64v
92	Mr JR Tuck	X	73.10v	72.7v	50.6v	48.5v	50.7v	44.7v	50.7v	75.11v	102.15v	47.5v	74.9v	685.89v
93	Mr RJS Curtis	A	72.8v	74.7v	49.7v	45.2v	49.6v	50.9v	49.6v	75.11v	105.16v	46.2v	71.8v	685.82v
94	Mr PA Maher	O	72.7v	75.8v	49.7v	47.5v	50.8v	47.5v	50.6v	74.10v	102.10v	45.2v	74.12v	685.80v
95	Mr PM Lanigan	X	74.9v	71.9v	49.8v	48.3v	50.7v	48.6v	49.3v	72.7v	105.15v	44.2v	75.11v	685.80v
96	Z Zain	X	72.8v	71.8v	45.1v	50.5v	49.5v	49.3v	49.6v	74.12v	103.13v	49.7v	74.11v	685.79v
97	Pte L Bennett	T	74.8v	74.10v	47.3v	47.2v	50.8v	47.2v	48.7v	75.11v	103.17v	46.2v	74.9v	685.79v
98	Mr RW Sandlant	X	74.7v	71.9v	49.4v	49.5v	50.5v	48.4v	48.4v	73.11v	103.16v	45.4v	75.10v	685.79v
99	Mr CA Skellett	O	70.6v	74.10v	50.5v	48.5v	49.5v	50.7v	49.6v	74.10v	103.11v	43.2v	75.12v	685.79v
100	Mr CES Dickenson	A	71.6v	74.9v	49.8v	47.5v	50.7v	49.5v	50.7v	72.7v	104.13v	47.4v	72.6v	685.77v
101	Mr KWD Ramsey	X	75.10v	73.8v	49.6v	50.4v	50.7v	45.3v	46.2v	74.13v	104.13v	45.3v	74.8v	685.77v
102	Mr MCJ Button	A	74.10v	74.10v	50.5v	49.7v	47.2v	49.6v	46.3v	73.7v	103.12v	46.2v	74.11v	685.75v
103	Mr JA Lindsay III	A	74.10v	71.8v	50.9v	49.7v	49.6v	47.3v	48.5v	74.7v	105.12v	45.2v	73.6v	685.75v
104	Mr SJ Bissonnette	X	73.12v	73.8v	48.7v	48.4v	49.6v	48.5v	48.4v	72.7v	104.11v	48.3v	74.7v	685.74v
105	Miss LR Mckerrell	O	71.6v	74.7v	47.6v	49.4v	50.5v	49.5v	49.7v	74.5v	105.14v	45.3v	72.8v	685.70v
106	Miss JL Bale	A	74.7v	72.8v	49.5v	50.6v	48.4v	50.5v	46.3v	73.4v	103.14v	45.2v	75.10v	685.68v
107	Mr MJ Barlow	X	74.7v	71.7v	47.5v	48.2v	48.2v	48.3v	49.8v	73.8v	104.12v	48.3v	75.7v	685.64v
108	Mr J Pugsley	X	71.8v	72.8v	50.9v	46.7v	49.6v	48.7v	49.6v	75.11v	103.12v	47.2v	74.10v	684.86v
109	Mr BJ Le Cheminant	X	71.8v	73.11v	49.5v	49.3v	49.6v	49.7v	49.3v	75.13v	103.13v	42.4v	75.13v	684.86v
110	Mr HAD Howard	A	70.7v	74.9v	47.4v	49.7v	50.6v	50.9v	49.6v	73.11v	103.12v	47.4v	72.8v	684.83v
111	Major AR McLeod	X	75.8v	74.8v	49.7v	43.2v	50.7v	49.5v	49.7v	74.7v	105.18v	42.2v	74.11v	684.82v
112	Mr R Birtwistle	X	75.13v	74.8v	46.5v	45.3v	49.6v	49.5v	49.8v	74.9v	103.11v	46.1v	74.9v	684.78v
113	Mr PJ Chance	O	74.11v	72.8v	48.6v	47.5v	49.6v	49.3v	48.3v	73.10v	103.16v	48.5v	73.4v	684.77v
114	Mr LM Peden	X	75.11v	71.5v	49.5v	48.6v	48.3v	49.5v	49.5v	74.10v	103.13v	46.1v	72.10v	684.74v
115	Mr GW Morgan	X	73.11v	74.6v	50.7v	49.4v	48.5v	48.1v	49.7v	73.8v	102.12v	44.1v	74.12v	684.74v
116	Mr ATB Tompson	X	71.8v	72.5v	50.5v	46.4v	47.5v	50.7v	49.7v	73.6v	104.13v	48.3v	74.10v	684.73v
117	Mr WCP Richards	X	72.7v	72.5v	50.8v	48.3v	50.7v	48.1v	46.3v	74.9v	104.17v	46.5v	74.8v	684.73v
118	Mr MJ Purdy	X	72.4v	74.9v	46.4v	50.5v	49.6v	50.8v	47.4v	74.10v	103.12v	44.2v	75.8v	684.72v
119	Mr WJ Rowland	A	73.8v	73.8v	50.4v	46.5v	47.2v	50.4v	50.5v	74.10v	101.8v	48.5v	72.6v	684.65v
120	Miss EG Joseph	A	72.12v	75.11v	50.7v	44.2v	48.7v	48.5v	48.4v	75.12v	102.11v	47.3v	74.12v	683.86v
121	Mr PR Thompson	X	70.7v	72.6v	50.6v	45.2v	49.5v	48.8v	49.7v	73.8v	102.10v	50.6v	75.15v	683.80v
122	Mr PD Griggs	X	71.9v	74.9v	49.6v	43.2v	50.6v	49.7v	49.6v	75.11v	104.11v	47.4v	72.9v	683.80v
123	Mr M J Ensor	X	69.4v	72.9v	50.7v	46.5v	49.6v	49.9v	49.6v	75.8v	103.12v	47.3v	74.9v	683.78v
124	Mr CJ Morton	X	74.9v	73.9v	48.5v	49.5v	50.4v	45.2v	50.6v	75.12v	101.11v	44.5v	74.8v	683.76v
125	Mr TM Green	A	73.10v	74.8v	50.9v	46.1v	49.8v	48.6v	50.6v	74.10v	102.10v	43.1v	74.7v	683.76v
126	Mr IDC Brechin	A	72.6v	73.8v	48.4v	44.2v	49.6v	48.4v	50.6v	75.10v	101.15v	49.3v	74.9v	683.73v
127	Mr IP Davison	X	74.5v	75.8v	48.3v	45.5v	50.7v	47.3v	49.7v	75.10v	102.12v	46.3v	72.8v	683.71v

128	Mr TW Hunter	X	73.7v	75.11v	50.6v	47.5v	49.4v	47.5v	49.2v	74.7v	103.12v	42.2v	74.10v	683.71v
129	Mr M D Joyce	A	73.7v	72.8v	50.5v	48.6v	50.5v	48.5v	50.7v	75.8v	104.13v	43.1v	70.4v	683.69v
130	Mr HA Day	X	73.7v	72.9v	49.8v	46.1v	49.3v	48.6v	49.7v	75.7v	101.7v	48.2v	73.10v	683.67v
131	Mr CD Heales	O	75.6v	72.8v	49.6v	45.2v	50.6v	48.2v	49.4v	74.7v	102.9v	47.2v	72.5v	683.57v
132	Mr RH Gardiner	A	73.8v	73.7v	49.6v	45.2v	48.7v	48.6v	50.6v	74.11v	101.12v	49.7v	72.9v	682.81v
133	Mr TP Hammond	A	68.4v	74.11v	49.6v	48.5v	46.3v	50.7v	49.5v	75.10v	102.15v	47.5v	74.9v	682.80v
134	Mrs K Le Quesne	A	72.10v	75.9v	48.5v	43.1v	50.7v	49.6v	50.3v	75.13v	103.14v	44.2v	73.10v	682.80v
135	Mr GE Grosskreutz	X	74.12v	71.7v	50.6v	47.2v	49.7v	49.2v	50.7v	74.10v	102.15v	44.3v	72.7v	682.78v
136	Mr RM Hatcher	A	72.6v	74.10v	45.5v	45.2v	50.7v	49.6v	50.8v	73.7v	105.13v	46.5v	73.8v	682.77v
137	Mr AJ Luckman	X	73.11v	73.6v	48.6v	47.4v	49.5v	49.4v	46.3v	74.12v	100.12v	49.4v	74.8v	682.75v
138	Mr DS Murray	X	69.3v	74.9v	47.3v	49.6v	49.5v	49.7v	50.7v	73.9v	101.11v	48.6v	73.8v	682.74v
139	Mr PB Bromley	X	73.8v	72.8v	49.6v	41.1v	49.4v	50.8v	49.6v	73.10v	105.13v	46.2v	75.8v	682.74v
140	Mr MG Whicher	X	75.11v	73.5v	49.3v	46.2v	48.8v	49.8v	50.6v	74.6v	102.14v	45.2v	71.7v	682.72v
141	Dr AM Jory	X	72.7v	72.5v	49.5v	46.4v	49.7v	47.5v	50.7v	73.8v	103.10v	48.2v	73.8v	682.68v
142	Mr KO Pugh	A	74.8v	71.7v	50.7v	46.2v	48.6v	49.4v	49.6v	73.6v	104.14v	44.0v	74.7v	682.67v
143	Mr TLW Kidner	X	72.9v	74.10v	48.4v	49.4v	47.5v	50.4v	48.2v	73.8v	105.11v	43.0v	73.8v	682.65v
144	Mr NJ Verduyn	O	68.6v	71.6v	48.4v	49.1v	50.5v	50.8v	49.4v	75.10v	101.9v	47.1v	74.8v	682.62v
145	Wg. Cdr. CJ Hockley OBE	A	72.7v	72.10v	50.7v	49.7v	49.7v	48.7v	47.3v	74.11v	100.10v	45.2v	75.12v	681.83v
146	Miss JC Mellington	A	74.10v	72.7v	49.8v	46.3v	49.8v	44.4v	50.4v	75.12v	104.14v	45.3v	73.9v	681.82v
147	Mr DJ Archer	A	73.9v	71.7v	47.3v	48.5v	50.6v	48.6v	49.7v	75.12v	102.8v	46.6v	72.10v	681.79v
148	Mr RAH Vary	X	72.6v	74.4v	49.8v	50.7v	49.6v	49.5v	48.5v	73.12v	101.12v	44.3v	72.9v	681.77v
149	Mr CTS Belk	X	74.7v	71.4v	48.5v	47.5v	49.7v	48.4v	50.9v	73.11v	104.13v	44.3v	73.8v	681.76v
150	Mr MW Silver	X	73.6v	75.9v	49.6v	39.3v	49.4v	49.5v	50.7v	74.12v	102.9v	48.4v	73.9v	681.74v
151	Mr PM Jory	X	72.9v	71.6v	49.4v	44.3v	48.4v	50.8v	49.5v	75.9v	102.12v	48.3v	73.10v	681.73v
152	Mr R Kloosterman	O	74.8v	73.8v	50.8v	47.1v	48.4v	50.5v	48.3v	72.7v	105.17v	41.3v	73.9v	681.73v
153	Mr GS Cotton	X	75.11v	71.8v	50.6v	45.1v	48.5v	49.3v	48.4v	73.9v	101.14v	48.2v	73.9v	681.72v
154	Major JRW Postle	A	72.7v	71.10v	49.6v	45.0v	49.4v	49.6v	47.4v	75.12v	103.8v	47.2v	74.11v	681.70v
155	Mr H J Golaszewski	X	73.8v	74.10v	49.8v	43.1v	50.5v	47.4v	48.4v	73.5v	105.12v	45.1v	74.12v	681.70v
156	Mr SJ Carlson	X	72.7v	71.6v	49.4v	48.4v	49.7v	49.5v	47.5v	71.5v	103.16v	48.1v	74.9v	681.69v
157	Mr A Godlman	O	75.7v	71.5v	49.5v	50.7v	48.3v	49.4v	48.4v	70.7v	102.12v	45.4v	74.11v	681.69v
158	R Mohamad	X	71.5v	75.9v	48.4v	47.5v	49.6v	48.5v	48.6v	75.8v	104.8v	41.3v	75.10v	681.69v
159	Mr DA Taylor	A	72.7v	72.9v	48.5v	48.4v	47.3v	49.6v	49.3v	74.8v	103.9v	46.4v	73.8v	681.66v
160	Mr N Cole-Hawkins	A	73.6v	73.3v	48.5v	48.4v	45.4v	46.1v	49.3v	75.9v	105.16v	46.4v	73.11v	681.66v
161	Mr R.L. Johnson	O	70.4v	73.8v	49.9v	47.3v	50.5v	49.5v	50.5v	75.10v	101.9v	44.2v	73.6v	681.66v
162	Mr JR Dunbar	A	73.10v	72.6v	50.7v	46.3v	50.5v	47.3v	48.4v	72.7v	105.9v	47.5v	71.5v	681.64v
163	Mr JGM Webster	X	70.6v	73.6v	47.3v	49.6v	48.5v	49.4v	50.7v	73.9v	102.7v	47.2v	73.9v	681.64v
164	Mr M Liversage	O	70.4v	73.6v	49.5v	47.4v	50.5v	50.5v	49.6v	73.7v	102.13v	46.2v	72.7v	681.64v
165	Mr JA Anderson	A	72.0v	73.7v	49.3v	41.3v	50.9v	49.5v	49.5v	74.10v	102.14v	49.3v	73.4v	681.63v
166	Mr J Alexander	X	73.9v	72.7v	48.5v	47.3v	50.6v	47.5v	48.3v	74.6v	103.9v	46.1v	73.9v	681.63v
167	Mr LWHR Stewart	T	73.6v	68.3v	46.3v	49.6v	49.5v	49.5v	49.5v	74.8v	103.8v	46.3v	75.9v	681.61v
168	Mr DL Wiles	O	71.5v	73.5v	50.7v	46.3v	50.3v	48.4v	48.6v	73.7v	102.6v	46.4v	74.10v	681.60v
169	Mr BJ Wood	O	75.13v	71.6v	46.4v	49.2v	50.5v	48.5v	49.6v	73.10v	103.17v	43.2v	73.9v	680.79v
170	Miss AMG Ogilvie	X	73.10v	71.9v	46.4v	46.4v	47.4v	48.5v	49.5v	74.9v	103.11v	49.6v	74.9v	680.76v
171	Cdt AD Partridge	O	74.9v	71.3v	47.3v	47.2v	50.7v	50.7v	50.7v	74.12v	104.16v	46.4v	67.5v	680.75v
172	Dr JS Rennie	A	71.7v	75.8v	47.2v	47.4v	49.8v	48.5v	49.5v	73.11v	101.13v	46.4v	74.6v	680.73v
173	Mr MJM Black	A	72.8v	74.5v	49.7v	45.3v	50.9v	50.7v	49.7v	72.8v	103.11v	47.4v	69.3v	680.72v
174	Mr JM Taylor	X	71.7v	72.9v	47.1v	49.5v	49.7v	50.7v	46.4v	73.8v	104.14v	44.1v	75.9v	680.72v
175	Mr JWE Lothian	A	73.11v	73.9v	49.3v	45.3v	47.5v	48.6v	50.7v	73.5v	103.12v	46.2v	73.7v	680.70v
176	Mrs DA Thompson	O	72.7v	71.7v	48.4v	48.4v	49.6v	47.3v	48.3v	74.11v	105.12v	45.3v	73.10v	680.70v
177	Miss GE Coburn	O	74.10v	72.6v	50.6v	47.4v	48.6v	48.3v	46.3v	71.10v	104.14v	45.2v	75.6v	680.70v
178	Mr PT Tremblay	X	73.9v	72.5v	50.6v	44.4v	49.8v	49.5v	50.3v	72.9v	103.12v	45.2v	73.6v	680.69v
179	Mr ORW Russell	A	73.3v	72.8v	47.4v	47.3v	49.7v	48.5v	48.6v	74.7v	104.9v	45.5v	73.8v	680.65v
180	Mr MSE Firman	O	72.8v	73.7v	49.7v	47.1v	47.5v	48.3v	48.3v	73.5v	103.14v	47.6v	73.5v	680.64v
181	Mr RBC Baker	X	72.5v	72.6v	49.3v	44.6v	50.5v	50.5v	49.4v	75.8v	100.11v	48.4v	71.6v	680.63v
182	Miss SP Ward	X	71.7v	72.8v	49.5v	49.7v	48.7v	49.6v	48.4v	73.11v	102.17v	43.1v	75.13v	679.86v
183	Mr PG Cann	A	74.11v	71.7v	47.3v	45.3v	47.3v	50.8v	47.5v	75.12v	104.15v	45.4v	74.10v	679.81v
184	Mr JG Du Toit	X	74.5v	73.8v	48.7v	47.4v	44.1v	49.7v	50.9v	75.15v	102.12v	44.2v	73.9v	679.79v
185	Mr H Ball	X	71.7v	74.8v	49.7v	49.5v	49.7v	46.7v	50.5v	74.7v	101.12v	41.3v	75.10v	679.78v
186	Mr RL Eayrs	O	72.9v	75.6v	48.5v	39.1v	50.8v	49.6v	50.6v	75.10v	104.14v	45.2v	72.7v	679.74v
187	Mr JB Hull	X	71.9v	69.6v	49.8v	48.7v	48.6v	49.3v	49.5v	74.4v	104.12v	44.0v	74.12v	679.72v
188	Sjt N Boyle	O	74.7v	67.4v	48.5v	44.3v	50.6v	48.3v	50.8v	73.9v	103.13v	48.4v	74.9v	679.71v
189	Mr CP Weeden	X	73.8v	73.7v	48.4v	47.3v	46.5v	50.7v	49.6v	74.7v	103.16v	44.2v	72.6v	679.71v
190	Col FC Sykes	O	74.10v	74.11v	48.3v	45.3v	48.5v	49.6v	48.6v	72.7v	102.8v	44.3v	75.7v	679.69v
191	Mr C Mallett	X	72.7v	73.7v	49.6v	44.3v	46.5v	49.4v	45.2v	75.10v	103.12v	48.4v	75.8v	679.68v
192	Miss JE Ouston	A	72.7v	73.6v	49.3v	48.4v	48.7v	47.3v	50.7v	74.10v	102.13v	45.3v	71.4v	679.67v
193	Mr APW Daw	X	70.3v	72.9v	48.8v	49.7v	47.4v	48.6v	49.5v	74.6v	100.10v	48.1v	74.7v	679.66v
194	Mr PJ Chapman-Sheath	X	71.4v	73.7v	48.5v	45.1v	49.5v	50.7v	49.2v	75.14v	104.13v	45.2v	70.6v	679.66v
195	Mr J Ford	A	69.4v	74.9v	49.7v	45.2v	50.6v	50.7v	47.4v	74.9v	102.6v	46.3v	73.4v	679.61v
196	Mr DGP Vamplew	X	74.9v	73.10v	44.3v	48.4v	45.7v	48.6v	48.5v	75.15v	104.20v	44.2v	75.12v	678.93v
197	S Ishak	T	70.6v	75.9v	49.8v	45.5v	50.9v	50.6v	49.9v	70.7v	102.13v	44.1v	74.9v	678.82v
198	Mr AP Barnes	X	72.7v	74.11v	49.7v	40.1v	50.7v	48.7v	48.5v	75.13v	102.11v	48.5v	72.5v	678.79v

199	Mr JR Dodd	O	72.7v	71.8v	50.5v	46.4v	48.6v	49.7v	50.7v	71.8v	104.14v	46.2v	71.5v	678.73v
200	Miss LCP-L Watson	A	71.5v	74.8v	48.5v	43.2v	49.7v	49.7v	48.5v	75.10v	105.12v	46.3v	70.8v	678.72v
201	Mr MA Kirkillo-Stacewicz	X	70.6v	74.7v	50.7v	49.5v	50.6v	45.3v	50.4v	73.11v	102.12v	44.3v	71.8v	678.72v
202	Mr JA Haward	X	75.13v	72.10v	49.6v	45.3v	48.6v	49.4v	49.6v	74.10v	100.7v	44.1v	73.5v	678.71v
203	B Hendrikz	T	74.10v	73.9v	49.7v	46.4v	49.7v	46.5v	48.3v	72.9v	99.4v	48.6v	74.6v	678.70v
204	Mr CP Goad	O	72.9v	73.4v	48.5v	49.6v	50.5v	48.5v	49.7v	72.10v	101.7v	41.2v	75.10v	678.70v
205	Eur Ing CA Painting	A	73.8v	71.8v	46.5v	43.3v	50.6v	48.3v	48.3v	73.8v	104.12v	48.4v	74.9v	678.69v
206	DJ Fourie	X	71.6v	74.10v	46.3v	49.5v	48.5v	49.6v	49.6v	75.8v	101.9v	43.2v	73.8v	678.68v
207	Dr GP Nelson	A	74.6v	74.5v	49.5v	37.3v	49.7v	48.4v	49.5v	75.8v	103.9v	47.5v	73.7v	678.64v
208	Mr DJ Gass	X	71.4v	72.7v	50.5v	47.3v	49.8v	49.6v	47.2v	74.8v	103.15v	45.3v	71.2v	678.63v
209	Mr DN Lindsay	A	73.7v	73.8v	49.5v	45.3v	49.5v	48.4v	48.1v	74.9v	104.12v	44.2v	71.7v	678.63v
210	Mr SDKM Mansley	T	72.3v	74.9v	47.3v	47.5v	49.8v	48.6v	50.7v	73.4v	104.12v	41.0v	73.5v	678.62v
211	Sgt CK Saina	X	72.6v	72.7v	50.4v	49.6v	49.6v	47.3v	49.4v	74.5v	98.7v	43.1v	75.12v	678.61v
212	Mr OG Graziosi	O	71.6v	72.5v	49.5v	50.5v	50.5v	48.3v	48.4v	73.7v	100.10v	44.3v	73.7v	678.60v
213	Mr PR Bain	A	69.1v	72.5v	47.5v	48.5v	46.4v	48.4v	50.6v	73.10v	102.12v	49.2v	74.5v	678.59v
214	Mr W Briggs	O	71.7v	71.4v	50.5v	46.4v	48.3v	47.4v	49.2v	74.8v	102.10v	48.5v	72.5v	678.57v
215	Mr D Blake	X	74.8v	66.8v	49.6v	48.6v	50.9v	48.3v	49.6v	72.11v	102.11v	45.4v	74.10v	677.82v
216	Mr FM Mohideen	X	74.8v	72.9v	50.6v	47.4v	50.8v	48.6v	49.4v	72.8v	104.16v	37.0v	74.11v	677.80v
217	Mr SAJ Dowley	A	74.10v	71.7v	49.2v	43.4v	49.6v	49.7v	48.5v	74.11v	100.7v	46.4v	74.12v	677.75v
218	Mr IRM Brown	A	72.7v	72.9v	47.7v	46.3v	50.5v	48.6v	47.5v	75.9v	102.9v	43.1v	75.13v	677.74v
219	Mr BV Cambray	A	72.9v	72.10v	49.7v	45.3v	50.7v	48.2v	49.5v	71.3v	104.12v	42.2v	75.13v	677.73v
220	Mr SNS Penrose	X	72.6v	72.9v	49.3v	46.4v	48.5v	49.7v	48.4v	75.10v	103.13v	43.2v	72.8v	677.71v
221	Mr RAV Hebblethwaite	A	71.6v	75.7v	50.5v	45.3v	49.8v	48.6v	48.8v	74.9v	100.12v	47.0v	70.6v	677.70v
222	Miss EJ Cannings	A	70.4v	70.9v	47.3v	48.3v	50.7v	48.5v	45.4v	72.8v	104.13v	48.5v	75.8v	677.69v
223	Mr M Woolger	A	71.6v	72.4v	48.7v	44.1v	49.7v	50.4v	47.3v	72.7v	104.13v	45.6v	75.11v	677.69v
224	Mr GR Bowman	X	75.10v	73.7v	48.6v	48.4v	48.7v	49.3v	46.2v	73.10v	103.10v	41.1v	73.9v	677.69v
225	Miss RL Laird	O	71.8v	69.6v	49.5v	45.3v	48.5v	47.6v	49.3v	74.9v	105.12v	46.2v	74.9v	677.68v
226	Mr THD Dodds	O	71.8v	73.7v	50.6v	48.1v	49.6v	49.6v	46.0v	75.12v	101.12v	42.0v	73.8v	677.66v
227	MR RPF Fagan	O	71.6v	71.5v	49.4v	47.3v	50.5v	49.5v	47.5v	74.7v	102.10v	43.2v	74.10v	677.62v
228	Mrs CJ Clifford-Evans	A	71.4v	74.7v	50.8v	46.3v	49.7v	50.2v	49.4v	67.4v	102.10v	47.2v	72.10v	677.61v
229	Mr RE Ellis	A	74.11v	67.4v	48.2v	47.1v	48.4v	48.4v	49.5v	75.6v	104.12v	45.2v	72.9v	677.60v
230	Mr MP Watkins	O	73.7v	71.5v	48.4v	46.3v	48.4v	49.5v	47.4v	73.3v	103.8v	46.6v	73.9v	677.58v
231	Mr S Glen	A	74.6v	74.9v	48.1v	44.1v	48.3v	48.5v	48.4v	75.11v	101.10v	45.0v	72.4v	677.54v
232	Mr MI Buchanan	X	75.13v	71.4v	50.6v	41.3v	49.6v	50.4v	50.6v	75.13v	104.13v	38.2v	73.9v	676.79v
233	Mr RC Oxford	A	71.8v	71.5v	49.8v	49.4v	49.6v	44.3v	49.8v	74.9v	105.14v	44.2v	71.10v	676.77v
234	RW Smith	O	70.5v	73.6v	50.7v	50.7v	48.5v	47.5v	46.5v	72.7v	102.11v	44.4v	74.11v	676.73v
235	Mr TJ Bullock	O	72.7v	73.7v	48.4v	41.2v	50.5v	47.5v	49.5v	74.10v	103.14v	47.3v	72.7v	676.69v
236	Miss S Mcintosh	T	69.3v	74.8v	46.5v	44.3v	50.6v	47.2v	48.6v	74.10v	104.10v	46.4v	74.12v	676.69v
237	Mr RCH Courtney	O	75.11v	68.6v	49.7v	46.2v	50.6v	49.3v	48.4v	72.9v	103.12v	43.0v	73.9v	676.69v
238	Sgt. RH Kitson	A	73.9v	71.4v	50.8v	50.6v	45.3v	48.4v	47.5v	73.5v	104.15v	46.3v	69.6v	676.68v
239	Mr PWG Glen	O	75.13v	73.5v	49.4v	45.2v	47.6v	49.5v	49.5v	71.7v	101.12v	45.1v	72.8v	676.68v
240	Mid MAJ Barber	X	71.7v	70.5v	50.5v	45.4v	49.6v	48.4v	47.5v	74.8v	103.16v	45.2v	74.5v	676.67v
241	Mr RW Shaw	A	74.6v	73.11v	47.6v	42.1v	50.3v	47.3v	49.5v	75.10v	103.11v	46.2v	70.8v	676.66v
242	Mr G Williams	O	70.6v	73.5v	50.5v	44.1v	49.6v	49.5v	49.5v	73.5v	102.13v	45.4v	72.9v	676.64v
243	Mr WHC Alexander	O	72.5v	73.8v	48.7v	46.2v	49.6v	49.5v	47.3v	73.5v	105.11v	44.4v	70.8v	676.64v
244	Mr S J Pascoe	X	74.8v	73.9v	48.6v	44.2v	49.5v	49.2v	46.3v	73.9v	104.9v	44.2v	72.7v	676.62v
245	Mr NW Penn	A	73.6v	70.6v	47.6v	45.1v	47.4v	50.6v	50.7v	73.6v	99.9v	48.4v	74.6v	676.61v
246	Lt. Col. AJW Sturrock	X	74.8v	73.8v	48.3v	44.2v	48.6v	47.3v	48.5v	72.7v	104.11v	46.0v	72.8v	676.61v
247	Mr JS Shepherd	O	74.7v	74.10v	46.4v	46.4v	49.8v	49.4v	49.9v	74.10v	96.12v	46.6v	72.10v	675.84v
248	Cadet OS Marshall	A	68.9v	72.8v	50.8v	47.2v	50.7v	50.9v	48.3v	70.6v	104.18v	41.2v	75.10v	675.82v
249	Mr JS Turley	O	72.6v	74.9v	49.6v	46.6v	50.6v	48.5v	48.4v	75.10v	97.12v	46.4v	70.9v	675.77v
250	Mr RW Hallows	A	72.8v	74.10v	50.6v	41.2v	49.5v	47.5v	50.5v	72.9v	103.15v	45.4v	72.4v	675.73v
251	Mr RA Bale	A	72.8v	75.8v	49.5v	48.6v	49.9v	47.5v	47.1v	73.9v	103.12v	47.5v	65.4v	675.72v
252	Miss LAE Crowson	X	69.5v	72.6v	46.4v	45.2v	49.7v	48.5v	50.7v	75.8v	104.14v	45.4v	72.8v	675.70v
253	Mr MJ Wood	A	71.7v	70.5v	48.4v	48.4v	49.5v	49.8v	49.3v	73.10v	100.9v	45.5v	73.8v	675.68v
254	Mr CI Cooper	O	72.6v	73.8v	49.7v	44.3v	49.4v	47.3v	49.3v	71.6v	104.11v	44.4v	73.10v	675.65v
255	Mr SFD Dash	A	74.9v	69.6v	50.6v	47.4v	49.5v	50.6v	48.5v	72.7v	101.9v	42.1v	73.5v	675.63v
256	Miss HM Taylor	O	71.7v	72.8v	48.5v	47.2v	47.5v	50.4v	49.5v	74.8v	103.10v	45.4v	69.4v	675.62v
257	Mr H Sanders	A	75.7v	72.5v	50.4v	45.3v	50.4v	48.2v	46.5v	71.9v	104.16v	41.2v	73.5v	675.62v
258	Mr DCW Lloyd	O	70.5v	67.3v	49.5v	49.4v	49.3v	48.6v	47.4v	74.8v	103.10v	46.5v	73.7v	675.60v
259	Mr WR Steward	A	70.7v	73.7v	50.6v	47.2v	49.4v	48.4v	47.3v	72.7v	102.9v	44.1v	73.6v	675.56v
260	Mr B Creane	T	73.5v	70.1v	48.4v	44.4v	49.7v	47.5v	50.3v	73.8v	102.10v	46.2v	73.6v	675.55v
261	Miss CA Evans	A	75.7v	70.9v	49.7v	47.4v	49.4v	46.6v	48.4v	74.10v	103.15v	41.1v	72.8v	674.75v
262	Dr MJ Schwarz	A	72.8v	73.12v	50.5v	48.4v	46.2v	46.6v	46.5v	72.8v	102.12v	44.2v	75.10v	674.74v
263	Capt MG Reid	A	74.8v	72.10v	47.4v	45.4v	48.5v	50.5v	48.5v	71.7v	101.12v	44.2v	74.12v	674.74v
264	Mr JA Borland	A	71.5v	71.6v	50.8v	45.2v	49.5v	48.4v	48.3v	67.9v	103.13v	48.4v	74.14v	674.73v
265	Mr SC Postins	X	72.10v	71.9v	48.4v	46.2v	50.7v	46.2v	50.7v	75.10v	102.9v	44.3v	70.6v	674.69v
266	Mr LR Braithwaite	O	75.10v	72.7v	47.3v	41.2v	50.5v	49.7v	44.3v	74.9v	103.13v	46.1v	73.8v	674.68v
267	Mr R Winney	A	75.10v	72.9v	50.4v	44.4v	49.5v	44.5v	49.5v	73.8v	104.11v	45.2v	69.3v	674.66v
268	Mr BH Jones	A	74.11v	71.6v	49.6v	47.5v	48.6v	47.3v	47.3v	71.7v	102.8v	44.2v	74.9v	674.66v
269	Mr AS Errey	A	72.10v	73.7v	48.5v	47.4v	49.5v	48.3v	48.3v	68.5v	101.10v	50.6v	70.6v	674.64v

270	Mr SW Maris	O	72.9v	73.7v	49.3v	44.3v	50.7v	50.6v	49.3v	71.6v	100.9v	44.3v	72.8v	674.64v
271	Miss TJ Fitzsimons	O	72.9v	73.8v	50.5v	49.4v	49.4v	49.8v	42.3v	70.6v	105.10v	42.3v	73.4v	674.64v
272	Cdt BR Fraser-Burn	O	73.9v	69.4v	48.3v	44.2v	49.5v	46.3v	47.3v	74.9v	105.14v	47.4v	72.7v	674.63v
273	Mr WP Hanley	O	73.9v	72.6v	48.2v	47.4v	48.7v	48.5v	49.6v	72.7v	101.10v	45.2v	71.5v	674.63v
274	Mr SDJ Glanville	O	74.10v	69.5v	50.4v	46.3v	49.4v	48.5v	43.2v	73.5v	102.13v	46.2v	74.9v	674.62v
275	SSgt SJ Hier	X	71.5v	70.3v	49.8v	49.5v	49.3v	49.3v	48.4v	69.10v	104.11v	44.1v	72.9v	674.62v
276	Mr NJ Atkins	X	71.7v	72.6v	48.5v	50.7v	50.4v	48.5v	46.3v	72.3v	101.9v	41.1v	75.12v	674.62v
277	Mr GMLN Gilpin	A	71.6v	69.5v	46.2v	45.0v	49.6v	49.7v	50.6v	74.10v	100.7v	48.5v	73.7v	674.61v
278	Mr JDH Hearn	T	75.9v	69.4v	44.0v	45.2v	49.8v	47.2v	50.6v	75.9v	103.8v	46.4v	71.9v	674.61v
279	Mr SJ Comins	O	70.6v	73.8v	49.4v	47.5v	49.7v	49.3v	48.4v	74.8v	100.9v	46.2v	69.2v	674.58v
280	Mr KM Willingale	A	73.9v	73.10v	47.4v	44.2v	50.5v	49.4v	49.3v	72.7v	101.7v	46.1v	70.6v	674.58v
281	Capt S J Howard	O	71.9v	69.4v	49.8v	45.4v	50.6v	48.4v	48.4v	75.11v	101.12v	44.4v	73.11v	673.77v
282	Mr MR Fugeman	A	71.10v	72.4v	50.4v	46.4v	44.5v	50.8v	48.4v	74.10v	99.9v	47.5v	72.10v	673.73v
283	Dr AF Aspin	A	73.10v	71.7v	49.3v	45.2v	46.4v	50.7v	49.6v	72.8v	100.9v	45.5v	73.10v	673.71v
284	Mr C Milton	O	65.3v	73.8v	45.2v	44.5v	48.7v	50.5v	50.6v	75.9v	103.15v	47.4v	73.6v	673.70v
285	Mr RG Scott	A	70.6v	74.11v	47.4v	46.3v	49.6v	50.5v	48.3v	72.6v	101.13v	42.3v	74.9v	673.69v
286	Mr RA Benest	X	71.9v	71.10v	50.6v	45.2v	49.8v	46.2v	48.5v	74.8v	103.9v	43.2v	73.7v	673.68v
287	Cpl JKS Serem	X	72.8v	73.7v	48.6v	46.1v	49.5v	47.4v	49.6v	75.11v	99.7v	46.4v	69.5v	673.64v
288	Mr RJ Coffin	O	73.5v	68.8v	49.3v	49.2v	47.3v	49.6v	48.3v	72.7v	100.10v	44.2v	74.13v	673.62v
289	Mr C Rivett-Carnac	X	74.7v	70.5v	50.7v	46.5v	47.3v	47.2v	45.4v	73.6v	104.12v	42.1v	75.9v	673.61v
290	Mr OP Henry	A	71.6v	70.2v	50.8v	45.2v	48.3v	48.5v	47.4v	74.6v	104.13v	42.0v	74.10v	673.59v
291	Cpl SO Otundo	X	74.6v	73.10v	48.6v	44.3v	47.6v	42.6v	50.7v	75.10v	103.10v	43.3v	73.9v	672.76v
292	Mr M Persaud	X	72.8v	75.6v	49.6v	45.4v	49.8v	48.5v	47.4v	73.8v	99.7v	40.3v	75.11v	672.70v
293	Major RHG Riley	X	70.5v	71.5v	49.6v	42.1v	48.5v	50.4v	48.5v	74.10v	103.12v	44.4v	73.11v	672.68v
294	Mr RJ Booth	X	70.6v	72.7v	50.8v	45.2v	50.8v	49.6v	47.4v	71.7v	104.12v	46.3v	68.4v	672.67v
295	Mr AC Brooker	O	75.8v	70.4v	46.1v	46.4v	49.8v	46.3v	46.3v	75.11v	105.10v	42.2v	72.11v	672.65v
296	Miss BE Fung	T	71.6v	70.5v	46.2v	44.4v	50.8v	49.5v	48.4v	72.9v	103.8v	45.3v	74.10v	672.64v
297	Mr A Chown	A	75.10v	73.5v	47.3v	48.3v	49.4v	45.2v	44.3v	71.9v	102.12v	45.4v	73.8v	672.63v
298	Mr B Bullock	X	71.8v	67.4v	49.6v	48.5v	47.2v	48.2v	46.2v	70.5v	104.12v	47.4v	75.10v	672.60v
299	Mr SH Scougall	T	72.3v	72.9v	48.5v	46.4v	47.5v	48.2v	48.4v	70.5v	99.8v	47.3v	75.10v	672.58v
300	Mr ES Cox	X	71.7v	67.2v	49.6v	49.3v	49.4v	50.5v	47.2v	71.7v	103.13v	45.3v	71.6v	672.58v
301	Miss HA Foster	O	71.6v	70.7v	50.2v	44.4v	49.5v	48.2v	50.6v	70.6v	100.9v	47.3v	73.7v	672.57v
302	Mr MJ O'Leary	A	75.12v	71.6v	47.3v	42.1v	50.4v	47.2v	43.4v	75.10v	102.11v	44.5v	75.12v	671.70v
303	Mr AI Brown	A	72.10v	71.8v	48.6v	44.3v	49.6v	49.6v	49.4v	73.8v	100.8v	43.3v	73.7v	671.69v
304	Cdt Sgt T Matthewson	O	75.9v	71.6v	46.3v	44.3v	50.6v	48.5v	44.2v	74.10v	102.14v	45.1v	72.9v	671.68v
305	Mr DN Webber	O	72.6v	74.11v	47.3v	45.4v	48.4v	49.7v	48.4v	74.10v	99.9v	43.2v	72.7v	671.67v
306	Mr TL Bedwell	O	71.5v	71.6v	48.4v	47.5v	47.5v	48.4v	43.2v	73.9v	104.11v	47.5v	72.5v	671.61v
307	Mr P De Voil	A	71.6v	70.4v	46.4v	45.4v	49.5v	50.5v	48.4v	74.7v	102.12v	44.2v	72.8v	671.61v
308	Miss AR Southall	O	74.9v	72.3v	47.3v	42.0v	50.6v	48.5v	47.3v	74.10v	105.13v	41.1v	71.8v	671.61v
309	Mr T Keen	A	75.9v	68.5v	50.5v	48.5v	48.4v	48.3v	46.5v	70.5v	102.11v	44.1v	72.7v	671.60v
310	Mr T Smith	O	74.8v	70.7v	46.2v	44.3v	48.5v	46.4v	46.3v	75.8v	104.11v	44.1v	74.8v	671.60v
311	Mrs RA Wiltshire	X	74.7v	70.7v	46.1v	46.2v	48.4v	49.7v	48.4v	72.6v	100.8v	44.3v	74.10v	671.59v
312	Mr MP Mann	T	71.7v	73.8v	49.5v	48.2v	47.3v	40.1v	49.3v	70.5v	104.13v	46.1v	74.6v	671.54v
313	Sgt GM Irish	O	70.4v	73.5v	48.3v	46.3v	48.3v	47.2v	48.4v	67.3v	102.12v	48.4v	74.10v	671.53v
314	Mr M Neal	O	67.1v	72.7v	49.4v	45.4v	50.6v	44.2v	50.2v	73.5v	103.6v	48.5v	70.7v	671.49v
315	Mr RK Sheead	A	72.7v	70.5v	49.5v	48.7v	48.5v	48.4v	48.4v	69.8v	100.10v	43.2v	75.9v	670.66v
316	Mr M Cooper	O	74.11v	75.8v	49.6v	48.5v	46.3v	45.5v	44.1v	71.4v	102.11v	42.2v	74.9v	670.65v
317	Mr JC Evans	A	70.8v	72.8v	45.4v	49.5v	49.4v	47.3v	49.7v	72.7v	99.8v	47.5v	71.5v	670.64v
318	Mr RW McVeigh	O	74.7v	72.8v	48.2v	40.0v	48.3v	47.1v	48.5v	73.8v	101.13v	47.6v	72.10v	670.63v
319	Cl EL Legei	X	73.8v	71.7v	48.4v	45.2v	49.5v	47.7v	49.4v	71.6v	101.9v	44.3v	72.8v	670.63v
320	Mr RA Welford	O	72.9v	70.4v	49.7v	44.4v	47.3v	48.5v	48.4v	74.8v	98.7v	47.3v	73.7v	670.61v
321	Mr MJ Creber	O	70.7v	70.7v	47.0v	44.5v	48.8v	49.4v	50.7v	75.6v	103.10v	45.4v	69.3v	670.61v
322	Wg. Cdr. MJ Gregory	A	70.4v	70.6v	49.5v	45.1v	49.4v	45.5v	47.3v	75.10v	101.10v	45.3v	74.9v	670.60v
323	Mr B Taylor	O	74.7v	73.6v	46.4v	46.3v	49.6v	50.6v	49.4v	73.7v	94.10v	44.2v	72.5v	670.60v
324	Mr RA Dix	A	71.6v	70.4v	47.2v	41.1v	47.5v	48.5v	50.4v	75.10v	103.10v	46.4v	72.8v	670.59v
325	Mr RS Binns	T	74.5v	70.5v	48.7v	45.3v	48.3v	45.3v	49.6v	73.3v	100.11v	47.3v	71.7v	670.56v
326	Miss ATJV Voorthuyzen	A	74.8v	71.5v	46.3v	49.4v	48.4v	45.4v	47.4v	73.9v	103.8v	42.1v	72.6v	670.56v
327	Mr EM Brice	A	73.7v	74.8v	46.4v	47.1v	48.6v	48.3v	50.5v	70.5v	97.8v	44.2v	73.4v	670.53v
328	Mr DTA Cobb	T	73.5v	71.4v	45.1v	44.3v	49.3v	48.4v	49.5v	75.9v	101.10v	43.3v	72.6v	670.53v
329	Mr SH Dickson	O	68.1v	69.5v	49.3v	46.4v	47.3v	45.3v	49.4v	73.4v	101.11v	48.3v	75.7v	670.48v
330	Mr HJM Awin	O	74.10v	70.6v	47.6v	44.1v	49.7v	47.4v	48.5v	74.10v	103.16v	39.1v	74.8v	669.74v
331	Cdt M L Henderson	T	74.9v	69.4v	48.3v	46.3v	49.5v	43.4v	49.7v	71.7v	104.13v	44.2v	72.7v	669.64v
332	Mr S Pearson	A	74.9v	72.8v	48.5v	44.1v	49.7v	48.4v	43.0v	72.6v	104.14v	44.1v	71.8v	669.63v
333	Mr GC Childs	X	73.6v	72.5v	47.4v	44.5v	49.9v	44.2v	48.4v	74.9v	101.12v	45.2v	72.4v	669.62v
334	Mr MS Cavie	O	72.9v	73.5v	48.5v	43.2v	49.8v	43.1v	49.5v	74.8v	102.9v	44.4v	72.5v	669.61v
335	Mr NF Flint	T	72.11v	71.6v	46.2v	43.2v	47.4v	47.2v	48.4v	74.6v	101.9v	45.1v	75.13v	669.60v
336	H Lottritz	O	69.3v	75.8v	49.6v	46.4v	47.2v	44.5v	48.5v	73.7v	102.12v	44.3v	72.5v	669.60v
337	Mr SS Sander	T	69.4v	69.3v	49.4v	43.1v	49.4v	49.3v	50.6v	73.9v	103.13v	45.3v	70.6v	669.56v
338	Miss LG Taylor	T	73.10v	73.11v	47.3v	39.1v	48.6v	47.3v	48.4v	71.5v	105.5v	46.3v	72.4v	669.55v
339	Mr RP Rosling	X	69.6v	71.6v	48.5v	48.4v	46.6v	48.2v	48.3v	73.9v	97.7v	48.2v	73.4v	669.54v
340	Miss LMA Bogie	O	70.3v	69.6v	50.4v	45.3v	48.4v	50.5v	46.2v	72.5v	101.8v	46.5v	72.6v	669.51v

341	Mr MJW Willing	O	71.7v	73.7v	44.2v	47.4v	49.2v	48.3v	48.3v	74.5v	100.7v	41.1v	74.10v	669.51v
342	Mr F Bilton	O	72.6v	70.7v	49.7v	45.5v	50.7v	50.7v	48.5v	73.8v	100.8v	38.1v	73.11v	668.72v
343	Mr JIB Halahan	O	71.11v	69.4v	45.3v	43.3v	43.4v	49.5v	48.4v	74.9v	103.11v	49.6v	74.8v	668.68v
344	Mr RG Faulkner	O	70.7v	71.6v	47.5v	46.5v	48.7v	45.2v	50.6v	74.10v	97.5v	45.2v	75.13v	668.68v
345	Lt JW Jenkins	X	73.10v	72.7v	48.5v	42.3v	46.3v	47.5v	44.2v	74.9v	104.14v	45.2v	73.8v	668.68v
346	Mr P Dawes	A	69.3v	74.10v	47.6v	45.5v	49.4v	47.3v	49.7v	75.10v	98.6v	43.4v	72.9v	668.67v
347	Mr M.R. Frost	A	69.4v	72.7v	50.9v	43.0v	49.7v	49.3v	48.5v	73.9v	102.12v	42.2v	71.9v	668.67v
348	Mr DJ Curtis	X	72.8v	73.7v	49.7v	41.1v	50.7v	48.7v	49.6v	74.8v	100.7v	39.1v	73.6v	668.65v
349	Mr CA Stewart	O	70.5v	68.5v	49.5v	46.3v	48.4v	48.4v	47.4v	70.10v	102.9v	48.6v	72.9v	668.64v
350	Mr D Lowe	X	72.7v	72.10v	49.5v	41.2v	46.5v	42.3v	50.6v	74.6v	102.10v	46.3v	74.7v	668.64v
351	Mr PA Collins	X	72.6v	74.9v	48.5v	44.1v	47.4v	46.3v	49.4v	69.6v	103.11v	42.3v	74.9v	668.61v
352	Mr WLL Lewis	O	72.7v	71.9v	49.5v	45.3v	47.4v	49.5v	48.3v	71.5v	101.9v	45.2v	70.7v	668.59v
353	Mr CC Mallett Jnr	O	72.5v	71.5v	47.3v	44.2v	43.2v	50.7v	49.5v	74.8v	101.7v	48.4v	69.8v	668.56v
354	Mr PA Goubert	O	69.3v	72.4v	49.4v	42.1v	47.7v	47.5v	50.7v	72.7v	103.9v	43.1v	74.7v	668.55v
355	Mr MF Boucher	O	71.6v	70.3v	49.5v	46.3v	48.3v	48.3v	48.4v	72.8v	102.10v	39.0v	75.7v	668.52v
356	Mr C Herter	O	72.7v	70.5v	49.7v	45.2v	50.2v	48.5v	46.1v	73.5v	102.10v	42.2v	71.5v	668.51v
357	Mr DAF Parkinson	O	73.2v	71.8v	45.3v	43.2v	49.3v	47.3v	48.1v	72.6v	100.10v	49.5v	71.7v	668.50v
358	Dr MW Wrigley	O	72.5v	69.6v	50.4v	45.1v	43.1v	50.6v	49.6v	74.7v	97.4v	48.1v	71.3v	668.44v
359	Dr BJ Winney	O	73.9v	73.8v	50.3v	48.3v	50.6v	47.1v	29.2v	72.8v	104.12v	46.4v	75.13v	667.69v
360	Capt D Morris	A	70.6v	70.8v	46.3v	48.6v	48.8v	47.6v	49.5v	71.5v	101.10v	47.5v	70.6v	667.68v
361	Mr CRM Asquith	A	74.9v	72.8v	49.7v	42.2v	50.5v	49.8v	48.4v	72.6v	103.12v	38.1v	70.4v	667.66v
362	Mr BA Young	X	69.6v	75.9v	49.5v	39.2v	49.4v	48.5v	48.4v	73.9v	99.12v	46.4v	72.4v	667.64v
363	Mr JPL Sweet	A	70.6v	70.3v	49.4v	41.5v	49.4v	46.5v	49.5v	72.8v	101.11v	46.2v	74.9v	667.62v
364	Mr SL Cleveland	O	74.7v	72.6v	45.5v	47.4v	47.2v	46.4v	44.3v	73.7v	104.13v	47.3v	68.7v	667.61v
365	Mr AF Donald	A	72.6v	71.7v	46.4v	45.2v	48.6v	48.4v	47.4v	75.8v	101.14v	44.4v	70.2v	667.61v
366	Mr PGW Purdy	O	70.5v	74.8v	46.1v	48.3v	48.7v	48.4v	47.5v	72.7v	101.8v	42.1v	71.11v	667.60v
367	Mr D Davies	A	72.5v	72.6v	49.4v	48.5v	49.5v	48.6v	47.5v	74.5v	101.12v	36.0v	71.7v	667.60v
368	Mr PG Oxnam	A	72.5v	72.6v	48.4v	44.4v	44.4v	47.4v	48.5v	74.8v	97.6v	48.5v	73.8v	667.59v
369	Mrs T Newbold	A	74.8v	69.5v	48.3v	47.5v	43.2v	47.5v	47.6v	72.6v	103.8v	47.6v	70.5v	667.59v
370	Mr ND Gomez	O	73.8v	73.6v	50.6v	43.2v	48.4v	50.5v	47.2v	73.7v	97.10v	42.2v	71.4v	667.56v
371	Mr RM Roberts	X	67.6v	72.9v	49.7v	44.2v	49.6v	47.4v	43.4v	74.10v	104.15v	47.3v	70.6v	666.72v
372	KH Tumschat	O	71.7v	66.4v	48.2v	48.5v	48.5v	49.7v	48.4v	70.8v	102.13v	43.3v	73.9v	666.67v
373	Mr JR Davies	X	72.6v	70.5v	48.5v	44.3v	45.3v	47.3v	47.5v	72.9v	103.13v	44.2v	74.8v	666.62v
374	Cpl DK Kirui	X	74.10v	70.7v	48.5v	43.1v	48.4v	42.3v	47.1v	73.8v	104.15v	44.3v	73.3v	666.60v
375	RDP Knapstein	X	72.6v	72.7v	42.1v	44.1v	48.4v	46.2v	48.6v	74.9v	104.10v	42.3v	74.11v	666.60v
376	Mr J Purdy	O	71.7v	73.5v	49.4v	46.6v	48.3v	47.3v	45.4v	72.10v	99.8v	42.2v	74.8v	666.60v
377	Mr RF Barrington	O	72.7v	72.7v	48.5v	45.2v	48.6v	48.4v	48.4v	72.7v	99.9v	46.2v	68.4v	666.57v
378	Mr LMDC Cheek	O	73.7v	74.6v	46.3v	44.2v	49.4v	43.5v	48.4v	74.10v	102.10v	43.1v	70.4v	666.56v
379	Mr MK Townsend	O	72.4v	74.6v	45.2v	48.5v	46.3v	47.6v	48.4v	72.5v	93.6v	47.4v	74.10v	666.55v
380	Mr ML Cotillard	A	62.1v	70.4v	49.3v	47.6v	48.7v	50.3v	48.5v	71.6v	102.8v	48.2v	71.9v	666.54v
381	Mr ISL Dampney	X	67.6v	66.3v	46.3v	44.1v	47.5v	48.2v	49.7v	75.11v	102.8v	49.3v	73.3v	666.52v
382	Mr A Coakes	O	71.3v	71.4v	48.5v	44.2v	49.4v	45.2v	49.5v	73.9v	98.6v	44.4v	74.8v	666.52v
383	Miss HCM Bennett	O	71.5v	69.3v	48.7v	43.1v	48.4v	49.4v	49.3v	73.11v	99.9v	46.0v	71.3v	666.50v
384	Mr SO Jauncey	O	72.3v	72.5v	43.3v	50.6v	47.4v	46.0v	46.2v	71.4v	101.8v	44.2v	74.5v	666.42v
385	Mr MM Makin	T	73.8v	65.3v	46.4v	45.4v	50.9v	45.3v	48.5v	72.7v	102.9v	46.6v	73.11v	665.69v
386	Air Cdre JA Ford	T	74.9v	70.5v	49.5v	33.3v	49.5v	47.2v	48.2v	74.10v	100.10v	46.3v	75.9v	665.63v
387	Mr. M.T. Trépanier	T	72.5v	72.8v	47.4v	40.1v	49.7v	49.5v	49.3v	74.10v	103.13v	41.2v	69.5v	665.63v
388	Mr LT Wicker	X	70.7v	67.2v	50.6v	48.6v	50.7v	45.4v	49.7v	72.5v	100.11v	40.1v	74.7v	665.63v
389	Mr RA Jobson	O	68.4v	72.7v	47.4v	46.4v	47.5v	50.10v	46.3v	73.7v	102.9v	44.4v	70.5v	665.62v
390	Mr JE White	O	69.6v	74.9v	46.3v	47.5v	48.4v	48.4v	48.6v	72.9v	99.9v	43.1v	71.6v	665.62v
391	Mr JFJ Bryson	O	68.2v	74.5v	45.4v	48.6v	48.6v	46.3v	47.6v	71.7v	102.7v	42.2v	74.12v	665.60v
392	Mr I T R Jobling	A	73.10v	71.5v	50.4v	46.4v	47.4v	47.4v	48.3v	72.7v	100.7v	45.2v	66.3v	665.53v
393	Miss KE Pope	O	73.10v	69.2v	50.3v	44.2v	49.3v	46.2v	49.7v	68.8v	98.5v	45.2v	74.9v	665.53v
394	Mr MJLA Landreville	O	73.6v	71.7v	47.4v	47.2v	49.4v	47.5v	43.1v	70.8v	101.7v	43.1v	74.8v	665.53v
395	Mr JC Cockerill	O	75.10v	75.10v	47.4v	39.1v	49.6v	47.3v	47.0v	74.5v	101.7v	38.2v	73.5v	665.53v
396	Col D Cooper	O	73.8v	69.4v	49.4v	45.2v	47.3v	47.4v	46.5v	72.9v	103.8v	44.0v	70.4v	665.51v
397	Dr JC Jobling	O	74.6v	72.5v	47.3v	42.0v	50.4v	50.4v	47.4v	72.6v	97.5v	48.3v	66.4v	665.44v
398	Mr MJ Brister	X	73.8v	70.5v	47.5v	40.2v	50.8v	49.4v	49.7v	74.12v	98.9v	43.2v	71.4v	664.66v
399	Miss CJ Dee	X	69.3v	71.7v	48.4v	47.5v	48.8v	48.5v	45.2v	73.9v	100.10v	42.5v	73.8v	664.66v
400	Miss FE Purdy	A	72.7v	73.6v	45.2v	49.4v	47.5v	47.5v	45.4v	73.8v	100.12v	40.2v	73.8v	664.63v
401	Mr FPR Northam	O	71.6v	75.11v	48.6v	41.0v	49.6v	48.3v	48.5v	73.6v	103.10v	37.2v	71.7v	664.62v
402	Mr JR Lindsay	O	70.3v	72.8v	42.4v	48.2v	47.4v	45.5v	48.7v	72.10v	103.12v	44.3v	73.3v	664.61v
403	Miss SIM Anderson	O	72.7v	72.8v	50.7v	40.0v	46.4v	49.4v	50.6v	74.7v	99.8v	42.3v	70.7v	664.61v
404	Mr DMJ Coutts	A	66.4v	71.6v	47.3v	46.2v	48.5v	47.4v	47.4v	70.6v	101.13v	47.3v	74.10v	664.60v
405	Mr EI Cartwright	X	69.4v	73.10v	48.5v	49.5v	49.3v	48.3v	48.6v	72.6v	104.13v	40.0v	64.4v	664.59v
406	Miss LE Kennedy	O	75.12v	74.5v	49.3v	38.1v	50.7v	49.5v	48.3v	72.6v	101.11v	38.3v	70.3v	664.59v
407	Cddt BP Etienne	O	71.7v	71.5v	47.5v	44.4v	49.1v	48.5v	44.2v	74.10v	103.10v	42.1v	71.7v	664.57v
408	Mr BH Hayes	O	74.9v	73.6v	45.2v	43.1v	49.5v	47.4v	45.3v	72.10v	102.7v	40.3v	74.7v	664.57v
409	Mr JD Webber	O	71.6v	72.7v	48.4v	45.0v	50.6v	47.4v	46.3v	71.5v	103.10v	41.3v	70.6v	664.54v
410	Mr PJS Bysse	O	75.9v	72.8v	43.3v	44.3v	48.4v	46.2v	48.2v	73.3v	101.11v	44.1v	70.6v	664.52v
411	Mr AM Bullen	A	71.7v	73.8v	48.4v	38.1v	49.4v	44.6v	50.6v	72.8v	101.14v	45.4v	72.6v	663.68v

412	Miss JP Patterson	T	71.7v	70.4v	46.3v	46.4v	50.7v	46.3v	47.5v	72.11v	101.10v	39.1v	75.9v	663.64v
413	LCpl S Hill	O	73.8v	71.4v	49.5v	38.0v	49.4v	45.3v	50.9v	72.10v	98.8v	45.2v	73.7v	663.60v
414	Mr DQM Harvey	O	70.6v	72.9v	44.0v	46.5v	48.4v	47.2v	49.3v	72.9v	100.8v	43.8v	72.5v	663.59v
415	Mr TJ Bryan	O	72.8v	72.6v	49.4v	45.1v	49.4v	48.4v	49.5v	68.5v	100.8v	39.3v	72.6v	663.54v
416	Mr CD Atkins	O	71.6v	71.5v	48.5v	42.0v	48.5v	48.5v	47.3v	73.5v	101.11v	44.0v	70.6v	663.51v
417	Mr JRJ Kennedy	O	71.5v	71.6v	49.6v	44.3v	46.3v	44.2v	48.4v	70.5v	102.8v	45.2v	73.4v	663.48v
418	Mr KB Hill	A	68.5v	71.6v	50.8v	47.6v	45.2v	47.4v	47.2v	71.9v	101.13v	43.3v	72.8v	662.66v
419	Miss SL Hayes	X	72.8v	70.6v	42.5v	41.2v	50.7v	49.4v	48.4v	75.9v	103.10v	39.1v	73.9v	662.65v
420	Mr CL Leighton	A	72.8v	73.4v	49.6v	42.0v	47.8v	49.5v	46.3v	73.6v	102.10v	40.3v	69.7v	662.60v
421	Mr JR Stirland	O	69.8v	73.7v	47.4v	41.3v	47.4v	48.3v	50.3v	72.7v	98.10v	44.2v	73.8v	662.59v
422	Mr DC Rickman	X	73.11v	70.5v	47.4v	45.2v	47.4v	49.5v	46.3v	72.9v	100.7v	42.2v	71.6v	662.58v
423	Mr RF Burden	O	70.6v	69.3v	47.4v	45.1v	49.4v	48.4v	46.5v	72.10v	99.7v	44.3v	73.8v	662.55v
424	Mr HN Watson	A	72.9v	67.4v	44.4v	42.3v	48.3v	48.3v	48.2v	75.8v	105.11v	42.0v	71.7v	662.54v
425	LVW Brand	T	71.5v	69.5v	50.8v	47.3v	48.6v	47.4v	45.3v	70.4v	99.4v	44.3v	72.8v	662.53v
426	Mr V Robertshaw	O	72.5v	66.2v	49.2v	45.4v	48.4v	45.3v	49.7v	72.6v	101.12v	44.1v	71.6v	662.52v
427	Mr MJJ Charlton	O	73.8v	69.4v	47.3v	50.5v	43.2v	47.4v	46.5v	71.3v	101.10v	45.2v	70.5v	662.51v
428	Mr P Waldron	O	70.6v	73.9v	49.6v	47.3v	50.4v	46.1v	43.4v	68.4v	99.13v	44.3v	72.8v	661.61v
429	Dr AI Ashworth	O	69.7v	73.6v	44.3v	48.3v	48.8v	50.6v	49.7v	72.4v	99.6v	35.2v	74.9v	661.61v
430	Miss JF Hossack	O	75.10v	73.5v	46.2v	46.1v	49.6v	48.6v	44.2v	74.7v	105.14v	31.1v	70.7v	661.61v
431	Mr DEM Matthews	O	69.4v	68.4v	45.4v	49.7v	50.7v	49.5v	47.3v	73.7v	98.7v	39.2v	74.9v	661.59v
432	Mr RJS McIlveen	O	72.6v	72.8v	48.3v	46.3v	48.7v	47.3v	46.5v	73.10v	101.8v	39.1v	69.5v	661.59v
433	Cdt JWJ Annison	O	72.7v	71.7v	47.5v	41.2v	43.5v	48.6v	47.5v	70.6v	102.7v	47.2v	73.5v	661.57v
434	Mr AC Grant	O	70.5v	67.3v	48.4v	43.1v	48.3v	44.3v	46.6v	74.8v	100.11v	48.4v	73.8v	661.56v
435	Mr CJ Sherratt	O	70.5v	68.5v	47.2v	45.5v	48.6v	48.2v	49.6v	73.8v	99.12v	43.2v	71.3v	661.56v
436	Miss A Strain	T	74.9v	70.8v	48.6v	44.2v	49.6v	47.3v	42.1v	72.5v	104.8v	41.0v	70.6v	661.54v
437	R Kligge	O	69.6v	71.6v	48.4v	45.4v	48.4v	47.1v	48.6v	72.7v	99.7v	41.3v	73.5v	661.53v
438	Mr ME Barr	O	70.3v	64.4v	49.6v	45.2v	48.4v	46.2v	48.5v	73.7v	100.6v	45.3v	73.9v	661.51v
439	Mr DA Smith	O	72.7v	71.6v	49.4v	44.3v	48.5v	49.2v	47.5v	71.4v	96.6v	44.0v	70.5v	661.47v
440	Mr CMB Bowring	O	68.3v	71.4v	48.3v	49.3v	45.2v	48.5v	46.4v	71.5v	101.7v	40.2v	74.8v	661.46v
441	Mr P Cameron Taylor	A	68.4v	72.7v	50.8v	49.6v	48.6v	47.3v	41.3v	68.4v	100.8v	44.3v	73.9v	660.61v
442	Mr OJNL Lyon	A	69.6v	71.8v	50.6v	47.1v	47.4v	44.3v	47.3v	67.6v	100.8v	43.4v	75.11v	660.60v
443	Mr TF Kurn	O	71.6v	67.3v	48.5v	49.3v	44.3v	49.5v	50.7v	70.4v	100.10v	38.2v	74.10v	660.58v
444	Mr K Todd MBE	O	67.4v	71.6v	44.2v	47.4v	47.4v	48.3v	49.4v	73.12v	98.7v	48.7v	68.3v	660.56v
445	Mr CG Dickson	O	71.5v	69.6v	47.4v	46.3v	49.6v	46.1v	47.5v	68.3v	98.8v	47.6v	72.8v	660.55v
446	Cdt C M Jones	T	68.5v	69.3v	48.5v	48.2v	47.2v	45.3v	47.5v	73.7v	102.12v	38.1v	75.10v	660.55v
447	Mr MJB Barker	T	70.7v	71.3v	42.2v	44.4v	47.4v	49.3v	47.3v	73.10v	101.9v	44.1v	72.8v	660.54v
448	Mr T Stevenson	T	72.8v	67.3v	49.6v	48.5v	49.7v	44.3v	45.3v	73.5v	100.9v	39.0v	74.5v	660.54v
449	Mr RJ Quay	O	70.5v	66.2v	49.4v	39.1v	48.5v	49.7v	49.6v	73.9v	102.11v	46.1v	69.2v	660.53v
450	Mr JG Bennett	O	72.4v	72.7v	49.4v	43.3v	47.2v	48.6v	48.5v	71.4v	99.8v	42.2v	69.6v	660.51v
451	Mr. A.M. Mallette	T	70.5v	73.5v	48.2v	44.2v	47.3v	47.3v	49.5v	72.8v	97.7v	39.1v	74.6v	660.47v
452	Mr KR Trowbridge	A	72.7v	74.8v	48.5v	47.1v	47.2v	46.2v	46.2v	70.4v	99.6v	41.2v	70.6v	660.45v
453	Mr P.R. Roy	T	71.6v	75.14v	48.6v	45.1v	47.4v	46.3v	50.5v	71.6v	99.9v	34.4v	73.11v	659.69v
454	Mr SL Larter-Whitcher	O	73.8v	70.6v	49.9v	44.3v	45.2v	45.1v	46.2v	71.8v	104.16v	46.3v	66.7v	659.65v
455	Miss EL Hoolahan	O	71.7v	72.7v	49.5v	41.3v	50.7v	47.5v	47.5v	70.6v	102.12v	38.0v	72.4v	659.61v
456	Wg. Cdr. CR Smith	A	72.5v	74.7v	50.5v	47.3v	49.8v	50.5v	46.2v	73.11v	99.10v	27.0v	72.5v	659.61v
457	Mr JNF Campbell	O	72.7v	71.3v	45.4v	41.0v	47.6v	48.5v	49.6v	73.7v	102.13v	44.3v	67.5v	659.59v
458	GJ De Kock	T	70.5v	72.7v	44.3v	47.5v	48.7v	47.3v	49.7v	71.7v	97.7v	46.3v	68.4v	659.58v
459	B Lottritz	O	72.8v	71.5v	47.2v	43.1v	49.8v	45.3v	47.4v	71.8v	99.11v	44.1v	71.7v	659.58v
460	Mr TR Webster	O	72.7v	71.8v	47.5v	42.1v	49.3v	48.3v	48.6v	72.8v	97.6v	41.3v	72.8v	659.58v
461	Sgt. MTJ Downes	O	74.9v	71.7v	49.4v	44.2v	49.6v	46.3v	47.5v	74.9v	100.7v	36.1v	69.5v	659.58v
462	Mr RN Stebbings	A	72.8v	69.6v	46.4v	42.1v	49.6v	44.1v	45.2v	75.11v	101.8v	45.3v	71.6v	659.56v
463	Lt. Col. CST Lehmann	O	72.6v	74.6v	49.2v	44.3v	49.4v	47.4v	48.4v	70.7v	99.10v	42.4v	65.6v	659.56v
464	Dr N P Tucker	O	69.4v	69.4v	49.3v	46.3v	49.6v	48.4v	45.3v	71.8v	99.12v	44.3v	70.5v	659.55v
465	Mr OJ Rolfe	A	72.5v	70.5v	43.2v	46.4v	49.7v	44.1v	48.4v	73.7v	100.11v	44.2v	70.4v	659.52v
466	Cadet PC De Souza	O	70.8v	71.5v	47.2v	42.2v	49.4v	43.0v	45.2v	74.6v	101.9v	43.2v	74.10v	659.50v
467	MR WDLM De La Mare	T	69.5v	71.8v	47.3v	43.1v	48.4v	48.3v	50.6v	73.6v	103.10v	38.0v	69.4v	659.50v
468	Mr NS Suffield-Jones	O	70.7v	68.3v	43.2v	48.0v	49.5v	44.0v	48.3v	73.9v	99.7v	44.1v	73.6v	659.43v
469	Dr PJ Morris	O	71.8v	68.7v	47.4v	45.3v	45.1v	48.5v	46.6v	72.5v	100.11v	44.3v	72.9v	658.62v
470	Mr M Dineen	T	71.9v	66.4v	45.5v	49.3v	45.3v	46.4v	49.4v	70.9v	100.10v	46.4v	71.6v	658.61v
471	Miss SJ Dick	O	72.9v	71.9v	43.1v	46.1v	47.4v	46.3v	48.5v	73.8v	100.11v	41.0v	71.10v	658.61v
472	Mr GRP Shapland	O	72.5v	72.5v	47.7v	41.0v	49.5v	49.6v	47.5v	65.6v	99.10v	48.2v	69.6v	658.57v
473	Mr TA Dowley	T	74.8v	73.9v	45.1v	42.2v	50.6v	46.3v	44.3v	68.7v	96.6v	49.5v	71.5v	658.55v
474	Mr JK James	T	70.6v	68.3v	49.5v	48.3v	45.2v	43.4v	47.6v	69.2v	103.13v	44.2v	72.7v	658.53v
475	Miss S Cheslyn-Curtis	O	68.5v	70.4v	48.5v	45.2v	48.4v	44.3v	48.5v	73.7v	101.11v	46.3v	67.3v	658.52v
476	Mr SE Frost	X	72.8v	70.4v	45.2v	42.1v	48.5v	47.4v	49.5v	71.3v	101.9v	44.4v	69.7v	658.52v
477	Mr F Roberts	O	68.4v	69.4v	48.3v	41.1v	46.4v	48.7v	47.3v	73.7v	104.11v	43.2v	71.4v	658.50v
478	Sgt J H Howard	T	73.8v	72.5v	45.2v	45.3v	48.3v	46.4v	46.4v	73.7v	102.6v	43.3v	65.3v	658.48v
479	Cdt LCpl SA Cox	O	72.8v	69.3v	46.3v	44.1v	48.3v	49.4v	47.3v	69.5v	101.9v	43.2v	70.5v	658.46v
480	Mr JTM Magill	T	72.7v	74.5v	45.5v	47.5v	47.4v	45.2v	41.0v	72.6v	102.6v	42.1v	71.5v	658.46v
481	Mr NC Granger	A	72.4v	70.8v	47.3v	41.0v	49.5v	46.3v	46.0v	70.5v	103.9v	42.3v	72.2v	658.42v
482	Mr MW Brown	O	71.5v	69.6v	49.8v	45.2v	48.7v	48.3v	48.4v	69.7v	100.12v	44.2v	66.4v	657.60v

483	Mr G Meijer	O	70.7v	64.3v	48.8v	47.2v	47.3v	48.3v	48.6v	70.8v	102.11v	40.2v	73.6v	657.59v
484	Mr J Swash	O	73.6v	70.4v	48.4v	41.2v	46.1v	47.3v	48.6v	71.9v	99.11v	42.1v	72.9v	657.56v
485	Mr SD Spinney	X	69.5v	68.4v	45.2v	47.4v	46.2v	49.4v	49.6v	70.4v	97.4v	44.3v	73.11v	657.49v
486	Mr NJ Hall	O	71.5v	69.3v	45.3v	45.5v	44.4v	49.4v	44.2v	70.3v	102.12v	46.3v	72.4v	657.48v
487	Cdt Sgt. CE Phillips-Davies	T	69.1v	71.5v	45.2v	45.1v	48.4v	46.4v	45.5v	73.5v	100.7v	42.2v	73.7v	657.43v
488	Mr AK Fitch	O	74.12v	66.6v	49.4v	44.2v	49.3v	48.4v	48.3v	69.5v	101.9v	38.1v	70.5v	656.54v
489	Mr HJG Green	O	72.4v	71.8v	48.5v	41.1v	43.1v	46.2v	48.3v	75.9v	100.9v	42.1v	70.6v	656.49v
490	Mr JT Kennedy	T	72.4v	70.3v	47.3v	40.1v	50.5v	48.5v	46.4v	72.6v	101.9v	39.0v	71.6v	656.46v
491	Mrs RM Merridew	O	70.6v	71.7v	49.6v	43.2v	47.4v	48.7v	47.4v	75.9v	100.11v	40.1v	65.5v	655.62v
492	Mr PJ Carr	T	72.6v	68.4v	41.2v	41.3v	50.7v	44.2v	45.5v	74.9v	100.9v	45.2v	75.10v	655.59v
493	Mr SWO Owen	O	72.8v	72.8v	46.5v	38.0v	45.2v	45.2v	47.3v	74.11v	97.8v	45.2v	74.10v	655.59v
494	Mr ML Carberry	O	68.3v	73.6v	49.5v	48.5v	46.3v	46.5v	44.5v	69.5v	96.11v	45.2v	71.6v	655.56v
495	Mr MS Shaw	T	73.9v	65.3v	45.2v	43.3v	47.5v	48.1v	48.4v	72.6v	100.8v	45.1v	69.6v	655.48v
496	Mr PB Cutts	O	71.4v	71.6v	47.5v	43.0v	47.3v	49.4v	48.6v	73.7v	98.7v	39.2v	69.4v	655.48v
497	Mr CJ Macdonald	O	70.5v	69.5v	43.2v	45.2v	45.1v	48.5v	48.4v	70.3v	99.8v	45.3v	73.6v	655.44v
498	Mr JH Forrest	O	72.9v	69.6v	48.4v	48.5v	47.5v	48.5v	50.5v	62.4v	98.10v	42.1v	70.6v	654.60v
499	Mr. D T C Lohnes	T	69.5v	69.2v	44.1v	45.3v	50.6v	48.5v	47.5v	70.7v	97.12v	43.2v	72.8v	654.56v
500	Mr GH Porter	O	68.3v	72.9v	48.6v	43.1v	44.5v	47.5v	44.2v	73.9v	96.3v	46.3v	73.9v	654.55v
501	Mr MJL Traynor	O	74.7v	70.5v	41.2v	37.2v	46.3v	48.3v	47.2v	73.10v	102.9v	44.2v	72.9v	654.54v
502	Mr RJR Mott	A	72.6v	64.4v	48.5v	48.5v	44.2v	45.3v	47.2v	72.6v	98.7v	47.6v	69.7v	654.53v
503	Mr PR Coley	O	71.10v	67.2v	47.2v	42.1v	44.6v	46.5v	48.4v	72.6v	100.6v	45.3v	72.8v	654.53v
504	Mr. K.W Fierling	T	74.9v	70.7v	45.2v	45.3v	48.4v	47.2v	46.1v	72.6v	95.8v	39.0v	73.10v	654.52v
505	Mr R Hodgson-Jones	T	71.5v	69.1v	44.4v	46.3v	48.5v	42.2v	49.4v	70.4v	101.10v	43.3v	71.6v	654.47v
506	Mr RM Culverwell	O	74.10v	68.3v	49.3v	46.3v	46.3v	46.1v	45.4v	68.3v	97.6v	43.3v	72.5v	654.44v
507	Mr J A Garnett	O	71.4v	69.3v	48.2v	47.3v	50.7v	49.4v	43.0v	67.2v	92.5v	44.2v	74.9v	654.41v
508	IP ML Lekalaile	X	73.8v	70.6v	45.3v	43.3v	45.5v	45.3v	48.3v	70.7v	102.11v	46.4v	66.7v	653.60v
509	Mr GK Goodwin	O	73.10v	70.4v	48.4v	41.2v	45.4v	48.4v	47.4v	71.6v	96.7v	43.4v	71.6v	653.55v
510	Mr EJT Thomas	T	69.2v	70.4v	47.5v	45.4v	46.4v	47.4v	48.6v	73.5v	97.9v	39.2v	72.6v	653.51v
511	Mr MR Place	O	66.2v	72.4v	45.3v	46.3v	49.3v	42.4v	50.7v	70.5v	101.7v	37.2v	75.10v	653.50v
512	Mr. J T H Jones	T	66.3v	69.4v	48.2v	45.3v	48.7v	47.5v	50.4v	69.6v	97.9v	43.2v	71.4v	653.49v
513	Miss CLM Nettie	T	72.6v	72.7v	45.3v	38.1v	49.4v	48.4v	43.1v	73.7v	101.10v	39.1v	73.5v	653.49v
514	Miss C H Sayers	O	69.6v	65.1v	43.2v	48.4v	48.2v	47.2v	48.2v	74.8v	98.10v	41.2v	72.8v	653.47v
515	Cdt B Charlton	T	73.8v	71.5v	45.4v	46.4v	42.2v	48.5v	46.3v	69.3v	100.13v	44.2v	68.7v	652.56v
516	Mr AP Powell	O	71.8v	69.6v	49.6v	44.4v	47.4v	45.2v	47.4v	73.8v	99.7v	40.1v	68.4v	652.54v
517	Mr GL Clarke	O	72.9v	70.4v	45.3v	41.2v	46.4v	43.3v	50.4v	67.7v	102.9v	48.3v	68.5v	652.53v
518	Mr NJ Trembip	O	73.9v	73.9v	44.3v	44.2v	48.4v	46.2v	47.5v	68.4v	98.11v	40.0v	71.4v	652.53v
519	Mr G Trembath	A	67.4v	68.5v	43.1v	47.6v	47.5v	48.5v	49.4v	72.6v	101.9v	38.1v	72.7v	652.53v
520	Mr MP Perez	O	72.6v	64.3v	50.5v	42.1v	47.4v	46.3v	47.4v	70.7v	101.10v	42.2v	71.7v	652.52v
521	Mr TJ Brooking	A	68.7v	70.5v	47.3v	45.3v	46.3v	48.4v	46.3v	69.7v	96.4v	47.6v	70.6v	652.51v
522	Mr B J Day	T	73.7v	67.2v	48.4v	41.2v	49.6v	45.3v	45.2v	73.7v	103.8v	36.2v	72.7v	652.50v
523	Sqn Ldr CM Fopp	O	67.7v	68.4v	45.1v	45.3v	50.3v	42.2v	47.5v	73.5v	102.9v	41.1v	72.6v	652.46v
524	Mr SA Hunting	O	69.3v	70.9v	45.2v	43.1v	46.3v	49.5v	47.3v	70.6v	99.6v	41.0v	73.8v	652.46v
525	Mr T Steele	X	70.7v	69.7v	48.4v	43.2v	49.5v	43.5v	46.4v	70.7v	97.12v	44.2v	72.6v	651.61v
526	Sgt. CJ Palmer-Makowski	O	70.7v	69.7v	46.3v	44.3v	47.4v	43.5v	48.5v	71.6v	97.6v	48.6v	68.4v	651.56v
527	Mr ES Maclean	O	72.6v	65.2v	44.1v	42.1v	46.3v	47.4v	49.5v	73.10v	100.7v	41.3v	72.10v	651.52v
528	Mr R A Webb	O	71.7v	72.8v	47.3v	46.4v	47.4v	46.3v	45.4v	70.6v	98.7v	46.4v	63.0v	651.50v
529	Mr JG Powell	O	69.4v	69.7v	47.2v	44.3v	47.5v	43.2v	50.4v	74.8v	97.7v	42.0v	69.7v	651.49v
530	Mr KG Firth	O	72.7v	69.5v	48.5v	40.1v	48.4v	45.3v	46.5v	73.6v	100.7v	41.1v	69.5v	651.49v
531	Maj (Retd) DJ Nelson	X	71.7v	69.2v	45.3v	45.4v	43.2v	46.1v	48.2v	74.7v	103.14v	38.1v	69.5v	651.48v
532	Mr JS Chapman	O	68.5v	71.5v	48.5v	44.1v	47.5v	49.3v	46.2v	68.4v	98.5v	44.3v	68.6v	651.44v
533	Mr A R Betts	X	72.3v	70.6v	44.2v	48.5v	47.2v	48.3v	43.2v	70.5v	97.5v	39.2v	73.8v	651.43v
534	Mr OJLW Woolcott	T	73.7v	67.2v	47.3v	46.3v	49.5v	43.3v	46.3v	70.2v	96.4v	41.2v	73.6v	651.40v
535	Mr CM Brooks	O	68.5v	66.3v	49.5v	49.2v	39.3v	45.1v	47.3v	69.5v	102.7v	47.1v	70.4v	651.39v
536	Mr MD Norman	T	69.5v	68.3v	45.0v	44.0v	50.7v	49.6v	46.0v	71.5v	100.5v	40.1v	69.6v	651.38v
537	Cdt S Treacy	O	70.4v	73.7v	44.4v	39.2v	44.2v	46.4v	48.7v	67.4v	102.10v	44.4v	73.6v	650.54v
538	CSjt T Mason	T	68.2v	74.7v	47.4v	42.2v	49.6v	45.2v	46.1v	69.5v	98.9v	41.2v	71.2v	650.42v
539	Mr SG Hunt	X	72.6v	70.5v	50.4v	46.3v	50.6v	50.4v	49.5v	73.9v	67.9v	47.5v	75.10v	649.66v
540	Mr TE Brankin-Frisby	O	71.4v	69.5v	46.5v	43.4v	49.5v	47.4v	45.4v	72.11v	101.11v	36.1v	70.9v	649.63v
541	Cdt CE Mawson	A	72.8v	69.6v	37.2v	42.2v	50.5v	49.3v	45.2v	70.5v	102.10v	44.1v	69.5v	649.49v
542	Mr MJ Judge	O	69.3v	68.5v	48.5v	43.1v	48.3v	45.1v	48.7v	62.5v	102.10v	45.2v	71.5v	649.47v
543	Mr R Jackson	O	71.6v	68.3v	46.1v	45.2v	43.2v	46.4v	46.4v	72.9v	98.8v	42.2v	72.4v	649.45v
544	Miss C Halleran	O	71.4v	73.9v	47.3v	44.3v	48.2v	49.5v	44.4v	69.5v	97.6v	41.0v	66.3v	649.44v
545	Cadet DW Leitch	T	68.3v	67.3v	46.4v	39.1v	49.2v	47.3v	44.4v	71.6v	100.10v	46.2v	72.5v	649.43v
546	Mr MT Lehmann	T	67.2v	70.4v	41.2v	48.2v	46.3v	44.3v	48.3v	71.6v	97.7v	44.1v	73.9v	649.42v
547	Mr P Merry	O	66.2v	73.4v	46.5v	41.1v	48.2v	46.5v	47.6v	69.3v	99.7v	44.1v	70.6v	649.42v
548	Mr J Tuffen	O	71.5v	68.4v	46.5v	45.2v	48.2v	46.2v	43.1v	70.7v	102.9v	40.0v	70.5v	649.42v
549	Mr A F Powell	X	68.5v	72.8v	48.6v	44.2v	41.5v	42.2v	46.4v	73.7v	99.7v	42.1v	73.10v	648.57v
550	Cpl CI Walker	T	64.5v	69.4v	47.3v	50.5v	48.3v	44.2v	46.2v	73.6v	105.14v	34.1v	68.7v	648.52v
551	Mr PS Calvert	O	73.8v	71.7v	46.3v	39.1v	46.4v	48.3v	46.4v	71.5v	100.9v	42.1v	66.6v	648.51v
552	Mr C Truman	T	69.4v	72.6v	47.4v	44.2v	47.5v	47.2v	48.4v	73.8v	96.7v	33.0v	72.7v	648.49v
553	Mr O.W.T.R Rowe	T	72.8v	72.6v	45.1v	41.2v	49.4v	45.3v	48.2v	68.7v	88.4v	45.3v	75.8v	648.48v



554	Gdsm L Nicholson	T	69.6v	69.4v	42.1v	37.1v	46.3v	49.6v	50.6v	71.7v	98.4v	44.2v	73.8v	648.48v
555	Mr DBO O'Hare	O	68.5v	70.3v	48.3v	30.0v	48.2v	47.3v	46.4v	71.6v	99.6v	46.5v	75.9v	648.46v
556	Mr SCW Dixon	O	63.3v	70.5v	46.4v	46.3v	45.3v	43.0v	45.3v	73.7v	101.8v	44.2v	72.6v	648.44v
557	Mr PHC Costello	T	69.4v	70.8v	49.4v	47.4v	42.1v	47.1v	46.1v	70.4v	99.7v	39.2v	70.6v	648.42v
558	Sgt F Hawes	T	71.6v	68.4v	48.3v	46.2v	46.2v	46.1v	41.0v	71.7v	99.9v	44.1v	68.3v	648.38v
559	U Soelzer	O	69.5v	66.1v	50.6v	44.3v	46.3v	45.2v	49.5v	68.7v	99.10v	39.1v	72.8v	647.51v
560	Mr T Hembrow	O	72.8v	71.2v	48.5v	44.2v	48.3v	47.4v	48.5v	70.5v	98.10v	45.3v	56.3v	647.50v
561	Mr GD Palmer	X	72.9v	73.6v	50.8v	15.0v	49.3v	47.5v	48.6v	72.8v	104.13v	43.1v	73.10v	646.69v
562	Mr PG Gilleece	T	65.5v	63.6v	49.7v	43.3v	49.7v	47.5v	47.5v	72.7v	95.7v	44.0v	72.5v	646.57v
563	Mr MM Matloob	O	72.7v	70.8v	42.0v	40.1v	46.4v	49.5v	43.2v	74.9v	98.10v	41.0v	71.9v	646.55v
564	Mr MD Wright	O	71.7v	69.6v	49.3v	37.1v	45.4v	47.6v	46.6v	74.8v	96.5v	43.1v	69.6v	646.53v
565	Major N Stebbings	O	72.6v	70.5v	45.2v	42.2v	47.2v	45.5v	46.2v	69.4v	98.8v	45.3v	67.4v	646.43v
566	Mr DJ Walker	T	67.3v	67.3v	42.2v	46.4v	48.3v	46.4v	45.3v	69.7v	100.6v	44.1v	72.7v	646.43v
567	Ms M Sanders	T	67.6v	72.5v	48.6v	47.4v	45.2v	45.0v	46.4v	69.4v	96.5v	43.2v	68.3v	646.41v
568	Mr E Stuart-Bamford	O	70.7v	71.8v	49.7v	43.4v	46.3v	48.3v	49.4v	72.5v	92.5v	47.3v	58.6v	645.55v
569	Mr DF Nesbitt	O	73.9v	72.6v	44.2v	44.4v	46.4v	44.2v	44.1v	67.6v	100.7v	42.2v	69.6v	645.49v
570	Miss RD Dunn	T	71.6v	72.8v	44.1v	42.5v	48.2v	48.6v	46.2v	72.5v	91.3v	43.5v	68.4v	645.47v
571	Mr C M Nunan	T	71.6v	65.1v	46.3v	46.3v	45.1v	43.2v	49.3v	72.5v	100.8v	39.3v	69.6v	645.41v
572	Mr CRF Leather	O	64.2v	68.6v	45.3v	45.5v	43.1v	42.5v	46.5v	74.5v	100.13v	46.4v	71.7v	644.56v
573	Mr JCK Kelleher	O	69.4v	67.3v	48.5v	43.4v	46.5v	45.3v	45.4v	68.3v	100.10v	40.0v	73.8v	644.49v
574	Mr LF Le Breuilley	T	66.1v	67.4v	41.0v	46.4v	48.4v	47.3v	47.4v	72.9v	97.5v	40.2v	73.11v	644.47v
575	Cpl SJ Day	T	66.1v	68.3v	48.7v	47.3v	46.3v	44.2v	48.4v	71.9v	94.4v	42.1v	70.5v	644.42v
576	Mr CSJ Marlow	O	71.4v	69.5v	48.1v	41.3v	49.5v	42.0v	45.1v	70.6v	98.7v	40.4v	71.6v	644.42v
577	Mr SB-M Brewer-Marchant	T	74.8v	66.6v	47.3v	37.5v	49.5v	44.1v	45.2v	74.7v	103.9v	34.1v	70.7v	643.54v
578	Mr K Gladding	O	58.3v	71.7v	47.4v	41.0v	46.3v	49.8v	48.3v	72.6v	97.9v	44.1v	70.3v	643.47v
579	Mr TW Harrison	O	59.2v	70.4v	42.2v	43.3v	45.3v	46.3v	49.3v	73.7v	97.7v	46.2v	73.7v	643.43v
580	Mr GD Moffatt	O	71.6v	72.3v	44.3v	41.3v	45.3v	45.2v	46.2v	72.8v	95.9v	45.2v	67.2v	643.43v
581	Mr ID Markwell	O	67.3v	73.3v	50.5v	48.5v	46.3v	43.3v	45.3v	70.7v	96.6v	42.1v	63.3v	643.42v
582	Mr TH Emck	O	70.7v	72.7v	47.3v	45.1v	47.4v	48.4v	45.2v	66.5v	95.5v	41.0v	67.4v	643.42v
583	Mr DT O'Leary	O	72.5v	67.3v	49.6v	39.1v	46.3v	47.4v	47.6v	66.2v	98.9v	40.0v	71.10v	642.49v
584	Mr N M Duncan	O	66.5v	70.3v	45.2v	38.1v	48.4v	46.6v	45.2v	70.8v	99.9v	46.3v	69.5v	642.48v
585	LCpl N Vincent	T	67.5v	70.6v	46.1v	43.1v	46.3v	46.3v	39.0v	66.4v	101.12v	45.4v	73.9v	642.48v
586	CWO L Hamilton	T	67.5v	71.7v	46.2v	44.2v	48.5v	48.3v	49.5v	67.6v	98.7v	39.1v	65.2v	642.45v
587	Cdr MF Jordan	O	72.6v	68.6v	45.4v	42.1v	45.2v	46.3v	44.3v	68.5v	98.5v	43.4v	71.5v	642.44v
588	Mr AMS Sadler	O	69.7v	73.6v	48.3v	48.7v	40.2v	45.1v	46.3v	63.2v	93.4v	43.2v	74.7v	642.44v
589	Cdr CW Freeman	O	70.7v	72.4v	49.5v	43.2v	43.0v	43.1v	47.4v	68.3v	92.8v	44.1v	71.5v	642.40v
590	Cdt YW Thorne	T	72.8v	65.1v	49.8v	40.0v	45.4v	43.3v	45.3v	67.6v	100.9v	41.2v	74.10v	641.54v
591	Miss S Ponter	A	73.8v	74.9v	44.2v	42.3v	42.2v	47.3v	45.4v	69.7v	98.7v	35.1v	72.8v	641.54v
592	Mr JD Badman	O	74.8v	65.4v	46.5v	44.1v	47.3v	41.2v	49.6v	70.6v	94.7v	46.3v	65.1v	641.46v
593	Mr JM de Bruijn	O	70.6v	67.2v	47.3v	46.4v	48.6v	46.3v	44.1v	63.3v	98.5v	44.1v	68.6v	641.40v
594	Miss PG Macdonald	T	66.4v	71.5v	41.1v	32.0v	47.4v	48.5v	44.2v	75.9v	101.12v	41.1v	74.8v	640.51v
595	Mr JS Ritchie	O	68.2v	70.3v	46.6v	41.2v	48.2v	46.5v	44.1v	69.5v	94.8v	44.4v	69.3v	639.41v
596	Miss HE Walker	T	68.2v	68.5v	44.2v	41.1v	48.6v	49.7v	44.2v	68.6v	98.5v	44.1v	67.2v	639.39v
597	Mr RR Ramage	T	70.2v	70.5v	42.3v	39.1v	49.3v	45.5v	45.0v	72.8v	98.5v	41.1v	68.6v	639.39v
598	Mr D Coleman	A	75.11v	73.8v	50.8v	49.4v	49.3v	47.4v	0.0v	69.3v	105.15v	47.4v	74.10v	638.70v
599	Mr SR Davis	O	68.5v	72.8v	45.5v	44.4v	46.2v	42.1v	47.4v	65.4v	92.10v	45.4v	72.6v	638.53v
600	Mr RG Hilyard	O	71.6v	62.2v	48.5v	44.1v	47.5v	45.5v	43.3v	70.7v	94.6v	47.2v	67.4v	638.46v
601	Mr T Galliers	O	70.2v	69.5v	47.6v	40.2v	45.5v	44.2v	46.3v	66.5v	98.5v	44.3v	69.4v	638.42v
602	Miss M McAleenan	T	70.5v	65.2v	44.3v	44.3v	39.0v	45.1v	47.3v	74.6v	99.8v	44.6v	67.4v	638.41v
603	Mr PJ Holden	O	66.1v	66.3v	47.4v	41.2v	45.1v	45.2v	46.1v	67.6v	98.7v	45.1v	72.3v	638.31v
604	Cpl AJ Clarke	O	72.8v	74.8v	46.2v	47.3v	49.3v	48.4v	47.5v	74.8v	101.12v	7.0v	72.9v	637.62v
605	CSjt J Lowes	T	66.7v	63.4v	50.7v	40.1v	49.5v	45.2v	46.4v	64.4v	100.6v	40.2v	74.8v	637.50v
606	F/Sgt T Biggins	T	71.4v	64.6v	46.5v	35.1v	48.3v	47.5v	49.5v	69.7v	97.6v	38.0v	73.8v	637.50v
607	Mrs RKE Penrose	O	67.3v	73.7v	48.4v	39.1v	47.6v	46.5v	48.3v	70.6v	98.7v	31.3v	70.3v	637.48v
608	Mr. J.A. Schakel	T	71.3v	68.5v	42.1v	38.2v	48.4v	46.6v	46.5v	71.5v	98.4v	38.1v	71.5v	637.41v
609	K Pehiee	T	59.0v	65.4v	46.4v	46.5v	48.4v	44.2v	48.4v	67.4v	97.5v	46.2v	71.5v	637.39v
610	Mr PM Weston	O	69.3v	70.4v	42.2v	44.2v	47.5v	44.0v	46.2v	69.6v	96.9v	44.2v	66.3v	637.38v
611	Miss EL Sweet	T	68.3v	71.6v	47.1v	37.0v	44.3v	47.5v	46.2v	70.3v	93.5v	42.1v	72.8v	637.37v
612	Mr WF Livesey	T	66.1v	69.5v	49.4v	40.3v	48.4v	48.3v	48.4v	69.2v	94.9v	39.3v	66.2v	636.40v
613	Mr DJ Pay	O	68.3v	66.3v	42.2v	43.3v	39.0v	47.5v	50.8v	72.5v	90.5v	46.2v	72.4v	635.40v
614	Cdt TJ Johnston	T	68.5v	72.6v	46.2v	41.0v	47.4v	43.1v	44.2v	69.6v	95.5v	44.3v	66.3v	635.37v
615	Mr MSC Chandler	T	68.6v	63.4v	45.2v	42.2v	49.6v	48.5v	45.3v	68.7v	94.6v	39.0v	73.9v	634.50v
616	Mr AJD Saunders	O	69.4v	68.6v	41.2v	38.0v	46.4v	48.4v	39.2v	73.7v	95.4v	47.3v	70.6v	634.42v
617	C/Cpl TMK Hampson	T	70.2v	66.3v	47.4v	32.0v	44.4v	46.5v	45.4v	74.9v	98.9v	39.0v	72.4v	633.44v
618	Dr G Stevenson	O	70.5v	66.2v	44.3v	45.2v	47.4v	46.8v	47.4v	63.2v	94.5v	42.4v	69.3v	633.42v
619	Sgt EEPP Pomeroy	T	69.5v	72.2v	42.4v	33.0v	50.6v	42.1v	45.1v	72.6v	98.7v	38.1v	72.9v	633.42v
620	Mr K Hardyman	O	69.6v	66.2v	46.3v	42.2v	50.2v	49.7v	45.4v	65.2v	97.6v	40.0v	64.5v	633.39v
621	Mr KJ Aldridge	O	70.4v	64.3v	46.2v	46.2v	43.2v	44.2v	46.4v	70.4v	95.10v	37.0v	72.5v	633.38v
622	Mr M. S. Le Maitre	T	74.8v	67.3v	41.1v	28.1v	48.5v	46.0v	42.2v	72.6v	99.10v	44.2v	71.6v	632.44v
623	Miss ZL Latimer	T	73.4v	68.1v	47.5v	38.1v	47.5v	45.2v	30.1v	70.5v	98.10v	45.1v	71.6v	632.41v
624	Mr A Aryaeipour	T	71.7v	68.4v	44.3v	38.1v	45.3v	43.1v	47.2v	68.6v	99.5v	35.2v	73.8v	631.42v

625	Mr MJ Bumford	O	72.6v	69.4v	45.3v	41.1v	45.4v	42.0v	45.3v	66.2v	89.2v	46.2v	71.6v	631.33v
626	Mr P Barber	O	69.5v	72.4v	47.4v	46.6v	46.2v	47.4v	47.2v	72.4v	65.6v	47.5v	72.3v	630.45v
627	Mr MJ Bailey	O	70.6v	68.6v	42.1v	40.4v	48.6v	40.1v	43.2v	70.7v	96.5v	40.0v	73.5v	630.43v
628	Mr WT Bridger	O	70.6v	68.3v	45.4v	47.3v	41.3v	43.3v	47.4v	67.3v	93.6v	39.2v	70.5v	630.42v
629	Mrs SG Sirett	O	65.5v	70.4v	40.2v	43.3v	48.3v	48.4v	43.2v	73.9v	96.3v	41.1v	63.4v	630.40v
630	Cadet M Witherley	T	67.3v	68.3v	46.2v	38.2v	47.4v	43.1v	45.2v	72.6v	98.8v	40.2v	66.1v	630.34v
631	Miss M C Montgomery	T	71.8v	70.4v	43.9v	39.3v	47.5v	41.0v	47.3v	63.1v	103.6v	35.1v	70.7v	629.47v
632	Mr R Van Den Bossche	O	67.3v	67.1v	47.4v	39.1v	46.3v	42.1v	46.2v	70.6v	95.6v	39.0v	71.6v	629.33v
633	Miss IMC Cubitt	T	64.1v	61.4v	45.4v	45.2v	46.4v	45.3v	41.3v	73.10v	98.7v	41.1v	69.4v	628.43v
634	Spr D Taylor	T	68.6v	72.6v	48.4v	40.2v	46.3v	47.2v	44.3v	64.4v	94.5v	44.2v	61.2v	628.39v
635	Mr CJ Marriott	T	69.2v	68.1v	48.3v	46.5v	49.8v	44.1v	47.3v	66.1v	99.10v	19.0v	73.5v	628.39v
636	Mr TLB Burton	T	69.3v	65.3v	40.1v	45.2v	47.5v	47.0v	47.5v	63.1v	98.9v	38.0v	69.6v	628.35v
637	GWirgman GHCW Wirgman	T	69.3v	68.2v	46.3v	41.2v	47.5v	44.0v	44.1v	70.3v	96.6v	32.2v	71.7v	628.34v
638	Mr ARN Kinross	O	66.4v	68.3v	44.3v	36.1v	47.3v	49.7v	44.4v	71.6v	97.8v	39.1v	66.4v	627.44v
639	Mrs JE Dickson	O	63.2v	65.4v	44.1v	48.5v	49.5v	38.2v	45.4v	71.6v	102.11v	29.1v	72.6v	626.47v
640	Mr RM Allan	O	65.7v	64.4v	49.2v	45.1v	40.3v	47.5v	45.2v	71.3v	96.6v	34.1v	70.2v	626.36v
641	Mr J P Hakim	O	68.4v	68.5v	48.4v	50.8v	47.3v	43.3v	42.1v	64.3v	89.6v	43.1v	63.2v	625.40v
642	Mr J Cook	T	69.8v	70.4v	50.6v	46.5v	0.0v	49.6v	49.5v	72.9v	102.11v	45.2v	72.5v	624.61v
643	Mr B Chiang	T	69.6v	65.3v	44.2v	35.0v	40.2v	47.4v	47.3v	73.5v	100.9v	32.0v	72.4v	624.38v
644	Mr SD Douglas	O	70.8v	61.1v	45.1v	36.2v	46.5v	46.4v	44.4v	67.3v	93.5v	43.1v	72.5v	623.39v
645	Sgt GM Overton	O	72.4v	44.3v	44.2v	35.2v	49.5v	47.6v	45.3v	73.8v	99.9v	43.1v	71.5v	622.48v
646	Mr JL Poulin	O	67.2v	68.4v	45.1v	35.1v	41.0v	47.1v	48.5v	71.5v	91.5v	45.2v	64.3v	622.29v
647	Mr AC Abrahams	O	70.4v	67.1v	40.0v	40.0v	42.1v	46.3v	47.3v	69.6v	91.3v	40.1v	70.5v	622.27v
648	Sgt D Sibbald	T	67.6v	68.3v	49.3v	46.4v	45.5v	42.2v	45.3v	56.1v	87.5v	46.5v	70.6v	621.43v
649	Mr RS Mason MRCVS	O	61.3v	67.4v	44.3v	43.1v	42.3v	42.1v	49.5v	73.7v	89.2v	40.3v	71.7v	621.39v
650	GPJ Nel	T	68.4v	65.4v	48.3v	44.2v	44.2v	44.2v	45.2v	63.1v	90.9v	37.0v	73.7v	621.36v
651	Cdt Sgt EM Dixon	T	61.0v	63.0v	47.3v	39.1v	46.6v	44.0v	47.5v	69.5v	93.4v	43.0v	69.4v	621.28v
652	Miss LK Broomfield	T	69.3v	65.3v	48.4v	43.2v	41.2v	43.2v	45.1v	72.5v	94.3v	32.0v	69.3v	621.28v
653	Mr ED Halford	T	66.4v	70.5v	43.2v	37.3v	42.3v	40.2v	47.2v	67.4v	98.8v	41.3v	69.6v	620.42v
654	Mr EWW Feast	T	69.4v	65.3v	46.2v	41.0v	41.2v	44.2v	38.2v	70.4v	98.6v	40.2v	68.3v	620.30v
655	Miss AL Matthews	T	68.3v	66.4v	47.1v	43.1v	47.4v	48.2v	41.0v	69.7v	86.4v	42.1v	63.1v	620.28v
656	Mr PJG Barber	T	72.10v	44.4v	50.3v	41.2v	42.3v	45.1v	47.2v	70.5v	99.5v	43.3v	66.5v	619.43v
657	Cdt SMB Maitland	T	67.5v	65.3v	45.1v	40.1v	43.1v	47.3v	41.1v	70.3v	93.4v	39.1v	69.3v	619.26v
658	Mr D Markie	O	71.5v	70.3v	47.2v	35.0v	44.2v	43.3v	45.2v	61.0v	99.7v	37.0v	66.6v	618.30v
659	Mr A.B.T Tucker	T	67.5v	59.0v	46.4v	33.2v	49.5v	44.2v	43.3v	69.4v	94.5v	41.1v	72.7v	617.38v
660	Mr OCRB Ballsdon	O	56.1v	64.2v	47.4v	42.2v	48.5v	43.3v	49.8v	68.5v	97.7v	29.0v	73.5v	616.42v
661	RK Leite	T	68.3v	66.4v	42.1v	44.4v	44.4v	37.2v	41.3v	68.2v	96.8v	43.0v	67.2v	616.33v
662	Mr W A R Yeo	T	70.5v	65.2v	45.2v	34.0v	45.3v	43.2v	41.1v	70.3v	93.4v	42.3v	68.4v	616.29v
663	Mr PAUL Tremblay	X	0.0v	73.9v	48.3v	50.5v	48.4v	50.6v	50.6v	74.10v	104.15v	43.2v	75.11v	615.71v
664	Mr. L.M. Wilford	T	69.7v	70.7v	44.0v	42.1v	44.3v	48.1v	12.0v	72.7v	99.7v	45.2v	70.3v	615.38v
665	SSgt J Calcutt	T	66.4v	68.4v	39.2v	41.1v	39.3v	48.5v	48.4v	69.2v	90.9v	41.1v	66.2v	615.37v
666	CA Venter	T	68.3v	68.4v	41.1v	46.1v	41.3v	45.5v	45.1v	63.5v	94.4v	32.0v	72.3v	615.30v
667	Mr E G Lawrence	T	68.1v	60.2v	42.1v	43.1v	42.1v	46.3v	44.2v	59.0v	95.6v	46.4v	69.5v	614.26v
668	Mr LS Skinner	T	69.5v	63.2v	43.2v	24.1v	48.6v	44.2v	46.2v	69.7v	98.6v	38.0v	70.5v	612.38v
669	Mr CDC Smith	T	67.3v	66.3v	44.1v	41.1v	44.2v	38.0v	34.2v	68.4v	97.6v	43.3v	70.5v	612.30v
670	Cdt Sgt N Bass	O	64.4v	68.3v	41.1v	26.0v	43.2v	47.3v	46.4v	73.8v	98.5v	38.3v	67.3v	611.36v
671	Mr T Horsfield	O	67.0v	62.4v	43.2v	45.3v	41.1v	45.2v	41.3v	64.2v	91.3v	41.1v	71.4v	611.25v
672	Mr RG Evans	T	66.10v	70.5v	48.6v	0.0v	48.4v	43.2v	46.3v	73.10v	101.11v	43.5v	71.6v	609.62v
673	Cpl CX Legge	T	66.3v	64.2v	41.0v	42.2v	44.3v	38.1v	42.1v	66.4v	92.4v	42.1v	72.10v	609.31v
674	Mr H Rumbelow	O	67.4v	68.3v	48.3v	44.2v	49.4v	43.4v	46.4v	71.8v	98.9v	0.0v	73.8v	607.49v
675	Miss ME Wicker	O	68.4v	65.2v	38.0v	41.2v	44.2v	43.3v	43.2v	64.3v	90.3v	42.2v	69.3v	607.26v
676	Mr JAM Minien	T	69.3v	64.2v	45.3v	42.1v	44.1v	47.4v	43.2v	69.4v	83.3v	39.1v	62.2v	607.26v
677	Dr J Mehta	O	72.6v	75.8v	49.7v	46.4v	50.5v	48.7v	43.4v	0.0v	101.12v	48.3v	74.5v	606.61v
678	Miss C A Staples	A	72.8v	69.3v	42.1v	38.3v	48.7v	47.2v	0.0v	73.8v	99.7v	46.4v	72.7v	606.50v
679	F/Sgt E Brown	T	64.3v	58.0v	46.3v	33.2v	38.1v	45.3v	48.4v	69.4v	98.8v	39.2v	68.3v	606.33v
680	HJ Diederichs	T	65.1v	65.3v	46.3v	40.1v	38.3v	43.2v	40.2v	63.3v	94.6v	43.1v	69.6v	606.31v
681	Sgt A Dodds	T	64.2v	63.3v	32.1v	40.1v	43.2v	38.1v	44.2v	74.7v	95.4v	44.2v	69.4v	606.29v
682	Mr ND Stangroom	X	0.0v	69.5v	48.3v	46.3v	48.4v	49.6v	49.9v	70.10v	103.12v	49.7v	74.6v	605.65v
683	Mr A Thomson	A	71.5v	73.7v	48.5v	45.3v	48.7v	50.6v	48.5v	73.10v	103.9v	46.1v	0.0v	605.58v
684	Mr ELM Macaulay	T	64.2v	67.3v	45.0v	39.1v	39.3v	44.2v	48.3v	67.6v	93.5v	33.1v	66.3v	605.29v
685	K Jahnke	O	69.4v	64.5v	44.2v	37.1v	41.3v	46.3v	38.3v	67.4v	100.10v	28.0v	70.4v	604.39v
686	Mr D Furner	T	67.3v	66.1v	39.2v	39.1v	45.2v	46.7v	45.4v	66.2v	88.3v	34.2v	69.5v	604.32v
687	Mr M A Chance	T	65.0v	64.1v	40.1v	31.0v	47.1v	44.3v	47.4v	63.3v	95.8v	41.4v	67.5v	604.30v
688	Mr WHC Ledsham	T	63.3v	57.1v	41.0v	45.2v	43.1v	41.1v	45.5v	66.2v	92.6v	41.2v	70.5v	604.28v
689	Mr MF Martel	A	72.7v	74.11v	49.2v	46.4v	49.6v	46.3v	46.2v	72.8v	102.11v	47.5v	0.0v	603.59v
690	Cdt REJ Mcgregor	T	69.5v	68.6v	49.7v	44.3v	48.4v	27.0v	47.3v	61.3v	96.6v	24.0v	70.6v	603.43v
691	Mr NNT Kerins	T	65.5v	68.4v	41.1v	41.2v	36.1v	34.0v	49.5v	68.9v	97.5v	34.1v	70.8v	603.41v
692	Mr DCJ Poxon	T	66.2v	66.5v	41.1v	41.2v	48.2v	45.2v	22.1v	68.5v	99.10v	40.0v	67.4v	603.34v
693	LCpl K Burnell	T	67.1v	65.1v	39.1v	37.0v	45.3v	44.2v	39.1v	69.6v	97.10v	37.0v	64.4v	603.29v
694	Miss C.L. Coutts	T	69.5v	67.2v	39.1v	45.2v	46.2v	45.2v	42.2v	56.2v	90.5v	38.0v	66.2v	603.25v
695	Cpl JF Meyer	T	72.5v	73.9v	46.3v	48.5v	48.5v	48.3v	49.6v	74.8v	99.10v	44.2v	0.0v	601.56v

696	Mr MMB Bree	T	66.3v	65.2v	41.1v	42.4v	44.2v	47.4v	41.1v	64.2v	88.4v	37.0v	66.3v	601.26v
697	Mr RJ Cade	O	73.7v	68.4v	48.5v	43.2v	47.3v	46.6v	0.0v	67.4v	99.7v	40.2v	69.5v	600.45v
698	LCpl MJ Newton	T	66.2v	69.2v	37.1v	45.2v	44.1v	43.1v	48.5v	65.2v	91.2v	23.0v	68.3v	599.21v
699	Mr J Bullock	X	72.6v	73.9v	48.6v	44.1v	49.8v	49.7v	47.6v	71.6v	100.13v	44.3v	0.0v	597.65v
700	Sgt D Clark	T	64.3v	70.7v	43.4v	41.1v	43.3v	49.4v	46.2v	70.5v	98.7v	0.0v	73.8v	597.44v
701	CDT TP Shaw	T	72.5v	58.0v	41.1v	41.1v	47.5v	39.1v	40.1v	66.2v	94.9v	31.0v	68.3v	597.28v
702	Mr P S Holmes	O	0.0v	74.7v	50.5v	45.2v	49.2v	46.4v	49.4v	68.8v	102.13v	45.3v	67.2v	595.50v
703	Spr H Quilliam	T	67.4v	66.2v	44.4v	44.2v	47.4v	44.2v	47.4v	63.3v	64.5v	41.2v	68.4v	595.36v
704	Cpl MG Faulkner	T	70.6v	64.3v	45.4v	45.4v	40.1v	42.2v	41.2v	64.4v	85.4v	42.1v	57.4v	595.35v
705	Ms N.M MacDougall	T	63.2v	66.5v	47.2v	38.1v	41.3v	41.2v	45.4v	70.7v	83.1v	39.1v	62.1v	595.29v
706	P Wagner	O	64.1v	55.2v	45.2v	37.1v	44.2v	42.3v	45.3v	67.2v	92.8v	30.0v	73.9v	594.33v
707	Cdt Cpl AJT Innes-Whitehouse	T	67.5v	64.1v	44.3v	40.0v	47.4v	47.1v	48.6v	71.6v	93.7v	3.0v	68.6v	592.39v
708	Mrs I Pioche	O	73.6v	44.2v	45.2v	28.1v	44.4v	46.2v	29.2v	69.6v	102.8v	43.1v	69.4v	592.38v
709	Cpl K Milner	T	73.6v	0.0v	48.4v	44.1v	47.3v	49.7v	45.2v	70.6v	98.8v	44.3v	73.8v	591.48v
710	Mr JC Hambro	O	67.4v	60.2v	46.2v	45.2v	44.2v	43.1v	46.3v	45.4v	90.5v	40.1v	65.2v	591.28v
711	JS Fourie	T	71.6v	0.0v	44.0v	46.3v	49.6v	44.2v	48.1v	72.7v	102.11v	45.1v	69.5v	590.42v
712	Cadet R Williams	T	64.2v	69.5v	48.3v	27.0v	41.2v	32.0v	42.0v	64.2v	95.6v	40.1v	67.5v	589.26v
713	Sgt BA Beadle	T	66.3v	62.1v	45.3v	40.0v	43.2v	39.2v	40.3v	71.5v	89.5v	23.0v	70.5v	588.29v
714	Mr JF Jackman	O	70.6v	72.4v	49.3v	47.3v	48.5v	46.2v	49.5v	70.7v	62.5v	0.0v	74.9v	587.49v
715	Mr BD Jones	T	67.4v	55.1v	44.2v	20.1v	34.0v	48.5v	47.5v	63.1v	95.6v	41.3v	73.9v	587.37v
716	Ms BM Moore	O	73.8v	49.0v	49.3v	39.1v	48.6v	42.1v	0.0v	74.8v	103.12v	38.2v	71.6v	586.47v
717	Mr TSM Gordon	O	68.4v	69.1v	48.5v	41.1v	50.6v	46.3v	49.6v	69.3v	101.8v	45.2v	0.0v	586.39v
718	Mr RCQ Martin	X	73.8v	70.6v	44.7v	0.0v	50.2v	46.3v	50.5v	75.12v	65.10v	39.1v	71.4v	583.58v
719	Mr T S McDowell	O	67.2v	0.0v	46.2v	46.3v	46.2v	45.2v	49.5v	71.4v	97.7v	42.3v	72.6v	582.36v
720	Mr J Golling	X	0.0v	65.5v	46.3v	41.3v	48.5v	47.5v	47.3v	71.10v	97.8v	47.3v	72.8v	581.53v
721	Mr BA Allen	T	60.1v	68.4v	47.4v	31.0v	39.0v	44.2v	46.5v	58.2v	93.4v	30.1v	65.3v	581.26v
722	LCpl K Lacey	T	70.5v	70.4v	23.1v	44.5v	47.4v	0.0v	46.2v	71.7v	98.10v	40.3v	71.4v	580.45v
723	Mr OZ Wong	T	67.7v	69.4v	45.4v	30.0v	0.0v	46.3v	48.7v	68.0v	95.8v	39.1v	71.7v	578.41v
724	Cdt EH Gittins	T	65.3v	72.9v	42.0v	34.0v	45.4v	0.0v	44.2v	71.3v	92.3v	40.2v	72.2v	577.28v
725	Mr HGM Mooiman	O	71.5v	69.4v	46.1v	44.2v	48.5v	44.4v	46.2v	69.5v	99.6v	40.3v	0.0v	576.37v
726	Cdt Cpl RT Macleod	T	71.6v	65.2v	41.3v	40.1v	47.3v	0.0v	45.0v	71.7v	96.7v	37.0v	63.4v	576.33v
727	Cdt Sgt HYH Lei	T	70.5v	68.2v	47.3v	41.3v	48.5v	50.4v	46.3v	70.7v	93.8v	41.2v	0.0v	574.42v
728	Mr MR Horrell	T	57.2v	66.4v	39.1v	39.0v	43.0v	46.4v	11.0v	71.6v	97.8v	30.1v	75.8v	574.34v
729	CSjt LG Gamble	T	69.4v	60.2v	38.1v	38.1v	47.4v	39.3v	47.2v	69.6v	101.6v	2.0v	63.2v	573.31v
730	Lcpl JCH Lee	T	59.1v	47.0v	47.1v	42.3v	41.0v	37.2v	45.2v	67.5v	89.1v	37.1v	62.4v	573.20v
731	Mr DJ Stewart	O	66.4v	68.6v	47.4v	43.2v	46.3v	47.3v	48.6v	69.4v	96.5v	42.1v	0.0v	572.38v
732	Mr RK Modenbach	X	71.3v	67.3v	47.4v	39.0v	47.4v	43.3v	44.1v	0.0v	97.4v	44.2v	73.8v	572.32v
733	Dr R Pizer	O	61.2v	63.4v	39.2v	38.2v	43.0v	40.2v	44.2v	58.1v	79.2v	46.2v	59.2v	570.21v
734	Mr JR Petrie	T	64.4v	59.2v	45.1v	29.0v	45.4v	39.0v	43.1v	52.1v	90.5v	36.3v	66.2v	568.23v
735	Mr SJA Armstrong	T	71.4v	68.3v	43.2v	40.1v	45.1v	44.3v	46.1v	71.7v	93.1v	45.4v	0.0v	566.27v
736	Mr DM Smith	O	71.4v	69.4v	48.2v	39.0v	47.4v	42.1v	42.2v	69.2v	98.5v	40.3v	0.0v	565.27v
737	Mr DM Mesletzky	X	45.1v	69.5v	45.3v	39.2v	42.2v	44.5v	0.0v	73.4v	95.7v	40.2v	72.6v	564.37v
738	Cdt CWF Kingston	T	67.4v	62.2v	32.1v	34.1v	43.2v	43.4v	41.3v	58.2v	91.4v	35.0v	58.2v	564.25v
739	Mr JE Bell	T	61.3v	65.3v	32.1v	31.2v	29.1v	35.1v	47.2v	68.2v	87.3v	46.4v	62.1v	563.23v
740	Mr P Wale	O	64.2v	0.0v	41.1v	45.3v	45.2v	43.2v	45.3v	73.7v	89.4v	45.5v	70.7v	560.36v
741	CSjt L Scull	T	66.6v	63.3v	39.2v	44.2v	44.2v	0.0v	43.3v	67.2v	97.7v	31.1v	65.5v	559.33v
742	Cpl S Maundrill	T	51.1v	63.1v	44.0v	41.1v	37.2v	41.2v	41.1v	69.2v	62.2v	35.1v	64.3v	548.16v
743	Cdt B Chamberlain	T	63.1v	55.0v	41.0v	35.1v	39.2v	42.1v	44.2v	62.2v	78.4v	26.0v	62.3v	547.16v
744	Cpl J Coombes	T	61.2v	64.4v	46.3v	39.0v	41.2v	34.0v	34.0v	60.4v	73.2v	25.0v	69.4v	546.21v
745	Mr KI Ortmann	T	61.1v	66.2v	43.1v	46.2v	42.1v	48.2v	43.1v	64.1v	89.4v	40.1v	0.0v	542.16v
746	Mr GW Clarke	X	71.7v	69.8v	50.4v	50.6v	0.0v	0.0v	49.3v	75.12v	103.11v	0.0v	74.11v	541.62v
747	Cdt JJ Cracknell	T	59.3v	68.3v	42.4v	45.3v	36.0v	40.1v	47.4v	60.2v	61.1v	12.0v	70.4v	540.25v
748	SSgt PJ Perry	T	63.2v	72.3v	46.4v	38.1v	43.1v	39.1v	48.2v	0.0v	90.8v	40.2v	58.2v	537.26v
749	Cdt L/Cpl BA Fenn	T	56.1v	60.1v	43.3v	35.0v	38.0v	43.1v	39.1v	55.1v	96.6v	6.0v	64.2v	535.16v
750	MR DL Lee	T	0.0v	56.1v	40.1v	39.0v	46.3v	35.0v	45.3v	73.6v	98.6v	36.0v	66.1v	534.21v
751	Mr P Dean	T	0.0v	69.6v	37.0v	43.3v	46.4v	46.3v	49.5v	53.3v	89.7v	26.0v	73.8v	531.39v
752	Miss VRM Jowett	T	65.3v	54.1v	42.0v	31.2v	33.1v	30.0v	39.1v	54.3v	82.3v	39.1v	62.2v	531.17v
753	Cadet M Rainier-Kirkwood	T	74.9v	69.6v	38.0v	36.2v	46.3v	0.0v	48.3v	74.9v	99.8v	43.3v	0.0v	527.43v
754	Cdt GH Ramsden	T	71.4v	68.5v	40.2v	35.1v	43.2v	43.1v	0.0v	64.2v	102.10v	3.0v	56.3v	525.30v
755	Mr B Heatley	O	73.4v	71.4v	49.7v	43.3v	49.5v	47.3v	48.5v	72.7v	32.4v	39.2v	0.0v	523.44v
756	LCpl RS Scadding	T	60.0v	58.1v	38.1v	41.2v	39.3v	31.0v	41.2v	51.2v	79.2v	28.0v	54.0v	520.13v
757	Dr PJ Taylor	T	0.0v	67.3v	45.1v	44.5v	45.4v	44.2v	45.2v	68.3v	99.7v	45.0v	0.0v	502.27v
758	Mr ID Macdonald	O	68.4v	0.0v	0.0v	0.0v	49.2v	45.1v	46.3v	73.7v	99.10v	42.0v	74.7v	496.34v
759	Mr MB Benka	T	55.1v	58.3v	38.0v	27.0v	38.2v	43.1v	45.2v	57.3v	65.2v	4.0v	62.2v	492.16v
760	LCpl R Butt	T	51.0v	62.6v	40.2v	40.3v	38.1v	36.2v	11.0v	60.3v	61.4v	22.0v	62.3v	483.24v
761	Mr JPS Bloomfield	X	0.0v	69.7v	49.3v	50.4v	49.5v	47.6v	0.0v	73.8v	100.10v	45.3v	0.0v	482.46v
762	Mr AJCB de Launay	O	68.4v	72.5v	48.4v	44.3v	0.0v	0.0v	45.3v	72.4v	63.4v	0.0v	69.5v	481.32v
763	LCpl G Manchip	T	62.1v	41.0v	29.1v	33.2v	38.2v	45.3v	0.0v	65.4v	61.1v	37.0v	66.5v	477.19v
764	Dr PD Sykes	X	75.12v	74.9v	50.10v	48.8v	0.0v	0.0v	49.7v	0.0v	105.18v	0.0v	73.8v	474.72v
765	Mr BJA Parke	O	65.2v	66.4v	43.2v	39.2v	37.1v	38.1v	38.2v	50.3v	0.0v	31.1v	63.9v	470.27v
766	Mr SJ Ayres	O	13.0v	62.1v	44.0v	44.1v	42.1v	45.1v	45.3v	58.2v	0.0v	42.0v	68.4v	463.13v

