

NRA 144th Imperial Meeting

Grand Aggregate (as at Tuesday, 16th July 2013)

		DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	Corp	POW	Total	
1	Mr DC Luckman	X	75.12v	75.13v	50.7v	50.8v	49.7v	48.5v	0.0v	0.0v	0.0v	49.7v	0.0v	396.59v
2	Mr JP Bailey	X	75.13v	75.9v	49.5v	50.8v	50.6v	49.6v	0.0v	0.0v	0.0v	48.6v	0.0v	396.53v
3	Miss JH Messer	X	74.10v	73.9v	50.7v	50.5v	50.7v	47.5v	0.0v	0.0v	0.0v	50.6v	0.0v	394.49v
4	Mr ERT Jeens	X	74.6v	75.10v	50.8v	50.7v	47.4v	49.6v	0.0v	0.0v	0.0v	49.6v	0.0v	394.47v
5	Mr IW Robertson	X	74.11v	73.6v	50.4v	49.7v	49.6v	50.8v	0.0v	0.0v	0.0v	49.4v	0.0v	394.46v
6	Mr SJ East	X	73.6v	74.11v	50.6v	50.7v	50.5v	49.6v	0.0v	0.0v	0.0v	48.4v	0.0v	394.45v
7	Mr J Corbett	X	74.11v	75.15v	50.6v	50.10v	50.7v	50.7v	0.0v	0.0v	0.0v	44.1v	0.0v	393.57v
8	Mr GA Cann	X	73.10v	75.12v	50.8v	49.4v	48.4v	50.8v	0.0v	0.0v	0.0v	48.4v	0.0v	393.50v
9	Mr TJD Raincock	X	75.13v	75.9v	48.4v	50.7v	50.7v	50.6v	0.0v	0.0v	0.0v	45.3v	0.0v	393.49v
10	Mr P Patel	X	75.11v	75.8v	50.9v	48.4v	49.5v	48.5v	0.0v	0.0v	0.0v	48.6v	0.0v	393.48v
11	Mr DR Cadden	X	72.8v	75.12v	50.6v	50.3v	50.5v	49.6v	0.0v	0.0v	0.0v	47.4v	0.0v	393.44v
12	Mr RJ Lygoe	O	73.8v	73.7v	50.6v	49.4v	49.5v	49.4v	0.0v	0.0v	0.0v	50.3v	0.0v	393.37v
13	Mr GE Morris	X	75.13v	74.10v	50.9v	49.3v	49.8v	50.6v	0.0v	0.0v	0.0v	45.1v	0.0v	392.50v
14	Wg. Cdr. DP Calvert MBE RAF	X	73.7v	75.10v	50.9v	50.9v	48.4v	48.5v	0.0v	0.0v	0.0v	48.3v	0.0v	392.47v
15	Mr DL Le Quesne	X	74.10v	74.9v	49.6v	48.4v	49.6v	48.6v	0.0v	0.0v	0.0v	50.5v	0.0v	392.46v
16	Dr HHG Pollock	X	75.7v	75.9v	50.9v	44.1v	50.6v	50.8v	0.0v	0.0v	0.0v	48.5v	0.0v	392.45v
17	Mr RCT Jeens	A	74.8v	73.8v	50.8v	50.7v	50.6v	49.4v	0.0v	0.0v	0.0v	46.4v	0.0v	392.45v
18	Mr NBS Logan	X	75.7v	72.7v	50.8v	49.6v	50.5v	48.5v	0.0v	0.0v	0.0v	48.6v	0.0v	392.44v
19	Miss JM Rankin	X	73.8v	73.6v	49.7v	48.4v	50.5v	50.7v	0.0v	0.0v	0.0v	49.6v	0.0v	392.43v
20	Mr ASH McCullough	X	75.10v	73.8v	48.6v	49.5v	50.7v	50.8v	0.0v	0.0v	0.0v	46.5v	0.0v	391.49v
21	Mr TP Clarke	A	75.10v	75.9v	49.8v	46.5v	50.6v	49.5v	0.0v	0.0v	0.0v	47.5v	0.0v	391.48v
22	Mr JAM Paton	X	74.11v	72.8v	49.6v	50.5v	50.7v	49.5v	0.0v	0.0v	0.0v	47.3v	0.0v	391.45v
23	Mr JC Underwood	X	74.8v	75.12v	50.8v	47.3v	50.7v	48.5v	0.0v	0.0v	0.0v	47.2v	0.0v	391.45v
24	Mr GW Woodman	A	74.10v	74.8v	50.4v	50.7v	50.6v	49.8v	0.0v	0.0v	0.0v	44.2v	0.0v	391.45v
25	Mr R McQuillan	X	74.6v	72.8v	49.8v	49.3v	50.8v	50.7v	0.0v	0.0v	0.0v	47.4v	0.0v	391.44v
26	Mr CN Tremlett	X	75.12v	75.10v	50.4v	45.3v	50.7v	49.4v	0.0v	0.0v	0.0v	47.4v	0.0v	391.44v
27	Mr J N McLaren	X	73.8v	73.10v	50.5v	50.6v	48.5v	49.3v	0.0v	0.0v	0.0v	48.6v	0.0v	391.43v
28	Mr BA Horwood	A	74.8v	75.9v	49.6v	49.7v	50.4v	48.5v	0.0v	0.0v	0.0v	46.4v	0.0v	391.43v
29	Mr CA Brook	X	74.9v	73.10v	49.4v	50.6v	49.3v	50.5v	0.0v	0.0v	0.0v	46.3v	0.0v	391.40v
30	Dr PR Wheeler	O	71.2v	74.9v	50.8v	48.5v	50.5v	49.4v	0.0v	0.0v	0.0v	49.2v	0.0v	391.35v
31	Mr PG Kent GC	X	75.12v	74.9v	49.8v	49.8v	50.6v	48.4v	0.0v	0.0v	0.0v	45.3v	0.0v	390.50v
32	Mr SA Thomas	X	73.10v	74.11v	49.5v	49.3v	50.9v	50.6v	0.0v	0.0v	0.0v	45.5v	0.0v	390.49v
33	Dr JD Warburton	X	74.9v	72.8v	50.6v	49.5v	50.9v	49.5v	0.0v	0.0v	0.0v	46.5v	0.0v	390.47v
34	Mr JMA Thompson	X	73.11v	75.10v	48.6v	49.7v	50.7v	49.2v	0.0v	0.0v	0.0v	46.4v	0.0v	390.47v
35	Mr SM Negus	X	75.12v	73.6v	50.6v	47.5v	50.9v	49.5v	0.0v	0.0v	0.0v	46.4v	0.0v	390.47v
36	Mr DA Richardson	X	73.9v	74.11v	49.6v	50.6v	49.4v	50.7v	0.0v	0.0v	0.0v	45.2v	0.0v	390.45v
37	Mr MD Jenvey	O	74.9v	74.9v	49.6v	47.4v	50.5v	50.6v	0.0v	0.0v	0.0v	46.5v	0.0v	390.44v
38	Mr GK Alexander	X	73.9v	71.6v	50.6v	50.6v	48.7v	49.5v	0.0v	0.0v	0.0v	49.4v	0.0v	390.43v
39	Mr A Marion	X	74.8v	74.10v	49.7v	50.7v	49.4v	50.5v	0.0v	0.0v	0.0v	44.2v	0.0v	390.43v
40	Mr ML Millar	A	75.8v	73.10v	50.6v	48.5v	48.6v	47.3v	0.0v	0.0v	0.0v	49.4v	0.0v	390.42v
41	Mr D Coleman	A	75.11v	73.8v	50.8v	49.4v	49.3v	47.4v	0.0v	0.0v	0.0v	47.4v	0.0v	390.42v
42	Mr NJ Ball	X	75.10v	73.7v	50.8v	49.4v	49.6v	47.3v	0.0v	0.0v	0.0v	47.4v	0.0v	390.42v
43	Dr JR Deane	X	74.11v	74.8v	48.7v	47.6v	50.9v	48.4v	0.0v	0.0v	0.0v	48.6v	0.0v	389.51v
44	Mr FTG Amy	O	72.9v	74.9v	49.8v	49.6v	50.6v	50.6v	0.0v	0.0v	0.0v	45.3v	0.0v	389.47v
45	Mr JEM Bellringer	X	73.10v	75.9v	50.7v	45.3v	50.7v	49.7v	0.0v	0.0v	0.0v	47.3v	0.0v	389.46v
46	Mrs MM Norman	A	75.12v	73.8v	49.8v	45.2v	50.5v	49.6v	0.0v	0.0v	0.0v	48.3v	0.0v	389.44v
47	Mr DR Armstrong	X	74.8v	73.6v	50.7v	47.6v	50.5v	50.7v	0.0v	0.0v	0.0v	45.5v	0.0v	389.44v
48	Dr CD Haley	A	75.9v	75.8v	50.4v	43.4v	50.9v	48.4v	0.0v	0.0v	0.0v	48.5v	0.0v	389.43v
49	Mr PB Vamplew	X	75.12v	75.9v	49.6v	47.3v	49.4v	50.6v	0.0v	0.0v	0.0v	44.3v	0.0v	389.43v
50	Mr MCJ Button	A	74.10v	74.10v	50.5v	49.7v	47.2v	49.6v	0.0v	0.0v	0.0v	46.2v	0.0v	389.42v
51	Mr D Rose	X	75.9v	72.5v	50.5v	47.2v	50.6v	50.10v	0.0v	0.0v	0.0v	45.5v	0.0v	389.42v
52	Mr JA Watson	X	75.8v	75.13v	50.7v	47.3v	50.5v	49.4v	0.0v	0.0v	0.0v	43.2v	0.0v	389.42v
53	Dr JDS Langley	X	71.6v	73.8v	50.6v	48.3v	50.9v	50.7v	0.0v	0.0v	0.0v	47.2v	0.0v	389.41v
54	Mr DC Crispin	X	75.8v	74.7v	50.6v	45.3v	50.6v	48.5v	0.0v	0.0v	0.0v	47.4v	0.0v	389.39v

55	Mr SKC Hunter	X	75.8v	73.12v	49.7v	49.5v	46.6v	49.8v	0.0v	0.0v	0.0v	47.5v	0.0v	388.51v
56	Mr AK Henderson	X	73.5v	74.13v	50.9v	45.2v	50.9v	50.7v	0.0v	0.0v	0.0v	46.5v	0.0v	388.50v
57	Flt Lt NP Moxon	A	72.6v	74.9v	48.7v	49.4v	50.6v	48.8v	0.0v	0.0v	0.0v	47.5v	0.0v	388.45v
58	Capt AW Gill	X	75.12v	72.8v	46.2v	50.3v	49.5v	47.7v	0.0v	0.0v	0.0v	49.7v	0.0v	388.44v
59	Mr AJ Luckman	X	73.11v	73.6v	48.6v	47.4v	49.5v	49.4v	0.0v	0.0v	0.0v	49.4v	0.0v	388.40v
60	Dr J Mehta	O	72.6v	75.8v	49.7v	46.4v	50.5v	48.7v	0.0v	0.0v	0.0v	48.3v	0.0v	388.40v
61	Mr T Drysdale	X	73.9v	74.6v	50.5v	46.4v	50.3v	50.7v	0.0v	0.0v	0.0v	45.6v	0.0v	388.40v
62	Mr JWE Lewis	X	73.3v	73.9v	49.6v	48.4v	48.6v	50.7v	0.0v	0.0v	0.0v	47.2v	0.0v	388.37v
63	Miss JL Bale	A	74.7v	72.8v	49.5v	50.6v	48.4v	50.5v	0.0v	0.0v	0.0v	45.2v	0.0v	388.37v
64	Dr JO Ahrens	X	73.8v	68.6v	50.9v	49.5v	50.8v	50.5v	0.0v	0.0v	0.0v	47.7v	0.0v	387.48v
65	Mrs LK Mace	X	74.9v	72.9v	48.6v	47.4v	49.4v	49.9v	0.0v	0.0v	0.0v	48.6v	0.0v	387.47v
66	Mr ITG Shaw	X	75.12v	73.8v	49.9v	48.5v	49.6v	46.3v	0.0v	0.0v	0.0v	47.4v	0.0v	387.47v
67	Mr AC Haley	X	74.9v	75.12v	48.5v	45.3v	50.9v	50.6v	0.0v	0.0v	0.0v	45.3v	0.0v	387.47v
68	Mr RA Bale	A	72.8v	75.8v	49.5v	48.6v	49.9v	47.5v	0.0v	0.0v	0.0v	47.5v	0.0v	387.46v
69	Mr HAD Howard	A	70.7v	74.9v	47.4v	49.7v	50.6v	50.9v	0.0v	0.0v	0.0v	47.4v	0.0v	387.46v
70	Mr SJ Bissonnette	X	73.12v	73.8v	48.7v	48.4v	49.6v	48.5v	0.0v	0.0v	0.0v	48.3v	0.0v	387.45v
71	Capt AG McLean	X	72.8v	73.7v	49.7v	47.6v	50.6v	48.5v	0.0v	0.0v	0.0v	48.5v	0.0v	387.44v
72	Mr PJ Chance	O	74.11v	72.8v	48.6v	47.5v	49.6v	49.3v	0.0v	0.0v	0.0v	48.5v	0.0v	387.44v
73	Miss EJ Nuttall	X	75.9v	73.9v	49.5v	43.4v	49.8v	50.5v	0.0v	0.0v	0.0v	48.4v	0.0v	387.44v
74	Mr CES Dickenson	A	71.6v	74.9v	49.8v	47.5v	50.7v	49.5v	0.0v	0.0v	0.0v	47.4v	0.0v	387.44v
75	Mr NC Mace	X	72.7v	74.7v	48.8v	47.5v	49.7v	50.8v	0.0v	0.0v	0.0v	47.2v	0.0v	387.44v
76	Mr MJM Black	A	72.8v	74.5v	49.7v	45.3v	50.9v	50.7v	0.0v	0.0v	0.0v	47.4v	0.0v	387.43v
77	Mr FWA Coetzee	X	74.13v	73.6v	48.4v	47.5v	49.5v	50.6v	0.0v	0.0v	0.0v	46.4v	0.0v	387.43v
78	Mr KWD Ramsey	X	75.10v	73.8v	49.6v	50.4v	50.7v	45.3v	0.0v	0.0v	0.0v	45.3v	0.0v	387.41v
79	Mr AS Errey	A	72.10v	73.7v	48.5v	47.4v	49.5v	48.3v	0.0v	0.0v	0.0v	50.6v	0.0v	387.40v
80	Mr PA Haasbroek	X	75.12v	72.7v	48.5v	48.1v	50.10v	48.5v	0.0v	0.0v	0.0v	46.0v	0.0v	387.40v
81	Mr RSF Shouler	A	75.10v	71.5v	47.5v	48.2v	49.4v	49.9v	0.0v	0.0v	0.0v	48.4v	0.0v	387.39v
82	Mr RAH Vary	X	72.6v	74.4v	49.8v	50.7v	49.6v	49.5v	0.0v	0.0v	0.0v	44.3v	0.0v	387.39v
83	Mr PJ Johnson	A	74.5v	72.5v	48.7v	46.4v	49.7v	50.6v	0.0v	0.0v	0.0v	48.4v	0.0v	387.38v
84	Mr D de Vere	X	73.6v	73.7v	48.4v	48.5v	49.4v	48.5v	0.0v	0.0v	0.0v	48.6v	0.0v	387.37v
85	Miss H P McCullough	X	73.6v	74.8v	50.8v	48.3v	49.5v	49.7v	0.0v	0.0v	0.0v	44.0v	0.0v	387.37v
86	Mr WJ Rowland	A	73.8v	73.8v	50.4v	46.5v	47.2v	50.4v	0.0v	0.0v	0.0v	48.5v	0.0v	387.36v
87	Mr A Godliman	O	75.7v	71.5v	49.5v	50.7v	48.3v	49.4v	0.0v	0.0v	0.0v	45.4v	0.0v	387.35v
88	Dr AJ Pilgrim	X	74.7v	73.9v	49.3v	49.4v	49.7v	49.3v	0.0v	0.0v	0.0v	44.2v	0.0v	387.35v
89	Dr BJ Winney	O	73.9v	73.8v	50.3v	48.3v	50.6v	47.1v	0.0v	0.0v	0.0v	46.4v	0.0v	387.34v
90	Mrs CJ Clifford-Evans	A	71.4v	74.7v	50.8v	46.3v	49.7v	50.2v	0.0v	0.0v	0.0v	47.2v	0.0v	387.33v
91	Mr CJ Watson	X	72.5v	74.9v	50.7v	48.3v	49.3v	49.4v	0.0v	0.0v	0.0v	45.2v	0.0v	387.33v
92	Mr MRM Millar	X	74.7v	74.6v	50.4v	46.3v	50.6v	48.4v	0.0v	0.0v	0.0v	45.2v	0.0v	387.32v
93	Mr DE Nuthall	X	71.10v	73.9v	49.5v	46.2v	50.10v	49.7v	0.0v	0.0v	0.0v	48.4v	0.0v	386.47v
94	Mr S Young	X	74.8v	73.12v	50.6v	43.1v	49.6v	49.6v	0.0v	0.0v	0.0v	48.6v	0.0v	386.45v
95	Maj J Cload	X	75.11v	71.7v	49.7v	47.3v	49.6v	49.7v	0.0v	0.0v	0.0v	46.2v	0.0v	386.43v
96	Mr ER Welford	X	73.11v	74.7v	48.5v	46.3v	50.8v	47.4v	0.0v	0.0v	0.0v	48.4v	0.0v	386.42v
97	Mr TA Ringer	X	71.5v	72.9v	49.5v	49.6v	50.9v	48.4v	0.0v	0.0v	0.0v	47.4v	0.0v	386.42v
98	Mr BMA Stevens	A	71.6v	73.7v	49.6v	44.2v	50.7v	49.5v	0.0v	0.0v	0.0v	50.6v	0.0v	386.39v
99	Mr AG Mitchell	X	74.11v	72.5v	50.4v	46.4v	50.6v	47.5v	0.0v	0.0v	0.0v	47.4v	0.0v	386.39v
100	Mr TG Rylands	X	74.6v	69.5v	50.9v	45.2v	50.3v	50.8v	0.0v	0.0v	0.0v	48.5v	0.0v	386.38v
101	Mr S Belither	X	73.8v	71.4v	49.4v	49.7v	50.7v	48.4v	0.0v	0.0v	0.0v	46.4v	0.0v	386.38v
102	Mr RW Sandlant	X	74.7v	71.9v	49.4v	49.5v	50.5v	48.4v	0.0v	0.0v	0.0v	45.4v	0.0v	386.38v
103	Mr PAUL Tremblay	X	74.9v	73.9v	48.3v	50.5v	48.4v	50.6v	0.0v	0.0v	0.0v	43.2v	0.0v	386.38v
104	Mr GS Cotton	X	75.11v	71.8v	50.6v	45.1v	48.5v	49.3v	0.0v	0.0v	0.0v	48.2v	0.0v	386.36v
105	Mr WCP Richards	X	72.7v	72.5v	50.8v	48.3v	50.7v	48.1v	0.0v	0.0v	0.0v	46.5v	0.0v	386.36v
106	Mr BN Craig	A	71.4v	72.7v	49.6v	49.9v	49.3v	50.5v	0.0v	0.0v	0.0v	46.2v	0.0v	386.36v
107	Mr LM Peden	X	75.11v	71.5v	49.5v	48.6v	48.3v	49.5v	0.0v	0.0v	0.0v	46.1v	0.0v	386.36v
108	Mr GW Morgan	X	73.11v	74.6v	50.7v	49.4v	48.5v	48.1v	0.0v	0.0v	0.0v	44.1v	0.0v	386.35v
109	Mr SJ Carson	X	72.7v	71.6v	49.4v	48.4v	49.7v	49.5v	0.0v	0.0v	0.0v	48.1v	0.0v	386.34v
110	Mr CD Heales	O	75.6v	72.8v	49.6v	45.2v	50.6v	48.2v	0.0v	0.0v	0.0v	47.2v	0.0v	386.32v
111	B Hendrikz	T	74.10v	73.9v	49.7v	46.4v	49.7v	46.5v	0.0v	0.0v	0.0v	48.6v	0.0v	385.48v
112	Wg. Cdr. CJ Hockley OBE	A	72.7v	72.10v	50.7v	49.7v	49.7v	48.7v	0.0v	0.0v	0.0v	45.2v	0.0v	385.47v
113	Mr JA Lindsay III	A	74.10v	71.8v	50.9v	49.7v	49.6v	47.3v	0.0v	0.0v	0.0v	45.2v	0.0v	385.45v
114	Mr RH Gardiner	A	73.8v	73.7v	49.6v	45.2v	48.7v	48.6v	0.0v	0.0v	0.0v	49.7v	0.0v	385.43v
115	Mr JS Turley	O	72.6v	74.9v	49.6v	46.6v	50.6v	48.5v	0.0v	0.0v	0.0v	46.4v	0.0v	385.42v
116	Mr PA Maher	O	72.7v	75.8v	49.7v	47.5v	50.8v	47.5v	0.0v	0.0v	0.0v	45.2v	0.0v	385.42v
117	Mr RJS Curtis	A	72.8v	74.7v	49.7v	45.2v	49.6v	50.9v	0.0v	0.0v	0.0v	46.2v	0.0v	385.41v
118	Mr DG Young	X	73.7v	74.8v	48.6v	46.3v	50.7v	50.5v	0.0v	0.0v	0.0v	44.5v	0.0v	385.41v
119	2Lt PA Hatfield	O	73.8v	74.10v	48.2v	48.4v	47.5v	49.6v	0.0v	0.0v	0.0v	46.5v	0.0v	385.40v
120	Mr DS Murray	X	69.3v	74.9v	47.3v	49.6v	49.5v	49.7v	0.0v	0.0v	0.0v	48.6v	0.0v	385.39v
121	Mr JR Dunbar	A	73.10v	72.6v	50.7v	46.3v	50.5v	47.3v	0.0v	0.0v	0.0v	47.5v	0.0v	385.39v
122	Mr MG Whicher	X	75.11v	73.5v	49.3v	46.2v	48.8v	49.8v	0.0v	0.0v	0.0v	45.2v	0.0v	385.39v
123	Dr C I Johnston	X	73.4v	72.8v	49.6v	46.4v	49.8v	48.3v	0.0v	0.0v	0.0v	48.5v	0.0v	385.38v
124	Mr MJ Purdy	X	72.4v	74.9v	46.4v	50.5v	49.6v	50.8v	0.0v	0.0v	0.0v	44.2v	0.0v	385.38v
125	Z Zain	X	72.8v	71.8v	45.1v	50.5v	49.5v	49.3v	0.0v	0.0v	0.0v	49.7v	0.0v	385.37v

126	Mr HA Day	X	73.7v	72.9v	49.8v	46.1v	49.3v	48.6v	0.0v	0.0v	0.0v	48.2v	0.0v	385.36v
127	Miss LR Mckerrell	O	71.6v	74.7v	47.6v	49.4v	50.5v	49.5v	0.0v	0.0v	0.0v	45.3v	0.0v	385.36v
128	Mr RAV Hebblethwaite	A	71.6v	75.7v	50.5v	45.3v	49.8v	48.6v	0.0v	0.0v	0.0v	47.0v	0.0v	385.35v
129	Cdt AD Partridge	O	74.9v	71.3v	47.3v	47.2v	50.7v	50.7v	0.0v	0.0v	0.0v	46.4v	0.0v	385.35v
130	Pte L Bennett	T	74.8v	74.10v	47.3v	47.2v	50.8v	47.2v	0.0v	0.0v	0.0v	46.2v	0.0v	385.35v
131	Mr IP Davison	X	74.5v	75.8v	48.3v	45.5v	50.7v	47.3v	0.0v	0.0v	0.0v	46.3v	0.0v	385.34v
132	Mr SG Hunt	X	72.6v	70.5v	50.4v	46.3v	50.6v	50.4v	0.0v	0.0v	0.0v	47.5v	0.0v	385.33v
133	Mr GV Feast	O	68.6v	73.7v	50.4v	50.3v	48.4v	47.3v	0.0v	0.0v	0.0v	49.5v	0.0v	385.32v
134	Mr M Liversage	O	70.4v	73.6v	49.5v	47.4v	50.5v	50.5v	0.0v	0.0v	0.0v	46.2v	0.0v	385.31v
135	Mr JR Tuck	X	73.10v	72.7v	50.6v	48.5v	50.7v	44.7v	0.0v	0.0v	0.0v	47.5v	0.0v	384.47v
136	Miss EG Joseph	A	72.12v	75.11v	50.7v	44.2v	48.7v	48.5v	0.0v	0.0v	0.0v	47.3v	0.0v	384.47v
137	Mr C Fitzpatrick	X	73.9v	74.10v	49.6v	46.3v	49.7v	50.8v	0.0v	0.0v	0.0v	43.3v	0.0v	384.46v
138	Mr PM Lanigan	X	74.9v	71.9v	49.8v	48.3v	50.7v	48.6v	0.0v	0.0v	0.0v	44.2v	0.0v	384.44v
139	Mr JS Shepherd	O	74.7v	74.10v	46.4v	46.4v	49.8v	49.4v	0.0v	0.0v	0.0v	46.6v	0.0v	384.43v
140	Mr R Birtwistle	X	75.13v	74.8v	46.5v	45.3v	49.6v	49.5v	0.0v	0.0v	0.0v	46.1v	0.0v	384.41v
141	Miss TJ Fitzsimons	O	72.9v	73.8v	50.5v	49.4v	49.4v	49.8v	0.0v	0.0v	0.0v	42.3v	0.0v	384.41v
142	Mr PR Thompson	X	70.7v	72.6v	50.6v	45.2v	49.5v	48.8v	0.0v	0.0v	0.0v	50.6v	0.0v	384.40v
143	Mr S Osmond	A	72.7v	72.8v	49.6v	47.4v	49.8v	47.4v	0.0v	0.0v	0.0v	48.3v	0.0v	384.40v
144	Mr CA Skellett	O	70.6v	74.10v	50.5v	48.5v	49.5v	50.7v	0.0v	0.0v	0.0v	43.2v	0.0v	384.40v
145	Mr ATB Tompson	X	71.8v	72.5v	50.5v	46.4v	47.5v	50.7v	0.0v	0.0v	0.0v	48.3v	0.0v	384.37v
146	Miss GE Coburn	O	74.10v	72.6v	50.6v	47.4v	48.6v	48.3v	0.0v	0.0v	0.0v	45.2v	0.0v	384.37v
147	Mr M D Joyce	A	73.7v	72.8v	50.5v	48.6v	50.5v	48.5v	0.0v	0.0v	0.0v	43.1v	0.0v	384.37v
148	Mr P Westlake	X	71.7v	72.5v	50.7v	49.6v	49.5v	49.4v	0.0v	0.0v	0.0v	44.1v	0.0v	384.35v
149	Mr OG Graziosi	O	71.6v	72.5v	49.5v	50.5v	50.5v	48.3v	0.0v	0.0v	0.0v	44.3v	0.0v	384.32v
150	Mr DL Wiles	O	71.5v	73.5v	50.7v	46.3v	50.3v	48.4v	0.0v	0.0v	0.0v	46.4v	0.0v	384.31v
151	Mr MJ Barlow	X	74.7v	71.7v	47.5v	48.2v	48.2v	48.3v	0.0v	0.0v	0.0v	48.3v	0.0v	384.29v
152	S Ishak	T	70.6v	75.9v	49.8v	45.5v	50.9v	50.6v	0.0v	0.0v	0.0v	44.1v	0.0v	383.44v
153	Mr PD Griggs	X	71.9v	74.9v	49.6v	43.2v	50.6v	49.7v	0.0v	0.0v	0.0v	47.4v	0.0v	383.43v
154	Mr TM Green	A	73.10v	74.8v	50.9v	46.1v	49.8v	48.6v	0.0v	0.0v	0.0v	43.1v	0.0v	383.43v
155	Mr DJ Archer	A	73.9v	71.7v	47.3v	48.5v	50.6v	48.6v	0.0v	0.0v	0.0v	46.6v	0.0v	383.42v
156	Mr TW Hunter	X	73.7v	75.11v	50.6v	47.5v	49.4v	47.5v	0.0v	0.0v	0.0v	42.2v	0.0v	383.40v
157	Mr CJ Morton	X	74.9v	73.9v	48.5v	49.5v	50.4v	45.2v	0.0v	0.0v	0.0v	44.5v	0.0v	383.39v
158	Mr MF Martel	A	72.7v	74.11v	49.2v	46.4v	49.6v	46.3v	0.0v	0.0v	0.0v	47.5v	0.0v	383.38v
159	Dr JS Rennie	A	71.7v	75.8v	47.2v	47.4v	49.8v	48.5v	0.0v	0.0v	0.0v	46.4v	0.0v	383.38v
160	Mr J Ford	A	69.4v	74.9v	49.7v	45.2v	50.6v	50.7v	0.0v	0.0v	0.0v	46.3v	0.0v	383.38v
161	Mr MSE Firman	O	72.8v	73.7v	49.7v	47.1v	47.5v	48.3v	0.0v	0.0v	0.0v	47.6v	0.0v	383.37v
162	Sgt. RH Kitson	A	73.9v	71.4v	50.8v	50.6v	45.3v	48.4v	0.0v	0.0v	0.0v	46.3v	0.0v	383.37v
163	Mr R Kloosterman	O	74.8v	73.8v	50.8v	47.1v	48.4v	50.5v	0.0v	0.0v	0.0v	41.3v	0.0v	383.37v
164	Mr J Alexander	X	73.9v	72.7v	48.5v	47.3v	50.6v	47.5v	0.0v	0.0v	0.0v	46.1v	0.0v	383.36v
165	Mr DJ Gass	X	71.4v	72.7v	50.5v	47.3v	49.8v	49.6v	0.0v	0.0v	0.0v	45.3v	0.0v	383.36v
166	Mr PWG Glen	O	75.13v	73.5v	49.4v	45.2v	47.6v	49.5v	0.0v	0.0v	0.0v	45.1v	0.0v	383.36v
167	Mr TLW Kidner	X	72.9v	74.10v	48.4v	49.4v	47.5v	50.4v	0.0v	0.0v	0.0v	43.0v	0.0v	383.36v
168	Dr AM Jory	X	72.7v	72.5v	49.5v	46.4v	49.7v	47.5v	0.0v	0.0v	0.0v	48.2v	0.0v	383.35v
169	Mr SJ Comins	O	70.6v	73.8v	49.4v	47.5v	49.7v	49.3v	0.0v	0.0v	0.0v	46.2v	0.0v	383.35v
170	Mr IDC Brechin	A	72.6v	73.8v	48.4v	44.2v	49.6v	48.4v	0.0v	0.0v	0.0v	49.3v	0.0v	383.33v
171	Mr JGM Webster	X	70.6v	73.6v	47.3v	49.6v	48.5v	49.4v	0.0v	0.0v	0.0v	47.2v	0.0v	383.32v
172	Mr NJ Verduyn	O	68.6v	71.6v	48.4v	49.1v	50.5v	50.8v	0.0v	0.0v	0.0v	47.1v	0.0v	383.31v
173	Mr JA Anderson	A	72.0v	73.7v	49.3v	41.3v	50.9v	49.5v	0.0v	0.0v	0.0v	49.3v	0.0v	383.30v
174	Dr JC Jobling	O	74.6v	72.5v	47.3v	42.0v	50.4v	50.4v	0.0v	0.0v	0.0v	48.3v	0.0v	383.25v
175	Mr BJ Le Cheminant	X	71.8v	73.11v	49.5v	49.3v	49.6v	49.7v	0.0v	0.0v	0.0v	42.4v	0.0v	382.44v
176	Mr M J Ensor	X	69.4v	72.9v	50.7v	46.5v	49.6v	49.9v	0.0v	0.0v	0.0v	47.3v	0.0v	382.43v
177	Mr JA Haward	X	75.13v	72.10v	49.6v	45.3v	48.6v	49.4v	0.0v	0.0v	0.0v	44.1v	0.0v	382.43v
178	Mr TP Hammond	A	68.4v	74.11v	49.6v	48.5v	46.3v	50.7v	0.0v	0.0v	0.0v	47.5v	0.0v	382.41v
179	Col FC Sykes	O	74.10v	74.11v	48.3v	45.3v	48.5v	49.6v	0.0v	0.0v	0.0v	44.3v	0.0v	382.41v
180	Mr RJ Booth	X	70.6v	72.7v	50.8v	45.2v	50.8v	49.6v	0.0v	0.0v	0.0v	46.3v	0.0v	382.40v
181	RW Smith	O	70.5v	73.6v	50.7v	50.7v	48.5v	47.5v	0.0v	0.0v	0.0v	44.4v	0.0v	382.39v
182	Major AR McLeod	X	75.8v	74.8v	49.7v	43.2v	50.7v	49.5v	0.0v	0.0v	0.0v	42.2v	0.0v	382.39v
183	Mr APW Daw	X	70.3v	72.9v	48.8v	49.7v	47.4v	48.6v	0.0v	0.0v	0.0v	48.1v	0.0v	382.38v
184	Mr DA Taylor	A	72.7v	72.9v	48.5v	48.4v	47.3v	49.6v	0.0v	0.0v	0.0v	46.4v	0.0v	382.38v
185	Mr SW Maris	O	72.9v	73.7v	49.3v	44.3v	50.7v	50.6v	0.0v	0.0v	0.0v	44.3v	0.0v	382.38v
186	Mr GR Bowman	X	75.10v	73.7v	48.6v	48.4v	48.7v	49.3v	0.0v	0.0v	0.0v	41.1v	0.0v	382.38v
187	Mr MW Silver	X	73.6v	75.9v	49.6v	39.3v	49.4v	49.5v	0.0v	0.0v	0.0v	48.4v	0.0v	382.37v
188	Mr PM Jory	X	72.9v	71.6v	49.4v	44.3v	48.4v	50.8v	0.0v	0.0v	0.0v	48.3v	0.0v	382.37v
189	Mr MA Kirillo-Stacewicz	X	70.6v	74.7v	50.7v	49.5v	50.6v	45.3v	0.0v	0.0v	0.0v	44.3v	0.0v	382.37v
190	Mr JM Taylor	X	71.7v	72.9v	47.1v	49.5v	49.7v	50.7v	0.0v	0.0v	0.0v	44.1v	0.0v	382.37v
191	Mr BJ Wood	O	75.13v	71.6v	46.4v	49.2v	50.5v	48.5v	0.0v	0.0v	0.0v	43.2v	0.0v	382.37v
192	Mr R.L. Johnson	O	70.4v	73.8v	49.9v	47.3v	50.5v	49.5v	0.0v	0.0v	0.0v	44.2v	0.0v	382.36v
193	Major JRW Postle	A	72.7v	71.10v	49.6v	45.0v	49.4v	49.6v	0.0v	0.0v	0.0v	47.2v	0.0v	382.35v
194	Mr KM Willingale	A	73.9v	73.10v	47.4v	44.2v	50.5v	49.4v	0.0v	0.0v	0.0v	46.1v	0.0v	382.35v
195	Mr JA Borland	A	71.5v	71.6v	50.8v	45.2v	49.5v	48.4v	0.0v	0.0v	0.0v	48.4v	0.0v	382.34v
196	Mr B Taylor	O	74.7v	73.6v	46.4v	46.3v	49.6v	50.6v	0.0v	0.0v	0.0v	44.2v	0.0v	382.34v

197	Mr KO Pugh	A	74.8v	71.7v	50.7v	46.2v	48.6v	49.4v	0.0v	0.0v	0.0v	44.0v	0.0v	382.34v
198	Mr THD Dodds	O	71.8v	73.7v	50.6v	48.1v	49.6v	49.6v	0.0v	0.0v	0.0v	42.0v	0.0v	382.34v
199	Mr SDJ Glanville	O	74.10v	69.5v	50.4v	46.3v	49.4v	48.5v	0.0v	0.0v	0.0v	46.2v	0.0v	382.33v
200	Miss JE Ouston	A	72.7v	73.6v	49.3v	48.4v	48.7v	47.3v	0.0v	0.0v	0.0v	45.3v	0.0v	382.33v