

## NRA 144th Imperial Meeting

### Grand Aggregate (as at Tuesday, 16th July 2013)

		DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	Corp	POW	Total	
1	Mr DC Luckman	X	75.12v	75.13v	50.7v	50.8v	49.7v	48.5v	0.0v	75.11v	0.0v	49.7v	0.0v	471.70v
2	Mr JP Bailey	X	75.13v	75.9v	49.5v	50.8v	50.6v	49.6v	0.0v	75.13v	0.0v	48.6v	0.0v	471.66v
3	Mr SJ East	X	73.6v	74.11v	50.6v	50.7v	50.5v	49.6v	0.0v	75.11v	0.0v	48.4v	0.0v	469.56v
4	Mr P Patel	X	75.11v	75.8v	50.9v	48.4v	49.5v	48.5v	0.0v	75.14v	0.0v	48.6v	0.0v	468.62v
5	Mr TJD Raincock	X	75.13v	75.9v	48.4v	50.7v	50.7v	50.6v	0.0v	75.13v	0.0v	45.3v	0.0v	468.62v
6	Miss JH Messer	X	74.10v	73.9v	50.7v	50.5v	50.7v	47.5v	0.0v	74.6v	0.0v	50.6v	0.0v	468.55v
7	Mr GA Cann	X	73.10v	75.12v	50.8v	49.4v	48.4v	50.8v	0.0v	74.11v	0.0v	48.4v	0.0v	467.61v
8	Mr GE Morris	X	75.13v	74.10v	50.9v	49.3v	49.8v	50.6v	0.0v	75.11v	0.0v	45.1v	0.0v	467.61v
9	Wg. Cdr. DP Calvert MBE RAF	X	73.7v	75.10v	50.9v	50.9v	48.4v	48.5v	0.0v	75.13v	0.0v	48.3v	0.0v	467.60v
10	Miss JM Rankin	X	73.8v	73.6v	49.7v	48.4v	50.5v	50.7v	0.0v	75.14v	0.0v	49.6v	0.0v	467.57v
11	Dr HHG Pollock	X	75.7v	75.9v	50.9v	44.1v	50.6v	50.8v	0.0v	75.11v	0.0v	48.5v	0.0v	467.56v
12	Mr DR Cadden	X	72.8v	75.12v	50.6v	50.3v	50.5v	49.6v	0.0v	74.10v	0.0v	47.4v	0.0v	467.54v
13	Mr NBS Logan	X	75.7v	72.7v	50.8v	49.6v	50.5v	48.5v	0.0v	75.9v	0.0v	48.6v	0.0v	467.53v
14	Mr RCT Jeens	A	74.8v	73.8v	50.8v	50.7v	50.6v	49.4v	0.0v	75.8v	0.0v	46.4v	0.0v	467.53v
15	Mr J Corbett	X	74.11v	75.15v	50.6v	50.10v	50.7v	50.7v	0.0v	73.8v	0.0v	44.1v	0.0v	466.65v
16	Mr JAM Paton	X	74.11v	72.8v	49.6v	50.5v	50.7v	49.5v	0.0v	75.13v	0.0v	47.3v	0.0v	466.58v
17	Mr CN Tremlett	X	75.12v	75.10v	50.4v	45.3v	50.7v	49.4v	0.0v	75.13v	0.0v	47.4v	0.0v	466.57v
18	Mr ERT Jeens	X	74.6v	75.10v	50.8v	50.7v	47.4v	49.6v	0.0v	72.8v	0.0v	49.6v	0.0v	466.55v
19	Mr BA Horwood	A	74.8v	75.9v	49.6v	49.7v	50.4v	48.5v	0.0v	75.8v	0.0v	46.4v	0.0v	466.51v
20	Mr RJ Lygoe	O	73.8v	73.7v	50.6v	49.4v	49.5v	49.4v	0.0v	73.11v	0.0v	50.3v	0.0v	466.48v
21	Mr ASH McCullough	X	75.10v	73.8v	48.6v	49.5v	50.7v	50.8v	0.0v	74.13v	0.0v	46.5v	0.0v	465.62v
22	Mr SA Thomas	X	73.10v	74.11v	49.5v	49.3v	50.9v	50.6v	0.0v	75.13v	0.0v	45.5v	0.0v	465.62v
23	Mr PG Kent GC	X	75.12v	74.9v	49.8v	49.8v	50.6v	48.4v	0.0v	75.12v	0.0v	45.3v	0.0v	465.62v
24	Mr SM Negus	X	75.12v	73.6v	50.6v	47.5v	50.9v	49.5v	0.0v	75.13v	0.0v	46.4v	0.0v	465.60v
25	Mr GW Woodman	A	74.10v	74.8v	50.4v	50.7v	50.6v	49.8v	0.0v	74.13v	0.0v	44.2v	0.0v	465.58v
26	Mr DL Le Quesne	X	74.10v	74.9v	49.6v	48.4v	49.6v	48.6v	0.0v	73.9v	0.0v	50.5v	0.0v	465.55v
27	Mr IW Robertson	X	74.11v	73.6v	50.4v	49.7v	49.6v	50.8v	0.0v	71.9v	0.0v	49.4v	0.0v	465.55v
28	Mr A Marion	X	74.8v	74.10v	49.7v	50.7v	49.4v	50.5v	0.0v	75.7v	0.0v	44.2v	0.0v	465.50v
29	Dr PR Wheeler	O	71.2v	74.9v	50.8v	48.5v	50.5v	49.4v	0.0v	74.6v	0.0v	49.2v	0.0v	465.41v
30	Dr CD Haley	A	75.9v	75.8v	50.4v	43.4v	50.9v	48.4v	0.0v	75.14v	0.0v	48.5v	0.0v	464.57v
31	Mr JEM Bellringer	X	73.10v	75.9v	50.7v	45.3v	50.7v	49.7v	0.0v	75.9v	0.0v	47.4v	0.0v	464.56v
32	Mr JC Underwood	X	74.8v	75.12v	50.8v	47.3v	50.7v	48.5v	0.0v	73.10v	0.0v	47.2v	0.0v	464.55v
33	Mr NJ Ball	X	75.10v	73.7v	50.8v	49.4v	49.6v	47.3v	0.0v	74.11v	0.0v	47.4v	0.0v	464.53v
34	Dr JDS Langley	X	71.6v	73.8v	50.6v	48.3v	50.9v	50.7v	0.0v	75.10v	0.0v	47.2v	0.0v	464.51v
35	Mr GK Alexander	X	73.9v	71.6v	50.6v	50.6v	48.7v	49.5v	0.0v	74.7v	0.0v	49.4v	0.0v	464.50v
36	Mr CA Brook	X	74.9v	73.10v	49.4v	50.6v	49.3v	50.5v	0.0v	73.7v	0.0v	46.3v	0.0v	464.47v
37	Dr JR Deane	X	74.11v	74.8v	48.7v	47.6v	50.9v	48.4v	0.0v	74.13v	0.0v	48.6v	0.0v	463.64v
38	Capt AW Gill	X	75.12v	72.8v	46.2v	50.3v	49.5v	47.7v	0.0v	75.13v	0.0v	49.7v	0.0v	463.57v
39	Mr TP Clarke	A	75.10v	75.9v	49.8v	46.5v	50.6v	49.5v	0.0v	72.8v	0.0v	47.5v	0.0v	463.56v
40	Mr JMA Thompson	X	73.11v	75.10v	48.6v	49.7v	50.7v	49.2v	0.0v	73.9v	0.0v	46.4v	0.0v	463.56v
41	Dr JD Warburton	X	74.9v	72.8v	50.6v	49.5v	50.9v	49.5v	0.0v	73.8v	0.0v	46.5v	0.0v	463.55v
42	Mr PB Vamplew	X	75.12v	75.9v	49.6v	47.3v	49.4v	50.6v	0.0v	74.11v	0.0v	44.3v	0.0v	463.54v
43	Mr JA Watson	X	75.8v	75.13v	50.7v	47.3v	50.5v	49.4v	0.0v	74.12v	0.0v	43.2v	0.0v	463.54v
44	Mr R McQuillan	X	74.6v	72.8v	49.8v	49.3v	50.8v	50.7v	0.0v	72.9v	0.0v	47.4v	0.0v	463.53v
45	Mr DR Armstrong	X	74.8v	73.6v	50.7v	47.6v	50.5v	50.7v	0.0v	74.9v	0.0v	45.5v	0.0v	463.53v
46	Mr DA Richardson	X	73.9v	74.11v	49.6v	50.6v	49.4v	50.7v	0.0v	73.6v	0.0v	45.2v	0.0v	463.51v
47	Mr MD Jenvey	O	74.9v	74.9v	49.6v	47.4v	50.5v	50.6v	0.0v	73.6v	0.0v	46.5v	0.0v	463.50v
48	Mr T Drysdale	X	73.9v	74.6v	50.5v	46.4v	50.3v	50.7v	0.0v	75.9v	0.0v	45.6v	0.0v	463.49v
49	Mr DC Crispin	X	75.8v	74.7v	50.6v	45.3v	50.6v	48.5v	0.0v	74.8v	0.0v	47.4v	0.0v	463.47v
50	Mr JWE Lewis	X	73.3v	73.9v	49.6v	48.4v	48.6v	50.7v	0.0v	75.10v	0.0v	47.2v	0.0v	463.47v
51	Mr AC Haley	X	74.9v	75.12v	48.5v	45.3v	50.9v	50.6v	0.0v	75.14v	0.0v	45.3v	0.0v	462.61v
52	Miss EJ Nuttall	X	75.9v	73.9v	49.5v	43.4v	49.8v	50.5v	0.0v	75.12v	0.0v	48.4v	0.0v	462.56v
53	Mr NC Mace	X	72.7v	74.7v	48.8v	47.5v	49.7v	50.8v	0.0v	75.12v	0.0v	47.2v	0.0v	462.56v
54	Mr FTG Amy	O	72.9v	74.9v	49.8v	49.6v	50.6v	50.6v	0.0v	73.6v	0.0v	45.3v	0.0v	462.53v

55	Mr AJ Luckman	X	73.11v	73.6v	48.6v	47.4v	49.5v	49.4v	0.0v	74.12v	0.0v	49.4v	0.0v	462.52v
56	Mr D Rose	X	75.9v	72.5v	50.5v	47.2v	50.6v	50.10v	0.0v	73.10v	0.0v	45.5v	0.0v	462.52v
57	Mr ML Millar	A	75.8v	73.10v	50.6v	48.5v	48.6v	47.3v	0.0v	72.9v	0.0v	49.4v	0.0v	462.51v
58	Mr PA Haasbroek	X	75.12v	72.7v	48.5v	48.1v	50.10v	48.5v	0.0v	75.11v	0.0v	46.0v	0.0v	462.51v
59	Mr J N McLaren	X	73.8v	73.10v	50.5v	50.6v	48.5v	49.3v	0.0v	71.7v	0.0v	48.6v	0.0v	462.50v
60	Mr MCJ Button	A	74.10v	74.10v	50.5v	49.7v	47.2v	49.6v	0.0v	73.7v	0.0v	46.2v	0.0v	462.49v
61	Mr CJ Watson	X	72.5v	74.9v	50.7v	48.3v	49.3v	49.4v	0.0v	75.13v	0.0v	45.2v	0.0v	462.46v
62	Dr AJ Pilgrim	X	74.7v	73.9v	49.3v	49.4v	49.7v	49.3v	0.0v	75.11v	0.0v	44.2v	0.0v	462.46v
63	Miss H P McCullough	X	73.6v	74.8v	50.8v	48.3v	49.5v	49.7v	0.0v	75.9v	0.0v	44.0v	0.0v	462.46v
64	Mr PJ Johnson	A	74.5v	72.5v	48.7v	46.4v	49.7v	50.6v	0.0v	75.7v	0.0v	48.4v	0.0v	462.45v
65	Mr DE Nuthall	X	71.10v	73.9v	49.5v	46.2v	50.10v	49.7v	0.0v	75.13v	0.0v	48.4v	0.0v	461.60v
66	Dr JO Ahrens	X	73.8v	68.6v	50.9v	49.5v	50.8v	50.5v	0.0v	74.12v	0.0v	47.7v	0.0v	461.60v
67	Mr SKC Hunter	X	75.8v	73.12v	49.7v	49.5v	46.6v	49.8v	0.0v	73.9v	0.0v	47.5v	0.0v	461.60v
68	Mr AK Henderson	X	73.5v	74.13v	50.9v	45.2v	50.9v	50.7v	0.0v	73.10v	0.0v	46.5v	0.0v	461.60v
69	Mr ITG Shaw	X	75.12v	73.8v	49.9v	48.5v	49.6v	46.3v	0.0v	74.7v	0.0v	47.4v	0.0v	461.54v
70	Mr FWA Coetzee	X	74.13v	73.6v	48.4v	47.5v	49.5v	50.6v	0.0v	74.11v	0.0v	46.4v	0.0v	461.54v
71	Mr KWD Ramsey	X	75.10v	73.8v	49.6v	50.4v	50.7v	45.3v	0.0v	74.13v	0.0v	45.3v	0.0v	461.54v
72	Mr TA Ringer	X	71.5v	72.9v	49.5v	49.6v	50.9v	48.4v	0.0v	75.10v	0.0v	47.4v	0.0v	461.52v
73	Capt AG McLean	X	72.8v	73.7v	49.7v	47.6v	50.6v	48.5v	0.0v	74.7v	0.0v	48.5v	0.0v	461.51v
74	Mr ER Welford	X	73.11v	74.7v	48.5v	46.3v	50.8v	47.4v	0.0v	75.9v	0.0v	48.4v	0.0v	461.51v
75	Mrs MM Norman	A	75.12v	73.8v	49.8v	45.2v	50.5v	49.6v	0.0v	72.7v	0.0v	48.3v	0.0v	461.51v
76	Flt Lt NP Moxon	A	72.6v	74.9v	48.7v	49.4v	50.6v	48.8v	0.0v	73.6v	0.0v	47.5v	0.0v	461.51v
77	Mr AG Mitchell	X	74.11v	72.5v	50.4v	46.4v	50.6v	47.5v	0.0v	75.12v	0.0v	47.4v	0.0v	461.51v
78	Mr WJ Rowland	A	73.8v	73.8v	50.4v	46.5v	47.2v	50.4v	0.0v	74.10v	0.0v	48.5v	0.0v	461.46v
79	Mr D de Vere	X	73.6v	73.7v	48.4v	48.5v	49.4v	48.5v	0.0v	74.8v	0.0v	48.6v	0.0v	461.45v
80	Miss JL Bale	A	74.7v	72.8v	49.5v	50.6v	48.4v	50.5v	0.0v	73.4v	0.0v	45.2v	0.0v	461.41v
81	Mr MRM Millar	X	74.7v	74.6v	50.4v	46.3v	50.6v	48.4v	0.0v	74.8v	0.0v	45.2v	0.0v	461.40v
82	Mr S Young	X	74.8v	73.12v	50.6v	43.1v	49.6v	49.6v	0.0v	74.13v	0.0v	48.6v	0.0v	460.58v
83	Mrs LK Mace	X	74.9v	72.9v	48.6v	47.4v	49.4v	49.9v	0.0v	73.10v	0.0v	48.6v	0.0v	460.57v
84	Mr HAD Howard	A	70.7v	74.9v	47.4v	49.7v	50.6v	50.9v	0.0v	73.11v	0.0v	47.4v	0.0v	460.57v
85	Mr RA Bale	A	72.8v	75.8v	49.5v	48.6v	49.9v	47.5v	0.0v	73.9v	0.0v	47.5v	0.0v	460.55v
86	Mr PJ Chance	O	74.11v	72.8v	48.6v	47.5v	49.6v	49.3v	0.0v	73.10v	0.0v	48.5v	0.0v	460.54v
87	Mr JS Turley	O	72.6v	74.9v	49.6v	46.6v	50.6v	48.5v	0.0v	75.10v	0.0v	46.4v	0.0v	460.52v
88	Mr RJS Curtis	A	72.8v	74.7v	49.7v	45.2v	49.6v	50.9v	0.0v	75.11v	0.0v	46.2v	0.0v	460.52v
89	Maj J Cload	X	75.11v	71.7v	49.7v	47.3v	49.6v	49.7v	0.0v	74.8v	0.0v	46.2v	0.0v	460.51v
90	Mr RAH Vary	X	72.6v	74.4v	49.8v	50.7v	49.6v	49.5v	0.0v	73.12v	0.0v	44.3v	0.0v	460.51v
91	Mr RSF Shouler	A	75.10v	71.5v	47.5v	48.2v	49.4v	49.9v	0.0v	73.11v	0.0v	48.4v	0.0v	460.50v
92	Mr BMA Stevens	A	71.6v	73.7v	49.6v	44.2v	50.7v	49.5v	0.0v	74.9v	0.0v	50.6v	0.0v	460.48v
93	Mr PAUL Tremblay	X	74.9v	73.9v	48.3v	50.5v	48.4v	50.6v	0.0v	74.10v	0.0v	43.2v	0.0v	460.48v
94	Mr BN Craig	A	71.4v	72.7v	49.6v	49.9v	49.3v	50.5v	0.0v	74.11v	0.0v	46.2v	0.0v	460.47v
95	Dr C I Johnston	X	73.4v	72.8v	49.6v	46.4v	49.8v	48.3v	0.0v	75.8v	0.0v	48.5v	0.0v	460.46v
96	Pte L Bennett	T	74.8v	74.10v	47.3v	47.2v	50.8v	47.2v	0.0v	75.11v	0.0v	46.2v	0.0v	460.46v
97	Mr LM Peden	X	75.11v	71.5v	49.5v	48.6v	48.3v	49.5v	0.0v	74.10v	0.0v	46.1v	0.0v	460.46v
98	Mr WCP Richards	X	72.7v	72.5v	50.8v	48.3v	50.7v	48.1v	0.0v	74.9v	0.0v	46.5v	0.0v	460.45v
99	Mr S Belither	X	73.8v	71.4v	49.4v	49.7v	50.7v	48.4v	0.0v	74.6v	0.0v	46.4v	0.0v	460.44v
100	Mr IP Davison	X	74.5v	75.8v	48.3v	45.5v	50.7v	47.3v	0.0v	75.10v	0.0v	46.3v	0.0v	460.44v
101	Mr HA Day	X	73.7v	72.9v	49.8v	46.1v	49.3v	48.6v	0.0v	75.7v	0.0v	48.2v	0.0v	460.43v
102	Mr CD Heales	O	75.6v	72.8v	49.6v	45.2v	50.6v	48.2v	0.0v	74.7v	0.0v	47.2v	0.0v	460.39v
103	Miss EG Joseph	A	72.12v	75.11v	50.7v	44.2v	48.7v	48.5v	0.0v	75.12v	0.0v	47.3v	0.0v	459.59v
104	Mr JR Tuck	X	73.10v	72.7v	50.6v	48.5v	50.7v	44.7v	0.0v	75.11v	0.0v	47.5v	0.0v	459.58v
105	Wg. Cdr. CJ Hockley OBE	A	72.7v	72.10v	50.7v	49.7v	49.7v	48.7v	0.0v	74.11v	0.0v	45.2v	0.0v	459.58v
106	Mr C Fitzpatrick	X	73.9v	74.10v	49.6v	46.3v	49.7v	50.8v	0.0v	75.10v	0.0v	43.3v	0.0v	459.56v
107	Mr RH Gardiner	A	73.8v	73.7v	49.6v	45.2v	48.7v	48.6v	0.0v	74.11v	0.0v	49.7v	0.0v	459.54v
108	Mr SJ Bissonnette	X	73.12v	73.8v	48.7v	48.4v	49.6v	48.5v	0.0v	72.7v	0.0v	48.3v	0.0v	459.52v
109	Mr S Osmond	A	72.7v	72.8v	49.6v	47.4v	49.8v	47.4v	0.0v	75.12v	0.0v	48.3v	0.0v	459.52v
110	Mr JA Lindsay III	A	74.10v	71.8v	50.9v	49.7v	49.6v	47.3v	0.0v	74.7v	0.0v	45.2v	0.0v	459.52v
111	Mr PA Maher	O	72.7v	75.8v	49.7v	47.5v	50.8v	47.5v	0.0v	74.10v	0.0v	45.2v	0.0v	459.52v
112	Mr CES Dickenson	A	71.6v	74.9v	49.8v	47.5v	50.7v	49.5v	0.0v	72.7v	0.0v	47.4v	0.0v	459.51v
113	Mr MJM Black	A	72.8v	74.5v	49.7v	45.3v	50.9v	50.7v	0.0v	72.8v	0.0v	47.4v	0.0v	459.51v
114	Z Zain	X	72.8v	71.8v	45.1v	50.5v	49.5v	49.3v	0.0v	74.12v	0.0v	49.7v	0.0v	459.49v
115	2Lt PA Hatfield	O	73.8v	74.10v	48.2v	48.4v	47.5v	49.6v	0.0v	74.9v	0.0v	46.5v	0.0v	459.49v
116	Mr RW Sandlant	X	74.7v	71.9v	49.4v	49.5v	50.5v	48.4v	0.0v	73.11v	0.0v	45.4v	0.0v	459.49v
117	Mr TG Rylands	X	74.6v	69.5v	50.9v	45.2v	50.3v	50.8v	0.0v	73.10v	0.0v	48.5v	0.0v	459.48v
118	Mr MJ Purdy	X	72.4v	74.9v	46.4v	50.5v	49.6v	50.8v	0.0v	74.10v	0.0v	44.2v	0.0v	459.48v
119	Cdt AD Partridge	O	74.9v	71.3v	47.3v	47.2v	50.7v	50.7v	0.0v	74.12v	0.0v	46.4v	0.0v	459.47v
120	Mr GS Cotton	X	75.11v	71.8v	50.6v	45.1v	48.5v	49.3v	0.0v	73.9v	0.0v	48.2v	0.0v	459.45v
121	Mr D Coleman	A	75.11v	73.8v	50.8v	49.4v	49.3v	47.4v	0.0v	69.3v	0.0v	47.4v	0.0v	459.45v
122	Mr MG Whicher	X	75.11v	73.5v	49.3v	46.2v	48.8v	49.8v	0.0v	74.6v	0.0v	45.2v	0.0v	459.45v
123	Mr M D Joyce	A	73.7v	72.8v	50.5v	48.6v	50.5v	48.5v	0.0v	75.8v	0.0v	43.1v	0.0v	459.45v
124	Mr RAV Hebblethwaite	A	71.6v	75.7v	50.5v	45.3v	49.8v	48.6v	0.0v	74.9v	0.0v	47.0v	0.0v	459.44v
125	Mr GW Morgan	X	73.11v	74.6v	50.7v	49.4v	48.5v	48.1v	0.0v	73.8v	0.0v	44.1v	0.0v	459.43v

126	Dr BJ Winney	O	73.9v	73.8v	50.3v	48.3v	50.6v	47.1v	0.0v	72.8v	0.0v	46.4v	0.0v	459.42v
127	Mr GV Feast	O	68.6v	73.7v	50.4v	50.3v	48.4v	47.3v	0.0v	74.9v	0.0v	49.5v	0.0v	459.41v
128	Miss LR Mckerrell	O	71.6v	74.7v	47.6v	49.4v	50.5v	49.5v	0.0v	74.5v	0.0v	45.3v	0.0v	459.41v
129	Mr J Pugsley	X	71.8v	72.8v	50.9v	46.7v	49.6v	48.7v	0.0v	75.11v	0.0v	47.2v	0.0v	458.58v
130	Mr PD Griggs	X	71.9v	74.9v	49.6v	43.2v	50.6v	49.7v	0.0v	75.11v	0.0v	47.4v	0.0v	458.54v
131	Mr DJ Archer	A	73.9v	71.7v	47.3v	48.5v	50.6v	48.6v	0.0v	75.12v	0.0v	46.6v	0.0v	458.54v
132	Mr JS Shepherd	O	74.7v	74.10v	46.4v	46.4v	49.8v	49.4v	0.0v	74.10v	0.0v	46.6v	0.0v	458.53v
133	Mr CJ Morton	X	74.9v	73.9v	48.5v	49.5v	50.4v	45.2v	0.0v	75.12v	0.0v	44.5v	0.0v	458.51v
134	Mr R Birtwistle	X	75.13v	74.8v	46.5v	45.3v	49.6v	49.5v	0.0v	74.9v	0.0v	46.1v	0.0v	458.50v
135	Mr DS Murray	X	69.3v	74.9v	47.3v	49.6v	49.5v	49.7v	0.0v	73.9v	0.0v	48.6v	0.0v	458.48v
136	Mr IDC Brechin	A	72.6v	73.8v	48.4v	44.2v	49.6v	48.4v	0.0v	75.10v	0.0v	49.3v	0.0v	458.43v
137	Mr P Westlake	X	71.7v	72.5v	50.7v	49.6v	49.5v	49.4v	0.0v	74.8v	0.0v	44.1v	0.0v	458.43v
138	Mr SG Hunt	X	72.6v	70.5v	50.4v	46.3v	50.6v	50.4v	0.0v	73.9v	0.0v	47.5v	0.0v	458.42v
139	Mr NJ Verduyn	O	68.6v	71.6v	48.4v	49.1v	50.5v	50.8v	0.0v	75.10v	0.0v	47.1v	0.0v	458.41v
140	Mr M Liversage	O	70.4v	73.6v	49.5v	47.4v	50.5v	50.5v	0.0v	73.7v	0.0v	46.2v	0.0v	458.38v
141	B Hendrikz	T	74.10v	73.9v	49.7v	46.4v	49.7v	46.5v	0.0v	72.9v	0.0v	48.6v	0.0v	457.57v
142	Mr BJ Le Cheminant	X	71.8v	73.11v	49.5v	49.3v	49.6v	49.7v	0.0v	75.13v	0.0v	42.4v	0.0v	457.57v
143	Mr TM Green	A	73.10v	74.8v	50.9v	46.1v	49.8v	48.6v	0.0v	74.10v	0.0v	43.1v	0.0v	457.53v
144	Mr TP Hammond	A	68.4v	74.11v	49.6v	48.5v	46.3v	50.7v	0.0v	75.10v	0.0v	47.5v	0.0v	457.51v
145	Mr M J Sansor	X	69.4v	72.9v	50.7v	46.5v	49.6v	49.9v	0.0v	75.8v	0.0v	47.3v	0.0v	457.51v
146	Mr DG Young	X	73.7v	74.8v	48.6v	46.3v	50.7v	50.5v	0.0v	72.8v	0.0v	44.5v	0.0v	457.49v
147	Mr PR Thompson	X	70.7v	72.6v	50.6v	45.2v	49.5v	48.8v	0.0v	73.8v	0.0v	50.6v	0.0v	457.48v
148	Major JRW Postle	A	72.7v	71.10v	49.6v	45.0v	49.4v	49.6v	0.0v	75.12v	0.0v	47.2v	0.0v	457.47v
149	Mr J Ford	A	69.4v	74.9v	49.7v	45.2v	50.6v	50.7v	0.0v	74.9v	0.0v	46.3v	0.0v	457.47v
150	Mr TW Hunter	X	73.7v	75.11v	50.6v	47.5v	49.4v	47.5v	0.0v	74.7v	0.0v	42.2v	0.0v	457.47v
151	Mr PM Jory	X	72.9v	71.6v	49.4v	44.3v	48.4v	50.8v	0.0v	75.9v	0.0v	48.3v	0.0v	457.46v
152	Mr JR Dunbar	A	73.10v	72.6v	50.7v	46.3v	50.5v	47.3v	0.0v	72.7v	0.0v	47.5v	0.0v	457.46v
153	Mr R.L. Johnson	O	70.4v	73.8v	49.9v	47.3v	50.5v	49.5v	0.0v	75.10v	0.0v	44.2v	0.0v	457.46v
154	Mr THD Dodds	O	71.8v	73.7v	50.6v	48.1v	49.6v	49.6v	0.0v	75.12v	0.0v	42.0v	0.0v	457.46v
155	Mr DJ Gass	X	71.4v	72.7v	50.5v	47.3v	49.8v	49.6v	0.0v	74.8v	0.0v	45.3v	0.0v	457.44v
156	Mr ATB Tompson	X	71.8v	72.5v	50.5v	46.4v	47.5v	50.7v	0.0v	73.6v	0.0v	48.3v	0.0v	457.43v
157	Mr SJ Comins	O	70.6v	73.8v	49.4v	47.5v	49.7v	49.3v	0.0v	74.8v	0.0v	46.2v	0.0v	457.43v
158	Mr J Alexander	X	73.9v	72.7v	48.5v	47.3v	50.6v	47.5v	0.0v	74.6v	0.0v	46.1v	0.0v	457.42v
159	Mr A Godliman	O	75.7v	71.5v	49.5v	50.7v	48.3v	49.4v	0.0v	70.7v	0.0v	45.4v	0.0v	457.42v
160	Mr JA Anderson	A	72.0v	73.7v	49.3v	41.3v	50.9v	49.5v	0.0v	74.10v	0.0v	49.3v	0.0v	457.40v
161	Mr SJ Carson	X	72.7v	71.6v	49.4v	48.4v	49.7v	49.5v	0.0v	71.5v	0.0v	48.1v	0.0v	457.39v
162	Mr OG Graziosi	O	71.6v	72.5v	49.5v	50.5v	50.5v	48.3v	0.0v	73.7v	0.0v	44.3v	0.0v	457.39v
163	Mr DL Wiles	O	71.5v	73.5v	50.7v	46.3v	50.3v	48.4v	0.0v	73.7v	0.0v	46.4v	0.0v	457.38v
164	Mr MJ Barlow	X	74.7v	71.7v	47.5v	48.2v	48.2v	48.3v	0.0v	73.8v	0.0v	48.3v	0.0v	457.37v
165	Mr AP Barnes	X	72.7v	74.11v	49.7v	40.1v	50.7v	48.7v	0.0v	75.13v	0.0v	48.5v	0.0v	456.58v
166	Mrs K Le Quesne	A	72.10v	75.9v	48.5v	43.1v	50.7v	49.6v	0.0v	75.13v	0.0v	44.2v	0.0v	456.53v
167	Mr JA Haward	X	75.13v	72.10v	49.6v	45.3v	48.6v	49.4v	0.0v	74.10v	0.0v	44.1v	0.0v	456.53v
168	Mr PM Lanigan	X	74.9v	71.9v	49.8v	48.3v	50.7v	48.6v	0.0v	72.7v	0.0v	44.2v	0.0v	456.51v
169	Mr MW Silver	X	73.6v	75.9v	49.6v	39.3v	49.4v	49.5v	0.0v	74.12v	0.0v	48.4v	0.0v	456.49v
170	Dr JS Rennie	A	71.7v	75.8v	47.2v	47.4v	49.8v	48.5v	0.0v	73.11v	0.0v	46.4v	0.0v	456.49v
171	Mr C Mallett	X	72.7v	73.7v	49.6v	44.3v	46.5v	49.4v	0.0v	75.10v	0.0v	48.4v	0.0v	456.46v
172	Mr DA Taylor	A	72.7v	72.9v	48.5v	48.4v	47.3v	49.6v	0.0v	74.8v	0.0v	46.4v	0.0v	456.46v
173	Cpl JKS Serem	X	72.8v	73.7v	48.6v	46.1v	49.5v	47.4v	0.0v	75.11v	0.0v	46.4v	0.0v	456.46v
174	Major AR McLeod	X	75.8v	74.8v	49.7v	43.2v	50.7v	49.5v	0.0v	74.7v	0.0v	42.2v	0.0v	456.46v
175	Mr PJ Chapman-Sheath	X	71.4v	73.7v	48.5v	45.1v	49.5v	50.7v	0.0v	75.14v	0.0v	45.2v	0.0v	456.45v
176	Mr APW Daw	X	70.3v	72.9v	48.8v	49.7v	47.4v	48.6v	0.0v	74.6v	0.0v	48.1v	0.0v	456.44v
177	Mr TLW Kidner	X	72.9v	74.10v	48.4v	49.4v	47.5v	50.4v	0.0v	73.8v	0.0v	43.0v	0.0v	456.44v
178	Dr AM Jory	X	72.7v	72.5v	49.5v	46.4v	49.7v	47.5v	0.0v	73.8v	0.0v	48.2v	0.0v	456.43v
179	Miss JE Ouston	A	72.7v	73.6v	49.3v	48.4v	48.7v	47.3v	0.0v	74.10v	0.0v	45.3v	0.0v	456.43v
180	Mr MSE Firman	O	72.8v	73.7v	49.7v	47.1v	47.5v	48.3v	0.0v	73.5v	0.0v	47.6v	0.0v	456.42v
181	Sgt. RH Kitson	A	73.9v	71.4v	50.8v	50.6v	45.3v	48.4v	0.0v	73.5v	0.0v	46.3v	0.0v	456.42v
182	Mr JGM Webster	X	70.6v	73.6v	47.3v	49.6v	48.5v	49.4v	0.0v	73.9v	0.0v	47.2v	0.0v	456.41v
183	Sgt CK Saina	X	72.6v	72.7v	50.4v	49.6v	49.6v	47.3v	0.0v	74.5v	0.0v	43.1v	0.0v	456.38v
184	Mr S Glen	A	74.6v	74.9v	48.1v	44.1v	48.3v	48.5v	0.0v	75.11v	0.0v	45.0v	0.0v	456.36v
185	Mr SAJ Dowley	A	74.10v	71.7v	49.2v	43.4v	49.6v	49.7v	0.0v	74.11v	0.0v	46.4v	0.0v	455.51v
186	Mr MA Kirkillo-Stacewicz	X	70.6v	74.7v	50.7v	49.5v	50.6v	45.3v	0.0v	73.11v	0.0v	44.3v	0.0v	455.48v
187	Mr GR Bowman	X	75.10v	73.7v	48.6v	48.4v	48.7v	49.3v	0.0v	73.10v	0.0v	41.1v	0.0v	455.48v
188	Miss LCP-L Watson	A	71.5v	74.8v	48.5v	43.2v	49.7v	49.7v	0.0v	75.10v	0.0v	46.3v	0.0v	455.47v
189	Miss GE Coburn	O	74.10v	72.6v	50.6v	47.4v	48.6v	48.3v	0.0v	71.10v	0.0v	45.2v	0.0v	455.47v
190	Mr BJ Wood	O	75.13v	71.6v	46.4v	49.2v	50.5v	48.5v	0.0v	73.10v	0.0v	43.2v	0.0v	455.47v
191	Mr MF Martel	A	72.7v	74.11v	49.2v	46.4v	49.6v	46.3v	0.0v	72.8v	0.0v	47.5v	0.0v	455.46v
192	Mr AS Errey	A	72.10v	73.7v	48.5v	47.4v	49.5v	48.3v	0.0v	68.5v	0.0v	50.6v	0.0v	455.45v
193	Mr JM Taylor	X	71.7v	72.9v	47.1v	49.5v	49.7v	50.7v	0.0v	73.8v	0.0v	44.1v	0.0v	455.45v
194	DJ Fourie	X	71.6v	74.10v	46.3v	49.5v	48.5v	49.6v	0.0v	75.8v	0.0v	43.2v	0.0v	455.45v
195	Mr R Kloosterman	O	74.8v	73.8v	50.8v	47.1v	48.4v	50.5v	0.0v	72.7v	0.0v	41.3v	0.0v	455.44v
196	Mr CP Weeden	X	73.8v	73.7v	48.4v	47.3v	46.5v	50.7v	0.0v	74.7v	0.0v	44.2v	0.0v	455.43v

197	Mr DN Lindsay	A	73.7v	73.8v	49.5v	45.3v	49.5v	48.4v	0.0v	74.9v	0.0v	44.2v	0.0v	455.43v
198	Mr ORW Russell	A	73.3v	72.8v	47.4v	47.3v	49.7v	48.5v	0.0v	74.7v	0.0v	45.5v	0.0v	455.42v
199	Mr B Taylor	O	74.7v	73.6v	46.4v	46.3v	49.6v	50.6v	0.0v	73.7v	0.0v	44.2v	0.0v	455.41v
200	Mr W Briggs	O	71.7v	71.4v	50.5v	46.4v	48.3v	47.4v	0.0v	74.8v	0.0v	48.5v	0.0v	455.40v
201	Mr KO Pugh	A	74.8v	71.7v	50.7v	46.2v	48.6v	49.4v	0.0v	73.6v	0.0v	44.0v	0.0v	455.40v
202	Mr SDJ Glanville	O	74.10v	69.5v	50.4v	46.3v	49.4v	48.5v	0.0v	73.5v	0.0v	46.2v	0.0v	455.38v
203	Dr JC Jobling	O	74.6v	72.5v	47.3v	42.0v	50.4v	50.4v	0.0v	72.6v	0.0v	48.3v	0.0v	455.31v
204	Miss JC Melling	A	74.10v	72.7v	49.8v	46.3v	49.8v	44.4v	0.0v	75.12v	0.0v	45.3v	0.0v	454.55v
205	Miss SP Ward	X	71.7v	72.8v	49.5v	49.7v	48.7v	49.6v	0.0v	73.11v	0.0v	43.1v	0.0v	454.52v
206	Miss AMG Ogilvie	X	73.10v	71.9v	46.4v	46.4v	47.4v	48.5v	0.0v	74.9v	0.0v	49.6v	0.0v	454.51v
207	Mr PG Cann	A	74.11v	71.7v	47.3v	45.3v	47.3v	50.8v	0.0v	75.12v	0.0v	45.4v	0.0v	454.51v
208	Mr MR Fugeman	A	71.10v	72.4v	50.4v	46.4v	44.5v	50.8v	0.0v	74.10v	0.0v	47.5v	0.0v	454.50v
209	Mr JG Du Toit	X	74.5v	73.8v	48.7v	47.4v	44.1v	49.7v	0.0v	75.15v	0.0v	44.2v	0.0v	454.49v
210	Mr RM Hatcher	A	72.6v	74.10v	45.5v	45.2v	50.7v	49.6v	0.0v	73.7v	0.0v	46.5v	0.0v	454.48v
211	Col FC Sykes	O	74.10v	74.11v	48.3v	45.3v	48.5v	49.6v	0.0v	72.7v	0.0v	44.3v	0.0v	454.48v
212	Miss TJ Fitzsimons	O	72.9v	73.8v	50.5v	49.4v	49.4v	49.8v	0.0v	70.6v	0.0v	42.3v	0.0v	454.47v
213	RW Smith	O	70.5v	73.6v	50.7v	50.7v	48.5v	47.5v	0.0v	72.7v	0.0v	44.4v	0.0v	454.46v
214	Mr CTS Belk	X	74.7v	71.4v	48.5v	47.5v	49.7v	48.4v	0.0v	73.11v	0.0v	44.3v	0.0v	454.46v
215	Mr SNS Penrose	X	72.6v	72.9v	49.3v	46.4v	48.5v	49.7v	0.0v	75.10v	0.0v	43.2v	0.0v	454.46v
216	Mrs DA Thompson	O	72.7v	71.7v	48.4v	48.4v	49.6v	47.3v	0.0v	74.11v	0.0v	45.3v	0.0v	454.45v
217	R Mohamad	X	71.5v	75.9v	48.4v	47.5v	49.6v	48.5v	0.0v	75.8v	0.0v	41.3v	0.0v	454.45v
218	Mr JWE Lothian	A	73.11v	73.9v	49.3v	45.3v	47.5v	48.6v	0.0v	73.5v	0.0v	46.2v	0.0v	454.44v
219	Mr A Thomson	A	71.5v	73.7v	48.5v	45.3v	48.7v	50.6v	0.0v	73.10v	0.0v	46.1v	0.0v	454.44v
220	Mr LR Braithwaite	O	75.10v	72.7v	47.3v	41.2v	50.5v	49.7v	0.0v	74.9v	0.0v	46.1v	0.0v	454.44v
221	Miss HM Taylor	O	71.7v	72.8v	48.5v	47.2v	47.5v	50.4v	0.0v	74.8v	0.0v	45.4v	0.0v	454.43v
222	Mr PWG Glen	O	75.13v	73.5v	49.4v	45.2v	47.6v	49.5v	0.0v	71.7v	0.0v	45.1v	0.0v	454.43v
223	Mr S J Pascoe	X	74.8v	73.9v	48.6v	44.2v	49.5v	49.2v	0.0v	73.9v	0.0v	44.2v	0.0v	454.43v
224	Mr RW Shaw	A	74.6v	73.11v	47.6v	42.1v	50.3v	47.3v	0.0v	75.10v	0.0v	46.2v	0.0v	454.42v
225	Mr KM Willingale	A	73.9v	73.10v	47.4v	44.2v	50.5v	49.4v	0.0v	72.7v	0.0v	46.1v	0.0v	454.42v
226	Mr H J Galaszewski	X	73.8v	74.10v	49.8v	43.1v	50.5v	47.4v	0.0v	73.5v	0.0v	45.1v	0.0v	454.42v
227	Mr WHC Alexander	O	72.5v	73.8v	48.7v	46.2v	49.6v	49.5v	0.0v	73.5v	0.0v	44.4v	0.0v	454.42v
228	Mr LWHR Steward	T	73.6v	68.3v	46.3v	49.6v	49.5v	49.5v	0.0v	74.8v	0.0v	46.3v	0.0v	454.39v
229	Mrs CJ Clifford-Evans	A	71.4v	74.7v	50.8v	46.3v	49.7v	50.2v	0.0v	67.4v	0.0v	47.2v	0.0v	454.37v
230	Mr MP Watkins	O	73.7v	71.5v	48.4v	46.3v	48.4v	49.5v	0.0v	73.3v	0.0v	46.6v	0.0v	454.37v
231	MR RPF Fagan	O	71.6v	71.5v	49.4v	47.3v	50.5v	49.5v	0.0v	74.7v	0.0v	43.2v	0.0v	454.37v
232	Mr N Cole-Hawkins	A	73.6v	73.3v	48.5v	48.4v	45.4v	46.1v	0.0v	75.9v	0.0v	46.4v	0.0v	454.36v
233	S Ishak	T	70.6v	75.9v	49.8v	45.5v	50.9v	50.6v	0.0v	70.7v	0.0v	44.1v	0.0v	453.51v
234	Mr H Ball	X	71.7v	74.8v	49.7v	49.5v	49.7v	46.7v	0.0v	74.7v	0.0v	41.3v	0.0v	453.51v
235	Mr MJ Wood	A	71.7v	70.5v	48.4v	48.4v	49.5v	49.8v	0.0v	73.10v	0.0v	45.5v	0.0v	453.48v
236	Mr RJ Booth	X	70.6v	72.7v	50.8v	45.2v	50.8v	49.6v	0.0v	71.7v	0.0v	46.3v	0.0v	453.47v
237	Mr JR Dodd	O	72.7v	71.8v	50.5v	46.4v	48.6v	49.7v	0.0v	71.8v	0.0v	46.2v	0.0v	453.47v
238	Mr PB Bromley	X	73.8v	72.8v	49.6v	41.1v	49.4v	50.8v	0.0v	73.10v	0.0v	46.2v	0.0v	453.47v
239	Mr RL Eayrs	O	72.9v	75.6v	48.5v	39.1v	50.8v	49.6v	0.0v	75.10v	0.0v	45.2v	0.0v	453.47v
240	Mr IRM Brown	A	72.7v	72.9v	47.7v	46.3v	50.5v	48.6v	0.0v	75.9v	0.0v	43.1v	0.0v	453.47v
241	Mr CP Goad	O	72.9v	73.4v	48.5v	49.6v	50.5v	48.5v	0.0v	72.10v	0.0v	41.2v	0.0v	453.46v
242	Miss EJ Cannings	A	70.4v	70.9v	47.3v	48.3v	50.7v	48.5v	0.0v	72.8v	0.0v	48.5v	0.0v	453.44v
243	Mr SW Maris	O	72.9v	73.7v	49.3v	44.3v	50.7v	50.6v	0.0v	71.6v	0.0v	44.3v	0.0v	453.44v
244	Mr SFD Dash	A	74.9v	69.6v	50.6v	47.4v	49.5v	50.6v	0.0v	72.7v	0.0v	42.1v	0.0v	453.44v
245	Dr GP Nelson	A	74.6v	74.5v	49.5v	37.3v	49.7v	48.4v	0.0v	75.8v	0.0v	47.5v	0.0v	453.43v
246	Cdt Sgt T Matthewson	O	75.9v	71.6v	46.3v	44.3v	50.6v	48.5v	0.0v	74.10v	0.0v	45.1v	0.0v	453.43v
247	Mr WP Hanley	O	73.9v	72.6v	48.2v	47.4v	48.7v	48.5v	0.0v	72.7v	0.0v	45.2v	0.0v	453.42v
248	Mr WA Langley	O	70.5v	72.6v	48.4v	42.3v	50.5v	49.5v	0.0v	73.7v	0.0v	49.5v	0.0v	453.40v
249	Mr A Chown	A	75.10v	73.5v	47.3v	48.3v	49.4v	45.2v	0.0v	71.9v	0.0v	45.4v	0.0v	453.40v
250	Cpl JF Meyer	T	72.5v	73.9v	46.3v	48.5v	48.5v	48.3v	0.0v	74.8v	0.0v	44.2v	0.0v	453.40v
251	Mr NW Penn	A	73.6v	70.6v	47.6v	45.1v	47.4v	50.6v	0.0v	73.6v	0.0v	48.4v	0.0v	453.39v
252	Mr WR Steward	A	70.7v	73.7v	50.6v	47.2v	49.4v	48.4v	0.0v	72.7v	0.0v	44.1v	0.0v	453.38v
253	Mr G Williams	O	70.6v	73.5v	50.5v	44.1v	49.6v	49.5v	0.0v	73.5v	0.0v	45.4v	0.0v	453.37v
254	Mr D Blake	X	74.8v	66.8v	49.6v	48.6v	50.9v	48.3v	0.0v	72.11v	0.0v	45.4v	0.0v	452.55v
255	Mr R Winney	A	75.10v	72.9v	50.4v	44.4v	49.5v	44.5v	0.0v	73.8v	0.0v	45.2v	0.0v	452.47v
256	Mr SC Postins	X	72.10v	71.9v	48.4v	46.2v	50.7v	46.2v	0.0v	75.10v	0.0v	44.3v	0.0v	452.47v
257	Mr DN Webber	O	72.6v	74.11v	47.3v	45.4v	48.4v	49.7v	0.0v	74.10v	0.0v	43.2v	0.0v	452.47v
258	Eur Ing CA Painting	A	73.8v	71.8v	46.5v	43.3v	50.6v	48.3v	0.0v	73.8v	0.0v	48.4v	0.0v	452.45v
259	Mr RCH Courtney	O	75.11v	68.6v	49.7v	46.2v	50.6v	49.3v	0.0v	72.9v	0.0v	43.0v	0.0v	452.44v
260	Mr TL Bedwell	O	71.5v	71.6v	48.4v	47.5v	47.5v	48.4v	0.0v	73.9v	0.0v	47.5v	0.0v	452.43v
261	Mr TJ Bullock	O	72.7v	73.7v	48.4v	41.2v	50.5v	47.5v	0.0v	74.10v	0.0v	47.3v	0.0v	452.43v
262	Mr JB Hull	X	71.9v	69.6v	49.8v	48.7v	48.6v	49.3v	0.0v	74.4v	0.0v	44.0v	0.0v	452.43v
263	Sjt N Boyle	O	74.7v	67.4v	48.5v	44.3v	50.6v	48.3v	0.0v	73.9v	0.0v	48.4v	0.0v	452.41v
264	Mid MAJ Barber	X	71.7v	70.5v	50.5v	45.4v	49.6v	48.4v	0.0v	74.8v	0.0v	45.2v	0.0v	452.41v
265	Mr ND Gomez	O	73.8v	73.6v	50.6v	43.2v	48.4v	50.5v	0.0v	73.7v	0.0v	42.2v	0.0v	452.40v
266	Mr DCW Lloyd	O	70.5v	67.3v	49.5v	49.4v	49.3v	48.6v	0.0v	74.8v	0.0v	46.5v	0.0v	452.39v
267	Mr NJ Atkins	X	71.7v	72.6v	48.5v	50.7v	50.4v	48.5v	0.0v	72.3v	0.0v	41.1v	0.0v	452.38v

268	Lt. Col. AJW Sturrock	X	74.8v	73.8v	48.3v	44.2v	48.6v	47.3v	0.0v	72.7v	0.0v	46.0v	0.0v	452.37v
269	Mr PR Bain	A	69.1v	72.5v	47.5v	48.5v	46.4v	48.4v	0.0v	73.10v	0.0v	49.2v	0.0v	452.36v
270	Mr H Sanders	A	75.7v	72.5v	50.4v	45.3v	50.4v	48.2v	0.0v	71.9v	0.0v	41.2v	0.0v	452.36v
271	Mr RE Ellis	A	74.11v	67.4v	48.2v	47.1v	48.4v	48.4v	0.0v	75.6v	0.0v	45.2v	0.0v	452.34v
272	Mr DGP Vamplew	X	74.9v	73.10v	44.3v	48.4v	45.7v	48.6v	0.0v	75.15v	0.0v	44.2v	0.0v	451.56v
273	Capt S J Howard	O	71.9v	69.4v	49.8v	45.4v	50.6v	48.4v	0.0v	75.11v	0.0v	44.4v	0.0v	451.50v
274	Miss CA Evans	A	75.7v	70.9v	49.7v	47.4v	49.4v	46.6v	0.0v	74.10v	0.0v	41.1v	0.0v	451.48v
275	Mr M Persaud	X	72.8v	75.6v	49.6v	45.4v	49.8v	48.5v	0.0v	73.8v	0.0v	40.3v	0.0v	451.48v
276	Dr MJ Schwarz	A	72.8v	73.12v	50.5v	48.4v	46.2v	46.6v	0.0v	72.8v	0.0v	44.2v	0.0v	451.47v
277	Dr AF Aspin	A	73.10v	71.7v	49.3v	45.2v	46.4v	50.7v	0.0v	72.8v	0.0v	45.5v	0.0v	451.46v
278	Mr BH Jones	A	74.11v	71.6v	49.6v	47.5v	48.6v	47.3v	0.0v	71.7v	0.0v	44.2v	0.0v	451.46v
279	Mr RC Oxford	A	71.8v	71.5v	49.8v	49.4v	49.6v	44.3v	0.0v	74.9v	0.0v	44.2v	0.0v	451.45v
280	Capt MG Reid	A	74.8v	72.10v	47.4v	45.4v	48.5v	50.5v	0.0v	71.7v	0.0v	44.2v	0.0v	451.45v
281	Mr JC Evans	A	70.8v	72.8v	45.4v	49.5v	49.4v	47.3v	0.0v	72.7v	0.0v	47.5v	0.0v	451.44v
282	Mr RA Welford	O	72.9v	70.4v	49.7v	44.4v	47.3v	48.5v	0.0v	74.8v	0.0v	47.3v	0.0v	451.43v
283	Mr MJ O'Leary	A	75.12v	71.6v	47.3v	42.1v	50.4v	47.2v	0.0v	75.10v	0.0v	44.5v	0.0v	451.43v
284	Mr M Woolger	A	71.6v	72.4v	48.7v	44.1v	49.7v	50.4v	0.0v	72.7v	0.0v	45.6v	0.0v	451.42v
285	Mr GMLN Gilpin	A	71.6v	69.5v	46.2v	45.0v	49.6v	49.7v	0.0v	74.10v	0.0v	48.5v	0.0v	451.41v
286	Mr S Pearson	A	74.9v	72.8v	48.5v	44.1v	49.7v	48.4v	0.0v	72.6v	0.0v	44.1v	0.0v	451.41v
287	Mr RP Rosling	X	69.6v	71.6v	48.5v	48.4v	46.6v	48.2v	0.0v	73.9v	0.0v	48.2v	0.0v	451.40v
288	Mr RF Barrington	O	72.7v	72.7v	48.5v	45.2v	48.6v	48.4v	0.0v	72.7v	0.0v	46.2v	0.0v	451.40v
289	Mr I T R Jobling	A	73.10v	71.5v	50.4v	46.4v	47.4v	47.4v	0.0v	72.7v	0.0v	45.2v	0.0v	451.40v
290	Mr SL Cleveland	O	74.7v	72.6v	45.5v	47.4v	47.2v	46.4v	0.0v	73.7v	0.0v	47.3v	0.0v	451.38v
291	Mr SDKM Mansley	T	72.3v	74.9v	47.3v	47.5v	49.8v	48.6v	0.0v	73.4v	0.0v	41.0v	0.0v	451.38v
292	Mr SH Cox	X	71.7v	67.2v	49.6v	49.3v	49.4v	50.5v	0.0v	71.7v	0.0v	45.3v	0.0v	451.37v
293	Mr T Keen	A	75.9v	68.5v	50.5v	48.5v	48.4v	48.3v	0.0v	70.5v	0.0v	44.1v	0.0v	451.37v
294	Mr RJ Coffin	O	73.5v	68.8v	49.3v	49.2v	47.3v	49.6v	0.0v	72.7v	0.0v	44.2v	0.0v	451.36v
295	Mr MK Townsend	O	72.4v	74.6v	45.2v	48.5v	46.3v	47.6v	0.0v	72.5v	0.0v	47.4v	0.0v	451.35v
296	Dr MW Wrigley	O	72.5v	69.6v	50.4v	45.1v	43.1v	50.6v	0.0v	74.7v	0.0v	48.1v	0.0v	451.31v
297	Mr RW Hallows	A	72.8v	74.10v	50.6v	41.2v	49.5v	47.5v	0.0v	72.9v	0.0v	45.4v	0.0v	450.49v
298	Mr GE Grosskreutz	X	74.12v	71.7v	50.6v	47.2v	49.7v	41.2v	0.0v	74.10v	0.0v	44.3v	0.0v	450.49v
299	Mr FM Mohideen	X	74.8v	72.9v	50.6v	47.4v	50.8v	48.6v	0.0v	72.8v	0.0v	37.0v	0.0v	450.49v
300	Mr J Bullock	X	72.6v	73.9v	48.6v	44.1v	49.8v	49.7v	0.0v	71.6v	0.0v	44.3v	0.0v	450.46v
301	Mr RG Scott	A	70.6v	74.11v	47.4v	46.3v	49.6v	50.5v	0.0v	72.6v	0.0v	42.3v	0.0v	450.44v
302	Mr M Cooper	O	74.11v	75.8v	49.6v	48.5v	46.3v	45.5v	0.0v	71.4v	0.0v	42.2v	0.0v	450.44v
303	Miss S McIntosh	T	69.3v	74.8v	46.5v	44.3v	50.6v	47.2v	0.0v	74.10v	0.0v	46.4v	0.0v	450.41v
304	Cdt BR Fraser-Burn	O	73.9v	69.4v	48.3v	44.2v	49.5v	46.3v	0.0v	74.9v	0.0v	47.4v	0.0v	450.39v
305	Mr JDH Hearn	T	75.9v	69.4v	44.0v	45.2v	49.8v	47.2v	0.0v	75.9v	0.0v	46.4v	0.0v	450.38v
306	SSgt SJ Hier	X	71.5v	70.3v	49.8v	49.5v	49.3v	49.3v	0.0v	69.10v	0.0v	44.1v	0.0v	450.38v
307	Mr ES Scougall	T	72.3v	72.9v	48.5v	46.4v	47.5v	48.2v	0.0v	70.5v	0.0v	47.3v	0.0v	450.36v
308	Mr B Creane	T	73.5v	70.1v	48.4v	44.4v	49.7v	47.5v	0.0v	73.8v	0.0v	46.2v	0.0v	450.36v
309	Mr EM Brice	A	73.7v	74.8v	46.4v	47.1v	48.6v	48.3v	0.0v	70.5v	0.0v	44.2v	0.0v	450.36v
310	Miss LMA Bogie	O	70.3v	69.6v	50.4v	45.3v	48.4v	50.5v	0.0v	72.5v	0.0v	46.5v	0.0v	450.35v
311	Mr RS Binns	T	74.5v	70.5v	48.7v	45.3v	48.3v	45.3v	0.0v	73.3v	0.0v	47.3v	0.0v	450.32v
312	Mr MI Buchanan	X	75.13v	71.4v	50.6v	41.3v	49.6v	50.4v	0.0v	75.13v	0.0v	38.2v	0.0v	449.51v
313	Mr Al Brown	A	72.10v	71.8v	48.6v	44.3v	49.6v	49.6v	0.0v	73.8v	0.0v	43.3v	0.0v	449.50v
314	Mr RM Roberts	X	67.6v	72.9v	49.7v	44.2v	49.6v	47.4v	0.0v	74.10v	0.0v	47.3v	0.0v	449.47v
315	Mr RA Benest	X	71.9v	71.10v	50.6v	45.2v	49.8v	46.2v	0.0v	74.8v	0.0v	43.2v	0.0v	449.47v
316	Mr P Dawes	A	69.3v	74.10v	47.6v	45.5v	49.4v	47.3v	0.0v	75.10v	0.0v	43.4v	0.0v	449.45v
317	Mr JA Borland	A	71.5v	71.6v	50.8v	45.2v	49.5v	48.4v	0.0v	67.9v	0.0v	48.4v	0.0v	449.43v
318	Mr BV Cambray	A	72.9v	72.10v	49.7v	45.3v	50.7v	48.2v	0.0v	71.3v	0.0v	42.2v	0.0v	449.43v
319	Miss LAE Crowson	X	69.5v	72.6v	46.4v	45.2v	49.7v	48.5v	0.0v	75.8v	0.0v	45.4v	0.0v	449.41v
320	Mr AF Donald	A	72.6v	71.7v	46.4v	45.2v	48.6v	48.4v	0.0v	75.8v	0.0v	44.4v	0.0v	449.41v
321	Mr CI Cooper	O	72.6v	73.8v	49.7v	44.3v	49.4v	47.3v	0.0v	71.6v	0.0v	44.4v	0.0v	449.41v
322	Mr AC Brooker	O	75.8v	70.4v	46.1v	46.4v	49.8v	46.3v	0.0v	75.11v	0.0v	42.2v	0.0v	449.41v
323	Mr PG Oxnam	A	72.5v	72.6v	48.4v	44.4v	44.4v	47.4v	0.0v	74.8v	0.0v	48.5v	0.0v	449.40v
324	Mr WLL Lewis	O	72.7v	71.9v	49.5v	45.3v	47.4v	49.5v	0.0v	71.5v	0.0v	45.2v	0.0v	449.40v
325	Mrs RA Wiltshire	X	74.7v	70.7v	46.1v	46.2v	48.4v	49.7v	0.0v	72.6v	0.0v	44.3v	0.0v	449.37v
326	Mr P De Voil	A	71.6v	70.4v	46.4v	45.4v	49.5v	50.5v	0.0v	74.7v	0.0v	44.2v	0.0v	449.37v
327	Mr CC Mallett Jnr	O	72.5v	71.5v	47.3v	44.2v	43.2v	50.7v	0.0v	74.8v	0.0v	48.4v	0.0v	449.36v
328	Mr C Rivett-Carnac	X	74.7v	70.5v	50.7v	46.5v	47.3v	47.2v	0.0v	73.6v	0.0v	42.1v	0.0v	449.36v
329	Mr RW McVeigh	O	74.7v	72.8v	48.2v	40.0v	48.3v	47.1v	0.0v	73.8v	0.0v	47.6v	0.0v	449.35v
330	Miss HA Foster	O	71.6v	70.7v	50.2v	44.4v	49.5v	48.2v	0.0v	70.6v	0.0v	47.3v	0.0v	449.35v
331	Mr C Herter	O	72.7v	70.5v	49.7v	45.2v	50.2v	48.5v	0.0v	73.5v	0.0v	42.2v	0.0v	449.35v
332	Mr DAF Parkinson	O	73.2v	71.8v	45.3v	43.2v	49.3v	47.3v	0.0v	72.6v	0.0v	49.5v	0.0v	449.32v
333	Cadet OS Marshall	A	68.9v	72.8v	50.8v	47.2v	50.7v	50.9v	0.0v	70.6v	0.0v	41.2v	0.0v	448.51v
334	Mr BA Young	X	69.6v	75.9v	49.5v	39.2v	49.4v	48.5v	0.0v	73.9v	0.0v	46.4v	0.0v	448.44v
335	Mr GC Childs	X	73.6v	72.5v	47.4v	44.5v	49.9v	44.2v	0.0v	74.9v	0.0v	45.2v	0.0v	448.42v
336	CI EL Legei	X	73.8v	71.7v	48.4v	45.2v	49.5v	47.7v	0.0v	71.6v	0.0v	44.3v	0.0v	448.42v
337	Mr MJ Creber	O	70.7v	70.7v	47.0v	44.5v	48.8v	49.4v	0.0v	75.6v	0.0v	45.4v	0.0v	448.41v
338	Major RHG Riley	X	70.5v	71.5v	49.6v	42.1v	48.5v	50.4v	0.0v	74.10v	0.0v	44.4v	0.0v	448.40v

339	Mr J Purdy	O	71.7v	73.5v	49.4v	46.6v	48.3v	47.3v	0.0v	72.10v	0.0v	42.2v	0.0v	448.40v
340	Wg. Cdr. MJ Gregory	A	70.4v	70.6v	49.5v	45.1v	49.4v	45.5v	0.0v	75.10v	0.0v	45.3v	0.0v	448.38v
341	Miss ATJV Voorthuyzen	A	74.8v	71.5v	46.3v	49.4v	48.4v	45.4v	0.0v	73.9v	0.0v	42.1v	0.0v	448.38v
342	Miss AR Southall	O	74.9v	72.3v	47.3v	42.0v	50.6v	48.5v	0.0v	74.10v	0.0v	41.1v	0.0v	448.37v
343	Mr PGW Purdy	O	70.5v	74.8v	46.1v	48.3v	48.7v	48.4v	0.0v	72.7v	0.0v	42.1v	0.0v	448.36v
344	Mr El Cartwright	X	69.4v	73.10v	48.5v	49.5v	49.3v	48.3v	0.0v	72.6v	0.0v	40.0v	0.0v	448.36v
345	Mr D Davies	A	72.5v	72.6v	49.4v	48.5v	49.5v	48.6v	0.0v	74.5v	0.0v	36.0v	0.0v	448.36v
346	Mr M Neal	O	67.1v	72.7v	49.4v	45.4v	50.6v	44.2v	0.0v	73.5v	0.0v	48.5v	0.0v	448.34v
347	Mr DTA Cobb	T	73.5v	71.4v	45.1v	44.3v	49.3v	48.4v	0.0v	75.9v	0.0v	43.3v	0.0v	448.32v
348	Mr OP Henry	A	71.6v	70.2v	50.8v	45.2v	48.3v	48.5v	0.0v	74.6v	0.0v	42.0v	0.0v	448.32v
349	Mr DA Smith	O	72.7v	71.6v	49.4v	44.3v	48.5v	49.2v	0.0v	71.4v	0.0v	44.0v	0.0v	448.31v
350	Capt D Morris	A	70.6v	70.8v	46.3v	48.6v	48.8v	47.6v	0.0v	71.5v	0.0v	47.5v	0.0v	447.47v
351	Mr RA Jobson	O	68.4v	72.7v	47.4v	46.4v	47.5v	50.10v	0.0v	73.7v	0.0v	44.4v	0.0v	447.45v
352	Lt JW Jenkins	X	73.10v	72.7v	48.5v	42.3v	46.3v	47.5v	0.0v	74.9v	0.0v	45.2v	0.0v	447.44v
353	Mr C Milton	O	65.3v	73.8v	45.2v	44.5v	48.7v	50.5v	0.0v	75.9v	0.0v	47.4v	0.0v	447.43v
354	Mr RK Sheead	A	72.7v	70.5v	49.5v	48.7v	48.5v	48.4v	0.0v	69.8v	0.0v	43.2v	0.0v	447.43v
355	Mr CA Stewart	O	70.5v	68.5v	49.5v	46.3v	48.4v	48.4v	0.0v	70.10v	0.0v	48.6v	0.0v	447.42v
356	Miss BE Fung	T	71.6v	70.5v	46.2v	44.4v	50.8v	49.5v	0.0v	72.9v	0.0v	45.3v	0.0v	447.42v
357	Mr TA Dowley	T	74.8v	73.9v	45.1v	42.2v	50.6v	46.3v	0.0v	68.7v	0.0v	49.5v	0.0v	447.41v
358	Mr JE White	O	69.6v	74.9v	46.3v	47.5v	48.4v	48.4v	0.0v	72.9v	0.0v	43.1v	0.0v	447.41v
359	Mr M.R. Frost	A	69.4v	72.7v	50.9v	43.0v	49.7v	49.3v	0.0v	73.9v	0.0v	42.2v	0.0v	447.41v
360	Mrs T Newbold	A	74.8v	69.5v	48.3v	47.5v	43.2v	47.5v	0.0v	72.6v	0.0v	47.6v	0.0v	447.40v
361	H Lottritz	O	69.3v	75.8v	49.6v	46.4v	47.2v	44.5v	0.0v	73.7v	0.0v	44.3v	0.0v	447.38v
362	Mr T Smith	O	74.8v	70.7v	46.2v	44.3v	48.5v	46.4v	0.0v	75.8v	0.0v	44.1v	0.0v	447.38v
363	Mr MJLA Landreville	O	73.6v	71.7v	47.4v	47.2v	49.4v	47.5v	0.0v	70.8v	0.0v	43.1v	0.0v	447.37v
364	Mr B Bullock	X	71.8v	67.4v	49.6v	48.5v	47.2v	48.2v	0.0v	70.5v	0.0v	47.4v	0.0v	447.36v
365	Mr P Waldron	O	70.6v	73.9v	49.6v	47.3v	50.4v	46.1v	0.0v	68.4v	0.0v	44.3v	0.0v	447.36v
366	Lt. Col. CST Lehmann	O	72.6v	74.6v	49.2v	44.3v	49.4v	47.4v	0.0v	70.7v	0.0v	42.4v	0.0v	447.36v
367	Miss HCM Bennett	O	71.5v	69.3v	48.7v	43.1v	48.4v	49.4v	0.0v	73.11v	0.0v	46.0v	0.0v	447.35v
368	Mr MJW Willing	O	71.7v	73.7v	44.2v	47.4v	49.2v	48.3v	0.0v	74.5v	0.0v	41.1v	0.0v	447.31v
369	Sgt GM Irish	O	70.4v	73.5v	48.3v	46.3v	48.3v	47.2v	0.0v	67.3v	0.0v	48.4v	0.0v	447.27v
370	Cpl SO Otundo	X	74.6v	73.10v	48.6v	44.3v	47.6v	42.6v	0.0v	75.10v	0.0v	43.3v	0.0v	446.50v
371	Mr MJ Brister	X	73.8v	70.5v	47.5v	40.2v	50.8v	49.4v	0.0v	74.12v	0.0v	43.2v	0.0v	446.46v
372	Miss CJ Dee	X	69.3v	71.7v	48.4v	47.5v	48.8v	48.5v	0.0v	73.9v	0.0v	42.5v	0.0v	446.46v
373	Mr DJ Curtis	X	72.8v	73.7v	49.7v	41.1v	50.7v	48.7v	0.0v	74.8v	0.0v	39.1v	0.0v	446.46v
374	Mr CRM Asquith	A	74.9v	72.8v	49.7v	42.2v	50.5v	49.8v	0.0v	72.6v	0.0v	38.1v	0.0v	446.46v
375	Mr RG Faulkner	O	70.7v	71.6v	47.5v	46.5v	48.7v	45.2v	0.0v	74.10v	0.0v	45.2v	0.0v	446.44v
376	Mr MS Cavie	O	72.9v	73.5v	48.5v	43.2v	49.8v	43.1v	0.0v	74.8v	0.0v	44.4v	0.0v	446.42v
377	Mr P Cameron Taylor	A	68.4v	72.7v	50.8v	49.6v	48.6v	47.3v	0.0v	68.4v	0.0v	44.3v	0.0v	446.41v
378	Mr E Stuart-Bamford	O	70.7v	71.8v	49.7v	43.4v	46.3v	48.3v	0.0v	72.5v	0.0v	47.3v	0.0v	446.40v
379	Miss FE Purdy	A	72.7v	73.6v	45.2v	49.4v	47.5v	47.5v	0.0v	73.8v	0.0v	40.2v	0.0v	446.39v
380	LTV Brand	T	71.5v	69.5v	50.8v	47.3v	48.6v	47.4v	0.0v	70.4v	0.0v	44.3v	0.0v	446.38v
381	Mr LMDC Cheek	O	73.7v	74.6v	46.3v	44.2v	49.4v	43.5v	0.0v	74.10v	0.0v	43.1v	0.0v	446.38v
382	Cdt BP Etienne	O	71.7v	71.5v	47.5v	44.4v	49.1v	48.5v	0.0v	74.10v	0.0v	42.1v	0.0v	446.38v
383	Mr P Barber	O	69.5v	72.4v	47.4v	46.6v	46.2v	47.4v	0.0v	72.4v	0.0v	47.5v	0.0v	446.34v
384	Col D Cooper	O	73.8v	69.4v	49.4v	45.2v	47.3v	47.4v	0.0v	72.9v	0.0v	44.0v	0.0v	446.34v
385	Mr SS Sander	T	69.4v	69.3v	49.4v	43.1v	49.4v	49.3v	0.0v	73.9v	0.0v	45.3v	0.0v	446.31v
386	Mr K Todd MBE	O	67.4v	71.6v	44.2v	47.4v	47.4v	48.3v	0.0v	73.12v	0.0v	48.7v	0.0v	445.42v
387	Mr DC Rickman	X	73.11v	70.5v	47.4v	45.2v	47.4v	49.5v	0.0v	72.9v	0.0v	42.2v	0.0v	445.42v
388	Miss LE Kennedy	O	75.12v	74.5v	49.3v	38.1v	50.7v	49.5v	0.0v	72.6v	0.0v	38.3v	0.0v	445.42v
389	Mr RJS McIlveen	O	72.6v	72.8v	48.3v	46.3v	48.7v	47.3v	0.0v	73.10v	0.0v	39.1v	0.0v	445.41v
390	GJ De Kock	T	70.5v	72.7v	44.3v	47.5v	48.7v	47.3v	0.0v	71.7v	0.0v	46.3v	0.0v	445.40v
391	Miss SIM Anderson	O	72.7v	72.8v	50.7v	40.0v	46.4v	49.4v	0.0v	74.7v	0.0v	42.3v	0.0v	445.40v
392	Mr CL Leighton	A	72.8v	73.4v	49.6v	42.0v	47.8v	49.5v	0.0v	73.6v	0.0v	40.3v	0.0v	445.40v
393	Mr R A Webb	O	71.7v	72.8v	47.3v	46.4v	47.4v	46.3v	0.0v	70.6v	0.0v	46.4v	0.0v	445.39v
394	Miss A Strain	T	74.9v	70.8v	48.6v	44.2v	49.6v	47.3v	0.0v	72.5v	0.0v	41.0v	0.0v	445.39v
395	Mr RA Dix	A	71.6v	70.4v	47.2v	41.1v	47.5v	48.5v	0.0v	75.10v	0.0v	46.4v	0.0v	445.37v
396	Dr N P Tucker	O	69.4v	69.4v	49.3v	46.3v	49.6v	48.4v	0.0v	71.8v	0.0v	44.3v	0.0v	445.35v
397	Sgt J H Howard	T	73.8v	72.5v	45.2v	45.3v	48.3v	46.4v	0.0v	73.7v	0.0v	43.3v	0.0v	445.35v
398	Mr JD Webber	O	71.6v	72.7v	48.4v	45.0v	50.6v	47.4v	0.0v	71.5v	0.0v	41.3v	0.0v	445.35v
399	Mr NF Flint	T	72.11v	71.6v	46.2v	43.2v	47.4v	47.2v	0.0v	74.6v	0.0v	45.1v	0.0v	445.34v
400	Mr A Coakes	O	71.3v	71.4v	48.5v	44.2v	49.4v	45.2v	0.0v	73.9v	0.0v	44.4v	0.0v	445.33v
401	Mr PJS Bysshe	O	75.9v	72.8v	43.3v	44.3v	48.4v	46.2v	0.0v	73.3v	0.0v	44.1v	0.0v	445.33v
402	Mr ML Cotillard	A	62.1v	70.4v	49.3v	47.6v	48.7v	50.3v	0.0v	71.6v	0.0v	48.2v	0.0v	445.32v
403	Mr T Hembrow	O	72.8v	71.2v	48.5v	44.2v	48.3v	47.4v	0.0v	70.5v	0.0v	45.3v	0.0v	445.32v
404	Mr MJJ Charlton	O	73.8v	69.4v	47.3v	50.5v	43.2v	47.4v	0.0v	71.3v	0.0v	45.2v	0.0v	445.31v
405	Mr CD Atkins	O	71.6v	71.5v	48.5v	42.0v	48.5v	48.5v	0.0v	73.5v	0.0v	44.0v	0.0v	445.31v
406	Mr KR Trowbridge	A	72.7v	74.8v	48.5v	47.1v	47.2v	46.2v	0.0v	70.4v	0.0v	41.2v	0.0v	445.31v
407	Mr SO Jauncey	O	72.3v	72.5v	43.3v	50.6v	47.4v	46.0v	0.0v	71.4v	0.0v	44.2v	0.0v	445.27v
408	Mr J A Garnett	O	71.4v	69.3v	48.2v	47.3v	50.7v	49.4v	0.0v	67.2v	0.0v	44.2v	0.0v	445.27v
409	Mr SH Dickson	O	68.1v	69.5v	49.3v	46.4v	47.3v	45.3v	0.0v	73.4v	0.0v	48.3v	0.0v	445.26v

410	Mr HJM Awin	O	74.10v	70.6v	47.6v	44.1v	49.7v	47.4v	0.0v	74.10v	0.0v	39.1v	0.0v	444.45v
411	Miss LG Taylor	T	73.10v	73.11v	47.3v	39.1v	48.6v	47.3v	0.0v	71.5v	0.0v	46.3v	0.0v	444.42v
412	Mr. M. T. Trépanier	T	72.5v	72.8v	47.4v	40.1v	49.7v	49.5v	0.0v	74.10v	0.0v	41.2v	0.0v	444.42v
413	Mr JC Cockerill	O	75.10v	75.10v	47.4v	39.1v	49.6v	47.3v	0.0v	74.5v	0.0v	38.2v	0.0v	444.41v
414	Cdt M L Henderson	T	74.9v	69.4v	48.3v	46.3v	49.5v	43.4v	0.0v	71.7v	0.0v	44.2v	0.0v	444.37v
415	Mr RF Burden	O	70.6v	69.3v	47.4v	45.1v	49.4v	48.4v	0.0v	72.10v	0.0v	44.3v	0.0v	444.35v
416	Mr JTM Magill	T	72.7v	74.5v	45.5v	47.5v	47.4v	45.2v	0.0v	72.6v	0.0v	42.1v	0.0v	444.35v
417	Mr ML Carberry	O	68.3v	73.6v	49.5v	48.5v	46.3v	46.5v	0.0v	69.5v	0.0v	45.2v	0.0v	444.34v
418	Mr MP Mann	T	71.7v	73.8v	49.5v	48.2v	47.3v	40.1v	0.0v	70.5v	0.0v	46.1v	0.0v	444.32v
419	Miss KE Pope	O	73.10v	69.2v	50.3v	44.2v	49.3v	46.2v	0.0v	68.8v	0.0v	45.2v	0.0v	444.32v
420	Mr JG Bennett	O	72.4v	72.7v	49.4v	43.3v	47.2v	48.6v	0.0v	71.4v	0.0v	42.2v	0.0v	444.32v
421	Mr JIB Halahan	O	71.11v	69.4v	45.3v	43.3v	43.4v	49.5v	0.0v	74.9v	0.0v	49.6v	0.0v	443.45v
422	Mrs RM Merridew	O	70.6v	71.7v	49.6v	43.2v	47.4v	48.7v	0.0v	75.9v	0.0v	40.1v	0.0v	443.42v
423	KH Tumschat	O	71.7v	66.4v	48.2v	48.5v	48.5v	49.7v	0.0v	70.8v	0.0v	43.3v	0.0v	443.41v
424	Sgt. MTJ Downes	O	74.9v	71.7v	49.4v	44.2v	49.6v	46.3v	0.0v	74.9v	0.0v	36.1v	0.0v	443.41v
425	Mr SL Larter-Whitcher	O	73.8v	70.6v	49.9v	44.3v	45.2v	45.1v	0.0v	71.8v	0.0v	46.3v	0.0v	443.40v
426	Mr MW Brown	O	71.5v	69.6v	49.8v	45.2v	48.7v	48.3v	0.0v	69.7v	0.0v	44.2v	0.0v	443.40v
427	Mr BH Hayes	O	74.9v	73.6v	45.2v	43.1v	49.5v	47.4v	0.0v	72.10v	0.0v	40.3v	0.0v	443.40v
428	Mr JPL Sweet	A	70.6v	70.3v	49.4v	41.5v	49.4v	46.5v	0.0v	72.8v	0.0v	46.2v	0.0v	443.37v
429	Mr GRP Shapland	O	72.5v	72.5v	47.7v	41.0v	49.5v	49.6v	0.0v	65.6v	0.0v	48.2v	0.0v	443.36v
430	Mr B Heatley	O	73.4v	71.4v	49.7v	43.3v	49.5v	47.3v	0.0v	72.7v	0.0v	39.2v	0.0v	443.35v
431	Mr CG Dickson	O	71.5v	69.6v	47.4v	46.3v	49.6v	46.1v	0.0v	68.3v	0.0v	47.6v	0.0v	443.34v
432	Mr MF Boucher	O	71.6v	70.3v	49.5v	46.3v	48.3v	48.3v	0.0v	72.8v	0.0v	39.0v	0.0v	443.31v
433	Mr MM Makin	T	73.8v	65.3v	46.4v	45.4v	50.9v	45.3v	0.0v	72.7v	0.0v	46.6v	0.0v	442.44v
434	Wg. Cdr. CR Smith	A	72.5v	74.7v	50.5v	47.3v	49.8v	50.5v	0.0v	73.11v	0.0v	27.0v	0.0v	442.44v
435	Mr DQM Harvey	O	70.6v	72.9v	44.0v	46.5v	48.4v	47.2v	0.0v	72.9v	0.0v	43.8v	0.0v	442.43v
436	Mr KB Hill	A	68.5v	71.6v	50.8v	47.6v	45.2v	47.4v	0.0v	71.9v	0.0v	43.3v	0.0v	442.43v
437	Air Cdre JA Ford	T	74.9v	70.5v	49.5v	33.3v	49.5v	47.2v	0.0v	74.10v	0.0v	46.3v	0.0v	442.42v
438	Mr D Lowe	X	72.7v	72.10v	49.5v	41.2v	46.5v	42.3v	0.0v	74.6v	0.0v	46.3v	0.0v	442.41v
439	Cpl DK Kirui	X	74.10v	70.7v	48.5v	43.1v	48.4v	42.3v	0.0v	73.8v	0.0v	44.3v	0.0v	442.41v
440	Mr RN Stebbings	A	72.8v	69.6v	46.4v	42.1v	49.6v	44.1v	0.0v	75.11v	0.0v	45.3v	0.0v	442.40v
441	Mr DEM Matthews	O	69.4v	68.4v	45.4v	49.7v	50.7v	49.5v	0.0v	73.7v	0.0v	39.2v	0.0v	442.40v
442	Mr FPR Northam	O	71.6v	75.11v	48.6v	41.0v	49.6v	48.3v	0.0v	73.6v	0.0v	37.2v	0.0v	442.40v
443	Mr TR Webster	O	72.7v	71.8v	47.5v	42.1v	49.3v	48.3v	0.0v	72.8v	0.0v	41.3v	0.0v	442.38v
444	Mr LT Wicker	X	70.7v	67.2v	50.6v	48.6v	50.7v	45.4v	0.0v	72.5v	0.0v	40.1v	0.0v	442.38v
445	Miss JF Hossack	O	75.10v	73.5v	46.2v	46.1v	49.6v	48.6v	0.0v	74.7v	0.0v	31.1v	0.0v	442.38v
446	Mr PA Collins	X	72.6v	74.9v	48.5v	44.1v	47.4v	46.3v	0.0v	69.6v	0.0v	42.3v	0.0v	442.37v
447	LCpl S Hill	O	73.8v	71.4v	49.5v	38.0v	49.4v	45.3v	0.0v	72.10v	0.0v	45.2v	0.0v	442.36v
448	Mr JR Davies	X	72.6v	70.5v	48.5v	44.3v	45.3v	47.3v	0.0v	72.9v	0.0v	44.2v	0.0v	442.36v
449	B Lottritz	O	72.8v	71.5v	47.2v	43.1v	49.8v	45.3v	0.0v	71.8v	0.0v	44.1v	0.0v	442.36v
450	Mr CJ Sherratt	O	70.5v	68.5v	47.2v	45.5v	48.6v	48.2v	0.0v	73.8v	0.0v	43.2v	0.0v	442.35v
451	Mr JFJ Bryson	O	68.2v	74.5v	45.4v	48.6v	48.6v	46.3v	0.0v	71.7v	0.0v	42.2v	0.0v	442.35v
452	Mr TJ Bryan	O	72.8v	72.6v	49.4v	45.1v	49.4v	48.4v	0.0v	68.5v	0.0v	39.3v	0.0v	442.35v
453	Mr ISL Dampney	X	67.6v	66.3v	46.3v	44.1v	47.5v	48.2v	0.0v	75.11v	0.0v	49.3v	0.0v	442.34v
454	Mr DMJ Coutts	A	66.4v	71.6v	47.3v	46.2v	48.5v	47.4v	0.0v	70.6v	0.0v	47.3v	0.0v	442.33v
455	Miss S Cheslyn-Curtis	O	68.5v	70.4v	48.5v	45.2v	48.4v	44.3v	0.0v	73.7v	0.0v	46.3v	0.0v	442.33v
456	Mr AC Grant	O	70.5v	67.3v	48.4v	43.1v	48.3v	44.3v	0.0v	74.8v	0.0v	48.4v	0.0v	442.31v
457	Miss C Halleran	O	71.4v	73.9v	47.3v	44.3v	48.2v	49.5v	0.0v	69.5v	0.0v	41.0v	0.0v	442.31v
458	Mr GH Porter	O	68.3v	72.9v	48.6v	43.1v	44.5v	47.5v	0.0v	73.9v	0.0v	46.3v	0.0v	441.41v
459	Mr JR Stirland	O	69.8v	73.7v	47.4v	41.3v	47.4v	48.3v	0.0v	72.7v	0.0v	44.2v	0.0v	441.38v
460	Mr T Stevenson	T	72.8v	67.3v	49.6v	48.5v	49.7v	44.3v	0.0v	73.5v	0.0v	39.0v	0.0v	441.37v
461	Mr JNF Campbell	O	72.7v	71.3v	45.4v	41.0v	47.6v	48.5v	0.0v	73.7v	0.0v	44.3v	0.0v	441.35v
462	R Kligge	O	69.6v	71.6v	48.4v	45.4v	48.4v	47.1v	0.0v	72.7v	0.0v	41.3v	0.0v	441.35v
463	Mr OJ Rolfe	A	72.5v	70.5v	43.2v	46.4v	49.7v	44.1v	0.0v	73.7v	0.0v	44.2v	0.0v	441.33v
464	Mr PA Goubert	O	69.3v	72.4v	49.4v	42.1v	47.7v	47.5v	0.0v	72.7v	0.0v	43.1v	0.0v	441.32v
465	Mr V Robertshaw	O	72.5v	66.2v	49.2v	45.4v	48.4v	45.3v	0.0v	72.6v	0.0v	44.1v	0.0v	441.27v
466	Mr AM Bullen	A	71.7v	73.8v	48.4v	38.1v	49.4v	44.6v	0.0v	72.8v	0.0v	45.4v	0.0v	440.42v
467	Miss JP Patterson	T	71.7v	70.4v	46.3v	46.4v	50.7v	46.3v	0.0v	72.11v	0.0v	39.1v	0.0v	440.40v
468	Mr JR Lindsay	O	70.3v	72.8v	42.4v	48.2v	47.4v	45.5v	0.0v	72.10v	0.0v	44.3v	0.0v	440.39v
469	Mr TJ Brooking	A	68.7v	70.5v	47.3v	45.3v	46.3v	48.4v	0.0v	69.7v	0.0v	47.6v	0.0v	440.38v
470	Miss RD Dunn	T	71.6v	72.8v	44.1v	42.5v	48.2v	48.6v	0.0v	72.5v	0.0v	43.5v	0.0v	440.38v
471	Mr RJR Mott	A	72.6v	64.4v	48.5v	48.5v	44.2v	45.3v	0.0v	72.6v	0.0v	47.6v	0.0v	440.37v
472	Dr PJ Morris	O	71.8v	68.7v	47.4v	45.3v	45.1v	48.5v	0.0v	72.5v	0.0v	44.3v	0.0v	440.36v
473	Mr RJ Quay	O	70.5v	66.2v	49.4v	39.1v	48.5v	49.7v	0.0v	73.9v	0.0v	46.1v	0.0v	440.34v
474	Mr MJB Barker	T	70.7v	71.3v	42.2v	44.4v	47.4v	49.3v	0.0v	73.10v	0.0v	44.1v	0.0v	440.34v
475	RDP Knapstein	X	72.6v	72.7v	42.1v	44.1v	48.4v	46.2v	0.0v	74.9v	0.0v	42.3v	0.0v	440.33v
476	Mr. K.W Fierling	T	74.9v	70.7v	45.2v	45.3v	48.4v	47.2v	0.0v	72.6v	0.0v	39.0v	0.0v	440.33v
477	Mr JRJ Kennedy	O	71.5v	71.6v	49.6v	44.3v	46.3v	44.2v	0.0v	70.5v	0.0v	45.2v	0.0v	440.32v
478	Mr ME Barr	O	70.3v	64.4v	49.6v	45.2v	48.4v	46.2v	0.0v	73.7v	0.0v	45.3v	0.0v	440.31v
479	Mr PB Cutts	O	71.4v	71.6v	47.5v	43.0v	47.3v	49.4v	0.0v	73.7v	0.0v	39.2v	0.0v	440.31v
480	Mr RM Culverwell	O	74.10v	68.3v	49.3v	46.3v	46.3v	46.1v	0.0v	68.3v	0.0v	43.3v	0.0v	440.29v

481	Cdt LCpl SA Cox	O	72.8v	69.3v	46.3v	44.1v	48.3v	49.4v	0.0v	69.5v	0.0v	43.2v	0.0v	440.29v
482	Mr. A.M. Mallette	T	70.5v	73.5v	48.2v	44.2v	47.3v	47.3v	0.0v	72.8v	0.0v	39.1v	0.0v	440.29v
483	Mr CMB Bowring	O	68.3v	71.4v	48.3v	49.3v	45.2v	48.5v	0.0v	71.5v	0.0v	40.2v	0.0v	440.27v
484	Sgt F Hawes	T	71.6v	68.4v	48.3v	46.2v	46.2v	46.1v	0.0v	71.7v	0.0v	44.1v	0.0v	440.26v
485	Cdt JWJ Annison	O	72.7v	71.7v	47.5v	41.2v	43.5v	48.6v	0.0v	70.6v	0.0v	47.2v	0.0v	439.40v
486	Dr AI Ashworth	O	69.7v	73.6v	44.3v	48.3v	48.8v	50.6v	0.0v	72.4v	0.0v	35.2v	0.0v	439.39v
487	Mr GK Goodwin	O	73.10v	70.4v	48.4v	41.2v	45.4v	48.4v	0.0v	71.6v	0.0v	43.4v	0.0v	439.38v
488	Miss SJ Dick	O	72.9v	71.9v	43.1v	46.1v	47.4v	46.3v	0.0v	73.8v	0.0v	41.0v	0.0v	439.35v
489	Mr SE Frost	X	72.8v	70.4v	45.2v	42.1v	48.5v	47.4v	0.0v	71.3v	0.0v	44.4v	0.0v	439.31v
490	Mr JS Chapman	O	68.5v	71.5v	48.5v	44.1v	47.5v	49.3v	0.0v	68.4v	0.0v	44.3v	0.0v	439.31v
491	Mr NJ Hall	O	71.5v	69.3v	45.3v	45.5v	44.4v	49.4v	0.0v	70.3v	0.0v	46.3v	0.0v	439.30v
492	Mr ID Markwell	O	67.3v	73.3v	50.5v	48.5v	46.3v	43.3v	0.0v	70.7v	0.0v	42.1v	0.0v	439.30v
493	Cadet PC De Souza	O	70.8v	71.5v	47.2v	42.2v	49.4v	43.0v	0.0v	74.6v	0.0v	43.2v	0.0v	439.29v
494	Mr NS Suffield-Jones	O	70.7v	68.3v	43.2v	48.0v	49.5v	44.0v	0.0v	73.9v	0.0v	44.1v	0.0v	439.27v
495	Cdt Sgt CE Phillips	T	69.1v	71.5v	45.2v	45.1v	48.4v	46.4v	0.0v	73.5v	0.0v	42.2v	0.0v	439.24v
496	Miss SL Hayes	X	72.8v	70.6v	42.5v	41.2v	50.7v	49.4v	0.0v	75.9v	0.0v	39.1v	0.0v	438.42v
497	Sgt. CJ Palmer-Makowski	O	70.7v	69.7v	46.3v	44.3v	47.4v	43.5v	0.0v	71.6v	0.0v	48.6v	0.0v	438.41v
498	Mr M Dineen	T	71.9v	66.4v	45.5v	49.3v	45.3v	46.4v	0.0v	70.9v	0.0v	46.4v	0.0v	438.41v
499	Miss EL Hoolahan	O	71.7v	72.7v	49.5v	41.3v	50.7v	47.5v	0.0v	70.6v	0.0v	38.0v	0.0v	438.40v
500	Mr AP Powell	O	71.8v	69.6v	49.6v	44.4v	47.4v	45.2v	0.0v	73.8v	0.0v	40.1v	0.0v	438.39v
501	Mr OJNL Lyon	A	69.6v	71.8v	50.6v	47.1v	47.4v	44.3v	0.0v	67.6v	0.0v	43.4v	0.0v	438.38v
502	Mr HN Watson	A	72.9v	67.4v	44.4v	42.3v	48.3v	48.3v	0.0v	75.8v	0.0v	42.0v	0.0v	438.34v
503	Cdt B Charlton	T	73.8v	71.5v	45.4v	46.4v	42.2v	48.5v	0.0v	69.3v	0.0v	44.2v	0.0v	438.33v
504	Mr. D T C Lohnes	T	69.5v	69.2v	44.1v	45.3v	50.6v	48.5v	0.0v	70.7v	0.0v	43.2v	0.0v	438.31v
505	Mr HJG Green	O	72.4v	71.8v	48.5v	41.1v	43.1v	46.2v	0.0v	75.9v	0.0v	42.1v	0.0v	438.31v
506	Mr MS Shaw	T	73.9v	65.3v	45.2v	43.3v	47.5v	48.1v	0.0v	72.6v	0.0v	45.1v	0.0v	438.30v
507	Mr J Swash	O	73.6v	70.4v	48.4v	41.2v	46.1v	47.3v	0.0v	71.9v	0.0v	42.1v	0.0v	438.30v
508	Mr SD Spinney	X	69.5v	68.4v	45.2v	47.4v	46.2v	49.4v	0.0v	70.4v	0.0v	44.3v	0.0v	438.28v
509	Mr A R Betts	X	72.3v	70.6v	44.2v	48.5v	47.2v	48.3v	0.0v	70.5v	0.0v	39.2v	0.0v	438.28v
510	Mr JT Kennedy	T	72.4v	70.3v	47.3v	40.1v	50.5v	48.5v	0.0v	72.6v	0.0v	39.0v	0.0v	438.27v
511	Mr. P.R. Roy	T	71.6v	75.14v	48.6v	45.1v	47.4v	46.3v	0.0v	71.6v	0.0v	34.4v	0.0v	437.44v
512	IP ML Lekalaile	X	73.8v	70.6v	45.3v	43.3v	45.5v	45.3v	0.0v	70.7v	0.0v	46.4v	0.0v	437.39v
513	Mr SWO Owen	O	72.8v	72.8v	46.5v	38.0v	45.2v	45.2v	0.0v	74.11v	0.0v	45.2v	0.0v	437.38v
514	Mr AK Fitch	O	74.12v	66.6v	49.4v	44.2v	49.3v	48.4v	0.0v	69.5v	0.0v	38.1v	0.0v	437.37v
515	Mr O.W.T.R Rowe	T	72.8v	72.6v	45.1v	41.2v	49.4v	45.3v	0.0v	68.7v	0.0v	45.3v	0.0v	437.34v
516	Mr NC Granger	A	72.4v	70.8v	47.3v	41.0v	49.5v	46.3v	0.0v	70.5v	0.0v	42.3v	0.0v	437.31v
517	MR WDLM De La Mare	T	69.5v	71.8v	47.3v	43.1v	48.4v	48.3v	0.0v	73.6v	0.0v	38.0v	0.0v	437.30v
518	Mr T Steele	X	70.7v	69.7v	48.4v	43.2v	49.5v	43.5v	0.0v	70.7v	0.0v	44.2v	0.0v	436.39v
519	Mr JH Forrest	O	72.9v	69.6v	48.4v	48.5v	47.5v	48.5v	0.0v	62.4v	0.0v	42.1v	0.0v	436.39v
520	Mr NJ Burnip	O	73.9v	73.9v	44.3v	44.2v	48.4v	46.2v	0.0v	68.4v	0.0v	40.0v	0.0v	436.33v
521	Miss CLM Nettie	T	72.6v	72.7v	45.3v	38.1v	49.4v	48.4v	0.0v	73.7v	0.0v	39.1v	0.0v	436.33v
522	Mr F Roberts	O	68.4v	69.4v	48.3v	41.1v	46.4v	48.7v	0.0v	73.7v	0.0v	43.2v	0.0v	436.32v
523	Mr PS Calvert	O	73.8v	71.7v	46.3v	39.1v	46.4v	48.3v	0.0v	71.5v	0.0v	42.1v	0.0v	436.32v
524	Mr KG Firth	O	72.7v	69.5v	48.5v	40.1v	48.4v	45.3v	0.0v	73.6v	0.0v	41.1v	0.0v	436.32v
525	Mr TH Emck	O	70.7v	72.7v	47.3v	45.1v	47.4v	48.4v	0.0v	66.5v	0.0v	41.0v	0.0v	436.31v
526	Mr TF Kurn	O	71.6v	67.3v	48.5v	49.3v	44.3v	49.5v	0.0v	70.4v	0.0v	38.2v	0.0v	436.31v
527	Mr EJT Thomas	T	69.2v	70.4v	47.5v	45.4v	46.4v	47.4v	0.0v	73.5v	0.0v	39.2v	0.0v	436.30v
528	Mr M Sanders	T	67.6v	72.5v	48.6v	47.4v	45.2v	45.0v	0.0v	69.4v	0.0v	43.2v	0.0v	436.29v
529	Cdt C M Jones	T	68.5v	69.3v	48.5v	48.2v	47.2v	45.3v	0.0v	73.7v	0.0v	38.1v	0.0v	436.28v
530	Mr JK James	T	70.6v	68.3v	49.5v	48.3v	45.2v	43.4v	0.0v	69.2v	0.0v	44.2v	0.0v	436.27v
531	Mr OJLW Woolcott	T	73.7v	67.2v	47.3v	46.3v	49.5v	43.3v	0.0v	70.2v	0.0v	41.2v	0.0v	436.27v
532	Mr MD Norman	T	69.5v	68.3v	45.0v	44.0v	50.7v	49.6v	0.0v	71.5v	0.0v	40.1v	0.0v	436.27v
533	Mr TSM Gordon	O	68.4v	69.1v	48.5v	41.1v	50.6v	46.3v	0.0v	69.3v	0.0v	45.2v	0.0v	436.25v
534	Miss C A Staples	A	72.8v	69.3v	42.1v	38.3v	48.7v	47.2v	0.0v	73.8v	0.0v	46.4v	0.0v	435.36v
535	Mr MD Wright	O	71.7v	69.6v	49.3v	37.1v	45.4v	47.6v	0.0v	74.8v	0.0v	43.1v	0.0v	435.36v
536	Mr PJ Carr	T	72.6v	68.4v	41.2v	41.3v	50.7v	44.2v	0.0v	74.9v	0.0v	45.2v	0.0v	435.35v
537	Mr. J T H Jones	T	66.3v	69.4v	48.2v	45.3v	48.7v	47.5v	0.0v	69.6v	0.0v	43.2v	0.0v	435.32v
538	Mr JG Powell	O	69.4v	69.7v	47.2v	44.3v	47.5v	43.2v	0.0v	74.8v	0.0v	42.0v	0.0v	435.31v
539	Cdt Sgt HYH Lei	T	70.5v	68.2v	47.3v	41.3v	48.5v	50.4v	0.0v	70.7v	0.0v	41.2v	0.0v	435.31v
540	Mr GD Moffatt	O	71.6v	72.3v	44.3v	41.3v	45.3v	45.2v	0.0v	72.8v	0.0v	45.2v	0.0v	435.30v
541	CSjt T Mason	T	68.2v	74.7v	47.4v	42.2v	49.6v	45.2v	0.0v	69.5v	0.0v	41.2v	0.0v	435.30v
542	Major N Stebbings	O	72.6v	70.5v	45.2v	42.2v	47.2v	45.5v	0.0v	69.4v	0.0v	45.3v	0.0v	435.29v
543	Miss C H Sayers	O	69.6v	65.1v	43.2v	48.4v	48.2v	47.2v	0.0v	74.8v	0.0v	41.2v	0.0v	435.27v
544	Mr CJ Macdonald	O	70.5v	69.5v	43.2v	45.2v	45.1v	48.5v	0.0v	70.3v	0.0v	45.3v	0.0v	435.26v
545	Mr G Meijer	O	70.7v	64.3v	48.8v	47.2v	47.3v	48.3v	0.0v	70.8v	0.0v	40.2v	0.0v	434.36v
546	Mr PR Coley	O	71.10v	67.2v	47.2v	42.1v	44.6v	46.5v	0.0v	72.6v	0.0v	45.3v	0.0v	434.35v
547	Mr MM Matloob	O	72.7v	70.8v	42.0v	40.1v	46.4v	49.5v	0.0v	74.9v	0.0v	41.0v	0.0v	434.34v
548	Mr RG Hilyard	O	71.6v	62.2v	48.5v	44.1v	47.5v	45.5v	0.0v	70.7v	0.0v	47.2v	0.0v	434.33v
549	Mr. L.M. Wilford	T	69.7v	70.7v	44.0v	42.1v	44.3v	48.1v	0.0v	72.7v	0.0v	45.2v	0.0v	434.28v
550	Mr J Tuffen	O	71.5v	68.4v	46.5v	45.2v	48.2v	46.2v	0.0v	70.7v	0.0v	40.0v	0.0v	434.27v
551	Mr TE Brankin-Frisby	O	71.4v	69.5v	46.5v	43.4v	49.5v	47.4v	0.0v	72.11v	0.0v	36.1v	0.0v	433.39v



552	Mr MJL Traynor	O	74.7v	70.5v	41.2v	37.2v	46.3v	48.3v	0.0v	73.10v	0.0v	44.2v	0.0v	433.34v
553	Mr JD Badman	O	74.8v	65.4v	46.5v	44.1v	47.3v	41.2v	0.0v	70.6v	0.0v	46.3v	0.0v	433.32v
554	Cdt CE Mawson	A	72.8v	69.6v	37.2v	42.2v	50.5v	49.3v	0.0v	70.5v	0.0v	44.1v	0.0v	433.32v
555	Mr MP Perez	O	72.6v	64.3v	50.5v	42.1v	47.4v	46.3v	0.0v	70.7v	0.0v	42.2v	0.0v	433.31v
556	Mr R Jackson	O	71.6v	68.3v	46.1v	45.2v	43.2v	46.4v	0.0v	72.9v	0.0v	42.2v	0.0v	433.29v
557	Mr SA Hunting	O	69.3v	70.9v	45.2v	43.1v	46.3v	49.5v	0.0v	70.6v	0.0v	41.0v	0.0v	433.29v
558	Mr PHC Costello	T	69.4v	70.8v	49.4v	47.4v	42.1v	47.1v	0.0v	70.4v	0.0v	39.2v	0.0v	433.28v
559	Mr R Hodgson-Jones	T	71.5v	69.1v	44.4v	46.3v	48.5v	42.2v	0.0v	70.4v	0.0v	43.3v	0.0v	433.27v
560	Cadet DW Leitch	T	68.3v	67.3v	46.4v	39.1v	49.2v	47.3v	0.0v	71.6v	0.0v	46.2v	0.0v	433.24v
561	Miss ZL Latimer	T	73.4v	68.1v	47.5v	38.1v	47.5v	45.2v	0.0v	70.5v	0.0v	45.1v	0.0v	433.24v
562	Mr P Merry	O	66.2v	73.4v	46.5v	41.1v	48.2v	46.5v	0.0v	69.3v	0.0v	44.1v	0.0v	433.23v
563	Mr PG Gilleece	T	65.5v	63.6v	49.7v	43.3v	49.7v	47.5v	0.0v	72.7v	0.0v	44.0v	0.0v	432.40v
564	Mr GL Clarke	O	72.9v	70.4v	45.3v	41.2v	46.4v	43.3v	0.0v	67.7v	0.0v	48.3v	0.0v	432.35v
565	Mr DF Nesbitt	O	73.9v	72.6v	44.2v	44.4v	46.4v	44.2v	0.0v	67.6v	0.0v	42.2v	0.0v	432.35v
566	Mr RJ Cade	O	73.7v	68.4v	48.5v	43.2v	47.3v	46.6v	0.0v	67.4v	0.0v	40.2v	0.0v	432.33v
567	Mr B J Day	T	73.7v	67.2v	48.4v	41.2v	49.6v	45.3v	0.0v	73.7v	0.0v	36.2v	0.0v	432.33v
568	Mr C Truman	T	69.4v	72.6v	47.4v	44.2v	47.5v	47.2v	0.0v	73.8v	0.0v	33.0v	0.0v	432.31v
569	Mr JS Ritchie	O	68.2v	70.3v	46.6v	41.2v	48.2v	46.5v	0.0v	69.5v	0.0v	44.4v	0.0v	432.29v
570	Cpl SJ Day	T	66.1v	68.3v	48.7v	47.3v	46.3v	44.2v	0.0v	71.9v	0.0v	42.1v	0.0v	432.29v
571	Mr CM Brooks	O	68.5v	66.3v	49.5v	49.2v	39.3v	45.1v	0.0v	69.5v	0.0v	47.1v	0.0v	432.25v
572	Dr CW Freeman	O	70.7v	72.4v	49.5v	43.2v	43.0v	43.1v	0.0v	68.3v	0.0v	44.1v	0.0v	432.23v
573	Mr CA Skellett	O	70.6v	74.10v	50.5v	48.5v	49.5v	50.7v	0.0v	47.10v	0.0v	43.2v	0.0v	431.50v
574	Mr J P Hakim	O	68.4v	68.5v	48.4v	50.8v	47.3v	43.3v	0.0v	64.3v	0.0v	43.1v	0.0v	431.31v
575	Mr HGM Mooiman	O	71.5v	69.4v	46.1v	44.2v	48.5v	44.4v	0.0v	69.5v	0.0v	40.3v	0.0v	431.29v
576	Mr JM de Bruijn	O	70.6v	67.2v	47.3v	46.4v	48.6v	46.3v	0.0v	63.3v	0.0v	44.1v	0.0v	431.28v
577	Maj (Retd) DJ Nelson	X	71.7v	69.2v	45.3v	45.4v	43.2v	46.1v	0.0v	74.7v	0.0v	38.1v	0.0v	431.27v
578	Sqn Ldr CM Fopp	O	67.7v	68.4v	45.1v	45.3v	50.3v	42.2v	0.0v	73.5v	0.0v	41.1v	0.0v	431.26v
579	Mr MT Lehmann	T	67.2v	70.4v	41.2v	48.2v	46.3v	44.3v	0.0v	71.6v	0.0v	44.1v	0.0v	431.23v
580	Mr A F Powell	X	68.5v	72.8v	48.6v	44.2v	41.5v	42.2v	0.0v	73.7v	0.0v	42.1v	0.0v	430.36v
581	Mr G Trembath	A	67.4v	68.5v	43.1v	47.6v	47.5v	48.5v	0.0v	72.6v	0.0v	38.1v	0.0v	430.33v
582	CWO L Hamilton	T	67.5v	71.7v	46.2v	44.2v	48.5v	48.3v	0.0v	67.6v	0.0v	39.1v	0.0v	430.31v
583	Mr AJD Saunders	O	69.4v	68.6v	41.2v	38.0v	46.4v	48.4v	0.0v	73.7v	0.0v	47.3v	0.0v	430.30v
584	Miss HE Walker	T	68.2v	68.5v	44.2v	41.1v	48.6v	49.7v	0.0v	68.6v	0.0v	44.1v	0.0v	430.30v
585	Mr ES Maclean	O	72.6v	65.2v	44.1v	42.1v	46.3v	47.4v	0.0v	73.10v	0.0v	41.3v	0.0v	430.30v
586	Mr CSJ Marlow	O	71.4v	69.5v	48.1v	41.3v	49.5v	42.0v	0.0v	70.6v	0.0v	40.4v	0.0v	430.28v
587	Cdt TJ Johnston	T	68.5v	72.6v	46.2v	41.0v	47.4v	43.1v	0.0v	69.6v	0.0v	44.3v	0.0v	430.27v
588	Mr SCW Dixon	O	63.3v	70.5v	46.4v	46.3v	45.3v	43.0v	0.0v	73.7v	0.0v	44.2v	0.0v	430.27v
589	Miss AL Matthews	T	68.3v	66.4v	47.1v	43.1v	47.4v	48.2v	0.0v	69.7v	0.0v	42.1v	0.0v	430.23v
590	Mr N M Duncan	O	66.5v	70.3v	45.2v	38.1v	48.4v	46.6v	0.0v	70.8v	0.0v	46.3v	0.0v	429.32v
591	Cdr MF Jordan	O	72.6v	68.6v	45.4v	42.1v	45.2v	46.3v	0.0v	68.5v	0.0v	43.4v	0.0v	429.31v
592	Mr AMS Sadler	O	69.7v	73.6v	48.3v	48.7v	40.2v	45.1v	0.0v	63.2v	0.0v	43.2v	0.0v	429.30v
593	Spr D Taylor	T	68.6v	72.6v	48.4v	40.2v	46.3v	47.2v	0.0v	64.4v	0.0v	44.2v	0.0v	429.29v
594	Cpl CI Walker	T	64.5v	69.4v	47.3v	50.5v	48.3v	44.2v	0.0v	73.6v	0.0v	34.1v	0.0v	429.29v
595	LCpl N Vincent	T	67.5v	70.6v	46.1v	43.1v	46.3v	46.3v	0.0v	66.4v	0.0v	45.4v	0.0v	429.27v
596	Mr DJ Walker	T	67.3v	67.3v	42.2v	46.4v	48.3v	46.4v	0.0v	69.7v	0.0v	44.1v	0.0v	429.27v
597	Mr PM Weston	O	69.3v	70.4v	42.2v	44.2v	47.5v	44.0v	0.0v	69.6v	0.0v	44.2v	0.0v	429.24v
598	Mr K Gladding	O	58.3v	71.7v	47.4v	41.0v	46.3v	49.8v	0.0v	72.6v	0.0v	44.1v	0.0v	428.32v
599	Mrs SG Sirett	O	65.5v	70.4v	40.2v	43.3v	48.3v	48.4v	0.0v	73.9v	0.0v	41.1v	0.0v	428.31v
600	Mr RR Ramage	T	70.2v	70.5v	42.3v	39.1v	49.3v	45.5v	0.0v	72.8v	0.0v	41.1v	0.0v	428.28v
601	Mr DBO O'Hare	O	68.5v	70.3v	48.3v	30.0v	48.2v	47.3v	0.0v	71.6v	0.0v	46.5v	0.0v	428.27v
602	Mr DJ Stewart	O	66.4v	68.6v	47.4v	43.2v	46.3v	47.3v	0.0v	69.4v	0.0v	42.1v	0.0v	428.27v
603	Mr MJ Judge	O	69.3v	68.5v	48.5v	43.1v	48.3v	45.1v	0.0v	62.5v	0.0v	45.2v	0.0v	428.25v
604	Mr WF Livesey	T	66.1v	69.5v	49.4v	40.3v	48.4v	48.3v	0.0v	69.2v	0.0v	39.3v	0.0v	428.25v
605	Mr SR Davis	O	68.5v	72.8v	45.5v	44.4v	46.2v	42.1v	0.0v	65.4v	0.0v	45.4v	0.0v	427.33v
606	Mr CRF Leather	O	64.2v	68.6v	45.3v	45.5v	43.1v	42.5v	0.0v	74.5v	0.0v	46.4v	0.0v	427.31v
607	Cdt S Treacy	O	70.4v	73.7v	44.4v	39.2v	44.2v	46.4v	0.0v	67.4v	0.0v	44.4v	0.0v	427.31v
608	Gdsm L Nicholson	T	69.6v	69.4v	42.1v	37.1v	46.3v	49.6v	0.0v	71.7v	0.0v	44.2v	0.0v	427.30v
609	U Soelzer	O	69.5v	66.1v	50.6v	44.3v	46.3v	45.2v	0.0v	68.7v	0.0v	39.1v	0.0v	427.28v
610	Mr LF Le Breuille	T	66.1v	67.4v	41.0v	46.4v	48.4v	47.3v	0.0v	72.9v	0.0v	40.2v	0.0v	427.27v
611	Mr MR Place	O	66.2v	72.4v	45.3v	46.3v	49.3v	42.4v	0.0v	70.5v	0.0v	37.2v	0.0v	427.26v
612	Mr SJA Armstrong	T	71.4v	68.3v	43.2v	40.1v	45.1v	44.3v	0.0v	71.7v	0.0v	45.4v	0.0v	427.25v
613	Mr K Hardyman	O	69.6v	66.2v	46.3v	42.2v	50.2v	49.7v	0.0v	65.2v	0.0v	40.0v	0.0v	427.24v
614	Mr C M Nunan	T	71.6v	65.1v	46.3v	46.3v	45.1v	43.2v	0.0v	72.5v	0.0v	39.3v	0.0v	427.24v
615	Miss S Ponter	A	73.8v	74.9v	44.2v	42.3v	42.2v	47.3v	0.0v	69.7v	0.0v	35.1v	0.0v	426.35v
616	Mr JCK Kelleher	O	69.4v	67.3v	48.5v	43.4v	46.5v	45.3v	0.0v	68.3v	0.0v	40.0v	0.0v	426.27v
617	Mr DT O'Leary	O	72.5v	67.3v	49.6v	39.1v	46.3v	47.4v	0.0v	66.2v	0.0v	40.0v	0.0v	426.24v
618	Mr MJ Bumford	O	72.6v	69.4v	45.3v	41.1v	45.4v	42.0v	0.0v	66.2v	0.0v	46.2v	0.0v	426.22v
619	Miss EL Sweet	T	68.3v	71.6v	47.1v	37.0v	44.3v	47.5v	0.0v	70.3v	0.0v	42.1v	0.0v	426.22v
620	Mr SB-M Brewer-Marchant	T	74.8v	66.6v	47.3v	37.5v	49.5v	44.1v	0.0v	74.7v	0.0v	34.1v	0.0v	425.36v
621	Mr T Galliers	O	70.2v	69.5v	47.6v	40.2v	45.5v	44.2v	0.0v	66.5v	0.0v	44.3v	0.0v	425.30v
622	Miss M McAleenan	T	70.5v	65.2v	44.3v	44.3v	39.0v	45.1v	0.0v	74.6v	0.0v	44.6v	0.0v	425.26v

623	Mr DM Smith	O	71.4v	69.4v	48.2v	39.0v	47.4v	42.1v	0.0v	69.2v	0.0v	40.3v	0.0v	425.20v
624	Mr TW Harrison	O	59.2v	70.4v	42.2v	43.3v	45.3v	46.3v	0.0v	73.7v	0.0v	46.2v	0.0v	424.26v
625	Dr G Stevenson	O	70.5v	66.2v	44.3v	45.2v	47.4v	46.8v	0.0v	63.2v	0.0v	42.4v	0.0v	423.30v
626	Mr DJ Pay	O	68.3v	66.3v	42.2v	43.3v	39.0v	47.5v	0.0v	72.5v	0.0v	46.2v	0.0v	423.23v
627	Miss RL Laird	O	71.8v	69.6v	49.5v	45.3v	48.5v	47.6v	0.0v	47.9v	0.0v	46.2v	0.0v	422.44v
628	Cdt YW Thorne	T	72.8v	65.1v	49.8v	40.0v	45.4v	43.3v	0.0v	67.6v	0.0v	41.2v	0.0v	422.32v
629	Mr MSC Chandler	T	68.6v	63.4v	45.2v	42.2v	49.6v	48.5v	0.0v	68.7v	0.0v	39.0v	0.0v	422.32v
630	Mr. J.A. Schakel	T	71.3v	68.5v	42.1v	38.2v	48.4v	46.6v	0.0v	71.5v	0.0v	38.1v	0.0v	422.27v
631	Mr PJ Holden	O	66.1v	66.3v	47.4v	41.2v	45.1v	45.2v	0.0v	67.6v	0.0v	45.1v	0.0v	422.20v
632	Mr GD Palmer	X	72.9v	73.6v	50.8v	15.0v	49.3v	47.5v	0.0v	72.8v	0.0v	43.1v	0.0v	421.40v
633	Mrs RKE Penrose	O	67.3v	73.7v	48.4v	39.1v	47.6v	46.5v	0.0v	70.6v	0.0v	31.3v	0.0v	421.35v
634	Miss PG Macdonald	T	66.4v	71.5v	41.1v	32.0v	47.4v	48.5v	0.0v	75.9v	0.0v	41.1v	0.0v	421.29v
635	K Pehiee	T	59.0v	65.4v	46.4v	46.5v	48.4v	44.2v	0.0v	67.4v	0.0v	46.2v	0.0v	421.25v
636	Cadet M Witherley	T	67.3v	68.3v	46.2v	38.2v	47.4v	43.1v	0.0v	72.6v	0.0v	40.2v	0.0v	421.23v
637	Miss IMC Cubitt	T	64.1v	61.4v	45.4v	45.2v	46.4v	45.3v	0.0v	73.10v	0.0v	41.1v	0.0v	420.29v
638	Mr ARN Kinross	O	66.4v	68.3v	44.3v	36.1v	47.3v	49.7v	0.0v	71.6v	0.0v	39.1v	0.0v	420.28v
639	Mr WT Bridger	O	70.6v	68.3v	45.4v	47.3v	41.3v	43.3v	0.0v	67.3v	0.0v	39.2v	0.0v	420.27v
640	Mr M. S. Le Maitre	T	74.8v	67.3v	41.1v	28.1v	48.5v	46.0v	0.0v	72.6v	0.0v	44.2v	0.0v	420.26v
641	Mr KJ Aldridge	O	70.4v	64.3v	46.2v	46.2v	43.2v	44.2v	0.0v	70.4v	0.0v	37.0v	0.0v	420.19v
642	Sgt D Sibbald	T	67.6v	68.3v	49.3v	46.4v	45.5v	42.2v	0.0v	56.1v	0.0v	46.5v	0.0v	419.29v
643	Mr JAM Minien	T	69.3v	64.2v	45.3v	42.1v	44.1v	47.4v	0.0v	69.4v	0.0v	39.1v	0.0v	419.19v
644	Mr JL Poulin	O	67.2v	68.4v	45.1v	35.1v	41.0v	47.1v	0.0v	71.5v	0.0v	45.2v	0.0v	419.16v
645	Mr MJ Bailey	O	70.6v	68.6v	42.1v	40.4v	48.6v	40.1v	0.0v	70.7v	0.0v	40.0v	0.0v	418.31v
646	F/Sgt T Biggins	T	71.4v	64.6v	46.5v	35.1v	48.3v	47.5v	0.0v	69.7v	0.0v	38.0v	0.0v	418.31v
647	C/Cpl TMK Hampson	T	70.2v	66.3v	47.4v	32.0v	44.4v	46.5v	0.0v	74.9v	0.0v	39.0v	0.0v	418.27v
648	Sgt EEPF Pomeroy	T	69.5v	72.2v	42.4v	33.0v	50.6v	42.1v	0.0v	72.6v	0.0v	38.1v	0.0v	418.25v
649	Cpl AJ Clarke	O	72.8v	74.8v	46.2v	47.3v	49.3v	48.4v	0.0v	74.8v	0.0v	7.0v	0.0v	417.36v
650	CSjt J Lowes	T	66.7v	63.4v	50.7v	40.1v	49.5v	45.2v	0.0v	64.4v	0.0v	40.2v	0.0v	417.32v
651	GWirgman GHCW Wirgman	T	69.3v	68.2v	46.3v	41.2v	47.5v	44.0v	0.0v	70.3v	0.0v	32.2v	0.0v	417.20v
652	Mr R Van Den Bossche	O	67.3v	67.1v	47.4v	39.1v	46.3v	42.1v	0.0v	70.6v	0.0v	39.0v	0.0v	417.19v
653	Spr H Quilliam	T	67.4v	66.2v	44.4v	44.2v	47.4v	44.2v	0.0v	63.3v	0.0v	41.2v	0.0v	416.23v
654	Mr EWV Feast	T	69.4v	65.3v	46.2v	41.0v	41.2v	44.2v	0.0v	70.4v	0.0v	40.2v	0.0v	416.19v
655	Cdt SMB Maitland	T	67.5v	65.3v	45.1v	40.1v	43.1v	47.3v	0.0v	70.3v	0.0v	39.1v	0.0v	416.18v
656	Mr RM Allan	O	65.7v	64.4v	49.2v	45.1v	40.3v	47.5v	0.0v	71.3v	0.0v	34.1v	0.0v	415.26v
657	Mr DCJ Poxon	T	66.2v	66.5v	41.1v	41.2v	48.2v	45.2v	0.0v	68.5v	0.0v	40.0v	0.0v	415.19v
658	Mr SD Douglas	O	70.8v	61.1v	45.1v	36.2v	46.5v	46.4v	0.0v	67.3v	0.0v	43.1v	0.0v	414.25v
659	Mr W A R Yeo	T	70.5v	65.2v	45.2v	34.0v	45.3v	43.2v	0.0v	70.3v	0.0v	42.3v	0.0v	414.20v
660	Mr AC Abrahams	O	70.4v	67.1v	40.0v	40.0v	42.1v	46.3v	0.0v	69.6v	0.0v	40.1v	0.0v	414.16v
661	Mr TLB Burton	T	69.3v	65.3v	40.1v	45.2v	47.5v	47.0v	0.0v	63.1v	0.0v	38.0v	0.0v	414.15v
662	Miss LK Broomfield	T	69.3v	65.3v	48.4v	43.2v	41.2v	43.2v	0.0v	72.5v	0.0v	32.0v	0.0v	413.21v
663	GPJ Nel	T	68.4v	65.4v	48.3v	44.2v	44.2v	44.2v	0.0v	63.1v	0.0v	37.0v	0.0v	413.18v
664	Mr RBC Baker	X	72.5v	72.6v	49.3v	44.6v	50.5v	50.5v	0.0v	75.8v	0.0v	0.0v	0.0v	412.38v
665	Ms BM Moore	O	73.8v	49.0v	49.3v	39.1v	48.6v	42.1v	0.0v	74.8v	0.0v	38.2v	0.0v	412.29v
666	Mr A Aryaepour	T	71.7v	68.4v	44.3v	38.1v	45.3v	43.1v	0.0v	68.6v	0.0v	35.2v	0.0v	412.27v
667	Cpl MG Faulkner	T	70.6v	64.3v	45.4v	45.4v	40.1v	42.2v	0.0v	64.4v	0.0v	42.1v	0.0v	412.25v
668	Mr RS Mason MRCVS	O	61.3v	67.4v	44.3v	43.1v	42.3v	42.1v	0.0v	73.7v	0.0v	40.3v	0.0v	412.25v
669	Rd Leite	T	68.3v	66.4v	42.1v	44.4v	44.4v	37.2v	0.0v	68.2v	0.0v	43.0v	0.0v	412.20v
670	Ckt Sgt EM Dixon	T	61.0v	63.0v	47.3v	39.1v	46.6v	44.0v	0.0v	69.5v	0.0v	43.0v	0.0v	412.15v
671	SSgt J Calcutt	T	66.4v	68.4v	39.2v	41.1v	39.3v	48.5v	0.0v	69.2v	0.0v	41.1v	0.0v	411.22v
672	Mr CDC Smith	T	67.3v	66.3v	44.1v	41.1v	44.2v	38.0v	0.0v	68.4v	0.0v	43.3v	0.0v	411.17v
673	Mr KI Ortmann	T	61.1v	66.2v	43.1v	46.2v	42.1v	48.2v	0.0v	64.1v	0.0v	40.1v	0.0v	410.11v
674	Miss M C Montgomery	T	71.8v	70.4v	43.9v	39.3v	47.5v	41.0v	0.0v	63.1v	0.0v	35.1v	0.0v	409.31v
675	Mr CJ Marriott	T	69.2v	68.1v	48.3v	46.5v	49.8v	44.1v	0.0v	66.1v	0.0v	19.0v	0.0v	409.21v
676	Mr A.B.T Tucker	T	67.5v	59.0v	46.4v	33.2v	49.5v	44.2v	0.0v	69.4v	0.0v	41.1v	0.0v	408.23v
677	Mr T Horsfield	O	67.0v	62.4v	43.2v	45.3v	41.1v	45.2v	0.0v	64.2v	0.0v	41.1v	0.0v	408.15v
678	Mr D Markie	O	71.5v	70.3v	47.2v	35.0v	44.2v	43.3v	0.0v	61.0v	0.0v	37.0v	0.0v	408.15v
679	Mr PJG Barber	T	72.10v	44.4v	50.3v	41.2v	42.3v	45.1v	0.0v	70.5v	0.0v	43.3v	0.0v	407.31v
680	Sgt GM Overton	O	72.4v	44.3v	44.2v	35.2v	49.5v	47.6v	0.0v	73.8v	0.0v	43.1v	0.0v	407.31v
681	Mrs JE Dickson	O	63.2v	65.4v	44.1v	48.5v	49.5v	38.2v	0.0v	71.6v	0.0v	29.1v	0.0v	407.26v
682	Mr ED Halford	T	66.4v	70.5v	43.2v	37.3v	42.3v	40.2v	0.0v	67.4v	0.0v	41.3v	0.0v	406.26v
683	Mr MMB Bree	T	66.3v	65.2v	41.1v	42.4v	44.2v	47.4v	0.0v	64.2v	0.0v	37.0v	0.0v	406.18v
684	Mr E G Lawrence	T	68.1v	60.2v	42.1v	43.1v	42.1v	46.3v	0.0v	59.0v	0.0v	46.4v	0.0v	406.13v
685	Ms N.M MacDougall	T	63.2v	66.5v	47.2v	38.1v	41.3v	41.2v	0.0v	70.7v	0.0v	39.1v	0.0v	405.23v
686	Mr. B Chiang	T	69.6v	65.3v	44.2v	35.0v	40.2v	47.4v	0.0v	73.5v	0.0v	32.0v	0.0v	405.22v
687	Miss ME Wicker	O	68.4v	65.2v	38.0v	41.2v	44.2v	43.3v	0.0v	64.3v	0.0v	42.2v	0.0v	405.18v
688	Miss C.L. Coutts	T	69.5v	67.2v	39.1v	45.2v	46.2v	45.2v	0.0v	56.2v	0.0v	38.0v	0.0v	405.16v
689	CA Venter	T	68.3v	68.4v	41.1v	46.1v	41.3v	45.5v	0.0v	63.5v	0.0v	32.0v	0.0v	404.22v
690	HJ Diederichs	T	65.1v	65.3v	46.3v	40.1v	38.3v	43.2v	0.0v	63.3v	0.0v	43.1v	0.0v	403.17v
691	Cpl CX Legge	T	66.3v	64.2v	41.0v	42.2v	44.3v	38.1v	0.0v	66.4v	0.0v	42.1v	0.0v	403.16v
692	LCpl K Burnell	T	67.1v	65.1v	39.1v	37.0v	45.3v	44.2v	0.0v	69.6v	0.0v	37.0v	0.0v	403.14v
693	Mr JF Jackman	O	70.6v	72.4v	49.3v	47.3v	48.5v	46.2v	0.0v	70.7v	0.0v	0.0v	0.0v	402.30v

694	Mr D Furner	T	67.3v	66.1v	39.2v	39.1v	45.2v	46.7v	0.0v	66.2v	0.0v	34.2v	0.0v	402.20v
695	Mr J Cook	T	69.8v	70.4v	50.6v	46.5v	0.0v	49.6v	0.0v	72.9v	0.0v	45.2v	0.0v	401.40v
696	Cdt Sgt N Bass	O	64.4v	68.3v	41.1v	26.0v	43.2v	47.3v	0.0v	73.8v	0.0v	38.3v	0.0v	400.24v
697	Mr F Bilton	O	72.6v	70.7v	0.0v	45.5v	50.7v	50.7v	0.0v	73.8v	0.0v	38.1v	0.0v	398.41v
698	Mr LS Skinner	T	69.5v	63.2v	43.2v	24.1v	48.6v	44.2v	0.0v	69.7v	0.0v	38.0v	0.0v	398.25v
699	Sgt A Dodds	T	64.2v	63.3v	32.1v	40.1v	43.2v	38.1v	0.0v	74.7v	0.0v	44.2v	0.0v	398.19v
700	Mr ELM Macaulay	T	64.2v	67.3v	45.0v	39.1v	39.3v	44.2v	0.0v	67.6v	0.0v	33.1v	0.0v	398.18v
701	Mr RCQ Martin	X	73.8v	70.6v	44.7v	0.0v	50.2v	46.3v	0.0v	75.12v	0.0v	39.1v	0.0v	397.39v
702	Mr DM Mesletzky	X	45.1v	69.5v	45.3v	39.2v	42.2v	44.5v	0.0v	73.4v	0.0v	40.2v	0.0v	397.24v
703	Mr OCRB Ballsdon	O	56.1v	64.2v	47.4v	42.2v	48.5v	43.3v	0.0v	68.5v	0.0v	29.0v	0.0v	397.22v
704	Mr WHC Ledsham	T	63.3v	57.1v	41.0v	45.2v	43.1v	41.1v	0.0v	66.2v	0.0v	41.2v	0.0v	397.12v
705	K Jahnke	O	69.4v	64.5v	44.2v	37.1v	41.3v	46.3v	0.0v	67.4v	0.0v	28.0v	0.0v	396.22v
706	CDDT TP Shaw	T	72.5v	58.0v	41.1v	41.1v	47.5v	39.1v	0.0v	66.2v	0.0v	31.0v	0.0v	395.15v
707	Mr M A Chance	T	65.0v	64.1v	40.1v	31.0v	47.1v	44.3v	0.0v	63.3v	0.0v	41.4v	0.0v	395.13v
708	Mrs I Pioche	O	73.6v	44.2v	45.2v	28.1v	44.4v	46.2v	0.0v	69.6v	0.0v	43.1v	0.0v	392.24v
709	F/Sgt E Brown	T	64.3v	58.0v	46.3v	33.2v	38.1v	45.3v	0.0v	69.4v	0.0v	39.2v	0.0v	392.18v
710	LCpl MJ Newton	T	66.2v	69.2v	37.1v	45.2v	44.1v	43.1v	0.0v	65.2v	0.0v	23.0v	0.0v	392.11v
711	Mr RG Evans	T	66.10v	70.5v	48.6v	0.0v	48.4v	43.2v	0.0v	73.10v	0.0v	43.5v	0.0v	391.42v
712	Mr MR Horrell	T	57.2v	66.4v	39.1v	39.0v	43.0v	46.4v	0.0v	71.6v	0.0v	30.1v	0.0v	391.18v
713	Cdt REJ Mcgregor	T	69.5v	68.6v	49.7v	44.3v	48.4v	27.0v	0.0v	61.3v	0.0v	24.0v	0.0v	390.28v
714	Mr H Rumbelow	O	67.4v	68.3v	48.3v	44.2v	49.4v	43.4v	0.0v	71.8v	0.0v	0.0v	0.0v	390.28v
715	Mr JC Hambro	O	67.4v	60.2v	46.2v	45.2v	44.2v	43.1v	0.0v	45.4v	0.0v	40.1v	0.0v	390.18v
716	Sgt BA Beadle	T	66.3v	62.1v	45.3v	40.0v	43.2v	39.2v	0.0v	71.5v	0.0v	23.0v	0.0v	389.16v
717	Dr J Mehta	O	72.6v	75.8v	49.7v	46.4v	50.5v	48.7v	0.0v	0.0v	0.0v	48.3v	0.0v	388.40v
718	Dr R Pizer	O	61.2v	63.4v	39.2v	38.2v	43.0v	40.2v	0.0v	58.1v	0.0v	46.2v	0.0v	388.15v
719	Mr NNT Kerins	T	65.5v	68.4v	41.1v	41.2v	36.1v	34.0v	0.0v	68.9v	0.0v	34.1v	0.0v	387.23v
720	Cadet R Williams	T	64.2v	69.5v	48.3v	27.0v	41.2v	32.0v	0.0v	64.2v	0.0v	40.1v	0.0v	385.15v
721	P Wagner	O	64.1v	55.2v	45.2v	37.1v	44.2v	42.3v	0.0v	67.2v	0.0v	30.0v	0.0v	384.13v
722	Cdt Cpl AJT Innes-Whitehouse	T	67.5v	64.1v	44.3v	40.0v	47.4v	47.1v	0.0v	71.6v	0.0v	3.0v	0.0v	383.20v
723	Mr JPS Bloomfield	X	0.0v	69.7v	49.3v	50.4v	49.5v	47.6v	0.0v	73.8v	0.0v	45.3v	0.0v	382.36v
724	Cpl S Maundrill	T	51.1v	63.1v	44.0v	41.1v	37.2v	41.2v	0.0v	69.2v	0.0v	35.1v	0.0v	381.10v
725	Cadet M Rainier-Kirkwood	T	74.9v	69.6v	38.0v	36.2v	46.3v	0.0v	0.0v	74.9v	0.0v	43.3v	0.0v	380.32v
726	Sgt D Clark	T	64.3v	70.7v	43.4v	41.1v	43.3v	49.4v	0.0v	70.5v	0.0v	0.0v	0.0v	380.27v
727	Mr ND Stangroom	X	0.0v	69.5v	48.3v	46.3v	48.4v	49.6v	0.0v	70.10v	0.0v	49.7v	0.0v	379.38v
728	Mr BA Allen	T	60.1v	68.4v	47.4v	31.0v	39.0v	44.2v	0.0v	58.2v	0.0v	30.1v	0.0v	377.14v
729	Lcpl JCH Lee	T	59.1v	47.0v	47.1v	42.3v	41.0v	37.2v	0.0v	67.5v	0.0v	37.1v	0.0v	377.13v
730	Cpl K Milner	T	73.6v	0.0v	48.4v	44.1v	47.3v	49.7v	0.0v	70.6v	0.0v	44.3v	0.0v	375.30v
731	Cdt CWF Kingston	T	67.4v	62.2v	32.1v	34.1v	43.2v	43.4v	0.0v	58.2v	0.0v	35.0v	0.0v	374.16v
732	Cdt Cpl RT Macleod	T	71.6v	65.2v	41.3v	40.1v	47.3v	0.0v	0.0v	71.7v	0.0v	37.0v	0.0v	372.22v
733	Mr BD Jones	T	67.4v	55.1v	44.2v	20.1v	34.0v	48.5v	0.0v	63.1v	0.0v	41.3v	0.0v	372.17v
734	JS Fourie	T	71.6v	0.0v	44.0v	46.3v	49.6v	44.2v	0.0v	72.7v	0.0v	45.1v	0.0v	371.25v
735	Cpl J Coombes	T	61.2v	64.4v	46.3v	39.0v	41.2v	34.0v	0.0v	60.4v	0.0v	25.0v	0.0v	370.15v
736	Cdt EH Gittins	T	65.3v	72.9v	42.0v	34.0v	45.4v	0.0v	0.0v	71.3v	0.0v	40.2v	0.0v	369.21v
737	Mr BJA Parke	O	65.2v	66.4v	43.2v	39.2v	37.1v	38.1v	0.0v	50.3v	0.0v	31.1v	0.0v	369.16v
738	Mr JR Petrie	T	64.4v	59.2v	45.1v	29.0v	45.4v	39.0v	0.0v	52.1v	0.0v	36.3v	0.0v	369.15v
739	Mr JE Bell	T	61.3v	65.3v	32.1v	31.2v	29.1v	35.1v	0.0v	68.2v	0.0v	46.4v	0.0v	367.17v
740	Cdt GH Ramsden	T	71.4v	68.5v	40.2v	35.1v	43.2v	43.1v	0.0v	64.2v	0.0v	3.0v	0.0v	367.17v
741	Mr J Golling	X	0.0v	65.5v	46.3v	41.3v	48.5v	47.5v	0.0v	71.10v	0.0v	47.3v	0.0v	365.34v
742	LCpl K Lacey	T	70.5v	70.4v	23.1v	44.5v	47.4v	0.0v	0.0v	71.7v	0.0v	40.3v	0.0v	365.29v
743	Mr OZ Wong	T	67.7v	69.4v	45.4v	30.0v	0.0v	46.3v	0.0v	68.0v	0.0v	39.1v	0.0v	364.19v
744	Mr T S McDowell	O	67.2v	0.0v	46.2v	46.3v	46.2v	45.2v	0.0v	71.4v	0.0v	42.3v	0.0v	363.18v
745	Cdt B Chamberlain	T	63.1v	55.0v	41.0v	35.1v	39.2v	42.1v	0.0v	62.2v	0.0v	26.0v	0.0v	363.7v
746	CSjt LG Gamble	T	69.4v	60.2v	38.1v	38.1v	47.4v	39.3v	0.0v	69.6v	0.0v	2.0v	0.0v	362.21v
747	Cdt JJ Cracknell	T	59.3v	68.3v	42.4v	45.3v	36.0v	40.1v	0.0v	60.2v	0.0v	12.0v	0.0v	362.16v
748	Mr RK Modenbach	X	71.3v	67.3v	47.4v	39.0v	47.4v	43.3v	0.0v	0.0v	0.0v	44.2v	0.0v	358.19v
749	Dr PJ Taylor	T	0.0v	67.3v	45.1v	44.5v	45.4v	44.2v	0.0v	68.3v	0.0v	45.0v	0.0v	358.18v
750	Mr P S Holmes	O	0.0v	74.7v	50.5v	45.2v	49.2v	46.4v	0.0v	47.4v	0.0v	45.3v	0.0v	356.27v
751	Mr P Wale	O	64.2v	0.0v	41.1v	45.3v	45.2v	43.2v	0.0v	73.7v	0.0v	45.5v	0.0v	356.22v
752	CSjt L Scull	T	66.6v	63.3v	39.2v	44.2v	44.2v	0.0v	0.0v	67.2v	0.0v	31.1v	0.0v	354.18v
753	LCpl G Manchip	T	62.1v	41.0v	29.1v	33.2v	38.2v	45.3v	0.0v	65.4v	0.0v	37.0v	0.0v	350.13v
754	Mr SJ Ayres	O	13.0v	62.1v	44.0v	44.1v	42.1v	45.1v	0.0v	58.2v	0.0v	42.0v	0.0v	350.6v
755	LCpl R Butt	T	51.0v	62.6v	40.2v	40.3v	38.1v	36.2v	0.0v	60.3v	0.0v	22.0v	0.0v	349.17v
756	Miss VRM Jowett	T	65.3v	54.1v	42.0v	31.2v	33.1v	30.0v	0.0v	54.3v	0.0v	39.1v	0.0v	348.11v
757	Mr P Sirett	X	69.4v	66.5v	43.0v	42.0v	46.3v	40.1v	0.0v	0.0v	0.0v	40.1v	0.0v	346.14v
758	LCpl RS Scadding	T	60.0v	58.1v	38.1v	41.2v	39.3v	31.0v	0.0v	51.2v	0.0v	28.0v	0.0v	346.9v
759	Miss HL Wills	T	59.0v	58.0v	40.0v	42.0v	37.0v	33.2v	0.0v	54.3v	0.0v	19.0v	0.0v	342.5v
760	SSgt PJ Perry	T	63.2v	72.3v	46.4v	38.1v	43.1v	39.1v	0.0v	0.0v	0.0v	40.2v	0.0v	341.14v
761	Cdt L/Cpl BA Fenn	T	56.1v	60.1v	43.3v	35.0v	38.0v	43.1v	0.0v	55.1v	0.0v	6.0v	0.0v	336.7v
762	Mr PT Tremblay	X	0.0v	72.5v	50.6v	44.4v	49.8v	0.0v	0.0v	72.9v	0.0v	45.2v	0.0v	332.34v
763	MR DL Lee	T	0.0v	56.1v	40.1v	39.0v	46.3v	35.0v	0.0v	73.6v	0.0v	36.0v	0.0v	325.11v
764	Mr P Dean	T	0.0v	69.6v	37.0v	43.3v	46.4v	46.3v	0.0v	53.3v	0.0v	26.0v	0.0v	320.19v

