

NRA 144th Imperial Meeting

Grand Aggregate

		DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	Corp	POW	Total	
1	Mr DC Luckman	X	75.12v	75.13v	50.7v	50.8v	49.7v	48.5v	50.9v	75.11v	104.16v	49.7v	0.0v	625.95v
2	Mr JP Bailey	X	75.13v	75.9v	49.5v	50.8v	50.6v	49.6v	48.5v	75.13v	105.15v	48.6v	0.0v	624.86v
3	Mr P Patel	X	75.11v	75.8v	50.9v	48.4v	49.5v	48.5v	50.8v	75.14v	105.20v	48.6v	0.0v	623.90v
4	Miss JM Rankin	X	73.8v	73.6v	49.7v	48.4v	50.5v	50.7v	50.7v	75.14v	105.15v	49.6v	0.0v	622.79v
5	Mr SJ East	X	73.6v	74.11v	50.6v	50.7v	50.5v	49.6v	48.6v	75.11v	105.15v	48.4v	0.0v	622.77v
6	Mr GE Morris	X	75.13v	74.10v	50.9v	49.3v	49.8v	50.6v	49.5v	75.11v	105.19v	45.1v	0.0v	621.85v
7	Wg. Cdr. DP Calvert MBE RAF	X	73.7v	75.10v	50.9v	50.9v	48.4v	48.5v	50.7v	75.13v	104.16v	48.3v	0.0v	621.83v
8	Dr HHG Pollock	X	75.7v	75.9v	50.9v	44.1v	50.6v	50.8v	50.8v	75.11v	104.14v	48.5v	0.0v	621.78v
9	Mr ERT Jeens	X	74.6v	75.10v	50.8v	50.7v	47.4v	49.6v	50.7v	72.8v	105.15v	49.6v	0.0v	621.77v
10	Miss JH Messer	X	74.10v	73.9v	50.7v	50.5v	50.7v	47.5v	50.8v	74.6v	103.13v	50.6v	0.0v	621.76v
11	Mr J Corbett	X	74.11v	75.15v	50.6v	50.10v	50.7v	50.7v	49.3v	73.8v	105.19v	44.1v	0.0v	620.87v
12	Mr SA Thomas	X	73.10v	74.11v	49.5v	49.3v	50.9v	50.6v	50.7v	75.13v	105.16v	45.5v	0.0v	620.85v
13	Mr PG Kent GC	X	75.12v	74.9v	49.8v	49.8v	50.6v	48.4v	50.6v	75.12v	105.15v	45.3v	0.0v	620.83v
14	Mr GA Cann	X	73.10v	75.12v	50.8v	49.4v	48.4v	50.8v	49.4v	74.11v	104.16v	48.4v	0.0v	620.81v
15	Mr NBS Logan	X	75.7v	72.7v	50.8v	49.6v	50.5v	48.5v	50.5v	75.9v	103.14v	48.6v	0.0v	620.72v
16	Mr RJ Lygoe	O	73.8v	73.7v	50.6v	49.4v	49.5v	49.4v	50.5v	73.11v	104.18v	50.3v	0.0v	620.71v
17	Mr RCT Jeens	A	74.8v	73.8v	50.8v	50.7v	50.6v	49.4v	50.6v	75.8v	103.10v	46.4v	0.0v	620.69v
18	Mr SM Negus	X	75.12v	73.6v	50.6v	47.5v	50.9v	49.5v	50.6v	75.13v	104.16v	46.4v	0.0v	619.82v
19	Mr TJD Raincock	X	75.13v	75.9v	48.4v	50.7v	50.7v	50.6v	49.7v	75.13v	102.12v	45.3v	0.0v	619.81v
20	Mr CN Tremlett	X	75.12v	75.10v	50.4v	45.3v	50.7v	49.4v	50.6v	75.13v	103.15v	47.4v	0.0v	619.78v
21	Mr DL Le Quesne	X	74.10v	74.9v	49.6v	48.4v	49.6v	48.6v	50.7v	73.9v	104.12v	50.5v	0.0v	619.74v
22	Dr CD Haley	A	75.9v	75.8v	50.4v	43.4v	50.9v	48.4v	50.5v	75.14v	104.16v	48.5v	0.0v	618.78v
23	Mr JAM Paton	X	74.11v	72.8v	49.6v	50.5v	50.7v	49.5v	49.5v	75.13v	103.15v	47.3v	0.0v	618.78v
24	Mr JA Watson	X	75.8v	75.13v	50.7v	47.3v	50.5v	49.4v	50.6v	74.12v	105.15v	43.2v	0.0v	618.75v
25	Mr NJ Ball	X	75.10v	73.7v	50.8v	49.4v	49.6v	47.3v	50.7v	74.11v	104.14v	47.4v	0.0v	618.74v
26	Mr DR Cadden	X	72.8v	75.12v	50.6v	50.3v	50.5v	49.6v	49.5v	74.10v	102.7v	47.4v	0.0v	618.66v
27	Dr PR Wheeler	O	71.2v	74.9v	50.8v	48.5v	50.5v	49.4v	48.8v	74.6v	105.10v	49.2v	0.0v	618.59v
28	Mr GW Woodman	A	74.10v	74.8v	50.4v	50.7v	50.6v	49.8v	50.7v	74.13v	102.15v	44.2v	0.0v	617.80v
29	Dr JD Warburton	X	74.9v	72.8v	50.6v	49.5v	50.9v	49.5v	50.7v	73.8v	104.16v	46.5v	0.0v	617.78v
30	Mr T Drysdale	X	73.9v	74.6v	50.5v	46.4v	50.3v	50.7v	50.8v	75.9v	104.17v	45.6v	0.0v	617.74v
31	Dr JDS Langley	X	71.6v	73.8v	50.6v	48.3v	50.9v	50.7v	48.5v	75.10v	105.16v	47.2v	0.0v	617.72v
32	Mr CA Brook	X	74.9v	73.10v	49.4v	50.6v	49.3v	50.5v	50.5v	73.7v	103.13v	46.3v	0.0v	617.65v
33	Mr AC Haley	X	74.9v	75.12v	48.5v	45.3v	50.9v	50.6v	50.6v	75.14v	104.18v	45.3v	0.0v	616.85v
34	Dr JR Deane	X	74.11v	74.8v	48.7v	47.6v	50.9v	48.4v	49.5v	74.13v	104.15v	48.6v	0.0v	616.84v
35	Mr ASH McCullough	X	75.10v	73.8v	48.6v	49.5v	50.7v	50.8v	46.6v	74.13v	105.16v	46.5v	0.0v	616.84v
36	Mr NC Mace	X	72.7v	74.7v	48.8v	47.5v	49.7v	50.8v	50.9v	75.12v	104.16v	47.2v	0.0v	616.81v
37	Mr DR Armstrong	X	74.8v	73.6v	50.7v	47.6v	50.5v	50.7v	48.6v	74.9v	105.14v	45.5v	0.0v	616.73v
38	Mr JEM Bellringer	X	73.10v	75.9v	50.7v	45.3v	50.7v	49.7v	49.6v	75.9v	103.10v	47.4v	0.0v	616.72v
39	Mr IW Robertson	X	74.11v	73.6v	50.4v	49.7v	49.6v	50.8v	49.6v	71.9v	102.10v	49.4v	0.0v	616.71v
40	Dr AJ Pilgrim	X	74.7v	73.9v	49.3v	49.4v	49.7v	49.3v	50.10v	75.11v	104.15v	44.2v	0.0v	616.71v
41	Mr DA Richardson	X	73.9v	74.11v	49.6v	50.6v	49.4v	50.7v	50.5v	73.6v	103.13v	45.2v	0.0v	616.69v
42	Mr J N McLaren	X	73.8v	73.10v	50.5v	50.6v	48.5v	49.3v	49.4v	71.7v	105.11v	48.6v	0.0v	616.65v
43	Miss H P McCullough	X	73.6v	74.8v	50.8v	48.3v	49.5v	49.7v	50.6v	75.9v	104.13v	44.0v	0.0v	616.65v
44	Mr A Marion	X	74.8v	74.10v	49.7v	50.7v	49.4v	50.5v	49.5v	75.7v	102.9v	44.2v	0.0v	616.64v
45	Dr JO Ahrens	X	73.8v	68.6v	50.9v	49.5v	50.8v	50.5v	50.7v	74.12v	104.14v	47.7v	0.0v	615.81v
46	Miss EJ Nuttall	X	75.9v	73.9v	49.5v	43.4v	49.8v	50.5v	48.6v	75.12v	105.16v	48.4v	0.0v	615.78v
47	Mr JC Underwood	X	74.8v	75.12v	50.8v	47.3v	50.7v	48.5v	49.8v	73.10v	102.12v	47.2v	0.0v	615.75v
48	Mr TA Ringer	X	71.5v	72.9v	49.5v	49.6v	50.9v	48.4v	50.10v	75.10v	104.12v	47.4v	0.0v	615.74v
49	Mr TP Clarke	A	75.10v	75.9v	49.8v	46.5v	50.6v	49.5v	47.4v	72.8v	105.13v	47.5v	0.0v	615.73v
50	Mr AG Mitchell	X	74.11v	72.5v	50.4v	46.4v	50.6v	47.5v	49.4v	75.12v	105.14v	47.4v	0.0v	615.69v
51	Mr DC Crispin	X	75.8v	74.7v	50.6v	45.3v	50.6v	48.5v	49.7v	74.8v	103.15v	47.4v	0.0v	615.69v
52	Mr PJ Johnson	A	74.5v	72.5v	48.7v	46.4v	49.7v	50.6v	50.8v	75.7v	103.15v	48.4v	0.0v	615.68v
53	Mr PA Haasbroek	X	75.12v	72.7v	48.5v	48.1v	50.10v	48.5v	50.6v	75.11v	103.11v	46.0v	0.0v	615.68v
54	Mr MD Jenvey	O	74.9v	74.9v	49.6v	47.4v	50.5v	50.6v	49.4v	73.6v	103.10v	46.5v	0.0v	615.64v

55	Mr MRM Millar	X	74.7v	74.6v	50.4v	46.3v	50.6v	48.4v	49.5v	74.8v	105.10v	45.2v	0.0v	615.55v
56	Capt AW Gill	X	75.12v	72.8v	46.2v	50.3v	49.5v	47.7v	47.7v	75.13v	104.16v	49.7v	0.0v	614.80v
57	Mr ITG Shaw	X	75.12v	73.8v	49.9v	48.5v	49.6v	46.3v	48.6v	74.7v	105.16v	47.4v	0.0v	614.76v
58	Mr RJS Curtis	A	72.8v	74.7v	49.7v	45.2v	49.6v	50.9v	49.6v	75.11v	105.16v	46.2v	0.0v	614.74v
59	Mr JMA Thompson	X	73.11v	75.10v	48.6v	49.7v	50.7v	49.2v	49.4v	73.9v	102.13v	46.4v	0.0v	614.73v
60	Mr FWA Coetzee	X	74.13v	73.6v	48.4v	47.5v	49.5v	50.6v	49.4v	74.11v	104.13v	46.4v	0.0v	614.71v
61	Mr ML Millar	A	75.8v	73.10v	50.6v	48.5v	48.6v	47.3v	48.5v	72.9v	104.14v	49.4v	0.0v	614.70v
62	Mr ER Welford	X	73.11v	74.7v	48.5v	46.3v	50.8v	47.4v	49.4v	75.9v	104.14v	48.4v	0.0v	614.69v
63	Mr FTG Amy	O	72.9v	74.9v	49.8v	49.6v	50.6v	50.6v	49.3v	73.6v	103.12v	45.3v	0.0v	614.68v
64	Mr D Rose	X	75.9v	72.5v	50.5v	47.2v	50.6v	50.10v	48.2v	73.10v	104.13v	45.5v	0.0v	614.67v
65	Mr CJ Watson	X	72.5v	74.9v	50.7v	48.3v	49.3v	49.4v	49.7v	75.13v	103.14v	45.2v	0.0v	614.67v
66	Mr D de Vere	X	73.6v	73.7v	48.4v	48.5v	49.4v	48.5v	49.7v	74.8v	104.14v	48.6v	0.0v	614.66v
67	Mr JWE Lewis	X	73.3v	73.9v	49.6v	48.4v	48.6v	50.7v	47.5v	75.10v	104.12v	47.2v	0.0v	614.64v
68	Mr S Belither	X	73.8v	71.4v	49.4v	49.7v	50.7v	48.4v	50.8v	74.6v	104.12v	46.4v	0.0v	614.64v
69	Mr BMA Stevens	A	71.6v	73.7v	49.6v	44.2v	50.7v	49.5v	50.3v	74.9v	104.10v	50.6v	0.0v	614.61v
70	Mr GK Alexander	X	73.9v	71.6v	50.6v	50.6v	48.7v	49.5v	49.4v	74.7v	101.6v	49.4v	0.0v	614.60v
71	Mr SKC Hunter	X	75.8v	73.12v	49.7v	49.5v	46.6v	49.8v	47.5v	73.9v	105.15v	47.5v	0.0v	613.80v
72	Mr S Young	X	74.8v	73.12v	50.6v	43.1v	49.6v	49.6v	48.4v	74.13v	105.15v	48.6v	0.0v	613.77v
73	Mr AK Henderson	X	73.5v	74.13v	50.9v	45.2v	50.9v	50.7v	50.4v	73.10v	102.13v	46.5v	0.0v	613.77v
74	Mr C Fitzpatrick	X	73.9v	74.10v	49.6v	46.3v	49.7v	50.8v	49.7v	75.10v	105.14v	43.3v	0.0v	613.77v
75	Mrs LK Mace	X	74.9v	72.9v	48.6v	47.4v	49.4v	49.9v	49.6v	73.10v	104.13v	48.6v	0.0v	613.76v
76	Mr S Osmond	A	72.7v	72.8v	49.6v	47.4v	49.8v	47.4v	49.5v	75.12v	105.19v	48.3v	0.0v	613.76v
77	Mr DE Nuthall	X	71.10v	73.9v	49.5v	46.2v	50.10v	49.7v	49.3v	75.13v	103.10v	48.4v	0.0v	613.73v
78	Mr PB Vamplew	X	75.12v	75.9v	49.6v	47.3v	49.4v	50.6v	46.4v	74.11v	104.15v	44.3v	0.0v	613.73v
79	Mr SF Shouler	A	75.10v	71.5v	47.5v	48.2v	49.4v	49.9v	49.5v	73.11v	104.17v	48.4v	0.0v	613.72v
80	Flt Lt NP Moxon	A	72.6v	74.9v	48.7v	49.4v	50.6v	48.8v	49.7v	73.6v	103.14v	47.5v	0.0v	613.72v
81	Mrs MM Norman	A	75.12v	73.8v	49.8v	45.2v	50.5v	49.6v	50.8v	72.7v	102.12v	48.3v	0.0v	613.71v
82	Mr CES Dickenson	A	71.6v	74.9v	49.8v	47.5v	50.7v	49.5v	50.7v	72.7v	104.13v	47.4v	0.0v	613.71v
83	Cdt AD Partridge	O	74.9v	71.3v	47.3v	47.2v	50.7v	50.7v	50.7v	74.12v	104.16v	46.4v	0.0v	613.70v
84	Dr C I Johnston	X	73.4v	72.8v	49.6v	46.4v	49.8v	48.3v	50.7v	75.8v	103.15v	48.5v	0.0v	613.68v
85	Maj J Clod	X	75.11v	71.7v	49.7v	47.3v	49.6v	49.7v	50.6v	74.8v	103.11v	46.2v	0.0v	613.68v
86	Capt AG McLean	X	72.8v	73.7v	49.7v	47.6v	50.6v	48.5v	47.5v	74.7v	105.11v	48.5v	0.0v	613.67v
87	Mr R McQuillan	X	74.6v	72.8v	49.8v	49.3v	50.8v	50.7v	46.5v	72.9v	104.9v	47.4v	0.0v	613.67v
88	Mr M D Joyce	A	73.7v	72.8v	50.5v	48.6v	50.5v	48.5v	50.7v	75.8v	104.13v	43.1v	0.0v	613.65v
89	Miss LR Mckerrell	O	71.6v	74.7v	47.6v	49.4v	50.5v	49.5v	49.7v	74.5v	105.14v	45.3v	0.0v	613.62v
90	Mr HAD Howard	A	70.7v	74.9v	47.4v	49.7v	50.6v	50.9v	49.6v	73.11v	103.12v	47.4v	0.0v	612.75v
91	Mr JA Lindsay III	A	74.10v	71.8v	50.9v	49.7v	49.6v	47.3v	48.5v	74.7v	105.12v	45.2v	0.0v	612.69v
92	Mr TG Rylands	X	74.6v	69.5v	50.9v	45.2v	50.3v	50.8v	50.6v	73.10v	103.11v	48.5v	0.0v	612.65v
93	Mr LM Peden	X	75.11v	71.5v	49.5v	48.6v	48.3v	49.5v	49.5v	74.10v	103.13v	46.1v	0.0v	612.64v
94	Mr P Westlake	X	71.7v	72.5v	50.7v	49.6v	49.5v	49.4v	50.5v	74.8v	104.12v	44.1v	0.0v	612.60v
95	Mr WJ Rowland	A	73.8v	73.8v	50.4v	46.5v	47.2v	50.4v	50.5v	74.10v	101.8v	48.5v	0.0v	612.59v
96	Mr GV Feast	O	68.6v	73.7v	50.4v	50.3v	48.4v	47.3v	50.4v	74.9v	103.9v	49.5v	0.0v	612.54v
97	Mr JR Tuck	X	73.10v	72.7v	50.6v	48.5v	50.7v	44.7v	50.7v	75.11v	102.15v	47.5v	0.0v	611.80v
98	Mr PJ Chance	O	74.11v	72.8v	48.6v	47.5v	49.6v	49.3v	48.3v	73.10v	103.16v	48.5v	0.0v	611.73v
99	Mr PD Griggs	X	71.9v	74.9v	49.6v	43.2v	50.6v	49.7v	49.6v	75.11v	104.11v	47.4v	0.0v	611.71v
100	Pte L Bennett	T	74.8v	74.10v	47.3v	47.2v	50.8v	47.2v	48.7v	75.11v	103.17v	46.2v	0.0v	611.70v
101	Mr DG Young	X	73.7v	74.8v	48.6v	46.3v	50.7v	50.5v	50.6v	72.8v	104.15v	44.5v	0.0v	611.70v
102	Mr MJM Black	A	72.8v	74.5v	49.7v	45.3v	50.9v	50.7v	49.7v	72.8v	103.11v	47.4v	0.0v	611.69v
103	Mr KWD Ramsey	X	75.10v	73.8v	49.6v	50.4v	50.7v	45.3v	46.2v	74.13v	104.13v	45.3v	0.0v	611.69v
104	Mr PA Maher	O	72.7v	75.8v	49.7v	47.5v	50.8v	47.5v	50.6v	74.10v	102.10v	45.2v	0.0v	611.68v
105	Mr SJ Bissonnette	X	73.12v	73.8v	48.7v	48.4v	49.6v	48.5v	48.4v	72.7v	104.11v	48.3v	0.0v	611.67v
106	Mr BN Craig	A	71.4v	72.7v	49.6v	49.9v	49.3v	50.5v	48.6v	74.11v	103.12v	46.2v	0.0v	611.65v
107	Mr MG Whicher	X	75.11v	73.5v	49.3v	46.2v	48.8v	49.8v	50.6v	74.6v	102.14v	45.2v	0.0v	611.65v
108	Mr MCJ Button	A	74.10v	74.10v	50.5v	49.7v	47.2v	49.6v	46.3v	73.7v	103.12v	46.2v	0.0v	611.64v
109	Mr IP Davison	X	74.5v	75.8v	48.3v	45.5v	50.7v	47.3v	49.7v	75.10v	102.12v	46.3v	0.0v	611.63v
110	2Lt PA Hatfield	O	73.8v	74.10v	48.2v	48.4v	47.5v	49.6v	50.5v	74.9v	102.8v	46.5v	0.0v	611.62v
111	Mr CD Heales	O	75.6v	72.8v	49.6v	45.2v	50.6v	48.2v	49.4v	74.7v	102.9v	47.2v	0.0v	611.52v
112	Mr J Pugsley	X	71.8v	72.8v	50.9v	46.7v	49.6v	48.7v	49.6v	75.11v	103.12v	47.2v	0.0v	610.76v
113	Mr RH Gardiner	A	73.8v	73.7v	49.6v	45.2v	48.7v	48.6v	50.6v	74.11v	101.12v	49.7v	0.0v	610.72v
114	Major AR McLeod	X	75.8v	74.8v	49.7v	43.2v	50.7v	49.5v	49.7v	74.7v	105.18v	42.2v	0.0v	610.71v
115	Mr R Birtwistle	X	75.13v	74.8v	46.5v	45.3v	49.6v	49.5v	49.8v	74.9v	103.11v	46.1v	0.0v	610.69v
116	Mr RW Sandlant	X	74.7v	71.9v	49.4v	49.5v	50.5v	48.4v	48.4v	73.11v	103.16v	45.4v	0.0v	610.69v
117	Mr PM Lanigan	X	74.9v	71.9v	49.8v	48.3v	50.7v	48.6v	49.3v	72.7v	105.15v	44.2v	0.0v	610.69v
118	Mr RA Bale	A	72.8v	75.8v	49.5v	48.6v	49.9v	47.5v	47.1v	73.9v	103.12v	47.5v	0.0v	610.68v
119	Mr CA Skellett	O	70.6v	74.10v	50.5v	48.5v	49.5v	50.7v	49.6v	74.10v	103.11v	43.2v	0.0v	610.67v
120	Mr WCP Richards	X	72.7v	72.5v	50.8v	48.3v	50.7v	48.1v	46.3v	74.9v	104.17v	46.5v	0.0v	610.65v
121	Mr ATB Tompson	X	71.8v	72.5v	50.5v	46.4v	47.5v	50.7v	49.7v	73.6v	104.13v	48.3v	0.0v	610.63v
122	Mr GW Morgan	X	73.11v	74.6v	50.7v	49.4v	48.5v	48.1v	49.7v	73.8v	102.12v	44.1v	0.0v	610.62v
123	Mr JR Dunbar	A	73.10v	72.6v	50.7v	46.3v	50.5v	47.3v	48.4v	72.7v	105.9v	47.5v	0.0v	610.59v
124	Miss JL Bale	A	74.7v	72.8v	49.5v	50.6v	48.4v	50.5v	46.3v	73.4v	103.14v	45.2v	0.0v	610.58v
125	Mr MJ Barlow	X	74.7v	71.7v	47.5v	48.2v	48.2v	48.3v	49.8v	73.8v	104.12v	48.3v	0.0v	610.57v

126	Mr HA Day	X	73.7v	72.9v	49.8v	46.1v	49.3v	48.6v	49.7v	75.7v	101.7v	48.2v	0.0v	610.57v
127	Miss EG Joseph	A	72.12v	75.11v	50.7v	44.2v	48.7v	48.5v	48.4v	75.12v	102.11v	47.3v	0.0v	609.74v
128	Mrs K Le Quesne	A	72.10v	75.9v	48.5v	43.1v	50.7v	49.6v	50.3v	75.13v	103.14v	44.2v	0.0v	609.70v
129	Mr M J Ensor	X	69.4v	72.9v	50.7v	46.5v	49.6v	49.9v	49.6v	75.8v	103.12v	47.3v	0.0v	609.69v
130	Mr DJ Archer	A	73.9v	71.7v	47.3v	48.5v	50.6v	48.6v	49.7v	75.12v	102.8v	46.6v	0.0v	609.69v
131	Mr RM Hatcher	A	72.6v	74.10v	45.5v	45.2v	50.7v	49.6v	50.8v	73.7v	105.13v	46.5v	0.0v	609.69v
132	Mr TM Green	A	73.10v	74.8v	50.9v	46.1v	49.8v	48.6v	50.6v	74.10v	102.10v	43.1v	0.0v	609.69v
133	Mr CJ Morton	X	74.9v	73.9v	48.5v	49.5v	50.4v	45.2v	50.6v	75.12v	101.11v	44.5v	0.0v	609.68v
134	Mr RAH Vary	X	72.6v	74.4v	49.8v	50.7v	49.6v	49.5v	48.5v	73.12v	101.12v	44.3v	0.0v	609.68v
135	Mr DS Murray	X	69.3v	74.9v	47.3v	49.6v	49.5v	49.7v	50.7v	73.9v	101.11v	48.6v	0.0v	609.66v
136	Mr IDC Brechin	A	72.6v	73.8v	48.4v	44.2v	49.6v	48.4v	50.6v	75.10v	101.15v	49.3v	0.0v	609.64v
137	Mr MJ Purdy	X	72.4v	74.9v	46.4v	50.5v	49.6v	50.8v	47.4v	74.10v	103.12v	44.2v	0.0v	609.64v
138	Mr TW Hunter	X	73.7v	75.11v	50.6v	47.5v	49.4v	47.5v	49.2v	74.7v	103.12v	42.2v	0.0v	609.61v
139	Dr AM Jory	X	72.7v	72.5v	49.5v	46.4v	49.7v	47.5v	50.7v	73.8v	103.10v	48.2v	0.0v	609.60v
140	Mr PJ Chapman-Sheath	X	71.4v	73.7v	48.5v	45.1v	49.5v	50.7v	49.2v	75.14v	104.13v	45.2v	0.0v	609.60v
141	Mr RBC Baker	X	72.5v	72.6v	49.3v	44.6v	50.5v	50.5v	49.4v	75.8v	100.11v	48.4v	0.0v	609.57v
142	Mr M Liversage	O	70.4v	73.6v	49.5v	47.4v	50.5v	50.5v	49.6v	73.7v	102.13v	46.2v	0.0v	609.57v
143	Mr TLW Kidner	X	72.9v	74.10v	48.4v	49.4v	47.5v	50.4v	48.2v	73.8v	105.11v	43.0v	0.0v	609.57v
144	Miss JC Melling	A	74.10v	72.7v	49.8v	46.3v	49.8v	44.4v	50.4v	75.12v	104.14v	45.3v	0.0v	608.73v
145	Mr CTS Belk	X	74.7v	71.4v	48.5v	47.5v	49.7v	48.4v	50.9v	73.11v	104.13v	44.3v	0.0v	608.68v
146	Mr AJ Luckman	X	73.11v	73.6v	48.6v	47.4v	49.5v	49.4v	46.3v	74.12v	100.12v	49.4v	0.0v	608.67v
147	Mr PR Thompson	X	70.7v	72.6v	50.6v	45.2v	49.5v	48.8v	49.7v	73.8v	102.10v	50.6v	0.0v	608.65v
148	Z Zain	X	72.8v	71.8v	45.1v	50.5v	49.5v	49.3v	49.6v	74.12v	100.10v	49.7v	0.0v	608.65v
149	Mr MW Silver	X	73.6v	75.9v	49.6v	39.3v	49.4v	49.5v	50.7v	74.12v	102.9v	48.4v	0.0v	608.65v
150	Miss LCP-L Watson	A	71.5v	74.8v	48.5v	43.2v	49.7v	49.7v	48.5v	75.10v	105.12v	46.3v	0.0v	608.64v
151	Mr R Kloosterman	O	74.8v	73.8v	50.8v	47.1v	48.4v	50.5v	48.3v	72.7v	105.17v	41.3v	0.0v	608.64v
152	Mr PM Jory	X	72.9v	71.6v	49.4v	44.3v	48.4v	50.8v	49.5v	75.9v	102.12v	48.3v	0.0v	608.63v
153	Mr GS Cotton	X	75.11v	71.8v	50.6v	45.1v	48.5v	49.3v	48.4v	73.9v	101.14v	48.2v	0.0v	608.63v
154	Miss JE Ouston	A	72.7v	73.6v	49.3v	48.4v	48.7v	47.3v	50.7v	74.10v	102.13v	45.3v	0.0v	608.63v
155	Mr R.L. Johnson	O	70.4v	73.8v	49.9v	47.3v	50.5v	49.5v	50.5v	75.10v	101.9v	44.2v	0.0v	608.60v
156	Mr KO Pugh	A	74.8v	71.7v	50.7v	46.2v	48.6v	49.4v	49.6v	73.6v	104.14v	44.0v	0.0v	608.60v
157	Mr JA Anderson	A	72.0v	73.7v	49.3v	41.3v	50.9v	49.5v	49.5v	74.10v	102.14v	49.3v	0.0v	608.59v
158	Mr DA Taylor	A	72.7v	72.9v	48.5v	48.4v	47.3v	49.6v	49.3v	74.8v	103.9v	46.4v	0.0v	608.58v
159	Mr JGM Webster	X	70.6v	73.6v	47.3v	49.6v	48.5v	49.4v	50.7v	73.9v	102.7v	47.2v	0.0v	608.55v
160	Mr N Cole-Hawkins	A	73.6v	73.3v	48.5v	48.4v	45.4v	46.1v	49.3v	75.9v	105.16v	46.4v	0.0v	608.55v
161	Mr NJ Verduyn	O	68.6v	71.6v	48.4v	49.1v	50.5v	50.8v	49.4v	75.10v	101.9v	47.1v	0.0v	608.54v
162	Mr J Alexander	X	73.9v	72.7v	48.5v	47.3v	50.6v	47.5v	48.3v	74.6v	103.9v	46.1v	0.0v	608.54v
163	Mr BJ Wood	O	75.13v	71.6v	46.4v	49.2v	50.5v	48.5v	49.6v	73.10v	103.17v	43.2v	0.0v	607.70v
164	Mr JR Dodd	O	72.7v	71.8v	50.5v	46.4v	48.6v	49.7v	50.7v	71.8v	104.14v	46.2v	0.0v	607.68v
165	Mr RL Eayrs	O	72.9v	75.6v	48.5v	39.1v	50.8v	49.6v	50.6v	75.10v	104.14v	45.2v	0.0v	607.67v
166	Mr PB Bromley	X	73.8v	72.8v	49.6v	41.1v	49.4v	50.8v	49.6v	73.10v	105.13v	46.2v	0.0v	607.66v
167	Mr CP Weeden	X	73.8v	73.7v	48.4v	47.3v	46.5v	50.7v	49.6v	74.7v	103.16v	44.2v	0.0v	607.65v
168	Mr RAV Hebblethwaite	A	71.6v	75.7v	50.5v	45.3v	49.8v	48.6v	48.8v	74.9v	100.12v	47.0v	0.0v	607.64v
169	Mr MA Kirkillio-Stacewicz	X	70.6v	74.7v	50.7v	49.5v	50.6v	45.3v	50.4v	73.11v	102.12v	44.3v	0.0v	607.64v
170	Mr JWE Lothian	A	73.11v	73.9v	49.3v	45.3v	47.5v	48.6v	50.7v	73.5v	103.12v	46.2v	0.0v	607.63v
171	Mr PT Tremblay	X	73.9v	72.5v	50.6v	44.4v	49.8v	49.5v	50.3v	72.9v	103.12v	45.2v	0.0v	607.63v
172	Sgt. RH Kitson	A	73.9v	71.4v	50.8v	50.6v	45.3v	48.4v	47.5v	73.5v	104.15v	46.3v	0.0v	607.62v
173	Mr DJ Gass	X	71.4v	72.7v	50.5v	47.3v	49.8v	49.6v	47.2v	74.8v	103.15v	45.3v	0.0v	607.61v
174	Mr SJ Carson	X	72.7v	71.6v	49.4v	48.4v	49.7v	49.5v	47.5v	71.5v	103.16v	48.1v	0.0v	607.60v
175	Mrs DA Thompson	O	72.7v	71.7v	48.4v	48.4v	49.6v	47.3v	48.3v	74.11v	105.12v	45.3v	0.0v	607.60v
176	Mr MSE Firman	O	72.8v	73.7v	49.7v	47.1v	47.5v	48.3v	48.3v	73.5v	103.14v	47.6v	0.0v	607.59v
177	Major JRW Postle	A	72.7v	71.10v	49.6v	45.0v	49.4v	49.6v	47.4v	75.12v	103.8v	47.2v	0.0v	607.59v
178	Mr A Godliman	O	75.7v	71.5v	49.5v	50.7v	48.3v	49.4v	48.4v	70.7v	102.12v	45.4v	0.0v	607.58v
179	Mr H J Golaszewski	X	73.8v	74.10v	49.8v	43.1v	50.5v	47.4v	48.4v	73.5v	105.12v	45.1v	0.0v	607.58v
180	Mr ORW Russell	A	73.3v	72.8v	47.4v	47.3v	49.7v	48.5v	48.6v	74.7v	104.9v	45.5v	0.0v	607.57v
181	Mr DN Lindsay	A	73.7v	73.8v	49.5v	45.3v	49.5v	48.4v	48.1v	74.9v	104.12v	44.2v	0.0v	607.56v
182	Mr DL Wiles	O	71.5v	73.5v	50.7v	46.3v	50.3v	48.4v	48.6v	73.7v	102.6v	46.4v	0.0v	607.50v
183	Mr AP Barnes	X	72.7v	74.11v	49.7v	40.1v	50.7v	48.7v	48.5v	75.13v	102.11v	48.5v	0.0v	606.74v
184	Wg. Cdr. CJ Hockley OBE	A	72.7v	72.10v	50.7v	49.7v	49.7v	48.7v	47.3v	74.11v	100.10v	45.2v	0.0v	606.71v
185	Mr JG Du Toit	X	74.5v	73.8v	48.7v	47.4v	44.1v	49.7v	50.9v	75.15v	102.12v	44.2v	0.0v	606.70v
186	Miss AMG Ogilvie	X	73.10v	71.9v	46.4v	46.4v	47.4v	48.5v	49.5v	74.9v	103.11v	49.6v	0.0v	606.67v
187	Dr JS Rennie	A	71.7v	75.8v	47.2v	47.4v	49.8v	48.5v	49.5v	73.11v	101.13v	46.4v	0.0v	606.67v
188	R Mohamad	X	71.5v	75.9v	48.4v	47.5v	49.6v	48.5v	48.6v	75.8v	104.8v	41.3v	0.0v	606.59v
189	Mr RW Shaw	A	74.6v	73.11v	47.6v	42.1v	50.3v	47.3v	49.5v	75.10v	103.11v	46.2v	0.0v	606.58v
190	Mr J Ford	A	69.4v	74.9v	49.7v	45.2v	50.6v	50.7v	47.4v	74.9v	102.6v	46.3v	0.0v	606.57v
191	Mr WHC Alexander	O	72.5v	73.8v	48.7v	46.2v	49.6v	49.5v	47.3v	73.5v	105.11v	44.4v	0.0v	606.56v
192	Mr W Briggs	O	71.7v	71.4v	50.5v	46.4v	48.3v	47.4v	49.2v	74.8v	102.10v	48.5v	0.0v	606.52v
193	Mr LWHR Stewart	T	73.6v	68.3v	46.3v	49.6v	49.5v	49.5v	49.5v	74.8v	103.8v	46.3v	0.0v	606.52v
194	Mr PG Cann	A	74.11v	71.7v	47.3v	45.3v	47.3v	50.8v	47.5v	75.12v	104.15v	45.4v	0.0v	605.71v
195	Mr JS Turley	O	72.6v	74.9v	49.6v	46.6v	50.6v	48.5v	48.4v	75.10v	97.12v	46.4v	0.0v	605.68v
196	Mr RC Oxford	A	71.8v	71.5v	49.8v	49.4v	49.6v	44.3v	49.8v	74.9v	105.14v	44.2v	0.0v	605.67v

197	Mr JA Haward	X	75.13v	72.10v	49.6v	45.3v	48.6v	49.4v	49.6v	74.10v	100.7v	44.1v	0.0v	605.66v
198	Miss GE Coburn	O	74.10v	72.6v	50.6v	47.4v	48.6v	48.3v	46.3v	71.10v	104.14v	45.2v	0.0v	605.64v
199	Mr R Winney	A	75.10v	72.9v	50.4v	44.4v	49.5v	44.5v	49.5v	73.8v	104.11v	45.2v	0.0v	605.63v
200	Mr JM Taylor	X	71.7v	72.9v	47.1v	49.5v	49.7v	50.7v	46.4v	73.8v	104.14v	44.1v	0.0v	605.63v
201	Mr SNS Penrose	X	72.6v	72.9v	49.3v	46.4v	48.5v	49.7v	48.4v	75.10v	103.13v	43.2v	0.0v	605.63v
202	Sjt N Boyle	O	74.7v	67.4v	48.5v	44.3v	50.6v	48.3v	50.8v	73.9v	103.13v	48.4v	0.0v	605.62v
203	Mr JB Hull	X	71.9v	69.6v	49.8v	48.7v	48.6v	49.3v	49.5v	74.4v	104.12v	44.0v	0.0v	605.60v
204	DJ Fourie	X	71.6v	74.10v	46.3v	49.5v	48.5v	49.6v	49.6v	75.8v	101.9v	43.2v	0.0v	605.60v
205	Mr APW Daw	X	70.3v	72.9v	48.8v	49.7v	47.4v	48.6v	49.5v	74.6v	100.10v	48.1v	0.0v	605.59v
206	Mr A Thomson	A	71.5v	73.7v	48.5v	45.3v	48.7v	50.6v	48.5v	73.10v	103.9v	46.1v	0.0v	605.58v
207	Dr GP Nelson	A	74.6v	74.5v	49.5v	37.3v	49.7v	48.4v	49.5v	75.8v	103.9v	47.5v	0.0v	605.57v
208	Mr SDKM Mansley	T	72.3v	74.9v	47.3v	47.5v	49.8v	48.6v	50.7v	73.4v	104.12v	41.0v	0.0v	605.57v
209	Mr SJ Comins	O	70.6v	73.8v	49.4v	47.5v	49.7v	49.3v	48.4v	74.8v	100.9v	46.2v	0.0v	605.56v
210	Mr OG Graziosi	O	71.6v	72.5v	49.5v	50.5v	50.5v	48.3v	48.4v	73.7v	100.10v	44.3v	0.0v	605.53v
211	Mrs CJ Clifford-Evans	A	71.4v	74.7v	50.8v	46.3v	49.7v	50.2v	49.4v	67.4v	102.10v	47.2v	0.0v	605.51v
212	Mr RE Ellis	A	74.11v	67.4v	48.2v	47.1v	48.4v	48.4v	49.5v	75.6v	104.12v	45.2v	0.0v	605.51v
213	Mr S Glen	A	74.6v	74.9v	48.1v	44.1v	48.3v	48.5v	48.4v	75.11v	101.10v	45.0v	0.0v	605.50v
214	S Ishak	T	70.6v	75.9v	49.8v	45.5v	50.9v	50.6v	49.9v	70.7v	102.13v	44.1v	0.0v	604.73v
215	Miss SP Ward	X	71.7v	72.8v	49.5v	49.7v	48.7v	49.6v	48.4v	73.11v	102.17v	43.1v	0.0v	604.73v
216	Mr H Ball	X	71.7v	74.8v	49.7v	49.5v	49.7v	46.7v	50.5v	74.7v	101.12v	41.3v	0.0v	604.68v
217	B Hendrikz	T	74.10v	73.9v	49.7v	46.4v	49.7v	46.5v	48.3v	72.9v	99.4v	48.6v	0.0v	604.64v
218	Mr RJ Booth	X	70.6v	72.7v	50.8v	45.2v	50.8v	49.6v	47.4v	71.7v	104.12v	46.3v	0.0v	604.63v
219	Mr SC Postins	X	72.10v	71.9v	48.4v	46.2v	50.7v	46.2v	50.7v	75.10v	102.9v	44.3v	0.0v	604.63v
220	Mr TJ Bullock	O	72.7v	73.7v	48.4v	41.2v	50.5v	47.5v	49.5v	74.10v	103.14v	47.3v	0.0v	604.62v
221	Col FC Sykes	O	74.10v	74.11v	48.3v	45.3v	48.5v	49.6v	48.6v	72.7v	102.8v	44.3v	0.0v	604.62v
222	Eur Ing CA Painting	A	73.8v	71.8v	46.5v	43.3v	50.6v	48.3v	48.3v	73.8v	104.12v	48.4v	0.0v	604.60v
223	Mr C Mallett	X	72.7v	73.7v	49.6v	44.3v	46.5v	49.4v	45.2v	75.10v	103.12v	48.4v	0.0v	604.60v
224	Mr PWG Glen	O	75.13v	73.5v	49.4v	45.2v	47.6v	49.5v	49.5v	71.7v	101.12v	45.1v	0.0v	604.60v
225	Mr GR Bowman	X	75.10v	73.7v	48.6v	48.4v	48.7v	49.3v	46.2v	73.10v	103.10v	41.1v	0.0v	604.60v
226	Cpl JKS Serem	X	72.8v	73.7v	48.6v	46.1v	49.5v	47.4v	49.6v	75.11v	99.7v	46.4v	0.0v	604.59v
227	Mr AS Errey	A	72.10v	73.7v	48.5v	47.4v	49.5v	48.3v	68.5v	101.10v	50.6v	0.0v	0.0v	604.58v
228	Mr THD Dodds	O	71.8v	73.7v	50.6v	48.1v	49.6v	49.6v	46.0v	75.12v	101.12v	42.0v	0.0v	604.58v
229	Mr G Williams	O	70.6v	73.5v	50.5v	44.1v	49.6v	49.5v	49.5v	73.5v	102.13v	45.4v	0.0v	604.55v
230	Mr S J Pascoe	X	74.8v	73.9v	48.6v	44.2v	49.5v	49.2v	46.3v	73.9v	104.9v	44.2v	0.0v	604.55v
231	Mr PR Bain	A	69.1v	72.5v	47.5v	48.5v	46.4v	48.4v	50.6v	73.10v	102.12v	49.2v	0.0v	604.54v
232	Lt. Col. AJW Sturrock	X	74.8v	73.8v	48.3v	44.2v	48.6v	47.3v	48.5v	72.7v	104.11v	46.0v	0.0v	604.53v
233	Mr KM Willingale	A	73.9v	73.10v	47.4v	44.2v	50.5v	49.4v	49.3v	72.7v	101.7v	46.1v	0.0v	604.52v
234	Mr MP Watkins	O	73.7v	71.5v	48.4v	46.3v	48.4v	49.5v	47.4v	73.3v	103.8v	46.6v	0.0v	604.49v
235	Mr DGP Vamplew	X	74.9v	73.10v	44.3v	48.4v	45.7v	48.6v	48.5v	75.15v	104.20v	44.2v	0.0v	603.81v
236	Mr JS Shepherd	O	74.7v	74.10v	46.4v	46.4v	49.8v	49.4v	49.9v	74.10v	96.12v	46.6v	0.0v	603.74v
237	Mr D Blake	X	74.8v	66.8v	49.6v	48.6v	50.9v	48.3v	49.6v	72.11v	102.11v	45.4v	0.0v	603.72v
238	Mr MI Buchanan	X	75.13v	71.4v	50.6v	41.3v	49.6v	50.4v	50.6v	75.13v	104.13v	38.2v	0.0v	603.70v
239	Mr RW Hallows	A	72.8v	74.10v	50.6v	41.2v	49.5v	47.5v	50.5v	72.9v	103.15v	45.4v	0.0v	603.69v
240	Mr FM Mohideen	X	74.8v	72.9v	50.6v	47.4v	50.8v	48.6v	49.4v	72.8v	104.16v	37.0v	0.0v	603.69v
241	Mr SAJ Dowley	A	74.10v	71.7v	49.2v	43.4v	49.6v	49.7v	48.5v	74.11v	100.7v	46.4v	0.0v	603.63v
242	Miss LAE Crowson	X	69.5v	72.6v	46.4v	45.2v	49.7v	48.5v	50.7v	75.8v	104.14v	45.4v	0.0v	603.62v
243	Mr RCH Courtney	O	75.11v	68.6v	49.7v	46.2v	50.6v	49.3v	48.4v	72.9v	103.12v	43.0v	0.0v	603.60v
244	Mr CP Goad	O	72.9v	73.4v	48.5v	49.6v	50.5v	48.5v	49.7v	72.10v	101.7v	41.2v	0.0v	603.60v
245	Mr MF Martel	A	72.7v	74.11v	49.2v	46.4v	49.6v	46.3v	46.2v	72.8v	102.11v	47.5v	0.0v	603.59v
246	Miss RL Laird	O	71.8v	69.6v	49.5v	45.3v	48.5v	47.6v	49.3v	74.9v	105.12v	46.2v	0.0v	603.59v
247	Mr WP Hanley	O	73.9v	72.6v	48.2v	47.4v	48.7v	48.5v	49.6v	72.7v	101.10v	45.2v	0.0v	603.58v
248	Mr JDH Hearn	T	75.9v	69.4v	44.0v	45.2v	49.8v	47.2v	50.6v	75.9v	103.8v	46.4v	0.0v	603.52v
249	MR RPF Fagan	O	71.6v	71.5v	49.4v	47.3v	50.5v	49.5v	47.5v	74.7v	102.10v	43.2v	0.0v	603.52v
250	Sgt CK Saina	X	72.6v	72.7v	50.4v	49.6v	49.6v	47.3v	49.4v	74.5v	98.7v	43.1v	0.0v	603.49v
251	Mr GE Grosskreutz	X	74.12v	71.7v	50.6v	47.2v	49.7v	41.2v	50.7v	74.10v	102.15v	44.3v	0.0v	602.71v
252	Miss CA Evans	A	75.7v	70.9v	49.7v	47.4v	49.4v	46.6v	48.4v	74.10v	103.15v	41.1v	0.0v	602.67v
253	Mid MAJ Barber	X	71.7v	70.5v	50.5v	45.4v	49.6v	48.4v	47.5v	74.8v	103.16v	45.2v	0.0v	602.62v
254	RW Smith	O	70.5v	73.6v	50.7v	50.7v	48.5v	47.5v	46.5v	72.7v	102.11v	44.4v	0.0v	602.62v
255	Miss EJ Cannings	A	70.4v	70.9v	47.3v	48.3v	50.7v	48.5v	45.4v	72.8v	104.13v	48.5v	0.0v	602.61v
256	Mr IRM Brown	A	72.7v	72.9v	47.7v	46.3v	50.5v	48.6v	47.5v	75.9v	102.9v	43.1v	0.0v	602.61v
257	Mr MJ Wood	A	71.7v	70.5v	48.4v	48.4v	49.5v	49.8v	49.3v	73.10v	100.9v	45.5v	0.0v	602.60v
258	Mr BV Cambray	A	72.9v	72.10v	49.7v	45.3v	50.7v	48.2v	49.5v	71.3v	104.12v	42.2v	0.0v	602.60v
259	Mr M Woolger	A	71.6v	72.4v	48.7v	44.1v	49.7v	50.4v	47.3v	72.7v	104.13v	45.6v	0.0v	602.58v
260	Mr SFD Dash	A	74.9v	69.6v	50.6v	47.4v	49.5v	50.6v	48.5v	72.7v	101.9v	42.1v	0.0v	602.58v
261	Miss S Mcintosh	T	69.3v	74.8v	46.5v	44.3v	50.6v	47.2v	48.6v	74.10v	104.10v	46.4v	0.0v	602.57v
262	Mr H Sanders	A	75.7v	72.5v	50.4v	45.3v	50.4v	48.2v	46.5v	71.9v	104.16v	41.2v	0.0v	602.57v
263	Cdt BR Fraser-Burn	O	73.9v	69.4v	48.3v	44.2v	49.5v	46.3v	47.3v	74.9v	105.14v	47.4v	0.0v	602.56v
264	Mr SW Maris	O	72.9v	73.7v	49.3v	44.3v	50.7v	50.6v	49.3v	71.6v	100.9v	44.3v	0.0v	602.56v
265	Mr NW Penn	A	73.6v	70.6v	47.6v	45.1v	47.4v	50.6v	50.7v	73.6v	99.9v	48.4v	0.0v	602.55v
266	Mr CI Cooper	O	72.6v	73.8v	49.7v	44.3v	49.4v	47.3v	49.3v	71.6v	104.11v	44.4v	0.0v	602.55v
267	Mr DCW Lloyd	O	70.5v	67.3v	49.5v	49.4v	49.3v	48.6v	47.4v	74.8v	103.10v	46.5v	0.0v	602.53v

268	SSgt SJ Hier	X	71.5v	70.3v	49.8v	49.5v	49.3v	49.3v	48.4v	69.10v	104.11v	44.1v	0.0v	602.53v
269	Mr WR Steward	A	70.7v	73.7v	50.6v	47.2v	49.4v	48.4v	47.3v	72.7v	102.9v	44.1v	0.0v	602.50v
270	Mr B Creane	T	73.5v	70.1v	48.4v	44.4v	49.7v	47.5v	50.3v	73.8v	102.10v	46.2v	0.0v	602.49v
271	Mr MR Fugeman	A	71.10v	72.4v	50.4v	46.4v	44.5v	50.8v	48.4v	74.10v	99.9v	47.5v	0.0v	601.63v
272	Mr LR Braithwaite	O	75.10v	72.7v	47.3v	41.2v	50.5v	49.7v	44.3v	74.9v	103.13v	46.1v	0.0v	601.60v
273	Miss TJ Fitzsimons	O	72.9v	73.8v	50.5v	49.4v	49.4v	49.8v	42.3v	70.6v	105.10v	42.3v	0.0v	601.60v
274	Mr MJ Creber	O	70.7v	70.7v	47.0v	44.5v	48.8v	49.4v	50.7v	75.6v	103.10v	45.4v	0.0v	601.58v
275	Cpl JF Meyer	T	72.5v	73.9v	46.3v	48.5v	48.5v	48.3v	49.6v	74.8v	99.10v	44.2v	0.0v	601.56v
276	Mr GMLN Gilpin	A	71.6v	69.5v	46.2v	45.0v	49.6v	49.7v	50.6v	74.10v	100.7v	48.5v	0.0v	601.54v
277	Mr M Neal	O	67.1v	72.7v	49.4v	45.4v	50.6v	44.2v	50.2v	73.5v	103.6v	48.5v	0.0v	601.42v
278	Cadet OS Marshall	A	68.9v	72.8v	50.8v	47.2v	50.7v	50.9v	48.3v	70.6v	104.18v	41.2v	0.0v	600.72v
279	Capt S J Howard	O	71.9v	69.4v	49.8v	45.4v	50.6v	48.4v	48.4v	75.11v	101.12v	44.4v	0.0v	600.66v
280	Mr C Milton	O	65.3v	73.8v	45.2v	44.5v	48.7v	50.5v	50.6v	75.9v	103.15v	47.4v	0.0v	600.64v
281	Capt MG Reid	A	74.8v	72.10v	47.4v	45.4v	48.5v	50.5v	48.5v	71.7v	101.12v	44.2v	0.0v	600.62v
282	Dr AF Aspin	A	73.10v	71.7v	49.3v	45.2v	46.4v	50.7v	49.6v	72.8v	100.9v	45.5v	0.0v	600.61v
283	Mr RA Benest	X	71.9v	71.10v	50.6v	45.2v	49.8v	46.2v	48.5v	74.8v	103.9v	43.2v	0.0v	600.61v
284	Mr JA Borland	A	71.5v	71.6v	50.8v	45.2v	49.5v	48.4v	48.3v	67.9v	103.13v	48.4v	0.0v	600.59v
285	Mr BH Jones	A	74.11v	71.6v	49.6v	47.5v	48.6v	47.3v	47.3v	71.7v	102.8v	44.2v	0.0v	600.57v
286	Mr A Cartwright	X	69.4v	73.10v	48.5v	49.5v	49.3v	48.3v	48.6v	72.6v	104.13v	40.0v	0.0v	600.55v
287	Mr AC Brooker	O	75.8v	70.4v	46.1v	46.4v	49.8v	46.3v	46.3v	75.11v	105.10v	42.2v	0.0v	600.54v
288	Mr SDJ Glanville	O	74.10v	69.5v	50.4v	46.3v	49.4v	48.5v	43.2v	73.5v	102.13v	46.2v	0.0v	600.53v
289	Miss AR Southall	O	74.9v	72.3v	47.3v	42.0v	50.6v	48.5v	47.3v	74.10v	105.13v	41.1v	0.0v	600.53v
290	Cpl SO Otundo	X	74.6v	73.10v	48.6v	44.3v	47.6v	42.6v	50.7v	75.10v	103.10v	43.3v	0.0v	599.67v
291	Dr MJ Schwarz	A	72.8v	73.12v	50.5v	48.4v	46.2v	46.6v	46.5v	72.8v	102.12v	44.2v	0.0v	599.64v
292	Mr DN Webber	O	72.6v	74.11v	47.3v	45.4v	48.4v	49.7v	48.4v	74.10v	99.9v	43.2v	0.0v	599.60v
293	Mr RG Scott	A	70.6v	74.11v	47.4v	46.3v	49.6v	50.5v	48.3v	72.6v	101.13v	42.3v	0.0v	599.60v
294	Mr JC Evans	A	70.8v	72.8v	45.4v	49.5v	49.4v	47.3v	49.7v	72.7v	99.8v	47.5v	0.0v	599.59v
295	Cdt Sgt T Matthewson	O	75.9v	71.6v	46.3v	44.3v	50.6v	48.5v	44.2v	74.10v	102.14v	45.1v	0.0v	599.59v
296	Major RHG Riley	X	70.5v	71.5v	49.6v	42.1v	48.5v	50.4v	48.5v	74.10v	103.12v	44.4v	0.0v	599.57v
297	Mr TL Bedwell	O	71.5v	71.6v	48.4v	47.5v	47.5v	48.4v	43.2v	73.9v	104.11v	47.5v	0.0v	599.56v
298	Mr A Chown	A	75.10v	73.5v	47.3v	48.3v	49.4v	45.2v	44.3v	71.9v	102.12v	45.4v	0.0v	599.55v
299	Mr SL Cleveland	O	74.7v	72.6v	45.5v	47.4v	47.2v	46.4v	44.3v	73.7v	104.13v	47.3v	0.0v	599.54v
300	Mr P De Voil	A	71.6v	70.4v	46.4v	45.4v	49.5v	50.5v	48.4v	74.7v	102.12v	44.2v	0.0v	599.53v
301	Mr T Keen	A	75.9v	68.5v	50.5v	48.5v	48.4v	48.3v	46.5v	70.5v	102.11v	44.1v	0.0v	599.53v
302	Miss HA Foster	O	71.6v	70.7v	50.2v	44.4v	49.5v	48.2v	50.6v	70.6v	100.9v	47.3v	0.0v	599.50v
303	Mr SS Sander	T	69.4v	69.3v	49.4v	43.1v	49.4v	49.3v	50.6v	73.9v	103.13v	45.3v	0.0v	599.50v
304	Mr I T R Jobling	A	73.10v	71.5v	50.4v	46.4v	47.4v	47.4v	48.3v	72.7v	100.7v	45.2v	0.0v	599.50v
305	Mr NJ Atkins	X	71.7v	72.6v	48.5v	50.7v	50.4v	48.5v	46.3v	72.3v	101.9v	41.1v	0.0v	599.50v
306	Mr RS Binns	T	74.5v	70.5v	48.7v	45.3v	48.3v	45.3v	49.6v	73.3v	100.11v	47.3v	0.0v	599.49v
307	Mr RJ Coffin	O	73.5v	68.8v	49.3v	49.2v	47.3v	49.6v	48.3v	72.7v	100.10v	44.2v	0.0v	599.49v
308	Mr OP Henry	A	71.6v	70.2v	50.8v	45.2v	48.3v	48.5v	47.4v	74.6v	104.13v	42.0v	0.0v	599.49v
309	Mr CC Mallett Jnr	O	72.5v	71.5v	47.3v	44.2v	43.2v	50.7v	49.5v	74.8v	101.7v	48.4v	0.0v	599.48v
310	Dr JC Jobling	O	74.6v	72.5v	47.3v	42.0v	50.4v	47.4v	47.4v	72.6v	97.5v	48.3v	0.0v	599.40v
311	Mr AI Brown	A	72.10v	71.8v	48.6v	44.3v	49.6v	49.6v	49.4v	73.8v	100.8v	43.3v	0.0v	598.62v
312	CI EL Legei	X	73.8v	71.7v	48.4v	45.2v	49.5v	47.7v	49.4v	71.6v	101.9v	44.3v	0.0v	598.55v
313	Mr B Taylor	O	74.7v	73.6v	46.4v	46.3v	49.6v	50.6v	49.4v	73.7v	94.10v	44.2v	0.0v	598.55v
314	Mr S Pearson	A	74.9v	72.8v	48.5v	44.1v	49.7v	48.4v	43.0v	72.6v	104.14v	44.1v	0.0v	598.55v
315	Miss BE Fung	T	71.6v	70.5v	46.2v	44.4v	50.8v	49.5v	48.4v	72.9v	103.8v	45.3v	0.0v	598.54v
316	Mr RW McVeigh	O	74.7v	72.8v	48.2v	40.0v	48.3v	47.1v	48.5v	73.8v	101.13v	47.6v	0.0v	598.53v
317	Mr RF Barrington	O	72.7v	72.7v	48.5v	45.2v	48.6v	48.4v	48.4v	72.7v	99.9v	46.2v	0.0v	598.53v
318	Mr WLL Lewis	O	72.7v	71.9v	49.5v	45.3v	47.4v	49.5v	48.3v	71.5v	101.9v	45.2v	0.0v	598.52v
319	Mr C Rivett-Carnac	X	74.7v	70.5v	50.7v	46.5v	47.3v	47.2v	45.4v	73.6v	104.12v	42.1v	0.0v	598.52v
320	Mr RA Dix	A	71.6v	70.4v	47.2v	41.1v	47.5v	48.5v	50.4v	75.10v	103.10v	46.4v	0.0v	598.51v
321	Miss ATJV Voorthuyzen	A	74.8v	71.5v	46.3v	49.4v	48.4v	45.4v	47.4v	73.9v	103.8v	42.1v	0.0v	598.50v
322	Mr DTA Cobb	T	73.5v	71.4v	45.1v	44.3v	49.3v	48.4v	49.5v	75.9v	101.10v	43.3v	0.0v	598.47v
323	Mr J Bullock	X	72.6v	73.9v	48.6v	44.1v	49.8v	49.7v	47.6v	71.6v	100.13v	44.3v	0.0v	597.65v
324	Capt D Morris	A	70.6v	70.8v	46.3v	48.6v	48.8v	47.6v	49.5v	71.5v	101.10v	47.5v	0.0v	597.62v
325	Mr CRM Asquith	A	74.9v	72.8v	49.7v	42.2v	50.5v	49.8v	48.4v	72.6v	103.12v	38.1v	0.0v	597.62v
326	Mr AF Donald	A	72.6v	71.7v	46.4v	45.2v	48.6v	48.4v	47.4v	75.8v	101.14v	44.4v	0.0v	597.59v
327	Mr M Persaud	X	72.8v	75.6v	49.6v	45.4v	49.8v	48.5v	47.4v	73.8v	99.7v	40.3v	0.0v	597.59v
328	Mr GC Childs	X	73.6v	72.5v	47.4v	44.5v	49.9v	44.2v	48.4v	74.9v	101.12v	45.2v	0.0v	597.58v
329	Mr M.R. Frost	A	69.4v	72.7v	50.9v	43.0v	49.7v	49.3v	48.5v	73.9v	102.12v	42.2v	0.0v	597.58v
330	Cdt M L Henderson	T	74.9v	69.4v	48.3v	46.3v	49.5v	43.4v	49.7v	71.7v	104.13v	44.2v	0.0v	597.57v
331	Mr MS Cavie	O	72.9v	73.5v	48.5v	43.2v	49.8v	43.1v	49.5v	74.8v	102.9v	44.4v	0.0v	597.56v
332	H Lottritz	O	69.3v	75.8v	49.6v	46.4v	47.2v	44.5v	48.5v	73.7v	102.12v	44.3v	0.0v	597.55v
333	Mrs T Newbold	A	74.8v	69.5v	48.3v	47.5v	43.2v	47.5v	47.6v	72.6v	103.8v	47.6v	0.0v	597.54v
334	Miss LG Taylor	T	73.10v	73.11v	47.3v	39.1v	48.6v	47.3v	48.4v	71.5v	105.5v	46.3v	0.0v	597.51v
335	Mr B Bullock	X	71.8v	67.4v	49.6v	48.5v	47.2v	48.2v	46.2v	70.5v	104.12v	47.4v	0.0v	597.50v
336	Mrs RA Wiltshire	X	74.7v	70.7v	46.1v	46.2v	48.4v	49.7v	48.4v	72.6v	100.8v	44.3v	0.0v	597.49v
337	Mr EM Brice	A	73.7v	74.8v	46.4v	47.1v	48.6v	48.3v	50.5v	70.5v	97.8v	44.2v	0.0v	597.49v
338	Mr ES Scougall	T	72.3v	72.9v	48.5v	46.4v	47.5v	48.2v	48.4v	70.5v	99.8v	47.3v	0.0v	597.48v

339	Mr MP Mann	T	71.7v	73.8v	49.5v	48.2v	47.3v	40.1v	49.3v	70.5v	104.13v	46.1v	0.0v	597.48v
340	Mr C Herter	O	72.7v	70.5v	49.7v	45.2v	50.2v	48.5v	46.1v	73.5v	102.10v	42.2v	0.0v	597.46v
341	Miss LMA Bogie	O	70.3v	69.6v	50.4v	45.3v	48.4v	50.5v	46.2v	72.5v	101.8v	46.5v	0.0v	597.45v
342	Mr DAF Parkinson	O	73.2v	71.8v	45.3v	43.2v	49.3v	47.3v	48.1v	72.6v	100.10v	49.5v	0.0v	597.43v
343	Sgt GM Irish	O	70.4v	73.5v	48.3v	46.3v	48.3v	47.2v	48.4v	67.3v	102.12v	48.4v	0.0v	597.43v
344	Dr MW Wrigley	O	72.5v	69.6v	50.4v	45.1v	43.1v	50.6v	49.6v	74.7v	97.4v	48.1v	0.0v	597.41v
345	Mr RM Roberts	X	67.6v	72.9v	49.7v	44.2v	49.6v	47.4v	43.4v	74.10v	104.15v	47.3v	0.0v	596.66v
346	Mr MJ O'Leary	A	75.12v	71.6v	47.3v	42.1v	50.4v	47.2v	43.4v	75.10v	102.11v	44.5v	0.0v	596.58v
347	Mr P Dawes	A	69.3v	74.10v	47.6v	45.5v	49.4v	47.3v	49.7v	75.10v	98.6v	43.4v	0.0v	596.58v
348	Mr. M.T. Trépanier	T	72.5v	72.8v	47.4v	40.1v	49.7v	49.5v	49.3v	74.10v	103.13v	41.2v	0.0v	596.58v
349	Mr M Cooper	O	74.11v	75.8v	49.6v	48.5v	46.3v	45.5v	44.1v	71.4v	102.11v	42.2v	0.0v	596.56v
350	Mr CA Stewart	O	70.5v	68.5v	49.5v	46.3v	48.4v	48.4v	47.4v	70.10v	102.9v	48.6v	0.0v	596.55v
351	Mr D Davies	A	72.5v	72.6v	49.4v	48.5v	49.5v	48.6v	47.5v	74.5v	101.12v	36.0v	0.0v	596.53v
352	Mr LMDC Cheek	O	73.7v	74.6v	46.3v	44.2v	49.4v	43.5v	48.4v	74.10v	102.10v	43.1v	0.0v	596.52v
353	Mr ND Gomez	O	73.8v	73.6v	50.6v	43.2v	48.4v	50.5v	47.2v	73.7v	97.10v	42.2v	0.0v	596.52v
354	Wg. Cdr. MJ Gregory	A	70.4v	70.6v	49.5v	45.1v	49.4v	45.5v	47.3v	75.10v	101.10v	45.3v	0.0v	596.51v
355	Mr RP Rosling	X	69.6v	71.6v	48.5v	48.4v	46.6v	48.2v	48.3v	73.9v	97.7v	48.2v	0.0v	596.50v
356	Mr PGW Purdy	O	70.5v	74.8v	46.1v	48.3v	48.7v	48.4v	47.5v	72.7v	101.8v	42.1v	0.0v	596.49v
357	Mr HJM Awin	O	74.10v	70.6v	47.6v	44.1v	49.7v	47.4v	48.5v	74.10v	103.16v	39.1v	0.0v	595.66v
358	Mr BA Young	X	69.6v	75.9v	49.5v	39.2v	49.4v	48.5v	48.4v	73.9v	99.12v	46.4v	0.0v	595.60v
359	Lt JW Jenkins	X	73.10v	72.7v	48.5v	42.3v	46.3v	47.5v	44.2v	74.9v	104.14v	45.2v	0.0v	595.60v
360	Mr DJ Curtis	X	72.8v	73.7v	49.7v	41.1v	50.7v	48.7v	49.6v	74.8v	100.7v	39.1v	0.0v	595.59v
361	Mr RA Jobson	O	68.4v	72.7v	47.4v	46.4v	47.5v	50.10v	46.3v	73.7v	102.9v	44.4v	0.0v	595.57v
362	Mr RK Sheead	A	72.7v	70.5v	49.5v	48.7v	48.5v	48.4v	48.4v	69.8v	100.10v	43.2v	0.0v	595.57v
363	Miss HCM Bennett	O	71.5v	69.3v	48.7v	43.1v	48.4v	49.4v	49.3v	73.11v	99.9v	46.0v	0.0v	595.47v
364	Col D Cooper	O	73.8v	69.4v	49.4v	45.2v	47.3v	47.4v	46.5v	72.9v	103.8v	44.0v	0.0v	595.47v
365	Mr ML Cotillard	A	62.1v	70.4v	49.3v	47.6v	48.7v	50.3v	48.5v	71.6v	102.8v	48.2v	0.0v	595.45v
366	Mr SH Dickson	O	68.1v	69.5v	49.3v	46.4v	47.3v	45.3v	49.4v	73.4v	101.11v	48.3v	0.0v	595.41v
367	Mr MJW Willing	O	71.7v	73.7v	44.2v	47.4v	49.2v	48.3v	48.3v	74.5v	100.7v	41.1v	0.0v	595.41v
368	Mr JIB Halahan	O	71.11v	69.4v	45.3v	43.3v	43.4v	49.5v	48.4v	74.9v	103.11v	49.6v	0.0v	594.60v
369	Mr D Lowe	X	72.7v	72.10v	49.5v	41.2v	46.5v	42.3v	50.6v	74.6v	102.10v	46.3v	0.0v	594.57v
370	Miss LE Kennedy	O	75.12v	74.5v	49.3v	38.1v	50.7v	49.5v	48.3v	72.6v	101.11v	38.3v	0.0v	594.56v
371	Miss SIM Anderson	O	72.7v	72.8v	50.7v	40.0v	46.4v	49.4v	50.6v	74.7v	99.8v	42.3v	0.0v	594.54v
372	Mr PA Collins	X	72.6v	74.9v	48.5v	44.1v	47.4v	46.3v	49.4v	69.6v	103.11v	42.3v	0.0v	594.52v
373	Mr PG Oxnam	A	72.5v	72.6v	48.4v	44.4v	44.4v	47.4v	48.5v	74.8v	97.6v	48.5v	0.0v	594.51v
374	Lt. Col. CST Lehmann	O	72.6v	74.6v	49.2v	44.3v	49.4v	47.4v	48.4v	70.7v	99.10v	42.4v	0.0v	594.50v
375	Mr PA Goubert	O	69.3v	72.4v	49.4v	42.1v	47.7v	47.5v	50.7v	72.7v	103.9v	43.1v	0.0v	594.48v
376	Mr JD Webber	O	71.6v	72.7v	48.4v	45.0v	50.6v	47.4v	46.3v	71.5v	103.10v	41.3v	0.0v	594.48v
377	Mr NF Flint	T	72.11v	71.6v	46.2v	43.2v	47.4v	47.2v	48.4v	74.6v	101.9v	45.1v	0.0v	594.47v
378	Mr PJS Bysse	O	75.9v	72.8v	43.3v	44.3v	48.4v	46.2v	48.2v	73.3v	101.11v	44.1v	0.0v	594.46v
379	Mr MJ Brister	X	73.8v	70.5v	47.5v	40.2v	50.8v	49.4v	49.7v	74.12v	98.9v	43.2v	0.0v	593.62v
380	Mr SL Larter-Whitcher	O	73.8v	70.6v	49.9v	44.3v	45.2v	45.1v	46.2v	71.8v	104.16v	46.3v	0.0v	593.58v
381	KH Tumschat	O	71.7v	66.4v	48.2v	48.5v	48.5v	49.7v	48.4v	70.8v	102.13v	43.3v	0.0v	593.58v
382	Cpl DK Kirui	X	74.10v	70.7v	48.5v	43.1v	48.4v	42.3v	47.1v	73.8v	104.15v	44.3v	0.0v	593.57v
383	Mr RG Faulkner	O	70.7v	71.6v	47.5v	46.5v	48.7v	45.2v	50.6v	74.10v	97.5v	45.2v	0.0v	593.55v
384	Mr FPR Northam	O	71.6v	75.11v	48.6v	41.0v	49.6v	48.3v	48.5v	73.6v	103.10v	37.2v	0.0v	593.55v
385	Mr CL Leighton	A	72.8v	73.4v	49.6v	42.0v	47.8v	49.5v	46.3v	73.6v	102.10v	40.3v	0.0v	593.53v
386	Cdt BP Etienne	O	71.7v	71.5v	47.5v	44.4v	49.1v	48.5v	44.2v	74.10v	103.10v	42.1v	0.0v	593.50v
387	Mr ISL Dampney	X	67.6v	66.3v	46.3v	44.1v	47.5v	48.2v	49.7v	75.11v	102.8v	49.3v	0.0v	593.49v
388	Mr CD Atkins	O	71.6v	71.5v	48.5v	42.0v	48.5v	48.5v	47.3v	73.5v	101.11v	44.0v	0.0v	593.45v
389	Sgt J H Howard	T	73.8v	72.5v	45.2v	45.3v	48.3v	46.4v	46.4v	73.7v	102.6v	43.3v	0.0v	593.45v
390	Mr MF Boucher	O	71.6v	70.3v	49.5v	46.3v	48.3v	48.3v	48.4v	72.8v	102.10v	39.0v	0.0v	593.45v
391	Mr MM Makin	T	73.8v	65.3v	46.4v	45.4v	50.9v	45.3v	48.5v	72.7v	102.9v	46.6v	0.0v	592.58v
392	Dr BJ Winney	O	73.9v	73.8v	50.3v	48.3v	50.6v	47.1v	29.2v	72.8v	104.12v	46.4v	0.0v	592.56v
393	Mr JNF Campbell	O	72.7v	71.3v	45.4v	41.0v	47.6v	48.5v	49.6v	73.7v	102.13v	44.3v	0.0v	592.54v
394	Mr JR Davies	X	72.6v	70.5v	48.5v	44.3v	45.3v	47.3v	47.5v	72.9v	103.13v	44.2v	0.0v	592.54v
395	Mr RJS McIlveen	O	72.6v	72.8v	48.3v	46.3v	48.7v	47.3v	46.5v	73.10v	101.8v	39.1v	0.0v	592.54v
396	Mr K Todd MBE	O	67.4v	71.6v	44.2v	47.4v	47.4v	48.3v	49.4v	73.12v	98.7v	48.7v	0.0v	592.53v
397	Mr J Purdy	O	71.7v	73.5v	49.4v	46.6v	48.3v	47.3v	45.4v	72.10v	99.8v	42.2v	0.0v	592.52v
398	RDP Knapstein	X	72.6v	72.7v	42.1v	44.1v	48.4v	46.2v	48.6v	74.9v	104.10v	42.3v	0.0v	592.49v
399	Mr JC Cockerill	O	75.10v	75.10v	47.4v	39.1v	49.6v	47.3v	47.0v	74.5v	101.7v	38.2v	0.0v	592.48v
400	Mr MK Townsend	O	72.4v	74.6v	45.2v	48.5v	46.3v	47.6v	48.4v	72.5v	93.6v	47.4v	0.0v	592.45v
401	Mr A Coakes	O	71.3v	71.4v	48.5v	44.2v	49.4v	45.2v	49.5v	73.9v	98.6v	44.4v	0.0v	592.44v
402	Mr SO Jauncey	O	72.3v	72.5v	43.3v	50.6v	47.4v	46.0v	46.2v	71.4v	101.8v	44.2v	0.0v	592.37v
403	Mr AM Bullen	A	71.7v	73.8v	48.4v	38.1v	49.4v	44.6v	50.6v	72.8v	101.14v	45.4v	0.0v	591.62v
404	Mr JR Lindsay	O	70.3v	72.8v	42.4v	48.2v	47.4v	45.5v	48.7v	72.10v	103.12v	44.3v	0.0v	591.58v
405	Miss CJ Dee	X	69.3v	71.7v	48.4v	47.5v	48.8v	48.5v	45.2v	73.9v	100.10v	42.5v	0.0v	591.58v
406	Mr MW Brown	O	71.5v	69.6v	49.8v	45.2v	48.7v	48.3v	48.4v	69.7v	100.12v	44.2v	0.0v	591.56v
407	Mr LT Wicker	X	70.7v	67.2v	50.6v	48.6v	50.7v	45.4v	49.7v	72.5v	100.11v	40.1v	0.0v	591.56v
408	Miss FE Purdy	A	72.7v	73.6v	45.2v	49.4v	47.5v	47.5v	45.4v	73.8v	100.12v	40.2v	0.0v	591.55v
409	GJ De Kock	T	70.5v	72.7v	44.3v	47.5v	48.7v	47.3v	49.7v	71.7v	97.7v	46.3v	0.0v	591.54v

410	Mr DQM Harvey	O	70.6v	72.9v	44.0v	46.5v	48.4v	47.2v	49.3v	72.9v	100.8v	43.8v	0.0v	591.54v
411	Miss JF Hossack	O	75.10v	73.5v	46.2v	46.1v	49.6v	48.6v	44.2v	74.7v	105.14v	31.1v	0.0v	591.54v
412	Mr DC Rickman	X	73.11v	70.5v	47.4v	45.2v	47.4v	49.5v	46.3v	72.9v	100.7v	42.2v	0.0v	591.52v
413	Mr RJ Quay	O	70.5v	66.2v	49.4v	39.1v	48.5v	49.7v	49.6v	73.9v	102.11v	46.1v	0.0v	591.51v
414	Miss S Cheslyn-Curtis	O	68.5v	70.4v	48.5v	45.2v	48.4v	44.3v	48.5v	73.7v	101.11v	46.3v	0.0v	591.49v
415	Mr JFJ Bryson	O	68.2v	74.5v	45.4v	48.6v	48.6v	46.3v	47.6v	71.7v	102.7v	42.2v	0.0v	591.48v
416	Miss A Strain	T	74.9v	70.8v	48.6v	44.2v	49.6v	47.3v	42.1v	72.5v	104.8v	41.0v	0.0v	591.48v
417	Mr TJ Bryan	O	72.8v	72.6v	49.4v	45.1v	49.4v	48.4v	49.5v	68.5v	100.8v	39.3v	0.0v	591.48v
418	Mr T Hembrow	O	72.8v	71.2v	48.5v	44.2v	48.3v	47.4v	48.5v	70.5v	98.10v	45.3v	0.0v	591.47v
419	Mr HN Watson	A	72.9v	67.4v	44.4v	42.3v	48.3v	48.3v	48.2v	75.8v	105.11v	42.0v	0.0v	591.47v
420	Mr V Robertshaw	O	72.5v	66.2v	49.2v	45.4v	48.4v	45.3v	49.7v	72.6v	101.12v	44.1v	0.0v	591.46v
421	Mr MJLA Landreville	O	73.6v	71.7v	47.4v	47.2v	49.4v	47.5v	43.1v	70.8v	101.7v	43.1v	0.0v	591.45v
422	Mr JG Bennett	O	72.4v	72.7v	49.4v	43.3v	47.2v	48.6v	48.5v	71.4v	99.8v	42.2v	0.0v	591.45v
423	Miss KE Pope	O	73.10v	69.2v	50.3v	44.2v	49.3v	46.2v	49.7v	68.8v	98.5v	45.2v	0.0v	591.44v
424	Mr DA Smith	O	72.7v	71.6v	49.4v	44.3v	48.5v	49.2v	47.5v	71.4v	96.6v	44.0v	0.0v	591.42v
425	Mr KB Hill	A	68.5v	71.6v	50.8v	47.6v	45.2v	47.4v	47.2v	71.9v	101.13v	43.3v	0.0v	590.58v
426	Mrs RM Merridew	O	70.6v	71.7v	49.6v	43.2v	47.4v	48.7v	47.4v	75.9v	100.11v	40.1v	0.0v	590.57v
427	Air Cdre JA Ford	T	74.9v	70.5v	49.5v	33.3v	49.5v	47.2v	48.2v	74.10v	100.10v	46.3v	0.0v	590.54v
428	LCpl S Hill	O	73.8v	71.4v	49.5v	38.0v	49.4v	45.3v	50.9v	72.10v	98.8v	45.2v	0.0v	590.53v
429	Mr CJ Sherratt	O	70.5v	68.5v	47.2v	45.5v	48.6v	48.2v	49.6v	73.8v	99.12v	43.2v	0.0v	590.53v
430	Sgt. MTJ Downes	O	74.9v	71.7v	49.4v	44.2v	49.6v	46.3v	47.5v	74.9v	100.7v	36.1v	0.0v	590.53v
431	Mr DMJ Coutts	A	66.4v	71.6v	47.3v	46.2v	48.5v	47.4v	47.4v	70.6v	101.13v	47.3v	0.0v	590.50v
432	Mr BH Hayes	O	74.9v	73.6v	45.2v	43.1v	49.5v	47.4v	45.3v	72.10v	102.7v	40.3v	0.0v	590.50v
433	MR WDLM De La Mare	T	69.5v	71.8v	47.3v	43.1v	48.4v	48.3v	50.6v	73.6v	103.10v	38.0v	0.0v	590.46v
434	LVW Brand	T	71.5v	69.5v	50.8v	47.3v	48.6v	47.4v	45.3v	70.4v	99.4v	44.3v	0.0v	590.45v
435	Mr JRJ Kennedy	O	71.5v	71.6v	49.6v	44.3v	46.3v	44.2v	48.4v	70.5v	102.8v	45.2v	0.0v	590.44v
436	Mr KR Trowbridge	A	72.7v	74.8v	48.5v	47.1v	47.2v	46.2v	46.2v	70.4v	99.6v	41.2v	0.0v	590.39v
437	Miss SL Hayes	X	72.8v	70.6v	42.5v	41.2v	50.7v	49.4v	48.4v	75.9v	103.10v	39.1v	0.0v	589.56v
438	Mr P Waldron	O	70.6v	73.9v	49.6v	47.3v	50.4v	46.1v	43.4v	68.4v	99.13v	44.3v	0.0v	589.53v
439	Mr GRP Shapland	O	72.5v	72.5v	47.7v	41.0v	49.5v	49.6v	47.5v	65.6v	99.10v	48.2v	0.0v	589.51v
440	Mr JR Stirland	O	69.8v	73.7v	47.4v	41.3v	47.4v	48.3v	50.3v	72.7v	98.10v	44.2v	0.0v	589.51v
441	Dr N P Tucker	O	69.4v	69.4v	49.3v	46.3v	49.6v	48.4v	45.3v	71.8v	99.12v	44.3v	0.0v	589.50v
442	Mr OJ Rolfe	A	72.5v	70.5v	43.2v	46.4v	49.7v	44.1v	48.4v	73.7v	100.11v	44.2v	0.0v	589.48v
443	Mr RF Burden	O	70.6v	69.3v	47.4v	45.1v	49.4v	48.4v	46.5v	72.10v	99.7v	44.3v	0.0v	589.47v
444	Mr SE Frost	X	72.8v	70.4v	45.2v	42.1v	48.5v	47.4v	49.5v	71.3v	101.9v	44.4v	0.0v	589.45v
445	Miss JP Patterson	T	71.7v	70.4v	46.3v	46.4v	50.7v	46.3v	47.5v	72.11v	101.10v	39.1v	0.0v	588.55v
446	Cdt JWW Annison	O	72.7v	71.7v	47.5v	41.2v	43.5v	48.6v	47.5v	70.6v	102.7v	47.2v	0.0v	588.52v
447	B Lottritz	O	72.8v	71.5v	47.2v	43.1v	49.8v	45.3v	47.4v	71.8v	99.11v	44.1v	0.0v	588.51v
448	Mr R A Webb	O	71.7v	72.8v	47.3v	46.4v	47.4v	46.3v	45.4v	70.6v	98.7v	46.4v	0.0v	588.50v
449	Mr RN Stebbings	A	72.8v	69.6v	46.4v	42.1v	49.6v	44.1v	45.2v	75.11v	101.8v	45.3v	0.0v	588.50v
450	Mr AC Grant	O	70.5v	67.3v	48.4v	43.1v	48.3v	44.3v	46.6v	74.8v	100.11v	48.4v	0.0v	588.48v
451	R Kligge	O	69.6v	71.6v	48.4v	45.4v	48.4v	47.1v	48.6v	72.7v	99.7v	41.3v	0.0v	588.48v
452	Mr CG Dickson	O	71.5v	69.6v	47.4v	46.3v	49.6v	46.1v	47.5v	68.3v	98.8v	47.6v	0.0v	588.47v
453	Mr MJB Barker	T	70.7v	71.3v	42.2v	44.4v	47.4v	49.3v	47.3v	73.10v	101.9v	44.1v	0.0v	588.46v
454	Mr ME Barr	O	70.3v	64.4v	49.6v	45.2v	48.4v	46.2v	48.5v	73.7v	100.6v	45.3v	0.0v	588.42v
455	Cdt LCpl SA Cox	O	72.8v	69.3v	46.3v	44.1v	48.3v	49.4v	47.3v	69.5v	101.9v	43.2v	0.0v	588.41v
456	Miss EL Hoolahan	O	71.7v	72.7v	49.5v	41.3v	50.7v	47.5v	47.5v	70.6v	102.12v	38.0v	0.0v	587.57v
457	Wg. Cdr. CR Smith	A	72.5v	74.7v	50.5v	47.3v	49.8v	50.5v	46.2v	73.11v	99.10v	27.0v	0.0v	587.56v
458	Mr M Dineen	T	71.9v	66.4v	45.5v	49.3v	45.3v	46.4v	49.4v	70.9v	100.10v	46.4v	0.0v	587.55v
459	IP ML Lekalaile	X	73.8v	70.6v	45.3v	43.3v	45.5v	45.3v	48.3v	70.7v	102.11v	46.4v	0.0v	587.53v
460	Mr P Cameron Taylor	A	68.4v	72.7v	50.8v	49.6v	48.6v	47.3v	41.3v	68.4v	100.8v	44.3v	0.0v	587.52v
461	Dr AI Ashworth	O	69.7v	73.6v	44.3v	48.3v	48.8v	50.6v	49.7v	72.4v	99.6v	35.2v	0.0v	587.52v
462	Miss SJ Dick	O	72.9v	71.9v	43.1v	46.1v	47.4v	46.3v	48.5v	73.8v	100.11v	41.0v	0.0v	587.51v
463	Mr TA Dowley	T	74.8v	73.9v	45.1v	42.2v	50.6v	46.3v	44.3v	68.7v	96.6v	49.5v	0.0v	587.50v
464	Mr TR Webster	O	72.7v	71.8v	47.5v	42.1v	49.3v	48.3v	48.6v	72.8v	97.6v	41.3v	0.0v	587.50v
465	Mr DEM Matthews	O	69.4v	68.4v	45.4v	49.7v	50.7v	49.5v	47.3v	73.7v	98.7v	39.2v	0.0v	587.50v
466	Mr E Stuart-Bamford	O	70.7v	71.8v	49.7v	43.4v	46.3v	48.3v	49.4v	72.5v	92.5v	47.3v	0.0v	587.49v
467	Mr F Roberts	O	68.4v	69.4v	48.3v	41.1v	46.4v	48.7v	47.3v	73.7v	104.11v	43.2v	0.0v	587.46v
468	Mr JTM Magill	T	72.7v	74.5v	45.5v	47.5v	47.4v	45.2v	41.0v	72.6v	102.6v	42.1v	0.0v	587.41v
469	Mr CMB Bowring	O	68.3v	71.4v	48.3v	49.3v	45.2v	48.5v	46.4v	71.5v	101.7v	40.2v	0.0v	587.38v
470	Mr. P.R. Roy	T	71.6v	75.14v	48.6v	45.1v	47.4v	46.3v	50.5v	71.6v	99.9v	34.4v	0.0v	586.58v
471	Dr PJ Morris	O	71.8v	68.7v	47.4v	45.3v	45.1v	48.5v	46.6v	72.5v	100.11v	44.3v	0.0v	586.53v
472	Mr T Stevenson	T	72.8v	67.3v	49.6v	48.5v	49.7v	44.3v	45.3v	73.5v	100.9v	39.0v	0.0v	586.49v
473	Mr AK Fitch	O	74.12v	66.6v	49.4v	44.2v	49.3v	48.4v	48.3v	69.5v	101.9v	38.1v	0.0v	586.49v
474	Mr TF Kurn	O	71.6v	67.3v	48.5v	49.3v	44.3v	49.5v	50.7v	70.4v	100.10v	38.2v	0.0v	586.48v
475	Mr JK James	T	70.6v	68.3v	49.5v	48.3v	45.2v	43.4v	47.6v	69.2v	103.13v	44.2v	0.0v	586.46v
476	Mr PB Cutts	O	71.4v	71.6v	47.5v	43.0v	47.3v	49.4v	48.6v	73.7v	98.7v	39.2v	0.0v	586.44v
477	Mr HJG Green	O	72.4v	71.8v	48.5v	41.1v	43.1v	46.2v	48.3v	75.9v	100.9v	42.1v	0.0v	586.43v
478	Mr MS Shaw	T	73.9v	65.3v	45.2v	43.3v	47.5v	48.1v	48.4v	72.6v	100.8v	45.1v	0.0v	586.42v
479	Mr. A.M. Mallette	T	70.5v	73.5v	48.2v	44.2v	47.3v	47.3v	49.5v	72.8v	97.7v	39.1v	0.0v	586.41v
480	Mr NC Granger	A	72.4v	70.8v	47.3v	41.0v	49.5v	46.3v	46.0v	70.5v	103.9v	42.3v	0.0v	586.40v

481	Mr TSM Gordon	O	68.4v	69.1v	48.5v	41.1v	50.6v	46.3v	49.6v	69.3v	101.8v	45.2v	0.0v	586.39v
482	Mr NS Suffield-Jones	O	70.7v	68.3v	43.2v	48.0v	49.5v	44.0v	48.3v	73.9v	99.7v	44.1v	0.0v	586.37v
483	Mr OJNL Lyon	A	69.6v	71.8v	50.6v	47.1v	47.4v	44.3v	47.3v	67.6v	100.8v	43.4v	0.0v	585.49v
484	Mr J Swash	O	73.6v	70.4v	48.4v	41.2v	46.1v	47.3v	48.6v	71.9v	99.11v	42.1v	0.0v	585.47v
485	Mr RJR Mott	A	72.6v	64.4v	48.5v	48.5v	44.2v	45.3v	47.2v	72.6v	98.7v	47.6v	0.0v	585.46v
486	Cdt C M Jones	T	68.5v	69.3v	48.5v	48.2v	47.2v	45.3v	47.5v	73.7v	102.12v	38.1v	0.0v	585.45v
487	Mr NJ Hall	O	71.5v	69.3v	45.3v	45.5v	44.4v	49.4v	44.2v	70.3v	102.12v	46.3v	0.0v	585.44v
488	Cadet PC De Souza	O	70.8v	71.5v	47.2v	42.2v	49.4v	43.0v	45.2v	74.6v	101.9v	43.2v	0.0v	585.40v
489	Mr JT Kennedy	T	72.4v	70.3v	47.3v	40.1v	50.5v	48.5v	46.4v	72.6v	101.9v	39.0v	0.0v	585.40v
490	Mr JH Forrest	O	72.9v	69.6v	48.4v	48.5v	47.5v	48.5v	50.5v	62.4v	98.10v	42.1v	0.0v	584.54v
491	Mr G Meijer	O	70.7v	64.3v	48.8v	47.2v	47.3v	48.3v	48.6v	70.8v	102.11v	40.2v	0.0v	584.53v
492	Mr ML Carberry	O	68.3v	73.6v	49.5v	48.5v	46.3v	46.5v	44.5v	69.5v	96.11v	45.2v	0.0v	584.50v
493	Mr AP Powell	O	71.8v	69.6v	49.6v	44.4v	47.4v	45.2v	47.4v	73.8v	99.7v	40.1v	0.0v	584.50v
494	Cdt B Charlton	T	73.8v	71.5v	45.4v	46.4v	42.2v	48.5v	46.3v	69.3v	100.13v	44.2v	0.0v	584.49v
495	Mr GL Clarke	O	72.9v	70.4v	45.3v	41.2v	46.4v	43.3v	50.4v	67.7v	102.9v	48.3v	0.0v	584.48v
496	Mr SD Spinney	X	69.5v	68.4v	45.2v	47.4v	46.2v	49.4v	49.6v	70.4v	97.4v	44.3v	0.0v	584.38v
497	Cdt Sgt CE Phillips	T	69.1v	71.5v	45.2v	45.1v	48.4v	46.4v	45.5v	73.5v	100.7v	42.2v	0.0v	584.36v
498	Mr BA Howard	A	74.8v	75.9v	49.6v	49.7v	50.4v	48.5v	47.2v	75.8v	70.8v	46.4v	0.0v	583.61v
499	Sgt. CJ Palmer-Makowski	O	70.7v	69.7v	46.3v	44.3v	47.4v	43.5v	48.5v	71.6v	97.6v	48.6v	0.0v	583.52v
500	Mr R Hodgson-Jones	T	71.5v	69.1v	44.4v	46.3v	48.5v	42.2v	49.4v	70.4v	101.10v	43.3v	0.0v	583.41v
501	Miss C Halleran	O	71.4v	73.9v	47.3v	44.3v	48.2v	49.5v	44.4v	69.5v	97.6v	41.0v	0.0v	583.41v
502	Mr JS Chapman	O	68.5v	71.5v	48.5v	44.1v	47.5v	49.3v	46.2v	68.4v	98.5v	44.3v	0.0v	583.38v
503	Mr GK Goodwin	O	73.10v	70.4v	48.4v	41.2v	45.4v	48.4v	47.4v	71.6v	96.7v	43.4v	0.0v	582.49v
504	Mr. D T C Lohnes	T	69.5v	69.2v	44.1v	45.3v	50.6v	48.5v	47.5v	70.7v	97.12v	43.2v	0.0v	582.48v
505	Mr TJ Brooking	A	68.7v	70.5v	47.3v	45.3v	46.3v	48.4v	46.3v	69.7v	96.4v	47.6v	0.0v	582.45v
506	Mr PR Coley	O	71.10v	67.2v	47.2v	42.1v	44.6v	46.5v	48.4v	72.6v	100.6v	45.3v	0.0v	582.45v
507	Mr MJL Traynor	O	74.7v	70.5v	41.2v	37.2v	46.3v	48.3v	47.2v	73.10v	102.9v	44.2v	0.0v	582.45v
508	Mr. J T H Jones	T	66.3v	69.4v	48.2v	45.3v	48.7v	47.5v	50.4v	69.6v	97.9v	43.2v	0.0v	582.45v
509	Mr PS Calvert	O	73.8v	71.7v	46.3v	39.1v	46.4v	48.3v	46.4v	71.5v	100.9v	42.1v	0.0v	582.45v
510	Mr KG Firth	O	72.7v	69.5v	48.5v	40.1v	48.4v	45.3v	46.5v	73.6v	100.7v	41.1v	0.0v	582.44v
511	Maj (Retd) DJ Nelson	X	71.7v	69.2v	45.3v	45.4v	43.2v	46.1v	48.2v	74.7v	103.14v	38.1v	0.0v	582.43v
512	Mr JG Powell	O	69.4v	69.7v	47.2v	44.3v	47.5v	43.2v	50.4v	74.8v	97.7v	42.0v	0.0v	582.42v
513	Mr RM Culverwell	O	74.10v	68.3v	49.3v	46.3v	46.3v	46.1v	45.4v	68.3v	97.6v	43.3v	0.0v	582.39v
514	Mr CJ Macdonald	O	70.5v	69.5v	43.2v	45.2v	45.1v	48.5v	48.4v	70.3v	99.8v	45.3v	0.0v	582.38v
515	Mr MD Norman	T	69.5v	68.3v	45.0v	44.0v	50.7v	49.6v	46.0v	71.5v	100.5v	40.1v	0.0v	582.32v
516	Mr SWO Owen	O	72.8v	72.8v	46.5v	38.0v	45.2v	45.2v	47.3v	74.11v	97.8v	45.2v	0.0v	581.49v
517	Mr GH Porter	O	68.3v	72.9v	48.6v	43.1v	44.5v	47.5v	44.2v	73.9v	96.3v	46.3v	0.0v	581.46v
518	Mr MP Perez	O	72.6v	64.3v	50.5v	42.1v	47.4v	46.3v	47.4v	70.7v	101.10v	42.2v	0.0v	581.45v
519	Mr EJT Thomas	T	69.2v	70.4v	47.5v	45.4v	46.4v	47.4v	48.6v	73.5v	97.9v	39.2v	0.0v	581.45v
520	Mr. K.W Fierling	T	74.9v	70.7v	45.2v	45.3v	48.4v	47.2v	46.1v	72.6v	95.8v	39.0v	0.0v	581.42v
521	Miss C H Sayers	O	69.6v	65.1v	43.2v	48.4v	48.2v	47.2v	48.2v	74.8v	98.10v	41.2v	0.0v	581.39v
522	Mr CM Brooks	O	68.5v	66.3v	49.5v	49.2v	39.3v	45.1v	47.3v	69.5v	102.7v	47.1v	0.0v	581.35v
523	Mr PJ Carr	T	72.6v	68.4v	41.2v	41.3v	50.7v	44.2v	45.5v	74.9v	100.9v	45.2v	0.0v	580.49v
524	Mr G Trembath	A	67.4v	68.5v	43.1v	47.6v	47.5v	48.5v	49.4v	72.6v	101.9v	38.1v	0.0v	580.46v
525	Cpl CI Walker	T	64.5v	69.4v	47.3v	50.5v	48.3v	44.2v	46.2v	73.6v	105.14v	34.1v	0.0v	580.45v
526	Cdt CE Mawson	A	72.8v	69.6v	37.2v	42.2v	50.5v	49.3v	45.2v	70.5v	102.10v	44.1v	0.0v	580.44v
527	Miss CLM Nettie	T	72.6v	72.7v	45.3v	38.1v	49.4v	48.4v	43.1v	73.7v	101.10v	39.1v	0.0v	580.44v
528	Mr B J Day	T	73.7v	67.2v	48.4v	41.2v	49.6v	45.3v	45.2v	73.7v	103.8v	36.2v	0.0v	580.43v
529	Sqn Ldr CM Fopp	O	67.7v	68.4v	45.1v	45.3v	50.3v	42.2v	47.5v	73.5v	102.9v	41.1v	0.0v	580.40v
530	Mr ID Markwell	O	67.3v	73.3v	50.5v	48.5v	46.3v	43.3v	45.3v	70.7v	96.6v	42.1v	0.0v	580.39v
531	Sgt F Hawes	T	71.6v	68.4v	48.3v	46.2v	46.2v	46.1v	41.0v	71.7v	99.9v	44.1v	0.0v	580.35v
532	Mr J A Garnett	O	71.4v	69.3v	48.2v	47.3v	50.7v	49.4v	43.0v	67.2v	92.5v	44.2v	0.0v	580.32v
533	Mr T Steele	X	70.7v	69.7v	48.4v	43.2v	49.5v	43.5v	46.4v	70.7v	97.12v	44.2v	0.0v	579.55v
534	Mr TE Brankin-Frisby	O	71.4v	69.5v	46.5v	43.4v	49.5v	47.4v	45.4v	72.11v	101.11v	36.1v	0.0v	579.54v
535	Mr ES Maclean	O	72.6v	65.2v	44.1v	42.1v	46.3v	47.4v	49.5v	73.10v	100.7v	41.3v	0.0v	579.42v
536	CSjt T Mason	T	68.2v	74.7v	47.4v	42.2v	49.6v	45.2v	46.1v	69.5v	98.9v	41.2v	0.0v	579.40v
537	Major N Stebbings	O	72.6v	70.5v	45.2v	42.2v	47.2v	45.5v	46.2v	69.4v	98.8v	45.3v	0.0v	579.39v
538	Mr SA Hunting	O	69.3v	70.9v	45.2v	43.1v	46.3v	49.5v	47.3v	70.6v	99.6v	41.0v	0.0v	579.38v
539	Mr J Tuffen	O	71.5v	68.4v	46.5v	45.2v	48.2v	46.2v	43.1v	70.7v	102.9v	40.0v	0.0v	579.37v
540	Mr P Merry	O	66.2v	73.4v	46.5v	41.1v	48.2v	46.5v	47.6v	69.3v	99.7v	44.1v	0.0v	579.36v
541	Mr MJ Judge	O	69.3v	68.5v	48.5v	43.1v	48.3v	45.1v	48.7v	62.5v	102.10v	45.2v	0.0v	578.42v
542	Mr MR Place	O	66.2v	72.4v	45.3v	46.3v	49.3v	42.4v	50.7v	70.5v	101.7v	37.2v	0.0v	578.40v
543	Ms M Sanders	T	67.6v	72.5v	48.6v	47.4v	45.2v	45.0v	46.4v	69.4v	96.5v	43.2v	0.0v	578.38v
544	Mr PHC Costello	T	69.4v	70.8v	49.4v	47.4v	42.1v	47.1v	46.1v	70.4v	99.7v	39.2v	0.0v	578.36v
545	Mr A R Betts	X	72.3v	70.6v	44.2v	48.5v	47.2v	48.3v	43.2v	70.5v	97.5v	39.2v	0.0v	578.35v
546	Mr OJLW Woolcott	T	73.7v	67.2v	47.3v	46.3v	49.5v	43.3v	46.3v	70.2v	96.4v	41.2v	0.0v	578.34v
547	Cdt S Treacy	O	70.4v	73.7v	44.4v	39.2v	44.2v	46.4v	48.7v	67.4v	102.10v	44.4v	0.0v	577.48v
548	Mr MD Wright	O	71.7v	69.6v	49.3v	37.1v	45.4v	47.6v	46.6v	74.8v	96.5v	43.1v	0.0v	577.47v
549	Miss RD Dunn	T	71.6v	72.8v	44.1v	42.5v	48.2v	48.6v	46.2v	72.5v	91.3v	43.5v	0.0v	577.43v
550	CWO L Hamilton	T	67.5v	71.7v	46.2v	44.2v	48.5v	48.3v	49.5v	67.6v	98.7v	39.1v	0.0v	577.43v
551	Mr R Jackson	O	71.6v	68.3v	46.1v	45.2v	43.2v	46.4v	46.4v	72.9v	98.8v	42.2v	0.0v	577.41v

552	Cadet DW Leitch	T	68.3v	67.3v	46.4v	39.1v	49.2v	47.3v	44.4v	71.6v	100.10v	46.2v	0.0v	577.38v
553	Mr JD Badman	O	74.8v	65.4v	46.5v	44.1v	47.3v	41.2v	49.6v	70.6v	94.7v	46.3v	0.0v	576.45v
554	Mr DF Nesbitt	O	73.9v	72.6v	44.2v	44.4v	46.4v	44.2v	44.1v	67.6v	100.7v	42.2v	0.0v	576.43v
555	Mr C Truman	T	69.4v	72.6v	47.4v	44.2v	47.5v	47.2v	48.4v	73.8v	96.7v	33.0v	0.0v	576.42v
556	Mr GD Moffatt	O	71.6v	72.3v	44.3v	41.3v	45.3v	45.2v	46.2v	72.8v	95.9v	45.2v	0.0v	576.41v
557	Mr SCW Dixon	O	63.3v	70.5v	46.4v	46.3v	45.3v	43.0v	45.3v	73.7v	101.8v	44.2v	0.0v	576.38v
558	Mr TH Emck	O	70.7v	72.7v	47.3v	45.1v	47.4v	48.4v	45.2v	66.5v	95.5v	41.0v	0.0v	576.38v
559	Mr HGM Mooiman	O	71.5v	69.4v	46.1v	44.2v	48.5v	44.4v	46.2v	69.5v	99.6v	40.3v	0.0v	576.37v
560	Mr C M Nunan	T	71.6v	65.1v	46.3v	46.3v	45.1v	43.2v	49.3v	72.5v	100.8v	39.3v	0.0v	576.35v
561	Mr MT Lehmann	T	67.2v	70.4v	41.2v	48.2v	46.3v	44.3v	48.3v	71.6v	97.7v	44.1v	0.0v	576.33v
562	Mr BJ Le Cheminant	X	71.8v	73.11v	49.5v	49.3v	49.6v	49.7v	49.3v	75.13v	69.9v	42.4v	0.0v	575.69v
563	Mr A F Powell	X	68.5v	72.8v	48.6v	44.2v	41.5v	42.2v	46.4v	73.7v	99.7v	42.1v	0.0v	575.47v
564	Mr MM Matloob	O	72.7v	70.8v	42.0v	40.1v	46.4v	49.5v	43.2v	74.9v	98.10v	41.0v	0.0v	575.46v
565	U Soelzer	O	69.5v	66.1v	50.6v	44.3v	46.3v	45.2v	49.5v	68.7v	99.10v	39.1v	0.0v	575.43v
566	Gdsm L Nicholson	T	69.6v	69.4v	42.1v	37.1v	46.3v	49.6v	50.6v	71.7v	98.4v	44.2v	0.0v	575.40v
567	Mr TP Hammond	A	68.4v	74.11v	49.6v	48.5v	46.3v	50.7v	49.5v	75.10v	68.10v	47.5v	0.0v	574.66v
568	Mr SG Hunt	X	72.6v	70.5v	50.4v	46.3v	50.6v	50.4v	49.5v	73.9v	67.9v	47.5v	0.0v	574.56v
569	Mr PG Gilleece	T	65.5v	63.6v	49.7v	43.3v	49.7v	47.5v	47.5v	72.7v	95.7v	44.0v	0.0v	574.52v
570	Cdt Sgt HYH Lei	T	70.5v	68.2v	47.3v	41.3v	48.5v	50.4v	46.3v	70.7v	93.8v	41.2v	0.0v	574.42v
571	Cpl SJ Day	T	66.1v	68.3v	48.7v	47.3v	46.3v	44.2v	48.4v	71.9v	94.4v	42.1v	0.0v	574.37v
572	Mr DJ Walker	T	67.3v	67.3v	42.2v	46.4v	48.3v	46.4v	45.3v	69.7v	100.6v	44.1v	0.0v	574.36v
573	Mr GD Palmer	X	72.9v	73.6v	50.8v	15.0v	49.3v	47.5v	48.6v	72.8v	104.13v	43.1v	0.0v	573.59v
574	Mr CRF Leather	O	64.2v	68.6v	45.3v	45.5v	43.1v	42.5v	46.5v	74.5v	100.13v	46.4v	0.0v	573.49v
575	Mr SB-M Brewer-Marchant	T	74.8v	66.6v	47.3v	37.5v	49.5v	44.1v	45.2v	74.7v	103.9v	34.1v	0.0v	573.47v
576	Mr K Gladding	O	58.3v	71.7v	47.4v	41.0v	46.3v	49.8v	48.3v	72.6v	97.9v	44.1v	0.0v	573.44v
577	Mr N M Duncan	O	66.5v	70.3v	45.2v	38.1v	48.4v	46.6v	45.2v	70.8v	99.9v	46.3v	0.0v	573.43v
578	Mr O.W.T.R Rowe	T	72.8v	72.6v	45.1v	41.2v	49.4v	45.3v	48.2v	68.7v	88.4v	45.3v	0.0v	573.40v
579	Mr DBO O'Hare	O	68.5v	70.3v	48.3v	30.0v	48.2v	47.3v	46.4v	71.6v	99.6v	46.5v	0.0v	573.37v
580	Mr CSJ Marlow	O	71.4v	69.5v	48.1v	41.3v	49.5v	42.0v	45.1v	70.6v	98.7v	40.4v	0.0v	573.36v
581	Mr JM de Bruijn	O	70.6v	67.2v	47.3v	46.4v	48.6v	46.3v	44.1v	63.3v	98.5v	44.1v	0.0v	573.34v
582	Miss HM Taylor	O	71.7v	72.8v	48.5v	47.2v	47.5v	50.4v	49.5v	74.8v	69.6v	45.4v	0.0v	572.54v
583	Mr DJ Stewart	O	66.4v	68.6v	47.4v	43.2v	46.3v	47.3v	48.6v	69.4v	96.5v	42.1v	0.0v	572.38v
584	Miss HE Walker	T	68.2v	68.5v	44.2v	41.1v	48.6v	49.7v	44.2v	68.6v	98.5v	44.1v	0.0v	572.37v
585	Mr RG Hilyard	O	71.6v	62.2v	48.5v	44.1v	47.5v	45.5v	43.3v	70.7v	94.6v	47.2v	0.0v	571.42v
586	Mr JCK Kelleher	O	69.4v	67.3v	48.5v	43.4v	46.5v	45.3v	45.4v	68.3v	100.10v	40.0v	0.0v	571.41v
587	Cdr MF Jordan	O	72.6v	68.6v	45.4v	42.1v	45.2v	46.3v	44.3v	68.5v	98.5v	43.4v	0.0v	571.39v
588	Mr DT O'Leary	O	72.5v	67.3v	49.6v	39.1v	46.3v	47.4v	47.6v	66.2v	98.9v	40.0v	0.0v	571.39v
589	Miss M Mcaleenan	T	70.5v	65.2v	44.3v	44.3v	39.0v	45.1v	47.3v	74.6v	99.8v	44.6v	0.0v	571.37v
590	Mr LF Le Breuilley	T	66.1v	67.4v	41.0v	46.4v	48.4v	47.3v	47.4v	72.9v	97.5v	40.2v	0.0v	571.36v
591	Mr PM Weston	O	69.3v	70.4v	42.2v	44.2v	47.5v	44.0v	46.2v	69.6v	96.9v	44.2v	0.0v	571.35v
592	Dr CW Freeman	O	70.7v	72.4v	49.5v	43.2v	43.0v	43.1v	47.4v	68.3v	92.8v	44.1v	0.0v	571.35v
593	Mr RR Ramage	T	70.2v	70.5v	42.3v	39.1v	49.3v	45.5v	45.0v	72.8v	98.5v	41.1v	0.0v	571.33v
594	Mr JS Ritchie	O	68.2v	70.3v	46.6v	41.2v	48.2v	46.5v	44.1v	69.5v	94.8v	44.4v	0.0v	570.38v
595	Mr WF Livesey	T	66.1v	69.5v	49.4v	40.3v	48.4v	48.3v	48.4v	69.2v	94.9v	39.3v	0.0v	570.38v
596	Mr TW Harrison	O	59.2v	70.4v	42.2v	43.3v	45.3v	46.3v	49.3v	73.7v	97.7v	46.2v	0.0v	570.36v
597	Miss S Ponter	A	73.8v	74.9v	44.2v	42.3v	42.2v	47.3v	45.4v	69.7v	98.7v	35.1v	0.0v	569.46v
598	LCpl N Vincent	T	67.5v	70.6v	46.1v	43.1v	46.3v	46.3v	39.0v	66.4v	101.12v	45.4v	0.0v	569.39v
599	Mr T Galliers	O	70.2v	69.5v	47.6v	40.2v	45.5v	44.2v	46.3v	66.5v	98.5v	44.3v	0.0v	569.38v
600	Cdt TJ Johnston	T	68.5v	72.6v	46.2v	41.0v	47.4v	43.1v	44.2v	69.6v	95.5v	44.3v	0.0v	569.34v
601	Mr K Hardyman	O	69.6v	66.2v	46.3v	42.2v	50.2v	49.7v	45.4v	65.2v	97.6v	40.0v	0.0v	569.34v
602	Mr AMS Sadler	O	69.7v	73.6v	48.3v	48.7v	40.2v	45.1v	46.3v	63.2v	93.4v	43.2v	0.0v	568.37v
603	Mrs RKE Penrose	O	67.3v	73.7v	48.4v	39.1v	47.6v	46.5v	48.3v	70.6v	98.7v	31.3v	0.0v	567.45v
604	Cdt YW Thorne	T	72.8v	65.1v	49.8v	40.0v	45.4v	43.3v	45.3v	67.6v	100.9v	41.2v	0.0v	567.44v
605	Spr D Taylor	T	68.6v	72.6v	48.4v	40.2v	46.3v	47.2v	44.3v	64.4v	94.5v	44.2v	0.0v	567.37v
606	Mrs SG Sirett	O	65.5v	70.4v	40.2v	43.3v	48.3v	48.4v	43.2v	73.9v	96.3v	41.1v	0.0v	567.36v
607	Mr RA Welford	O	72.9v	70.4v	49.7v	44.4v	47.3v	48.5v	48.4v	74.8v	67.6v	47.3v	0.0v	566.53v
608	Mr SH Cox	X	71.7v	67.2v	49.6v	49.3v	49.4v	50.5v	47.2v	71.7v	68.9v	45.3v	0.0v	566.48v
609	Mr SR Davis	O	68.5v	72.8v	45.5v	44.4v	46.2v	42.1v	47.4v	65.4v	92.10v	45.4v	0.0v	566.47v
610	Miss PG Macdonald	T	66.4v	71.5v	41.1v	32.0v	47.4v	48.5v	44.2v	75.9v	101.12v	41.1v	0.0v	566.43v
611	Mr. J.A. Schakel	T	71.3v	68.5v	42.1v	38.2v	48.4v	46.6v	46.5v	71.5v	98.4v	38.1v	0.0v	566.36v
612	K Pehiee	T	59.0v	65.4v	46.4v	46.5v	48.4v	44.2v	48.4v	67.4v	97.5v	46.2v	0.0v	566.34v
613	Mr PJ Holden	O	66.1v	66.3v	47.4v	41.2v	45.1v	45.2v	46.1v	67.6v	98.7v	45.1v	0.0v	566.28v
614	Mr SJA Armstrong	T	71.4v	68.3v	43.2v	40.1v	45.1v	44.3v	46.1v	71.7v	93.1v	45.4v	0.0v	566.27v
615	Cpl AJ Clarke	O	72.8v	74.8v	46.2v	47.3v	49.3v	48.4v	47.5v	74.8v	101.12v	7.0v	0.0v	565.53v
616	Miss EL Sweet	T	68.3v	71.6v	47.1v	37.0v	44.3v	47.5v	46.2v	70.3v	93.5v	42.1v	0.0v	565.29v
617	Mr DM Smith	O	71.4v	69.4v	48.2v	39.0v	47.4v	42.1v	42.2v	69.2v	98.5v	40.3v	0.0v	565.27v
618	Mr D Coleman	A	75.11v	73.8v	50.8v	49.4v	49.3v	47.4v	0.0v	69.3v	105.15v	47.4v	0.0v	564.60v
619	F/Sgt T Biggins	T	71.4v	64.6v	46.5v	35.1v	48.3v	47.5v	49.5v	69.7v	97.6v	38.0v	0.0v	564.42v
620	Dr G Stevenson	O	70.5v	66.2v	44.3v	45.2v	47.4v	46.8v	47.4v	63.2v	94.5v	42.4v	0.0v	564.39v
621	Mr AJD Saunders	O	69.4v	68.6v	41.2v	38.0v	46.4v	48.4v	39.2v	73.7v	95.4v	47.3v	0.0v	564.36v
622	Cadet M Witherley	T	67.3v	68.3v	46.2v	38.2v	47.4v	43.1v	45.2v	72.6v	98.8v	40.2v	0.0v	564.33v

623	CSjt J Lowes	T	66.7v	63.4v	50.7v	40.1v	49.5v	45.2v	46.4v	64.4v	100.6v	40.2v	0.0v	563.42v
624	Mr DJ Pay	O	68.3v	66.3v	42.2v	43.3v	39.0v	47.5v	50.8v	72.5v	90.5v	46.2v	0.0v	563.36v
625	Mr T Smith	O	74.8v	70.7v	46.2v	44.3v	48.5v	46.4v	46.3v	75.8v	69.7v	44.1v	0.0v	562.48v
626	Mr J P Hakim	O	68.4v	68.5v	48.4v	50.8v	47.3v	43.3v	42.1v	64.3v	89.6v	43.1v	0.0v	562.38v
627	Mr MSC Chandler	T	68.6v	63.4v	45.2v	42.2v	49.6v	48.5v	45.3v	68.7v	94.6v	39.0v	0.0v	561.41v
628	Mr ARN Kinross	O	66.4v	68.3v	44.3v	36.1v	47.3v	49.7v	44.4v	71.6v	97.8v	39.1v	0.0v	561.40v
629	C/Cpl TMK Hampson	T	70.2v	66.3v	47.4v	32.0v	44.4v	46.5v	45.4v	74.9v	98.9v	39.0v	0.0v	561.40v
630	Mr M. S. Le Maitre	T	74.8v	67.3v	41.1v	28.1v	48.5v	46.0v	42.2v	72.6v	99.10v	44.2v	0.0v	561.38v
631	Miss ZL Latimer	T	73.4v	68.1v	47.5v	38.1v	47.5v	45.2v	30.1v	70.5v	98.10v	45.1v	0.0v	561.35v
632	Sgt EEP Pomeroy	T	69.5v	72.2v	42.4v	33.0v	50.6v	42.1v	45.1v	72.6v	98.7v	38.1v	0.0v	561.33v
633	Mr KJ Aldridge	O	70.4v	64.3v	46.2v	46.2v	43.2v	44.2v	46.4v	70.4v	95.10v	37.0v	0.0v	561.33v
634	Mr WT Bridger	O	70.6v	68.3v	45.4v	47.3v	41.3v	43.3v	47.4v	67.3v	93.6v	39.2v	0.0v	560.37v
635	Mr MJ Bumford	O	72.6v	69.4v	45.3v	41.1v	45.4v	42.0v	45.3v	66.2v	89.2v	46.2v	0.0v	560.27v
636	Mr JE White	O	69.6v	74.9v	46.3v	47.5v	48.4v	48.4v	48.6v	72.9v	64.5v	43.1v	0.0v	559.52v
637	Mr JPL Sweet	A	70.6v	70.3v	49.4v	41.5v	49.4v	46.5v	49.5v	72.8v	67.8v	46.2v	0.0v	559.50v
638	Miss M C Montgomery	T	71.8v	70.4v	43.9v	39.3v	47.5v	41.0v	47.3v	63.1v	103.6v	35.1v	0.0v	559.40v
639	Miss IMC Cubitt	T	64.1v	61.4v	45.4v	45.2v	46.4v	45.3v	41.3v	73.10v	98.7v	41.1v	0.0v	559.39v
640	Mr TLB Burton	T	69.3v	65.3v	40.1v	45.2v	47.5v	47.0v	47.5v	63.1v	98.9v	38.0v	0.0v	559.29v
641	Mr P Barber	O	69.5v	72.4v	47.4v	46.6v	46.2v	47.4v	47.2v	72.4v	65.6v	47.5v	0.0v	558.42v
642	Mr A Aryaeipour	T	71.7v	68.4v	44.3v	38.1v	45.3v	43.1v	47.2v	68.6v	99.5v	35.2v	0.0v	558.34v
643	Mr R Van Den Bossche	O	67.3v	67.1v	47.4v	39.1v	46.3v	42.1v	46.2v	70.6v	95.6v	39.0v	0.0v	558.27v
644	Mr JL Poulin	O	67.2v	68.4v	45.1v	35.1v	41.0v	47.1v	48.5v	71.5v	91.5v	45.2v	0.0v	558.26v
645	Mr MJ Bailey	O	70.6v	68.6v	42.1v	40.4v	48.6v	40.1v	43.2v	70.7v	96.5v	40.0v	0.0v	557.38v
646	Miss AL Matthews	T	68.3v	66.4v	47.1v	43.1v	47.4v	48.2v	41.0v	69.7v	86.4v	42.1v	0.0v	557.27v
647	GWirgman GHCW Wirgman	T	69.3v	68.2v	46.3v	41.2v	47.5v	44.0v	44.1v	70.3v	96.6v	32.2v	0.0v	557.27v
648	Mr RM Allan	O	65.7v	64.4v	49.2v	45.1v	40.3v	47.5v	45.2v	71.3v	96.6v	34.1v	0.0v	556.34v
649	Mr CJ Marriott	T	69.2v	68.1v	48.3v	46.5v	49.8v	44.1v	47.3v	66.1v	99.10v	19.0v	0.0v	555.34v
650	Mrs JE Dickson	O	63.2v	65.4v	44.1v	48.5v	49.5v	38.2v	45.4v	71.6v	102.11v	29.1v	0.0v	554.41v
651	Mr PJG Barber	T	72.10v	44.4v	50.3v	41.2v	42.3v	45.1v	47.2v	70.5v	99.5v	43.3v	0.0v	553.38v
652	Mr J Cook	T	69.8v	70.4v	50.6v	46.5v	0.0v	49.6v	49.5v	72.9v	102.11v	45.2v	0.0v	552.56v
653	Mr B Chiang	T	69.6v	65.3v	44.2v	35.0v	40.2v	47.4v	47.3v	73.5v	100.9v	32.0v	0.0v	552.34v
654	Mr EWV Feast	T	69.4v	65.3v	46.2v	41.0v	41.2v	44.2v	38.2v	70.4v	98.6v	40.2v	0.0v	552.27v
655	Miss LK Broomfield	T	69.3v	65.3v	48.4v	43.2v	41.2v	43.2v	45.1v	72.5v	94.3v	32.0v	0.0v	552.25v
656	Cdt Sgt EM Dixon	T	61.0v	63.0v	47.3v	39.1v	46.6v	44.0v	47.5v	69.5v	93.4v	43.0v	0.0v	552.24v
657	Mr D Markie	O	71.5v	70.3v	47.2v	35.0v	44.2v	43.3v	45.2v	61.0v	99.7v	37.0v	0.0v	552.24v
658	Mr AC Abrahams	O	70.4v	67.1v	40.0v	40.0v	42.1v	46.3v	47.3v	69.6v	91.3v	40.1v	0.0v	552.22v
659	Sgt GM Overton	O	72.4v	44.3v	44.2v	35.2v	49.5v	47.6v	45.3v	73.8v	99.9v	43.1v	0.0v	551.43v
660	Sgt D Sibbald	T	67.6v	68.3v	49.3v	46.4v	45.5v	42.2v	45.3v	56.1v	87.5v	46.5v	0.0v	551.37v
661	Mr ED Halford	T	66.4v	70.5v	43.2v	37.3v	42.3v	40.2v	47.2v	67.4v	98.8v	41.3v	0.0v	551.36v
662	Mr SD Douglas	O	70.8v	61.1v	45.1v	36.2v	46.5v	46.4v	44.4v	67.3v	93.5v	43.1v	0.0v	551.34v
663	Mr RS Mason MRCVS	O	61.3v	67.4v	44.3v	43.1v	42.3v	42.1v	49.5v	73.7v	89.2v	40.3v	0.0v	550.32v
664	Cdt SMB Maitland	T	67.5v	65.3v	45.1v	40.1v	43.1v	47.3v	41.1v	70.3v	93.4v	39.1v	0.0v	550.23v
665	Mr NJ Burnip	O	73.9v	73.9v	44.3v	44.2v	48.4v	46.2v	47.5v	68.4v	66.8v	40.0v	0.0v	549.46v
666	SSgt J Calcutt	T	66.4v	68.4v	39.2v	41.1v	39.3v	48.5v	48.4v	69.2v	90.9v	41.1v	0.0v	549.35v
667	RK Leite	T	68.3v	66.4v	42.1v	44.4v	44.4v	37.2v	41.3v	68.2v	96.8v	43.0v	0.0v	549.31v
668	GPJ Nel	T	68.4v	65.4v	48.3v	44.2v	44.2v	44.2v	45.2v	63.1v	90.9v	37.0v	0.0v	548.29v
669	Mr W A R Yeo	T	70.5v	65.2v	45.2v	34.0v	45.3v	43.2v	41.1v	70.3v	93.4v	42.3v	0.0v	548.25v
670	Mr F Bilton	O	72.6v	70.7v	0.0v	45.5v	50.7v	50.7v	48.5v	73.8v	100.8v	38.1v	0.0v	546.54v
671	Mr MJJ Charlton	O	73.8v	69.4v	47.3v	50.5v	43.2v	47.4v	0.0v	71.3v	101.10v	45.2v	0.0v	546.41v
672	Mr. L.M. Wilford	T	69.7v	70.7v	44.0v	42.1v	44.3v	48.1v	12.0v	72.7v	99.7v	45.2v	0.0v	545.35v
673	Mr A.B.T Tucker	T	67.5v	59.0v	46.4v	33.2v	49.5v	44.2v	43.3v	69.4v	94.5v	41.1v	0.0v	545.31v
674	Mr JAM Minien	T	69.3v	64.2v	45.3v	42.1v	44.1v	47.4v	43.2v	69.4v	83.3v	39.1v	0.0v	545.24v
675	Mr E G Lawrence	T	68.1v	60.2v	42.1v	43.1v	42.1v	46.3v	44.2v	59.0v	95.6v	46.4v	0.0v	545.21v
676	Cdt Sgt N Bass	O	64.4v	68.3v	41.1v	26.0v	43.2v	47.3v	46.4v	73.8v	98.5v	38.3v	0.0v	544.33v
677	Mr OCRB Ballsdon	O	56.1v	64.2v	47.4v	42.2v	48.5v	43.3v	49.8v	68.5v	97.7v	29.0v	0.0v	543.37v
678	CA Venter	T	68.3v	68.4v	41.1v	46.1v	41.3v	45.5v	45.1v	63.5v	94.4v	32.0v	0.0v	543.27v
679	Mr LS Skinner	T	69.5v	63.2v	43.2v	24.1v	48.6v	44.2v	46.2v	69.7v	98.6v	38.0v	0.0v	542.33v
680	Mr CDC Smith	T	67.3v	66.3v	44.1v	41.1v	44.2v	38.0v	34.2v	68.4v	97.6v	43.3v	0.0v	542.25v
681	Mr KI Ortmann	T	61.1v	66.2v	43.1v	46.2v	42.1v	48.2v	43.1v	64.1v	89.4v	40.1v	0.0v	542.16v
682	Mr PAUL Tremblay	X	0.0v	73.9v	48.3v	50.5v	48.4v	50.6v	50.6v	74.10v	104.15v	43.2v	0.0v	540.60v
683	Mr T Horsfield	O	67.0v	62.4v	43.2v	45.3v	41.1v	45.2v	41.3v	64.2v	91.3v	41.1v	0.0v	540.21v
684	Mr ELM Macaulay	T	64.2v	67.3v	45.0v	39.1v	39.3v	44.2v	48.3v	67.6v	93.5v	33.1v	0.0v	539.26v
685	LCpl K Burnell	T	67.1v	65.1v	39.1v	37.0v	45.3v	44.2v	39.1v	69.6v	97.10v	37.0v	0.0v	539.25v
686	Mr RG Evans	T	66.10v	70.5v	48.6v	0.0v	48.4v	43.2v	46.3v	73.10v	101.11v	43.5v	0.0v	538.56v
687	Cpl MG Faulkner	T	70.6v	64.3v	45.4v	45.4v	40.1v	42.2v	41.2v	64.4v	85.4v	42.1v	0.0v	538.31v
688	F/Sgt E Brown	T	64.3v	58.0v	46.3v	33.2v	38.1v	45.3v	48.4v	69.4v	98.8v	39.2v	0.0v	538.30v
689	Miss ME Wicker	O	68.4v	65.2v	38.0v	41.2v	44.2v	43.3v	43.2v	64.3v	90.3v	42.2v	0.0v	538.23v
690	Sgt A Dodds	T	64.2v	63.3v	32.1v	40.1v	43.2v	38.1v	44.2v	74.7v	95.4v	44.2v	0.0v	537.25v
691	HJ Diederichs	T	65.1v	65.3v	46.3v	40.1v	38.3v	43.2v	40.2v	63.3v	94.6v	43.1v	0.0v	537.25v
692	Mr M A Chance	T	65.0v	64.1v	40.1v	31.0v	47.1v	44.3v	47.4v	63.3v	95.8v	41.4v	0.0v	537.25v
693	Miss C.L. Coutts	T	69.5v	67.2v	39.1v	45.2v	46.2v	45.2v	42.2v	56.2v	90.5v	38.0v	0.0v	537.23v

694	Cpl CX Legge	T	66.3v	64.2v	41.0v	42.2v	44.3v	38.1v	42.1v	66.4v	92.4v	42.1v	0.0v	537.21v
695	Mr DCJ Poxon	T	66.2v	66.5v	41.1v	41.2v	48.2v	45.2v	22.1v	68.5v	99.10v	40.0v	0.0v	536.30v
696	Mr D Furner	T	67.3v	66.1v	39.2v	39.1v	45.2v	46.7v	45.4v	66.2v	88.3v	34.2v	0.0v	535.27v
697	Mr MMB Bree	T	66.3v	65.2v	41.1v	42.4v	44.2v	47.4v	41.1v	64.2v	88.4v	37.0v	0.0v	535.23v
698	Miss C A Staples	A	72.8v	69.3v	42.1v	38.3v	48.7v	47.2v	0.0v	73.8v	99.7v	46.4v	0.0v	534.43v
699	Mr H Rumbelow	O	67.4v	68.3v	48.3v	44.2v	49.4v	43.4v	46.4v	71.8v	98.9v	0.0v	0.0v	534.41v
700	K Jahnke	O	69.4v	64.5v	44.2v	37.1v	41.3v	46.3v	38.3v	67.4v	100.10v	28.0v	0.0v	534.35v
701	Mr WHC Ledsham	T	63.3v	57.1v	41.0v	45.2v	43.1v	41.1v	45.5v	66.2v	92.6v	41.2v	0.0v	534.23v
702	Cdt REJ Mcgregor	T	69.5v	68.6v	49.7v	44.3v	48.4v	27.0v	47.3v	61.3v	96.6v	24.0v	0.0v	533.37v
703	Mr NNT Kerins	T	65.5v	68.4v	41.1v	41.2v	36.1v	34.0v	49.5v	68.9v	97.5v	34.1v	0.0v	533.33v
704	Ms N.M MacDougall	T	63.2v	66.5v	47.2v	38.1v	41.3v	41.2v	45.4v	70.7v	83.1v	39.1v	0.0v	533.28v
705	Dr J Mehta	O	72.6v	75.8v	49.7v	46.4v	50.5v	48.7v	43.4v	0.0v	101.12v	48.3v	0.0v	532.56v
706	Mr ND Stangroom	X	0.0v	69.5v	48.3v	46.3v	48.4v	49.6v	49.9v	70.10v	103.12v	49.7v	0.0v	531.59v
707	Mr RJ Cade	O	73.7v	68.4v	48.5v	43.2v	47.3v	46.6v	0.0v	67.4v	99.7v	40.2v	0.0v	531.40v
708	LCpl MJ Newton	T	66.2v	69.2v	37.1v	45.2v	44.1v	43.1v	48.5v	65.2v	91.2v	23.0v	0.0v	531.18v
709	CDT TP Shaw	T	72.5v	58.0v	41.1v	41.1v	47.5v	39.1v	40.1v	66.2v	94.9v	31.0v	0.0v	529.25v
710	Mr P S Holmes	O	0.0v	74.7v	50.5v	45.2v	49.2v	46.4v	49.4v	68.8v	102.13v	45.3v	0.0v	528.48v
711	Cadet M Rainier-Kirkwood	T	74.9v	69.6v	38.0v	36.2v	46.3v	0.0v	48.3v	74.9v	99.8v	43.3v	0.0v	527.43v
712	Spr H Quilliam	T	67.4v	66.2v	44.4v	44.2v	47.4v	44.2v	47.4v	63.3v	64.5v	41.2v	0.0v	527.32v
713	Mr JC Hambro	O	67.4v	60.2v	46.2v	45.2v	44.2v	43.1v	46.3v	45.4v	90.5v	40.1v	0.0v	526.26v
714	Sgt D Clark	T	64.3v	70.7v	43.4v	41.1v	43.3v	49.4v	46.2v	70.5v	98.7v	0.0v	0.0v	524.36v
715	Cdt Cpl AJT Innes-Whitehouse	T	67.5v	64.1v	44.3v	40.0v	47.4v	47.1v	48.6v	71.6v	93.7v	3.0v	0.0v	524.33v
716	Mr B Heatley	O	73.4v	71.4v	49.7v	43.3v	49.5v	47.3v	48.5v	72.7v	32.4v	39.2v	0.0v	523.44v
717	Cadet R Williams	T	64.2v	69.5v	48.3v	27.0v	41.2v	32.0v	42.0v	64.2v	95.6v	40.1v	0.0v	522.21v
718	JS Fourie	T	71.6v	0.0v	44.0v	46.3v	49.6v	44.2v	48.1v	72.7v	102.11v	45.1v	0.0v	521.37v
719	P Wagner	O	64.1v	55.2v	45.2v	37.1v	44.2v	42.3v	45.3v	67.2v	92.8v	30.0v	0.0v	521.24v
720	Cpl K Milner	T	73.6v	0.0v	48.4v	44.1v	47.3v	49.7v	45.2v	70.6v	98.8v	44.3v	0.0v	518.40v
721	Sgt BA Beadle	T	66.3v	62.1v	45.3v	40.0v	43.2v	39.2v	40.3v	71.5v	89.5v	23.0v	0.0v	518.24v
722	Mr BA Allen	T	60.1v	68.4v	47.4v	31.0v	39.0v	44.2v	46.5v	58.2v	93.4v	30.1v	0.0v	516.23v
723	Ms BM Moore	O	73.8v	49.0v	49.3v	39.1v	48.6v	42.1v	0.0v	74.8v	103.12v	38.2v	0.0v	515.41v
724	Mr BD Jones	T	67.4v	55.1v	44.2v	20.1v	34.0v	48.5v	47.5v	63.1v	95.6v	41.3v	0.0v	514.28v
725	Mr JF Jackman	O	70.6v	72.4v	49.3v	47.3v	48.5v	46.2v	49.5v	70.7v	62.5v	0.0v	0.0v	513.40v
726	Cdt Cpl RT Macleod	T	71.6v	65.2v	41.3v	40.1v	47.3v	0.0v	45.0v	71.7v	96.7v	37.0v	0.0v	513.29v
727	Mr RCQ Martin	X	73.8v	70.6v	44.7v	0.0v	50.2v	46.3v	50.5v	75.12v	65.10v	39.1v	0.0v	512.54v
728	Dr R Pizer	O	61.2v	63.4v	39.2v	38.2v	43.0v	40.2v	44.2v	58.1v	79.2v	46.2v	0.0v	511.19v
729	Lcpl JCH Lee	T	59.1v	47.0v	47.1v	42.3v	41.0v	37.2v	45.2v	67.5v	89.1v	37.1v	0.0v	511.16v
730	Mr T S McDowell	O	67.2v	0.0v	46.2v	46.3v	46.2v	45.2v	49.5v	71.4v	98.7v	42.3v	0.0v	510.30v
731	CSjt LG Gamble	T	69.4v	60.2v	38.1v	38.1v	47.4v	39.3v	47.2v	69.6v	101.6v	2.0v	0.0v	510.29v
732	Mr J Golling	X	0.0v	65.5v	46.3v	41.3v	48.5v	47.5v	47.3v	71.10v	97.8v	47.3v	0.0v	509.45v
733	LCpl K Lacey	T	70.5v	70.4v	23.1v	44.5v	47.4v	0.0v	46.2v	71.7v	98.10v	40.3v	0.0v	509.41v
734	Mr OZ Wong	T	67.7v	69.4v	45.4v	30.0v	0.0v	46.3v	48.7v	68.0v	95.8v	39.1v	0.0v	507.34v
735	Cdt CWF Kingston	T	67.4v	62.2v	32.1v	34.1v	43.2v	43.4v	41.3v	58.2v	91.4v	35.0v	0.0v	506.23v
736	Cdt EH Gittins	T	65.3v	72.9v	42.0v	34.0v	45.4v	0.0v	44.2v	71.3v	92.3v	40.2v	0.0v	505.26v
737	Dr PJ Taylor	T	0.0v	67.3v	45.1v	44.5v	45.4v	44.2v	45.2v	68.3v	99.7v	45.0v	0.0v	502.27v
738	Mr JR Petrie	T	64.4v	59.2v	45.1v	29.0v	45.4v	39.0v	43.1v	52.1v	90.5v	36.3v	0.0v	502.21v
739	Mr JE Bell	T	61.3v	65.3v	32.1v	31.2v	29.1v	35.1v	47.2v	68.2v	87.3v	46.4v	0.0v	501.22v
740	Mr MR Horrell	T	57.2v	66.4v	39.1v	39.0v	43.0v	46.4v	11.0v	71.6v	97.8v	30.1v	0.0v	499.26v
741	Mr RK Mochenbach	X	71.3v	67.3v	47.4v	39.0v	47.4v	43.3v	44.1v	0.0v	97.4v	44.2v	0.0v	499.24v
742	Mrs I Piochen	O	73.6v	44.2v	45.2v	28.1v	44.4v	46.2v	0.0v	69.6v	102.8v	43.1v	0.0v	494.32v
743	CSjt L Scull	T	66.6v	63.3v	39.2v	44.2v	44.2v	0.0v	43.3v	67.2v	97.7v	31.1v	0.0v	494.28v
744	Mr DM Mesletzky	X	45.1v	69.5v	45.3v	39.2v	42.2v	44.5v	0.0v	73.4v	95.7v	40.2v	0.0v	492.31v
745	Mr P Wale	O	64.2v	0.0v	41.1v	45.3v	45.2v	43.2v	45.3v	73.7v	89.4v	45.5v	0.0v	490.29v
746	Cdt B Chamberlain	T	63.1v	55.0v	41.0v	35.1v	39.2v	42.1v	44.2v	62.2v	78.4v	26.0v	0.0v	485.13v
747	Cpl S Maundrill	T	51.1v	63.1v	44.0v	41.1v	37.2v	41.2v	41.1v	69.2v	62.2v	35.1v	0.0v	484.13v
748	Mr JPS Bloomfield	X	0.0v	69.7v	49.3v	50.4v	49.5v	47.6v	0.0v	73.8v	100.10v	45.3v	0.0v	482.46v
749	SSgt PJ Perry	T	63.2v	72.3v	46.4v	38.1v	43.1v	39.1v	48.2v	0.0v	90.8v	40.2v	0.0v	479.24v
750	Cpl J Coombes	T	61.2v	64.4v	46.3v	39.0v	41.2v	34.0v	34.0v	60.4v	73.2v	25.0v	0.0v	477.17v
751	Cdt L/Cpl BA Fenn	T	56.1v	60.1v	43.3v	35.0v	38.0v	43.1v	39.1v	55.1v	96.6v	6.0v	0.0v	471.14v
752	Cdt JJ Cracknell	T	59.3v	68.3v	42.4v	45.3v	36.0v	40.1v	47.4v	60.2v	61.1v	12.0v	0.0v	470.21v
753	Cdt GH Ramsden	T	71.4v	68.5v	40.2v	35.1v	43.2v	43.1v	0.0v	64.2v	102.10v	3.0v	0.0v	469.27v
754	Miss VRM Jowett	T	65.3v	54.1v	42.0v	31.2v	33.1v	30.0v	39.1v	54.3v	82.3v	39.1v	0.0v	469.15v
755	MR DL Lee	T	0.0v	56.1v	40.1v	39.0v	46.3v	35.0v	45.3v	73.6v	98.6v	36.0v	0.0v	468.20v
756	Mr GW Clarke	X	71.7v	69.8v	50.4v	50.6v	0.0v	0.0v	49.3v	75.12v	103.11v	0.0v	0.0v	467.51v
757	LCpl RS Scadding	T	60.0v	58.1v	38.1v	41.2v	39.3v	31.0v	41.2v	51.2v	79.2v	28.0v	0.0v	466.13v
758	Mr P Dean	T	0.0v	69.6v	37.0v	43.3v	46.4v	46.3v	49.5v	53.3v	89.7v	26.0v	0.0v	458.31v
759	Miss HL Wills	T	59.0v	58.0v	40.0v	42.0v	37.0v	33.2v	42.1v	54.3v	72.1v	19.0v	0.0v	456.7v
760	Mr WA Langley	O	70.5v	72.6v	48.4v	42.3v	50.5v	49.5v	0.0v	73.7v	0.0v	49.5v	0.0v	453.40v
761	Flt Lt RL Douglas	O	73.9v	0.0v	0.0v	0.0v	49.8v	48.2v	48.4v	66.4v	103.10v	46.1v	0.0v	433.38v
762	Mr MB Benka	T	55.1v	58.3v	38.0v	27.0v	38.2v	43.1v	45.2v	57.3v	65.2v	4.0v	0.0v	430.14v
763	Mr ID Macdonald	O	68.4v	0.0v	0.0v	0.0v	49.2v	45.1v	46.3v	73.7v	99.10v	42.0v	0.0v	422.27v
764	Mr SJ Ayres	O	13.0v	62.1v	44.0v	44.1v	42.1v	45.1v	45.3v	58.2v	27.1v	42.0v	0.0v	422.10v

