

Grand Aggregate

		DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	Corp	POW	Total	
The DCRA Challenge Shield, The N.R.A. Gold Cross, a Gold Bar and £200.00														
1	Mr PG Kent	XS	75.10v	75.13v	50.8v	49.9v	50.8v	48.4v	49.7v	75.10v	105.17v	50.5v	74.11v	700.102v £ 4
The N.R.A. Silver Cross, a Silver Bar and £175.00														
2	Mr J Corbett	X	74.13v	75.13v	49.6v	49.7v	50.4v	49.5v	50.7v	75.14v	105.17v	48.5v	74.10v	698.101v
The N.R.A. Bronze Cross, a Bronze Bar and £150.00														
3	Mr BJ Le Cheminant	X	75.10v	74.8v	47.6v	50.10v	50.8v	50.8v	48.6v	75.14v	105.14v	48.4v	75.13v	697.101v
An N.R.A. Bronze Cross, a Bronze Bar and £125.00														
4	Mr P Patel	XS	75.13v	75.11v	50.3v	50.6v	50.8v	49.7v	49.5v	75.14v	104.17v	46.2v	74.8v	697.94v £ 4
An N.R.A. Bronze Cross, a Bronze Bar and £100.00														
5	MR JAM Paton	XS	75.12v	74.9v	50.8v	49.6v	50.6v	47.6v	50.9v	75.14v	104.15v	47.4v	75.11v	696.100v £ 4
6	Dr JD Warburton	XS	75.15v	74.10v	50.10v	50.8v	50.9v	50.8v	49.3v	75.8v	103.11v	46.3v	74.10v	696.95v £ 4
An N.R.A. Bronze Cross, a Bronze Bar and £80.00														
7	Mr JC Underwood	XS	75.9v	74.11v	50.8v	50.4v	49.9v	50.6v	50.6v	75.13v	103.12v	46.2v	74.10v	696.90v £ 4
8	Mr DR Armstrong	X	75.11v	72.8v	50.8v	49.5v	50.2v	48.3v	50.7v	73.8v	104.15v	50.7v	75.13v	696.87v
9	Mr DC Luckman	XS	74.9v	73.10v	49.9v	49.8v	50.4v	49.5v	50.6v	75.14v	104.16v	47.4v	75.9v	695.94v £ 4
10	Mr CN Tremlett	XS	75.12v	74.9v	50.6v	48.5v	50.6v	49.5v	49.7v	75.13v	104.13v	46.2v	75.9v	695.87v £ 4
An N.R.A. Bronze Cross and £60.00														
11	Mr JEM Bellringer	XS	75.12v	75.9v	50.1v	50.7v	50.6v	48.4v	50.7v	73.9v	104.17v	47.4v	73.8v	695.84v £ 4
12	Mr C Fitzpatrick	X	75.13v	73.8v	50.5v	47.4v	50.7v	49.7v	50.4v	74.8v	105.14v	48.4v	73.8v	694.82v
13	Mr D Rose	XS	73.6v	75.5v	49.7v	49.4v	49.6v	48.7v	49.4v	75.9v	105.12v	47.4v	75.12v	694.76v
14	Mr ERT Jeens	XS	75.9v	74.9v	50.8v	49.5v	50.7v	49.5v	50.6v	74.11v	105.16v	42.0v	75.11v	693.87v
15	Mr TJD Raincock	XS	75.11v	72.11v	50.7v	46.3v	50.6v	48.1v	50.7v	74.8v	105.14v	48.6v	75.11v	693.85v
16	Mr RSF Shouler	AS	75.11v	73.8v	50.9v	46.4v	49.6v	49.6v	49.6v	75.13v	104.18v	48.5v	74.8v	692.94v £ 4
17	Mr RCT Jeens	XS	73.8v	74.12v	48.5v	49.7v	50.10v	50.7v	74.9v	105.14v	45.1v	74.14v	692.94v	
18	Miss JH Messer	XS	75.7v	74.9v	49.6v	50.8v	50.6v	43.6v	50.5v	74.11v	105.14v	47.4v	75.12v	692.88v
19	Mr TA Ringer	XS	75.11v	70.2v	50.9v	49.4v	50.8v	50.8v	50.7v	74.9v	105.19v	45.3v	74.8v	692.88v
20	Dr CD Haley	X	75.10v	74.7v	50.7v	48.7v	49.5v	49.4v	50.9v	73.7v	103.14v	47.6v	74.10v	692.86v
An N.R.A. Bronze Cross, a Bronze Bar and £40.00														
21	Mr GS Cotton	X	74.9v	73.8v	50.5v	49.6v	50.5v	49.5v	49.5v	75.15v	104.11v	46.4v	73.7v	692.80v
22	Miss SL Hayes	X	74.8v	75.8v	48.4v	49.4v	50.6v	49.9v	48.3v	74.5v	104.15v	49.2v	72.7v	692.71v
23	Wg. Cdr. DP Calvert	XS	73.12v	74.10v	50.6v	47.4v	50.7v	49.6v	49.7v	74.11v	105.13v	46.5v	74.13v	691.94v
24	Mr DR Le Quesne	XS	73.9v	74.11v	48.3v	50.8v	49.7v	49.4v	50.4v	75.11v	101.12v	47.5v	75.10v	691.84v
25	Dr JDS Langley	XS	73.10v	74.8v	48.7v	48.3v	50.8v	50.6v	49.5v	75.10v	104.12v	46.1v	74.8v	691.78v
26	Mr GW Davies	AS	75.12v	72.5v	49.4v	50.4v	50.6v	49.3v	50.7v	74.11v	105.12v	42.2v	75.9v	691.75v £ 4
The Olle Beckett Memorial Trophy														
27	Dr JO Ahrens	XS	75.13v	72.6v	49.8v	48.6v	49.8v	48.5v	49.8v	74.9v	104.16v	48.3v	74.12v	690.94v
28	Mr MI Buchanan	XS	73.11v	74.12v	49.5v	49.6v	50.5v	48.3v	49.4v	75.10v	105.17v	43.2v	75.12v	690.87v
29	Mr GA Cann	XS	73.8v	73.8v	50.8v	48.4v	49.5v	50.7v	49.7v	74.9v	103.13v	47.6v	74.10v	690.85v
30	Dr AJ Pilgrim	X	74.8v	73.6v	49.6v	46.3v	50.7v	47.4v	49.7v	75.11v	105.16v	47.4v	75.10v	690.82v
31	Dr HHG Pollock	XS	74.9v	72.5v	49.7v	49.5v	49.8v	50.7v	49.8v	75.10v	102.11v	48.2v	73.9v	690.81v
32	Mr WCP Richards	XS	72.8v	72.8v	49.4v	50.6v	49.8v	47.4v	48.5v	75.10v	104.12v	49.4v	75.11v	690.80v
33	Mr MJM Black	A	72.7v	75.10v	50.7v	47.2v	50.5v	49.6v	49.7v	74.9v	103.9v	47.3v	74.10v	690.75v
34	Major AR McLeod	XS	75.13v	74.11v	50.9v	49.4v	50.6v	48.7v	47.6v	75.12v	104.18v	43.3v	74.12v	689.101v
35	Mr ANR Walker	X	75.9v	74.11v	45.4v	48.8v	49.8v	47.4v	49.8v	73.12v	105.13v	49.5v	75.9v	689.91v
An N.R.A. Bronze Cross, a Bronze Bar and £20.00														
36	Miss JE Ouston	AS	74.12v	72.9v	49.5v	48.4v	49.5v	49.6v	50.7v	74.7v	102.14v	48.4v	74.9v	689.82v £ 4
37	Mr S Belither	XS	75.7v	72.10v	50.8v	48.4v	49.4v	49.5v	48.6v	73.10v	104.13v	49.6v	72.6v	689.79v
38	Wg. Cdr. CJ Hockley OBE	AS	74.11v	72.6v	49.4v	50.7v	50.6v	48.6v	48.5v	75.12v	103.7v	46.5v	74.9v	689.78v £ 4
39	Mr MCJ Button	AS	74.8v	74.6v	50.4v	48.3v	50.8v	48.2v	49.7v	75.10v	104.12v	43.4v	74.10v	689.74v £ 4
40	Mr PJ Chance	AS	74.8v	73.7v	49.6v	50.6v	48.5v	46.3v	50.8v	74.10v	105.11v	48.1v	72.4v	689.69v
41	Mr SA Thomas	X	75.13v	74.9v	50.8v	46.4v	50.6v	49.8v	50.7v	74.10v	104.16v	43.4v	73.10v	688.95v
42	Mr D Blake	X	75.13v	71.9v	48.6v	48.5v	49.9v	50.6v	48.5v	74.11v	103.10v	47.2v	75.10v	688.86v
43	Mr MRM Millar	XS	75.11v	69.6v	50.8v	48.4v	50.7v	50.6v	50.7v	75.11v	105.16v	45.3v	71.6v	688.85v
44	Dr PD Sykes	X	73.10v	72.10v	50.7v	50.7v	50.6v	50.2v	48.6v	74.8v	103.12v	44.2v	74.9v	688.79v
45	Mr JPS Bloomfield	A	75.9v	72.7v	50.6v	48.5v	50.8v	48.6v	50.7v	75.10v	103.9v	43.1v	74.10v	688.78v
46	MJ Collings	X	74.10v	73.11v	49.6v	50.5v	49.5v	49.4v	49.4v	75.9v	105.16v	42.2v	73.6v	688.78v
47	Mr C Mitchell	OS	74.10v	75.7v	49.5v	47.7v	50.8v	49.3v	48.4v	73.6v	104.12v	45.2v	74.10v	688.74v £ 4
48	Mr JPL Sweet	AS	74.8v	72.8v	48.5v	50.8v	50.6v	49.5v	49.3v	74.8v	103.10v	47.3v	72.7v	688.71v
49	Capt AG McLean	XS	74.8v	73.7v	47.2v	46.5v	49.5v	49.4v	49.4v	75.13v	105.11v	46.0v	75.8v	688.67v
50	Mr PAE Charlton	OS	72.9v	74.12v	49.4v	50.6v	49.7v	47.7v	48.6v	75.11v	104.15v	45.2v	74.11v	687.90v £ 4

		DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	Corp	POW	Total	
51	Mr C Rivett-Carnac	XS	74.12v	74.6v	50.8v	48.7v	50.8v	47.4v	50.9v	75.11v	104.17v	42.2v	73.4v	687.88v
52	Mr BA Horwood	X	75.13v	70.7v	47.5v	49.5v	49.6v	48.4v	50.8v	73.9v	103.13v	48.5v	75.12v	687.87v
53	Mr SM Negus	XS	75.12v	73.5v	50.10v	50.5v	49.6v	49.6v	49.6v	73.8v	105.15v	41.3v	73.11v	687.87v
54	Mr JP Bailey	XS	74.8v	74.8v	49.6v	47.5v	50.8v	48.6v	48.6v	75.11v	104.14v	44.2v	74.12v	687.86v
55	Mr AC Haley	X	75.11v	74.12v	50.5v	45.4v	50.8v	48.6v	49.6v	75.9v	103.13v	44.2v	74.9v	687.85v
56	Mr PJR Holden	X	75.11v	72.9v	50.6v	49.8v	49.3v	48.7v	49.4v	72.9v	103.10v	46.5v	74.10v	687.82v
57	Mr HA Day	XS	73.8v	72.9v	48.6v	49.3v	48.6v	50.6v	47.4v	75.10v	104.15v	46.3v	75.12v	687.82v
58	Miss JM Rankin	XS	75.10v	75.10v	49.5v	49.3v	49.5v	47.5v	50.7v	75.11v	104.15v	43.3v	71.8v	687.82v
59	Mr TP Hammond	A	74.10v	74.12v	48.4v	47.4v	50.4v	49.7v	49.5v	74.8v	103.10v	48.5v	71.7v	687.76v
60	Mr PM Lanigan	X	73.8v	74.5v	50.5v	50.7v	50.7v	50.9v	48.2v	74.10v	102.10v	46.4v	70.8v	687.75v
61	Mr ES Maclean	O	72.6v	72.3v	50.7v	49.6v	50.6v	48.5v	49.4v	74.11v	103.11v	45.2v	75.12v	687.73v
62	Mr FWA Coetzee	X	73.8v	73.9v	49.7v	45.2v	50.5v	46.3v	49.6v	75.13v	105.19v	48.5v	73.8v	686.85v
63	Mr ASH McCullough	X	74.8v	75.12v	50.5v	47.3v	50.8v	45.2v	50.9v	73.11v	105.14v	42.2v	75.11v	686.85v
64	Mr H Sanders	A	74.11v	71.7v	49.7v	50.7v	50.7v	49.7v	48.7v	75.10v	102.10v	45.3v	73.8v	686.84v
65	Mr RJS Clark	X	75.14v	73.5v	49.8v	47.4v	50.7v	48.5v	49.6v	75.10v	100.13v	46.3v	74.8v	686.83v
66	Mr R Birtwistle	X	75.12v	73.10v	48.5v	50.8v	48.7v	50.4v	49.5v	73.8v	102.12v	45.5v	73.7v	686.83v
67	Mr DA Richardson	X	74.10v	71.7v	49.6v	50.7v	48.4v	49.5v	49.6v	74.12v	103.13v	44.3v	75.10v	686.83v
68	Mr KWD Ramsey	XS	75.11v	74.7v	49.8v	47.5v	48.4v	48.1v	49.7v	75.14v	104.14v	44.1v	73.11v	686.83v
69	Mr AR Wilde	OS	75.9v	71.9v	48.7v	48.2v	50.6v	48.7v	48.3v	73.7v	104.17v	47.3v	74.11v	686.81v
70	Mr KO Pugh	AS	75.8v	73.6v	50.8v	49.7v	50.5v	48.6v	50.7v	74.11v	103.15v	41.2v	73.6v	686.81v
71	Mr JA Watson	XS	75.14v	71.3v	47.5v	50.3v	48.5v	48.6v	47.3v	75.13v	105.15v	45.3v	75.10v	686.80v
72	Mr JW Alexander	X	74.10v	70.8v	49.6v	47.2v	50.9v	48.4v	49.6v	75.8v	105.14v	47.4v	72.8v	686.79v
73	Mr MJ Barlow	X	72.9v	73.7v	50.5v	49.6v	50.6v	47.5v	49.7v	74.7v	103.12v	44.3v	75.11v	686.78v
74	Mr D de Vere	XS	74.9v	72.6v	47.7v	50.5v	49.8v	46.3v	49.6v	75.10v	104.10v	46.0v	74.11v	686.75v
75	JF Snowden	X	74.7v	75.5v	49.8v	47.1v	49.9v	48.5v	50.5v	75.9v	104.16v	44.1v	71.9v	686.75v
76	Mr SJ East	XS	74.6v	70.8v	50.8v	48.4v	50.9v	48.8v	49.5v	75.12v	103.14v	46.3v	72.7v	685.84v
77	Mr T Drysdale	XS	75.11v	71.6v	50.6v	45.3v	48.6v	49.6v	50.6v	75.15v	103.12v	45.2v	74.11v	685.84v
78	Mr JG Du Toit	X	74.11v	75.11v	48.4v	48.6v	48.2v	48.4v	47.5v	74.10v	104.13v	45.2v	74.14v	685.82v
79	Mr NC Mace	XS	75.8v	73.8v	48.5v	49.6v	50.7v	49.4v	46.6v	73.10v	103.14v	45.3v	74.10v	685.81v
80	Mr TP Clarke	X	75.11v	75.11v	50.8v	47.3v	48.5v	44.5v	50.7v	73.9v	105.10v	44.3v	74.7v	685.79v
81	Mr TG Rylands	XS	74.11v	73.9v	49.4v	47.1v	49.5v	47.4v	49.6v	73.9v	105.17v	47.4v	72.8v	685.78v
82	Major JRW Postle	AS	74.11v	71.6v	50.8v	46.3v	50.9v	47.5v	49.4v	74.9v	103.11v	46.1v	75.10v	685.77v
83	Mr SJ Carson	X	72.7v	72.7v	49.8v	48.4v	49.3v	50.7v	50.4v	73.10v	104.14v	45.4v	73.9v	685.77v
84	Mr CJ Morton	XS	74.11v	75.9v	47.4v	49.3v	49.7v	48.4v	47.2v	72.10v	103.13v	46.5v	75.8v	685.76v
85	Mr RW Shaw	X	75.10v	69.2v	49.7v	46.5v	50.9v	49.5v	45.3v	74.8v	104.9v	49.1v	75.11v	685.70v
86	Mr RJ Lygoe	X	74.10v	75.15v	48.5v	50.6v	50.5v	50.8v	40.3v	75.12v	103.15v	45.3v	74.6v	684.88v
87	Mr ITG Shaw	XS	75.14v	74.8v	49.7v	45.3v	49.8v	48.6v	49.8v	74.13v	103.13v	44.1v	74.7v	684.88v
88	Mr JB Hull	X	75.11v	73.3v	49.7v	49.3v	47.6v	49.8v	48.4v	71.10v	104.17v	45.4v	74.11v	684.84v
89	Mr PD Griggs	A	74.9v	70.8v	46.5v	48.6v	49.5v	49.4v	48.7v	75.9v	105.16v	46.4v	74.9v	684.82v
90	Wg. Cdr. CR Smith	A	73.7v	74.9v	49.4v	46.4v	49.4v	48.5v	48.4v	74.13v	104.18v	46.3v	73.10v	684.81v
91	Miss H P McCullough	XS	73.8v	73.9v	50.5v	49.5v	48.5v	47.6v	50.7v	75.13v	105.13v	41.1v	73.9v	684.81v
92	Mrs MM Norman	AS	71.8v	74.11v	49.6v	50.5v	50.8v	48.3v	45.3v	75.9v	103.12v	44.4v	75.9v	684.78v
93	BD Mehrtens	A	74.10v	72.6v	48.7v	48.5v	49.5v	50.9v	48.6v	73.7v	102.10v	47.3v	73.6v	684.74v
94	Mr IRM Brown	AS	74.12v	72.6v	48.5v	46.3v	50.4v	49.5v	49.5v	74.11v	103.9v	45.4v	74.10v	684.74v
95	Miss GE Coburn	O	73.10v	72.6v	47.3v	49.8v	49.6v	49.5v	46.2v	74.7v	103.16v	47.1v	75.6v	684.70v
96	Miss HA Pugsley	A	75.12v	71.10v	50.7v	48.4v	50.5v	49.8v	47.4v	73.12v	104.12v	43.2v	73.7v	683.83v
97	Mr GE Grosskreutz	XS	74.12v	70.4v	50.7v	49.7v	49.7v	50.6v	47.2v	75.11v	102.11v	42.1v	75.11v	683.79v
98	Mr PB Bromley	X	74.11v	73.8v	48.4v	47.4v	49.7v	48.3v	48.7v	74.7v	103.16v	47.4v	72.6v	683.77v
99	Mr AD Le Cheminant	AS	73.10v	73.7v	50.6v	47.4v	49.7v	46.2v	50.6v	74.10v	104.12v	43.3v	74.10v	683.77v
100	Mr IP Davison	X	74.8v	72.7v	50.6v	48.5v	49.5v	49.6v	46.5v	74.8v	105.16v	43.1v	73.9v	683.76v
101	Mr CJ Watson	XS	75.14v	71.3v	50.5v	46.3v	49.5v	50.5v	48.3v	74.9v	103.16v	42.1v	75.11v	683.75v
102	Mr DFP Richards	A	74.11v	73.8v	49.5v	45.1v	49.6v	47.4v	50.9v	75.9v	105.13v	43.3v	73.5v	683.74v
103	Mr BW Macdonald	XS	75.11v	74.8v	47.4v	49.6v	50.6v	48.5v	46.1v	73.10v	103.12v	43.1v	75.7v	683.71v
104	Mr GC Childs	X	72.8v	73.7v	48.4v	48.7v	50.4v	47.4v	49.3v	72.6v	103.12v	47.2v	74.12v	683.69v
105	Mr PR Bain	AS	75.5v	70.6v	48.6v	44.2v	47.4v	47.3v	50.4v	75.9v	104.16v	49.2v	74.9v	683.66v
106	Mr P De Voil	AS	74.8v	73.6v	48.4v	49.6v	48.3v	48.3v	49.5v	74.9v	104.14v	42.2v	74.6v	683.66v
107	Mrs K Le Quesne	AS	74.8v	74.7v	50.7v	49.5v	48.4v	48.2v	49.4v	72.7v	100.7v	46.4v	73.10v	683.65v
108	Mr RM Hatcher	AS	73.12v	71.8v	47.7v	49.6v	50.8v	47.5v	48.4v	73.9v	104.13v	46.3v	74.10v	682.85v
109	Mr WJD Broad	XS	74.10v	70.7v	50.7v	49.6v	48.7v	49.6v	48.5v	73.9v	104.14v	44.2v	73.12v	682.85v
110	Mr RW Sandlant	XS	73.12v	70.4v	46.2v	49.7v	49.7v	50.5v	49.6v	75.11v	102.13v	46.5v	73.11v	682.83v
111	Mr JMA Thompson	XS	74.8v	74.9v	49.7v	46.4v	50.9v	46.3v	50.9v	73.9v	103.12v	45.5v	72.7v	682.82v
112	Miss LAE Crowson	X	74.9v	73.7v	49.6v	50.6v	49.6v	47.4v	45.3v	74.9v	104.15v	42.4v	75.12v	682.81v
113	Mr CS Milton	XS	73.6v	74.7v	48.2v	46.4v	49.7v	49.4v	50.8v	74.10v	103.12v	42.4v	74.11v	682.75v
114	Mr CTS Belk	X	74.8v	74.10v	50.6v	48.6v	48.7v	48.2v	49.5v	73.9v	102.11v	43.2v	73.8v	682.74v
115	Mr RJS Curtis	A	74.9v	73.11v	49.4v	45.2v	50.5v	47.5v	50.5v	75.10v	103.10v	42.2v	74.9v	682.72v
116	Mr RA Dix	AS	72.7v	73.7v	48.6v	47.4v	48.2v	50.7v	46.3v	74.8v	103.11v	47.5v	74.11v	682.71v
117	Dr MW Wrigley	O	73.5v	71.7v	48.5v	48.5v	50.7v	48.4v	49.6v	74.10v	103.11v	45.3v	73.7v	682.70v
118	Mr MJ O'Leary	A	74.11v	72.5v	48.7v	46.4v	50.7v	48.5v	50.2v	75.7v	103.14v	44.1v	72.7v	682.70v
119	Mr RJ Booth	XS	73.6v	71.7v	47.3v	49.4v	50.5v	49.5v	47.3v	74.9v	103.16v	45.2v	74.8v	682.68v
120	Mr NBS Logan	X	75.11v	73.7v	49.4v	48.6v	48.5v	47.3v	50.6v	72.5v	104.14v	43.0v	73.6v	682.67v
121	Mr PS Gray	A	73.5v	74.6v	49.3v	46.4v	49.7v	47.6v	48.3v	74.9v	102.7v	45.2v	75.9v	682.61v
122	Miss LR Mckerrell	AS	74.7v	73.5v	48.5v	50.6v	49.5v	48.5v	48.3v	73.7v	102.9v	44.0v	73.9v	682.61v
123	Mr DC Crispin	X	75.8v	71.8v	50.7v	45.4v	48.5v	47.6v	47.4v	74.11v	103.13v	46.4v	75.12v	681.82v
124	Mr JWE Lothian	AS	73.7v	74.7v	50.4v	46.5v	50.9v	48.6v	50.8v	72.10v	103.11v	41.1v	74.11v	681.79v
125	Mr S J Pascoe	X	74.9v	73.6v	50.5v	46.3v	48.6v	47.6v	48.3v	74.8v	103.17v	45.3v	73.10v	681.76v

		DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	Corp	POW	Total	
126	Mr DC Chisholm	X	73.8v	74.10v	48.6v	45.2v	49.8v	49.6v	46.3v	75.10v	100.8v	47.3v	75.10v	681.74v
127	Dr JS Rennie	A	71.5v	72.10v	49.6v	50.6v	48.5v	49.6v	49.6v	75.11v	102.10v	44.3v	72.5v	681.73v
128	Mr J Cload	XS	72.3v	70.5v	49.6v	50.6v	48.4v	50.8v	48.5v	74.10v	103.14v	43.4v	74.5v	681.70v
129	Eur Ing CA Painting	A	74.8v	73.6v	48.4v	47.4v	48.5v	48.5v	50.8v	74.4v	104.14v	43.2v	72.7v	681.67v
130	Dr AM Jory	X	75.12v	71.7v	49.4v	44.2v	50.7v	48.4v	50.6v	75.7v	103.10v	44.0v	72.7v	681.66v
131	KA Berman	X	75.10v	72.11v	50.6v	47.7v	47.6v	47.7v	49.5v	73.12v	101.10v	45.2v	74.8v	680.84v
132	Mr ML Millar	A	71.7v	73.8v	50.6v	48.5v	49.7v	48.6v	50.7v	75.11v	103.12v	38.2v	75.13v	680.84v
133	Mr CP Weeden	X	73.10v	70.5v	49.7v	47.2v	48.6v	49.5v	47.4v	75.13v	104.18v	45.3v	73.9v	680.82v
134	Mr GW Woodman	AS	75.10v	74.8v	50.8v	47.5v	49.7v	47.5v	47.6v	74.9v	104.12v	40.2v	73.8v	680.80v
135	Mr JP Tapster	XS	75.12v	74.9v	50.6v	46.3v	48.5v	45.5v	50.5v	73.9v	101.13v	44.1v	74.11v	680.79v
136	Mr LM Peden (G.M.)	X	72.10v	73.6v	47.3v	49.8v	47.5v	48.6v	49.6v	74.11v	103.11v	45.2v	73.10v	680.78v
137	Mr RE Ellis	A	74.7v	73.11v	49.5v	47.5v	48.5v	49.4v	49.4v	73.7v	104.14v	40.3v	74.11v	680.76v
138	Sgt JF Meyer	T	73.8v	71.8v	48.4v	46.3v	48.3v	50.5v	49.4v	74.10v	101.12v	45.5v	75.12v	680.74v
The Conway Fenton Memorial Cup														
139	Mr M J Purdy	X	75.8v	72.6v	50.7v	44.2v	48.7v	49.5v	48.3v	75.12v	102.13v	44.1v	73.10v	680.74v
140	Dr J Mehta	O	75.11v	74.6v	50.8v	47.3v	49.6v	47.3v	48.4v	73.7v	103.13v	41.3v	73.9v	680.73v
141	Mr P A Hatfield	AS	74.11v	75.9v	50.6v	48.5v	48.5v	45.2v	48.2v	74.10v	103.12v	41.2v	74.9v	680.73v
142	Mr GW Berman	O	72.6v	72.10v	50.6v	47.4v	47.5v	47.4v	47.6v	75.7v	102.12v	47.5v	74.7v	680.72v
143	DS Murray	X	73.7v	70.7v	48.6v	49.4v	49.6v	45.3v	49.5v	73.9v	103.10v	46.3v	75.12v	680.72v
144	Mr RJ Waters	A	75.6v	70.9v	46.2v	48.4v	50.3v	50.6v	49.6v	75.10v	103.15v	40.0v	74.9v	680.70v
145	Dr JR Deane	XS	73.6v	72.9v	49.7v	45.3v	50.7v	45.5v	48.4v	73.7v	104.10v	46.4v	75.7v	680.69v
146	Mr AJ Luckman	X	73.9v	73.9v	50.7v	47.4v	50.7v	49.5v	48.6v	75.7v	103.8v	44.2v	68.5v	680.69v
147	Mr PJ Dudzinski	X	74.7v	73.6v	47.2v	49.5v	48.5v	47.1v	45.3v	74.11v	104.14v	47.3v	72.10v	680.67v
148	Mr S Osmond	AS	74.12v	72.7v	50.7v	44.4v	49.9v	48.5v	50.8v	74.9v	104.14v	43.2v	71.10v	679.87v
149	Mr RJF Dawson	X	74.9v	72.5v	46.5v	50.5v	50.5v	50.7v	49.8v	74.10v	98.11v	42.2v	74.12v	679.79v
150	Mr RC Oxford	X	71.6v	71.8v	48.4v	47.4v	50.5v	50.8v	49.6v	73.6v	104.18v	43.1v	73.10v	679.76v
151	Mr R McQuillan	XS	73.9v	73.6v	50.8v	46.6v	50.9v	47.4v	47.2v	74.9v	104.12v	40.1v	75.10v	679.76v
152	Cpl SDJ Glanville	OS	74.7v	72.8v	50.7v	45.3v	49.6v	45.4v	48.4v	75.9v	103.14v	45.3v	73.10v	679.75v
153	Mr DA Grant	X	74.10v	72.9v	43.2v	47.6v	49.6v	50.5v	47.3v	75.11v	104.13v	44.2v	74.8v	679.75v
154	Mr RA Benest	XS	75.12v	72.7v	48.5v	48.6v	50.8v	45.4v	48.5v	74.10v	102.5v	42.2v	75.11v	679.75v
155	Mr G Wright	X	73.8v	73.7v	50.9v	45.2v	49.4v	47.3v	47.4v	75.10v	104.16v	46.4v	70.7v	679.74v
156	Maj WF Squires	AS	73.12v	73.8v	50.6v	46.3v	49.3v	46.2v	49.9v	71.7v	104.14v	45.4v	73.5v	679.73v
157	Mr JA Anderson	AS	72.9v	73.8v	45.1v	48.6v	49.7v	49.5v	49.7v	72.6v	104.13v	44.2v	74.9v	679.73v
158	Mr MF Martel	OS	72.6v	73.8v	47.4v	48.7v	49.6v	49.6v	48.5v	72.6v	102.9v	47.5v	72.10v	679.72v
159	Mr H J Golaszewski	XS	74.9v	72.8v	47.7v	46.1v	50.8v	46.1v	50.4v	75.9v	103.14v	42.1v	74.9v	679.71v
160	Mr GE Morris	XS	75.11v	74.10v	47.5v	44.1v	49.7v	47.3v	48.4v	75.9v	101.11v	47.3v	72.6v	679.70v
161	Mr ADJ Stewart	OS	75.10v	72.7v	50.7v	45.0v	50.8v	49.3v	49.4v	71.9v	103.10v	44.4v	71.8v	679.70v
162	Mr RAV Hebblethwaite	A	74.9v	75.10v	48.4v	48.3v	50.6v	46.6v	48.3v	74.8v	102.12v	41.3v	73.3v	679.67v
163	Mr CES Dickenson	A	72.8v	72.8v	49.5v	46.3v	49.5v	50.7v	48.6v	73.7v	101.6v	46.4v	73.7v	679.66v
164	Mr PM Jory	X	74.9v	73.10v	46.3v	48.6v	50.4v	50.6v	46.2v	73.8v	101.8v	45.2v	73.8v	679.66v
165	Mr MA Kirkillo-Stacewicz	AS	72.7v	70.3v	50.9v	50.4v	49.5v	49.4v	47.4v	73.6v	102.12v	42.4v	75.7v	679.65v
166	Mr SC Williamson	O	74.11v	73.6v	49.6v	44.3v	50.4v	47.4v	48.4v	75.8v	104.6v	44.5v	71.7v	679.64v
167	Mr IW Robertson	X	74.8v	72.5v	48.3v	49.2v	48.4v	48.4v	49.5v	72.9v	103.13v	45.3v	71.7v	679.63v
168	Pte L Bennett	AS	73.9v	73.5v	47.1v	46.1v	48.4v	46.3v	50.8v	75.6v	103.8v	43.2v	75.9v	679.56v
169	Mr RM Roberts	XS	73.10v	72.5v	49.5v	48.7v	47.5v	49.6v	47.5v	74.9v	104.14v	40.2v	75.9v	678.77v
170	Mr MJ Wood	A	74.10v	71.7v	50.4v	48.5v	49.4v	49.6v	48.4v	73.11v	103.12v	42.4v	71.8v	678.75v
171	Mr M Persaud	XS	75.13v	72.6v	48.4v	48.5v	50.6v	45.3v	49.6v	73.11v	98.13v	45.1v	75.6v	678.74v
172	Mr JGM Webster	XS	75.10v	74.9v	50.8v	47.4v	47.4v	49.2v	48.8v	73.8v	103.11v	39.2v	73.8v	678.74v
173	Mr JR Tuck	X	74.10v	71.7v	49.6v	48.3v	49.7v	47.4v	49.5v	75.8v	100.14v	45.2v	71.7v	678.73v
174	Mr CL Leighton	A	72.7v	74.11v	50.8v	46.3v	49.6v	44.5v	50.4v	74.8v	102.9v	45.5v	72.6v	678.72v
175	Mr SC Postins	X	73.11v	71.6v	47.3v	48.4v	50.6v	49.5v	47.4v	73.8v	105.13v	42.3v	73.9v	678.72v
176	Mr JN McLaren	XS	72.4v	73.8v	48.7v	48.4v	48.4v	47.5v	49.2v	72.11v	104.15v	46.2v	71.8v	678.70v
177	Mr BV Cambray	O	73.9v	71.8v	49.6v	47.2v	50.5v	45.2v	49.5v	74.9v	103.14v	44.0v	73.10v	678.70v
178	Mr A Thomson	A	74.9v	71.7v	49.5v	49.6v	48.4v	48.4v	48.5v	72.9v	101.11v	44.3v	74.6v	678.69v
179	Mr SJ Bissonnette	XS	74.6v	71.6v	48.5v	49.4v	48.4v	49.4v	44.5v	75.11v	105.14v	42.0v	73.10v	678.69v
180	Mr BN Craig	AS	74.7v	71.9v	48.2v	49.3v	50.6v	49.8v	48.6v	74.7v	102.10v	45.1v	68.7v	678.66v
181	Mr JR Stirland	O	73.9v	72.4v	47.3v	49.6v	50.5v	49.5v	48.2v	75.9v	104.11v	36.1v	75.11v	678.66v
182	Mr MD Jenvey	AS	73.8v	71.5v	49.6v	48.5v	48.4v	45.2v	50.4v	75.11v	102.12v	47.2v	70.6v	678.65v
183	Mr DA Taylor	AS	73.6v	70.5v	45.5v	49.4v	49.4v	45.4v	49.5v	75.9v	104.10v	46.4v	73.9v	678.65v
184	Dr PR Wheeler	X	73.8v	72.8v	48.2v	45.3v	49.8v	46.1v	50.6v	74.5v	103.9v	45.2v	73.11v	678.63v
185	Mr EC Dickson	A	75.8v	69.6v	48.6v	48.5v	50.3v	49.2v	49.3v	72.7v	103.11v	42.1v	73.10v	678.62v
186	Mr AC Morley	O	75.7v	71.7v	50.6v	50.3v	50.7v	46.2v	48.5v	72.5v	98.5v	44.4v	74.10v	678.61v
187	Dr N Hart	O	74.8v	74.7v	49.5v	44.2v	47.3v	48.4v	47.5v	74.6v	105.8v	42.2v	74.8v	678.58v
188	Mr TJ Greenhalgh	O	74.10v	74.10v	49.4v	46.4v	49.7v	48.5v	47.6v	74.8v	101.12v	43.3v	72.10v	677.79v
189	Mr AP Barnes	X	74.11v	74.10v	48.5v	49.5v	48.4v	47.4v	44.5v	74.8v	101.12v	44.4v	74.10v	677.78v
190	Mr SNS Penrose	X	75.6v	71.8v	49.6v	47.5v	49.7v	49.6v	49.8v	75.7v	103.12v	36.1v	74.9v	677.75v
191	Mr M Liversage	AS	74.8v	72.9v	45.4v	47.3v	49.6v	47.3v	49.5v	75.10v	101.8v	44.3v	74.14v	677.73v
192	Mr BI Langille	X	74.10v	74.9v	50.5v	49.7v	44.4v	50.8v	46.2v	75.10v	99.8v	42.1v	74.9v	677.73v
193	Ms BM Moore	O	72.9v	71.5v	49.7v	47.5v	48.3v	47.2v	47.6v	74.8v	102.15v	46.5v	74.7v	677.72v
194	Mr R Winney	A	74.9v	73.8v	49.3v	49.7v	50.7v	48.3v	49.5v	74.12v	97.8v	43.2v	71.8v	677.72v
195	Miss TJ Fitzsimons	AS	73.6v	71.8v	46.4v	46.1v	47.5v	47.4v	49.6v	74.8v	104.14v	46.6v	74.8v	677.70v
196	Mr DN Lindsay	A	72.8v	70.6v	50.4v	49.4v	48.5v	48.5v	50.7v	71.6v	100.11v	47.6v	72.7v	677.69v
197	Mr AF Donald	A	71.6v	71.9v	50.7v	46.1v	49.6v	48.5v	50.6v	73.8v	100.7v	46.3v	73.9v	677.67v
198	Mr TM Green	A	72.6v	74.8v	46.4v	49.4v	46.4v	50.7v	49.6v	73.8v	100.11v	44.2v	74.7v	677.67v
199	Mr SKC Hunter	X	74.9v	70.7v	48.4v	46.4v	48.5v	48.4v	50.5v	73.6v	104.10v	43.3v	73.10v	677.67v
200	Mr Al Brown	A	74.8v	73.7v	48.5v	47.4v	49.6v	50.6v	45.4v	71.4v	105.14v	42.3v	73.6v	677.67v

201	Mr N Cole-Hawkins	A	73.8v	73.7v	49.5v	50.9v	50.6v	48.4v	49.5v	68.5v	100.6v	43.2v	74.9v	677.66v
202	Mr CRM Asquith	O	74.8v	72.8v	48.6v	47.3v	50.6v	48.5v	47.2v	74.8v	102.8v	43.2v	72.8v	677.64v
203	Mr CM Brooks	O	75.8v	70.8v	46.2v	48.3v	49.8v	47.5v	50.4v	74.8v	100.8v	45.2v	73.7v	677.63v
204	Mr TW Tatchell	O	74.9v	73.8v	49.3v	45.5v	49.1v	44.3v	49.6v	74.9v	104.11v	44.1v	72.7v	677.63v
205	Mr MR Fugeman	A	73.9v	71.7v	45.3v	47.4v	49.6v	47.4v	49.3v	74.6v	104.13v	43.0v	75.8v	677.63v
206	R Knapstein	X	75.6v	74.7v	50.3v	46.4v	50.6v	48.2v	46.4v	73.7v	101.12v	40.2v	74.9v	677.62v
207	Flt Lt NP Moxon	A	72.4v	71.4v	49.3v	47.6v	48.4v	48.4v	49.3v	71.10v	102.5v	48.3v	72.9v	677.55v
208	Mr AG Mitchell	X	74.13v	72.9v	49.5v	44.2v	50.7v	44.2v	48.5v	75.11v	104.15v	42.1v	74.8v	676.78v
209	Mr MW Silver	X	75.12v	73.10v	47.4v	48.5v	48.5v	49.5v	46.3v	74.9v	102.10v	43.2v	71.9v	676.74v
210	Mr DH Allen	O	72.9v	70.7v	46.4v	49.5v	50.7v	48.3v	45.3v	72.7v	103.13v	47.7v	74.8v	676.73v
211	Dr GP Nelson	A	71.7v	74.9v	48.4v	47.6v	48.7v	48.6v	49.6v	70.6v	102.9v	46.4v	73.8v	676.72v
212	Mr RBC Baker	X	72.10v	73.8v	49.6v	45.1v	48.4v	46.4v	48.3v	73.8v	104.15v	44.2v	74.10v	676.71v
213	Air Cdre JA Ford	O	73.11v	72.6v	46.1v	48.5v	47.4v	48.5v	48.3v	75.11v	103.13v	43.3v	73.8v	676.70v
214	Cadet OS Marshall	X	74.10v	71.7v	50.6v	45.4v	48.5v	46.1v	49.8v	74.8v	101.7v	45.4v	73.8v	676.68v
215	Cdt CM Jones	A	74.12v	71.7v	50.8v	42.2v	50.2v	46.4v	50.6v	73.4v	104.13v	43.2v	73.8v	676.68v
216	Mr J Pugsley	X	73.5v	73.6v	46.3v	46.4v	49.7v	47.4v	47.6v	73.10v	105.15v	46.0v	71.7v	676.67v
217	Cdt SCT Treacy	O	73.9v	71.7v	48.2v	45.2v	50.7v	48.6v	50.8v	72.7v	100.9v	44.2v	75.8v	676.67v
218	Mr NJ Atkins	X	73.8v	70.6v	49.5v	49.8v	49.6v	47.5v	50.7v	71.6v	103.10v	42.1v	73.5v	676.67v
219	Mr GMLN Gilpin	A	74.7v	70.9v	49.8v	46.3v	49.3v	46.3v	50.4v	75.10v	104.11v	40.3v	73.6v	676.67v
220	Mr APW Daw	X	70.7v	71.7v	48.4v	49.6v	49.4v	47.5v	49.2v	75.7v	104.10v	40.2v	74.12v	676.66v
221	Mr TR Webster	O	73.7v	69.4v	49.6v	46.4v	49.7v	47.3v	49.5v	72.6v	103.9v	47.5v	72.9v	676.65v
222	Mr DE Nuthall	X	74.8v	67.5v	48.5v	46.4v	49.5v	48.4v	49.5v	74.12v	102.10v	46.3v	73.4v	676.65v
223	Mr J Purdy	O	73.8v	74.6v	48.4v	47.6v	45.4v	48.4v	48.6v	73.7v	102.9v	44.2v	74.9v	676.65v
224	Mr JM Taylor	X	72.9v	69.6v	49.4v	48.5v	49.6v	48.4v	48.5v	73.7v	101.10v	46.2v	73.6v	676.64v
225	Mr RJW Smeltzer	X	73.8v	71.6v	49.3v	45.3v	48.8v	47.4v	48.1v	74.9v	105.14v	42.1v	74.6v	676.63v
226	Mr RH Gardiner	A	75.5v	73.5v	49.8v	47.4v	48.2v	48.6v	46.3v	70.6v	103.12v	43.2v	74.8v	676.61v
227	Mr MP Watkins	O	75.9v	71.4v	50.6v	42.2v	45.2v	49.4v	46.4v	75.11v	102.10v	49.3v	72.4v	676.59v
228	Mr T Smith	A	74.5v	72.5v	50.5v	43.3v	49.4v	46.3v	49.3v	73.6v	102.4v	43.0v	75.11v	676.49v
229	Mr LR Braithwaite	A	72.10v	75.9v	50.6v	45.4v	49.5v	44.5v	49.6v	72.12v	103.14v	43.2v	73.10v	675.83v
230	Mr C Mallett	X	74.11v	72.7v	50.6v	46.2v	47.6v	47.5v	49.6v	72.9v	104.12v	44.2v	70.8v	675.74v
231	LAC J Thompson	O	73.9v	74.10v	48.6v	46.4v	50.7v	45.4v	48.4v	73.7v	105.14v	42.2v	71.6v	675.73v
232	Mr RA Jobson	O	71.6v	71.7v	49.6v	44.1v	49.6v	49.5v	45.3v	74.8v	104.16v	45.2v	74.8v	675.68v
233	Mr S Pearson	A	75.8v	74.10v	47.3v	49.5v	46.3v	47.5v	45.4v	75.11v	101.11v	45.1v	71.7v	675.68v
234	Mr HN Watson	O	70.3v	69.8v	48.4v	48.7v	47.4v	49.5v	48.4v	73.6v	103.10v	45.5v	75.8v	675.64v
235	Mr AM Bullen	A	75.12v	70.7v	48.5v	46.2v	49.3v	50.5v	48.6v	73.7v	102.8v	42.2v	72.7v	675.64v
236	Mr PJ Johnson	A	71.5v	69.4v	49.9v	47.5v	47.3v	48.3v	50.5v	74.8v	100.9v	46.2v	74.9v	675.62v
237	Mr J Ford	A	71.6v	72.5v	49.5v	46.3v	50.6v	44.4v	49.5v	74.6v	105.13v	42.1v	73.7v	675.61v
238	Miss LCP-L Watson	X	70.6v	74.7v	49.5v	48.7v	49.6v	49.2v	47.2v	74.8v	103.11v	43.0v	69.5v	675.59v
239	Mr SJ Comins	O	74.10v	72.4v	46.3v	48.4v	47.3v	49.6v	48.6v	72.4v	101.6v	44.2v	74.6v	675.54v
240	Mr JTM Magill	O	74.12v	72.6v	48.6v	46.2v	49.6v	48.5v	47.6v	74.9v	102.12v	43.5v	71.6v	674.75v
241	Mr CD Heales	A	73.7v	71.9v	49.5v	48.5v	49.6v	47.6v	47.6v	72.9v	102.13v	43.2v	73.7v	674.75v
242	Dr MJ Schwarz	A	74.6v	72.10v	49.6v	45.3v	48.4v	48.3v	49.6v	73.9v	104.15v	40.2v	72.10v	674.74v
243	Mr RW Hallows	A	73.11v	72.8v	50.6v	43.3v	47.7v	45.3v	46.2v	75.12v	104.7v	46.2v	73.9v	674.70v
244	Mr MF Boucher	O	72.7v	72.8v	49.6v	47.5v	44.3v	49.3v	50.4v	74.8v	99.10v	46.4v	72.9v	674.67v
245	Mr M Cooper	O	72.8v	75.10v	48.3v	43.3v	50.6v	47.5v	46.4v	73.9v	103.13v	45.1v	72.5v	674.67v
246	Miss LG Taylor	O	75.11v	68.5v	49.6v	44.1v	50.4v	48.5v	50.6v	72.9v	102.11v	49.2v	67.6v	674.66v
247	Mr RI Nelson	X	74.7v	72.6v	48.4v	45.2v	50.7v	50.7v	44.6v	73.7v	100.9v	44.1v	74.9v	674.65v
248	Sgt GB Anderson	O	74.8v	70.5v	49.7v	50.7v	48.5v	46.3v	47.6v	73.7v	101.10v	42.2v	74.5v	674.65v
249	Mr GD Palmer	X	73.7v	75.10v	48.3v	44.3v	49.4v	47.7v	46.4v	73.5v	105.12v	42.3v	72.6v	674.64v
250	Mr PJS Bysshe	O	73.5v	69.4v	49.7v	45.2v	49.5v	47.3v	49.6v	73.9v	103.13v	44.2v	73.7v	674.63v
251	Mr GK Alexander	X	73.6v	71.6v	47.3v	48.4v	48.5v	47.2v	48.5v	74.6v	98.6v	46.1v	74.9v	674.53v
252	Mr RN Stebbings	A	75.9v	73.10v	48.5v	48.3v	49.8v	43.2v	50.4v	74.9v	104.17v	39.1v	70.8v	673.76v
253	Mr JIB Halahan	O	75.9v	71.7v	49.4v	45.6v	49.6v	45.4v	50.7v	74.11v	102.9v	42.4v	71.5v	673.72v
254	Mr AW Lothian	A	72.8v	71.6v	50.6v	44.3v	50.10v	48.5v	48.7v	74.8v	102.12v	41.2v	73.5v	673.72v
255	Mr DG Young	X	73.8v	70.7v	50.6v	47.4v	49.8v	48.5v	49.6v	73.9v	101.10v	43.2v	70.6v	673.71v
256	Mr GW Clarke	X	74.5v	70.7v	48.4v	48.6v	48.5v	47.6v	47.6v	71.8v	103.13v	45.2v	72.8v	673.70v
257	Mr ML Cotillard	A	72.8v	74.11v	48.2v	43.1v	46.4v	49.5v	47.5v	74.9v	103.13v	44.3v	73.9v	673.70v
258	Mr TLW Kidner	X	73.6v	71.8v	49.6v	44.4v	50.6v	48.5v	50.8v	72.8v	102.8v	44.4v	70.6v	673.69v
259	Mr GAE Larcombe	O	73.7v	70.6v	49.5v	49.6v	46.4v	43.1v	49.6v	73.6v	102.13v	46.4v	73.8v	673.66v
260	Cdt AD Partridge	A	72.7v	69.7v	49.6v	47.6v	48.3v	48.5v	50.8v	73.8v	101.7v	45.2v	71.6v	673.65v
261	Dr KW Genders	O	72.5v	72.9v	46.2v	48.7v	46.1v	49.6v	46.2v	74.10v	101.12v	45.2v	74.9v	673.65v
262	Mr OP Henry	A	74.11v	73.6v	48.2v	47.3v	47.6v	49.6v	47.5v	73.2v	103.13v	41.0v	71.9v	673.63v
263	Mr ID Macdonald	O	72.7v	70.9v	46.3v	49.4v	48.4v	45.4v	45.1v	73.11v	103.9v	47.4v	75.6v	673.62v
264	Mr MP Perez	O	72.8v	69.5v	47.0v	50.7v	49.6v	47.6v	45.1v	73.6v	101.8v	47.5v	73.9v	673.61v
265	Mr GV Feast	O	74.9v	69.1v	48.4v	46.5v	49.4v	49.6v	47.2v	74.9v	102.12v	42.1v	73.7v	673.60v
266	Col AJW Sturrock	X	72.6v	70.4v	47.4v	46.2v	49.7v	49.3v	47.3v	73.9v	102.7v	45.2v	73.9v	673.56v
267	Mr MG Reid	A	73.10v	69.4v	49.5v	48.3v	50.7v	49.3v	46.1v	72.4v	100.8v	42.2v	75.6v	673.53v
268	Lt JW Jenkins	X	74.8v	67.7v	45.4v	45.3v	48.5v	50.7v	47.5v	74.9v	103.15v	46.4v	73.5v	672.72v
269	Mr ATB Tompson	X	75.11v	72.9v	49.4v	50.4v	48.4v	49.4v	44.4v	73.7v	103.11v	38.1v	71.10v	672.69v
270	Mr KM Willingale	O	72.7v	72.7v	49.5v	46.5v	49.7v	49.3v	46.4v	72.10v	102.11v	44.3v	71.6v	672.68v
271	Mr PJ Chapman-Sheath	X	73.8v	71.7v	49.4v	43.1v	48.3v	47.5v	50.7v	73.13v	103.10v	40.2v	75.8v	672.68v
272	Mr DJ Archer	A	71.5v	73.8v	46.6v	49.6v	49.7v	46.3v	50.6v	74.7v	100.8v	45.3v	69.6v	672.65v

273	Miss AMG Ogilvie	X	74.8v	74.11v	49.5v	44.2v	49.2v	50.4v	46.1v	72.7v	102.14v	37.2v	75.9v	672.65v
274	Mr ND Gomez	O	72.8v	73.6v	46.3v	45.4v	49.8v	48.4v	48.7v	71.5v	103.8v	43.2v	74.9v	672.64v
275	Mr JR Lindsay	O	72.5v	74.3v	46.3v	47.2v	49.8v	48.6v	47.5v	72.8v	101.9v	43.5v	73.9v	672.63v
276	Mr MJ Creber	O	74.6v	74.9v	50.8v	42.1v	49.5v	47.6v	48.7v	72.4v	102.11v	42.1v	72.5v	672.63v
277	SAC DA Cottrill	A	74.8v	70.5v	48.2v	45.3v	50.8v	43.1v	49.6v	72.7v	104.9v	43.2v	74.10v	672.61v
278	Mr B Heatley	O	72.8v	69.7v	48.4v	49.3v	47.4v	46.2v	47.4v	73.7v	104.15v	45.2v	72.4v	672.60v
279	Mr JF Lawrie	A	73.8v	72.8v	47.5v	49.5v	49.4v	49.5v	48.3v	74.8v	102.7v	37.0v	72.7v	672.60v
280	Mr RR Goodluck	O	72.6v	73.8v	48.5v	45.3v	48.4v	49.4v	49.5v	71.5v	103.9v	42.2v	72.8v	672.59v
281	Mr KR Trowbridge	O	70.6v	72.7v	50.6v	46.2v	47.4v	47.2v	48.4v	70.7v	101.7v	47.5v	74.8v	672.58v
282	Mr KB Hill	A	72.7v	72.8v	47.2v	49.6v	48.4v	47.3v	47.4v	72.7v	100.8v	47.4v	71.5v	672.58v
283	Mr JA Curd	O	73.4v	70.4v	49.4v	43.2v	47.5v	46.3v	46.4v	74.10v	105.11v	45.1v	74.10v	672.58v
284	Mr MR Rewston	O	72.7v	70.2v	50.6v	48.5v	46.2v	49.3v	48.5v	73.8v	103.11v	41.3v	72.5v	672.57v
285	Mr JI Jobson	O	70.5v	70.2v	49.3v	48.4v	50.4v	48.2v	48.4v	72.7v	103.11v	45.2v	69.8v	672.52v
286	Mr HAD Howard	A	75.11v	70.7v	48.2v	44.3v	49.5v	47.5v	48.4v	73.7v	101.14v	42.2v	74.10v	671.70v
287	Mr CJ Sherratt	O	72.10v	67.4v	49.3v	50.9v	48.3v	47.6v	47.4v	70.6v	103.10v	45.3v	73.9v	671.67v
288	MWO T Moeller	T	70.8v	71.7v	49.4v	46.6v	49.6v	48.2v	48.5v	74.9v	98.9v	44.2v	74.9v	671.67v
289	Miss EG Joseph	A	75.9v	71.4v	50.5v	49.5v	49.5v	46.3v	46.3v	65.10v	102.12v	43.2v	75.8v	671.66v
290	Mr CI Cooper	O	73.9v	70.8v	50.8v	44.1v	48.4v	45.4v	46.4v	74.6v	104.13v	45.0v	72.8v	671.65v
291	Mr SJB Sander	O	72.10v	72.6v	48.3v	44.1v	49.5v	47.5v	47.5v	74.8v	99.10v	45.3v	74.7v	671.63v
292	Mrs RA Wiltshire	X	70.7v	70.8v	50.7v	45.2v	50.5v	45.3v	48.8v	74.6v	102.7v	44.2v	73.7v	671.62v
293	Mr AG Harrison	O	71.5v	70.6v	49.7v	47.6v	48.5v	45.2v	45.3v	74.6v	105.11v	43.1v	74.9v	671.61v
294	MWO A Wlodarczyk	T	71.5v	73.5v	47.3v	46.2v	49.6v	45.3v	50.7v	73.6v	103.14v	42.2v	72.8v	671.61v
295	Miss JC Melling	X	71.5v	74.10v	49.3v	47.4v	49.7v	49.4v	48.5v	73.6v	101.9v	37.3v	73.5v	671.61v
296	Mr TAD Lilley	X	72.7v	69.4v	50.5v	45.1v	49.4v	48.5v	45.6v	74.10v	102.11v	44.1v	73.6v	671.60v
297	Mr SAJ Dowley	O	74.7v	71.5v	46.5v	45.3v	48.4v	48.4v	49.7v	74.7v	102.10v	43.3v	71.5v	671.60v
298	Mr JM Fitzpatrick	T	75.8v	69.6v	48.4v	49.5v	44.2v	47.3v	49.8v	73.6v	103.8v	40.3v	74.7v	671.60v
299	Mr MJW Willing	O	74.7v	71.5v	50.8v	46.4v	48.2v	45.3v	49.5v	71.7v	104.10v	42.3v	71.5v	671.59v
300	Mr JA Haward	X	70.5v	72.3v	46.4v	48.3v	47.4v	47.5v	49.7v	73.6v	101.9v	46.5v	72.6v	671.57v
301	Lt. Col. CST Lehmann	O	71.3v	73.6v	48.6v	48.1v	47.3v	49.6v	46.2v	74.7v	99.11v	45.2v	71.7v	671.54v
302	Mr GW Robinson	O	74.7v	73.5v	50.6v	43.1v	47.4v	45.1v	48.5v	72.6v	104.11v	44.2v	71.4v	671.52v
303	MWO A La Sala	T	72.4v	70.5v	48.2v	48.3v	47.1v	45.5v	48.3v	73.7v	101.11v	46.2v	73.6v	671.49v
304	Mr J Payne	A	74.9v	72.10v	49.6v	50.8v	48.4v	49.7v	46.4v	70.5v	94.12v	45.1v	73.10v	670.76v
305	Mr FTG Amy	A	72.6v	70.6v	48.5v	43.3v	50.8v	46.4v	47.3v	74.9v	104.15v	43.4v	73.9v	670.72v
306	Mr B Jones	A	71.7v	73.10v	50.7v	47.3v	49.7v	46.4v	49.7v	73.8v	103.10v	40.0v	69.7v	670.70v
307	Mr HW Orpen-Smellie	A	70.7v	72.7v	50.5v	44.4v	48.6v	47.5v	49.5v	75.12v	100.8v	44.1v	71.8v	670.68v
308	Major RHG Riley	X	74.10v	71.8v	48.4v	44.3v	48.3v	43.2v	50.5v	74.11v	102.10v	43.1v	73.10v	670.67v
309	Mr CP Goad	O	72.4v	67.7v	49.4v	45.5v	48.5v	49.8v	49.6v	73.6v	100.8v	45.3v	73.10v	670.66v
310	Cdt WO2 RT Macleod	T	74.11v	71.7v	46.2v	47.5v	46.2v	49.6v	49.7v	73.8v	100.6v	44.4v	71.7v	670.65v
311	Miss RL Laird	O	74.12v	68.2v	47.5v	47.3v	49.5v	46.5v	50.8v	73.5v	104.14v	42.1v	70.5v	670.65v
312	Sqn Ldr KP Cressy	A	74.6v	70.8v	46.4v	48.5v	49.2v	47.2v	49.3v	74.10v	104.13v	36.1v	73.11v	670.65v
313	Mrs DA Thompson	A	73.5v	71.10v	47.3v	48.5v	46.4v	47.3v	47.7v	72.6v	100.9v	45.2v	74.10v	670.64v
314	Mr R Kloosterman	A	72.7v	69.7v	47.5v	46.3v	49.5v	48.4v	49.6v	74.7v	101.13v	43.1v	72.6v	670.64v
315	Mr SE Young	X	75.10v	71.7v	50.5v	43.1v	47.4v	47.4v	48.5v	73.7v	101.8v	40.1v	75.10v	670.62v
316	Mr TM Stevenson	O	73.12v	72.5v	49.3v	45.4v	49.8v	45.4v	48.5v	74.9v	97.4v	44.1v	74.5v	670.60v
317	Dr AF Aspin	A	75.6v	68.5v	50.7v	47.3v	48.6v	49.6v	47.2v	72.6v	100.5v	42.1v	72.9v	670.56v
318	Mr JA Mulcahy	O	73.9v	71.6v	48.5v	47.0v	48.3v	49.4v	48.4v	73.6v	100.7v	41.1v	72.9v	670.54v
319	Mr BA Boyle	X	72.6v	71.10v	48.3v	49.4v	49.3v	47.6v	43.1v	75.7v	102.8v	43.1v	71.4v	670.53v
320	Mr JA Lindsay III	A	72.9v	74.10v	49.7v	43.4v	47.4v	44.2v	49.8v	74.8v	104.14v	40.2v	73.9v	669.77v
321	Mr N M Duncan	O	72.10v	71.7v	48.5v	48.7v	43.2v	48.5v	50.5v	74.11v	101.10v	39.3v	75.8v	669.73v
322	Mr JWE Lewis	X	75.13v	73.9v	50.7v	43.4v	46.4v	49.6v	48.4v	68.5v	100.8v	46.6v	71.4v	669.70v
323	Mrs LK Mace	X	75.9v	71.8v	47.5v	44.1v	49.7v	49.5v	47.6v	74.9v	102.10v	40.1v	71.9v	669.70v
324	Miss AR Southall	O	75.7v	73.6v	47.6v	43.3v	48.5v	47.3v	45.3v	75.14v	104.13v	40.0v	72.10v	669.70v
325	LCpt SA Hill	O	72.10v	68.4v	48.5v	49.4v	50.6v	48.6v	47.3v	73.9v	99.8v	45.4v	70.8v	669.67v
326	Sgt. RH Kitson	O	74.8v	73.7v	49.7v	46.5v	43.1v	48.5v	47.3v	70.8v	105.13v	43.3v	71.7v	669.67v
327	Mr R Hedley	T	71.6v	72.9v	50.3v	44.3v	45.3v	48.3v	49.8v	74.10v	103.12v	42.2v	71.8v	669.67v
328	Dr IT Matsumoto	O	74.11v	72.6v	48.7v	45.3v	48.3v	49.5v	45.2v	74.13v	100.7v	42.1v	72.8v	669.66v
329	Mr G Trembath	A	70.6v	73.4v	47.5v	48.3v	48.4v	48.5v	47.6v	72.5v	101.13v	43.3v	72.10v	669.64v
330	Miss ATJV Voorthuyzen	A	72.7v	64.4v	48.5v	49.3v	48.4v	49.6v	47.5v	74.8v	101.10v	47.4v	70.6v	669.62v
331	Ms MC Taillefer	X	72.6v	73.8v	44.2v	48.5v	48.5v	46.4v	49.7v	71.6v	100.9v	44.1v	74.9v	669.62v
332	Mr J Cook	O	75.8v	69.5v	48.4v	47.4v	49.6v	46.2v	45.3v	73.10v	104.12v	40.1v	73.5v	669.60v
333	Mr JR Dodd	A	71.4v	71.6v	47.3v	46.4v	49.5v	49.5v	45.4v	73.9v	100.9v	45.2v	73.6v	669.57v
334	Dr BJ Winney	O	70.5v	69.4v	46.4v	46.4v	49.5v	48.5v	44.1v	75.8v	103.12v	45.1v	74.8v	669.57v
335	Miss S Cheslyn-Curtis	O	72.7v	70.2v	48.3v	44.2v	50.7v	48.5v	47.3v	68.3v	104.13v	44.3v	74.9v	669.57v
336	Mr RP Rosling	A	71.8v	74.5v	48.5v	47.3v	46.3v	46.3v	48.4v	74.8v	99.7v	43.2v	73.7v	669.55v
337	Mr P Dawes	O	73.7v	74.9v	45.4v	48.4v	49.6v	47.5v	48.2v	70.4v	100.7v	47.1v	68.5v	669.54v
338	IP ML Lekalaile	X	72.8v	73.5v	45.4v	43.1v	46.1v	48.5v	45.2v	73.7v	104.8v	46.3v	74.8v	669.52v
339	Mr AC Brooker	A	72.8v	71.8v	47.3v	43.5v	47.2v	49.6v	46.5v	75.14v	104.13v	42.2v	72.8v	668.74v
340	Mr CA Skellett	A	75.10v	74.8v	48.4v	47.6v	49.5v	45.3v	48.5v	72.8v	102.14v	40.2v	68.4v	668.69v
341	Mr AP Smith	O	73.9v	72.6v	42.1v	49.5v	49.6v	48.6v	48.5v	74.9v	105.12v	37.2v	71.7v	668.68v
342	Mr S Harding	O	69.8v	69.7v	50.7v	44.3v	50.6v	44.2v	46.5v	73.7v	102.11v	47.5v	74.6v	668.67v
343	Mr RA Mullin	X	73.10v	71.5v	47.4v	45.4v	50.7v	46.5v	48.3v	69.7v	101.11v	43.0v	75.11v	668.67v
344	Miss JP Patterson	O	72.8v	70.7v	47.4v	48.4v	48.6v	47.5v	47.1v	73.10v	101.8v	45.1v	70.6v	668.60v

345	Mr WR Steward	A	69.6v	70.8v	49.5v	48.2v	47.4v	46.3v	46.2v	73.9v	101.11v	47.5v	72.4v	668.59v
346	M Raiber	T	71.6v	70.3v	47.5v	47.3v	47.3v	48.6v	49.6v	72.9v	101.9v	46.3v	70.6v	668.59v
347	Mr BJ Wood	O	73.8v	71.5v	48.6v	48.5v	49.7v	48.3v	48.7v	72.10v	103.15v	42.4v	65.6v	667.76v
348	Mr WHC Alexander	O	73.8v	74.7v	48.5v	45.4v	48.5v	47.5v	48.7v	73.9v	102.11v	41.2v	68.5v	667.68v
349	Mr PR Thompson	X	73.8v	69.6v	49.7v	48.6v	47.4v	45.4v	46.4v	72.11v	104.11v	43.2v	71.4v	667.67v
350	Mr RL Eayrs	A	73.11v	70.6v	50.4v	44.2v	49.6v	46.3v	49.3v	75.11v	102.13v	41.3v	68.5v	667.67v
351	Mr WJ Rowland	A	72.6v	72.9v	50.8v	49.5v	46.4v	47.6v	49.5v	68.5v	101.8v	42.4v	71.4v	667.64v
352	Wg Cdr IA Mollan	O	71.7v	74.5v	47.3v	47.3v	48.5v	47.3v	44.7v	73.9v	102.10v	41.2v	73.7v	667.61v
353	Mr RI Coventry	O	74.8v	69.7v	48.5v	45.2v	46.4v	48.6v	47.3v	69.4v	105.10v	42.3v	74.8v	667.60v
354	Mr DEF Fields	O	73.6v	72.8v	49.4v	48.3v	49.7v	46.4v	49.5v	71.7v	94.5v	42.2v	74.9v	667.60v
355	Mr I T R Jobling	A	74.8v	71.5v	49.3v	40.0v	49.7v	45.1v	49.4v	74.10v	102.9v	42.3v	72.9v	667.59v
356	Mr RL Sampson	O	71.5v	72.8v	49.3v	49.5v	49.5v	42.3v	50.7v	72.4v	99.8v	42.2v	72.9v	667.59v
357	Mr HJG Green	O	75.9v	75.11v	50.7v	44.2v	48.3v	43.3v	46.5v	72.6v	102.6v	41.3v	71.4v	667.59v
358	Sgt DK Kirui	X	73.7v	69.3v	46.3v	43.1v	47.4v	47.5v	49.1v	74.8v	105.11v	44.2v	70.7v	667.52v
359	Mr LMD Cheek	O	72.9v	68.3v	50.7v	45.2v	45.2v	50.4v	46.2v	74.8v	105.7v	43.1v	69.4v	667.49v
360	Mr S Glen	X	75.11v	69.4v	43.7v	44.1v	50.8v	47.6v	46.4v	74.12v	104.10v	40.2v	74.8v	666.73v
361	Mr TJ Bullock	X	74.13v	69.6v	46.2v	45.3v	50.7v	49.4v	43.3v	74.9v	103.11v	39.0v	74.11v	666.69v
362	Mr DJ Curtis	X	72.5v	74.6v	48.4v	43.2v	48.7v	48.4v	44.4v	73.8v	103.13v	40.2v	73.10v	666.65v
363	Cdt BR Fraser-Burn	O	74.9v	71.5v	46.5v	47.4v	49.6v	50.5v	48.2v	75.10v	99.8v	37.2v	70.8v	666.64v
364	Mr PB Cutts	O	72.8v	73.9v	47.4v	40.1v	50.8v	49.3v	46.6v	70.5v	102.10v	43.2v	74.5v	666.61v
365	Cpl S Taylor	T	71.3v	72.6v	47.3v	47.5v	45.4v	49.7v	47.4v	72.8v	102.10v	40.2v	74.8v	666.60v
366	Mr WH Hall	T	75.7v	70.4v	49.5v	42.2v	41.2v	46.3v	48.5v	74.8v	102.10v	46.4v	73.8v	666.58v
367	Mr DMJ Coutts	O	73.7v	69.7v	44.3v	49.6v	48.5v	45.3v	47.4v	67.3v	103.7v	46.3v	75.10v	666.58v
368	Mr RA Welford	O	72.6v	72.6v	49.4v	49.4v	49.4v	46.3v	47.5v	71.7v	99.6v	40.4v	72.7v	666.56v
369	Mr MJ Brister	O	71.5v	70.6v	47.5v	45.3v	45.1v	48.3v	47.4v	75.7v	99.9v	47.3v	72.9v	666.55v
370	Mr N Boyle	A	73.4v	69.4v	48.4v	48.4v	49.6v	47.6v	47.1v	75.7v	102.14v	34.0v	74.5v	666.55v
371	Mr P Waldron	O	73.6v	71.5v	46.2v	45.2v	50.7v	44.2v	48.6v	70.5v	103.9v	46.2v	70.8v	666.54v
372	Capt D Morris	A	74.3v	73.9v	49.7v	47.6v	48.2v	48.1v	48.4v	65.4v	99.8v	41.0v	74.10v	666.54v
373	Mr PJ Temperley	O	74.9v	68.4v	48.6v	44.4v	49.7v	46.3v	48.6v	72.11v	103.12v	40.1v	73.11v	665.74v
374	J Huber	A	70.4v	70.5v	46.6v	50.5v	46.4v	49.7v	47.5v	71.7v	103.12v	43.3v	70.6v	665.64v
375	Cpl JKS Serem	X	73.8v	72.7v	47.3v	49.7v	46.3v	45.3v	48.6v	72.6v	97.8v	43.3v	73.9v	665.63v
376	Mr NJ Branch	O	74.8v	70.5v	46.6v	49.4v	48.5v	47.4v	46.4v	75.10v	101.9v	42.2v	67.6v	665.63v
377	Mr NW Penn	A	74.9v	73.8v	45.2v	46.2v	47.6v	48.6v	47.3v	69.2v	105.13v	41.3v	70.6v	665.60v
378	F/Sgt D Clarke	T	74.7v	70.7v	49.5v	44.3v	48.5v	47.3v	44.1v	75.9v	100.8v	40.2v	74.10v	665.60v
379	Mr T Keen	A	71.6v	70.6v	48.5v	46.3v	48.3v	46.4v	48.7v	72.6v	100.8v	43.3v	73.7v	665.58v
380	Mr MJ Bumford	O	72.5v	72.6v	50.7v	42.1v	48.5v	50.4v	44.4v	70.5v	101.12v	45.0v	71.5v	665.54v
381	Mr M D Joyce	A	74.7v	68.4v	48.5v	44.3v	45.2v	45.2v	48.3v	72.6v	104.12v	43.2v	74.8v	665.54v
382	Mr PG Gilleece	T	73.7v	64.0v	49.2v	45.5v	48.4v	48.4v	48.6v	75.9v	103.9v	43.1v	69.5v	665.52v
383	Mr SW Maris	O	73.5v	73.10v	49.5v	41.2v	48.3v	47.2v	46.3v	74.7v	103.9v	41.1v	70.4v	665.51v
384	Mr DJ Gass	X	72.7v	72.9v	46.4v	43.0v	50.7v	48.7v	49.7v	74.8v	101.12v	37.1v	72.6v	664.68v
385	Mr HK Lottritz	O	73.7v	72.10v	44.2v	48.3v	48.5v	46.6v	47.5v	72.7v	101.10v	41.3v	72.8v	664.66v
386	Mr JBG Shepherd	O	72.11v	66.4v	50.5v	47.3v	46.3v	49.3v	48.5v	73.8v	102.11v	39.3v	72.9v	664.65v
387	Mr F Bilton	O	73.8v	72.7v	49.3v	43.2v	48.6v	47.3v	50.3v	72.7v	105.14v	33.0v	72.9v	664.62v
388	Mr D Lowe	O	68.1v	70.6v	47.4v	47.5v	50.8v	48.7v	46.3v	73.4v	103.11v	40.2v	72.8v	664.59v
389	Mr SCW Dixon	O	71.6v	68.8v	45.1v	47.5v	48.4v	47.3v	47.4v	73.6v	102.11v	44.2v	72.8v	664.58v
390	Mr MR Ebbetts	O	71.8v	72.5v	48.5v	42.3v	47.2v	47.3v	49.5v	72.6v	102.11v	43.3v	71.6v	664.57v
391	Mr AS Errey	A	74.6v	72.6v	50.8v	41.1v	49.7v	46.3v	47.5v	73.5v	104.7v	40.1v	68.8v	664.57v
392	Mr JD Webber	O	73.7v	69.5v	45.3v	47.4v	47.5v	48.5v	45.3v	74.7v	103.8v	42.2v	71.5v	664.54v
393	Mr YW Thorne	O	74.9v	72.4v	47.5v	48.4v	49.5v	47.2v	41.3v	75.8v	102.8v	37.1v	72.5v	664.54v
394	Mr C Hughes	O	72.6v	70.3v	49.5v	45.1v	48.3v	47.4v	49.5v	72.6v	96.8v	44.3v	72.3v	664.47v
395	Mr ND Stangroom	A	72.9v	70.6v	47.5v	48.2v	48.7v	47.4v	50.8v	72.9v	100.10v	37.3v	72.7v	663.70v
396	Mr HJM Awin	A	73.9v	69.6v	47.4v	43.0v	49.5v	50.8v	49.8v	74.10v	103.10v	36.1v	70.7v	663.68v
397	Mr M.R. Frost	A	74.8v	68.2v	45.4v	49.5v	49.5v	49.7v	46.2v	72.10v	100.9v	37.2v	74.12v	663.66v
398	Mr TF Kurn	O	72.8v	71.6v	47.6v	41.1v	48.6v	47.3v	49.6v	74.13v	97.8v	46.2v	71.6v	663.65v
399	Mr BA Young	A	73.10v	65.3v	49.5v	49.7v	47.4v	46.3v	49.5v	69.6v	98.10v	43.0v	75.9v	663.62v
400	Mr ORW Russell	A	73.6v	69.6v	49.5v	43.3v	45.3v	45.4v	45.2v	74.8v	104.14v	41.2v	75.9v	663.62v
401	Mr G Harris	O	74.12v	71.6v	49.7v	44.3v	48.4v	48.5v	40.2v	73.8v	101.5v	42.2v	73.7v	663.61v
402	Cdt M Mann	T	73.6v	72.9v	43.3v	45.1v	48.4v	50.5v	45.5v	73.9v	101.9v	41.2v	72.8v	663.61v
403	Mr CD Atkins	O	69.5v	72.8v	48.3v	47.3v	48.6v	48.6v	46.4v	69.5v	103.11v	39.2v	74.8v	663.61v
404	Mr R Hodgson-Jones	T	72.9v	69.5v	47.4v	48.5v	48.3v	49.4v	46.4v	70.6v	100.10v	41.2v	73.7v	663.59v
405	Mr AI Lawrie	O	73.9v	69.5v	45.2v	48.5v	47.4v	47.5v	48.6v	72.4v	100.7v	41.3v	73.7v	663.57v
406	Dr N P Tucker	O	74.6v	68.4v	49.5v	47.4v	43.1v	48.5v	49.7v	73.7v	101.8v	39.1v	72.9v	663.57v
407	Mr NC Granger	A	73.4v	70.4v	50.7v	43.1v	49.5v	46.3v	47.4v	72.7v	97.8v	45.4v	71.7v	663.54v
408	Mr BJ Day	T	73.5v	70.5v	47.3v	48.2v	49.4v	48.5v	49.4v	70.10v	101.9v	39.2v	69.5v	663.54v
409	Mr THD Dodds	O	72.4v	70.3v	47.5v	46.0v	48.0v	50.4v	47.4v	72.10v	100.12v	42.2v	69.9v	663.53v
410	Mr DN Webber	O	73.7v	69.5v	49.5v	47.2v	48.2v	47.4v	45.4v	70.5v	100.8v	41.0v	74.10v	663.52v
411	Mr SW Owen	O	73.5v	72.6v	49.3v	49.3v	48.6v	48.3v	45.2v	72.7v	96.9v	44.2v	67.5v	663.51v
412	Miss RS Stevens	O	66.4v	71.5v	47.2v	45.1v	48.3v	46.2v	48.3v	74.5v	101.8v	45.2v	72.9v	663.44v
413	Mr TJ Goodger	O	70.8v	72.9v	49.6v	47.3v	48.5v	45.3v	47.7v	73.8v	104.8v	37.2v	70.8v	662.67v
414	Mr JRJ Kennedy	O	72.7v	71.4v	47.4v	46.5v	47.4v	43.2v	47.6v	72.8v	104.12v	40.2v	73.9v	662.63v
415	Miss A Strain	O	72.8v	72.7v	48.5v	44.1v	50.4v	46.0v	45.4v	74.10v	104.12v	34.2v	73.5v	662.58v
416	Mr AK Fitch	O	74.8v	69.5v	47.3v	45.4v	50.5v	47.3v	46.3v	71.9v	97.8v	44.2v	72.7v	662.57v

417	Mr CA Stewart	O	72.3v	69.7v	46.4v	48.6v	46.6v	45.2v	48.6v	74.7v	98.8v	42.1v	74.6v	662.56v
418	Mr FF Flanagan	T	70.4v	69.7v	46.3v	46.1v	49.6v	48.2v	44.2v	71.7v	103.11v	43.2v	73.10v	662.55v
419	Mr AN Tongue	O	71.3v	67.5v	50.3v	44.2v	44.3v	49.3v	47.4v	73.9v	101.10v	42.2v	74.8v	662.52v
420	Mr OJLW Woolcott	T	74.5v	67.2v	43.2v	46.5v	47.6v	48.4v	48.2v	71.6v	104.11v	39.1v	75.8v	662.52v
421	Dr AI Ashworth	O	72.7v	72.6v	48.2v	43.3v	49.3v	46.1v	48.5v	74.10v	102.10v	39.0v	69.5v	662.52v
422	Mr A Chown	O	71.6v	73.7v	49.4v	45.2v	48.3v	47.4v	47.3v	71.7v	101.6v	38.2v	72.8v	662.52v
423	U Soelzer	O	71.4v	71.5v	44.2v	49.4v	50.7v	46.4v	45.1v	72.8v	98.8v	42.3v	74.5v	662.51v
424	Mr MJL Traynor	O	71.6v	73.5v	45.4v	49.2v	48.2v	47.2v	49.5v	72.8v	99.10v	36.0v	73.7v	662.51v
425	Mr SO Jauncey	O	74.9v	69.5v	49.8v	43.1v	46.4v	46.3v	46.3v	71.4v	99.6v	45.2v	74.5v	662.50v
426	Mr OWTR Rowe	O	74.8v	73.10v	44.2v	40.2v	49.6v	48.6v	47.2v	74.7v	98.8v	43.4v	71.9v	661.64v
427	Mr RM Allan	O	71.6v	70.7v	46.4v	49.7v	48.5v	46.2v	47.7v	71.8v	99.9v	40.1v	74.6v	661.62v
428	Mr RJ Quay	O	72.7v	69.7v	48.7v	45.3v	49.6v	48.5v	45.3v	72.6v	101.8v	39.2v	73.8v	661.62v
429	Mr GT Hart	O	69.6v	72.7v	47.3v	44.4v	49.7v	47.8v	46.2v	75.8v	102.7v	40.1v	70.6v	661.59v
430	Mr CB Cotillard	O	68.5v	68.3v	48.4v	47.2v	45.2v	50.5v	49.4v	70.6v	102.12v	41.4v	73.9v	661.56v
431	Mr S Sharma	O	71.7v	70.8v	48.6v	47.5v	48.4v	47.2v	47.3v	72.5v	103.14v	37.0v	71.2v	661.56v
432	Mr FF Lalear	X	75.13v	72.6v	46.4v	46.1v	41.2v	46.3v	47.1v	69.5v	101.8v	44.3v	74.9v	661.55v
433	Mr NP Silvester	O	71.4v	72.7v	46.4v	44.5v	48.4v	47.6v	45.1v	74.6v	98.9v	44.4v	72.4v	661.54v
434	Mr J Tuffen	O	73.8v	69.4v	43.1v	46.2v	47.2v	49.5v	44.2v	70.8v	101.13v	47.3v	72.4v	661.52v
435	Mr DA Smith	O	69.4v	69.8v	48.4v	46.4v	44.2v	48.5v	47.2v	71.5v	101.9v	44.4v	74.5v	661.52v
436	Mr CMT Truman	T	73.4v	71.6v	45.4v	48.5v	49.6v	45.1v	46.5v	67.5v	97.6v	47.4v	73.5v	661.51v
437	Mr RG Hilyard	O	72.3v	69.2v	48.7v	42.0v	49.4v	46.3v	45.4v	70.6v	102.11v	46.3v	72.5v	661.48v
438	Mr P S Holmes	X	73.11v	72.7v	49.8v	42.3v	48.4v	48.3v	49.5v	70.4v	103.14v	36.0v	70.7v	660.66v
439	Mr JCK Kelleher	O	70.7v	74.8v	47.5v	49.4v	48.6v	45.3v	46.0v	72.7v	99.11v	35.0v	75.13v	660.64v
440	Mr RS Binns	O	73.12v	69.7v	48.4v	48.3v	48.4v	44.2v	47.2v	69.4v	101.9v	40.2v	73.8v	660.57v
441	Mr SH Dickson	O	73.9v	70.6v	49.5v	46.3v	49.5v	47.7v	42.0v	68.4v	100.10v	45.2v	71.5v	660.56v
442	Mr KJ Aldridge	O	70.6v	67.4v	47.5v	45.4v	48.4v	47.1v	48.4v	71.8v	99.9v	47.5v	71.3v	660.53v
443	Mr SH Cox	A	73.6v	67.4v	49.4v	46.3v	47.7v	48.1v	48.4v	70.8v	99.8v	39.1v	74.7v	660.53v
444	Mr JL Brooking	O	71.4v	72.5v	47.3v	48.4v	45.5v	47.5v	49.4v	67.5v	98.6v	43.3v	73.6v	660.50v
445	Cdt H Parker	T	74.8v	70.7v	47.4v	45.3v	48.3v	49.1v	47.5v	73.5v	102.12v	42.1v	63.1v	660.50v
446	Mr B Creane	O	73.3v	70.6v	48.4v	44.2v	46.4v	45.1v	46.2v	71.7v	104.13v	42.0v	71.8v	660.50v
447	Mr A Taylor	T	72.4v	71.5v	46.2v	45.2v	44.2v	47.4v	45.1v	75.9v	102.10v	40.0v	73.7v	660.46v
448	Mr MD Norman	O	71.6v	71.7v	49.7v	45.4v	50.7v	46.1v	46.4v	74.9v	101.9v	32.1v	74.11v	659.66v
449	Mr RR Ramage	T	74.8v	70.8v	48.5v	45.4v	47.3v	47.5v	48.5v	74.9v	100.11v	35.0v	71.6v	659.64v
450	Mr A F Powell	X	71.6v	68.4v	47.6v	50.8v	45.5v	47.3v	50.7v	69.8v	97.10v	45.1v	70.5v	659.63v
451	Mr AK Katona	X	71.7v	71.7v	49.5v	46.3v	47.3v	48.3v	45.4v	73.10v	99.9v	41.2v	69.5v	659.58v
452	Mr RA Hyndman	O	72.7v	68.3v	48.4v	45.3v	47.6v	46.4v	49.6v	70.6v	101.8v	40.0v	73.7v	659.54v
453	Miss ZW Northam	T	74.7v	69.4v	50.4v	45.2v	48.6v	43.1v	45.4v	71.6v	103.9v	38.1v	73.9v	659.53v
454	Mr GL Clarke	O	73.4v	68.6v	49.5v	44.4v	48.5v	45.4v	49.4v	73.8v	100.7v	40.1v	70.4v	659.52v
455	Mr HJM Mooiman	O	72.9v	74.7v	47.2v	42.2v	48.5v	45.3v	47.5v	72.6v	98.5v	40.1v	74.6v	659.51v
456	Mr TJ Brooking	A	70.2v	69.6v	48.4v	47.1v	49.5v	46.5v	49.2v	71.6v	96.3v	47.5v	67.6v	659.45v
457	Mr J A Garnett	O	72.5v	68.6v	45.2v	46.3v	50.3v	48.2v	46.3v	72.7v	101.7v	40.1v	71.4v	659.43v
458	Mr TJ Johnston	T	64.3v	72.4v	49.6v	48.5v	49.7v	42.4v	48.5v	71.9v	99.10v	46.1v	70.9v	658.63v
459	Mr RG Faulkner	O	71.6v	73.10v	48.2v	43.4v	49.5v	42.2v	50.5v	73.6v	102.10v	36.1v	71.6v	658.57v
460	Mr JA Marshall	X	72.9v	68.8v	45.2v	49.4v	47.6v	45.2v	48.3v	71.7v	99.7v	41.1v	73.7v	658.56v
461	Mr NNT Kerins	T	73.10v	69.5v	48.3v	40.1v	45.3v	46.3v	46.2v	72.5v	103.10v	43.4v	73.9v	658.55v
462	Mr D Hanson	O	68.3v	70.9v	46.6v	40.1v	48.4v	48.4v	47.1v	75.11v	102.10v	43.2v	71.4v	658.55v
463	EL Legei	X	72.7v	70.6v	45.2v	49.3v	47.3v	43.4v	48.4v	68.6v	104.13v	40.3v	72.4v	658.55v
464	Mr C Herter	X	70.6v	69.4v	47.2v	45.3v	47.5v	47.5v	47.2v	70.5v	98.8v	48.5v	70.8v	658.53v
465	Mr AC Grant	O	70.4v	65.2v	48.3v	50.5v	45.3v	49.5v	46.5v	71.8v	100.7v	43.3v	71.7v	658.52v
466	F/Sgt A Dodds	T	72.8v	71.7v	48.2v	46.3v	44.0v	44.3v	47.4v	73.6v	95.8v	43.3v	75.8v	658.52v
467	Mr E Stuart-Bamford	O	70.4v	72.9v	48.2v	45.1v	47.4v	46.3v	43.4v	69.4v	101.10v	44.3v	73.6v	658.50v
468	Mr WG Griffiths	T	69.5v	70.5v	47.1v	44.3v	46.4v	49.2v	44.4v	73.7v	100.6v	44.4v	72.8v	658.49v
469	Mr TN Maynard	X	74.7v	71.3v	44.1v	44.0v	49.7v	43.3v	48.5v	72.7v	100.10v	42.1v	71.5v	658.49v
470	Cdt LCpl DW Leitch	T	75.8v	71.7v	44.2v	49.6v	46.3v	47.2v	46.4v	71.4v	99.7v	37.1v	73.5v	658.49v
471	Mr MJJ Charlton	O	73.3v	71.6v	49.5v	49.4v	45.2v	48.1v	44.3v	72.5v	102.7v	39.2v	66.6v	658.44v
472	Mr AJCB de Launay	O	70.7v	70.3v	49.1v	44.1v	48.3v	48.3v	47.3v	67.3v	99.5v	44.2v	72.4v	658.35v
473	Mr P Dobell	X	73.10v	73.8v	46.4v	42.0v	49.6v	45.3v	49.6v	69.4v	103.10v	40.1v	68.7v	657.59v
474	Mr DM Dineen	O	73.8v	72.8v	47.3v	46.5v	46.2v	41.3v	46.3v	71.5v	96.9v	46.6v	73.5v	657.57v
475	Miss EL Sweet	T	69.4v	68.5v	44.4v	47.5v	46.4v	47.4v	45.2v	72.10v	101.8v	46.0v	72.10v	657.56v
476	Mr J Branch	O	70.5v	69.4v	47.4v	42.3v	48.4v	43.2v	48.1v	73.7v	101.11v	42.2v	74.12v	657.55v
477	Mr PW Glen	O	75.9v	71.6v	50.6v	41.2v	49.3v	44.2v	45.1v	74.8v	99.7v	42.3v	67.5v	657.52v
478	Mr HJ Laing	T	69.4v	70.5v	49.3v	41.2v	48.3v	48.5v	47.3v	72.10v	103.11v	40.2v	70.2v	657.50v
479	Mr JS Chapman	X	71.3v	68.3v	47.4v	46.5v	47.3v	46.4v	48.5v	69.7v	100.11v	46.2v	69.2v	657.49v
480	Mr AP Sykes	X	72.5v	72.6v	47.3v	44.2v	48.4v	47.4v	45.3v	70.7v	102.6v	39.1v	71.8v	657.49v
481	Miss HE Walker	O	73.5v	72.6v	47.4v	42.1v	50.3v	42.2v	45.4v	71.5v	98.8v	47.2v	70.6v	657.46v
482	Mr AJ Blain	O	71.5v	70.5v	47.3v	42.2v	46.1v	49.5v	45.2v	72.4v	97.3v	46.3v	72.8v	657.41v
483	Wg. Cdr. MJ Gregory	A	73.8v	68.4v	47.7v	45.3v	49.5v	46.5v	48.3v	74.9v	101.13v	36.2v	69.5v	656.64v
484	Ms SJ Dick	O	74.7v	71.7v	50.4v	46.3v	44.3v	44.1v	48.2v	69.6v	96.10v	46.3v	68.5v	656.51v
485	Mrs T Newbold	O	70.5v	69.4v	50.5v	44.5v	49.5v	46.1v	47.4v	71.7v	100.10v	41.2v	69.3v	656.51v
486	Cdt Sgt CE Phillips-Davies	T	71.7v	69.7v	49.5v	50.3v	48.6v	47.3v	42.2v	68.2v	99.9v	39.0v	74.7v	656.51v
487	Mrs RM Merridew	O	72.8v	70.3v	47.4v	44.1v	46.4v	47.4v	45.3v	73.2v	100.9v	41.3v	71.9v	656.50v
488	Mr C Waldron	O	73.4v	72.9v	49.5v	48.4v	49.5v	47.2v	47.4v	69.6v	96.5v	37.0v	69.4v	656.48v

489	Mr AMS Sadler	O	73.8v	69.4v	46.1v	48.3v	49.5v	45.3v	45.2v	71.4v	99.9v	42.5v	69.2v	656.46v
490	Miss IM Macleod	T	72.7v	68.4v	48.4v	45.3v	47.1v	47.4v	45.2v	73.6v	101.9v	40.1v	70.4v	656.45v
491	Mr SDKM Mansley	O	74.11v	69.5v	50.6v	43.3v	49.3v	44.2v	48.7v	73.7v	102.8v	34.0v	69.7v	655.59v
492	Mr AC Griffin	O	73.7v	71.8v	45.4v	48.4v	49.8v	46.5v	42.1v	70.5v	101.5v	41.3v	69.6v	655.56v
493	Cdt J Lei	T	75.8v	70.6v	46.1v	40.1v	50.8v	46.4v	46.3v	73.7v	98.7v	39.2v	72.9v	655.56v
494	Mr JE White	O	71.9v	69.4v	48.6v	45.1v	47.4v	44.3v	49.5v	68.7v	95.7v	46.2v	73.6v	655.54v
495	Mr NS Suffield-Jones	O	68.7v	71.7v	45.2v	49.4v	44.3v	48.3v	47.3v	72.5v	100.9v	42.2v	69.9v	655.54v
496	Jl Ihugo	X	70.3v	68.7v	47.3v	45.6v	43.1v	43.1v	49.6v	75.8v	102.8v	41.3v	72.7v	655.53v
497	Mr EF Feast	T	73.10v	73.3v	42.1v	42.4v	48.4v	45.5v	46.3v	70.5v	99.7v	43.3v	74.6v	655.51v
498	Mr ML Lee	T	70.7v	70.3v	44.4v	42.2v	47.4v	49.5v	46.3v	73.9v	98.6v	45.3v	71.2v	655.48v
499	Mr MJ Whatton	O	68.4v	69.3v	49.5v	47.1v	47.4v	48.7v	46.3v	70.4v	101.11v	42.2v	68.3v	655.47v
500	A Soelzer-Hermes	O	74.7v	67.2v	49.3v	42.2v	47.3v	45.3v	47.2v	70.4v	100.9v	42.1v	72.7v	655.43v
501	Mr M Woolger	A	73.9v	73.8v	48.7v	47.6v	50.7v	47.3v	49.5v	74.9v	99.8v	45.3v	49.5v	654.70v
502	Cpl So Otundo	X	74.6v	69.5v	47.5v	42.3v	47.7v	46.4v	47.4v	71.4v	99.10v	40.0v	72.9v	654.57v
503	Cdt PC De Souza	O	74.10v	69.6v	50.7v	45.3v	50.8v	43.2v	47.2v	72.5v	100.8v	37.1v	67.5v	654.57v
504	Miss KE Pope	O	69.5v	69.5v	45.3v	48.5v	46.4v	47.4v	48.6v	73.8v	102.9v	34.0v	73.7v	654.56v
505	Mr R Jackson	O	72.8v	71.8v	50.6v	47.5v	45.3v	45.1v	44.5v	70.2v	101.9v	42.3v	67.5v	654.55v
506	Mr MJLA Landreville	X	72.9v	72.4v	45.3v	44.3v	49.4v	46.4v	44.3v	69.6v	98.7v	43.2v	72.6v	654.51v
507	Mr MS Cavie	A	74.8v	65.4v	48.5v	46.2v	45.3v	44.3v	47.2v	73.8v	98.6v	41.1v	73.9v	654.51v
508	Mr GH Bentley	T	71.5v	67.5v	48.5v	48.6v	48.3v	44.2v	47.4v	71.7v	97.6v	40.2v	73.6v	654.51v
509	Sgt CK Saina	X	72.4v	71.7v	46.4v	41.1v	45.2v	48.4v	46.3v	74.10v	100.7v	40.0v	71.9v	654.51v
510	Mr JR Davies	A	75.7v	70.4v	40.0v	44.2v	47.3v	49.7v	47.4v	63.4v	100.10v	44.3v	75.5v	654.49v
511	HD Werner	O	73.9v	65.4v	45.6v	46.3v	48.1v	47.4v	47.2v	71.6v	100.8v	43.2v	69.2v	654.47v
512	Mr HRM Bailie	O	71.7v	70.4v	46.5v	46.4v	47.4v	44.2v	49.2v	71.5v	101.8v	41.1v	68.1v	654.43v
513	Mr J Golling	X	71.5v	70.3v	49.3v	45.2v	46.3v	46.5v	46.1v	71.6v	96.7v	43.2v	71.5v	654.42v
514	Major DJC Nelson	X	72.7v	72.4v	46.2v	46.4v	48.3v	45.4v	48.6v	74.11v	103.8v	28.0v	71.6v	653.55v
515	Miss E Marsh	T	68.4v	72.8v	47.5v	47.5v	43.3v	45.3v	44.4v	73.5v	98.6v	43.2v	73.9v	653.54v
516	Miss S Ponter	A	71.6v	69.5v	46.3v	44.4v	46.4v	48.3v	49.4v	68.5v	99.9v	45.2v	68.4v	653.49v
517	Sgt J Rudge	T	75.6v	69.3v	46.2v	45.3v	47.2v	49.2v	48.3v	70.9v	104.11v	39.2v	61.1v	653.44v
518	Gdsm AEA Hinton	T	72.7v	69.6v	46.4v	45.2v	48.0v	49.3v	47.4v	71.3v	92.6v	41.1v	73.7v	653.43v
519	WO F Lemoine	T	69.5v	72.10v	47.5v	44.3v	45.2v	49.5v	43.2v	73.9v	100.9v	38.1v	72.7v	652.58v
520	Mr T Steele	X	73.9v	72.3v	47.3v	47.3v	48.5v	42.5v	47.3v	69.6v	96.10v	40.2v	71.8v	652.57v
521	CWO J Brown	T	73.9v	72.4v	48.5v	48.5v	48.5v	48.5v	44.2v	66.6v	101.9v	33.0v	71.5v	652.55v
522	Mr ES Scougall	O	69.5v	70.2v	48.2v	38.0v	48.4v	47.4v	46.6v	71.7v	101.10v	43.3v	71.9v	652.52v
523	Mr P Cameron Taylor	O	72.5v	70.5v	47.4v	44.3v	48.3v	47.3v	49.5v	68.4v	102.11v	42.4v	63.4v	652.51v
524	Mr TJ Bryan	O	71.5v	69.3v	46.4v	46.3v	44.2v	44.6v	47.6v	73.9v	100.8v	43.2v	69.2v	652.50v
525	Cdt S Brewer-Marchant	O	69.5v	64.2v	45.3v	46.3v	45.4v	43.2v	47.5v	74.11v	100.8v	44.3v	75.3v	652.49v
526	Mr DT O'Leary	O	71.3v	66.6v	46.3v	48.5v	48.3v	46.4v	47.7v	66.2v	100.8v	41.0v	73.7v	652.48v
527	Mr MD Wright	O	72.8v	70.5v	46.0v	48.4v	45.3v	47.5v	48.3v	68.5v	96.7v	44.2v	68.4v	652.46v
528	Mr GRP Shapland	O	73.7v	68.4v	47.6v	42.2v	46.4v	44.1v	45.3v	69.3v	102.8v	41.1v	75.7v	652.46v
529	Mr CMB Bowring	O	72.4v	71.6v	41.2v	47.3v	48.6v	47.1v	46.3v	71.6v	96.4v	39.1v	74.6v	652.42v
530	Cdt TA Orpen-Smellie	T	69.5v	69.7v	46.2v	47.2v	49.5v	45.6v	48.3v	73.9v	100.9v	35.0v	70.6v	651.54v
531	Mr AB Tucker	T	73.5v	70.6v	49.4v	46.4v	48.4v	49.6v	46.3v	71.7v	97.9v	31.0v	71.6v	651.54v
532	Miss C H Sayers	O	70.5v	71.3v	47.5v	43.3v	47.2v	45.4v	49.8v	68.4v	103.12v	41.1v	67.5v	651.52v
533	PA Goubert	O	71.5v	69.3v	48.6v	49.4v	49.7v	41.1v	45.4v	73.5v	102.9v	32.1v	72.6v	651.51v
534	Mr JT Kennedy	O	67.3v	69.4v	46.2v	47.4v	48.4v	47.7v	47.5v	73.5v	101.9v	36.1v	70.5v	651.49v
535	Mr V Robertshaw	O	73.7v	69.5v	48.4v	39.0v	49.7v	44.1v	47.4v	71.4v	103.6v	39.3v	69.4v	651.45v
536	Mr SL Larter-Whitcher	O	70.4v	66.2v	49.3v	44.2v	50.7v	42.2v	50.4v	71.6v	100.8v	39.1v	70.6v	651.45v
537	Mr AJ Leech	O	74.10v	69.4v	48.3v	43.6v	46.4v	44.4v	48.3v	72.8v	102.7v	36.1v	68.5v	650.55v
538	Miss T Myagkova	T	71.5v	62.0v	48.6v	46.5v	48.4v	41.1v	49.7v	74.6v	101.11v	39.0v	71.8v	650.53v
539	Mr HWR Gilbert	O	68.4v	69.6v	48.5v	42.4v	47.2v	47.2v	46.4v	73.7v	99.11v	41.1v	70.6v	650.52v
540	Mr EG Lawrence	T	70.5v	71.3v	45.2v	47.6v	48.5v	43.2v	46.4v	71.5v	102.13v	40.2v	67.5v	650.52v
541	Mr NJ Burnip	O	70.7v	68.3v	45.2v	44.3v	45.4v	48.4v	47.3v	70.3v	97.11v	45.4v	71.6v	650.50v
542	Mr EM Sloane	X	75.10v	68.3v	47.2v	49.4v	49.3v	48.3v	43.6v	70.7v	96.7v	38.1v	67.4v	650.50v
543	Mr DL Wiles	A	72.6v	72.6v	49.0v	44.3v	44.4v	45.2v	49.6v	71.8v	100.9v	41.1v	63.3v	650.48v
544	Mr WF Livesey	T	69.3v	74.6v	48.6v	41.2v	48.4v	47.3v	48.4v	69.6v	98.6v	42.3v	66.2v	650.45v
545	Mr JD Badman	O	71.4v	64.2v	49.5v	45.3v	44.1v	46.2v	47.5v	72.5v	98.6v	42.0v	72.9v	650.42v
546	Mr B Taylor	O	70.5v	69.2v	46.6v	42.2v	42.5v	47.1v	48.2v	71.5v	101.7v	46.1v	68.3v	650.39v
547	Mr P Merry	O	69.3v	65.4v	46.5v	46.2v	46.2v	46.2v	49.3v	69.4v	99.7v	45.2v	70.5v	650.39v
548	Mr PGW Purdy	O	73.6v	70.3v	48.2v	45.1v	44.1v	46.5v	44.3v	72.7v	97.5v	40.1v	71.5v	650.39v
549	Cdt REJ Mcgregor	T	68.2v	69.6v	47.3v	48.2v	48.5v	49.2v	46.1v	65.2v	99.7v	41.0v	70.7v	650.37v
550	Cdt CAS Pirouet	T	66.4v	70.7v	46.4v	38.1v	49.8v	46.5v	47.4v	73.7v	101.7v	42.3v	71.4v	649.54v
551	Cpl K Lacey	T	74.9v	72.6v	44.5v	48.3v	48.7v	46.4v	43.0v	71.6v	98.9v	41.3v	64.2v	649.54v
552	Mr RW Carson	T	70.4v	69.4v	44.1v	49.7v	44.2v	48.4v	48.6v	71.5v	100.13v	39.0v	67.5v	649.51v
553	Miss PG Macdonald	A	70.6v	63.2v	50.4v	45.3v	50.6v	46.3v	49.6v	71.5v	100.10v	34.1v	71.5v	649.51v
554	Mr DC Rickman	X	70.4v	66.4v	49.3v	45.3v	46.4v	46.5v	47.4v	72.6v	96.7v	41.1v	71.5v	649.46v
555	SM L Scull	T	69.5v	68.3v	46.4v	45.2v	45.4v	50.4v	46.5v	70.4v	97.7v	43.2v	70.5v	649.45v
556	Mr G Meijers	O	71.4v	66.8v	50.4v	46.2v	47.2v	45.3v	44.1v	69.5v	95.6v	44.1v	72.8v	649.44v
557	Dr CW Freeman	O	71.2v	68.4v	46.1v	43.2v	50.4v	45.4v	46.5v	71.3v	99.13v	43.2v	67.4v	649.44v
558	Major N Stebbings	O	69.4v	66.3v	45.3v	45.2v	48.3v	48.4v	48.4v	72.6v	99.8v	38.0v	71.4v	649.41v
559	Sgt M Kirkeby	T	71.8v	67.2v	47.4v	42.3v	47.6v	46.1v	45.1v	70.3v	99.7v	45.3v	70.2v	649.40v
560	Miss LE Kennedy	O	71.7v	72.8v	48.5v	37.1v	47.6v	45.5v	45.5v	73.8v	101.11v	43.3v	66.4v	648.63v

561	Cdt CE Mawson	A	72.9v	71.5v	47.5v	43.2v	49.5v	45.2v	42.2v	69.5v	98.8v	41.3v	71.8v	648.54v
562	MWO Z Pelletier-Mercier	T	74.9v	64.2v	48.6v	40.1v	44.2v	46.4v	49.7v	72.5v	97.6v	44.1v	70.5v	648.48v
563	CSgt JR Tordoff	T	73.7v	71.7v	47.5v	44.2v	44.3v	49.4v	47.2v	70.3v	93.8v	42.2v	68.5v	648.48v
564	Mr SR Robinson	T	70.5v	70.4v	43.2v	46.4v	49.5v	43.3v	47.1v	72.9v	98.7v	41.0v	69.6v	648.46v
565	Mr K Hardyman	O	67.4v	71.7v	45.2v	42.1v	49.3v	48.4v	43.2v	73.5v	97.5v	42.1v	71.10v	648.44v
566	Mr RF Burden	O	73.7v	67.5v	43.2v	45.2v	48.2v	46.3v	49.3v	70.5v	102.7v	34.1v	71.7v	648.44v
567	Mr SL Cleveland	O	73.7v	68.1v	44.2v	46.3v	47.4v	48.1v	47.3v	72.6v	94.8v	43.2v	66.5v	648.42v
568	Mr GRG Garro	X	69.6v	70.2v	45.1v	43.2v	49.1v	45.4v	44.2v	73.9v	99.9v	39.0v	72.5v	648.41v
569	Mr DJ Stewart	O	72.4v	66.4v	45.3v	47.3v	47.7v	49.6v	46.3v	67.2v	98.10v	41.3v	69.7v	647.52v
570	Mr DG Gladwin	O	71.10v	69.3v	48.3v	44.5v	45.1v	46.3v	45.7v	71.6v	95.6v	41.2v	72.6v	647.52v
571	Mrs JE Dickson	O	69.5v	70.6v	43.1v	46.3v	47.5v	48.6v	46.5v	72.5v	96.5v	40.1v	70.9v	647.51v
572	Sgt K Milner	T	70.5v	66.3v	45.3v	48.2v	47.6v	44.3v	49.6v	70.5v	101.10v	35.1v	72.5v	647.49v
573	Mr IF Luckman	A	70.6v	70.6v	45.2v	47.4v	49.4v	39.1v	44.3v	68.4v	97.11v	47.1v	71.5v	647.47v
574	MR JP Waite	T	70.4v	67.5v	44.6v	40.1v	48.5v	48.4v	47.5v	69.2v	103.11v	40.0v	71.3v	647.46v
575	Mr MTJ Downes	O	73.5v	66.4v	48.6v	46.2v	47.4v	47.4v	45.2v	68.4v	99.9v	34.0v	74.4v	647.44v
576	Mr MG Grimsdell	O	70.5v	68.6v	46.3v	42.0v	49.5v	46.3v	48.3v	72.6v	102.7v	39.2v	65.3v	647.43v
577	Lt Col TH Emck	O	70.3v	69.4v	47.4v	44.2v	48.5v	44.1v	46.2v	73.9v	99.10v	37.1v	70.2v	647.43v
578	Sgt C McArthur	T	72.6v	66.6v	45.2v	43.1v	45.2v	45.1v	48.3v	73.6v	97.7v	43.2v	70.3v	647.39v
579	IP SM Ndambuki	X	72.7v	67.6v	47.4v	46.2v	49.5v	47.4v	45.4v	69.6v	97.6v	35.1v	72.8v	646.53v
580	Mr MW Brown	O	69.4v	70.6v	46.3v	41.1v	45.3v	47.6v	49.4v	72.5v	98.10v	40.2v	69.4v	646.48v
581	Mr TE Parker	T	66.2v	71.1v	47.4v	47.6v	47.4v	46.3v	42.4v	72.9v	95.6v	44.3v	69.4v	646.46v
582	Cdt SWH Norval	T	69.5v	67.5v	49.3v	44.3v	46.3v	44.3v	46.2v	71.6v	101.7v	40.0v	69.8v	646.45v
583	Mr ARW Smith	T	71.7v	67.4v	48.2v	44.3v	47.4v	50.6v	42.2v	72.6v	100.7v	39.1v	66.3v	646.45v
584	WO A Tardif	T	68.5v	66.2v	49.3v	43.0v	47.6v	49.5v	46.1v	68.5v	102.12v	39.1v	69.2v	646.42v
585	Cdt J Hawke	T	69.5v	72.6v	45.3v	44.0v	48.4v	46.2v	48.5v	67.4v	98.6v	40.0v	69.2v	646.37v
586	R Kligge	O	68.6v	71.7v	48.6v	40.1v	48.4v	46.4v	45.5v	68.4v	102.6v	39.0v	70.8v	645.51v
587	Cdt M Rainier-Kirkwood	O	75.6v	74.6v	49.7v	32.2v	46.3v	49.4v	46.3v	66.6v	103.8v	35.1v	70.5v	645.51v
588	Cdt TB Charles	T	72.6v	70.6v	46.4v	43.2v	48.3v	46.3v	43.1v	67.5v	99.10v	39.3v	72.7v	645.50v
589	A Rieger	O	72.7v	71.3v	48.7v	47.5v	44.0v	43.1v	45.2v	70.6v	99.11v	40.3v	66.4v	645.49v
590	Mr CSJ Marlow	O	67.5v	69.4v	47.4v	46.1v	45.3v	47.2v	45.2v	70.8v	98.10v	41.3v	70.5v	645.47v
591	Mr PJ Carr	O	73.5v	69.3v	47.5v	42.2v	46.2v	45.2v	47.5v	72.8v	96.7v	38.1v	70.5v	645.45v
592	Cdt JEK Pepera-Hibbert	T	73.6v	65.2v	48.4v	42.1v	43.1v	45.2v	47.6v	73.8v	102.7v	37.3v	70.4v	645.44v
593	Dr JC Jobling	O	69.6v	69.6v	49.3v	39.3v	45.3v	49.6v	46.3v	69.4v	98.3v	43.1v	69.3v	645.41v
594	Mr EM Brice	A	73.8v	67.2v	44.2v	46.4v	44.3v	46.4v	43.3v	72.5v	98.11v	37.3v	74.7v	644.52v
595	Mr TL Bedwell	O	70.4v	63.2v	49.6v	45.2v	46.3v	45.3v	47.4v	69.4v	101.12v	40.1v	69.7v	644.48v
596	Mr AJD Saunders	O	67.2v	69.4v	40.1v	44.2v	49.6v	46.4v	49.4v	71.5v	97.6v	44.3v	68.3v	644.40v
597	Miss EM Dixon	T	71.5v	69.6v	49.4v	47.4v	46.2v	44.1v	45.3v	73.2v	96.7v	33.0v	71.6v	644.40v
598	Mr CJ Palmer-Makowski	O	71.4v	68.1v	48.4v	42.0v	46.1v	44.3v	47.5v	70.4v	97.10v	42.0v	69.7v	644.39v
599	Cdt CWS Simionesu-Marin	T	71.3v	68.4v	46.1v	43.0v	45.2v	46.3v	46.4v	73.8v	101.9v	38.2v	67.3v	644.39v
600	Miss MC Montgomery	T	71.8v	71.3v	48.5v	36.2v	45.3v	45.2v	46.3v	69.6v	98.10v	41.3v	73.6v	643.51v
601	Mr RH Horne	T	70.4v	65.3v	48.4v	46.5v	43.2v	46.4v	44.1v	73.8v	102.8v	38.3v	68.7v	643.49v
602	WO E Zhang	T	67.5v	70.4v	47.1v	40.0v	45.4v	44.1v	49.8v	70.6v	100.10v	41.1v	70.4v	643.44v
603	Mr MK Townsend	O	71.7v	66.2v	45.2v	45.2v	42.3v	45.3v	44.3v	71.8v	98.4v	44.0v	72.7v	643.41v
604	Cdt FS CM Nunan	T	74.4v	68.2v	48.4v	43.2v	46.3v	46.2v	46.3v	66.6v	102.6v	40.3v	64.2v	643.37v
605	Sgt RN Volkwein	T	70.2v	67.5v	46.1v	44.3v	47.6v	43.2v	47.2v	69.4v	97.3v	41.1v	72.4v	643.33v
606	Miss HV Southall	T	74.10v	68.3v	45.3v	44.3v	45.2v	43.3v	45.2v	71.6v	99.6v	35.0v	73.10v	642.48v
607	Mr OCRB Ballsdon	O	69.5v	70.5v	44.1v	47.5v	47.7v	46.5v	49.5v	68.3v	94.4v	44.3v	64.4v	642.47v
608	Mr Bird	T	71.6v	70.1v	46.1v	42.1v	47.4v	44.2v	46.2v	70.7v	96.6v	39.0v	71.7v	642.37v
609	Cdt KA Muhammad	T	64.2v	69.7v	46.4v	48.5v	45.5v	43.2v	46.3v	68.2v	98.12v	41.3v	73.5v	641.50v
610	Mr TEM Mills	T	73.9v	63.2v	45.3v	43.3v	48.4v	47.3v	40.1v	73.10v	103.12v	40.1v	66.2v	641.50v
611	Mr D Taylor	T	70.6v	70.6v	39.2v	44.0v	50.7v	48.5v	44.3v	72.8v	95.5v	38.1v	71.6v	641.49v
612	Cdt Sgt TMK Hampson	T	74.5v	64.3v	50.5v	47.2v	49.4v	46.3v	40.0v	70.6v	101.13v	28.0v	72.6v	641.47v
613	PC LRM Irungu	X	70.3v	67.5v	47.5v	42.3v	47.4v	45.2v	47.2v	64.3v	102.12v	40.0v	70.6v	641.45v
614	Sgt F Hawes	O	71.6v	69.6v	43.2v	44.1v	47.2v	46.4v	46.1v	71.8v	95.6v	41.2v	68.2v	641.40v
615	Mr IR Thomson	O	73.8v	68.6v	47.4v	42.2v	47.3v	42.1v	48.4v	70.5v	96.2v	40.1v	68.4v	641.40v
616	Mr DS Goodwin	O	69.3v	68.3v	46.3v	44.2v	48.3v	44.2v	46.2v	71.7v	100.7v	36.1v	69.6v	641.39v
617	MWO R Robinson	T	75.11v	70.3v	45.5v	41.3v	44.0v	48.4v	40.2v	68.7v	96.9v	39.2v	74.6v	640.52v
618	WO D Lomack	T	70.2v	70.5v	45.3v	25.2v	49.4v	46.4v	46.2v	72.6v	103.8v	42.0v	72.8v	640.44v
619	Mr TW Harrison	O	71.5v	65.5v	40.1v	45.2v	48.4v	45.3v	45.2v	68.5v	99.5v	43.4v	71.4v	640.40v
620	Mr AP Powell	O	69.2v	67.0v	46.2v	46.4v	48.4v	43.2v	46.4v	69.5v	102.3v	36.1v	68.5v	640.32v
621	Cdt LCpl SA Cox	O	70.4v	69.4v	44.1v	43.2v	47.3v	46.2v	45.4v	69.8v	97.9v	41.4v	68.6v	639.47v
622	Mr ARN Kinross	O	71.4v	69.3v	38.0v	40.3v	46.4v	49.4v	46.5v	72.8v	100.10v	39.1v	69.3v	639.45v
623	Mr DF Charlton	T	70.4v	62.0v	46.3v	42.1v	46.3v	45.2v	48.7v	71.6v	102.9v	40.1v	67.5v	639.41v
624	Cdt Sgt AY Sayers	T	71.5v	68.4v	46.0v	44.1v	44.2v	44.3v	48.3v	67.2v	100.8v	36.2v	71.7v	639.37v
625	Mr MS Shaw	T	70.2v	71.2v	47.3v	44.3v	44.1v	44.1v	46.2v	65.2v	95.6v	42.1v	71.8v	639.31v
626	Mr RF Barrington	O	72.5v	65.3v	46.5v	48.6v	48.4v	43.3v	42.2v	72.5v	92.6v	43.1v	67.5v	638.45v
627	Mr RM Culverwell	O	71.7v	70.4v	43.0v	45.2v	45.1v	44.2v	46.1v	67.3v	95.9v	42.2v	70.3v	638.34v
628	Mr DF Nesbitt	O	71.6v	73.9v	46.3v	46.4v	45.2v	44.2v	38.1v	70.4v	96.6v	36.0v	72.6v	637.43v
629	Mr GK Goodwin	O	67.3v	72.7v	47.3v	47.3v	42.1v	44.2v	47.3v	72.4v	91.6v	39.1v	69.7v	637.40v
630	Mr K Todd MBE	O	70.6v	67.6v	47.6v	40.2v	48.4v	44.2v	47.4v	71.2v	96.5v	37.1v	69.5v	636.43v
631	Mr DCW Lloyd	O	71.7v	70.5v	49.6v	48.4v	46.3v	43.3v	47.5v	75.6v	100.9v	44.4v	42.4v	635.56v
632	Cdt HAA Godwin-Austen	T	74.11v	66.3v	44.2v	43.3v	46.5v	49.4v	45.3v	69.4v	95.6v	33.2v	71.5v	635.48v

633	Mr MB Bree	T	71.7v	70.3v	44.3v	47.3v	44.4v	44.3v	47.2v	69.3v	96.7v	33.0v	70.6v	635.41v
634	Mrs RKE Penrose	O	69.4v	71.7v	48.3v	37.0v	49.4v	44.3v	48.2v	73.6v	100.9v	32.0v	64.3v	635.41v
635	Mr SP Hill	O	73.5v	69.6v	49.5v	40.1v	46.2v	43.1v	45.3v	68.4v	97.6v	39.1v	66.5v	635.39v
636	Miss KA Fleck	T	68.5v	68.4v	45.2v	43.0v	44.3v	45.3v	47.5v	72.4v	98.7v	34.1v	71.4v	635.38v
637	Mr CDC Smith	T	67.4v	71.6v	46.3v	45.4v	44.0v	40.1v	46.2v	66.5v	95.4v	44.3v	71.4v	635.36v
638	Cdt TS Shalom	T	67.6v	64.3v	47.4v	45.6v	45.4v	49.5v	46.3v	71.7v	96.5v	40.2v	64.4v	634.49v
639	Spr HD Quilliam	T	69.5v	68.7v	48.6v	41.1v	45.2v	49.5v	46.4v	70.5v	97.9v	40.1v	61.4v	634.49v
640	Mr KG Firth	O	68.3v	59.5v	47.4v	43.3v	48.3v	45.3v	50.3v	66.7v	100.8v	38.4v	70.6v	634.49v
641	Mr WP Compton	T	68.3v	72.5v	45.1v	48.4v	46.3v	40.1v	44.2v	70.6v	100.14v	28.0v	73.7v	634.46v
642	Mr BR Ebbetts	O	70.4v	66.3v	48.5v	45.4v	46.4v	43.2v	47.5v	66.5v	100.6v	35.0v	68.4v	634.42v
643	Mr RBF Fitzsimmons	T	69.3v	67.4v	39.3v	45.3v	47.4v	46.2v	45.3v	67.0v	97.8v	38.0v	74.7v	634.37v
644	P Wagner	O	72.5v	65.5v	43.2v	45.1v	44.1v	47.4v	46.5v	69.0v	91.3v	44.0v	68.5v	634.31v
645	Mr MSC Chandler	T	60.2v	71.8v	44.4v	45.5v	45.2v	45.4v	44.1v	63.7v	100.9v	44.1v	72.8v	633.51v
646	Mr EJT Thomas	T	66.7v	71.3v	49.5v	37.1v	47.4v	43.3v	44.2v	67.6v	101.11v	37.1v	71.7v	633.50v
647	WO T Fortin	T	71.5v	65.3v	44.2v	36.1v	43.2v	43.4v	49.4v	72.8v	98.10v	43.2v	69.6v	633.47v
648	Cdr MF Jordan	O	69.6v	67.5v	47.4v	47.4v	45.4v	42.0v	37.1v	68.4v	99.7v	40.2v	72.9v	633.46v
649	Mr DTA Cobb	O	68.7v	68.4v	46.2v	48.3v	47.6v	43.4v	42.2v	71.7v	95.7v	34.1v	71.3v	633.46v
650	M Raps	T	65.3v	68.6v	45.0v	46.3v	49.5v	47.4v	48.5v	63.1v	98.8v	32.0v	72.5v	633.40v
651	Cdt IM Cubitt	T	71.5v	74.7v	43.1v	42.0v	47.4v	46.3v	41.2v	64.2v	96.5v	44.2v	65.3v	633.34v
652	Mr DR Pettersson	O	69.6v	69.3v	46.1v	40.1v	46.5v	42.2v	47.2v	72.5v	94.5v	40.0v	68.4v	633.34v
653	Mr MRH Horrell	O	67.4v	64.4v	46.5v	42.1v	48.6v	44.4v	48.4v	70.5v	100.9v	36.2v	67.5v	632.49v
654	Mr RJS McIlveen	O	71.4v	68.3v	46.5v	35.0v	44.0v	43.4v	45.2v	71.7v	101.13v	37.1v	71.7v	632.46v
655	Sgt KL Peters	T	71.8v	70.4v	46.3v	48.4v	49.6v	38.0v	43.2v	65.2v	94.4v	37.2v	71.6v	632.41v
656	Cdt TE Brankin-Frisby	O	67.3v	69.2v	39.1v	35.1v	48.5v	46.5v	45.4v	75.7v	99.6v	45.4v	64.1v	632.39v
657	Mr JR Petrie	T	67.3v	69.4v	43.2v	45.2v	45.2v	45.5v	40.2v	71.4v	97.6v	41.0v	69.5v	632.35v
658	Mr JL Poulin	O	72.2v	64.3v	48.4v	42.1v	44.1v	48.2v	46.3v	61.2v	101.5v	39.1v	67.3v	632.27v
659	Mr PD Dean	O	74.8v	69.5v	47.2v	44.2v	44.3v	45.5v	49.5v	65.6v	97.8v	33.0v	64.2v	631.46v
660	Mr WB Ross	T	69.5v	66.3v	44.2v	40.2v	45.4v	47.3v	48.2v	68.5v	99.11v	38.1v	67.5v	631.43v
661	Mr CJ Marriott	T	70.5v	70.7v	34.0v	43.1v	46.4v	49.4v	41.2v	65.4v	100.11v	39.0v	73.9v	630.47v
662	Mr PD Pelly	O	67.2v	66.5v	46.3v	43.2v	47.3v	45.3v	49.3v	65.5v	99.9v	32.2v	71.3v	630.40v
663	Mr DL Lee	T	75.9v	65.3v	48.4v	42.2v	47.4v	40.0v	47.5v	69.5v	92.4v	41.0v	63.3v	629.39v
664	Mr ID Markwell	O	70.6v	67.3v	42.2v	37.1v	46.2v	44.2v	47.4v	71.2v	96.11v	45.1v	64.2v	629.36v
665	Mr FJ Stevin	T	68.5v	65.1v	48.3v	42.0v	42.4v	45.1v	46.4v	67.3v	95.5v	39.1v	72.7v	629.34v
666	Mrs SG Sirett	O	69.3v	69.4v	43.1v	36.0v	43.4v	47.2v	44.2v	71.7v	96.4v	43.1v	68.5v	629.33v
667	Mr HRA Goddard	T	73.8v	69.7v	44.3v	46.3v	47.5v	47.5v	48.2v	68.4v	97.7v	16.0v	73.7v	628.51v
668	Miss E Pomeroy	O	71.7v	72.6v	48.4v	46.3v	46.6v	47.2v	43.3v	63.3v	96.10v	32.0v	63.5v	627.49v
669	Cadet CD Dart	T	67.4v	70.1v	44.3v	41.2v	43.2v	45.5v	43.2v	74.7v	99.6v	32.2v	69.3v	627.37v
670	Mr RJ Cade	O	65.0v	65.1v	48.5v	42.1v	45.5v	43.3v	50.5v	61.3v	98.5v	42.2v	68.5v	627.35v
671	Mr F Roberts	O	66.4v	68.1v	46.3v	36.1v	47.3v	44.4v	46.3v	63.9v	98.4v	41.2v	71.8v	626.42v
672	Mr LA Reid	T	69.3v	70.2v	45.4v	44.1v	43.2v	45.4v	42.3v	67.5v	100.7v	36.1v	65.3v	626.35v
673	Mr AM Norman	O	69.4v	67.2v	46.5v	43.1v	48.2v	45.3v	44.2v	65.3v	98.7v	34.1v	67.4v	626.34v
674	CDT TP Shaw	T	66.4v	65.7v	42.1v	45.5v	48.3v	44.1v	42.2v	65.3v	96.2v	44.3v	68.5v	625.36v
675	LCpl JO Moor	T	66.2v	55.0v	48.4v	47.2v	42.1v	45.4v	44.2v	71.6v	96.4v	46.4v	65.2v	625.31v
676	Lt. Cdr. PERD Hunt	T	66.4v	64.3v	46.3v	46.3v	41.4v	41.1v	48.4v	63.3v	93.6v	46.4v	70.6v	624.41v
677	Mr JK Kelly	T	70.4v	69.3v	39.3v	45.6v	44.3v	44.0v	42.3v	67.6v	97.7v	38.1v	69.5v	624.41v
678	M Eifler	O	69.4v	67.3v	46.3v	40.0v	42.3v	41.3v	46.3v	70.2v	93.9v	41.0v	69.6v	624.36v
679	Cdt DL Osmond	T	71.4v	63.4v	43.3v	42.3v	46.2v	43.2v	42.1v	68.5v	98.5v	41.1v	67.3v	624.33v
680	Cdt CAD Flanagan	T	71.5v	70.6v	45.2v	40.0v	45.0v	48.3v	42.2v	65.4v	92.4v	40.3v	66.3v	624.32v
681	Mr D Lee	O	68.2v	70.4v	44.1v	41.2v	44.2v	47.5v	44.1v	62.4v	97.4v	37.0v	70.6v	624.31v
682	Miss EJ Cannings	X	74.8v	68.5v	49.3v	46.2v	48.5v	0.0v	50.7v	74.7v	101.10v	39.1v	74.4v	623.52v
683	Cdt JJ Cracknell	T	69.4v	70.4v	45.3v	43.2v	46.1v	45.1v	42.0v	63.2v	92.6v	41.1v	67.4v	623.28v
684	MWO C Perry	T	73.7v	69.6v	45.4v	42.1v	42.1v	47.6v	31.0v	72.5v	98.9v	35.0v	68.6v	622.45v
685	Miss AL Matthews	T	70.5v	68.2v	44.6v	38.1v	47.4v	43.2v	47.3v	67.3v	98.9v	31.1v	69.8v	622.44v
686	Mr PJ Holden	O	70.1v	69.5v	45.4v	45.3v	45.2v	43.0v	48.4v	70.6v	98.8v	24.1v	65.3v	622.37v
687	Mr R Van Den Bossche	O	69.4v	65.3v	46.4v	43.1v	47.2v	45.4v	44.1v	68.4v	90.2v	41.0v	64.3v	622.28v
688	NMM Mringie	X	70.6v	71.6v	43.3v	45.2v	47.7v	45.6v	40.2v	71.6v	98.9v	28.0v	63.1v	621.48v
689	Mr WT Bridger	O	66.4v	61.1v	48.4v	46.3v	46.2v	42.3v	48.4v	69.4v	89.4v	42.1v	64.2v	621.32v
690	Cdt CC Chan	T	67.4v	69.6v	47.3v	43.2v	46.2v	42.2v	42.1v	70.2v	95.6v	34.1v	66.2v	621.31v
691	CSM T Mason	T	68.4v	69.7v	45.3v	41.2v	46.1v	39.1v	44.1v	74.11v	96.8v	33.0v	65.5v	620.43v
692	Cpl D Saunders	T	69.4v	65.1v	42.1v	42.3v	44.2v	46.4v	43.3v	68.6v	98.6v	36.1v	66.3v	619.34v
693	MR R Ganguly	T	70.6v	70.2v	43.2v	41.0v	48.6v	45.4v	34.0v	66.1v	95.4v	38.3v	69.2v	619.30v
694	Cpl B Greasley	T	69.3v	68.3v	45.0v	45.2v	39.0v	46.6v	38.0v	67.5v	91.4v	45.2v	66.4v	619.29v
695	Mr AH Hill	T	70.4v	67.2v	39.2v	43.2v	41.0v	48.3v	45.2v	71.4v	96.4v	30.0v	69.5v	619.28v
696	Mr AJOC Collins	T	68.3v	65.1v	45.1v	40.2v	40.1v	48.4v	47.4v	71.4v	95.5v	38.2v	61.1v	618.28v
697	Cdt Cpl MG O'Hare	T	73.9v	62.3v	43.1v	44.3v	43.3v	47.4v	43.2v	72.5v	98.3v	26.0v	66.5v	617.38v
698	Cdt JET Dowley	T	70.5v	62.3v	47.4v	48.3v	48.2v	45.3v	45.4v	65.8v	99.8v	18.0v	69.2v	616.42v
699	Cdt BC Chamberlain	T	61.3v	65.5v	45.0v	43.2v	45.3v	50.3v	40.2v	64.4v	94.9v	41.1v	68.6v	616.38v
700	Cdt BL Wijsmuller	T	69.7v	67.3v	46.2v	30.1v	47.3v	45.2v	44.4v	69.4v	97.8v	38.0v	66.4v	616.38v
701	Cdt Sgt O Graziosi	O	74.10v	72.9v	50.4v	42.1v	49.5v	46.4v	0.0v	73.7v	102.8v	37.1v	70.3v	615.52v
702	Mr LA Alder	T	71.7v	73.5v	45.2v	37.2v	43.3v	46.2v	31.2v	70.5v	90.10v	39.1v	70.6v	615.45v
703	Mr E Ng	T	70.3v	66.5v	46.4v	39.1v	46.2v	40.0v	46.2v	70.4v	90.4v	32.2v	70.7v	615.34v
704	Cpl B Charlton	T	64.4v	70.2v	44.3v	42.3v	47.3v	47.4v	43.2v	61.4v	94.8v	41.0v	61.1v	614.34v

705	A Eckardt	T	73.8v	70.5v	49.5v	4.0v	48.2v	47.3v	46.3v	73.10v	97.6v	36.1v	70.5v	613.48v
706	KI Ortmann	T	67.8v	66.3v	44.0v	38.1v	42.3v	47.5v	50.5v	62.2v	93.5v	38.0v	66.3v	613.35v
707	Mr BA Beadle	T	48.0v	66.3v	47.1v	47.4v	44.2v	46.3v	36.1v	68.5v	98.6v	42.3v	70.5v	612.33v
708	Mr GS Stewart	T	65.2v	63.2v	45.3v	44.2v	45.4v	45.0v	42.4v	70.2v	90.4v	37.1v	66.6v	612.30v
709	Miss SIM Anderson	O	71.8v	71.5v	48.5v	43.3v	0.0v	47.5v	45.1v	75.10v	102.10v	38.2v	71.7v	611.56v
710	Mr PJG Barber	T	68.5v	71.7v	46.5v	43.2v	45.3v	41.1v	38.0v	65.5v	94.8v	30.0v	70.7v	611.43v
711	Mr T Horsfield	O	71.4v	66.2v	47.5v	41.0v	40.1v	45.3v	45.4v	65.3v	93.5v	29.1v	69.5v	611.33v
712	Cdt J Furness	T	67.6v	68.2v	44.2v	41.1v	48.3v	42.2v	47.4v	68.5v	99.6v	17.0v	70.2v	611.33v
713	Mr CB Stone	O	48.5v	66.3v	46.5v	48.2v	41.2v	46.3v	48.4v	66.2v	92.7v	43.3v	66.3v	610.39v
714	Bdr M Newton	T	65.2v	62.3v	45.1v	45.1v	39.0v	38.1v	42.3v	69.5v	99.7v	43.0v	63.5v	610.28v
715	Cdt CD Smith	T	66.2v	68.4v	35.1v	32.1v	47.4v	43.2v	43.0v	73.9v	99.8v	36.1v	67.6v	609.38v
716	Miss SEA Ellis	O	72.5v	71.6v	45.2v	38.1v	47.3v	42.3v	45.3v	64.4v	94.5v	30.0v	61.4v	609.36v
717	Cdt NJ Belousov	T	61.3v	70.6v	48.1v	39.0v	40.1v	41.1v	45.3v	68.4v	93.4v	37.2v	67.2v	609.27v
718	Sgt M MacKenzie	T	64.3v	71.8v	45.4v	42.1v	45.3v	42.0v	42.3v	62.3v	90.7v	40.1v	64.5v	607.38v
719	Sqn Ldr CM Fopp	O	69.4v	69.6v	45.3v	43.4v	0.0v	46.3v	46.3v	74.10v	100.12v	40.2v	74.6v	606.53v
720	Mr BH Hayes	O	74.6v	69.4v	44.2v	47.2v	0.0v	47.3v	48.4v	72.6v	97.7v	40.2v	68.5v	606.41v
721	Cdt CTRG Gicquel	T	69.7v	66.2v	46.5v	38.1v	46.3v	44.3v	42.1v	74.6v	100.8v	13.0v	68.3v	606.39v
722	Cpl FM Muema	X	71.6v	67.2v	47.2v	43.1v	45.4v	43.2v	44.2v	55.1v	90.2v	35.4v	66.2v	606.28v
723	JW Lim	T	68.5v	61.5v	42.1v	45.0v	46.3v	44.1v	42.2v	63.1v	86.2v	43.2v	65.3v	605.25v
724	Mr CW Slator	A	72.3v	70.5v	44.1v	46.2v	46.2v	48.6v	0.0v	73.6v	93.10v	45.1v	67.8v	604.44v
725	Mr ELM Macaulay	T	68.3v	67.5v	45.3v	41.1v	41.2v	43.4v	43.1v	63.3v	89.6v	38.3v	66.1v	604.32v
726	Mr WHJ Johnson	T	70.5v	70.3v	47.4v	46.4v	40.1v	46.2v	25.0v	62.2v	90.5v	41.1v	67.4v	604.31v
727	Miss HR Mackintosh	O	66.3v	69.2v	45.1v	39.1v	49.4v	44.4v	29.2v	70.6v	98.6v	32.1v	63.1v	604.31v
728	Mr PJW Sparks	O	67.6v	67.3v	42.2v	39.2v	42.0v	41.3v	42.2v	66.3v	92.3v	41.1v	65.3v	604.28v
729	Mr JM Samson	O	68.4v	70.4v	46.4v	44.2v	46.5v	44.2v	0.0v	72.8v	97.10v	43.3v	73.7v	603.49v
730	Mr DGM Coleman	A	74.8v	72.7v	49.6v	47.4v	47.3v	45.3v	50.5v	74.9v	102.10v	41.1v	0.0v	601.56v
731	Miss GI Izzard	T	66.1v	66.3v	42.1v	42.1v	41.3v	40.2v	43.4v	67.4v	94.9v	31.1v	69.4v	601.33v
732	LCpl S Elliott	T	68.4v	62.2v	40.0v	45.3v	34.1v	43.2v	46.5v	66.3v	90.4v	43.0v	64.4v	601.28v
733	Mr S Hartnett	T	63.3v	63.1v	37.3v	42.2v	48.4v	44.1v	42.0v	63.1v	94.8v	34.1v	71.2v	601.26v
734	Cdt GH Ramsden	T	68.2v	68.5v	48.3v	45.3v	45.2v	46.5v	45.4v	70.6v	66.4v	36.0v	63.4v	600.38v
735	WO M DeYoung	T	74.10v	70.3v	46.2v	42.2v	49.5v	46.1v	39.1v	67.3v	96.5v	3.0v	68.4v	600.36v
736	Mr OJN Lyon	A	72.8v	72.6v	49.5v	48.4v	49.8v	48.4v	48.5v	69.3v	101.8v	43.2v	0.0v	599.53v
737	Sgt Y Chun	T	67.5v	68.2v	46.5v	45.1v	44.2v	46.2v	43.1v	60.1v	92.3v	28.0v	60.2v	599.24v
738	CSgt L Collins	T	72.6v	67.5v	44.2v	44.3v	44.1v	37.1v	37.2v	68.4v	96.9v	25.0v	64.1v	598.34v
739	LBdr L Girard	T	68.2v	62.2v	38.0v	36.1v	46.4v	45.3v	44.4v	66.3v	94.4v	34.2v	65.2v	598.27v
740	Mr A Robertson	O	63.2v	61.1v	47.3v	37.0v	45.2v	44.3v	45.1v	63.4v	97.5v	29.0v	67.6v	598.27v
741	Cdt MJ Sheehy	T	71.4v	65.0v	46.4v	20.0v	47.4v	46.3v	40.2v	61.3v	95.4v	41.2v	65.2v	597.28v
742	Mr WHC Ledsham	T	63.3v	69.2v	44.2v	37.1v	47.4v	43.2v	44.1v	58.2v	95.6v	29.0v	68.3v	597.26v
743	Mr SJ Bates	T	66.4v	68.3v	39.2v	47.0v	42.2v	38.0v	46.2v	62.2v	92.4v	31.1v	65.4v	596.24v
744	Cdt Cpl AB Niblett	T	64.3v	71.5v	38.0v	39.0v	42.2v	47.1v	44.1v	63.3v	93.2v	33.0v	62.2v	596.19v
745	Cdt OLG Armstrong	T	73.8v	53.0v	44.2v	29.0v	41.2v	46.1v	43.2v	65.1v	96.7v	39.2v	66.4v	595.29v
746	Sgt T Booth	T	69.5v	69.5v	36.3v	41.2v	44.3v	46.2v	48.5v	71.7v	100.11v	0.0v	70.7v	594.50v
747	Mr JT Turley	O	75.10v	69.4v	46.5v	46.1v	48.4v	49.4v	43.1v	74.4v	103.13v	41.1v	0.0v	594.47v
748	Mr JRC Stanford-Beale	T	71.6v	69.5v	39.1v	46.6v	0.0v	44.2v	42.4v	73.8v	100.11v	40.1v	69.6v	593.50v
749	Mr T Galliers	O	66.2v	63.2v	41.2v	42.1v	44.3v	40.4v	40.0v	65.2v	89.3v	38.1v	65.0v	593.20v
750	Cpl C Eaton	T	67.4v	69.8v	40.0v	0.0v	49.6v	44.3v	47.5v	72.6v	97.6v	38.0v	69.4v	592.42v
751	CPL J Duncan	T	72.7v	57.2v	43.1v	44.5v	41.2v	42.2v	26.0v	68.4v	99.7v	33.0v	67.1v	592.31v
752	Cdt W Jowett	T	67.5v	65.3v	37.0v	39.0v	41.2v	45.4v	44.0v	61.0v	91.4v	34.1v	68.3v	592.22v
753	Mr P Wale	O	65.2v	65.1v	42.2v	42.2v	41.0v	36.0v	43.3v	68.5v	90.2v	35.0v	65.2v	592.19v
754	Mr TN Nicholls	T	63.2v	62.1v	45.2v	43.2v	40.1v	38.1v	43.2v	65.4v	90.3v	36.0v	66.5v	591.23v
755	Mr CRM Leather	O	70.6v	72.7v	48.6v	0.0v	43.1v	46.2v	48.5v	67.4v	97.8v	34.0v	65.5v	590.44v
756	Mr PF Weston	O	70.6v	65.1v	47.1v	0.0v	41.0v	45.1v	46.2v	65.5v	100.8v	41.1v	70.6v	590.31v
757	Mr BHA Allen	T	70.5v	64.3v	43.4v	43.2v	42.3v	43.3v	41.0v	62.2v	87.5v	29.0v	66.2v	590.29v
758	Mr BD Jones	T	73.5v	67.1v	47.2v	40.1v	44.2v	45.6v	0.0v	66.4v	97.8v	40.1v	70.5v	589.35v
759	Cdt Cpl AJT Innes-Whitehouse	T	63.3v	65.4v	45.4v	22.2v	40.2v	38.2v	46.3v	72.11v	102.10v	30.1v	65.4v	588.46v
760	Cdt CS Donaghy	T	64.3v	58.2v	44.4v	41.3v	37.1v	40.2v	40.0v	71.5v	89.6v	39.0v	65.2v	588.28v
761	LCpl CS Neuhauser	T	73.8v	66.3v	44.3v	39.1v	44.3v	39.1v	44.4v	66.4v	88.7v	15.0v	69.3v	587.37v
762	CSM D Yhia	T	69.4v	63.3v	39.2v	45.4v	39.1v	47.3v	42.3v	50.1v	94.3v	38.1v	61.1v	587.26v
763	Mr SA Lippiatt	O	62.1v	66.3v	45.5v	39.2v	43.1v	45.3v	45.3v	61.1v	78.2v	43.1v	59.2v	586.24v
764	Cdt LCpl HM Martin	T	72.6v	67.2v	45.6v	34.1v	0.0v	45.2v	45.5v	73.6v	101.6v	37.0v	64.3v	583.37v
765	Mr OL Leith	T	71.8v	70.3v	42.3v	45.3v	47.5v	48.2v	48.5v	72.5v	99.7v	40.1v	0.0v	582.42v
766	Mr MRWJ Jones	T	66.4v	68.4v	43.3v	37.0v	40.0v	33.0v	45.1v	58.0v	89.4v	33.1v	69.8v	581.25v
767	Cpl AMJ Gilchrist	T	66.3v	56.1v	42.3v	41.1v	39.0v	44.2v	44.3v	58.1v	95.4v	34.0v	61.1v	580.19v
768	Mr RS Mason MRCVS	O	65.1v	68.5v	0.0v	41.1v	46.4v	46.2v	46.2v	65.2v	96.5v	40.2v	66.3v	579.27v
769	LCpl GW Holland	T	71.5v	63.2v	45.4v	40.2v	47.3v	43.2v	40.3v	53.2v	71.0v	36.0v	69.2v	578.25v
770	Mr GR Cassidy	X	74.9v	71.7v	44.3v	48.7v	0.0v	46.3v	47.4v	72.8v	103.12v	0.0v	72.10v	577.63v
771	Mr MA Chance	T	64.0v	64.3v	32.2v	43.1v	48.1v	44.1v	39.0v	63.0v	87.2v	30.1v	63.1v	577.12v
772	Mr HL Lee	T	0.0v	63.2v	42.1v	46.3v	47.5v	48.4v	45.4v	69.6v	102.14v	39.0v	73.8v	574.47v
773	Dr PJ Taylor	O	60.1v	62.2v	39.1v	39.2v	42.0v	39.7v	45.4v	57.3v	89.4v	32.2v	69.4v	573.30v
774	Mr CP Moon	O	71.1v	63.2v	43.4v	39.1v	44.0v	36.1v	40.0v	50.5v	90.6v	37.1v	60.2v	573.23v
775	Mr P Barber	O	68.3v	71.3v	49.5v	41.2v	48.4v	39.1v	46.4v	70.6v	31.2v	40.2v	69.5v	572.37v
776	Cdt WO2 CPM Kent-Payne	T	71.6v	66.1v	44.3v	31.3v	47.5v	39.3v	0.0v	70.3v	98.8v	39.0v	66.3v	571.35v

