

## Grand Aggregate

		DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	Corp	POW	Total	
<b>The DCRA Challenge Shield, The N.R.A. Gold Cross, a Gold Bar and £200.00</b>														
1	Dr GCD Barnett	XS	73.9v	74.12v	49.4v	49.3v	50.9v	50.8v	50.10v	75.12v	105.17v	50.7v	75.11v	700.102v £ 4
<b>The N.R.A. Silver Cross, a Silver Bar and £175.00</b>														
2	Mr RCT Jeens	XS	73.7v	75.13v	47.5v	49.5v	50.7v	50.7v	50.5v	75.11v	104.15v	50.6v	75.10v	698.91v £ 4
<b>The N.R.A. Bronze Cross, a Bronze Bar and £150.00</b>														
3	Mr PM Lanigan	X	74.9v	74.8v	49.6v	48.5v	50.7v	49.8v	49.7v	75.9v	105.16v	49.5v	75.13v	697.93v
<b>An N.R.A. Bronze Cross, a Bronze Bar and £125.00</b>														
4	Dr JD Warburton	XS	74.7v	74.11v	49.9v	48.4v	50.10v	50.4v	49.5v	75.10v	104.14v	49.4v	75.14v	697.92v £ 4
<b>An N.R.A. Bronze Cross, a Bronze Bar and £100.00</b>														
5	Mr GE Morris	XS	75.7v	75.12v	49.3v	49.6v	49.9v	48.4v	49.8v	74.12v	105.15v	48.8v	75.11v	696.95v £ 4
6	Wg. Cdr. DP Calvert MBE	XS	74.7v	75.8v	48.5v	46.4v	50.8v	50.8v	50.10v	75.10v	105.15v	48.6v	75.9v	696.90v £ 4
<b>An N.R.A. Bronze Cross, a Bronze Bar and £80.00</b>														
7	Mr SC Postins	X	73.8v	74.8v	50.8v	48.7v	48.6v	50.7v	50.7v	74.7v	104.11v	50.5v	74.9v	695.83v
8	Mr DC Luckman	XS	73.7v	72.8v	50.6v	46.5v	50.9v	50.9v	50.7v	74.10v	105.19v	50.9v	74.9v	694.98v £ 4
9	Mr BJ Le Cheminant	XS	73.9v	74.10v	50.7v	48.5v	50.7v	50.7v	49.6v	74.7v	104.18v	47.3v	75.12v	694.91v £ 4
10	Mr S Belither	XS	75.10v	74.8v	49.9v	49.7v	48.6v	49.7v	49.4v	75.8v	102.13v	49.5v	75.13v	694.90v £ 4
<b>An N.R.A. Bronze Cross and 60.00</b>														
11	Dr HHG Pollock	XS	71.5v	75.10v	50.7v	50.4v	50.6v	49.6v	50.5v	74.13v	105.14v	45.4v	75.12v	694.86v
12	Mr NJ Ball	XS	73.5v	75.11v	50.4v	48.5v	49.7v	50.7v	50.8v	75.8v	105.12v	44.3v	75.11v	694.81v
13	Capt AW Gill	X	72.8v	72.8v	49.4v	46.4v	50.6v	50.7v	50.6v	75.15v	104.17v	50.8v	75.11v	693.94v
14	Mr WCP Richards	XS	74.9v	72.11v	48.4v	48.5v	50.6v	48.5v	50.9v	74.12v	105.17v	50.6v	74.8v	693.92v
15	Mr JAM Paton	XS	73.12v	74.11v	50.7v	50.4v	49.8v	48.6v	48.5v	75.15v	104.17v	47.6v	74.12v	692.103v
16	Mr P Patel	XS	73.9v	74.11v	49.8v	48.8v	49.8v	49.5v	48.6v	75.14v	105.16v	47.2v	75.12v	692.99v
17	Mr JC Underwood	XS	71.8v	73.8v	50.8v	49.5v	49.6v	48.6v	49.7v	75.10v	105.14v	48.4v	75.12v	692.88v
18	Miss JM Rankin	XS	73.9v	72.6v	50.7v	47.5v	50.3v	50.7v	50.7v	75.11v	101.11v	50.6v	74.13v	692.85v
19	Mr JWE Lewis	XS	72.6v	74.6v	48.4v	48.3v	48.7v	49.6v	49.6v	75.12v	105.16v	50.6v	74.12v	692.84v
20	Mr GA Cann	XS	74.10v	73.10v	49.7v	48.4v	50.8v	49.5v	48.4v	75.6v	105.15v	47.4v	74.11v	692.84v
<b>An N.R.A. Bronze Cross, a Bronze Bar and £40.00</b>														
21	Dr JDS Langley	XS	73.7v	72.6v	48.4v	46.3v	50.8v	50.5v	50.7v	75.9v	104.15v	50.6v	74.10v	692.80v
22	Air Cdre JA Ford	AS	73.7v	73.7v	50.7v	49.6v	50.7v	48.6v	47.6v	75.7v	103.13v	49.5v	75.9v	692.80v £ 4
23	Mr NRJ Brasier	OS	74.7v	72.5v	48.5v	49.6v	49.3v	50.5v	50.9v	74.10v	104.13v	48.7v	74.9v	692.79v £ 4
24	Mr PB Bromley	X	73.9v	74.7v	49.6v	48.2v	50.5v	49.2v	49.8v	74.9v	102.13v	49.2v	75.11v	692.74v
25	Mr R McQuillan	XS	75.7v	73.6v	48.5v	48.6v	49.6v	50.4v	49.7v	74.7v	105.15v	48.2v	73.9v	692.74v
26	Mr FWA Coetzee	X	71.4v	74.8v	45.5v	49.6v	50.9v	49.8v	50.8v	75.12v	105.15v	49.6v	74.13v	691.94v
27	Mr CJ Watson	X	70.8v	74.12v	50.6v	50.9v	50.8v	49.5v	48.3v	75.12v	105.15v	47.4v	73.11v	691.93v
28	Mr DC Crispin	X	71.6v	72.8v	49.7v	50.8v	50.10v	49.6v	49.4v	75.14v	105.17v	48.3v	73.7v	691.90v
29	Mr MCJ Button	XS	71.6v	75.7v	49.8v	47.4v	50.9v	49.6v	48.5v	75.12v	105.12v	47.6v	75.10v	691.85v
30	Mr CJ Morton	XS	74.12v	73.8v	47.6v	46.3v	50.9v	50.3v	47.3v	75.11v	105.14v	49.5v	75.10v	691.84v
31	Mr H J Golaszewski	AS	71.5v	74.8v	50.8v	47.5v	50.6v	50.7v	48.6v	75.10v	104.11v	47.3v	75.13v	691.82v £ 4
32	Mr KWD Ramsey	XS	73.9v	73.8v	49.3v	50.6v	50.6v	50.5v	49.2v	74.9v	104.16v	46.3v	73.7v	691.74v
33	Mr RJ Booth	AS	71.2v	74.9v	50.6v	48.3v	49.6v	49.5v	48.3v	74.10v	105.11v	50.6v	73.6v	691.67v £ 4
34	Mr NC Mace	XS	72.10v	73.9v	50.7v	47.5v	49.8v	49.3v	50.8v	73.11v	105.15v	48.8v	74.10v	690.94v
35	Dr CD Haley	X	72.7v	74.12v	49.6v	46.4v	50.9v	50.7v	50.6v	74.11v	103.13v	47.3v	75.11v	690.89v
<b>An N.R.A. Bronze Cross, a Bronze Bar and £20.00</b>														
36	Mr RJ Sweegers	XS	73.7v	75.11v	50.7v	48.5v	50.6v	46.3v	48.6v	75.14v	104.13v	46.3v	75.14v	690.89v
37	Mr T Drysdale	XS	73.8v	75.13v	49.5v	47.4v	49.7v	49.5v	49.7v	75.13v	105.13v	50.6v	69.7v	690.88v
38	Mr AJ Haggerty	A	73.7v	74.9v	47.5v	46.5v	50.5v	48.5v	49.8v	75.12v	104.15v	50.5v	74.12v	690.88v
39	Mr DA Richardson	X	71.6v	74.10v	48.4v	49.8v	49.6v	50.7v	48.7v	75.11v	104.16v	48.3v	74.10v	690.88v
40	Mr GE Grosskreutz	XS	72.8v	73.8v	47.4v	49.4v	49.7v	47.6v	50.3v	75.13v	105.14v	49.7v	74.9v	690.83v
41	Mr PA Maher	A	70.6v	74.8v	50.7v	48.5v	50.7v	50.6v	49.6v	75.12v	105.14v	45.2v	74.10v	690.83v
42	Mr LM Peden (G.M.)	X	73.9v	73.10v	48.5v	48.5v	49.5v	50.6v	49.5v	75.10v	103.9v	47.4v	75.12v	690.80v
43	Mr D de Vere	XS	74.7v	74.9v	48.7v	49.4v	47.4v	46.2v	50.5v	75.10v	104.14v	49.9v	74.8v	690.79v
44	Mr JEM Bellringer	XS	72.5v	72.9v	50.5v	47.4v	50.7v	48.3v	50.6v	75.12v	104.13v	47.6v	75.9v	690.79v
45	Capt J Cook	A	74.11v	74.9v	47.2v	45.1v	50.7v	49.5v	50.5v	75.10v	103.11v	50.5v	73.8v	690.74v
46	Mr RL Eayrs	A	72.6v	75.11v	49.5v	47.5v	49.5v	50.3v	48.6v	74.5v	103.13v	49.7v	74.5v	690.71v
47	Mr JP Tapster	X	70.5v	73.10v	50.8v	46.3v	50.9v	49.5v	50.8v	75.10v	105.16v	47.3v	74.12v	689.89v
48	Dr AM Jory	A	72.9v	73.9v	46.5v	48.5v	49.6v	50.5v	49.6v	75.9v	104.15v	49.7v	74.12v	689.88v
49	Mr JMA Thompson	XS	73.9v	75.10v	49.7v	46.5v	50.8v	48.4v	50.8v	74.9v	102.12v	47.3v	75.11v	689.86v
50	Mr JW Alexander	XS	74.8v	74.10v	49.7v	43.1v	50.9v	50.5v	48.2v	75.12v	105.11v	50.9v	71.10v	689.84v

### Winners of a Bronze Bar

			DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	Corp	POW	Total	
51	Mr ITG Shaw	XS	72.7v	73.6v	48.4v	47.4v	49.6v	48.7v	49.4v	75.11v	105.15v	49.7v	74.11v	689.82v	
52	Mr HA Day	X	73.10v	74.6v	50.5v	46.3v	50.6v	48.5v	49.7v	75.10v	104.16v	46.4v	74.10v	689.82v	
53	Mr RJS Clark	AS	72.8v	75.13v	49.5v	45.3v	50.6v	48.5v	48.4v	75.9v	103.14v	49.5v	75.9v	689.81v	£ 4
54	Miss EJ Cannings	XS	73.9v	72.5v	49.4v	47.5v	50.8v	49.5v	50.5v	74.11v	104.14v	48.6v	73.9v	689.81v	
55	Mr PM Jory	X	72.7v	75.11v	49.5v	46.3v	50.6v	47.3v	49.5v	74.8v	105.16v	47.4v	75.13v	689.81v	
56	Mr ML Millar	A	70.5v	74.8v	48.5v	46.2v	50.9v	50.6v	48.5v	75.14v	105.14v	50.5v	73.6v	689.79v	
57	Pte L Bennett	A	71.8v	74.7v	50.9v	48.6v	48.2v	50.5v	48.4v	74.8v	103.14v	49.6v	74.8v	689.77v	
58	Mr JB Hull	X	73.7v	73.8v	50.4v	49.4v	50.7v	50.8v	48.3v	74.8v	102.14v	46.4v	74.10v	689.77v	
59	Mr BJ Wood	OS	73.4v	72.5v	50.9v	49.4v	49.7v	48.3v	49.6v	74.7v	104.14v	46.6v	75.8v	689.73v	£ 4
60	Col AJW Sturrock	XS	70.6v	74.11v	50.4v	47.3v	50.6v	50.5v	50.5v	73.8v	103.10v	50.7v	72.6v	689.71v	
61	Mr J Corbett	X	75.10v	73.10v	50.8v	43.2v	50.7v	50.8v	46.6v	75.13v	103.15v	48.4v	75.12v	688.95v	
62	Mr DR Armstrong	XS	72.8v	75.12v	48.6v	48.6v	49.6v	49.7v	49.5v	74.10v	102.10v	48.7v	74.12v	688.89v	
63	Mr PAE Charlton	X	72.8v	74.8v	50.9v	48.5v	49.7v	49.6v	49.3v	75.13v	102.10v	45.3v	75.10v	688.82v	
64	Miss H P McCullough	XS	72.9v	74.8v	48.6v	45.3v	50.4v	49.6v	50.8v	75.9v	104.15v	49.6v	72.7v	688.81v	
65	Mr AP Barnes	X	73.7v	73.12v	48.4v	48.5v	47.3v	49.4v	49.5v	74.11v	105.15v	47.3v	75.12v	688.81v	
66	Mr WDH Burden	OS	73.9v	74.10v	49.4v	46.4v	49.9v	49.5v	50.8v	75.9v	101.10v	49.4v	73.8v	688.80v	£ 4
67	Mr C Mallett	XS	71.7v	73.10v	48.5v	46.1v	50.7v	49.5v	50.8v	75.6v	105.15v	49.4v	72.11v	688.79v	
68	Miss JH Messer	XS	71.7v	75.11v	49.5v	47.5v	49.7v	48.3v	48.4v	75.10v	103.12v	48.3v	75.12v	688.79v	
69	Mr SJ Carson	X	71.9v	73.9v	50.5v	50.4v	48.5v	49.6v	49.5v	74.9v	105.15v	47.4v	72.8v	688.79v	
70	Mr JM Ford	A	69.5v	75.4v	50.8v	46.4v	50.3v	49.5v	50.7v	75.8v	103.14v	46.3v	75.8v	688.69v	
71	Miss LAE Crowson	X	72.8v	73.6v	50.9v	46.5v	49.7v	50.6v	48.8v	73.10v	104.17v	47.3v	75.12v	687.91v	
72	Mr C Fitzpatrick	X	72.6v	73.7v	49.6v	47.3v	49.9v	49.6v	50.8v	74.13v	105.17v	48.5v	71.9v	687.89v	
73	Miss CA Evans	X	72.9v	74.12v	49.5v	47.5v	50.8v	47.6v	50.8v	75.13v	103.10v	49.4v	71.8v	687.88v	
74	Mr RC Oxford	X	74.10v	72.6v	49.9v	50.4v	48.7v	48.6v	44.1v	75.10v	104.15v	49.5v	74.12v	687.85v	
75	Major AR McLeod	XS	74.9v	72.7v	48.8v	47.5v	49.5v	48.5v	49.5v	75.11v	103.11v	47.4v	75.13v	687.83v	
76	Mr JA Watson	XS	70.7v	75.9v	50.6v	47.3v	50.5v	48.7v	50.7v	74.12v	104.15v	47.4v	72.6v	687.81v	
77	Lt Col AM Bell	XS	73.6v	72.8v	48.7v	48.5v	50.9v	50.7v	49.5v	74.8v	103.12v	45.4v	75.8v	687.79v	
78	Mr TG Rylands	XS	75.9v	73.9v	49.5v	48.6v	50.5v	46.4v	49.9v	73.10v	102.10v	50.4v	72.7v	687.78v	
79	Mr RJ Lygoe	X	70.4v	71.5v	49.8v	48.5v	50.6v	49.3v	50.5v	74.11v	104.13v	49.7v	73.11v	687.78v	
80	Mr RJS Curtis	A	71.6v	73.9v	50.4v	50.6v	50.6v	49.6v	47.7v	74.10v	102.15v	46.2v	75.7v	687.78v	
81	Mr ANR Walker	X	74.9v	75.9v	50.7v	47.5v	47.6v	49.5v	49.8v	74.10v	102.6v	45.2v	75.11v	687.78v	
82	Mr AD Le Cheminant	XS	72.8v	72.5v	48.3v	48.5v	47.5v	48.6v	49.6v	75.12v	104.14v	50.7v	74.6v	687.77v	
83	Mr T Horrocks	O	69.4v	73.8v	50.9v	47.4v	50.7v	49.4v	48.4v	74.8v	104.12v	49.7v	74.10v	687.77v	
84	Mr G Trembath	O	73.7v	74.9v	48.5v	48.6v	50.6v	44.0v	50.7v	75.7v	102.14v	48.6v	75.10v	687.77v	
85	Mr RAV Hebblethwaite	A	72.6v	74.8v	50.5v	48.4v	50.4v	49.5v	50.6v	73.11v	102.15v	48.7v	71.4v	687.75v	
86	Mr ATB Tompson	XS	73.5v	72.9v	49.6v	45.3v	50.4v	49.5v	50.9v	73.10v	103.11v	48.3v	75.9v	687.74v	
87	Capt N Healy	OS	72.5v	75.9v	50.8v	45.1v	50.6v	50.5v	48.5v	74.8v	103.10v	46.2v	74.8v	687.67v	£ 4
88	Mr RBC Baker	X	74.4v	73.11v	50.6v	48.0v	49.4v	50.6v	49.7v	73.4v	102.8v	44.2v	75.10v	687.62v	
89	Mr SA Thomas	X	71.9v	74.10v	48.3v	44.2v	50.10v	49.7v	50.8v	75.14v	103.14v	49.4v	73.7v	686.88v	
90	WO M Patrick	T	72.7v	74.8v	49.7v	48.5v	50.7v	49.5v	50.8v	74.12v	103.14v	42.3v	75.11v	686.87v	
91	Dr J Mehta	A	71.4v	74.11v	49.6v	48.7v	49.7v	49.8v	49.6v	75.10v	103.15v	45.2v	74.9v	686.85v	
92	Mr SJ Bissonnette	XS	69.3v	72.7v	49.4v	47.5v	50.10v	48.5v	50.7v	74.12v	105.13v	48.5v	74.8v	686.79v	
93	Mr DR Le Quesne	XS	74.8v	74.8v	47.4v	46.6v	49.5v	49.3v	50.10v	73.10v	102.10v	48.7v	74.7v	686.78v	
94	Mr D Rose	XS	74.9v	75.10v	48.4v	48.6v	49.2v	49.7v	48.5v	73.9v	104.13v	43.1v	75.12v	686.78v	
95	Dr AJ Pilgrim	X	73.6v	72.7v	47.5v	47.5v	48.7v	50.7v	49.7v	75.8v	103.11v	48.5v	74.9v	686.77v	
96	Mr AJ Luckman	X	70.4v	74.12v	48.6v	46.3v	49.4v	48.4v	49.8v	73.9v	104.12v	50.5v	75.9v	686.76v	
97	Miss EG Joseph	A	71.8v	71.7v	50.5v	48.5v	50.9v	47.5v	49.6v	75.8v	102.10v	48.3v	75.10v	686.76v	
98	Mr CN Tremlett	XS	73.6v	71.5v	48.1v	48.5v	49.5v	49.6v	49.7v	75.14v	102.8v	49.7v	73.11v	686.75v	
99	Dr PR Wheeler	X	71.7v	71.6v	49.5v	45.3v	50.8v	48.5v	50.4v	75.8v	104.13v	50.7v	73.7v	686.73v	
100	Mr THD Dodds	OS	70.6v	74.6v	47.5v	47.4v	50.5v	50.5v	48.5v	75.6v	103.13v	47.5v	75.13v	686.73v	£ 4
101	Mr PR Bain	AS	72.5v	74.8v	50.6v	46.1v	50.8v	47.5v	49.6v	74.9v	104.11v	47.2v	73.11v	686.72v	£ 4
102	Mr SM Negus	XS	72.8v	73.5v	49.7v	47.3v	50.6v	48.4v	50.6v	74.7v	105.15v	46.3v	72.8v	686.72v	
103	Mr JA Lindsay III	XS	74.8v	75.9v	50.7v	46.3v	50.7v	49.5v	49.7v	72.6v	101.10v	46.2v	74.8v	686.72v	
104	Mr MI Buchanan	XS	73.6v	71.6v	48.4v	48.5v	50.6v	50.6v	48.3v	75.13v	103.10v	46.4v	74.8v	686.71v	
105	Mr AG Mitchell	XS	69.2v	71.7v	49.6v	49.4v	50.7v	48.6v	49.6v	72.5v	105.12v	50.4v	74.11v	686.70v	
106	Mr S Pearson	A	74.7v	74.7v	49.5v	47.6v	47.1v	49.6v	46.4v	74.7v	103.14v	49.4v	74.8v	686.69v	
107	Mr JA Curd	X	72.5v	71.5v	50.5v	48.2v	50.8v	48.3v	47.3v	74.8v	103.10v	48.5v	75.10v	686.64v	
108	Mr RSF Shouler	X	72.11v	74.11v	48.5v	48.6v	50.8v	48.7v	50.4v	74.11v	104.13v	44.2v	73.9v	685.87v	
109	Maj DR Thompson	XS	72.8v	72.9v	48.4v	48.6v	49.8v	48.4v	48.4v	74.11v	103.14v	49.6v	74.9v	685.83v	
110	Mr JR Tuck	X	70.5v	72.7v	49.5v	48.6v	50.5v	49.4v	50.8v	74.13v	104.16v	47.4v	72.10v	685.83v	
111	Dr C I Johnston	XS	71.7v	73.4v	49.8v	42.2v	50.7v	49.7v	50.8v	75.12v	104.13v	49.4v	73.10v	685.82v	
112	Mr M Liversage	A	67.2v	74.11v	48.5v	48.7v	49.6v	48.6v	50.5v	75.11v	103.11v	49.8v	74.9v	685.81v	
113	Lt RN Stebbings	A	69.5v	72.8v	50.8v	48.4v	50.5v	49.7v	49.5v	75.11v	105.13v	45.5v	73.10v	685.81v	
114	Mr EC Dickson	AS	72.5v	74.10v	49.4v	47.5v	50.8v	48.7v	49.4v	73.11v	101.11v	48.3v	74.11v	685.79v	
115	Mrs K Le Quesne	AS	69.7v	73.9v	49.6v	49.6v	48.4v	49.5v	50.6v	74.9v	100.9v	49.4v	75.11v	685.76v	
116	Mr P Glen	OS	69.4v	74.10v	49.3v	47.6v	49.7v	50.4v	47.5v	75.8v	102.11v	49.5v	74.10v	685.73v	£ 4
117	Mr RAH Vary	XS	71.7v	69.6v	48.3v	47.5v	50.4v	49.4v	50.7v	75.8v	104.15v	47.4v	75.9v	685.72v	
118	Mr JF Lawrie	A	72.8v	74.7v	49.5v	48.1v	48.5v	48.6v	49.7v	73.9v	105.11v	46.2v	73.10v	685.71v	
119	Mr T Smith	XS	70.5v	72.9v	50.9v	49.5v	50.7v	47.4v	49.4v	73.10v	102.17v	49.6v	73.10v	684.86v	
120	Mr MSE Firman	AS	71.7v	73.9v	50.7v	47.6v	49.4v	49.6v	47.5v	74.13v	103.13v	48.4v	73.7v	684.81v	
121	Mr CA Brook	X	74.9v	71.7v	49.4v	50.8v	49.7v	47.3v	49.4v	74.9v	103.16v	47.4v	71.10v	684.81v	
122	Mr WJD Broad	XS	73.7v	72.9v	48.6v	47.2v	50.4v	47.5v	49.5v	75.13v	105.17v	43.1v	75.12v	684.81v	
123	Mr CP Weeden	X	74.10v	73.9v	49.3v	47.3v	50.8v	48.6v	46.4v	75.13v	103.14v	49.4v	70.6v	684.80v	
124	Mrs CJ Clifford Evans	A	66.3v	70.5v	48.4v	50.8v	50.4v	50.7v	50.8v	75.13v	103.14v	47.6v	75.8v	684.80v	
125	Mr T Laing-Baker	TS	74.8v	73.11v	49.7v	49.5v	47.4v	50.7v	48.4v	74.10v	99.10v	46.4v	75.10v	684.80v	£ 4
126	Mr PA Goubert	OS	70.6v	73.9v	49.3v	47.5v	49.5v	50.7v	48.6v	73.9v	101.11v	50.7v	74.11v	684.79v	£ 4

			DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	Corp	POW	Total	
127	Mr PD Griggs	A	70.7v	73.6v	48.6v	47.4v	49.5v	50.6v	49.5v	73.9v	103.15v	48.6v	74.10v	684.79v	
128	Sgt. RH Kitson	OS	71.8v	73.6v	49.4v	45.3v	50.8v	49.7v	50.8v	75.11v	103.14v	47.5v	72.4v	684.78v	£4
129	Mr CES Dickenson	AS	70.5v	73.8v	49.6v	45.3v	50.6v	48.5v	49.7v	74.11v	105.15v	48.6v	73.5v	684.77v	
130	Ms KP Kent	XS	73.9v	75.8v	49.5v	47.5v	44.4v	49.5v	48.2v	74.13v	104.13v	47.6v	74.7v	684.77v	
131	Mr JPW Waite	TS	73.6v	73.10v	50.7v	46.2v	50.8v	48.5v	48.4v	73.8v	104.14v	45.3v	74.8v	684.75v	£4
132	Mr J Brooking	O	70.8v	74.4v	46.5v	47.4v	50.10v	48.5v	48.4v	75.9v	104.15v	48.4v	74.6v	684.74v	
133	Mr CA Skellett	AS	71.7v	69.3v	47.5v	49.6v	50.6v	49.7v	50.4v	74.9v	103.15v	47.3v	75.7v	684.72v	
134	Mr GC Childs	A	74.8v	74.10v	50.6v	45.3v	49.6v	48.5v	48.3v	74.9v	104.12v	47.3v	71.7v	684.72v	
135	Mr R Birtwistle	X	71.4v	72.10v	49.5v	48.3v	49.5v	47.4v	48.6v	75.9v	103.11v	49.6v	73.7v	684.70v	
136	Mr JRW Postle	AS	72.5v	73.7v	46.4v	49.5v	48.6v	49.5v	48.6v	75.4v	102.11v	47.4v	75.12v	684.69v	
137	Dr GP Nelson	A	72.7v	71.6v	50.6v	46.3v	50.5v	50.6v	48.6v	73.6v	105.12v	44.3v	75.7v	684.67v	
138	Mr JGM Webster	AS	72.7v	73.7v	48.3v	49.6v	49.4v	49.5v	48.2v	74.7v	102.7v	47.4v	73.8v	684.60v	
139	Mr TJD Raincock	XS	73.9v	73.12v	48.4v	44.3v	47.5v	50.6v	48.7v	75.11v	105.11v	47.4v	73.10v	683.82v	
140	Cdt CM Jones	A	70.4v	71.8v	50.7v	48.5v	49.9v	47.4v	48.3v	75.10v	103.12v	47.5v	75.12v	683.79v	
141	Mr AC Morley	A	71.8v	70.4v	50.5v	46.2v	49.6v	50.7v	48.7v	73.10v	104.15v	48.3v	74.11v	683.78v	
142	Mr KO Pugh	AS	71.9v	73.7v	49.6v	48.6v	50.7v	49.7v	48.2v	73.9v	103.12v	48.2v	71.9v	683.76v	
143	Mr RM Hatcher	AS	70.4v	72.7v	50.6v	50.6v	50.5v	48.6v	49.7v	73.6v	101.13v	45.4v	75.12v	683.76v	
144	Mr SE Young	X	72.5v	73.5v	50.6v	48.4v	49.8v	49.5v	49.6v	74.11v	103.12v	41.2v	75.12v	683.76v	
145	Miss SP Ward	X	69.7v	74.9v	49.2v	48.4v	50.8v	49.3v	49.6v	74.11v	101.11v	50.6v	69.6v	683.75v	
146	Mr LT Wicker	O	73.8v	74.9v	50.6v	47.6v	50.8v	49.7v	46.5v	74.7v	101.11v	45.1v	74.7v	683.75v	
147	Mr M Cooper	OS	72.7v	74.10v	49.7v	48.4v	49.6v	50.6v	49.6v	71.7v	101.12v	48.4v	72.5v	683.74v	£4
148	Mr RA Benest	X	70.5v	75.8v	49.6v	44.3v	48.6v	49.8v	50.4v	74.10v	105.13v	45.4v	74.7v	683.74v	
149	Dr MW Wrigley	A	70.6v	74.6v	50.6v	46.4v	50.5v	48.6v	50.6v	71.4v	101.10v	50.7v	73.11v	683.71v	
150	Mr SC Williamson	A	72.7v	75.8v	49.5v	48.2v	48.4v	49.4v	47.6v	75.10v	97.7v	49.5v	74.10v	683.68v	
151	Mr M Persaud	AS	72.11v	72.4v	49.5v	49.6v	49.5v	49.3v	48.4v	73.6v	102.10v	48.5v	72.7v	683.66v	
152	Miss TJ Fitzsimons	AS	72.10v	73.7v	48.3v	46.2v	48.6v	49.3v	48.5v	74.8v	104.8v	49.6v	72.7v	683.65v	
153	Mr BD Mehrtens	A	73.9v	71.6v	48.8v	47.6v	50.9v	49.7v	48.2v	73.10v	104.12v	45.5v	74.11v	682.85v	
154	Mr TW Tatchell	AS	69.4v	74.7v	46.3v	44.4v	49.7v	50.8v	50.5v	75.12v	105.17v	46.0v	74.14v	682.81v	
155	Mr DG Young	X	71.7v	73.6v	49.5v	50.7v	50.8v	50.8v	49.4v	70.10v	104.14v	41.1v	75.11v	682.81v	
156	Mr RW Sandlant	XS	73.7v	73.9v	45.4v	46.6v	49.6v	49.4v	50.6v	72.9v	103.11v	49.6v	73.12v	682.80v	
157	Mr J Pugsley MRCVS	X	72.6v	67.9v	48.4v	47.3v	50.6v	47.5v	49.6v	74.12v	105.16v	49.4v	74.8v	682.79v	
158	Mrs Donna E Negus	XS	71.7v	73.10v	48.4v	46.4v	49.7v	47.4v	49.5v	75.8v	102.15v	49.6v	73.8v	682.78v	
159	Mr HAD Howard	AS	69.5v	72.8v	50.6v	48.5v	50.4v	47.5v	48.7v	74.10v	103.14v	47.4v	74.10v	682.78v	
160	Dr AI Ashworth	OS	72.8v	71.6v	49.7v	49.6v	50.8v	48.5v	46.3v	75.7v	101.8v	47.5v	74.10v	682.73v	£4
161	Mr JH Haward	XS	71.4v	74.9v	50.7v	48.7v	48.5v	48.3v	47.6v	74.8v	102.10v	46.4v	74.10v	682.73v	
162	Mr GV Feast	OS	69.8v	71.6v	48.5v	49.6v	50.6v	49.5v	50.7v	74.11v	105.11v	46.2v	71.6v	682.73v	£4
163	Mrs MM Norman	AS	71.4v	73.12v	48.3v	48.4v	48.6v	46.7v	49.7v	75.7v	104.11v	49.3v	71.8v	682.72v	
164	Mr DA Taylor	AS	70.7v	73.8v	49.6v	47.5v	49.6v	49.3v	47.4v	74.8v	104.14v	48.4v	72.7v	682.72v	
165	Mr JN McLaren	XS	73.3v	73.10v	50.7v	47.5v	49.4v	50.6v	47.4v	73.10v	101.12v	45.1v	74.10v	682.72v	
166	Mr CM Brooks	OS	68.5v	73.5v	49.6v	48.6v	47.4v	50.6v	50.6v	73.7v	103.14v	47.3v	74.9v	682.71v	
167	Mr RW Shaw	X	72.9v	73.7v	50.7v	42.3v	50.7v	49.5v	43.1v	74.8v	105.11v	50.5v	74.7v	682.70v	
168	Mr PS Gray	A	71.7v	72.6v	50.6v	50.4v	49.4v	50.8v	50.5v	73.9v	102.9v	44.4v	71.8v	682.70v	
169	Mr A Thomson	A	70.4v	72.4v	50.4v	48.4v	48.6v	48.5v	48.5v	74.6v	104.14v	48.3v	72.7v	682.62v	
170	Mr RM Roberts	XS	73.8v	71.9v	48.7v	46.5v	48.8v	49.5v	50.5v	74.9v	103.14v	49.5v	70.9v	681.84v	
171	WO R Rousseau	T	71.8v	75.10v	50.6v	47.4v	49.8v	50.6v	45.3v	75.12v	99.10v	45.2v	75.14v	681.83v	
172	Mr BA Horwood	X	72.3v	72.11v	47.4v	50.4v	50.7v	48.5v	50.7v	69.5v	103.13v	49.6v	71.11v	681.76v	
173	Mr JK Kelleher	OS	71.7v	72.7v	50.6v	45.3v	49.6v	50.7v	49.5v	75.12v	102.10v	46.3v	72.9v	681.75v	
174	Mr DFP Richards	A	70.3v	72.9v	46.4v	48.3v	49.8v	48.5v	48.4v	75.10v	103.11v	49.5v	73.10v	681.72v	
175	Mr GK Alexander	X	69.5v	75.10v	48.5v	48.4v	48.3v	48.5v	50.5v	74.9v	99.10v	50.6v	72.9v	681.71v	
176	Mr ARW Smith	OS	71.7v	74.7v	50.7v	47.5v	48.7v	49.6v	48.4v	74.8v	103.12v	48.3v	69.5v	681.71v	
177	Mr MR Fugeman	A	71.7v	72.9v	49.5v	46.1v	48.3v	49.7v	50.6v	73.9v	100.10v	49.6v	74.7v	681.70v	
178	Mr DGM Coleman	A	71.5v	74.8v	48.7v	47.4v	48.7v	47.4v	48.6v	74.6v	103.10v	47.4v	74.9v	681.70v	
179	Mr DS Murray	X	74.4v	73.8v	47.5v	46.4v	46.3v	47.4v	50.9v	75.6v	104.13v	46.5v	73.6v	681.67v	
180	Mr I Brechin	A	68.1v	73.6v	48.6v	46.4v	48.5v	48.7v	50.8v	73.7v	104.11v	49.4v	74.6v	681.65v	
181	Mr WJ Rowland	A	71.3v	73.6v	48.5v	46.3v	50.9v	49.3v	49.3v	74.8v	101.12v	46.3v	74.7v	681.62v	
182	Mr NJ Atkins	X	74.7v	74.8v	50.5v	49.5v	48.4v	46.4v	49.6v	73.7v	100.8v	43.1v	75.7v	681.62v	
183	Mr PJ Chapman-Sheath	AS	72.9v	74.10v	48.6v	47.3v	48.5v	49.6v	45.4v	74.13v	102.14v	49.5v	72.6v	680.81v	
184	Mr M J Ensor	X	69.6v	73.9v	49.7v	44.3v	50.8v	49.2v	49.6v	75.13v	102.12v	47.6v	73.6v	680.78v	
185	Mr NJ Verduyn	AS	72.6v	69.5v	50.7v	49.7v	49.7v	50.6v	49.7v	73.9v	100.11v	48.5v	71.6v	680.76v	
186	Mrs LK Mace	X	67.5v	74.11v	49.6v	46.4v	49.7v	47.6v	49.4v	74.11v	103.8v	49.5v	73.6v	680.73v	
187	Mr BMA Stevens	A	72.7v	71.2v	47.4v	50.7v	47.5v	49.5v	48.5v	72.6v	104.15v	46.5v	74.8v	680.69v	
188	Dr AF Aspin	A	71.4v	73.7v	48.2v	48.4v	49.8v	50.6v	48.7v	74.11v	100.9v	46.4v	73.7v	680.69v	
189	Mr TP Clarke	X	73.6v	72.7v	48.5v	47.4v	50.7v	47.2v	50.4v	73.9v	100.8v	47.4v	73.10v	680.66v	
190	Mr HWR Gilbert	O	71.3v	74.7v	48.3v	47.4v	46.4v	50.8v	48.5v	75.9v	104.11v	46.4v	71.8v	680.66v	
191	Mr S J Pascoe	A	69.6v	74.11v	50.7v	47.1v	49.5v	49.6v	48.5v	75.7v	103.9v	45.2v	71.7v	680.66v	
192	Mr WMS Hall	O	70.6v	75.9v	49.3v	47.5v	50.4v	50.8v	45.3v	73.5v	103.9v	46.2v	72.10v	680.64v	
193	Mr JPL Sweet	XS	72.2v	73.8v	50.7v	47.1v	49.8v	48.6v	49.4v	75.8v	99.9v	47.4v	71.6v	680.63v	
194	Mr DJ Gass	X	67.2v	75.12v	50.3v	45.3v	49.4v	47.4v	49.4v	73.6v	103.10v	47.4v	75.10v	680.62v	
195	Mr SD Shouler	XS	69.5v	74.12v	49.5v	47.3v	50.6v	48.3v	48.7v	75.14v	101.12v	45.3v	73.11v	679.81v	
196	Mr TA Ringer	XS	73.7v	72.9v	49.5v	48.5v	50.9v	49.4v	44.4v	74.13v	103.12v	42.1v	75.11v	679.80v	
197	Mr RW Hallows	AS	72.6v	72.9v	48.4v	45.4v	49.6v	50.6v	48.6v	74.12v	101.11v	48.5v	72.9v	679.78v	
198	Mr C Mitchell	XS	70.4v	74.10v	48.7v	40.0v	48.4v	49.5v	49.6v	75.13v	104.14v	50.6v	72.8v	679.77v	
199	Dr JS Rennie	A	70.7v	73.10v	48.4v	44.3v	50.7v	49.5v	49.5v	75.6v	102.15v	50.6v	69.7v	679.75v	
200	Mr MA Kirkillio-Stacewicz	A	68.6v	74.9v	47.3v	44.3v	50.9v	48.7v	50.5v	74.7v	101.10v	50.6v	73.9v	679.74v	

201	Mr KB Hill	A	73.10v	74.11v	50.5v	47.5v	49.4v	46.3v	48.7v	75.14v	99.7v	48.4v	70.4v	679.74v
202	Mr DE Nuthall	X	71.4v	71.5v	49.8v	47.2v	50.6v	47.7v	48.5v	74.10v	104.16v	44.3v	74.8v	679.74v
203	Mr JM Taylor	X	71.9v	72.6v	49.6v	48.2v	49.6v	46.2v	46.4v	75.10v	104.17v	44.3v	75.9v	679.74v
204	Mr FCD Flanagan	O	74.8v	70.6v	49.5v	49.5v	49.9v	46.2v	48.4v	75.10v	103.13v	43.3v	73.8v	679.73v
205	Mr RA Dix	A	68.5v	73.8v	49.4v	46.4v	50.7v	49.5v	49.6v	73.8v	101.7v	49.8v	72.10v	679.72v
206	Mr PJG Barber	T	71.7v	72.7v	47.5v	48.4v	50.5v	49.4v	50.5v	74.7v	104.13v	39.2v	75.13v	679.72v
207	Mrs RA Wiltshire	X	72.4v	72.6v	46.6v	48.7v	49.3v	48.4v	46.5v	74.9v	102.11v	48.4v	74.10v	679.69v
208	Mrs RP Paquette	O	72.4v	71.6v	46.4v	47.4v	50.9v	48.7v	47.7v	74.6v	102.13v	47.2v	75.7v	679.69v
209	Miss LG Taylor	O	69.2v	73.3v	49.4v	46.3v	46.5v	48.6v	47.2v	75.12v	103.11v	48.5v	75.13v	679.66v
210	Mr JTM Magill	O	70.5v	71.7v	49.5v	49.3v	49.4v	50.4v	45.4v	74.11v	102.9v	45.3v	75.11v	679.66v
211	Mr RG Scott	A	71.5v	72.8v	46.3v	47.4v	48.4v	49.6v	50.6v	75.9v	103.11v	44.1v	74.8v	679.65v
212	Mr PB Cutts	O	72.7v	74.12v	49.3v	42.2v	49.8v	49.3v	50.4v	73.9v	102.6v	49.4v	70.6v	679.64v
213	Mr P A Hatfield	A	72.9v	74.5v	47.4v	47.3v	47.5v	45.1v	49.7v	75.7v	104.13v	47.3v	72.7v	679.64v
214	Mr AD Partridge	A	74.6v	69.4v	49.7v	47.5v	49.4v	47.3v	48.4v	74.6v	104.14v	47.5v	71.5v	679.63v
215	Miss SIM Anderson	X	72.8v	73.8v	46.3v	46.3v	49.3v	48.2v	48.6v	74.10v	103.7v	48.4v	72.8v	679.62v
216	F/Sgt K Milner	T	70.5v	73.6v	48.6v	49.0v	50.6v	50.6v	48.2v	73.5v	102.15v	45.1v	71.8v	679.60v
217	Mr RH Gardiner	A	66.3v	71.10v	49.6v	50.6v	49.7v	47.4v	49.7v	72.9v	104.12v	47.6v	74.9v	678.79v
218	Mr DF Williams	O	71.6v	75.9v	45.3v	46.3v	48.6v	47.6v	50.7v	75.10v	103.13v	44.3v	74.13v	678.79v
219	Mr SJ East	X	69.7v	72.8v	49.1v	49.8v	50.8v	49.9v	49.6v	75.12v	100.10v	42.1v	74.9v	678.79v
220	Mr TP Hammond	A	67.4v	70.7v	48.5v	46.3v	49.5v	47.5v	48.5v	75.12v	104.12v	49.7v	75.8v	678.73v
221	Capt D Morris	A	70.6v	72.5v	48.6v	48.5v	49.5v	49.8v	48.5v	73.8v	101.9v	47.5v	73.9v	678.71v
222	Mr S Glen	X	69.6v	73.8v	49.5v	44.2v	48.5v	50.6v	49.5v	72.8v	102.12v	49.7v	73.6v	678.70v
223	Mr ITR Jobling	O	73.10v	71.8v	49.4v	49.4v	50.7v	47.4v	45.3v	75.7v	100.10v	46.3v	73.10v	678.70v
224	Mr BN Craig	A	69.7v	71.7v	50.4v	50.6v	50.7v	47.3v	50.7v	70.6v	103.13v	44.2v	74.8v	678.70v
225	Mr AM Bullen	A	73.6v	75.9v	49.5v	45.4v	50.7v	45.4v	48.4v	72.9v	104.13v	45.3v	72.5v	678.69v
226	Mr NS Gibbins	X	72.8v	75.13v	49.4v	45.2v	49.4v	44.3v	49.5v	74.9v	105.12v	41.0v	75.9v	678.69v
227	Mr PJ Dudzinski	A	70.7v	73.4v	49.6v	46.5v	49.5v	49.4v	50.6v	74.6v	102.12v	46.4v	70.8v	678.67v
228	MWO Y Jin	T	72.6v	73.8v	48.4v	46.5v	50.6v	47.3v	46.3v	73.9v	103.12v	46.2v	74.9v	678.67v
229	Mr A Griffin	O	73.4v	75.9v	49.6v	45.2v	49.4v	49.6v	48.6v	74.8v	100.8v	41.0v	75.13v	678.66v
230	LCP-L Watson	X	65.3v	74.8v	49.5v	47.3v	50.6v	49.4v	47.7v	75.8v	102.12v	48.4v	72.5v	678.65v
231	Mr AG Harrison	O	71.11v	73.8v	50.4v	48.1v	50.5v	45.5v	46.3v	72.7v	101.9v	47.3v	75.8v	678.64v
232	Cdt BG Chamberlain	T	74.4v	71.6v	44.3v	47.5v	50.8v	45.2v	48.1v	74.9v	102.12v	49.5v	74.8v	678.63v
233	Mr MR Rewston	O	69.5v	73.9v	49.5v	47.7v	50.4v	49.5v	50.2v	75.6v	99.9v	48.5v	69.6v	678.63v
234	Mr ML Cotillard	A	67.2v	74.8v	49.4v	47.5v	49.5v	48.6v	49.5v	74.5v	101.10v	48.4v	72.9v	678.63v
235	Mr JR Stirland	A	71.7v	71.7v	47.5v	48.5v	48.4v	48.4v	50.5v	70.8v	102.10v	50.9v	72.9v	677.73v
236	Mr MJJ Charlton	O	74.6v	72.7v	47.7v	47.5v	48.7v	47.3v	49.4v	71.8v	100.10v	48.6v	74.10v	677.73v
237	Mr CS Lamont	O	68.8v	73.10v	49.6v	47.2v	50.8v	46.3v	47.5v	74.10v	102.10v	47.3v	74.8v	677.73v
238	Mr TM Green	A	68.4v	74.8v	49.6v	45.3v	49.6v	47.6v	50.7v	74.9v	101.10v	48.6v	72.5v	677.70v
239	Mr SW Maris	O	69.5v	72.8v	49.7v	49.4v	48.7v	48.7v	49.7v	74.10v	102.9v	47.3v	70.3v	677.70v
240	Mr MJM Black	X	68.6v	72.5v	47.5v	44.4v	50.7v	49.6v	49.6v	75.8v	101.9v	47.1v	75.12v	677.69v
241	Mr MG Reid	A	72.7v	74.9v	48.4v	46.2v	49.4v	49.3v	50.9v	74.7v	99.9v	46.5v	70.6v	677.65v
242	Mr TL Bedwell	O	70.2v	73.8v	49.6v	48.8v	47.4v	49.5v	47.3v	71.6v	101.11v	49.5v	73.6v	677.64v
243	Mr RT MacLeod	O	67.1v	73.7v	48.6v	45.5v	49.4v	49.4v	49.2v	74.7v	104.11v	44.3v	75.12v	677.62v
244	Mr RPF Fagan	O	73.6v	73.9v	45.2v	47.5v	50.4v	50.6v	47.6v	73.6v	103.9v	44.2v	72.7v	677.62v
245	Mr SL Cleveland	O	69.7v	72.8v	47.4v	47.3v	50.4v	48.4v	48.6v	73.6v	104.12v	48.2v	71.4v	677.60v
246	Mr SP O'Brien	O	73.4v	74.7v	48.4v	46.2v	49.5v	48.6v	47.7v	73.7v	100.7v	46.2v	73.6v	677.57v
247	Dr JR Deane	X	68.5v	71.7v	49.4v	43.5v	48.6v	50.8v	49.7v	73.10v	104.13v	46.5v	75.13v	676.83v
248	Mr CD Heales	A	71.5v	73.10v	50.8v	46.5v	48.5v	48.4v	47.6v	74.10v	101.13v	46.4v	72.7v	676.77v
249	Cdt BR Fraser-Burn	O	71.6v	73.7v	47.5v	47.4v	50.9v	48.7v	48.6v	74.9v	102.11v	41.2v	75.8v	676.74v
250	Mr MRM Millar	X	69.6v	73.9v	47.4v	47.3v	50.8v	48.5v	48.4v	72.11v	102.10v	49.7v	71.6v	676.73v
251	Miss AR Southall	A	70.5v	74.7v	47.5v	45.3v	49.8v	49.7v	48.5v	73.9v	102.13v	44.2v	75.8v	676.72v
252	Mr GW Robinson	O	69.6v	71.6v	44.3v	47.4v	49.6v	50.5v	48.6v	72.7v	103.13v	48.4v	75.10v	676.70v
253	Mr TJ Bullock	X	72.8v	73.10v	49.5v	48.4v	49.5v	48.5v	48.4v	72.9v	99.7v	46.4v	72.8v	676.69v
254	Mr T Steele	A	65.3v	69.5v	47.3v	49.5v	50.6v	47.5v	48.6v	75.8v	103.12v	50.6v	73.9v	676.68v
255	Mr HJM Awin	A	70.2v	73.8v	49.5v	46.5v	49.7v	47.4v	47.6v	75.10v	103.14v	45.2v	72.5v	676.68v
256	Capt AG McLean	X	66.2v	74.10v	50.4v	47.5v	49.5v	48.4v	46.3v	73.9v	101.12v	48.3v	74.10v	676.67v
257	Mr TLW Kidner	A	69.7v	74.8v	50.6v	46.4v	50.7v	45.5v	49.5v	72.6v	101.10v	47.3v	73.6v	676.67v
258	WO J Czuba	T	67.5v	70.8v	49.3v	46.2v	50.8v	49.5v	48.5v	75.6v	101.11v	48.6v	73.7v	676.66v
259	Mr TSM Gordon	O	74.4v	73.6v	48.5v	47.5v	47.5v	48.6v	47.4v	72.8v	102.10v	47.4v	71.9v	676.66v
260	Mr A Mabon	O	70.6v	71.8v	49.4v	48.5v	47.2v	50.6v	49.4v	69.5v	100.7v	48.5v	75.12v	676.64v
261	Wg. Cdr. CR Smith	X	70.8v	71.8v	48.5v	45.3v	50.5v	50.6v	49.4v	73.8v	101.9v	45.2v	74.6v	676.64v
262	Mr SJB Sander	O	73.8v	74.5v	47.5v	48.4v	47.5v	44.3v	48.4v	72.5v	102.9v	48.5v	73.10v	676.63v
263	Mr OP Henry	A	71.6v	73.10v	47.5v	49.2v	47.5v	47.4v	49.7v	72.5v	102.11v	45.1v	74.7v	676.63v
264	Mr RK Jackson	O	74.7v	73.6v	49.6v	47.3v	49.7v	46.4v	49.4v	73.6v	100.11v	46.2v	70.6v	676.62v
265	Mr ADJ Stewart	O	72.5v	74.7v	48.5v	43.0v	47.4v	48.3v	44.1v	74.10v	104.14v	48.2v	74.10v	676.61v
266	Mr NP Moxon	A	71.4v	73.8v	49.6v	49.6v	46.4v	47.8v	50.6v	73.11v	98.13v	49.7v	70.9v	675.82v
267	Mr MR Frost	O	69.3v	73.9v	47.5v	46.2v	47.6v	49.8v	49.6v	73.9v	101.13v	49.6v	72.7v	675.74v
268	Mr C Pirouet	T	73.9v	70.7v	49.7v	45.3v	49.5v	47.6v	50.6v	71.7v	103.12v	47.5v	71.6v	675.73v
269	Mr ORW Russell	X	67.5v	72.9v	50.4v	47.4v	48.4v	49.4v	44.5v	75.10v	102.11v	47.4v	74.13v	675.73v
270	Mr JA Anderson	A	70.5v	73.9v	49.6v	46.4v	49.7v	48.5v	47.5v	72.8v	102.11v	46.4v	73.9v	675.73v
271	Mr FTG Amy	A	68.4v	72.9v	48.7v	46.3v	49.5v	47.4v	48.3v	75.11v	100.9v	49.8v	73.7v	675.70v
272	Miss HCM Bennett	O	70.5v	70.7v	47.5v	48.5v	49.6v	48.4v	48.5v	73.8v	102.10v	47.4v	73.11v	675.70v

273	Mr MB Barker	T	70.7v	73.9v	45.4v	47.4v	50.7v	45.2v	48.3v	73.9v	102.10v	48.5v	74.9v	675.69v
274	Mr AC Haley	X	72.11v	72.9v	47.4v	46.2v	47.4v	49.4v	44.0v	74.11v	105.13v	47.4v	72.7v	675.69v
275	Mr T Keen	A	67.3v	74.10v	46.3v	49.6v	49.5v	47.3v	46.5v	74.10v	104.13v	45.2v	74.9v	675.69v
276	Mr IW Robertson	X	72.3v	70.5v	46.3v	47.4v	50.6v	47.2v	49.8v	72.9v	103.13v	47.6v	72.9v	675.68v
277	WO A Kurd	T	68.3v	74.9v	48.5v	46.3v	50.3v	46.5v	46.4v	74.11v	102.16v	47.3v	74.6v	675.68v
278	Mr PJ Chance	X	68.4v	68.2v	50.6v	47.2v	49.8v	46.2v	47.1v	74.11v	103.16v	50.6v	73.9v	675.67v
279	Mr CJ Sherratt	O	61.2v	70.6v	47.5v	48.4v	50.5v	50.6v	50.7v	73.9v	104.11v	48.4v	74.7v	675.66v
280	Mr MG Whicher	A	73.6v	75.9v	49.6v	46.4v	49.7v	44.2v	49.7v	73.6v	103.9v	41.3v	73.7v	675.66v
281	Mr NNT Kerins	O	69.4v	70.8v	49.6v	47.4v	48.6v	48.3v	48.5v	74.8v	104.12v	45.2v	73.7v	675.65v
282	Eur Ing CA Painting	A	70.4v	70.8v	48.3v	49.8v	50.7v	45.1v	49.6v	71.5v	103.11v	47.2v	73.9v	675.64v
283	Miss LE Kennedy	O	70.5v	72.10v	47.3v	49.2v	48.5v	49.6v	46.6v	73.5v	101.10v	45.2v	75.10v	675.64v
284	Mr R Kloosterman	A	69.5v	73.6v	49.5v	49.6v	49.5v	49.2v	47.3v	70.6v	101.10v	48.4v	71.9v	675.61v
285	Mr RI Coventry	O	63.4v	74.7v	49.5v	49.4v	49.5v	49.5v	48.4v	73.8v	103.10v	45.2v	73.6v	675.60v
286	Mr SJ Comins	O	71.7v	72.7v	46.4v	44.4v	49.4v	50.3v	48.4v	74.9v	101.8v	48.5v	72.4v	675.59v
287	Miss AJ Clarke	O	72.4v	75.9v	50.4v	45.2v	47.4v	48.4v	48.4v	75.9v	100.9v	44.4v	71.6v	675.59v
288	Mr MR Ebbetts	O	70.4v	70.5v	47.6v	49.5v	49.6v	47.2v	49.5v	75.8v	100.7v	47.4v	72.6v	675.58v
289	Mr ADE Grounds	O	67.3v	74.7v	47.2v	50.6v	49.4v	46.2v	49.3v	70.3v	98.6v	50.4v	75.8v	675.48v
290	Mr RG Evans	O	69.6v	71.7v	46.2v	47.5v	49.8v	48.6v	50.4v	74.10v	98.7v	48.6v	74.8v	674.69v
291	Dr IT Matsumoto	O	72.7v	73.8v	43.3v	47.4v	47.3v	49.5v	49.8v	72.5v	102.12v	49.7v	71.6v	674.68v
292	Mr M Stewart	O	70.8v	70.5v	48.6v	46.3v	50.6v	50.6v	47.3v	75.8v	101.10v	47.2v	70.8v	674.65v
293	Miss GE Coburn	A	70.5v	73.9v	46.1v	46.2v	49.4v	50.7v	48.8v	71.5v	102.13v	45.2v	74.9v	674.65v
294	Miss S Cheslyn-Curtis	O	73.7v	72.7v	48.3v	48.5v	47.2v	49.4v	46.4v	71.8v	103.13v	46.3v	71.6v	674.62v
295	Miss S Ponter	O	72.6v	70.5v	49.7v	44.2v	50.7v	48.4v	48.7v	73.6v	101.7v	45.2v	74.9v	674.62v
296	Mr MF Martel	A	70.7v	72.5v	48.4v	47.2v	48.3v	47.5v	47.5v	72.11v	102.14v	49.1v	72.4v	674.61v
297	Mr KJA Painter	T	71.7v	74.7v	50.6v	46.3v	47.7v	47.4v	46.4v	74.5v	100.8v	47.4v	72.5v	674.60v
298	Ms CH Hearn	O	69.6v	73.6v	50.6v	48.6v	48.3v	45.3v	49.6v	73.4v	98.7v	46.3v	75.10v	674.60v
299	Miss JE Ouston	X	68.7v	74.10v	48.4v	47.4v	49.8v	49.5v	45.4v	73.7v	103.15v	45.4v	72.8v	673.76v
300	Mr SAJ Dowley	O	73.9v	73.8v	48.5v	45.2v	50.5v	48.5v	48.7v	74.10v	103.13v	38.1v	73.7v	673.72v
301	Mr JR Dunbar	O	74.9v	72.3v	48.5v	43.7v	48.4v	48.6v	48.4v	74.7v	101.12v	43.3v	74.8v	673.68v
302	S Ouellet	T	70.8v	70.8v	47.4v	50.4v	49.5v	49.6v	49.6v	72.7v	102.8v	47.3v	68.6v	673.65v
303	Mr MJ Wood	A	66.2v	72.3v	49.7v	47.5v	47.3v	49.9v	50.7v	72.7v	101.10v	45.3v	75.9v	673.65v
304	Mr RK Sheead	O	71.6v	71.5v	49.4v	47.5v	46.4v	46.4v	49.4v	73.10v	101.7v	45.4v	75.9v	673.62v
305	Mr MJW Willing	O	71.4v	69.6v	50.6v	48.7v	50.5v	49.6v	49.5v	71.6v	100.10v	43.1v	73.5v	673.61v
306	Mr WR Steward	O	72.3v	74.7v	50.6v	44.2v	49.5v	48.3v	49.5v	70.6v	100.11v	46.3v	71.9v	673.60v
307	Mr DAF Parkinson	O	68.2v	73.8v	49.5v	47.3v	47.4v	48.4v	49.6v	75.7v	98.9v	48.4v	71.6v	673.58v
308	Dr N Hart	A	72.7v	72.2v	47.4v	44.1v	49.6v	47.6v	48.6v	71.7v	102.10v	48.2v	73.5v	673.56v
309	Wg. Cdr. CJ Hockley OBE	X	72.7v	74.6v	49.1v	43.0v	47.4v	47.5v	47.3v	73.6v	101.10v	47.4v	73.8v	673.54v
310	Mr DN Lindsay	A	72.3v	70.6v	48.3v	46.3v	50.6v	48.5v	44.3v	75.8v	99.6v	49.4v	72.6v	673.53v
311	Mr AB Tucker	O	71.6v	72.5v	49.4v	49.5v	48.6v	49.4v	48.3v	73.7v	101.7v	43.1v	70.5v	673.53v
312	Mr PJ Johnson	A	69.7v	71.4v	50.6v	47.4v	49.6v	49.7v	49.4v	72.10v	100.13v	43.5v	73.8v	672.74v
313	Mr CRM Asquith	O	70.6v	72.8v	49.6v	42.5v	49.3v	50.5v	48.6v	72.11v	99.7v	48.5v	73.7v	672.69v
314	Mr RE Ellis	A	72.10v	71.6v	48.3v	45.3v	50.6v	49.7v	47.2v	75.5v	102.13v	44.5v	69.7v	672.67v
315	WO T Vila	T	72.7v	70.7v	47.2v	46.4v	48.5v	50.6v	45.4v	74.8v	101.8v	45.4v	74.11v	672.66v
316	Mr LMD Cheek	O	69.5v	71.8v	49.5v	45.2v	50.9v	49.6v	46.5v	74.4v	103.11v	43.2v	73.9v	672.66v
317	Mr JWE Lothian	A	69.5v	73.9v	47.3v	45.4v	49.3v	49.4v	48.6v	75.9v	104.14v	42.2v	71.7v	672.66v
318	Mr AI Brown	A	71.5v	72.6v	49.6v	47.4v	47.6v	45.2v	48.7v	72.5v	103.13v	48.4v	70.7v	672.65v
319	Miss LR Mckerrell	A	71.6v	73.10v	50.4v	44.3v	49.7v	47.1v	49.6v	73.8v	101.12v	43.3v	72.5v	672.65v
320	Mr D Lowe	O	67.3v	73.7v	50.7v	47.4v	47.6v	50.4v	50.3v	69.7v	101.10v	47.5v	71.8v	672.64v
321	Major RHG Riley	X	70.9v	71.7v	49.3v	43.1v	47.3v	48.3v	49.6v	73.6v	103.12v	48.4v	71.8v	672.62v
322	Dr MJ Schwarz	A	71.5v	75.10v	47.5v	48.5v	46.3v	47.4v	50.7v	72.6v	100.11v	45.2v	71.4v	672.62v
323	Mr V Robertshaw	O	73.6v	72.8v	48.3v	48.4v	47.4v	45.3v	49.7v	70.5v	102.11v	47.6v	71.4v	672.61v
324	Mr GAE Larcambe	O	68.6v	73.9v	49.4v	48.5v	48.5v	47.4v	47.5v	73.7v	103.8v	44.2v	72.6v	672.61v
325	Mr ID Macdonald	O	69.8v	73.5v	48.4v	47.2v	48.2v	49.4v	48.4v	72.8v	98.11v	48.4v	72.8v	672.60v
326	Miss CEM Mawson	A	71.9v	69.4v	48.5v	47.3v	50.6v	49.6v	48.7v	72.5v	99.7v	45.2v	74.6v	672.60v
327	Mr ST Taylor	O	63.5v	70.7v	50.7v	49.4v	50.5v	50.6v	43.3v	74.11v	102.11v	47.4v	73.10v	671.73v
328	Mr WHC Alexander	O	67.3v	73.10v	46.7v	48.4v	44.4v	50.5v	47.4v	74.10v	104.13v	45.6v	73.7v	671.73v
329	Prof. AR Horrocks	A	70.8v	70.5v	49.5v	48.5v	50.8v	47.5v	45.0v	74.12v	102.9v	45.2v	71.8v	671.67v
330	Mr B Heatley	O	64.4v	73.6v	48.6v	49.7v	48.5v	45.4v	50.6v	75.7v	102.11v	47.3v	70.7v	671.66v
331	Mr AJ Leech	O	72.8v	71.7v	45.7v	45.2v	49.5v	48.5v	50.6v	72.10v	101.7v	49.5v	69.3v	671.65v
332	Mr JR Lindsay	O	67.3v	72.6v	47.4v	43.2v	49.7v	50.6v	49.6v	73.6v	103.11v	44.3v	74.9v	671.63v
333	Mr CPP Brewin	T	70.5v	73.5v	49.4v	49.4v	45.4v	47.6v	49.6v	75.10v	99.5v	42.4v	73.9v	671.62v
334	Miss C H Sayers	O	72.6v	71.7v	50.5v	43.1v	48.5v	48.5v	45.2v	74.9v	101.9v	46.3v	73.9v	671.61v
335	Mr RG Faulkner	O	69.3v	69.8v	48.3v	48.4v	49.5v	49.3v	48.7v	73.8v	99.6v	47.4v	72.9v	671.60v
336	Mrs JC Scott Langley	A	71.6v	72.6v	47.4v	47.7v	48.6v	46.1v	50.4v	72.4v	102.10v	44.2v	72.6v	671.56v
337	Mr RP Rosling	A	69.5v	71.5v	48.6v	48.2v	46.3v	47.2v	47.3v	73.9v	102.8v	46.3v	74.9v	671.55v
338	Mr IRM Brown	A	71.3v	70.4v	50.6v	49.6v	48.2v	49.3v	50.8v	70.4v	99.6v	44.3v	71.6v	671.51v
339	Mr CP Goad	O	70.5v	73.11v	48.7v	48.3v	46.3v	49.4v	47.4v	73.10v	102.10v	40.3v	74.11v	670.71v
340	Mr CMB Bowring	O	71.10v	70.5v	49.5v	48.2v	50.7v	48.5v	46.4v	73.11v	98.10v	44.1v	73.8v	670.68v
341	Mr A Chown	O	69.5v	70.6v	48.7v	47.5v	50.4v	46.4v	48.4v	71.5v	103.14v	43.3v	75.10v	670.67v
342	Mr P De Voil	A	66.5v	72.7v	48.4v	44.2v	47.4v	47.4v	50.3v	74.11v	102.13v	47.4v	73.9v	670.66v
343	Mr SH Wingrove	X	70.3v	70.6v	50.5v	44.2v	49.6v	46.4v	48.6v	72.10v	103.10v	44.4v	74.10v	670.66v
344	Mr DS Goodwin	O	68.5v	72.8v	48.6v	49.6v	49.5v	45.5v	48.4v	75.6v	101.9v	43.3v	72.9v	670.66v

345	Mr MF Boucher	O	69.4v	72.7v	49.5v	45.4v	47.5v	50.5v	48.4v	74.10v	100.9v	43.2v	73.10v	670.65v
346	Mr TG Greenhalgh	O	70.5v	71.6v	48.4v	46.3v	48.3v	49.5v	50.9v	74.10v	99.10v	41.1v	74.8v	670.64v
347	Mr BV Cambray	A	72.5v	71.7v	45.2v	45.3v	48.4v	49.6v	45.5v	73.8v	102.11v	47.3v	73.8v	670.62v
348	Mr SR Robinson	T	73.3v	72.6v	50.8v	44.2v	49.6v	50.6v	44.4v	73.7v	98.7v	45.5v	72.8v	670.62v
349	Mr JRJ Hinde	O	72.4v	73.5v	48.6v	43.2v	48.6v	44.2v	49.4v	74.8v	103.12v	44.3v	72.9v	670.61v
350	Cdt Cpl TJ Johnston	O	70.3v	72.7v	49.3v	43.1v	49.3v	46.4v	47.5v	75.8v	100.12v	45.2v	74.11v	670.59v
351	Mr RF Barrington	O	65.3v	74.9v	48.4v	46.5v	49.5v	50.9v	48.3v	71.6v	98.6v	48.4v	73.4v	670.58v
352	Mr D Clark	A	72.6v	69.4v	49.3v	47.4v	49.6v	47.2v	46.0v	74.12v	95.5v	48.4v	74.12v	670.58v
353	Mr SH Cox	O	71.5v	72.6v	48.4v	46.5v	46.4v	49.6v	47.3v	73.7v	100.7v	45.2v	73.9v	670.58v
354	LCpl WC Cowen	T	71.5v	73.6v	49.4v	45.6v	48.3v	48.5v	44.2v	73.6v	98.7v	48.3v	73.6v	670.53v
355	Mr AN Tongue	O	70.6v	72.8v	48.6v	48.6v	46.3v	46.4v	45.3v	74.9v	102.12v	44.4v	74.9v	669.70v
356	Mr N M Duncan	O	70.6v	67.5v	49.6v	47.3v	48.3v	46.4v	50.9v	73.8v	102.11v	43.3v	74.12v	669.70v
357	Mr J Purdy	O	72.8v	71.6v	49.7v	46.3v	49.7v	45.3v	49.2v	71.6v	102.12v	41.3v	74.9v	669.66v
358	Mr PG Gilleece	O	72.8v	74.8v	49.6v	45.3v	46.2v	50.9v	47.5v	74.8v	98.8v	41.2v	73.7v	669.66v
359	Miss E Marsh	T	72.9v	72.5v	46.4v	49.5v	47.6v	48.5v	47.3v	74.8v	99.10v	43.3v	72.7v	669.65v
360	Mr DH Allen	O	69.4v	70.3v	48.6v	48.6v	47.4v	48.3v	48.4v	72.8v	99.9v	46.6v	74.11v	669.64v
361	Mr KR Trowbridge	O	72.7v	73.7v	46.5v	50.8v	46.4v	46.1v	49.7v	67.4v	99.9v	49.4v	72.5v	669.61v
362	Mr SH Dickson	O	70.5v	73.8v	50.4v	46.4v	45.2v	44.2v	49.7v	70.5v	99.7v	49.6v	74.9v	669.59v
363	Cdt TS Shalom	T	70.7v	69.5v	48.3v	47.4v	49.7v	48.5v	48.4v	70.4v	102.9v	43.2v	75.8v	669.58v
364	Mr S Sharma	O	72.6v	71.10v	49.4v	45.3v	45.2v	47.4v	49.5v	72.5v	101.10v	47.3v	71.5v	669.57v
365	Mr S Brewer-Marchant	O	73.3v	71.5v	48.6v	43.2v	49.6v	47.4v	47.6v	71.6v	102.10v	46.2v	72.7v	669.57v
366	Mr SL Larter-Whitcher	O	73.6v	71.5v	48.6v	47.3v	50.5v	48.5v	44.2v	71.5v	103.7v	42.2v	72.10v	669.56v
367	Mr PGW Purdy	O	70.4v	73.10v	43.3v	45.2v	50.5v	48.4v	45.3v	73.7v	103.9v	47.2v	72.6v	669.55v
368	Mr NW Penn	O	71.5v	74.7v	46.3v	45.3v	49.2v	48.3v	49.6v	70.7v	99.6v	48.4v	70.4v	669.50v
369	Mr PJS Bysshe	O	69.4v	70.6v	49.6v	45.2v	49.7v	47.5v	47.4v	72.9v	101.16v	45.3v	74.6v	668.68v
370	Cdt J Lei	O	70.6v	73.8v	48.5v	47.4v	48.4v	50.7v	47.3v	74.9v	99.11v	39.0v	73.11v	668.68v
371	Cdt JJC Cracknell	O	69.4v	72.11v	50.6v	48.4v	45.3v	49.3v	49.8v	71.7v	98.7v	43.0v	74.11v	668.64v
372	Mr SNS Penrose	X	70.9v	75.10v	46.2v	46.4v	48.4v	46.4v	48.4v	74.6v	100.8v	45.5v	70.7v	668.63v
373	Mr PG Oxnam	O	68.4v	72.6v	48.6v	50.8v	50.9v	46.1v	37.3v	74.6v	103.10v	47.4v	73.5v	668.62v
374	Mr AS Errey	O	70.3v	72.7v	45.1v	47.5v	49.8v	49.6v	47.4v	73.9v	99.12v	46.3v	71.4v	668.62v
375	Mr KM Willingale	O	70.4v	73.5v	45.4v	48.6v	47.3v	47.4v	47.6v	71.4v	102.11v	44.4v	74.11v	668.62v
376	Mr N Boyle	A	70.4v	72.8v	50.7v	44.4v	50.7v	47.3v	46.1v	74.7v	100.9v	44.2v	71.9v	668.61v
377	Mr TM Mason	T	70.6v	70.6v	50.6v	49.3v	49.5v	47.5v	45.1v	73.6v	98.11v	43.1v	74.11v	668.61v
378	Mr DCW Lloyd	O	74.8v	72.7v	44.3v	48.4v	46.5v	48.2v	46.3v	72.9v	100.11v	44.0v	74.8v	668.60v
379	Mr H Sanders	X	68.2v	70.5v	47.5v	49.8v	50.9v	48.5v	44.3v	71.5v	99.4v	49.5v	73.8v	668.59v
380	Mr MD Jenvey	A	71.9v	67.3v	49.5v	46.3v	47.6v	47.4v	49.6v	71.8v	103.5v	45.4v	73.6v	668.59v
381	Miss KA Berman	A	69.4v	74.8v	49.3v	46.2v	44.5v	49.5v	48.8v	72.5v	101.10v	45.2v	71.7v	668.59v
382	Cdt Sgt CE Phillips	O	69.4v	71.2v	48.4v	42.2v	50.6v	49.5v	48.2v	74.9v	103.16v	42.3v	72.6v	668.59v
383	LCpl SD James	T	67.5v	71.5v	50.4v	48.6v	49.4v	49.6v	48.3v	71.10v	95.7v	46.3v	74.5v	668.58v
384	Mr MJ Whatton	O	67.5v	71.7v	49.4v	48.2v	49.3v	42.4v	49.5v	72.6v	103.13v	44.3v	74.6v	668.58v
385	Mr M Mann	O	66.3v	70.4v	47.2v	47.6v	49.6v	47.4v	46.4v	73.7v	103.13v	48.3v	72.4v	668.56v
386	Mr PR Thompson	A	74.8v	72.6v	44.1v	47.3v	46.1v	46.2v	47.2v	71.6v	101.11v	46.3v	74.6v	668.49v
387	Mr NJ Burnip	O	66.2v	73.10v	50.1v	47.3v	44.3v	48.3v	50.6v	73.6v	97.5v	49.3v	71.5v	668.47v
388	Mr MT Dodd	O	66.3v	71.4v	47.4v	48.4v	49.4v	48.5v	48.3v	72.5v	100.4v	45.4v	74.6v	668.46v
389	Mr OJ Rolfe	X	70.5v	71.6v	48.4v	48.4v	50.7v	46.2v	43.5v	72.8v	103.13v	45.4v	71.6v	667.64v
390	Mr TM Stevenson	O	74.6v	73.6v	47.2v	48.5v	50.4v	47.5v	47.6v	74.6v	99.6v	35.3v	73.9v	667.58v
391	Mr DN Webber	O	68.7v	73.9v	48.5v	43.0v	46.3v	46.1v	48.6v	74.5v	102.12v	47.3v	72.6v	667.57v
392	Miss ATJ Voorthuizen	O	68.5v	72.8v	47.3v	46.5v	49.4v	50.2v	46.3v	70.6v	101.10v	43.2v	75.9v	667.57v
393	Sqn Ldr JM Fitzpatrick	O	70.3v	71.7v	48.4v	46.4v	46.4v	47.3v	48.4v	71.8v	100.7v	48.4v	72.6v	667.54v
394	Miss RL Laird	A	67.2v	69.4v	47.1v	45.5v	50.4v	50.5v	47.4v	74.11v	98.9v	47.3v	73.6v	667.54v
395	Mr HRM Bailie	O	72.5v	70.5v	47.5v	43.5v	49.5v	48.3v	48.2v	75.6v	102.12v	44.3v	69.1v	667.52v
396	Mr MJ Bumford	O	72.8v	71.5v	47.3v	48.3v	47.2v	44.4v	48.2v	73.6v	99.4v	46.3v	72.9v	667.49v
397	Mr GL Clarke	O	74.7v	72.3v	47.2v	48.6v	47.3v	47.6v	44.1v	71.7v	100.9v	44.1v	73.4v	667.49v
398	Mr BA Young	O	74.8v	70.9v	49.5v	43.1v	47.3v	49.9v	47.5v	71.7v	101.9v	42.1v	73.9v	666.66v
399	Mr PS Holmes	X	66.3v	70.8v	48.4v	46.4v	48.7v	46.4v	47.4v	71.8v	104.12v	49.6v	71.5v	666.65v
400	Mr RA Welford	O	69.4v	69.5v	45.3v	45.4v	48.5v	47.3v	48.6v	73.10v	101.11v	48.7v	73.4v	666.62v
401	Mr AP Smith	O	67.5v	72.6v	48.2v	43.3v	48.5v	49.3v	50.7v	74.8v	99.11v	45.3v	71.7v	666.60v
402	SAC JS Thompstone	O	67.3v	73.4v	47.4v	44.4v	48.5v	49.6v	48.5v	72.8v	103.11v	43.2v	72.7v	666.59v
403	Mr SE Frost	O	70.4v	71.5v	49.5v	44.1v	47.2v	45.5v	47.3v	73.9v	101.8v	47.6v	72.6v	666.54v
404	Mr M D Joyce	A	66.3v	72.7v	47.3v	46.4v	48.6v	47.2v	47.5v	74.4v	102.10v	47.3v	70.7v	666.54v
405	Miss EL Hoolahan	O	67.4v	70.5v	46.2v	48.4v	47.6v	48.3v	48.5v	71.6v	100.10v	48.2v	73.6v	666.53v
406	Mr JD Webber	O	68.5v	72.8v	45.2v	45.2v	49.6v	49.5v	48.5v	72.7v	101.4v	46.3v	71.4v	666.51v
407	Mr WC Compton	T	72.7v	69.3v	46.5v	44.1v	47.1v	47.3v	45.3v	72.4v	104.11v	47.2v	73.8v	666.48v
408	Mr MHH John	O	70.5v	72.7v	45.2v	47.2v	49.3v	49.4v	47.3v	71.4v	99.5v	46.3v	71.8v	666.46v
409	Mr JA Borland	A	71.5v	72.9v	48.4v	43.1v	50.7v	49.6v	47.4v	71.9v	95.10v	49.5v	70.7v	665.67v
410	Mr B Creane	O	65.7v	68.7v	48.4v	49.8v	50.7v	46.4v	46.2v	73.5v	100.12v	46.2v	74.7v	665.65v
411	Mr AMS Sadler	O	71.5v	73.9v	49.4v	44.3v	49.5v	49.7v	50.7v	72.7v	94.7v	46.5v	68.5v	665.64v
412	Mr SJA Fielding-Isaacs	O	71.7v	72.8v	48.5v	49.2v	47.5v	45.2v	46.4v	73.8v	99.9v	41.0v	74.9v	665.59v
413	Cdt TA Orpen-Smellie	T	71.5v	70.5v	45.4v	45.6v	49.4v	50.8v	46.4v	73.9v	102.6v	41.1v	73.5v	665.57v
414	Mr WJ Johnson	T	75.7v	68.6v	48.5v	44.3v	48.2v	48.3v	45.3v	73.4v	100.11v	43.3v	73.9v	665.56v
415	Mr AJCB de Launay	O	71.3v	72.4v	47.3v	45.4v	48.5v	46.1v	47.4v	73.5v	102.11v	46.3v	68.6v	665.49v
416	Mr EWW Feast	O	73.6v	71.6v	47.2v	44.2v	47.5v	49.4v	45.4v	73.5v	99.5v	47.3v	70.5v	665.47v

417	WO V Ho	T	69.4v	69.3v	50.6v	46.3v	47.5v	47.3v	50.7v	73.5v	101.5v	41.1v	72.3v	665.45v
418	Mr HJG Green	O	68.6v	71.7v	45.2v	47.3v	47.6v	48.6v	46.5v	74.9v	104.16v	44.2v	70.6v	664.68v
419	Mr NC Granger	O	67.5v	71.9v	45.4v	45.3v	50.6v	48.5v	50.7v	71.7v	103.9v	46.2v	68.7v	664.64v
420	Mr JE White	O	71.5v	67.4v	47.5v	43.3v	49.5v	46.3v	48.5v	73.8v	99.8v	49.7v	72.6v	664.59v
421	Mr J Bullock	A	71.3v	66.3v	49.7v	48.3v	42.3v	50.8v	46.3v	73.6v	100.9v	46.1v	73.13v	664.59v
422	Mr SC Treacy	O	68.4v	73.7v	46.5v	49.4v	49.8v	48.5v	44.3v	74.7v	100.8v	41.1v	72.6v	664.58v
423	Miss A J C Carnell	T	69.1v	73.7v	46.1v	43.4v	50.9v	43.1v	45.2v	73.10v	103.9v	46.4v	73.9v	664.57v
424	Miss HR Mackintosh	O	69.4v	73.8v	41.3v	45.5v	49.5v	45.3v	49.3v	73.8v	102.8v	47.3v	71.6v	664.56v
425	Mr MJ Creber	O	65.2v	72.7v	48.5v	45.5v	49.4v	46.4v	48.3v	72.5v	104.6v	45.3v	70.8v	664.52v
426	Csm J Tordeoff	T	71.4v	71.8v	48.2v	49.3v	46.4v	46.3v	44.3v	73.5v	100.4v	43.2v	73.8v	664.46v
427	WO J Bourdeur	T	71.7v	71.7v	49.7v	46.2v	49.3v	47.2v	45.4v	75.12v	96.7v	42.4v	72.8v	663.63v
428	Mr AC Brooker	A	64.5v	69.7v	47.3v	45.2v	50.6v	49.5v	49.8v	75.8v	99.8v	42.1v	74.10v	663.63v
429	Mr DJ Curtis	X	69.6v	75.7v	49.5v	43.1v	49.6v	48.3v	47.3v	72.6v	99.11v	43.3v	69.7v	663.58v
430	Mr RA Mullin	O	68.5v	70.6v	49.3v	48.4v	47.3v	47.3v	48.4v	74.10v	102.7v	38.2v	72.9v	663.56v
431	Mr OEJ Spencer	O	71.5v	74.6v	46.4v	48.5v	48.4v	48.3v	40.0v	75.13v	95.6v	48.4v	70.4v	663.54v
432	Mr TEM Mills	T	70.4v	71.5v	48.5v	48.4v	47.6v	47.6v	46.2v	72.5v	101.8v	41.1v	72.6v	663.52v
433	Mr GED Hart	O	69.3v	73.8v	50.4v	48.5v	47.5v	43.0v	48.5v	69.5v	98.7v	47.3v	71.2v	663.47v
434	Mr J A Garnett	O	71.6v	73.4v	47.3v	47.2v	47.4v	46.1v	46.3v	73.8v	96.4v	44.3v	73.7v	663.45v
435	Miss KE Pope	O	71.5v	75.11v	48.3v	46.2v	47.4v	50.5v	47.2v	72.11v	102.9v	31.2v	73.11v	662.65v
436	Mr AK Fitch	O	69.6v	73.8v	49.3v	46.2v	50.6v	48.4v	47.4v	72.7v	101.11v	35.2v	72.5v	662.58v
437	Ms BM Moore	O	68.3v	72.7v	48.7v	46.4v	47.6v	49.7v	48.6v	73.6v	97.5v	46.2v	68.4v	662.57v
438	Dr DA Firth	T	68.2v	71.8v	49.4v	44.5v	49.5v	47.4v	47.3v	73.10v	99.6v	44.2v	71.6v	662.55v
439	Mr R Winney	X	69.3v	72.7v	45.2v	43.3v	48.5v	47.4v	46.2v	71.7v	101.9v	47.4v	73.5v	662.51v
440	Mr D Hanson	O	70.4v	69.1v	50.6v	46.2v	48.3v	46.5v	45.3v	69.5v	101.10v	46.5v	72.6v	662.50v
441	Mr ID Markwell	O	70.4v	69.3v	49.3v	46.3v	48.4v	49.4v	48.6v	71.6v	100.6v	45.2v	67.3v	662.44v
442	Mr MP Watkins	O	70.6v	72.8v	47.4v	47.3v	48.5v	47.1v	46.2v	72.4v	99.6v	43.2v	71.2v	662.43v
443	Lt JW Jenkins	O	69.6v	68.3v	46.3v	47.2v	49.6v	48.4v	45.1v	71.9v	101.7v	44.4v	73.8v	661.53v
444	Cdt Sgt DW Leitch	O	73.9v	73.6v	46.3v	48.5v	50.6v	45.3v	44.3v	72.4v	97.7v	44.1v	69.4v	661.51v
445	Sgt E Clarke	T	65.4v	68.5v	45.1v	48.4v	48.4v	49.4v	46.5v	73.6v	102.11v	43.2v	74.5v	661.51v
446	Mr HN Watson	O	68.2v	72.7v	47.2v	44.3v	50.7v	47.3v	48.4v	75.9v	104.11v	34.0v	72.3v	661.51v
447	Mrs TE East	X	68.2v	73.7v	45.3v	47.6v	47.5v	48.3v	39.2v	71.6v	104.7v	47.4v	72.5v	661.50v
448	Mr JS Stewart	T	69.4v	69.6v	48.4v	43.1v	46.4v	47.0v	47.5v	75.9v	102.9v	44.1v	71.7v	661.50v
449	Mr HM Mccaughey	T	66.2v	72.9v	46.4v	45.3v	49.4v	47.5v	44.0v	74.5v	102.12v	44.0v	72.6v	661.50v
450	Mr DA Smith	O	70.7v	71.7v	49.3v	47.4v	47.5v	48.6v	46.2v	70.3v	97.3v	45.1v	71.3v	661.44v
451	Mr CJ Macdonald	O	72.6v	69.7v	47.4v	45.6v	47.6v	48.5v	46.2v	74.11v	102.10v	35.1v	75.8v	660.66v
452	WO T Swanson	T	68.5v	73.9v	49.6v	40.3v	49.4v	48.4v	42.3v	75.9v	98.5v	46.3v	72.8v	660.59v
453	Mr TJ Bryan	O	63.3v	70.6v	46.3v	44.1v	50.7v	50.6v	47.4v	75.9v	101.11v	47.4v	67.3v	660.57v
454	Mr MB Bree	T	70.4v	69.3v	49.8v	47.4v	47.3v	50.7v	46.4v	71.9v	96.6v	42.2v	73.7v	660.57v
455	Cdt HPC Bramwell	T	68.5v	71.8v	46.3v	45.3v	46.4v	48.4v	46.1v	70.5v	100.10v	46.2v	74.11v	660.56v
456	Mr B Taylor	O	68.7v	69.3v	47.5v	48.5v	48.5v	48.3v	48.4v	71.7v	97.9v	46.0v	70.8v	660.56v
457	Mr OJLW Woolcott	O	70.5v	70.6v	46.3v	45.3v	48.4v	46.3v	46.4v	74.8v	98.9v	45.4v	72.7v	660.56v
458	Mr EG Lawrence	T	70.5v	67.5v	49.3v	45.3v	50.7v	47.3v	46.2v	73.7v	96.8v	44.2v	73.11v	660.56v
459	Mr RF Burden	O	69.2v	69.3v	48.2v	42.2v	48.6v	47.3v	46.4v	71.11v	102.9v	50.6v	68.6v	660.54v
460	Mr ND Stangroom	A	68.3v	69.8v	44.4v	45.2v	46.6v	48.4v	47.5v	73.6v	102.7v	47.2v	71.7v	660.54v
461	Mr PD Doerrer	X	66.2v	69.5v	49.4v	39.1v	47.4v	47.5v	49.3v	72.7v	102.10v	47.4v	73.6v	660.51v
462	Mr HL Lee	O	68.2v	72.9v	45.4v	41.2v	45.1v	49.5v	49.3v	72.5v	100.9v	46.3v	73.8v	660.51v
463	Mr RJ Quay	O	68.4v	71.5v	49.2v	43.0v	50.6v	47.6v	47.2v	71.6v	98.11v	42.2v	74.7v	660.51v
464	Cdt D Shakhman	T	68.2v	73.6v	48.5v	45.1v	47.3v	46.2v	43.1v	74.12v	101.9v	43.3v	72.6v	660.50v
465	Mr P Merry	O	73.7v	73.7v	46.1v	47.4v	44.3v	46.5v	48.6v	72.6v	96.4v	47.4v	68.2v	660.49v
466	Judge AP Powell	O	68.3v	71.5v	49.6v	46.1v	46.2v	49.4v	47.3v	74.10v	98.7v	44.2v	68.6v	660.49v
467	Cpl PL Winter	T	67.3v	72.5v	46.3v	47.3v	47.4v	47.3v	46.2v	71.6v	98.8v	47.4v	72.5v	660.46v
468	WO F Clark	T	68.4v	70.7v	48.6v	46.6v	48.4v	50.7v	45.3v	73.6v	95.10v	45.4v	71.8v	659.65v
469	Mrs T Newbold	O	73.7v	68.4v	48.4v	43.4v	48.5v	49.5v	49.5v	70.5v	98.11v	46.3v	67.5v	659.58v
470	Mr J Golling	X	70.7v	71.8v	46.4v	46.4v	48.3v	45.1v	49.8v	68.4v	100.10v	45.2v	71.4v	659.55v
471	Mr RR Ramage	O	70.4v	69.2v	48.5v	35.2v	50.7v	49.7v	47.4v	68.5v	103.9v	45.2v	75.7v	659.54v
472	Miss A Strain	O	69.7v	68.4v	50.5v	46.2v	46.2v	48.5v	45.4v	72.7v	101.9v	44.1v	70.8v	659.54v
473	Mr HG Goddard	T	73.8v	71.6v	45.2v	41.1v	46.3v	48.3v	47.6v	74.6v	99.10v	43.2v	72.7v	659.54v
474	Mr SCW Dixon	O	68.4v	69.5v	47.3v	48.3v	48.4v	47.7v	48.4v	72.5v	100.9v	42.3v	70.7v	659.54v
475	Mr JF Jackman	O	66.2v	71.6v	47.3v	46.3v	48.5v	48.6v	44.2v	71.4v	98.10v	46.4v	74.8v	659.53v
476	WO P Asselin	T	70.3v	72.5v	45.3v	45.1v	47.4v	47.5v	48.4v	74.9v	98.7v	43.3v	70.7v	659.51v
477	Mr RCG Knight	O	68.4v	69.3v	46.4v	46.3v	50.6v	49.6v	48.3v	73.9v	99.9v	41.1v	70.3v	659.51v
478	Miss HV Southall	O	69.3v	72.6v	45.4v	44.3v	48.4v	48.4v	47.3v	66.3v	98.6v	49.6v	73.7v	659.49v
479	Mr P Dawes	O	67.3v	71.4v	44.3v	48.3v	48.3v	45.2v	46.4v	72.5v	100.7v	49.4v	69.5v	659.43v
480	Mr AF Donald	A	71.5v	68.6v	47.4v	47.5v	48.6v	42.3v	45.4v	73.7v	103.13v	41.1v	73.11v	658.65v
481	Cdt JEK Pepera-Hibbert	T	70.1v	70.4v	48.6v	45.4v	48.5v	48.4v	44.4v	71.9v	98.7v	42.4v	74.12v	658.60v
482	Mr J Barlow	T	66.5v	72.4v	49.4v	44.3v	49.6v	45.2v	43.3v	70.6v	102.9v	44.4v	74.12v	658.58v
483	WO A Walton	T	72.8v	73.9v	48.3v	42.1v	49.4v	48.5v	43.2v	71.9v	96.8v	45.4v	71.4v	658.57v
484	Mr AJ Jones	T	66.2v	69.4v	45.1v	47.5v	47.3v	49.8v	43.3v	74.9v	100.10v	44.1v	74.10v	658.56v
485	Mr ML Lee	O	69.5v	73.10v	46.4v	46.3v	49.6v	47.4v	44.1v	73.7v	98.5v	42.2v	71.7v	658.54v
486	Mr RJ Cade	O	68.7v	71.3v	48.4v	45.4v	45.3v	45.4v	48.1v	72.6v	98.9v	44.3v	74.9v	658.53v
487	Sgt K Peters	T	67.4v	73.4v	50.9v	41.2v	49.5v	49.6v	46.4v	70.5v	99.7v	43.1v	71.6v	658.53v
488	Bdr B Charlton	T	70.4v	71.7v	47.6v	45.5v	47.7v	47.2v	49.3v	71.5v	101.7v	42.1v	68.3v	658.50v

489	Mr R Hedley	O	68.6v	70.2v	49.6v	46.3v	49.5v	45.3v	50.6v	73.5v	93.6v	45.2v	70.5v	658.49v
490	Mr MJL Traynor	O	69.4v	69.4v	47.4v	46.4v	49.5v	48.2v	46.2v	67.3v	100.9v	43.2v	74.8v	658.47v
491	Mr SJ Dawes	O	68.6v	68.3v	46.1v	48.3v	47.6v	46.4v	48.4v	72.3v	98.5v	46.4v	71.6v	658.45v
492	Mr CA Stewart	O	68.3v	71.7v	45.3v	47.4v	49.6v	48.5v	45.2v	70.5v	97.13v	45.3v	72.4v	657.55v
493	Cdt EGH Atkins	T	68.4v	70.5v	47.2v	45.0v	45.2v	46.6v	45.3v	71.9v	100.12v	48.3v	72.7v	657.53v
494	Mr DTA Cobb	O	64.2v	70.5v	47.6v	44.2v	48.5v	46.3v	47.4v	71.4v	103.10v	44.3v	73.8v	657.52v
495	Mr CH Herter	O	69.3v	72.8v	48.4v	43.0v	49.5v	45.3v	44.3v	71.10v	102.9v	40.0v	74.6v	657.51v
496	WO2 GH Bentley	O	64.0v	72.8v	49.4v	49.6v	48.3v	47.2v	42.2v	72.7v	97.7v	46.3v	71.8v	657.50v
497	Mr NB Belousov	T	65.4v	71.4v	48.3v	46.3v	47.4v	49.3v	46.3v	70.8v	103.11v	40.0v	72.4v	657.47v
498	Mr JS Chapman	O	70.5v	71.6v	48.6v	40.1v	47.3v	47.2v	47.3v	69.3v	100.8v	45.5v	73.4v	657.46v
499	Mrs SG Sirett	O	67.6v	69.5v	41.0v	48.2v	48.3v	47.4v	46.7v	72.3v	102.8v	44.0v	73.4v	657.42v
500	Miss HW Walker	O	67.4v	70.4v	48.2v	43.0v	50.2v	47.4v	47.5v	72.5v	101.6v	42.3v	70.4v	657.39v
501	Mr RM Allan	O	68.2v	67.5v	50.7v	46.3v	46.6v	47.3v	45.6v	72.6v	97.7v	47.6v	71.6v	656.57v
502	Cdt Sgt YW Thorne	O	68.5v	71.6v	49.7v	46.4v	48.5v	49.6v	44.1v	71.8v	102.9v	44.2v	64.3v	656.56v
503	Lt. Col. CST Lehmann	O	65.3v	71.9v	46.5v	45.3v	50.6v	46.4v	49.4v	71.7v	102.10v	45.0v	66.3v	656.54v
504	Sgt BD Jones	T	69.6v	69.6v	47.3v	45.1v	47.4v	47.4v	46.4v	74.9v	97.9v	41.2v	74.6v	656.54v
505	Dr CW Freeman	O	65.2v	73.5v	49.3v	47.4v	46.3v	47.4v	48.7v	67.7v	99.7v	45.1v	70.8v	656.51v
506	Mr G Hart	O	71.3v	70.5v	47.4v	45.2v	48.6v	43.1v	44.4v	71.9v	102.9v	43.2v	72.6v	656.51v
507	Mr PJ Holden	O	71.5v	71.6v	43.1v	45.5v	49.1v	46.3v	45.3v	71.7v	99.11v	47.4v	69.4v	656.50v
508	Mr BH Hayes	O	72.6v	64.1v	50.4v	45.1v	48.5v	44.2v	46.3v	74.10v	100.7v	40.0v	73.8v	656.47v
509	Mr ES Maclean	A	71.7v	67.4v	46.5v	44.3v	47.5v	42.3v	49.7v	73.6v	99.8v	46.3v	71.6v	655.57v
510	Mr PL Redstone	A	71.8v	66.6v	45.3v	45.5v	49.4v	48.6v	46.2v	72.7v	99.4v	42.2v	72.4v	655.51v
511	LS KA Fleck	T	68.4v	70.4v	47.4v	41.3v	50.5v	46.3v	47.2v	71.6v	99.7v	42.2v	74.8v	655.48v
512	Mr RL Sampson	O	70.3v	71.9v	48.5v	45.3v	48.4v	49.4v	45.3v	69.5v	98.10v	39.2v	72.6v	654.54v
513	Mr MD Gomez	O	69.3v	71.8v	46.2v	47.4v	43.0v	48.5v	43.3v	69.7v	100.9v	46.3v	72.8v	654.52v
514	Mr RW Carson	O	68.4v	68.5v	48.5v	40.2v	47.3v	47.4v	46.3v	70.2v	100.8v	47.6v	73.9v	654.51v
515	Mr NR Wells	O	62.2v	71.6v	44.1v	47.5v	50.6v	47.5v	46.3v	72.8v	101.6v	42.1v	72.5v	654.48v
516	Cdt FS CM Nunan	T	71.3v	69.6v	45.3v	42.2v	43.2v	46.3v	47.4v	70.5v	103.11v	45.1v	73.7v	654.47v
517	Mr RA Jobson	O	70.7v	69.6v	45.4v	43.2v	48.4v	49.4v	46.3v	71.5v	96.5v	46.1v	71.4v	654.45v
518	Mr JD Badman	O	72.6v	70.6v	49.4v	45.2v	47.2v	46.3v	48.2v	68.4v	100.6v	40.1v	69.5v	654.41v
519	Lt K Wathier	T	71.6v	72.10v	48.4v	47.6v	48.6v	42.2v	46.4v	71.6v	100.12v	38.3v	70.6v	653.65v
520	Mr G Meijer	O	68.0v	73.9v	44.2v	48.5v	49.5v	46.4v	44.2v	72.7v	98.8v	39.1v	72.9v	653.52v
521	Mr CC Mallett Jnr	A	65.5v	73.8v	46.3v	47.3v	47.5v	47.2v	48.3v	66.2v	99.9v	42.2v	73.6v	653.48v
522	Mr T S McDowell	O	69.3v	71.4v	46.4v	42.0v	49.6v	46.4v	47.1v	68.3v	98.9v	44.1v	73.11v	653.46v
523	Mr DJ Stewart	O	67.2v	72.8v	46.3v	47.2v	48.4v	46.3v	47.1v	70.7v	99.9v	44.1v	67.5v	653.45v
524	Mr TOA Atkinson	T	66.2v	70.5v	46.2v	47.4v	47.5v	49.4v	46.2v	74.7v	96.6v	43.3v	69.3v	653.43v
525	Miss T Myagkova	O	67.2v	70.3v	45.1v	46.4v	45.5v	46.5v	44.3v	72.7v	100.3v	43.2v	75.8v	653.43v
526	Mr DS Stephenson	T	71.5v	71.7v	49.8v	47.3v	50.6v	46.2v	39.3v	72.6v	94.6v	42.2v	71.6v	652.54v
527	Mr MD Wright	O	69.3v	66.5v	45.5v	47.3v	49.6v	47.5v	49.4v	72.7v	92.6v	48.4v	68.2v	652.50v
528	Mr PCW Rose	O	61.2v	71.6v	48.3v	47.6v	47.4v	48.4v	48.4v	70.7v	98.7v	45.2v	69.5v	652.50v
529	Miss ZN Northam	O	71.6v	74.10v	46.3v	41.2v	48.4v	42.0v	46.2v	72.5v	101.8v	39.1v	72.9v	652.50v
530	Mr JR Mckellar	O	63.2v	67.7v	46.2v	44.4v	46.3v	46.3v	48.3v	73.6v	102.10v	48.3v	69.4v	652.47v
531	Mr GRP Shapland	O	70.5v	66.6v	48.4v	45.3v	46.4v	43.2v	47.3v	72.4v	101.8v	48.5v	66.2v	652.46v
532	Mr SA Armstrong	T	70.6v	71.3v	47.3v	43.0v	49.3v	49.4v	46.4v	67.2v	97.13v	42.1v	71.5v	652.44v
533	OCdt G Lapointe	T	64.3v	70.7v	47.5v	44.4v	49.6v	47.4v	47.4v	67.1v	99.11v	43.2v	74.9v	651.56v
534	Sqn Ldr CM Fopp	O	70.5v	71.8v	49.3v	45.3v	49.3v	46.2v	45.3v	72.10v	94.6v	39.1v	71.5v	651.49v
535	Dr N P Tucker	O	66.3v	71.7v	47.5v	44.2v	48.3v	44.2v	48.6v	71.7v	101.6v	46.1v	65.5v	651.47v
536	Mr KG Firth	O	62.2v	71.3v	45.1v	44.2v	49.6v	45.2v	49.5v	71.8v	97.10v	48.5v	70.2v	651.46v
537	Mr C Waldron	O	69.1v	68.5v	47.3v	45.2v	48.4v	45.3v	48.4v	62.3v	99.6v	48.6v	72.6v	651.43v
538	Mr E Stuart-Bamford	O	68.6v	68.4v	50.5v	44.4v	48.6v	46.5v	41.4v	72.6v	102.7v	48.4v	63.2v	650.53v
539	Cdt CHY Chan	T	68.4v	71.7v	48.3v	48.4v	43.1v	45.5v	47.4v	70.3v	100.7v	36.2v	74.8v	650.48v
540	Mr WJ Jury-Simpson	T	67.5v	72.5v	42.3v	45.2v	45.2v	47.2v	43.3v	73.8v	95.7v	47.3v	74.6v	650.46v
541	Mr JS Ritchie	O	68.2v	72.5v	44.3v	45.4v	46.3v	47.6v	48.5v	69.2v	96.3v	44.3v	71.9v	650.45v
542	Cdr MF Jordan	O	69.5v	70.5v	44.1v	47.6v	48.3v	46.3v	47.3v	68.4v	99.9v	41.0v	71.6v	650.45v
543	Sgt P Green	T	65.1v	70.5v	48.3v	42.2v	49.4v	49.5v	43.2v	70.5v	100.8v	45.4v	69.2v	650.41v
544	Col N Stebbings	O	68.1v	67.4v	43.1v	46.4v	47.3v	48.3v	49.3v	71.4v	96.3v	43.1v	72.5v	650.32v
545	Miss PG Macdonald	A	73.7v	65.5v	48.5v	45.3v	46.6v	47.3v	40.1v	71.7v	101.14v	42.1v	71.8v	649.60v
546	Mr MP Perez	O	70.6v	67.3v	47.5v	39.2v	50.6v	48.4v	42.1v	74.11v	97.8v	43.4v	72.5v	649.55v
547	Sgt JEH Hawke	T	69.4v	67.3v	46.2v	42.2v	44.2v	46.3v	46.6v	72.5v	99.7v	46.5v	72.8v	649.47v
548	Wg. Cdr. MJ Gregory	A	66.3v	70.4v	42.3v	46.2v	48.3v	48.3v	43.5v	72.7v	98.7v	44.2v	72.5v	649.44v
549	Mr TE Emck	O	68.3v	73.8v	47.2v	45.3v	47.2v	47.3v	46.3v	66.6v	101.7v	44.1v	65.6v	649.44v
550	Mr A Lloyd	T	69.3v	65.3v	45.0v	47.2v	48.4v	49.5v	47.4v	68.2v	98.8v	45.3v	68.6v	649.40v
551	Sgt C Smith	T	70.6v	71.3v	49.6v	46.2v	47.7v	44.3v	45.3v	72.7v	97.7v	43.2v	64.2v	648.48v
552	Mrs RKE Penrose	O	66.1v	69.7v	44.2v	41.3v	48.6v	47.3v	50.4v	71.7v	100.8v	44.3v	68.2v	648.46v
553	Cdt PC De Souza	O	67.1v	70.6v	46.1v	46.1v	48.6v	43.0v	40.0v	71.8v	101.12v	43.1v	73.7v	648.43v
554	Mr IR Thomick	O	65.4v	71.4v	43.3v	43.1v	47.6v	46.4v	49.6v	72.8v	95.6v	46.3v	70.7v	647.52v
555	Cdt CTR Gicquel	T	67.7v	73.8v	47.3v	45.4v	45.3v	49.4v	45.5v	72.7v	91.3v	42.0v	71.6v	647.50v
556	Mr MH Horrell	O	69.5v	68.4v	48.5v	45.2v	48.5v	47.5v	47.4v	71.4v	96.6v	38.3v	70.6v	647.49v
557	Mr GH Porter	O	66.3v	70.6v	49.4v	40.2v	44.2v	47.3v	47.3v	71.6v	99.7v	48.4v	66.4v	647.44v
558	Cpl HC Harris	T	70.5v	70.1v	47.4v	43.1v	46.3v	41.1v	44.1v	69.5v	100.11v	45.2v	72.6v	647.40v
559	Cdt WB Ross	T	69.3v	71.7v	48.3v	46.0v	44.6v	46.4v	44.2v	66.2v	100.7v	44.4v	69.1v	647.39v
560	Mr EJT Thomas	O	71.4v	70.7v	48.5v	47.4v	44.3v	47.3v	35.1v	70.5v	104.13v	39.1v	71.6v	646.52v



561	Mr P F M Ryan	O	69.8v	64.3v	48.3v	47.1v	47.4v	48.4v	43.5v	68.8v	98.6v	45.4v	69.5v	646.51v
562	Mr R Jackson	O	66.5v	71.4v	46.4v	46.4v	46.2v	46.5v	45.3v	68.3v	97.8v	42.0v	73.8v	646.46v
563	Mr MR Clewer	T	65.7v	74.5v	49.3v	45.1v	48.2v	46.3v	45.3v	70.5v	92.11v	40.0v	72.6v	646.46v
564	Cdt C Eaton	T	67.3v	68.5v	44.3v	45.5v	44.4v	46.2v	45.2v	72.4v	98.7v	45.1v	72.7v	646.43v
565	Mr P Sirett	O	67.1v	71.6v	48.3v	44.3v	48.5v	43.1v	43.2v	70.4v	97.9v	47.4v	68.4v	646.42v
566	Mr GS Stewart	T	67.2v	69.4v	43.3v	46.6v	46.2v	43.4v	46.3v	73.8v	95.6v	45.2v	72.8v	645.48v
567	Mr CSJ Marlow	O	70.4v	66.5v	45.2v	46.3v	45.1v	45.4v	48.6v	71.8v	98.7v	44.0v	67.3v	645.43v
568	Mr GK Goodwin	O	68.5v	69.6v	46.4v	45.3v	41.1v	47.2v	47.5v	70.6v	102.9v	43.4v	66.2v	644.47v
569	Mr BG Greasley	T	65.1v	69.2v	47.2v	44.3v	47.3v	47.3v	46.3v	72.11v	92.6v	45.3v	70.4v	644.41v
570	Mr MW Brown	O	66.3v	70.5v	44.1v	45.3v	48.2v	45.2v	46.3v	67.6v	100.5v	45.3v	68.4v	644.37v
571	Cdt HAA Godwin-Austen	T	65.3v	71.3v	47.5v	45.3v	48.5v	43.3v	43.2v	66.7v	98.10v	43.2v	74.8v	643.51v
572	Mr ARN Kinross	O	63.1v	70.6v	46.1v	45.3v	41.4v	45.3v	46.4v	72.11v	103.11v	46.4v	66.2v	643.50v
573	Cdt GL Oakland	T	66.2v	70.8v	46.0v	46.2v	44.5v	46.4v	47.5v	68.4v	94.8v	44.1v	72.7v	643.46v
574	LCpt OS Hood	T	69.5v	65.0v	46.1v	46.2v	48.4v	46.4v	43.1v	69.5v	95.6v	46.4v	70.5v	643.37v
575	Mr AD De Vivenot	T	65.2v	70.7v	49.0v	46.2v	48.5v	45.3v	47.3v	65.2v	99.6v	37.1v	72.4v	643.35v
576	Mr MS Shaw	T	65.2v	69.4v	48.3v	45.4v	45.4v	50.6v	42.2v	70.6v	101.13v	47.1v	70.9v	642.54v
577	Mr TW Harrison	O	67.2v	68.7v	46.5v	47.3v	47.2v	45.3v	46.5v	67.6v	93.5v	44.0v	71.4v	641.42v
578	WO C Moase	T	69.5v	71.4v	49.4v	47.3v	44.6v	47.2v	43.1v	68.3v	95.8v	45.4v	63.1v	641.41v
579	Mr PJ Carr	O	69.4v	73.9v	48.4v	46.2v	48.2v	42.1v	46.3v	66.3v	95.3v	41.2v	67.3v	641.36v
580	Mr CMT Truman	O	69.4v	68.3v	48.6v	49.7v	50.6v	39.0v	38.4v	72.4v	93.5v	41.2v	73.9v	640.50v
581	Mr A Le Cheminant	T	66.3v	69.6v	44.4v	43.3v	47.4v	48.6v	41.2v	70.2v	99.9v	40.1v	73.6v	640.46v
582	Mr RBF Fitzsimmons	O	66.3v	63.2v	45.2v	45.3v	48.3v	44.5v	47.3v	73.8v	100.8v	38.0v	71.9v	640.46v
583	Mr JRC Stanford-Beale	T	71.6v	71.5v	41.1v	48.6v	48.4v	42.3v	46.2v	68.4v	93.5v	43.3v	69.5v	640.44v
584	Mr IF Luckman	O	66.4v	72.9v	46.4v	42.2v	46.2v	48.2v	43.2v	74.7v	91.4v	43.2v	69.6v	640.44v
585	Mr SN Norval	T	70.6v	72.3v	47.2v	46.2v	42.1v	48.3v	46.3v	67.5v	95.7v	37.4v	70.7v	640.43v
586	Mr JD Dowley	T	66.3v	69.5v	49.5v	44.3v	46.2v	47.4v	45.3v	71.6v	91.6v	43.0v	69.5v	640.42v
587	Mr EM Brice	O	70.2v	69.5v	47.2v	38.2v	47.3v	45.5v	47.4v	65.2v	96.6v	48.2v	68.5v	640.38v
588	Mrs JE Dickson	O	63.3v	72.5v	44.3v	47.3v	43.3v	49.8v	48.4v	69.4v	93.8v	44.3v	67.8v	639.52v
589	Miss AM Matthews	T	68.4v	75.9v	40.1v	46.2v	46.6v	40.2v	44.3v	69.6v	96.3v	43.3v	72.7v	639.46v
590	Mr AC Grant	O	69.3v	69.5v	45.3v	45.5v	42.1v	44.2v	44.4v	69.5v	99.9v	44.2v	69.1v	639.40v
591	Mr EA Sewell	T	66.2v	66.2v	48.3v	49.6v	41.1v	45.1v	44.3v	69.5v	98.5v	42.3v	71.5v	639.36v
592	WO J Vallee	T	71.6v	68.4v	45.4v	41.2v	47.6v	46.3v	45.4v	67.5v	96.8v	42.2v	70.4v	638.48v
593	Mr MT Lehmann	O	65.4v	67.4v	49.7v	45.3v	48.5v	47.3v	42.0v	65.3v	94.5v	44.3v	72.9v	638.46v
594	Cdt AE Vlas	T	67.4v	65.3v	48.4v	42.1v	48.5v	49.5v	47.5v	69.4v	98.8v	37.1v	68.3v	638.43v
595	Mr JM Samson	O	61.1v	66.1v	46.4v	41.0v	48.5v	47.3v	46.5v	72.8v	101.10v	42.0v	68.4v	638.41v
596	Mr JM Baldwin	T	63.2v	65.2v	40.2v	43.3v	50.4v	45.2v	47.4v	71.6v	96.8v	43.2v	74.7v	637.42v
597	Cdt B Southworth	T	70.5v	71.2v	46.4v	43.2v	47.3v	42.1v	41.0v	72.8v	99.10v	36.0v	70.5v	637.40v
598	Mr TJ Brooking	O	65.4v	69.6v	44.3v	48.3v	50.7v	43.2v	39.2v	68.4v	93.5v	47.2v	70.5v	636.43v
599	Mr AM Mcconnell	T	66.4v	65.2v	39.0v	45.2v	48.5v	44.1v	44.5v	70.6v	103.9v	41.2v	71.7v	636.43v
600	Mr WR Hinton	O	64.1v	70.4v	42.1v	44.1v	45.4v	48.3v	47.6v	68.4v	95.9v	47.1v	66.4v	636.38v
601	Mr CD Dart	O	68.2v	66.2v	46.4v	47.4v	39.1v	47.2v	46.2v	72.7v	98.5v	35.1v	72.6v	636.36v
602	Mr JPS Bloomfield	X	73.8v	72.9v	48.6v	48.5v	50.5v	48.5v	0.0v	71.5v	103.15v	48.3v	74.9v	635.70v
603	Mr ML Lungu	T	65.2v	68.4v	46.3v	36.1v	49.9v	49.4v	48.2v	74.12v	89.3v	41.1v	70.4v	635.45v
604	Mr D Lister	T	69.3v	71.6v	44.2v	42.1v	47.5v	41.3v	38.3v	69.4v	97.8v	47.3v	70.6v	635.44v
605	Mr KJ Aldridge	O	65.4v	67.4v	43.1v	49.3v	41.2v	38.2v	45.2v	71.7v	103.8v	41.1v	72.6v	635.40v
606	Mr RL Lindsay	T	71.7v	66.3v	48.4v	39.1v	45.2v	44.1v	48.4v	69.3v	96.6v	39.1v	70.4v	635.36v
607	Mr SA Hunting	O	61.2v	70.3v	47.5v	45.3v	49.6v	48.4v	44.1v	71.4v	94.7v	36.2v	69.5v	634.42v
608	Mr JL Poulin	O	65.3v	66.2v	44.1v	43.2v	48.5v	47.3v	47.5v	68.4v	90.5v	45.4v	71.4v	634.38v
609	Mr RM Culverwell	O	61.2v	72.8v	45.1v	46.6v	45.2v	43.2v	47.4v	73.5v	92.5v	44.1v	65.1v	633.37v
610	Sgt CS Neuhauser	T	62.2v	72.6v	47.3v	44.3v	49.4v	43.3v	43.2v	71.5v	87.4v	40.3v	74.6v	632.41v
611	Mr DF Nesbitt	O	67.7v	66.4v	46.5v	46.3v	46.4v	46.4v	49.4v	74.6v	79.8v	44.0v	68.7v	631.52v
612	Cdt C Flanagan	T	69.4v	64.3v	45.3v	38.3v	45.4v	43.3v	47.7v	72.4v	97.7v	42.3v	69.5v	631.46v
613	Mr JL Lim	T	67.4v	63.2v	44.4v	43.3v	47.2v	45.2v	45.3v	73.7v	98.8v	35.1v	70.6v	630.42v
614	Mr MG Grimsdell	O	66.4v	70.7v	41.1v	46.2v	45.1v	41.0v	46.2v	73.10v	99.9v	35.1v	68.3v	630.40v
615	Mr TM Minter	T	64.3v	68.3v	46.3v	44.1v	48.4v	45.3v	44.1v	65.3v	97.4v	42.1v	67.5v	630.31v
616	Mr AJO Collins	T	64.4v	71.4v	42.1v	45.2v	45.3v	41.0v	45.2v	67.6v	96.5v	41.1v	72.6v	629.34v
617	WO A Ressi	T	69.6v	65.0v	49.6v	45.1v	46.3v	42.1v	42.1v	66.4v	95.5v	42.0v	68.6v	629.33v
618	Mr AW Lothian	X	72.8v	71.5v	47.3v	48.6v	0.0v	49.5v	48.5v	71.10v	102.13v	46.3v	74.10v	628.68v
619	Mr MS Sheehy	T	69.7v	68.7v	47.4v	43.2v	47.4v	46.4v	40.0v	71.6v	91.4v	35.2v	71.7v	628.47v
620	Mr P Cameron Taylor	O	72.8v	71.5v	48.3v	0.0v	46.5v	50.8v	42.2v	75.11v	103.9v	46.2v	74.8v	627.61v
621	Mr MJ Jones	T	63.2v	63.3v	44.4v	41.4v	47.5v	48.4v	45.2v	64.3v	97.10v	46.2v	69.1v	627.40v
622	Miss ED Dixon	T	67.1v	72.6v	48.6v	40.1v	42.2v	44.2v	45.2v	68.2v	100.11v	36.1v	65.6v	627.40v
623	Miss J Powell	T	69.3v	71.5v	44.3v	43.2v	46.4v	45.3v	44.4v	59.1v	99.6v	39.2v	68.5v	627.38v
624	CDT TP Shaw	T	69.3v	64.2v	41.1v	43.3v	45.3v	42.2v	47.0v	70.7v	93.5v	44.3v	69.8v	627.37v
625	Mr RJ Clegg	T	65.3v	69.4v	48.5v	45.3v	48.6v	41.1v	45.2v	67.3v	91.3v	38.1v	70.4v	627.35v
626	Cdt Sgt SMB M. Bondeonneau	T	64.3v	65.3v	43.2v	45.2v	47.3v	45.2v	44.1v	63.2v	96.8v	46.5v	68.4v	626.35v
627	Cdt MJS Keeler	T	63.1v	70.5v	41.3v	46.3v	40.1v	47.5v	44.3v	70.5v	91.8v	42.2v	71.5v	625.41v
628	Mr GW Berman	A	65.0v	70.6v	50.8v	47.3v	0.0v	49.5v	48.3v	74.12v	101.10v	47.4v	73.6v	624.57v
629	Mr T Galliers	O	66.4v	67.3v	44.2v	44.2v	46.3v	44.2v	47.1v	63.3v	94.5v	42.1v	67.5v	624.31v
630	Cdt W Howseman	T	64.6v	68.4v	47.5v	43.2v	47.5v	39.2v	38.1v	72.10v	99.8v	35.0v	70.6v	622.49v
631	Mr LA Alder	T	62.0v	64.1v	42.7v	41.3v	47.5v	43.2v	46.1v	63.3v	97.9v	43.2v	74.9v	622.42v
632	Mr DC Cavanagh	T	70.4v	70.7v	46.2v	40.1v	44.3v	43.1v	45.2v	69.4v	95.6v	29.1v	71.6v	622.37v

633	Mr PHC Costello	T	65.4v	67.4v	43.2v	45.4v	49.3v	41.3v	36.0v	74.6v	100.12v	27.1v	72.10v	619.49v
634	Mr JM de Bruyn	O	67.3v	64.1v	41.2v	44.2v	46.2v	43.0v	39.1v	67.5v	96.4v	41.1v	71.6v	619.27v
635	Mr JA Ashby	T	59.1v	70.4v	46.1v	42.2v	44.2v	45.6v	42.2v	65.4v	91.7v	45.4v	69.0v	618.33v
636	WVB Woods Ballard	T	67.3v	71.3v	48.4v	44.2v	41.2v	44.2v	48.5v	66.4v	98.4v	25.0v	66.2v	618.31v
637	Mr ML Larcombe	T	60.1v	72.6v	43.2v	37.2v	48.2v	49.5v	41.4v	72.4v	96.9v	30.1v	69.4v	617.40v
638	Mr TM Jaggard	T	70.3v	66.6v	47.4v	40.3v	46.3v	45.3v	44.2v	65.3v	91.5v	47.2v	56.2v	617.36v
639	Cdt EJ Dell	T	64.2v	70.7v	39.1v	43.2v	46.2v	46.3v	47.3v	70.8v	84.2v	42.3v	66.3v	617.36v
640	Mr GB Tompson	O	66.3v	65.4v	44.2v	34.3v	43.1v	50.6v	44.2v	69.4v	92.3v	45.4v	64.4v	616.36v
641	Cdt CI Alder	T	62.4v	67.2v	45.4v	45.2v	46.3v	46.2v	41.1v	64.3v	90.1v	42.2v	68.6v	616.30v
642	Mr DT Taylor	O	69.6v	69.8v	50.4v	37.1v	43.1v	49.4v	46.3v	73.9v	65.5v	41.3v	73.8v	615.52v
643	Miss ML Wilkins	T	64.5v	65.3v	39.0v	41.3v	47.3v	48.5v	42.1v	71.8v	88.5v	39.1v	71.7v	615.41v
644	Mr ELM Macaulay	T	69.3v	64.6v	38.0v	44.4v	48.4v	43.2v	40.2v	69.6v	89.4v	41.1v	68.4v	613.36v
645	Lt. Cdr. PERD Hunt	O	68.2v	61.2v	45.1v	42.2v	43.2v	42.0v	44.2v	67.6v	90.5v	40.1v	71.5v	613.28v
646	Dr BH Lister	O	63.3v	65.2v	40.1v	38.1v	43.3v	42.1v	47.2v	68.4v	99.7v	38.1v	67.6v	610.31v
647	Mr CB Stone	O	67.3v	68.3v	41.1v	44.4v	46.3v	42.1v	43.3v	61.2v	86.2v	45.1v	67.2v	610.25v
648	Cdt TD Little	T	60.4v	61.3v	46.4v	46.4v	48.3v	34.1v	39.0v	68.2v	100.9v	40.1v	67.4v	609.35v
649	Mr LR Reid	T	66.4v	64.4v	46.1v	41.3v	42.3v	41.2v	42.0v	65.1v	98.7v	35.1v	68.2v	608.28v
650	Miss MP Patton	T	66.4v	65.2v	40.1v	46.2v	47.4v	46.4v	42.2v	65.4v	91.2v	41.0v	59.1v	608.26v
651	Mr JG Bennett	A	67.8v	68.5v	45.1v	46.4v	48.5v	46.2v	46.4v	71.9v	101.12v	4.0v	65.2v	607.52v
652	Mr SJ Bates	T	61.1v	65.5v	37.0v	45.3v	42.2v	42.3v	47.1v	60.3v	93.3v	49.6v	66.6v	607.33v
653	LH A Melling	T	63.2v	70.3v	42.2v	43.0v	42.1v	43.2v	43.2v	62.1v	87.4v	41.0v	70.7v	606.24v
654	Mr APW Daw	X	0.0v	68.6v	50.4v	47.6v	48.7v	49.6v	48.5v	75.7v	102.12v	44.3v	74.9v	605.65v
655	Cdt LCpl SW Franklin	T	51.1v	71.3v	43.0v	41.1v	47.2v	47.4v	49.6v	69.7v	73.2v	42.2v	71.7v	604.35v
656	Mr AG Grainger	T	64.3v	67.3v	44.2v	47.2v	45.4v	40.3v	45.4v	68.3v	91.4v	27.1v	66.1v	604.30v
657	Mr AR Rigby	T	70.5v	70.7v	46.3v	43.3v	40.2v	42.3v	40.0v	58.2v	88.5v	42.1v	64.4v	603.35v
658	Sgt W Jowett	T	66.4v	70.5v	40.1v	45.4v	45.2v	43.3v	41.1v	54.1v	96.5v	38.3v	65.4v	603.33v
659	C/Sgt M Loughhead	T	71.5v	64.1v	43.3v	41.0v	42.1v	41.1v	40.1v	66.0v	96.6v	33.0v	66.4v	603.22v
660	Mr MM Magill	T	66.5v	65.3v	46.3v	45.2v	44.2v	29.1v	41.1v	73.6v	101.10v	20.0v	72.10v	602.43v
661	Sgt OAG McCulloch	T	68.3v	67.2v	39.1v	36.0v	39.2v	43.2v	41.1v	64.6v	93.8v	42.2v	70.5v	602.32v
662	Cdt JA Edwards	T	73.7v	69.5v	0.0v	40.1v	41.1v	45.4v	43.2v	68.5v	102.8v	48.7v	72.8v	601.48v
663	Mr JS Scambler	T	66.4v	59.2v	48.6v	43.4v	45.1v	35.0v	46.3v	65.8v	95.4v	28.0v	71.6v	601.38v
664	Cdt M Welch	T	64.3v	68.4v	39.1v	36.1v	45.2v	38.1v	43.5v	65.3v	98.6v	35.1v	70.4v	601.31v
665	Mr ML Kirkillo-Stacewicz	T	65.3v	64.3v	45.4v	36.0v	45.3v	43.2v	36.2v	66.2v	90.2v	43.3v	68.2v	601.26v
666	Mr SP Hill	O	72.5v	65.4v	43.2v	45.1v	0.0v	47.1v	46.2v	69.3v	99.9v	46.2v	68.5v	600.34v
667	Sgt J Duncan	T	66.2v	68.5v	48.3v	24.0v	45.2v	48.4v	32.1v	63.2v	91.6v	42.1v	73.7v	600.33v
668	Mr LA Greenaway	T	68.3v	64.2v	43.3v	38.0v	46.4v	47.2v	44.3v	67.4v	86.3v	42.3v	55.3v	600.30v
669	Mr DM Chisholm	X	73.8v	72.7v	45.4v	48.6v	50.5v	47.3v	46.3v	75.12v	104.14v	38.3v	0.0v	598.65v
670	Miss VB Bieger	T	67.4v	69.6v	43.1v	37.1v	46.4v	48.6v	40.1v	68.4v	91.5v	38.0v	51.0v	598.32v
671	Cdt R Hu	T	64.2v	69.4v	44.3v	26.0v	40.1v	44.3v	46.3v	71.3v	94.4v	27.1v	72.10v	597.34v
672	LT RN RW Coatsworth	O	54.2v	66.4v	40.3v	41.4v	45.2v	40.1v	42.1v	69.3v	84.3v	42.1v	74.8v	597.32v
673	Cdt M Rainer-Kirkwood	O	72.7v	74.9v	46.1v	47.3v	47.4v	49.4v	44.2v	73.7v	99.8v	45.3v	0.0v	596.48v
674	Mr RCQ Martin	A	68.4v	71.8v	50.5v	46.4v	50.4v	48.5v	48.5v	72.6v	97.12v	45.3v	0.0v	595.56v
675	Cdt ME Kenyon	T	68.6v	64.5v	42.1v	36.2v	49.3v	44.4v	48.1v	67.4v	99.7v	15.0v	63.0v	595.33v
676	Cdt Cpl K Drelaud	T	66.2v	64.4v	44.2v	41.2v	41.3v	37.1v	45.5v	66.5v	89.4v	43.3v	59.1v	595.32v
677	Miss AF Fernandes	T	68.4v	73.7v	43.3v	41.2v	46.4v	46.4v	40.2v	67.4v	98.8v	9.0v	63.2v	594.40v
678	Cdt Cpl OAC Clark	T	67.5v	69.5v	42.1v	37.1v	45.4v	40.1v	42.2v	55.1v	94.4v	33.2v	69.4v	593.30v
679	Mr F Roberts	O	69.4v	71.7v	45.4v	45.3v	45.4v	47.4v	49.8v	74.8v	101.9v	46.4v	0.0v	592.55v
680	Cdt LJ Smith	T	59.1v	62.4v	41.2v	45.2v	43.3v	42.4v	45.3v	59.3v	90.6v	39.1v	66.4v	591.33v
681	Cdt WP Cubitt	T	68.4v	67.3v	44.2v	46.3v	44.3v	38.0v	41.2v	63.3v	78.2v	37.3v	64.1v	590.26v
682	Miss M Sanders	T	69.5v	69.6v	46.3v	48.4v	45.4v	45.2v	74.7v	99.7v	46.5v	0.0v		589.47v
683	Mr TN Nicholls	T	61.1v	62.3v	47.1v	42.1v	44.0v	39.1v	43.2v	65.1v	83.3v	41.2v	61.1v	588.16v
684	Mr AT Thomas	T	66.4v	65.0v	41.1v	43.4v	43.3v	41.0v	24.1v	65.2v	93.5v	39.3v	67.4v	587.27v
685	Mr KS Dods	T	65.1v	56.3v	41.1v	40.1v	39.1v	42.1v	40.1v	67.6v	97.6v	42.1v	58.1v	587.23v
686	Mr JR Robinson	T	59.0v	64.1v	43.1v	38.0v	43.1v	45.4v	37.1v	63.3v	85.5v	42.2v	67.3v	586.21v
687	Mr KMS Wong	T	62.1v	62.0v	45.2v	42.1v	46.2v	41.1v	44.3v	56.2v	88.4v	42.3v	58.1v	586.20v
688	Mr PM Weston	O	63.1v	64.3v	45.3v	44.1v	0.0v	47.1v	46.2v	68.5v	95.6v	43.1v	69.4v	584.27v
689	Mr GH Hunter	T	53.0v	66.4v	36.2v	38.0v	41.2v	40.1v	41.1v	67.7v	93.4v	37.1v	71.5v	583.27v
690	Mr DW Wescott	T	55.1v	67.5v	42.2v	30.0v	45.1v	42.1v	43.3v	67.3v	93.6v	33.0v	66.5v	583.27v
691	Mr P Barber	O	69.6v	67.5v	46.4v	48.5v	45.5v	48.4v	47.5v	70.4v	95.7v	47.5v	0.0v	582.50v
692	LCpl OJA Money-Kyrle	T	64.3v	62.6v	38.1v	42.2v	37.0v	40.3v	46.3v	57.1v	92.8v	40.1v	64.3v	582.31v
693	Cdt KA Hinkly	T	54.2v	59.1v	39.2v	40.1v	42.3v	41.2v	45.2v	62.4v	92.5v	39.0v	69.4v	582.26v
694	Cdt IO Young	T	52.0v	69.3v	43.3v	46.6v	43.1v	46.3v	45.1v	64.5v	99.9v	8.0v	65.5v	580.36v
695	Mr OH Hawes	T	62.0v	54.2v	40.1v	40.1v	42.1v	34.1v	41.3v	61.2v	94.3v	43.2v	69.5v	580.21v
696	Mr GMLN Gilpin	A	62.3v	74.8v	0.0v	0.0v	50.8v	48.3v	50.4v	74.11v	102.9v	44.3v	73.8v	577.57v
697	Mr P Waldron	O	71.3v	70.7v	48.5v	44.3v	50.7v	0.0v	49.4v	72.7v	99.11v	0.0v	73.7v	576.54v
698	Ms TD De La Cour	T	60.0v	68.5v	42.2v	35.1v	42.1v	40.3v	39.2v	59.2v	85.2v	41.0v	65.4v	576.22v
699	Mr M Naiman	T	63.1v	63.2v	36.1v	43.1v	38.1v	44.2v	43.1v	62.6v	95.4v	23.0v	63.2v	573.21v
700	Mr OMC Conway	T	63.3v	61.2v	43.1v	41.1v	36.1v	43.3v	43.1v	55.0v	83.2v	46.1v	58.1v	572.16v
701	Cdt CD Carratu	T	68.5v	48.4v	46.2v	4.0v	48.3v	43.1v	43.2v	67.4v	94.2v	41.3v	69.2v	571.28v
702	Mr RS Mason MRCVS	O	66.2v	68.5v	47.4v	36.1v	39.2v	41.1v	37.4v	72.5v	93.4v	0.0v	71.6v	570.34v
703	Mr H Asquith-Beard	T	62.4v	66.3v	46.3v	42.1v	41.1v	43.0v	40.1v	60.2v	82.3v	21.0v	67.4v	570.22v
704	Mr PK Kenmir	T	65.2v	59.2v	36.0v	29.0v	40.1v	43.2v	42.2v	60.3v	94.7v	30.1v	71.6v	569.26v

