

NRA 146th Imperial Meeting

Grand Aggregate (as at Tuesday, 14th July 2015)

		DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	Corp	POW	Total	
1	Dr GCD Barnett	X	73.9v	74.12v	49.4v	49.3v	50.9v	50.8v	0.0v	0.0v	0.0v	50.7v	0.0v	395.52v
2	Mr RCT Jeens	X	73.7v	75.13v	47.5v	49.5v	50.7v	50.7v	0.0v	0.0v	0.0v	50.6v	0.0v	394.50v
3	Dr JD Warburton	X	74.7v	74.11v	49.9v	48.4v	50.10v	50.4v	0.0v	0.0v	0.0v	49.4v	0.0v	394.49v
4	Mr S Belither	X	75.10v	74.8v	49.9v	49.7v	48.6v	49.7v	0.0v	0.0v	0.0v	49.5v	0.0v	393.52v
5	Mr SC Postins	X	73.8v	74.8v	50.8v	48.7v	48.6v	50.7v	0.0v	0.0v	0.0v	50.5v	0.0v	393.49v
6	Mr GE Morris	X	75.7v	75.12v	49.3v	49.6v	49.9v	48.4v	0.0v	0.0v	0.0v	48.8v	0.0v	393.49v
7	Mr PM Lanigan	X	74.9v	74.8v	49.6v	48.5v	50.7v	49.8v	0.0v	0.0v	0.0v	49.5v	0.0v	393.48v
8	Mr T Drysdale	X	73.8v	75.13v	49.5v	47.4v	49.7v	49.5v	0.0v	0.0v	0.0v	50.6v	0.0v	392.48v
9	Mr BJ Le Cheminant	X	73.9v	74.10v	50.7v	48.5v	50.7v	50.7v	0.0v	0.0v	0.0v	47.3v	0.0v	392.48v
10	Air Cdre JA Ford	A	73.7v	73.7v	50.7v	49.6v	50.7v	48.6v	0.0v	0.0v	0.0v	49.5v	0.0v	392.45v
11	Miss JM Rankin	X	73.9v	72.6v	50.7v	47.5v	50.3v	50.7v	0.0v	0.0v	0.0v	50.6v	0.0v	392.43v
12	Mr PB Bromley	X	73.9v	74.7v	49.6v	48.2v	50.5v	49.2v	0.0v	0.0v	0.0v	49.2v	0.0v	392.33v
13	Mr JAM Paton	X	73.12v	74.11v	50.7v	50.4v	49.8v	48.6v	0.0v	0.0v	0.0v	47.6v	0.0v	391.54v
14	Mr DC Luckman	X	73.7v	72.8v	50.6v	46.5v	50.9v	50.9v	0.0v	0.0v	0.0v	50.9v	0.0v	391.53v
15	Wg. Cdr. DP Calvert MBE	X	74.7v	75.8v	48.5v	46.4v	50.8v	50.8v	0.0v	0.0v	0.0v	48.6v	0.0v	391.46v
16	Col AJW Sturrock	X	70.6v	74.11v	50.4v	47.3v	50.6v	50.5v	0.0v	0.0v	0.0v	50.7v	0.0v	391.42v
17	Mr TG Rylands	X	75.9v	73.9v	49.5v	48.6v	50.5v	46.4v	0.0v	0.0v	0.0v	50.4v	0.0v	391.42v
18	Mr RL Eayrs	A	72.6v	75.11v	49.5v	47.5v	49.5v	50.3v	0.0v	0.0v	0.0v	49.7v	0.0v	391.42v
19	Mr JB Hull	X	73.7v	73.8v	50.4v	49.4v	50.7v	50.8v	0.0v	0.0v	0.0v	46.4v	0.0v	391.42v
20	Mr KWD Ramsey	X	73.9v	73.8v	49.3v	50.6v	50.6v	50.5v	0.0v	0.0v	0.0v	46.3v	0.0v	391.40v
21	Mr RAV Hebblethwaite	A	72.6v	74.8v	50.5v	48.4v	50.4v	49.5v	0.0v	0.0v	0.0v	48.7v	0.0v	391.39v
22	Mr RJ Booth	A	71.2v	74.9v	50.6v	48.3v	49.6v	49.5v	0.0v	0.0v	0.0v	50.6v	0.0v	391.37v
23	Mr R McQuillan	X	75.7v	73.6v	48.5v	48.6v	49.6v	50.4v	0.0v	0.0v	0.0v	48.2v	0.0v	391.36v
24	Mr CJ Watson	X	70.8v	74.12v	50.6v	50.9v	50.8v	49.5v	0.0v	0.0v	0.0v	47.4v	0.0v	390.52v
25	Mr JW Alexander	X	74.8v	74.10v	49.7v	43.1v	50.9v	50.5v	0.0v	0.0v	0.0v	50.9v	0.0v	390.49v
26	Mr GA Cann	X	74.10v	73.10v	49.7v	48.4v	50.8v	49.5v	0.0v	0.0v	0.0v	47.4v	0.0v	390.48v
27	Mr RC Oxford	X	74.10v	72.6v	49.9v	50.4v	48.7v	48.6v	0.0v	0.0v	0.0v	49.5v	0.0v	390.47v
28	Mr WCP Richards	X	74.9v	72.11v	48.4v	48.5v	50.6v	48.5v	0.0v	0.0v	0.0v	50.6v	0.0v	390.46v
29	Mr M Cooper	O	72.7v	74.10v	49.7v	48.4v	49.6v	50.6v	0.0v	0.0v	0.0v	48.4v	0.0v	390.44v
30	Pte L Bennett	A	71.8v	74.7v	50.9v	48.6v	48.2v	50.5v	0.0v	0.0v	0.0v	49.6v	0.0v	390.43v
31	Mr CP Weeden	X	74.10v	73.9v	49.3v	47.3v	50.8v	48.6v	0.0v	0.0v	0.0v	49.4v	0.0v	390.43v
32	Dr HHG Pollock	X	71.5v	75.10v	50.7v	50.4v	50.6v	49.6v	0.0v	0.0v	0.0v	45.4v	0.0v	390.42v
33	Mr JA Lindsay III	X	74.8v	75.9v	50.7v	46.3v	50.7v	49.5v	0.0v	0.0v	0.0v	46.2v	0.0v	390.41v
34	Mr NRJ Brasier	O	74.7v	72.5v	48.5v	49.6v	49.3v	50.5v	0.0v	0.0v	0.0v	48.7v	0.0v	390.38v
35	Mr SC Williamson	A	72.7v	75.8v	49.5v	48.2v	48.4v	49.4v	0.0v	0.0v	0.0v	49.5v	0.0v	390.35v
36	Mr DR Armstrong	X	72.8v	75.12v	48.6v	48.6v	49.6v	49.7v	0.0v	0.0v	0.0v	48.7v	0.0v	389.52v
37	Mr P Patel	X	73.9v	74.11v	49.8v	48.8v	49.8v	49.5v	0.0v	0.0v	0.0v	47.2v	0.0v	389.51v
38	Mr J Corbett	X	75.10v	73.10v	50.8v	43.2v	50.7v	50.8v	0.0v	0.0v	0.0v	48.4v	0.0v	389.49v
39	Mr DC Crispin	X	71.6v	72.8v	49.7v	50.8v	50.10v	49.6v	0.0v	0.0v	0.0v	48.3v	0.0v	389.48v
40	Mr CJ Morton	X	74.12v	73.8v	47.6v	46.3v	50.9v	50.3v	0.0v	0.0v	0.0v	49.5v	0.0v	389.46v
41	Capt AW Gill	X	72.8v	72.8v	49.4v	46.4v	50.6v	50.7v	0.0v	0.0v	0.0v	50.8v	0.0v	389.45v
42	Mr DA Richardson	X	71.6v	74.10v	48.4v	49.8v	49.6v	50.7v	0.0v	0.0v	0.0v	48.3v	0.0v	389.44v
43	Mr H J Golaszewski	A	71.5v	74.8v	50.8v	47.5v	50.6v	50.7v	0.0v	0.0v	0.0v	47.3v	0.0v	389.42v
44	Mr NJ Ball	X	73.5v	75.11v	50.4v	48.5v	49.7v	50.7v	0.0v	0.0v	0.0v	44.3v	0.0v	389.42v
45	Mr J Cook	X	74.11v	74.9v	47.2v	45.1v	50.7v	49.5v	0.0v	0.0v	0.0v	50.5v	0.0v	389.40v
46	Miss SP Ward	X	69.7v	74.9v	49.2v	48.4v	50.8v	49.3v	0.0v	0.0v	0.0v	50.6v	0.0v	389.39v
47	Dr JDS Langley	X	73.7v	72.6v	48.4v	46.3v	50.8v	50.5v	0.0v	0.0v	0.0v	50.6v	0.0v	389.39v
48	Mr RJS Curtis	A	71.6v	73.9v	50.4v	50.6v	50.6v	49.6v	0.0v	0.0v	0.0v	46.2v	0.0v	389.39v
49	Mr JWE Lewis	X	72.6v	74.6v	48.4v	48.3v	48.7v	49.6v	0.0v	0.0v	0.0v	50.6v	0.0v	389.38v
50	Mr S Pearson	A	74.7v	74.7v	49.5v	47.6v	47.1v	49.6v	0.0v	0.0v	0.0v	49.4v	0.0v	389.36v
51	Mr NC Mace	X	72.10v	73.9v	50.7v	47.5v	49.8v	49.3v	0.0v	0.0v	0.0v	48.8v	0.0v	388.50v
52	Miss CA Evans	X	72.9v	74.12v	49.5v	47.5v	50.8v	47.6v	0.0v	0.0v	0.0v	49.4v	0.0v	388.49v
53	Dr CD Haley	X	72.7v	74.12v	49.6v	46.4v	50.9v	50.7v	0.0v	0.0v	0.0v	47.3v	0.0v	388.48v
54	Mr T Laing-Baker	T	74.8v	73.11v	49.7v	49.5v	47.4v	50.7v	0.0v	0.0v	0.0v	46.4v	0.0v	388.46v
55	Mr RJS Clark	A	72.8v	75.13v	49.5v	45.3v	50.6v	48.5v	0.0v	0.0v	0.0v	49.5v	0.0v	388.45v
56	Mr JC Underwood	X	71.8v	73.8v	50.8v	49.5v	49.6v	48.6v	0.0v	0.0v	0.0v	48.4v	0.0v	388.45v

57	Mr LT Wicker	O	73.8v	74.9v	50.6v	47.6v	50.8v	49.7v	0.0v	0.0v	0.0v	45.1v	0.0v	388.45v
58	Mr KO Pugh	A	71.9v	73.7v	49.6v	48.6v	50.7v	49.7v	0.0v	0.0v	0.0v	48.2v	0.0v	388.44v
59	Mr LM Peden (G.M.)	X	73.9v	73.10v	48.5v	48.5v	49.5v	50.6v	0.0v	0.0v	0.0v	47.4v	0.0v	388.44v
60	Mr PA Goubert	O	70.6v	73.9v	49.3v	47.5v	49.5v	50.7v	0.0v	0.0v	0.0v	50.7v	0.0v	388.42v
61	Miss EJ Cannings	X	73.9v	72.5v	49.4v	47.5v	50.8v	49.5v	0.0v	0.0v	0.0v	48.6v	0.0v	388.42v
62	Mr EC Dickson	A	72.5v	74.10v	49.4v	47.5v	50.8v	48.7v	0.0v	0.0v	0.0v	48.3v	0.0v	388.42v
63	Mr SJ Carson	X	71.9v	73.9v	50.5v	50.4v	48.5v	49.6v	0.0v	0.0v	0.0v	47.4v	0.0v	388.42v
64	Mr RS Sweegers	X	73.7v	75.11v	50.7v	48.5v	50.6v	46.3v	0.0v	0.0v	0.0v	46.3v	0.0v	388.42v
65	Mr AJ Haggerty	A	73.7v	74.9v	47.5v	46.5v	50.5v	48.5v	0.0v	0.0v	0.0v	50.5v	0.0v	388.41v
66	Dr MW Wrigley	A	70.6v	74.6v	50.6v	46.4v	50.5v	48.6v	0.0v	0.0v	0.0v	50.7v	0.0v	388.40v
67	Mr ML Millar	A	70.5v	74.8v	48.5v	46.2v	50.9v	50.6v	0.0v	0.0v	0.0v	50.5v	0.0v	388.40v
68	Mr BA Horwood	X	72.3v	72.11v	47.4v	50.4v	50.7v	48.5v	0.0v	0.0v	0.0v	49.6v	0.0v	388.40v
69	Mr M Persaud	A	72.11v	72.4v	49.5v	49.6v	49.5v	49.3v	0.0v	0.0v	0.0v	48.5v	0.0v	388.39v
70	Mr RBC Baker	X	74.4v	73.11v	50.6v	48.0v	49.4v	50.6v	0.0v	0.0v	0.0v	44.2v	0.0v	388.33v
71	Dr AM Jory	A	72.9v	73.9v	46.5v	48.5v	49.6v	50.5v	0.0v	0.0v	0.0v	49.7v	0.0v	387.46v
72	Mr FWA Coetzee	X	71.4v	74.8v	45.5v	49.6v	50.9v	49.8v	0.0v	0.0v	0.0v	49.6v	0.0v	387.46v
73	Mr PAE Charlton	X	72.8v	74.8v	50.9v	48.5v	49.7v	49.6v	0.0v	0.0v	0.0v	45.3v	0.0v	387.46v
74	Mr T Smith	X	70.5v	72.9v	50.9v	49.5v	50.7v	47.4v	0.0v	0.0v	0.0v	49.6v	0.0v	387.45v
75	Mr PJ Chapman-Sheath	A	72.9v	74.10v	48.6v	47.3v	48.5v	49.6v	0.0v	0.0v	0.0v	49.5v	0.0v	387.44v
76	Miss LAE Crowson	X	72.8v	73.6v	50.9v	46.5v	49.7v	50.6v	0.0v	0.0v	0.0v	47.3v	0.0v	387.44v
77	WO R Rousseau	T	71.8v	75.10v	50.6v	47.4v	49.8v	50.6v	0.0v	0.0v	0.0v	45.2v	0.0v	387.44v
78	Mr T Horrocks	O	69.4v	73.8v	50.9v	47.4v	50.7v	49.4v	0.0v	0.0v	0.0v	49.7v	0.0v	387.43v
79	Mr NJ Verduyn	A	72.6v	69.5v	50.7v	49.7v	49.7v	50.6v	0.0v	0.0v	0.0v	48.5v	0.0v	387.43v
80	Mr MSE Firman	A	71.7v	73.9v	50.7v	47.6v	49.4v	49.6v	0.0v	0.0v	0.0v	48.4v	0.0v	387.43v
81	Mr ANR Walker	X	74.9v	75.9v	50.7v	47.5v	47.6v	49.5v	0.0v	0.0v	0.0v	45.2v	0.0v	387.43v
82	Mr D de Vere	X	74.7v	74.9v	48.7v	49.4v	47.4v	46.2v	0.0v	0.0v	0.0v	49.9v	0.0v	387.42v
83	Miss H P McCullough	X	72.9v	74.8v	48.6v	45.3v	50.4v	49.6v	0.0v	0.0v	0.0v	49.6v	0.0v	387.42v
84	Mr C Fitzpatrick	X	72.6v	73.7v	49.6v	47.3v	49.9v	49.6v	0.0v	0.0v	0.0v	48.5v	0.0v	387.42v
85	Mr KB Hill	A	73.10v	74.11v	50.5v	47.5v	49.4v	46.3v	0.0v	0.0v	0.0v	48.4v	0.0v	387.42v
86	Mr ARW Smith	O	71.7v	74.7v	50.7v	47.5v	48.7v	49.6v	0.0v	0.0v	0.0v	48.3v	0.0v	387.42v
87	Mr CA Brook	X	74.9v	71.7v	49.4v	50.8v	49.7v	47.3v	0.0v	0.0v	0.0v	47.4v	0.0v	387.42v
88	Mr DR Le Quesne	X	74.8v	74.8v	47.4v	46.6v	49.5v	49.3v	0.0v	0.0v	0.0v	48.7v	0.0v	387.41v
89	Mr JPS Bloomfield	X	73.8v	72.9v	48.6v	48.5v	50.5v	48.5v	0.0v	0.0v	0.0v	48.3v	0.0v	387.41v
90	Miss JH Messer	X	71.7v	75.11v	49.5v	47.5v	49.7v	48.3v	0.0v	0.0v	0.0v	48.3v	0.0v	387.41v
91	Mr JA Watson	X	70.7v	75.9v	50.6v	47.3v	50.5v	48.7v	0.0v	0.0v	0.0v	47.4v	0.0v	387.41v
92	Mr GC Childs	A	74.8v	74.10v	50.6v	45.3v	49.6v	48.5v	0.0v	0.0v	0.0v	47.3v	0.0v	387.41v
93	Mr PA Maher	A	70.6v	74.8v	50.7v	48.5v	50.7v	50.6v	0.0v	0.0v	0.0v	45.2v	0.0v	387.41v
94	Mr P Glen	O	69.4v	74.10v	49.3v	47.6v	49.7v	50.4v	0.0v	0.0v	0.0v	49.5v	0.0v	387.39v
95	Mr HA Day	X	73.10v	74.6v	50.5v	46.3v	50.6v	48.5v	0.0v	0.0v	0.0v	46.4v	0.0v	387.39v
96	Mr BJ Wood	O	73.4v	72.5v	50.9v	49.4v	49.7v	48.3v	0.0v	0.0v	0.0v	46.6v	0.0v	387.38v
97	Mr WMS Hall	O	70.6v	75.9v	49.3v	47.5v	50.4v	50.8v	0.0v	0.0v	0.0v	46.2v	0.0v	387.37v
98	Mr JGM Webster	A	72.7v	73.7v	48.3v	49.6v	49.4v	49.5v	0.0v	0.0v	0.0v	47.4v	0.0v	387.36v
99	Mr JN McLaren	X	73.3v	73.10v	50.7v	47.5v	49.4v	50.6v	0.0v	0.0v	0.0v	45.1v	0.0v	387.36v
100	Mr CN Tremlett	X	73.6v	71.5v	48.1v	48.5v	49.5v	49.6v	0.0v	0.0v	0.0v	49.7v	0.0v	387.35v
101	Mr JA Curd	X	72.5v	71.5v	50.5v	48.2v	50.8v	48.3v	0.0v	0.0v	0.0v	48.5v	0.0v	387.33v
102	CSgt M Witherley	T	71.7v	72.9v	50.7v	49.6v	50.4v	49.7v	0.0v	0.0v	0.0v	45.6v	0.0v	386.46v
103	Mr AM Bell	X	73.6v	72.8v	48.7v	48.5v	50.9v	50.7v	0.0v	0.0v	0.0v	45.4v	0.0v	386.46v
104	Maj DR Thompson	X	72.8v	72.9v	48.4v	48.6v	49.8v	48.4v	0.0v	0.0v	0.0v	49.6v	0.0v	386.45v
105	Dr AI Ashworth	O	72.8v	71.6v	49.7v	49.6v	50.8v	48.5v	0.0v	0.0v	0.0v	47.5v	0.0v	386.45v
106	Mr GE Grosskreutz	X	72.8v	73.8v	47.4v	49.4v	49.7v	47.6v	0.0v	0.0v	0.0v	49.7v	0.0v	386.44v
107	Mr RW Shaw	X	72.9v	73.7v	50.7v	42.3v	50.7v	49.5v	0.0v	0.0v	0.0v	50.5v	0.0v	386.43v
108	Mr ITG Shaw	X	72.7v	73.6v	48.4v	47.4v	49.6v	48.7v	0.0v	0.0v	0.0v	49.7v	0.0v	386.41v
109	Mrs K Le Quesne	A	69.7v	73.9v	49.6v	49.6v	48.4v	49.5v	0.0v	0.0v	0.0v	49.4v	0.0v	386.41v
110	Mr C Mallett	X	71.7v	73.10v	48.5v	46.1v	50.7v	49.5v	0.0v	0.0v	0.0v	49.4v	0.0v	386.39v
111	Mr JEM Bellringer	X	72.5v	72.9v	50.5v	47.4v	50.7v	48.3v	0.0v	0.0v	0.0v	47.6v	0.0v	386.39v
112	Mr PM Jory	X	72.7v	75.11v	49.5v	46.3v	50.6v	47.3v	0.0v	0.0v	0.0v	47.4v	0.0v	386.39v
113	Mr PS Gray	A	71.7v	72.6v	50.6v	50.4v	49.4v	50.8v	0.0v	0.0v	0.0v	44.4v	0.0v	386.39v
114	Mr D Rose	X	74.9v	75.10v	48.4v	48.6v	49.2v	49.7v	0.0v	0.0v	0.0v	43.1v	0.0v	386.39v
115	Mr GK Alexander	X	69.5v	75.10v	48.5v	48.4v	48.3v	48.5v	0.0v	0.0v	0.0v	50.6v	0.0v	386.38v
116	Mr RJ Lygoe	X	70.4v	71.5v	49.8v	48.5v	50.6v	49.3v	0.0v	0.0v	0.0v	49.7v	0.0v	386.38v
117	Mr MI Buchanan	X	73.6v	71.6v	48.4v	48.5v	50.6v	50.6v	0.0v	0.0v	0.0v	46.4v	0.0v	386.37v
118	Mr AG Mitchell	X	69.2v	71.7v	49.6v	49.4v	50.7v	48.6v	0.0v	0.0v	0.0v	50.4v	0.0v	386.36v
119	Mr JPL Sweet	X	72.2v	73.8v	50.7v	47.1v	49.8v	48.6v	0.0v	0.0v	0.0v	47.4v	0.0v	386.36v
120	Mr ATB Tompson	X	73.5v	72.9v	49.6v	45.3v	50.4v	49.5v	0.0v	0.0v	0.0v	48.3v	0.0v	386.35v
121	Mr PR Bain	A	72.5v	74.8v	50.6v	46.1v	50.8v	47.5v	0.0v	0.0v	0.0v	47.2v	0.0v	386.35v
122	Mr R Kloosterman	A	69.5v	73.6v	49.5v	49.6v	49.5v	49.2v	0.0v	0.0v	0.0v	48.4v	0.0v	386.33v
123	Mr SA Thomas	X	71.9v	74.10v	48.3v	44.2v	50.10v	49.7v	0.0v	0.0v	0.0v	49.4v	0.0v	385.45v
124	Dr J Mehta	A	71.4v	74.11v	49.6v	48.7v	49.7v	49.8v	0.0v	0.0v	0.0v	45.2v	0.0v	385.45v
125	Major AR McLeod	X	74.9v	72.7v	48.8v	47.5v	49.5v	48.5v	0.0v	0.0v	0.0v	47.4v	0.0v	385.43v
126	Mr JP Tapster	X	70.5v	73.10v	50.8v	46.3v	50.9v	49.5v	0.0v	0.0v	0.0v	47.3v	0.0v	385.43v
127	Dr AJ Pilgrim	X	73.6v	72.7v	47.5v	47.5v	48.7v	50.7v	0.0v	0.0v	0.0v	48.5v	0.0v	385.42v
128	Miss EG Joseph	A	71.8v	71.7v	50.5v	48.5v	50.9v	47.5v	0.0v	0.0v	0.0v	48.3v	0.0v	385.42v

129	Mr TJ Bullock	X	72.8v	73.10v	49.5v	48.4v	49.5v	48.5v	0.0v	0.0v	0.0v	46.4v	0.0v	385.41v
130	Mr JPW Waite	T	73.6v	73.10v	50.7v	46.2v	50.8v	48.5v	0.0v	0.0v	0.0v	45.3v	0.0v	385.41v
131	Mr PD Griggs	A	70.7v	73.6v	48.6v	47.4v	49.5v	50.6v	0.0v	0.0v	0.0v	48.6v	0.0v	385.40v
132	Mr MR Rewston	O	69.5v	73.9v	49.5v	47.7v	50.4v	49.5v	0.0v	0.0v	0.0v	48.5v	0.0v	385.40v
133	Mr ITR Jobling	O	73.10v	71.8v	49.4v	49.4v	50.7v	47.4v	0.0v	0.0v	0.0v	46.3v	0.0v	385.40v
134	Mr AD Le Cheminant	X	72.8v	72.5v	48.3v	48.5v	47.5v	48.6v	0.0v	0.0v	0.0v	50.7v	0.0v	385.39v
135	Mr G Trembath	O	73.7v	74.9v	48.5v	48.6v	50.6v	44.0v	0.0v	0.0v	0.0v	48.6v	0.0v	385.39v
136	Mr DA Taylor	A	70.7v	73.8v	49.6v	47.5v	49.6v	49.3v	0.0v	0.0v	0.0v	48.4v	0.0v	385.39v
137	Mr JH Haward	X	71.4v	74.9v	50.7v	48.7v	48.5v	48.3v	0.0v	0.0v	0.0v	46.4v	0.0v	385.39v
138	Mr AJ Luckman	X	70.4v	74.12v	48.6v	46.3v	49.4v	48.4v	0.0v	0.0v	0.0v	50.5v	0.0v	385.38v
139	Mr TL Bedwell	O	70.2v	73.8v	49.6v	48.8v	47.4v	49.5v	0.0v	0.0v	0.0v	49.5v	0.0v	385.38v
140	Mr AP Barnes	X	73.7v	73.12v	48.4v	48.5v	47.3v	49.4v	0.0v	0.0v	0.0v	47.3v	0.0v	385.38v
141	Mr RM Hatcher	A	70.4v	72.7v	50.6v	50.6v	50.5v	48.6v	0.0v	0.0v	0.0v	45.4v	0.0v	385.38v
142	Mr R Birtwistle	X	71.4v	72.10v	49.5v	48.3v	49.5v	47.4v	0.0v	0.0v	0.0v	49.6v	0.0v	385.37v
143	Miss TJ Fitzsimons	A	72.10v	73.7v	48.3v	46.2v	48.6v	49.3v	0.0v	0.0v	0.0v	49.6v	0.0v	385.37v
144	Mr THD Dodds	O	70.6v	74.6v	47.5v	47.4v	50.5v	50.5v	0.0v	0.0v	0.0v	47.5v	0.0v	385.36v
145	Mr JR Tuck	X	70.5v	72.7v	49.5v	48.6v	50.5v	49.4v	0.0v	0.0v	0.0v	47.4v	0.0v	385.36v
146	Mr SM Negus	X	72.8v	73.5v	49.7v	47.3v	50.6v	48.4v	0.0v	0.0v	0.0v	46.3v	0.0v	385.36v
147	Dr AF Aspin	A	71.4v	73.7v	48.2v	48.4v	49.8v	50.6v	0.0v	0.0v	0.0v	46.4v	0.0v	385.35v
148	Mr JF Lawrie	A	72.8v	74.7v	49.5v	48.1v	48.5v	48.6v	0.0v	0.0v	0.0v	46.2v	0.0v	385.34v
149	Mr JM Ford	A	69.5v	75.4v	50.8v	46.4v	50.3v	49.5v	0.0v	0.0v	0.0v	46.3v	0.0v	385.32v
150	F/Sgt K Milner	T	70.5v	73.6v	48.6v	49.0v	50.6v	50.6v	0.0v	0.0v	0.0v	45.1v	0.0v	385.30v
151	Mr RSF Shouler	X	72.11v	74.11v	48.5v	48.6v	50.8v	48.7v	0.0v	0.0v	0.0v	44.2v	0.0v	384.50v
152	Mr RM Roberts	X	73.8v	71.9v	48.7v	46.5v	48.8v	49.5v	0.0v	0.0v	0.0v	49.5v	0.0v	384.47v
153	Mr NP Moxon	A	71.4v	73.8v	49.6v	49.6v	46.4v	47.8v	0.0v	0.0v	0.0v	49.7v	0.0v	384.43v
154	Dr JS Rennie	A	70.7v	73.10v	48.4v	44.3v	50.7v	49.5v	0.0v	0.0v	0.0v	50.6v	0.0v	384.42v
155	Mr RW Sandlant	X	73.7v	73.9v	45.4v	46.6v	49.6v	49.4v	0.0v	0.0v	0.0v	49.6v	0.0v	384.42v
156	Ms KK Kent	X	73.9v	75.8v	49.5v	47.5v	44.4v	49.5v	0.0v	0.0v	0.0v	47.6v	0.0v	384.42v
157	WO M Patrick	T	72.7v	74.8v	49.7v	48.5v	50.7v	49.5v	0.0v	0.0v	0.0v	42.3v	0.0v	384.42v
158	Mr DG Young	X	71.7v	73.6v	49.5v	50.7v	50.8v	50.8v	0.0v	0.0v	0.0v	41.1v	0.0v	384.42v
159	Dr PR Wheeler	X	71.7v	71.6v	49.5v	45.3v	50.8v	48.5v	0.0v	0.0v	0.0v	50.7v	0.0v	384.41v
160	Mr RA Dix	A	68.5v	73.8v	49.4v	46.4v	50.7v	49.5v	0.0v	0.0v	0.0v	49.8v	0.0v	384.41v
161	Sgt. RH Kitson	O	71.8v	73.6v	49.4v	45.3v	50.8v	49.7v	0.0v	0.0v	0.0v	47.5v	0.0v	384.41v
162	Mr RW Hallows	A	72.6v	72.9v	48.4v	45.4v	49.6v	50.6v	0.0v	0.0v	0.0v	48.5v	0.0v	384.40v
163	Mr PB Cutts	O	72.7v	74.12v	49.3v	42.2v	49.8v	49.3v	0.0v	0.0v	0.0v	49.4v	0.0v	384.39v
164	Mr MR Fugeman	A	71.7v	72.9v	49.5v	46.1v	48.3v	49.7v	0.0v	0.0v	0.0v	49.6v	0.0v	384.38v
165	Mr AG Harrison	O	71.11v	73.8v	50.4v	48.1v	50.5v	45.5v	0.0v	0.0v	0.0v	47.3v	0.0v	384.37v
166	Mr JRW Postle	A	72.5v	73.7v	46.4v	49.5v	48.6v	49.5v	0.0v	0.0v	0.0v	47.4v	0.0v	384.36v
167	Mr AC Morley	A	71.8v	70.4v	50.5v	46.2v	49.6v	50.7v	0.0v	0.0v	0.0v	48.3v	0.0v	384.35v
168	Mr TSM Gordon	O	74.4v	73.6v	48.5v	47.5v	47.5v	48.6v	0.0v	0.0v	0.0v	47.4v	0.0v	384.35v
169	Mr TP Clarke	X	73.6v	72.7v	48.5v	47.4v	50.7v	47.2v	0.0v	0.0v	0.0v	47.4v	0.0v	384.35v
170	Mr RK Jackson	O	74.7v	73.6v	49.6v	47.3v	49.7v	46.4v	0.0v	0.0v	0.0v	46.2v	0.0v	384.35v
171	Mr MG Reid	A	72.7v	74.9v	48.4v	46.2v	49.4v	49.3v	0.0v	0.0v	0.0v	46.5v	0.0v	384.34v
172	Mr NJ Atkins	X	74.7v	74.8v	50.5v	49.5v	48.4v	46.4v	0.0v	0.0v	0.0v	43.1v	0.0v	384.34v
173	Mr A Thomson	A	70.4v	72.4v	50.4v	48.4v	48.6v	48.5v	0.0v	0.0v	0.0v	48.3v	0.0v	384.30v
174	Mr SP O'Brien	O	73.4v	74.7v	48.4v	46.2v	49.5v	48.6v	0.0v	0.0v	0.0v	46.2v	0.0v	384.30v
175	Mr BD Mehrstens	A	73.9v	71.6v	48.8v	47.6v	50.9v	49.7v	0.0v	0.0v	0.0v	45.5v	0.0v	383.50v
176	Mr JMA Thompson	X	73.9v	75.10v	49.7v	41.5v	50.8v	48.4v	0.0v	0.0v	0.0v	47.3v	0.0v	383.46v
177	Mr M Liversage	A	67.2v	74.11v	48.5v	48.7v	49.6v	48.6v	0.0v	0.0v	0.0v	49.8v	0.0v	383.45v
178	Mr MRM Millar	X	69.6v	73.9v	47.4v	47.3v	50.8v	48.5v	0.0v	0.0v	0.0v	49.7v	0.0v	383.42v
179	Mrs Donna E Negus	X	71.7v	73.10v	48.4v	46.4v	49.7v	47.4v	0.0v	0.0v	0.0v	49.6v	0.0v	383.42v
180	Lt RN Stebbings	A	69.5v	72.8v	50.8v	48.4v	50.5v	49.7v	0.0v	0.0v	0.0v	45.5v	0.0v	383.42v
181	Mr JR Stirland	A	71.7v	71.7v	47.5v	48.5v	48.4v	48.4v	0.0v	0.0v	0.0v	50.9v	0.0v	383.41v
182	Mr MJJ Charlton	O	74.6v	72.7v	47.7v	47.5v	48.7v	47.3v	0.0v	0.0v	0.0v	48.6v	0.0v	383.41v
183	Mr J Brooking	O	70.8v	74.4v	46.5v	47.4v	50.10v	48.5v	0.0v	0.0v	0.0v	48.4v	0.0v	383.40v
184	Capt D Morris	A	70.6v	72.5v	48.6v	48.5v	49.5v	49.8v	0.0v	0.0v	0.0v	47.5v	0.0v	383.40v
185	Mr TA Ringer	X	73.7v	72.9v	49.5v	48.5v	50.9v	49.4v	0.0v	0.0v	0.0v	42.1v	0.0v	383.40v
186	Dr C I Johnston	X	71.7v	73.4v	49.8v	42.2v	50.7v	49.7v	0.0v	0.0v	0.0v	49.4v	0.0v	383.39v
187	Mrs MM Norman	A	71.4v	73.12v	48.3v	48.4v	48.6v	46.7v	0.0v	0.0v	0.0v	49.3v	0.0v	383.39v
188	Mr CES Dickenson	A	70.5v	73.8v	49.6v	45.3v	50.6v	48.5v	0.0v	0.0v	0.0v	48.6v	0.0v	383.39v
189	Mr SJ Bissonnette	X	69.3v	72.7v	49.4v	47.5v	50.10v	48.5v	0.0v	0.0v	0.0v	48.5v	0.0v	383.39v
190	Mr JK Kelleher	O	71.7v	72.7v	50.6v	45.3v	49.6v	50.7v	0.0v	0.0v	0.0v	46.3v	0.0v	383.39v
191	Mr S J Pascoe	A	69.6v	74.11v	50.7v	47.1v	49.5v	49.6v	0.0v	0.0v	0.0v	45.2v	0.0v	383.38v
192	Mr HAD Howard	A	69.5v	72.8v	50.6v	48.5v	50.4v	47.5v	0.0v	0.0v	0.0v	47.4v	0.0v	383.37v
193	Mr A Mabon	O	70.6v	71.8v	49.4v	48.5v	47.2v	50.6v	0.0v	0.0v	0.0v	48.5v	0.0v	383.36v
194	Mr SR Robinson	T	73.3v	72.6v	50.8v	44.2v	49.6v	50.6v	0.0v	0.0v	0.0v	45.5v	0.0v	383.36v
195	Dr GP Nelson	A	72.7v	71.6v	50.6v	46.3v	50.5v	50.6v	0.0v	0.0v	0.0v	44.3v	0.0v	383.36v
196	Mrs RA Wiltshire	X	72.4v	72.6v	46.6v	48.7v	49.3v	48.4v	0.0v	0.0v	0.0v	48.4v	0.0v	383.34v
197	Mr WJ Rowland	A	71.3v	73.6v	48.5v	46.3v	50.9v	49.3v	0.0v	0.0v	0.0v	46.3v	0.0v	383.32v
198	Mr OEJ Spencer	O	71.5v	74.6v	46.4v	48.5v	48.4v	48.3v	0.0v	0.0v	0.0v	48.4v	0.0v	383.31v
199	Miss S Cheslyn-Curtis	O	73.7v	72.7v	48.3v	48.5v	47.2v	49.4v	0.0v	0.0v	0.0v	46.3v	0.0v	383.31v
200	Mr JTM Magill	O	70.5v	71.7v	49.5v	49.3v	49.4v	50.4v	0.0v	0.0v	0.0v	45.3v	0.0v	383.31v

201	Mr DN Lindsay	A	72.3v	70.6v	48.3v	46.3v	50.6v	48.5v	0.0v	0.0v	0.0v	49.4v	0.0v	383.30v
202	Mr WR Steward	O	72.3v	74.7v	50.6v	44.2v	49.5v	48.3v	0.0v	0.0v	0.0v	46.3v	0.0v	383.29v
203	Mr ADE Grounds	O	67.3v	74.7v	47.2v	50.6v	49.4v	46.2v	0.0v	0.0v	0.0v	50.4v	0.0v	383.28v
204	Mr TJD Raincock	X	73.9v	73.12v	48.4v	44.3v	47.5v	50.6v	0.0v	0.0v	0.0v	47.4v	0.0v	382.43v
205	Cdt CM Jones	A	70.4v	71.8v	50.7v	48.5v	49.9v	47.4v	0.0v	0.0v	0.0v	47.5v	0.0v	382.42v
206	Mr SW Maris	O	69.5v	72.8v	49.7v	49.4v	48.7v	48.7v	0.0v	0.0v	0.0v	47.3v	0.0v	382.41v
207	Mr CD Heales	A	71.5v	73.10v	50.8v	46.5v	48.5v	48.4v	0.0v	0.0v	0.0v	46.4v	0.0v	382.41v
208	Mr S Glen	X	69.6v	73.8v	49.5v	44.2v	48.5v	50.6v	0.0v	0.0v	0.0v	49.7v	0.0v	382.39v
209	Mr DGM Coleman	A	71.5v	74.8v	48.7v	47.4v	48.7v	47.4v	0.0v	0.0v	0.0v	47.4v	0.0v	382.39v
210	Mr KJA Painter	T	71.7v	74.7v	50.6v	46.3v	47.7v	47.4v	0.0v	0.0v	0.0v	47.4v	0.0v	382.38v
211	S Ouellet	T	70.8v	70.8v	47.4v	50.4v	49.5v	49.6v	0.0v	0.0v	0.0v	47.3v	0.0v	382.38v
212	Mr GV Feast	O	69.8v	71.6v	48.5v	49.6v	50.6v	49.5v	0.0v	0.0v	0.0v	46.2v	0.0v	382.38v
213	Mr AM Bullen	A	73.6v	75.9v	49.5v	45.4v	50.7v	45.4v	0.0v	0.0v	0.0v	45.3v	0.0v	382.38v
214	Mr DFP Richards	A	70.3v	72.9v	46.4v	48.3v	49.8v	48.5v	0.0v	0.0v	0.0v	49.5v	0.0v	382.37v
215	Mr JA Borland	A	71.5v	72.9v	48.4v	43.1v	50.7v	49.6v	0.0v	0.0v	0.0v	49.5v	0.0v	382.37v
216	Mr CA Skellett	A	71.7v	69.3v	47.5v	49.6v	50.6v	49.7v	0.0v	0.0v	0.0v	47.3v	0.0v	382.37v
217	Mr SD Shouler	X	69.5v	74.12v	49.5v	47.3v	50.6v	48.3v	0.0v	0.0v	0.0v	45.3v	0.0v	382.37v
218	Mr KR Trowbridge	O	72.7v	73.7v	46.5v	50.8v	46.4v	46.1v	0.0v	0.0v	0.0v	49.4v	0.0v	382.36v
219	Mr CM Brooks	O	68.5v	73.5v	49.6v	48.6v	47.4v	50.6v	0.0v	0.0v	0.0v	47.3v	0.0v	382.35v
220	Mr BMA Stevens	A	72.7v	71.2v	47.4v	50.7v	47.5v	49.5v	0.0v	0.0v	0.0v	46.5v	0.0v	382.35v
221	Mr PJ Dudzinski	A	70.7v	73.4v	49.6v	46.5v	49.5v	49.4v	0.0v	0.0v	0.0v	46.4v	0.0v	382.35v
222	Mr SE Young	X	72.5v	73.5v	50.6v	48.4v	49.8v	49.5v	0.0v	0.0v	0.0v	41.2v	0.0v	382.35v
223	Mr ML Cotillard	A	67.2v	74.8v	49.4v	47.5v	49.5v	48.6v	0.0v	0.0v	0.0v	48.4v	0.0v	382.34v
224	Mr AD Partridge	A	74.6v	69.4v	49.7v	47.5v	49.4v	47.3v	0.0v	0.0v	0.0v	47.5v	0.0v	382.34v
225	MWO Y Jin	T	72.6v	73.8v	48.4v	46.5v	50.6v	47.3v	0.0v	0.0v	0.0v	46.2v	0.0v	382.34v
226	Mr RPF Fagan	O	73.6v	73.9v	45.2v	47.5v	50.4v	50.6v	0.0v	0.0v	0.0v	44.2v	0.0v	382.34v
227	LCP-L Watson	X	65.3v	74.8v	49.5v	47.3v	50.6v	49.4v	0.0v	0.0v	0.0v	48.4v	0.0v	382.33v
228	Capt AG McLean	X	66.2v	74.10v	50.4v	47.5v	49.5v	48.4v	0.0v	0.0v	0.0v	48.3v	0.0v	382.33v
229	Mr HWR Gilbert	O	71.3v	74.7v	48.3v	47.4v	46.4v	50.8v	0.0v	0.0v	0.0v	46.4v	0.0v	382.33v
230	LCpl WC Cowen	T	71.5v	73.6v	49.4v	45.6v	48.3v	48.5v	0.0v	0.0v	0.0v	48.3v	0.0v	382.32v
231	Miss SIM Anderson	X	72.8v	73.8v	46.3v	46.3v	49.3v	48.2v	0.0v	0.0v	0.0v	48.4v	0.0v	382.31v
232	Mr ID Macdonald	O	69.8v	73.5v	48.4v	47.2v	48.2v	49.4v	0.0v	0.0v	0.0v	48.4v	0.0v	382.29v
233	Mrs LK Mace	X	67.5v	74.11v	49.6v	46.4v	49.7v	47.6v	0.0v	0.0v	0.0v	49.5v	0.0v	381.44v
234	Mr MA Kirkillio-Stacewicz	A	68.6v	74.9v	47.3v	44.3v	50.9v	48.7v	0.0v	0.0v	0.0v	50.6v	0.0v	381.43v
235	Mr M J Ensor	X	69.6v	73.9v	49.7v	44.3v	50.8v	49.2v	0.0v	0.0v	0.0v	47.6v	0.0v	381.41v
236	Mr TLW Kidner	A	69.7v	74.8v	50.6v	46.4v	50.7v	45.5v	0.0v	0.0v	0.0v	47.3v	0.0v	381.40v
237	Mr JA Anderson	A	70.5v	73.9v	49.6v	46.4v	49.7v	48.5v	0.0v	0.0v	0.0v	46.4v	0.0v	381.40v
238	Mr H Sanders	X	68.2v	70.5v	47.5v	49.8v	50.9v	48.5v	0.0v	0.0v	0.0v	49.5v	0.0v	381.39v
239	Mr PG Oxnam	O	68.4v	72.6v	48.6v	50.8v	50.9v	46.1v	0.0v	0.0v	0.0v	47.4v	0.0v	381.38v
240	Mr AMS Sadler	O	71.5v	73.9v	49.4v	44.3v	49.5v	49.7v	0.0v	0.0v	0.0v	46.5v	0.0v	381.38v
241	Mrs CJ Clifford Evans	A	66.3v	70.5v	48.4v	50.8v	50.4v	50.7v	0.0v	0.0v	0.0v	47.6v	0.0v	381.37v
242	Mr D Lowe	O	67.3v	73.7v	50.7v	47.4v	47.6v	50.4v	0.0v	0.0v	0.0v	47.5v	0.0v	381.36v
243	Mrs RP Paquette	A	72.4v	71.6v	46.4v	47.4v	50.9v	48.7v	0.0v	0.0v	0.0v	47.2v	0.0v	381.36v
244	Mr M Stewart	O	70.8v	70.5v	48.6v	46.3v	50.6v	50.6v	0.0v	0.0v	0.0v	47.2v	0.0v	381.36v
245	Mr BN Craig	A	69.7v	71.7v	50.4v	50.6v	50.7v	47.3v	0.0v	0.0v	0.0v	44.2v	0.0v	381.36v
246	Mr SJB Sander	O	73.8v	74.5v	47.5v	48.4v	47.5v	44.3v	0.0v	0.0v	0.0v	48.5v	0.0v	381.35v
247	Mr RAH Vary	X	71.7v	69.6v	48.3v	47.5v	50.4v	49.4v	0.0v	0.0v	0.0v	47.4v	0.0v	381.33v
248	Mr SL Cleveland	O	69.7v	72.8v	47.4v	47.3v	50.4v	48.4v	0.0v	0.0v	0.0v	48.2v	0.0v	381.32v
249	Miss AJ Clarke	O	72.4v	75.9v	50.4v	45.2v	47.4v	48.4v	0.0v	0.0v	0.0v	44.4v	0.0v	381.31v
250	Mr AB Tucker	O	71.6v	72.5v	49.4v	49.5v	48.6v	49.4v	0.0v	0.0v	0.0v	43.1v	0.0v	381.31v
251	Mr A Griffin	O	73.4v	75.9v	49.6v	45.2v	49.4v	49.6v	0.0v	0.0v	0.0v	41.0v	0.0v	381.31v
252	Mr D Clark	A	72.6v	69.4v	49.3v	47.4v	49.6v	47.2v	0.0v	0.0v	0.0v	48.4v	0.0v	381.29v
253	Mr MF Martel	A	70.7v	72.5v	48.4v	47.2v	48.3v	47.5v	0.0v	0.0v	0.0v	49.1v	0.0v	381.27v
254	Mr NW Penn	O	71.5v	74.7v	46.3v	45.3v	49.2v	48.3v	0.0v	0.0v	0.0v	48.4v	0.0v	381.27v
255	Mr IRM Brown	A	71.3v	70.4v	50.6v	49.6v	48.2v	49.3v	0.0v	0.0v	0.0v	44.3v	0.0v	381.27v
256	Mr C Pirouet	T	73.9v	70.7v	49.7v	45.3v	49.5v	47.6v	0.0v	0.0v	0.0v	47.5v	0.0v	380.42v
257	Mr SJ East	X	69.7v	72.8v	49.1v	49.8v	50.8v	49.9v	0.0v	0.0v	0.0v	42.1v	0.0v	380.42v
258	Mr CS Lamont	O	68.8v	73.10v	49.6v	47.2v	50.8v	46.3v	0.0v	0.0v	0.0v	47.3v	0.0v	380.40v
259	Mr RA Benest	X	70.5v	75.8v	49.6v	44.3v	48.6v	49.8v	0.0v	0.0v	0.0v	45.4v	0.0v	380.40v
260	Mr MR Frost	O	69.3v	73.9v	47.5v	46.2v	47.6v	49.8v	0.0v	0.0v	0.0v	49.6v	0.0v	380.39v
261	Mr TM Green	A	68.4v	74.8v	49.6v	45.3v	49.6v	47.6v	0.0v	0.0v	0.0v	48.6v	0.0v	380.39v
262	Mr RF Barrington	O	65.3v	74.9v	48.4v	46.5v	49.5v	50.9v	0.0v	0.0v	0.0v	48.4v	0.0v	380.39v
263	Mr CRM Asquith	O	70.6v	72.8v	49.6v	42.5v	49.3v	50.5v	0.0v	0.0v	0.0v	48.5v	0.0v	380.38v
264	Mr AC Haley	X	72.11v	72.9v	47.4v	46.2v	47.4v	49.4v	0.0v	0.0v	0.0v	47.4v	0.0v	380.38v
265	Mr FCD Flanagan	O	74.8v	70.6v	49.5v	49.5v	49.9v	46.2v	0.0v	0.0v	0.0v	43.3v	0.0v	380.38v
266	Dr IT Matsumoto	O	72.7v	73.8v	43.3v	47.4v	47.3v	49.5v	0.0v	0.0v	0.0v	49.7v	0.0v	380.37v
267	Mr J Pugsley MRCVS	X	72.6v	67.9v	48.4v	47.3v	50.6v	47.5v	0.0v	0.0v	0.0v	49.4v	0.0v	380.37v
268	Mr CMB Bowring	O	71.10v	70.5v	49.5v	48.2v	50.7v	48.5v	0.0v	0.0v	0.0v	44.1v	0.0v	380.35v
269	Mr MJW Willing	O	71.4v	69.6v	50.6v	48.7v	50.5v	49.6v	0.0v	0.0v	0.0v	43.1v	0.0v	380.35v
270	Mr SJ Comins	O	71.7v	72.7v	46.4v	44.4v	49.4v	50.3v	0.0v	0.0v	0.0v	48.5v	0.0v	380.34v
271	Mr V Robertshaw	O	73.6v	72.8v	48.3v	48.4v	47.4v	45.3v	0.0v	0.0v	0.0v	47.6v	0.0v	380.34v
272	Mr ORW Russell	X	67.5v	72.9v	50.4v	47.4v	48.4v	49.4v	0.0v	0.0v	0.0v	47.4v	0.0v	380.34v

273	Mr WJD Broad	X	73.7v	72.9v	48.6v	47.2v	50.4v	47.5v	0.0v	0.0v	0.0v	43.1v	0.0v	380.34v
274	Cdt BG Chamberlain	T	74.4v	71.6v	44.3v	47.5v	50.8v	45.2v	0.0v	0.0v	0.0v	49.5v	0.0v	380.33v
275	Mr I Brechin	A	68.1v	73.6v	48.6v	46.4v	48.5v	48.7v	0.0v	0.0v	0.0v	49.4v	0.0v	380.33v
276	LCpl SD James	T	67.5v	71.5v	50.4v	48.6v	49.4v	49.6v	0.0v	0.0v	0.0v	46.3v	0.0v	380.33v
277	Miss LE Kennedy	O	70.5v	72.10v	47.3v	49.2v	48.5v	49.6v	0.0v	0.0v	0.0v	45.2v	0.0v	380.33v
278	Mr DJ Gass	X	67.2v	75.12v	50.3v	45.3v	49.4v	47.4v	0.0v	0.0v	0.0v	47.4v	0.0v	380.32v
279	Cdt M Rainer-Kirkwood	O	72.7v	74.9v	46.1v	47.3v	47.4v	49.4v	0.0v	0.0v	0.0v	45.3v	0.0v	380.31v
280	Mr DAF Parkinson	O	68.2v	73.8v	49.5v	47.3v	47.4v	48.4v	0.0v	0.0v	0.0v	48.4v	0.0v	380.30v
281	Mr ADJ Stewart	O	72.5v	74.7v	48.5v	43.0v	47.4v	48.3v	0.0v	0.0v	0.0v	48.2v	0.0v	380.26v
282	Mr RH Gardiner	A	66.3v	71.10v	49.6v	50.6v	49.7v	47.4v	0.0v	0.0v	0.0v	47.6v	0.0v	379.42v
283	Mr FTG Amy	A	68.4v	72.9v	48.7v	46.3v	49.5v	47.4v	0.0v	0.0v	0.0v	49.8v	0.0v	379.40v
284	Mr RE Ellis	A	72.10v	71.6v	48.3v	45.3v	50.6v	49.7v	0.0v	0.0v	0.0v	44.5v	0.0v	379.40v
285	Mr AJ Leech	O	72.8v	71.7v	45.7v	45.2v	49.5v	48.5v	0.0v	0.0v	0.0v	49.5v	0.0v	379.39v
286	Mr ST Taylor	O	63.5v	70.7v	50.7v	49.4v	50.5v	50.6v	0.0v	0.0v	0.0v	47.4v	0.0v	379.38v
287	Prof. AR Horrocks	A	70.8v	70.5v	49.5v	48.5v	50.8v	47.5v	0.0v	0.0v	0.0v	45.2v	0.0v	379.38v
288	WO J Czuba	T	67.5v	70.8v	49.3v	46.2v	50.8v	49.5v	0.0v	0.0v	0.0v	48.6v	0.0v	379.37v
289	Wg. Cdr. CR Smith	X	70.8v	71.8v	48.5v	45.3v	50.5v	50.6v	0.0v	0.0v	0.0v	45.2v	0.0v	379.37v
290	Mr C Mitchell	X	70.4v	74.10v	48.7v	40.0v	48.4v	49.5v	0.0v	0.0v	0.0v	50.6v	0.0v	379.36v
291	Miss HCM Bennett	O	70.5v	70.7v	47.5v	48.5v	49.6v	48.4v	0.0v	0.0v	0.0v	47.4v	0.0v	379.36v
292	Miss CEM Mawson	A	71.9v	69.4v	48.5v	47.3v	50.6v	49.6v	0.0v	0.0v	0.0v	45.2v	0.0v	379.35v
293	Mr DE Nuthall	X	71.4v	71.5v	49.8v	47.2v	50.6v	47.7v	0.0v	0.0v	0.0v	44.3v	0.0v	379.35v
294	Dr MJ Schwarz	A	71.5v	75.10v	47.5v	48.5v	46.3v	47.4v	0.0v	0.0v	0.0v	45.2v	0.0v	379.34v
295	Mr JM Taylor	X	71.9v	72.6v	49.6v	48.2v	49.6v	46.2v	0.0v	0.0v	0.0v	44.3v	0.0v	379.34v
296	Mr AI Brown	A	71.5v	72.6v	49.6v	47.4v	47.6v	45.2v	0.0v	0.0v	0.0v	48.4v	0.0v	379.33v
297	Eur Ing CA Painting	A	70.4v	70.8v	48.3v	49.8v	50.7v	45.1v	0.0v	0.0v	0.0v	47.2v	0.0v	379.33v
298	Mr DS Murray	X	74.4v	73.8v	47.5v	46.4v	46.3v	47.4v	0.0v	0.0v	0.0v	46.5v	0.0v	379.33v
299	Ms CH Hearn	O	69.6v	73.6v	50.6v	48.6v	48.3v	45.3v	0.0v	0.0v	0.0v	46.3v	0.0v	379.33v
300	Mr HJM Awin	A	70.2v	73.8v	49.5v	46.5v	49.7v	47.4v	0.0v	0.0v	0.0v	45.2v	0.0v	379.33v
301	Mr OP Henry	A	71.6v	73.10v	47.5v	49.2v	47.5v	47.4v	0.0v	0.0v	0.0v	45.1v	0.0v	379.33v
302	Cdt Sgt DW Leitch	O	73.9v	73.6v	46.3v	48.5v	50.6v	45.3v	0.0v	0.0v	0.0v	44.1v	0.0v	379.33v
303	Mr MR Ebbetts	O	70.4v	70.5v	47.6v	49.5v	49.6v	47.2v	0.0v	0.0v	0.0v	47.4v	0.0v	379.32v
304	Mr SL Larter-Whitcher	O	73.6v	71.5v	48.6v	47.3v	50.5v	48.5v	0.0v	0.0v	0.0v	42.2v	0.0v	379.32v
305	WO A Kurd	T	68.3v	74.9v	48.5v	46.3v	50.3v	46.5v	0.0v	0.0v	0.0v	47.3v	0.0v	379.31v
306	Mr RG Faulkner	O	69.3v	69.8v	48.3v	48.4v	49.5v	49.3v	0.0v	0.0v	0.0v	47.4v	0.0v	379.30v
307	Mr P A Hatfield	A	72.9v	74.5v	47.4v	47.3v	47.5v	45.1v	0.0v	0.0v	0.0v	47.3v	0.0v	379.30v
308	Miss GE Coburn	A	70.5v	73.9v	46.1v	46.2v	49.4v	50.7v	0.0v	0.0v	0.0v	45.2v	0.0v	379.30v
309	Mr IW Robertson	X	72.3v	70.5v	46.3v	47.4v	50.6v	47.2v	0.0v	0.0v	0.0v	47.6v	0.0v	379.29v
310	Miss LG Taylor	O	69.2v	73.3v	49.4v	46.3v	46.5v	48.6v	0.0v	0.0v	0.0v	48.5v	0.0v	379.28v
311	Dr N Hart	A	72.7v	72.2v	47.4v	44.1v	49.6v	47.6v	0.0v	0.0v	0.0v	48.2v	0.0v	379.28v
312	Mr GL Clarke	O	74.7v	72.3v	47.2v	48.6v	47.3v	47.6v	0.0v	0.0v	0.0v	44.1v	0.0v	379.28v
313	Wg. Cdr. CJ Hockley OBE	X	72.7v	74.6v	49.1v	43.0v	47.4v	47.5v	0.0v	0.0v	0.0v	47.4v	0.0v	379.27v
314	Mr RG Evans	O	69.6v	71.7v	46.2v	47.5v	49.8v	48.6v	0.0v	0.0v	0.0v	48.6v	0.0v	378.40v
315	Mr PJ Johnson	A	69.7v	71.4v	50.6v	47.4v	49.6v	49.7v	0.0v	0.0v	0.0v	43.5v	0.0v	378.39v
316	Mr MB Barker	T	70.7v	73.9v	45.4v	47.4v	50.7v	45.2v	0.0v	0.0v	0.0v	48.5v	0.0v	378.38v
317	Miss AR Southall	A	70.5v	74.7v	47.5v	45.3v	49.8v	49.7v	0.0v	0.0v	0.0v	44.2v	0.0v	378.37v
318	WO T Vila	T	72.7v	70.7v	47.2v	46.4v	48.5v	50.6v	0.0v	0.0v	0.0v	45.4v	0.0v	378.35v
319	Mr GW Robinson	O	69.6v	71.6v	44.3v	47.4v	49.6v	50.5v	0.0v	0.0v	0.0v	48.4v	0.0v	378.34v
320	Mr AS Errey	O	70.3v	72.7v	45.1v	47.5v	49.8v	49.6v	0.0v	0.0v	0.0v	46.3v	0.0v	378.33v
321	Mr TW Tatchell	A	69.4v	74.7v	46.3v	44.4v	49.7v	50.8v	0.0v	0.0v	0.0v	46.0v	0.0v	378.33v
322	Mr RCQ Martin	A	68.4v	71.8v	50.5v	46.4v	50.4v	48.5v	0.0v	0.0v	0.0v	45.3v	0.0v	378.33v
323	Miss S Ponter	O	72.6v	70.5v	49.7v	44.2v	50.7v	48.4v	0.0v	0.0v	0.0v	45.2v	0.0v	378.33v
324	Miss C H Sayers	O	72.6v	71.7v	50.5v	43.1v	48.5v	48.5v	0.0v	0.0v	0.0v	46.3v	0.0v	378.32v
325	Mr OJ Rolfe	X	70.5v	71.6v	48.4v	48.4v	50.7v	46.2v	0.0v	0.0v	0.0v	45.4v	0.0v	378.32v
326	Mr RI Coventry	O	63.4v	74.7v	49.5v	49.4v	49.5v	49.5v	0.0v	0.0v	0.0v	45.2v	0.0v	378.32v
327	Mr TM Mason	T	70.6v	70.6v	50.6v	49.3v	49.5v	47.5v	0.0v	0.0v	0.0v	43.1v	0.0v	378.32v
328	Mr PJ Chance	X	68.4v	68.2v	50.6v	47.2v	49.8v	46.2v	0.0v	0.0v	0.0v	50.6v	0.0v	378.30v
329	Mr EWV Feast	O	73.6v	71.6v	47.2v	44.2v	47.5v	49.4v	0.0v	0.0v	0.0v	47.3v	0.0v	378.28v
330	Mr MHH John	O	70.5v	72.7v	45.2v	47.2v	49.3v	49.4v	0.0v	0.0v	0.0v	46.3v	0.0v	378.26v
331	Cdt BR Fraser-Burn	O	71.6v	73.7v	47.5v	47.4v	50.9v	48.7v	0.0v	0.0v	0.0v	41.2v	0.0v	377.40v
332	Mr PG Gilleece	O	72.8v	74.8v	49.6v	45.3v	46.2v	50.9v	0.0v	0.0v	0.0v	41.2v	0.0v	377.38v
333	Miss E Marsh	T	72.9v	72.5v	46.4v	49.5v	47.6v	48.5v	0.0v	0.0v	0.0v	43.3v	0.0v	377.37v
334	Mr MG Whicher	A	73.6v	75.9v	49.6v	46.4v	49.7v	44.2v	0.0v	0.0v	0.0v	41.3v	0.0v	377.37v
335	Mr GAE Larcombe	O	68.6v	73.9v	49.4v	48.5v	48.5v	47.4v	0.0v	0.0v	0.0v	44.2v	0.0v	377.35v
336	Mr N Boyle	A	70.4v	72.8v	50.7v	44.4v	50.7v	47.3v	0.0v	0.0v	0.0v	44.2v	0.0v	377.35v
337	Mr MJM Black	X	68.6v	72.5v	47.5v	44.4v	50.7v	49.6v	0.0v	0.0v	0.0v	47.1v	0.0v	377.34v
338	WO A Walton	T	72.8v	73.9v	48.3v	42.1v	49.4v	48.5v	0.0v	0.0v	0.0v	45.4v	0.0v	377.34v
339	Miss LR Mckerrell	A	71.6v	73.10v	50.4v	44.3v	49.7v	47.1v	0.0v	0.0v	0.0v	43.3v	0.0v	377.34v
340	Mr T Steele	A	65.3v	69.5v	47.3v	49.5v	50.6v	47.5v	0.0v	0.0v	0.0v	50.6v	0.0v	377.33v
341	Mr DQM Harvey	O	71.3v	70.7v	47.5v	47.3v	48.6v	48.6v	0.0v	0.0v	0.0v	46.3v	0.0v	377.33v
342	Mr DA Smith	O	70.7v	71.7v	49.3v	47.4v	47.5v	48.6v	0.0v	0.0v	0.0v	45.1v	0.0v	377.33v
343	Mr T Keen	A	67.3v	74.10v	46.3v	49.6v	49.5v	47.3v	0.0v	0.0v	0.0v	45.2v	0.0v	377.32v
344	Mr SH Cox	O	71.5v	72.6v	48.4v	46.5v	46.4v	49.6v	0.0v	0.0v	0.0v	45.2v	0.0v	377.32v

345	Mr SH Dickson	O	70.5v	73.8v	50.4v	46.4v	45.2v	44.2v	0.0v	0.0v	0.0v	49.6v	0.0v	377.31v
346	Mr RG Scott	A	71.5v	72.8v	46.3v	47.4v	48.4v	49.6v	0.0v	0.0v	0.0v	44.1v	0.0v	377.31v
347	Mr BV Cambray	A	72.5v	71.7v	45.2v	45.3v	48.4v	49.6v	0.0v	0.0v	0.0v	47.3v	0.0v	377.30v
348	Mr GED Hart	O	69.3v	73.8v	50.4v	48.5v	47.5v	43.0v	0.0v	0.0v	0.0v	47.3v	0.0v	377.28v
349	Mr S Brewer-Marchant	O	73.3v	71.5v	48.6v	43.2v	49.6v	47.4v	0.0v	0.0v	0.0v	46.2v	0.0v	377.28v
350	Mr NJ Burnip	O	66.2v	73.10v	50.1v	47.3v	44.3v	48.3v	0.0v	0.0v	0.0v	49.3v	0.0v	377.25v
351	Mr MS Cavie	A	70.3v	72.5v	46.3v	42.1v	50.6v	48.4v	0.0v	0.0v	0.0v	49.3v	0.0v	377.25v
352	Mr SNS Penrose	X	70.9v	75.10v	46.2v	46.4v	48.4v	46.4v	0.0v	0.0v	0.0v	45.5v	0.0v	376.38v
353	Mr JR Dunbar	O	74.9v	72.3v	48.5v	43.7v	48.4v	48.6v	0.0v	0.0v	0.0v	43.3v	0.0v	376.37v
354	Mr LMD Cheek	O	69.5v	71.8v	49.5v	45.2v	50.9v	49.6v	0.0v	0.0v	0.0v	43.2v	0.0v	376.37v
355	Mr TP Hammond	A	67.4v	70.7v	48.5v	46.3v	49.5v	47.5v	0.0v	0.0v	0.0v	49.7v	0.0v	376.36v
356	Ms BM Moore	O	68.3v	72.7v	48.7v	46.4v	47.6v	49.7v	0.0v	0.0v	0.0v	46.2v	0.0v	376.36v
357	Mr DF Williams	O	71.6v	75.9v	45.3v	46.3v	48.6v	47.6v	0.0v	0.0v	0.0v	44.3v	0.0v	376.36v
358	Mr GW Clarke	X	67.4v	74.9v	47.5v	44.4v	50.6v	49.5v	0.0v	0.0v	0.0v	45.2v	0.0v	376.35v
359	Mr PJG Barber	T	71.7v	72.7v	47.5v	48.4v	50.5v	49.4v	0.0v	0.0v	0.0v	39.2v	0.0v	376.34v
360	Mr NNT Kerins	O	69.4v	70.8v	49.6v	47.4v	48.6v	48.3v	0.0v	0.0v	0.0v	45.2v	0.0v	376.33v
361	Mr DS Stephenson	T	71.5v	71.7v	49.8v	47.3v	50.6v	46.2v	0.0v	0.0v	0.0v	42.2v	0.0v	376.33v
362	Mr S Sharma	O	72.6v	71.10v	49.4v	45.3v	45.2v	47.4v	0.0v	0.0v	0.0v	47.3v	0.0v	376.32v
363	Mr DH Allen	O	69.4v	70.3v	48.6v	48.6v	47.4v	48.3v	0.0v	0.0v	0.0v	46.6v	0.0v	376.32v
364	Mr P Merry	O	73.7v	73.7v	46.1v	47.4v	44.3v	46.5v	0.0v	0.0v	0.0v	47.4v	0.0v	376.31v
365	Mr DJ Curtis	X	69.6v	75.7v	49.5v	43.1v	49.6v	48.3v	0.0v	0.0v	0.0v	43.3v	0.0v	376.31v
366	Cdt JJC Cracknell	O	69.4v	72.11v	50.6v	48.4v	45.3v	49.3v	0.0v	0.0v	0.0v	43.0v	0.0v	376.31v
367	Major RHG Riley	X	70.9v	71.7v	49.3v	43.1v	47.3v	48.3v	0.0v	0.0v	0.0v	48.4v	0.0v	376.30v
368	Mr PGW Purdy	O	70.4v	73.10v	43.3v	45.2v	50.5v	48.4v	0.0v	0.0v	0.0v	47.2v	0.0v	376.30v
369	Sqn Ldr JM Fitzpatrick	O	70.3v	71.7v	48.4v	46.4v	46.4v	47.3v	0.0v	0.0v	0.0v	48.4v	0.0v	376.29v
370	Miss KA Berman	A	69.4v	74.8v	49.3v	46.2v	44.5v	49.5v	0.0v	0.0v	0.0v	45.2v	0.0v	376.29v
371	Mr DCW Lloyd	O	74.8v	72.7v	44.3v	48.4v	46.5v	48.2v	0.0v	0.0v	0.0v	44.0v	0.0v	376.29v
372	Mr ID Markwell	O	70.4v	69.3v	49.3v	46.3v	48.4v	49.4v	0.0v	0.0v	0.0v	45.2v	0.0v	376.23v
373	Dr JR Deane	X	68.5v	71.7v	49.4v	43.5v	48.6v	50.8v	0.0v	0.0v	0.0v	46.5v	0.0v	375.40v
374	WO F Clark	T	68.4v	70.7v	48.6v	46.6v	48.4v	50.7v	0.0v	0.0v	0.0v	45.4v	0.0v	375.38v
375	Cdt Sgt YW Thorne	O	68.5v	71.6v	49.7v	46.4v	48.5v	49.6v	0.0v	0.0v	0.0v	44.2v	0.0v	375.35v
376	Mr SAJ Dowley	O	73.9v	73.8v	48.5v	45.2v	50.5v	48.5v	0.0v	0.0v	0.0v	38.1v	0.0v	375.35v
377	Mr NS Gibbins	X	72.8v	75.13v	49.4v	45.2v	49.4v	44.3v	0.0v	0.0v	0.0v	41.0v	0.0v	375.34v
378	Cdt J Lei	O	70.6v	73.8v	48.5v	47.4v	48.4v	50.7v	0.0v	0.0v	0.0v	39.0v	0.0v	375.34v
379	Mrs T Newbold	O	73.7v	68.4v	48.4v	43.4v	48.5v	49.5v	0.0v	0.0v	0.0v	46.3v	0.0v	375.32v
380	Mr RK Sheead	O	71.6v	71.5v	49.4v	47.5v	46.4v	46.4v	0.0v	0.0v	0.0v	45.4v	0.0v	375.32v
381	Mr MJ Wood	A	66.2v	72.3v	49.7v	47.5v	47.3v	49.9v	0.0v	0.0v	0.0v	45.3v	0.0v	375.32v
382	Mrs JC Scott Langley	A	71.6v	72.6v	47.4v	47.7v	48.6v	46.1v	0.0v	0.0v	0.0v	44.2v	0.0v	375.32v
383	Mr MF Boucher	O	69.4v	72.7v	49.5v	45.4v	47.5v	50.5v	0.0v	0.0v	0.0v	43.2v	0.0v	375.32v
384	Mr B Brewin	T	70.5v	73.5v	49.4v	49.4v	45.4v	47.6v	0.0v	0.0v	0.0v	42.4v	0.0v	375.32v
385	WO J Brodeur	T	71.7v	71.7v	49.7v	46.2v	49.3v	47.2v	0.0v	0.0v	0.0v	42.4v	0.0v	375.32v
386	Miss HV Southall	O	69.3v	72.6v	45.4v	44.3v	48.4v	48.4v	0.0v	0.0v	0.0v	49.6v	0.0v	375.30v
387	Mrs TE East	X	68.2v	73.7v	45.3v	47.6v	47.5v	48.3v	0.0v	0.0v	0.0v	47.4v	0.0v	375.30v
388	Mr RT MacLeod	O	67.1v	73.7v	48.6v	45.5v	49.4v	49.4v	0.0v	0.0v	0.0v	44.3v	0.0v	375.30v
389	Miss ATJ Voorthuyzen	O	68.5v	72.8v	47.3v	46.5v	49.4v	50.2v	0.0v	0.0v	0.0v	43.2v	0.0v	375.29v
390	Mr MJ Bumford	O	72.8v	71.5v	47.3v	48.3v	47.2v	44.4v	0.0v	0.0v	0.0v	46.3v	0.0v	375.28v
391	Mr D Hanson	O	70.4v	69.1v	50.6v	46.2v	48.3v	46.5v	0.0v	0.0v	0.0v	46.5v	0.0v	375.26v
392	WO2 GH Bentley	O	64.0v	72.8v	49.4v	49.6v	48.3v	47.2v	0.0v	0.0v	0.0v	46.3v	0.0v	375.26v
393	Mr RP Rosling	A	69.5v	71.5v	48.6v	48.2v	46.3v	47.2v	0.0v	0.0v	0.0v	46.3v	0.0v	375.26v
394	Miss RL Laird	A	67.2v	69.4v	47.1v	45.5v	50.4v	50.5v	0.0v	0.0v	0.0v	47.3v	0.0v	375.24v
395	Mr PR Thompson	A	74.8v	72.6v	44.1v	47.3v	46.1v	46.2v	0.0v	0.0v	0.0v	46.3v	0.0v	375.24v
396	Mr AJCB de Launay	O	71.3v	72.4v	47.3v	45.4v	48.5v	46.1v	0.0v	0.0v	0.0v	46.3v	0.0v	375.23v
397	Mr J A Garnett	O	71.6v	73.4v	47.3v	47.2v	47.4v	46.1v	0.0v	0.0v	0.0v	44.3v	0.0v	375.23v
398	Mr DS Goodwin	O	68.5v	72.8v	48.6v	49.6v	49.5v	45.5v	0.0v	0.0v	0.0v	43.3v	0.0v	374.38v
399	Mr AN Tongue	O	70.6v	72.8v	48.6v	48.6v	46.3v	46.4v	0.0v	0.0v	0.0v	44.4v	0.0v	374.37v
400	Mr BA Young	O	74.8v	70.9v	49.5v	43.1v	47.3v	49.9v	0.0v	0.0v	0.0v	42.1v	0.0v	374.36v
401	Mr CP Goad	O	70.5v	73.11v	48.7v	48.3v	46.3v	49.4v	0.0v	0.0v	0.0v	40.3v	0.0v	374.36v
402	Mr B Heatley	O	64.4v	73.6v	48.6v	49.7v	48.5v	45.4v	0.0v	0.0v	0.0v	47.3v	0.0v	374.35v
403	Mr SC Treacy	O	68.4v	73.7v	46.5v	49.4v	49.8v	48.5v	0.0v	0.0v	0.0v	41.1v	0.0v	374.34v
404	Mr PJS Bysse	O	69.4v	70.6v	49.6v	45.2v	49.7v	47.5v	0.0v	0.0v	0.0v	45.3v	0.0v	374.33v
405	Cdt TS Shalom	T	70.7v	69.5v	48.3v	47.4v	49.7v	48.5v	0.0v	0.0v	0.0v	43.2v	0.0v	374.33v
406	Mr CJ Sherratt	O	61.2v	70.6v	47.5v	48.4v	50.5v	50.6v	0.0v	0.0v	0.0v	48.4v	0.0v	374.32v
407	Mr JD Webber	O	68.5v	72.8v	45.2v	45.2v	49.6v	49.5v	0.0v	0.0v	0.0v	46.3v	0.0v	374.31v
408	Mr MB Bree	T	70.4v	69.3v	49.8v	47.4v	47.3v	50.7v	0.0v	0.0v	0.0v	42.2v	0.0v	374.31v
409	Mr TM Stevenson	O	74.6v	73.6v	47.2v	48.5v	50.4v	47.5v	0.0v	0.0v	0.0v	35.3v	0.0v	374.31v
410	Mr KM Willingale	O	70.4v	73.5v	45.4v	48.6v	47.3v	47.4v	0.0v	0.0v	0.0v	44.4v	0.0v	374.30v
411	Mr JWE Lothian	A	69.5v	73.9v	47.3v	45.4v	49.3v	49.4v	0.0v	0.0v	0.0v	42.2v	0.0v	374.30v
412	Mr WJ Johnson	T	75.7v	68.6v	48.5v	44.3v	48.2v	48.3v	0.0v	0.0v	0.0v	43.3v	0.0v	374.29v
413	Mr MP Watkins	O	70.6v	72.8v	47.4v	47.3v	48.5v	47.1v	0.0v	0.0v	0.0v	43.2v	0.0v	374.29v
414	Mr M Mann	O	66.3v	70.4v	47.2v	47.6v	49.6v	47.4v	0.0v	0.0v	0.0v	48.3v	0.0v	374.28v
415	Mr B Taylor	O	68.7v	69.3v	47.5v	48.5v	48.5v	48.3v	0.0v	0.0v	0.0v	46.0v	0.0v	374.28v
416	Mr MT Dodd	O	66.3v	71.4v	47.4v	48.4v	49.4v	48.5v	0.0v	0.0v	0.0v	45.4v	0.0v	374.28v

417	Miss EL Hoolahan	O	67.4v	70.5v	46.2v	48.4v	47.6v	48.3v	0.0v	0.0v	0.0v	48.2v	0.0v	374.26v
418	Csm J Tordoff	T	71.4v	71.8v	48.2v	49.3v	46.4v	46.3v	0.0v	0.0v	0.0v	43.2v	0.0v	374.26v
419	Cdt Cpl TJ Johnston	O	70.3v	72.7v	49.3v	43.1v	49.3v	46.4v	0.0v	0.0v	0.0v	45.2v	0.0v	374.23v
420	Mr WHC Alexander	O	67.3v	73.10v	46.7v	48.4v	44.4v	50.5v	0.0v	0.0v	0.0v	45.6v	0.0v	373.39v
421	Mr J Purdy	O	72.8v	71.6v	49.7v	46.3v	49.7v	45.3v	0.0v	0.0v	0.0v	41.3v	0.0v	373.37v
422	Mr PS Holmes	X	66.3v	70.8v	48.4v	46.4v	48.7v	46.4v	0.0v	0.0v	0.0v	49.6v	0.0v	373.36v
423	WO T Swanson	T	68.5v	73.9v	49.6v	40.3v	49.4v	48.4v	0.0v	0.0v	0.0v	46.3v	0.0v	373.34v
424	Mr A Chown	O	69.5v	70.6v	48.7v	47.5v	50.4v	46.4v	0.0v	0.0v	0.0v	43.3v	0.0v	373.34v
425	Mr CA Stewart	O	68.3v	71.7v	45.3v	47.4v	49.6v	48.5v	0.0v	0.0v	0.0v	45.3v	0.0v	373.31v
426	Mr HRM Bailie	O	72.5v	70.5v	47.5v	43.5v	49.5v	48.3v	0.0v	0.0v	0.0v	44.3v	0.0v	373.31v
427	Mr SH Wingrove	X	70.3v	70.6v	50.5v	44.2v	49.6v	46.4v	0.0v	0.0v	0.0v	44.4v	0.0v	373.30v
428	Mr SJA Fielding-Isaacs	O	71.7v	72.8v	48.5v	49.2v	47.5v	45.2v	0.0v	0.0v	0.0v	41.0v	0.0v	373.29v
429	Mr SE Frost	O	70.4v	71.5v	49.5v	44.1v	47.2v	45.5v	0.0v	0.0v	0.0v	47.6v	0.0v	373.28v
430	Mr M D Joyce	A	66.3v	72.7v	47.3v	46.4v	48.6v	47.2v	0.0v	0.0v	0.0v	47.3v	0.0v	373.28v
431	Mr TG Greenhalgh	O	70.5v	71.6v	48.4v	46.3v	48.3v	49.5v	0.0v	0.0v	0.0v	41.1v	0.0v	373.27v
432	Cpl PL Winter	T	67.3v	72.5v	46.3v	47.3v	47.4v	47.3v	0.0v	0.0v	0.0v	47.4v	0.0v	373.25v
433	Mr RF Burden	O	69.2v	69.3v	48.2v	42.2v	48.6v	47.3v	0.0v	0.0v	0.0v	50.6v	0.0v	373.24v
434	Judge AP Powell	O	68.3v	71.5v	49.6v	46.1v	46.2v	49.4v	0.0v	0.0v	0.0v	44.2v	0.0v	373.23v
435	Mr B Creane	O	65.7v	68.7v	48.4v	49.8v	50.7v	46.4v	0.0v	0.0v	0.0v	46.2v	0.0v	372.39v
436	Mr E Stuart-Bamford	O	68.6v	68.4v	50.5v	44.4v	48.6v	46.5v	0.0v	0.0v	0.0v	48.4v	0.0v	372.34v
437	Mr NC Granger	O	67.5v	71.9v	45.4v	45.3v	50.6v	48.5v	0.0v	0.0v	0.0v	46.2v	0.0v	372.34v
438	Mr MD Jenvey	A	71.9v	67.3v	49.5v	46.3v	47.6v	47.4v	0.0v	0.0v	0.0v	45.4v	0.0v	372.34v
439	Mr ML Lee	O	69.5v	73.10v	46.4v	46.3v	49.6v	47.4v	0.0v	0.0v	0.0v	42.2v	0.0v	372.34v
440	Mr JE White	O	71.5v	67.4v	47.5v	43.3v	49.5v	46.3v	0.0v	0.0v	0.0v	49.7v	0.0v	372.32v
441	Mr JR Lindsay	O	67.3v	72.6v	47.4v	43.2v	49.7v	50.6v	0.0v	0.0v	0.0v	44.3v	0.0v	372.31v
442	Sgt K Peters	T	67.4v	73.4v	50.9v	41.2v	49.5v	49.6v	0.0v	0.0v	0.0v	43.1v	0.0v	372.31v
443	Mr TEM Mills	T	70.4v	71.5v	48.5v	48.4v	47.6v	47.6v	0.0v	0.0v	0.0v	41.1v	0.0v	372.31v
444	Dr DA Firth	T	68.2v	71.8v	49.4v	44.5v	49.5v	47.4v	0.0v	0.0v	0.0v	44.2v	0.0v	372.30v
445	Mr JF Jackman	O	66.2v	71.6v	47.3v	46.3v	48.5v	48.6v	0.0v	0.0v	0.0v	46.4v	0.0v	372.29v
446	Mr J Bullock	A	71.3v	66.3v	49.7v	48.3v	42.3v	50.8v	0.0v	0.0v	0.0v	46.1v	0.0v	372.28v
447	WO C Moase	T	69.5v	71.4v	49.4v	47.3v	44.6v	47.2v	0.0v	0.0v	0.0v	45.4v	0.0v	372.28v
448	Mr JRJ Hinde	O	72.4v	73.5v	48.6v	43.2v	48.6v	44.2v	0.0v	0.0v	0.0v	44.3v	0.0v	372.28v
449	Mr EG Lawrence	T	70.5v	67.5v	49.3v	45.3v	50.7v	47.3v	0.0v	0.0v	0.0v	44.2v	0.0v	372.28v
450	Mr AP Smith	O	67.5v	72.6v	48.2v	43.3v	48.5v	49.3v	0.0v	0.0v	0.0v	45.3v	0.0v	372.27v
451	Mr R Hedley	O	68.6v	70.2v	49.6v	46.3v	49.5v	45.3v	0.0v	0.0v	0.0v	45.2v	0.0v	372.27v
452	Mr PJ Holden	O	71.5v	71.6v	43.1v	45.5v	49.1v	46.3v	0.0v	0.0v	0.0v	47.4v	0.0v	372.25v
453	Mr WC Compton	T	72.7v	69.3v	46.5v	44.1v	47.1v	47.3v	0.0v	0.0v	0.0v	47.2v	0.0v	372.22v
454	Dr CW Freeman	O	65.2v	73.5v	49.3v	47.4v	46.3v	47.4v	0.0v	0.0v	0.0v	45.1v	0.0v	372.22v
455	Cdt TA Orpen-Smellie	T	71.5v	70.5v	45.4v	45.6v	49.4v	50.8v	0.0v	0.0v	0.0v	41.1v	0.0v	371.33v
456	Mr RM Allan	O	68.2v	67.5v	50.7v	46.3v	46.6v	47.3v	0.0v	0.0v	0.0v	47.6v	0.0v	371.32v
457	Mr RA Welford	O	69.4v	69.5v	45.3v	45.4v	48.5v	47.3v	0.0v	0.0v	0.0v	48.7v	0.0v	371.31v
458	Mr MD Wright	O	69.3v	66.5v	45.5v	47.3v	49.6v	47.5v	0.0v	0.0v	0.0v	48.4v	0.0v	371.31v
459	Miss M Sanders	T	69.5v	69.6v	46.3v	48.4v	48.4v	45.4v	0.0v	0.0v	0.0v	46.5v	0.0v	371.31v
460	Mr P De Voil	A	66.5v	72.7v	48.4v	44.2v	47.4v	47.4v	0.0v	0.0v	0.0v	47.4v	0.0v	371.30v
461	Mr J Golling	X	70.7v	71.8v	46.4v	46.4v	48.3v	45.1v	0.0v	0.0v	0.0v	45.2v	0.0v	371.29v
462	Mr R Winney	X	69.3v	72.7v	45.2v	43.3v	48.5v	47.4v	0.0v	0.0v	0.0v	47.4v	0.0v	371.28v
463	Mr DN Webber	O	68.7v	73.9v	48.5v	43.0v	46.3v	46.1v	0.0v	0.0v	0.0v	47.3v	0.0v	371.28v
464	Lt JW Jenkins	O	69.6v	68.3v	46.3v	47.2v	49.6v	48.4v	0.0v	0.0v	0.0v	44.4v	0.0v	371.28v
465	SAC JS Thompstone	O	67.3v	73.4v	47.4v	44.4v	48.5v	49.6v	0.0v	0.0v	0.0v	43.2v	0.0v	371.28v
466	Cdt JEK Pepera-Hibbert	T	70.1v	70.4v	48.6v	45.4v	48.5v	48.4v	0.0v	0.0v	0.0v	42.4v	0.0v	371.28v
467	Miss A Strain	O	69.7v	68.4v	50.5v	46.2v	46.2v	48.5v	0.0v	0.0v	0.0v	44.1v	0.0v	371.26v
468	Cdt Sgt CE Phillips	O	69.4v	71.2v	48.4v	42.2v	50.6v	49.5v	0.0v	0.0v	0.0v	42.3v	0.0v	371.26v
469	Mr MJL Traynor	O	69.4v	69.4v	47.4v	46.4v	49.5v	48.2v	0.0v	0.0v	0.0v	43.2v	0.0v	371.25v
470	Mr TE Emck	O	68.3v	73.8v	47.2v	45.3v	47.2v	47.3v	0.0v	0.0v	0.0v	44.1v	0.0v	371.22v
471	Mr SA Armstrong	T	70.6v	71.3v	47.3v	43.0v	49.3v	49.4v	0.0v	0.0v	0.0v	42.1v	0.0v	371.20v
472	Mr P Barber	O	69.6v	67.5v	46.4v	48.5v	45.5v	48.4v	0.0v	0.0v	0.0v	47.5v	0.0v	370.34v
473	Mr HJG Green	O	68.6v	71.7v	45.2v	47.3v	47.6v	48.6v	0.0v	0.0v	0.0v	44.2v	0.0v	370.32v
474	Mr AK Fitch	O	69.6v	73.8v	49.3v	46.2v	50.6v	48.4v	0.0v	0.0v	0.0v	35.2v	0.0v	370.31v
475	Mr TJ Bryan	O	63.3v	70.6v	46.3v	44.1v	50.7v	50.6v	0.0v	0.0v	0.0v	47.4v	0.0v	370.30v
476	Mr MJ Creber	O	65.2v	72.7v	48.5v	45.5v	49.4v	46.4v	0.0v	0.0v	0.0v	45.3v	0.0v	370.30v
477	Mr N M Duncan	O	70.6v	67.5v	49.6v	47.3v	48.3v	46.4v	0.0v	0.0v	0.0v	43.3v	0.0v	370.30v
478	Mr RL Sampson	O	70.3v	71.9v	48.5v	45.3v	48.4v	49.4v	0.0v	0.0v	0.0v	39.2v	0.0v	370.30v
479	Cdt HPC Bramwell	T	68.5v	71.8v	46.3v	45.3v	46.4v	48.4v	0.0v	0.0v	0.0v	46.2v	0.0v	370.29v
480	Sgt C Smith	T	70.6v	71.3v	49.6v	46.2v	47.7v	44.3v	0.0v	0.0v	0.0v	43.2v	0.0v	370.29v
481	Mr RA Jobson	O	70.7v	69.6v	45.4v	43.2v	48.4v	49.4v	0.0v	0.0v	0.0v	46.1v	0.0v	370.28v
482	Mr OJLW Woolcott	O	70.5v	70.6v	46.3v	45.3v	48.4v	46.3v	0.0v	0.0v	0.0v	45.4v	0.0v	370.28v
483	Mr MJ Whatton	O	67.5v	71.7v	49.4v	48.2v	49.3v	42.4v	0.0v	0.0v	0.0v	44.3v	0.0v	370.28v
484	Miss A J C Carnell	T	69.1v	73.7v	46.1v	43.4v	50.9v	43.1v	0.0v	0.0v	0.0v	46.4v	0.0v	370.27v
485	Mr MD Gomez	O	69.3v	71.8v	46.2v	47.4v	43.0v	48.5v	0.0v	0.0v	0.0v	46.3v	0.0v	370.25v
486	Mr RJ Quay	O	68.4v	71.5v	49.2v	43.0v	50.6v	47.6v	0.0v	0.0v	0.0v	42.2v	0.0v	370.25v
487	Mr C Waldron	O	69.1v	68.5v	47.3v	45.2v	48.4v	45.3v	0.0v	0.0v	0.0v	48.6v	0.0v	370.24v
488	Mr DJ Stewart	O	67.2v	72.8v	46.3v	47.2v	48.4v	46.3v	0.0v	0.0v	0.0v	44.1v	0.0v	370.23v

489	Cdt D Shakhman	T	68.2v	73.6v	48.5v	45.1v	47.3v	46.2v	0.0v	0.0v	0.0v	43.3v	0.0v	370.22v
490	Bdr B Charlton	T	70.4v	71.7v	47.6v	45.5v	47.7v	47.2v	0.0v	0.0v	0.0v	42.1v	0.0v	369.32v
491	Miss HR Mackintosh	O	69.4v	73.8v	41.3v	45.5v	49.5v	45.3v	0.0v	0.0v	0.0v	47.3v	0.0v	369.31v
492	Mr SCW Dixon	O	68.4v	69.5v	47.3v	48.3v	48.4v	47.7v	0.0v	0.0v	0.0v	42.3v	0.0v	369.29v
493	Mr J Barlow	T	66.5v	72.4v	49.4v	44.3v	49.6v	45.2v	0.0v	0.0v	0.0v	44.4v	0.0v	369.28v
494	Mr SJ Dawes	O	68.6v	68.3v	46.1v	48.3v	47.6v	46.4v	0.0v	0.0v	0.0v	46.4v	0.0v	369.27v
495	Mr HM Mccaughey	T	66.2v	72.9v	46.4v	45.3v	49.4v	47.5v	0.0v	0.0v	0.0v	44.0v	0.0v	369.27v
496	Mr RCG Knight	O	68.4v	69.3v	46.4v	46.3v	50.6v	49.6v	0.0v	0.0v	0.0v	41.1v	0.0v	369.27v
497	Sqn Ldr CM Fopp	O	70.5v	71.8v	49.3v	45.3v	49.3v	46.2v	0.0v	0.0v	0.0v	39.1v	0.0v	369.25v
498	WO P Asselin	T	70.3v	72.5v	45.3v	45.1v	47.4v	47.5v	0.0v	0.0v	0.0v	43.3v	0.0v	369.24v
499	Mr JD Badman	O	72.6v	70.6v	49.4v	45.2v	47.2v	46.3v	0.0v	0.0v	0.0v	40.1v	0.0v	369.24v
500	Cdt EGH Atkins	T	68.4v	70.5v	47.2v	45.0v	45.2v	46.6v	0.0v	0.0v	0.0v	48.3v	0.0v	369.22v
501	Mr DC Chisholm	X	73.8v	72.7v	45.4v	48.6v	50.5v	47.3v	0.0v	0.0v	0.0v	33.3v	0.0v	368.36v
502	Miss KE Pope	O	71.5v	75.11v	48.3v	46.2v	47.4v	50.5v	0.0v	0.0v	0.0v	31.2v	0.0v	368.32v
503	Mr F Roberts	O	69.4v	71.7v	45.4v	45.3v	45.4v	47.4v	0.0v	0.0v	0.0v	46.4v	0.0v	368.30v
504	Lt. Col. CST Lehmann	O	65.3v	71.9v	46.5v	45.3v	50.6v	46.4v	0.0v	0.0v	0.0v	45.0v	0.0v	368.30v
505	Cdt CTR Gicquel	T	67.7v	73.8v	47.3v	45.4v	45.3v	49.4v	0.0v	0.0v	0.0v	42.0v	0.0v	368.29v
506	Mr JS Chapman	O	70.5v	71.6v	48.6v	40.1v	47.3v	47.2v	0.0v	0.0v	0.0v	45.5v	0.0v	368.28v
507	Mr P F M Ryan	O	69.8v	64.3v	48.3v	47.1v	47.4v	48.4v	0.0v	0.0v	0.0v	45.4v	0.0v	368.27v
508	Cdt WB Ross	T	69.3v	71.7v	48.3v	46.0v	44.6v	46.4v	0.0v	0.0v	0.0v	44.4v	0.0v	368.27v
509	Mr TOA Atkinson	T	66.2v	70.5v	46.2v	47.4v	47.5v	49.4v	0.0v	0.0v	0.0v	43.3v	0.0v	368.25v
510	Sgt P Green	T	65.1v	70.5v	48.3v	42.2v	49.4v	49.5v	0.0v	0.0v	0.0v	45.4v	0.0v	368.24v
511	Mr P Sirett	O	67.1v	71.6v	48.3v	44.3v	48.5v	43.1v	0.0v	0.0v	0.0v	47.4v	0.0v	368.23v
512	Mr A Lloyd	T	69.3v	65.3v	45.0v	47.2v	48.4v	49.5v	0.0v	0.0v	0.0v	45.3v	0.0v	368.20v
513	Mr ND Stangroom	A	68.3v	69.8v	44.4v	45.2v	46.6v	48.4v	0.0v	0.0v	0.0v	47.2v	0.0v	367.29v
514	Mr CC Mallett Jnr	A	65.5v	73.8v	46.3v	47.3v	47.5v	47.2v	0.0v	0.0v	0.0v	42.2v	0.0v	367.28v
515	Mr CW Rose	O	61.2v	71.6v	48.3v	47.6v	47.4v	48.4v	0.0v	0.0v	0.0v	45.2v	0.0v	367.27v
516	Mr G Meijer	O	68.0v	73.9v	44.2v	48.5v	49.5v	46.4v	0.0v	0.0v	0.0v	39.1v	0.0v	367.26v
517	Mr RA Mullin	O	68.5v	70.6v	49.3v	48.4v	47.3v	47.3v	0.0v	0.0v	0.0v	38.2v	0.0v	367.26v
518	Mr HG Goddard	T	73.8v	71.6v	45.2v	41.1v	46.3v	48.3v	0.0v	0.0v	0.0v	43.2v	0.0v	367.25v
519	Mr AJ Jones	T	66.2v	69.4v	45.1v	47.5v	47.3v	49.8v	0.0v	0.0v	0.0v	44.1v	0.0v	367.24v
520	Mr PJ Carr	O	69.4v	73.9v	48.4v	46.2v	48.2v	42.1v	0.0v	0.0v	0.0v	41.2v	0.0v	367.24v
521	Mr G Hart	O	71.3v	70.5v	47.4v	45.2v	48.6v	43.1v	0.0v	0.0v	0.0v	43.2v	0.0v	367.23v
522	Mr T S McDowell	O	69.3v	71.4v	46.4v	42.0v	49.6v	46.4v	0.0v	0.0v	0.0v	44.1v	0.0v	367.22v
523	Mr MR Clewer	T	65.7v	74.5v	49.3v	45.1v	48.2v	46.3v	0.0v	0.0v	0.0v	40.0v	0.0v	367.21v
524	Miss HW Walker	O	67.4v	70.4v	48.2v	43.0v	50.2v	47.4v	0.0v	0.0v	0.0v	42.3v	0.0v	367.19v
525	Lt K Wathier	T	71.6v	72.10v	48.4v	47.6v	48.6v	42.2v	0.0v	0.0v	0.0v	38.3v	0.0v	366.37v
526	Mr PL Redstone	A	71.8v	66.6v	45.3v	45.5v	49.4v	48.6v	0.0v	0.0v	0.0v	42.2v	0.0v	366.34v
527	Miss PG Macdonald	A	73.7v	65.5v	48.5v	45.3v	46.6v	47.3v	0.0v	0.0v	0.0v	42.1v	0.0v	366.30v
528	Mr GRP Shapland	O	70.5v	66.6v	48.4v	45.3v	46.4v	43.2v	0.0v	0.0v	0.0v	48.5v	0.0v	366.29v
529	Mr RR Ramage	O	70.4v	69.2v	48.5v	35.2v	50.7v	49.7v	0.0v	0.0v	0.0v	45.2v	0.0v	366.29v
530	Mr AC Brooker	A	64.5v	69.7v	47.3v	45.2v	50.6v	49.5v	0.0v	0.0v	0.0v	42.1v	0.0v	366.29v
531	Mr RJ Cade	O	68.7v	71.3v	48.4v	45.4v	45.3v	45.4v	0.0v	0.0v	0.0v	44.3v	0.0v	366.28v
532	Mr TJ Brooking	O	65.4v	69.6v	44.3v	48.3v	50.7v	43.2v	0.0v	0.0v	0.0v	47.2v	0.0v	366.27v
533	Mr EJT Thomas	O	71.4v	70.7v	48.5v	47.4v	44.3v	47.3v	0.0v	0.0v	0.0v	39.1v	0.0v	366.27v
534	Mr HL Lee	O	68.2v	72.9v	45.4v	41.2v	45.1v	49.5v	0.0v	0.0v	0.0v	46.3v	0.0v	366.26v
535	Mr JS Ritchie	O	68.2v	72.5v	44.3v	45.4v	46.3v	47.6v	0.0v	0.0v	0.0v	44.3v	0.0v	366.26v
536	Sgt E Clarke	T	65.4v	68.5v	45.1v	48.4v	48.4v	49.4v	0.0v	0.0v	0.0v	43.2v	0.0v	366.24v
537	Dr N P Tucker	O	66.3v	71.7v	47.5v	44.2v	48.3v	44.2v	0.0v	0.0v	0.0v	46.1v	0.0v	366.23v
538	Mr NB Belousov	T	65.4v	71.4v	48.3v	46.3v	47.4v	49.3v	0.0v	0.0v	0.0v	40.0v	0.0v	366.21v
539	LCpt OS Hood	T	69.5v	65.0v	46.1v	46.2v	48.4v	46.4v	0.0v	0.0v	0.0v	46.4v	0.0v	366.20v
540	Mr JS Stewart	T	69.4v	69.6v	48.4v	43.1v	46.4v	47.0v	0.0v	0.0v	0.0v	44.1v	0.0v	366.20v
541	Mr RW Carson	O	68.4v	68.5v	48.5v	40.2v	47.3v	47.4v	0.0v	0.0v	0.0v	47.6v	0.0v	365.29v
542	Mr MT Lehmann	O	65.4v	67.4v	49.7v	45.3v	48.5v	47.3v	0.0v	0.0v	0.0v	44.3v	0.0v	365.29v
543	Sgt BD Jones	T	69.6v	69.6v	47.3v	45.1v	47.4v	47.4v	0.0v	0.0v	0.0v	41.2v	0.0v	365.26v
544	Mr HGM Mooiman	O	67.5v	73.9v	47.3v	47.4v	45.2v	45.1v	0.0v	0.0v	0.0v	41.1v	0.0v	365.25v
545	Cdr MF Jordan	O	69.5v	70.5v	44.1v	47.6v	48.3v	46.3v	0.0v	0.0v	0.0v	41.0v	0.0v	365.23v
546	Mr WJ Jury-Simpson	T	67.5v	72.5v	42.3v	45.2v	45.2v	47.2v	0.0v	0.0v	0.0v	47.3v	0.0v	365.22v
547	OCdt G Lapointe	T	64.3v	70.7v	47.5v	44.4v	49.6v	47.4v	0.0v	0.0v	0.0v	43.2v	0.0v	364.31v
548	Mr MP Perez	O	70.6v	67.3v	47.5v	39.2v	50.6v	48.4v	0.0v	0.0v	0.0v	43.4v	0.0v	364.30v
549	Mr AF Donald	A	71.5v	68.6v	47.4v	47.5v	48.6v	42.3v	0.0v	0.0v	0.0v	41.1v	0.0v	364.30v
550	Mr JRC Stanford-Beale	T	71.6v	71.5v	41.1v	48.6v	48.4v	42.3v	0.0v	0.0v	0.0v	43.3v	0.0v	364.28v
551	Mr CMT Truman	O	69.4v	68.3v	48.6v	49.7v	50.6v	39.0v	0.0v	0.0v	0.0v	41.2v	0.0v	364.28v
552	Mr PD Doerrrr	X	66.2v	69.5v	49.4v	39.1v	47.4v	47.5v	0.0v	0.0v	0.0v	47.4v	0.0v	364.25v
553	LS KA Fleck	T	68.4v	70.4v	47.4v	41.3v	50.5v	46.3v	0.0v	0.0v	0.0v	42.2v	0.0v	364.25v
554	Mr GH Porter	O	66.3v	70.6v	49.4v	40.2v	44.2v	47.3v	0.0v	0.0v	0.0v	48.4v	0.0v	364.24v
555	Mr TW Harrison	O	67.2v	68.7v	46.5v	47.3v	47.2v	45.3v	0.0v	0.0v	0.0v	44.0v	0.0v	364.22v
556	Mr JD Dowley	T	66.3v	69.5v	49.5v	44.3v	46.2v	47.4v	0.0v	0.0v	0.0v	43.0v	0.0v	364.22v
557	Mr KG Firth	O	62.2v	71.3v	45.1v	44.2v	49.6v	45.2v	0.0v	0.0v	0.0v	48.5v	0.0v	364.21v
558	Mr EM Brice	O	70.2v	69.5v	47.2v	38.2v	47.3v	45.5v	0.0v	0.0v	0.0v	48.2v	0.0v	364.21v
559	Wg. Cdr. MJ Gregory	A	66.3v	70.4v	42.3v	46.2v	48.3v	48.3v	0.0v	0.0v	0.0v	44.2v	0.0v	364.20v
560	Mrs SG Sirett	O	67.6v	69.5v	41.0v	48.2v	48.3v	47.4v	0.0v	0.0v	0.0v	44.0v	0.0v	364.20v

561	Mr BG Greasley	T	65.1v	69.2v	47.2v	44.3v	47.3v	47.3v	0.0v	0.0v	0.0v	45.3v	0.0v	364.17v
562	Mr CJ Macdonald	O	72.6v	69.7v	47.4v	45.6v	47.6v	48.5v	0.0v	0.0v	0.0v	35.1v	0.0v	363.35v
563	Mr ES Maclean	A	71.7v	67.4v	46.5v	44.3v	47.5v	42.3v	0.0v	0.0v	0.0v	46.3v	0.0v	363.30v
564	Mr MH Horrell	O	69.5v	68.4v	48.5v	45.2v	48.5v	47.5v	0.0v	0.0v	0.0v	38.3v	0.0v	363.29v
565	Mr DTA Cobb	O	64.2v	70.5v	47.6v	44.2v	48.5v	46.3v	0.0v	0.0v	0.0v	44.3v	0.0v	363.26v
566	Mr NR Wells	O	62.2v	71.6v	44.1v	47.5v	50.6v	47.5v	0.0v	0.0v	0.0v	42.1v	0.0v	363.26v
567	Mr IF Luckman	O	66.4v	72.9v	46.4v	42.2v	46.2v	48.2v	0.0v	0.0v	0.0v	43.2v	0.0v	363.25v
568	Mr R Jackson	O	66.5v	71.4v	46.4v	46.4v	46.2v	46.5v	0.0v	0.0v	0.0v	42.0v	0.0v	363.24v
569	Mr MW Brown	O	66.3v	70.5v	44.1v	45.3v	48.2v	45.2v	0.0v	0.0v	0.0v	45.3v	0.0v	363.19v
570	Mr BH Hayes	O	72.6v	64.1v	50.4v	45.1v	48.5v	44.2v	0.0v	0.0v	0.0v	40.0v	0.0v	363.19v
571	Cdt PC De Souza	O	67.1v	70.6v	46.1v	46.1v	48.6v	43.0v	0.0v	0.0v	0.0v	43.1v	0.0v	363.16v
572	Mrs JE Dickson	O	63.3v	72.5v	44.3v	47.3v	43.3v	49.8v	0.0v	0.0v	0.0v	44.3v	0.0v	362.28v
573	Cdt HAA Godwin-Austen	T	65.3v	71.3v	47.5v	45.3v	48.5v	43.3v	0.0v	0.0v	0.0v	43.2v	0.0v	362.24v
574	Mr HN Watson	O	68.2v	72.7v	47.2v	44.3v	50.7v	47.3v	0.0v	0.0v	0.0v	34.0v	0.0v	362.24v
575	Cdt GL Oakland	T	66.2v	70.8v	46.0v	46.2v	44.5v	46.4v	0.0v	0.0v	0.0v	44.1v	0.0v	362.22v
576	Miss T Myagkova	O	67.2v	70.3v	45.1v	46.4v	45.5v	46.5v	0.0v	0.0v	0.0v	43.2v	0.0v	362.22v
577	Mr SN Norval	T	70.6v	72.3v	47.2v	46.2v	42.1v	48.3v	0.0v	0.0v	0.0v	37.4v	0.0v	362.21v
578	Cpl HC Harris	T	70.5v	70.1v	47.4v	43.1v	46.3v	41.1v	0.0v	0.0v	0.0v	45.2v	0.0v	362.17v
579	Col N Stebbings	O	68.1v	67.4v	43.1v	46.4v	47.3v	48.3v	0.0v	0.0v	0.0v	43.1v	0.0v	362.17v
580	Mr DF Nesbitt	O	67.7v	66.4v	46.5v	46.3v	46.4v	46.4v	0.0v	0.0v	0.0v	44.0v	0.0v	361.27v
581	Miss ZN Northam	O	71.6v	74.10v	46.3v	41.2v	48.4v	42.0v	0.0v	0.0v	0.0v	39.1v	0.0v	361.26v
582	Mr IR Thomson	O	65.4v	71.4v	43.3v	43.1v	47.6v	46.4v	0.0v	0.0v	0.0v	46.3v	0.0v	361.25v
583	Mr TM Jaggard	T	70.3v	66.6v	47.4v	40.3v	46.3v	45.3v	0.0v	0.0v	0.0v	47.2v	0.0v	361.24v
584	Mr D Lister	T	69.3v	71.6v	44.2v	42.1v	47.5v	41.3v	0.0v	0.0v	0.0v	47.3v	0.0v	361.23v
585	Mr C Irwin	T	71.5v	74.4v	48.4v	40.2v	40.1v	45.3v	0.0v	0.0v	0.0v	43.2v	0.0v	361.21v
586	Cdt FS CM Nunan	T	71.3v	69.6v	45.3v	42.2v	43.2v	46.3v	0.0v	0.0v	0.0v	45.1v	0.0v	361.20v
587	Mr CSJ Marlow	O	70.4v	66.5v	45.2v	46.3v	45.1v	45.4v	0.0v	0.0v	0.0v	44.0v	0.0v	361.19v
588	WO J Vallee	T	71.6v	68.4v	45.4v	41.2v	47.6v	46.3v	0.0v	0.0v	0.0v	42.2v	0.0v	360.27v
589	Mr JR Mckellar	O	63.2v	67.7v	46.2v	44.4v	46.3v	46.3v	0.0v	0.0v	0.0v	48.3v	0.0v	360.24v
590	Sgt JEH Hawke	T	69.4v	67.3v	46.2v	42.2v	44.2v	46.3v	0.0v	0.0v	0.0v	46.5v	0.0v	360.21v
591	Mr AD De Vivenot	T	65.2v	70.7v	49.0v	46.2v	48.5v	45.3v	0.0v	0.0v	0.0v	37.1v	0.0v	360.20v
592	Mr WR Hinton	O	64.1v	70.4v	42.1v	44.1v	45.4v	48.3v	0.0v	0.0v	0.0v	47.1v	0.0v	360.15v
593	Cdt CHY Chan	T	68.4v	71.7v	48.3v	48.4v	43.1v	45.5v	0.0v	0.0v	0.0v	36.2v	0.0v	359.26v
594	Mrs RKE Penrose	O	66.1v	69.7v	44.2v	41.3v	48.6v	47.3v	0.0v	0.0v	0.0v	44.3v	0.0v	359.25v
595	Mr GK Goodwin	O	68.5v	69.6v	46.4v	45.3v	41.1v	47.2v	0.0v	0.0v	0.0v	43.4v	0.0v	359.25v
596	Mr MS Shaw	T	65.2v	69.4v	48.3v	45.4v	45.4v	50.6v	0.0v	0.0v	0.0v	37.1v	0.0v	359.24v
597	Mr GS Stewart	T	67.2v	69.4v	43.3v	46.6v	46.2v	43.4v	0.0v	0.0v	0.0v	45.2v	0.0v	359.23v
598	Cdt C Eaton	T	67.3v	68.5v	44.3v	45.5v	44.4v	46.2v	0.0v	0.0v	0.0v	45.1v	0.0v	359.23v
599	Miss AM Matthews	T	68.4v	75.9v	40.1v	46.2v	46.6v	40.2v	0.0v	0.0v	0.0v	43.3v	0.0v	358.27v
600	Mr DT Taylor	O	69.6v	69.8v	50.4v	37.1v	43.1v	49.4v	0.0v	0.0v	0.0v	41.3v	0.0v	358.27v
601	Mr AC Grant	O	69.3v	69.5v	45.3v	45.5v	42.1v	44.2v	0.0v	0.0v	0.0v	44.2v	0.0v	358.21v
602	Mr JL Poulin	O	65.3v	66.2v	44.1v	43.2v	48.5v	47.3v	0.0v	0.0v	0.0v	45.4v	0.0v	358.20v
603	WO A Ressi	T	69.6v	65.0v	49.6v	45.1v	46.3v	42.1v	0.0v	0.0v	0.0v	42.0v	0.0v	358.17v
604	Mr A Le Cheminant	T	66.3v	69.6v	44.4v	43.3v	47.4v	48.6v	0.0v	0.0v	0.0v	40.1v	0.0v	357.27v
605	Sgt CS Neuhauser	T	62.2v	72.6v	47.3v	44.3v	49.4v	43.3v	0.0v	0.0v	0.0v	40.3v	0.0v	357.24v
606	Miss J Powell	T	69.3v	71.5v	44.3v	43.2v	46.4v	45.3v	0.0v	0.0v	0.0v	39.2v	0.0v	357.22v
607	Mr EA Sewell	T	66.2v	66.2v	48.3v	49.6v	41.1v	45.1v	0.0v	0.0v	0.0v	42.3v	0.0v	357.18v
608	Mr TM Minter	T	64.3v	68.3v	46.3v	44.1v	48.4v	45.3v	0.0v	0.0v	0.0v	42.1v	0.0v	357.18v
609	Mr SA Hunting	O	61.2v	70.3v	47.5v	45.3v	49.6v	48.4v	0.0v	0.0v	0.0v	36.2v	0.0v	356.25v
610	Cdt AE Vlas	T	67.4v	65.3v	48.4v	42.1v	48.5v	49.5v	0.0v	0.0v	0.0v	37.1v	0.0v	356.23v
611	Mr RM Culverwell	O	61.2v	72.8v	45.1v	46.6v	45.2v	43.2v	0.0v	0.0v	0.0v	44.1v	0.0v	356.22v
612	Mr MS Sheehy	T	69.7v	68.7v	47.4v	43.2v	47.4v	46.4v	0.0v	0.0v	0.0v	35.2v	0.0v	355.30v
613	Miss SJ Dick	O	68.4v	64.3v	46.3v	46.3v	43.2v	44.5v	0.0v	0.0v	0.0v	44.2v	0.0v	355.22v
614	Cdt Sgt SMB Maitland Bondeonneau	T	64.3v	65.3v	43.2v	45.2v	47.3v	45.2v	0.0v	0.0v	0.0v	46.5v	0.0v	355.20v
615	Cdt B Southworth	T	70.5v	71.2v	46.4v	43.2v	47.3v	42.1v	0.0v	0.0v	0.0v	36.0v	0.0v	355.17v
616	Mr ML Lungu	T	65.2v	68.4v	46.3v	36.1v	49.9v	49.4v	0.0v	0.0v	0.0v	41.1v	0.0v	354.24v
617	Mr RJ Clegg	T	65.3v	69.4v	48.5v	45.3v	48.6v	41.1v	0.0v	0.0v	0.0v	38.1v	0.0v	354.23v
618	Mr AR Rigby	T	70.5v	70.7v	46.3v	43.3v	40.2v	42.3v	0.0v	0.0v	0.0v	42.1v	0.0v	353.24v
619	Cdt CI Alder	T	62.4v	67.2v	45.4v	45.2v	46.3v	46.2v	0.0v	0.0v	0.0v	42.2v	0.0v	353.19v
620	Mr T Galliers	O	66.4v	67.3v	44.2v	44.2v	46.3v	44.2v	0.0v	0.0v	0.0v	42.1v	0.0v	353.17v
621	Mr CB Stone	O	67.3v	68.3v	41.1v	44.4v	46.3v	42.1v	0.0v	0.0v	0.0v	45.1v	0.0v	353.16v
622	Mr MJ Jones	T	63.2v	63.3v	44.4v	41.4v	47.5v	48.4v	0.0v	0.0v	0.0v	46.2v	0.0v	352.24v
623	Mr RL Lindsay	T	71.7v	66.3v	48.4v	39.1v	45.2v	44.1v	0.0v	0.0v	0.0v	39.1v	0.0v	352.19v
624	Mr JA Ashby	T	59.1v	70.4v	46.1v	42.2v	44.2v	45.6v	0.0v	0.0v	0.0v	45.4v	0.0v	351.20v
625	Miss MP Patton	T	66.4v	65.2v	40.1v	46.2v	47.4v	46.4v	0.0v	0.0v	0.0v	41.0v	0.0v	351.17v
626	Mr JM Samson	O	61.1v	66.1v	46.4v	41.0v	48.5v	47.3v	0.0v	0.0v	0.0v	42.0v	0.0v	351.14v
627	Cdt EJ Dell	T	64.2v	70.7v	39.1v	43.2v	46.2v	46.3v	0.0v	0.0v	0.0v	42.3v	0.0v	350.20v
628	Cdt MJS Keeler	T	63.1v	70.5v	41.3v	46.3v	40.1v	47.5v	0.0v	0.0v	0.0v	42.2v	0.0v	349.20v
629	Miss ED Dixon	T	67.1v	72.6v	48.6v	40.1v	42.2v	44.2v	0.0v	0.0v	0.0v	36.1v	0.0v	349.19v
630	Mr RBF Fitzsimmons	O	66.3v	63.2v	45.2v	45.3v	48.3v	44.5v	0.0v	0.0v	0.0v	38.0v	0.0v	349.18v
631	Mr JM Baldwin	T	63.2v	65.2v	40.2v	43.3v	50.4v	45.2v	0.0v	0.0v	0.0v	43.2v	0.0v	349.17v
632	Mr AJO Collins	T	64.4v	71.4v	42.1v	45.2v	45.3v	41.0v	0.0v	0.0v	0.0v	41.1v	0.0v	349.15v

633	Miss VB Bieger	T	67.4v	69.6v	43.1v	37.1v	46.4v	48.6v	0.0v	0.0v	0.0v	38.0v	0.0v	348.22v
634	CDT TP Shaw	T	69.3v	64.2v	41.1v	43.3v	45.3v	42.2v	0.0v	0.0v	0.0v	44.3v	0.0v	348.17v
635	Mr LA Greenaway	T	68.3v	64.2v	43.3v	38.0v	46.4v	47.2v	0.0v	0.0v	0.0v	42.3v	0.0v	348.17v
636	Mr AM Mcconnell	T	66.4v	65.2v	39.0v	45.2v	48.5v	44.1v	0.0v	0.0v	0.0v	41.2v	0.0v	348.16v
637	Mr CD Dart	O	68.2v	66.2v	46.4v	47.4v	39.1v	47.2v	0.0v	0.0v	0.0v	35.1v	0.0v	348.16v
638	Mr GB Tompson	O	66.3v	65.4v	44.2v	34.3v	43.1v	50.6v	0.0v	0.0v	0.0v	45.4v	0.0v	347.23v
639	Sgt W Jowett	T	66.4v	70.5v	40.1v	45.4v	45.2v	43.3v	0.0v	0.0v	0.0v	38.3v	0.0v	347.22v
640	Mr ELM Macaulay	T	69.3v	64.6v	38.0v	44.4v	48.4v	43.2v	0.0v	0.0v	0.0v	41.1v	0.0v	347.20v
641	Cdt C Flanagan	T	69.4v	64.3v	45.3v	38.3v	45.4v	43.3v	0.0v	0.0v	0.0v	42.3v	0.0v	346.23v
642	Mr JM de Bruyn	O	67.3v	64.1v	41.2v	44.2v	46.2v	43.0v	0.0v	0.0v	0.0v	41.1v	0.0v	346.11v
643	Cdt WP Cubitt	T	68.4v	67.3v	44.2v	46.3v	44.3v	38.0v	0.0v	0.0v	0.0v	37.3v	0.0v	344.18v
644	Mr JL Lim	T	67.4v	63.2v	44.4v	43.3v	47.2v	45.2v	0.0v	0.0v	0.0v	35.1v	0.0v	344.18v
645	Mr KJ Aldridge	O	65.4v	67.4v	43.1v	49.3v	41.2v	38.2v	0.0v	0.0v	0.0v	41.1v	0.0v	344.17v
646	Mr MG Grimsdell	O	66.4v	70.7v	41.1v	46.2v	45.1v	41.0v	0.0v	0.0v	0.0v	35.1v	0.0v	344.16v
647	LH A Melling	T	63.2v	70.3v	42.2v	43.0v	42.1v	43.2v	0.0v	0.0v	0.0v	41.0v	0.0v	344.10v
648	Cdt W Howseman	T	64.6v	68.4v	47.5v	43.2v	47.5v	39.2v	0.0v	0.0v	0.0v	35.0v	0.0v	343.24v
649	Miss ML Wilkins	T	64.5v	65.3v	39.0v	41.3v	47.3v	48.5v	0.0v	0.0v	0.0v	39.1v	0.0v	343.20v
650	Mr LA Alder	T	62.0v	64.1v	42.7v	41.3v	47.5v	43.2v	0.0v	0.0v	0.0v	43.2v	0.0v	342.20v
651	Mr DC Cavanagh	T	70.4v	70.7v	46.2v	40.1v	44.3v	43.1v	0.0v	0.0v	0.0v	29.1v	0.0v	342.19v
652	Cdt LCpl SW Franklin	T	51.1v	71.3v	43.0v	41.1v	47.2v	47.4v	0.0v	0.0v	0.0v	42.2v	0.0v	342.13v
653	Mr MCJ Button	X	71.6v	75.7v	49.8v	47.4v	50.9v	49.6v	0.0v	0.0v	0.0v	0.0v	0.0v	341.40v
654	Mr SJ Bates	T	61.1v	65.5v	37.0v	45.3v	42.2v	42.3v	0.0v	0.0v	0.0v	49.6v	0.0v	341.20v
655	Mr ML Kirkillio-Stacewicz	T	65.3v	64.3v	45.4v	36.0v	45.3v	43.2v	0.0v	0.0v	0.0v	43.3v	0.0v	341.18v
656	Sgt J Duncan	T	66.2v	68.5v	48.3v	24.0v	45.2v	48.4v	0.0v	0.0v	0.0v	42.1v	0.0v	341.17v
657	Lt. Cdr. PERD Hunt	O	68.2v	61.2v	45.1v	42.2v	43.2v	42.0v	0.0v	0.0v	0.0v	40.1v	0.0v	341.10v
658	Mr WDH Burden	O	73.9v	74.10v	49.4v	46.4v	0.0v	49.5v	0.0v	0.0v	0.0v	49.4v	0.0v	340.36v
659	WWB Woods Ballard	T	67.3v	71.3v	48.4v	44.2v	41.2v	44.2v	0.0v	0.0v	0.0v	25.0v	0.0v	340.16v
660	Mr KMS Wong	T	62.1v	62.0v	45.2v	42.1v	46.2v	41.1v	0.0v	0.0v	0.0v	42.3v	0.0v	340.10v
661	Mr ML Larcombe	T	60.1v	72.6v	43.2v	37.2v	48.2v	49.5v	0.0v	0.0v	0.0v	30.1v	0.0v	339.19v
662	Mr A Robertson	O	64.1v	65.3v	41.1v	42.2v	39.1v	41.3v	0.0v	0.0v	0.0v	46.4v	0.0v	338.15v
663	Mr AT Thomas	T	66.4v	65.0v	41.1v	43.4v	43.3v	41.0v	0.0v	0.0v	0.0v	39.3v	0.0v	338.15v
664	Mr PHC Costello	T	65.4v	67.4v	43.2v	45.4v	49.3v	41.3v	0.0v	0.0v	0.0v	27.1v	0.0v	337.21v
665	Cdt Cpl K Drelaud	T	66.2v	64.4v	44.2v	41.2v	41.3v	37.1v	0.0v	0.0v	0.0v	43.3v	0.0v	336.17v
666	Mr TN Nicholls	T	61.1v	62.3v	47.1v	42.1v	44.0v	39.1v	0.0v	0.0v	0.0v	41.2v	0.0v	336.9v
667	Cdt TD Little	T	60.4v	61.3v	46.4v	46.4v	48.3v	34.1v	0.0v	0.0v	0.0v	40.1v	0.0v	335.20v
668	Mr LR Reid	T	66.4v	64.4v	46.1v	41.3v	42.3v	41.2v	0.0v	0.0v	0.0v	35.1v	0.0v	335.18v
669	LCpl H Shaw	T	60.1v	64.4v	41.1v	40.0v	44.2v	43.1v	0.0v	0.0v	0.0v	43.2v	0.0v	335.11v
670	C/Sgt M Loughhead	T	71.5v	64.1v	43.3v	41.0v	42.1v	41.1v	0.0v	0.0v	0.0v	33.0v	0.0v	335.11v
671	Mr AG Grainger	T	64.3v	67.3v	44.2v	47.2v	45.4v	40.3v	0.0v	0.0v	0.0v	27.1v	0.0v	334.18v
672	Sgt OAG McCulloch	T	68.3v	67.2v	39.1v	36.0v	39.2v	43.2v	0.0v	0.0v	0.0v	42.2v	0.0v	334.12v
673	Mr JR Robinson	T	59.0v	64.1v	43.1v	38.0v	43.1v	45.4v	0.0v	0.0v	0.0v	42.2v	0.0v	334.9v
674	Mr P Cameron Taylor	O	72.8v	71.5v	48.3v	0.0v	46.5v	50.8v	0.0v	0.0v	0.0v	46.2v	0.0v	333.31v
675	Mr AW Lothian	X	72.8v	71.5v	47.3v	48.6v	0.0v	49.5v	0.0v	0.0v	0.0v	46.3v	0.0v	333.30v
676	Cdt Cpl OAC Clark	T	67.5v	69.5v	42.1v	37.1v	45.4v	40.1v	0.0v	0.0v	0.0v	33.2v	0.0v	333.19v
677	Mr OMC Conway	T	63.3v	61.2v	43.1v	41.1v	36.1v	43.3v	0.0v	0.0v	0.0v	46.1v	0.0v	333.12v
678	Cdt LJ Smith	T	59.1v	62.4v	41.2v	45.2v	43.3v	42.4v	0.0v	0.0v	0.0v	39.1v	0.0v	331.17v
679	Dr BH Lister	O	63.3v	65.2v	40.1v	38.1v	43.3v	42.1v	0.0v	0.0v	0.0v	38.1v	0.0v	329.12v
680	Mr GW Berman	A	65.0v	70.6v	50.8v	47.3v	0.0v	49.5v	0.0v	0.0v	0.0v	47.4v	0.0v	328.26v
681	LT RN RW Coatsworth	O	54.2v	66.4v	40.3v	41.4v	45.2v	40.1v	0.0v	0.0v	0.0v	42.1v	0.0v	328.17v
682	Ms TD De La Cour	T	60.0v	68.5v	42.2v	35.1v	42.1v	40.3v	0.0v	0.0v	0.0v	41.0v	0.0v	328.12v
683	Mr TF Fermor	T	65.2v	65.4v	44.1v	35.2v	46.3v	38.1v	0.0v	0.0v	0.0v	34.1v	0.0v	327.14v
684	Miss SEA Ellis	O	62.2v	66.3v	40.1v	42.1v	39.1v	40.3v	0.0v	0.0v	0.0v	38.1v	0.0v	327.12v
685	Miss AF Fernandes	T	68.4v	73.7v	43.3v	41.2v	46.4v	46.4v	0.0v	0.0v	0.0v	9.0v	0.0v	326.24v
686	Cdt M Welch	T	64.3v	68.4v	39.1v	36.1v	45.2v	38.1v	0.0v	0.0v	0.0v	35.1v	0.0v	325.13v
687	Mr KS Dods	T	65.1v	56.3v	41.1v	40.1v	39.1v	42.1v	0.0v	0.0v	0.0v	42.1v	0.0v	325.9v
688	Mr JG Bennett	A	67.8v	68.5v	45.1v	46.4v	48.5v	46.2v	0.0v	0.0v	0.0v	4.0v	0.0v	324.25v
689	Mr JS Scambler	T	66.4v	59.2v	48.6v	43.4v	45.1v	35.0v	0.0v	0.0v	0.0v	28.0v	0.0v	324.17v
690	LCpl OJA Money-Kyrle	T	64.3v	62.6v	38.1v	42.2v	37.0v	40.3v	0.0v	0.0v	0.0v	40.1v	0.0v	323.16v
691	WO V Ho	T	69.4v	69.3v	50.6v	46.3v	47.5v	0.3v	0.0v	0.0v	0.0v	41.1v	0.0v	322.25v
692	Mr CH Herter	O	69.3v	72.8v	48.4v	43.0v	49.5v	0.0v	0.0v	0.0v	0.0v	40.0v	0.0v	321.20v
693	Mr H Asquith-Beard	T	62.4v	66.3v	46.3v	42.1v	41.1v	43.0v	0.0v	0.0v	0.0v	21.0v	0.0v	321.12v
694	Cdt GH Ramsden	T	69.3v	66.2v	47.2v	0.0v	47.3v	48.5v	0.0v	0.0v	0.0v	43.3v	0.0v	320.18v
695	Mr R Hodgson-Jones	T	67.4v	72.4v	47.4v	39.3v	48.3v	46.2v	0.0v	0.0v	0.0v	0.0v	0.0v	319.20v
696	Cdt JL Lumley	T	58.0v	62.1v	43.3v	44.2v	36.1v	37.1v	0.0v	0.0v	0.0v	39.0v	0.0v	319.8v
697	Mr SP Hill	O	72.5v	65.4v	43.2v	45.1v	0.0v	47.1v	0.0v	0.0v	0.0v	46.2v	0.0v	318.15v
698	Mr AS Smith	T	59.1v	59.1v	40.0v	45.1v	43.2v	38.1v	0.0v	0.0v	0.0v	33.0v	0.0v	317.6v
699	Mr N Healy	O	0.0v	75.9v	50.8v	45.1v	50.6v	50.5v	0.0v	0.0v	0.0v	46.2v	0.0v	316.31v
700	Cdt JA Edwards	T	73.7v	69.5v	0.0v	40.1v	41.1v	45.4v	0.0v	0.0v	0.0v	48.7v	0.0v	316.25v
701	Mr MM Magill	T	66.5v	65.3v	46.3v	45.2v	44.2v	29.1v	0.0v	0.0v	0.0v	20.0v	0.0v	315.16v
702	Mr OH Hawes	T	62.0v	54.2v	40.1v	40.1v	42.1v	34.1v	0.0v	0.0v	0.0v	43.2v	0.0v	315.8v
703	Ms AM Manley	T	68.3v	70.6v	45.4v	24.0v	44.2v	45.3v	0.0v	0.0v	0.0v	18.0v	0.0v	314.18v
704	Cdt R Hu	T	64.2v	69.4v	44.3v	26.0v	40.1v	44.3v	0.0v	0.0v	0.0v	27.1v	0.0v	314.14v

