

## NRA 146th Imperial Meeting

### Grand Aggregate (as at Tuesday, 14th July 2015)

		DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	Corp	POW	Total	
1	Dr GCD Barnett	X	73.9v	74.12v	49.4v	49.3v	50.9v	50.8v	0.0v	75.12v	0.0v	50.7v	0.0v	470.64v
2	Mr RCT Jeens	X	73.7v	75.13v	47.5v	49.5v	50.7v	50.7v	0.0v	75.11v	0.0v	50.6v	0.0v	469.61v
3	Dr JD Warburton	X	74.7v	74.11v	49.9v	48.4v	50.10v	50.4v	0.0v	75.10v	0.0v	49.4v	0.0v	469.59v
4	Mr S Belither	X	75.10v	74.8v	49.9v	49.7v	48.6v	49.7v	0.0v	75.8v	0.0v	49.5v	0.0v	468.60v
5	Mr PM Lanigan	X	74.9v	74.8v	49.6v	48.5v	50.7v	49.8v	0.0v	75.9v	0.0v	49.5v	0.0v	468.57v
6	Mr T Drysdale	X	73.8v	75.13v	49.5v	47.4v	49.7v	49.5v	0.0v	75.13v	0.0v	50.6v	0.0v	467.61v
7	Mr GE Morris	X	75.7v	75.12v	49.3v	49.6v	49.9v	48.4v	0.0v	74.12v	0.0v	48.8v	0.0v	467.61v
8	Mr SC Postins	X	73.8v	74.8v	50.8v	48.7v	48.6v	50.7v	0.0v	74.7v	0.0v	50.5v	0.0v	467.56v
9	Miss JM Rankin	X	73.9v	72.6v	50.7v	47.5v	50.3v	50.7v	0.0v	75.11v	0.0v	50.6v	0.0v	467.54v
10	Air Cdre JA Ford	A	73.7v	73.7v	50.7v	49.6v	50.7v	48.6v	0.0v	75.7v	0.0v	49.5v	0.0v	467.52v
11	Mr JAM Paton	X	73.12v	74.11v	50.7v	50.4v	49.8v	48.6v	0.0v	75.15v	0.0v	47.6v	0.0v	466.69v
12	Wg. Cdr. DP Calvert MBE	X	74.7v	75.8v	48.5v	46.4v	50.8v	50.8v	0.0v	75.10v	0.0v	48.6v	0.0v	466.56v
13	Mr BJ Le Cheminant	X	73.9v	74.10v	50.7v	48.5v	50.7v	50.7v	0.0v	74.7v	0.0v	47.3v	0.0v	466.55v
14	Mr PB Bromley	X	73.9v	74.7v	49.6v	48.2v	50.5v	49.2v	0.0v	74.9v	0.0v	49.2v	0.0v	466.42v
15	Mr CJ Watson	X	70.8v	74.12v	50.6v	50.9v	50.8v	49.5v	0.0v	75.12v	0.0v	47.4v	0.0v	465.64v
16	Mr DC Luckman	X	73.7v	72.8v	50.6v	46.5v	50.9v	50.9v	0.0v	74.10v	0.0v	50.9v	0.0v	465.63v
17	Mr JW Alexander	X	74.8v	74.10v	49.7v	43.1v	50.9v	50.5v	0.0v	75.12v	0.0v	50.9v	0.0v	465.61v
18	Mr RC Oxford	X	74.10v	72.6v	49.9v	50.4v	48.7v	48.6v	0.0v	75.10v	0.0v	49.5v	0.0v	465.57v
19	Mr CP Weeden	X	74.10v	73.9v	49.3v	47.3v	50.8v	48.6v	0.0v	75.13v	0.0v	49.4v	0.0v	465.56v
20	Mr GA Cann	X	74.10v	73.10v	49.7v	48.4v	50.8v	49.5v	0.0v	75.6v	0.0v	47.4v	0.0v	465.54v
21	Mr JB Hull	X	73.7v	73.8v	50.4v	49.4v	50.7v	50.8v	0.0v	74.8v	0.0v	46.4v	0.0v	465.50v
22	Mr KWD Ramsey	X	73.9v	73.8v	49.3v	50.6v	50.6v	50.5v	0.0v	74.9v	0.0v	46.3v	0.0v	465.49v
23	Mr RJ Booth	A	71.2v	74.9v	50.6v	48.3v	49.6v	49.5v	0.0v	74.10v	0.0v	50.6v	0.0v	465.47v
24	Mr RL Eayrs	A	72.6v	75.11v	49.5v	47.5v	49.5v	50.3v	0.0v	74.5v	0.0v	49.7v	0.0v	465.47v
25	Mr SC Williamson	A	72.7v	75.8v	49.5v	48.2v	48.4v	49.4v	0.0v	75.10v	0.0v	49.5v	0.0v	465.45v
26	Mr R McQuillan	X	75.7v	73.6v	48.5v	48.6v	49.6v	50.4v	0.0v	74.7v	0.0v	48.2v	0.0v	465.43v
27	Mr P Patel	X	73.9v	74.11v	49.8v	48.8v	49.8v	49.5v	0.0v	75.14v	0.0v	47.2v	0.0v	464.65v
28	Mr J Corbett	X	75.10v	73.10v	50.8v	43.2v	50.7v	50.8v	0.0v	75.13v	0.0v	48.4v	0.0v	464.62v
29	Mr DC Crispin	X	71.6v	72.8v	49.7v	50.8v	50.10v	49.6v	0.0v	75.14v	0.0v	48.3v	0.0v	464.62v
30	Capt AW Gill	X	72.8v	72.8v	49.4v	46.4v	50.6v	50.7v	0.0v	75.15v	0.0v	50.8v	0.0v	464.60v
31	Mr WCP Richards	X	74.9v	72.11v	48.4v	48.5v	50.6v	48.5v	0.0v	74.12v	0.0v	50.6v	0.0v	464.58v
32	Mr JC Morton	X	74.12v	73.8v	47.6v	46.3v	50.9v	50.3v	0.0v	75.11v	0.0v	49.5v	0.0v	464.57v
33	Dr HHG Pollock	X	71.5v	75.10v	50.7v	50.4v	50.6v	49.6v	0.0v	74.13v	0.0v	45.4v	0.0v	464.55v
34	Mr WDH Burden	O	73.9v	74.10v	49.4v	46.4v	49.9v	49.5v	0.0v	75.9v	0.0v	49.4v	0.0v	464.54v
35	Mr TG Rylands	X	75.9v	73.9v	49.5v	48.6v	50.5v	46.4v	0.0v	73.10v	0.0v	50.4v	0.0v	464.52v
36	Mr H J Golaszewski	A	71.5v	74.8v	50.8v	47.5v	50.6v	50.7v	0.0v	75.10v	0.0v	47.3v	0.0v	464.52v
37	Pte L Bennett	A	71.8v	74.7v	50.9v	48.6v	48.2v	50.5v	0.0v	74.8v	0.0v	49.6v	0.0v	464.51v
38	Col AJW Sturrock	X	70.6v	74.11v	50.4v	47.3v	50.6v	50.5v	0.0v	73.8v	0.0v	50.7v	0.0v	464.50v
39	Mr JWE Lewis	X	72.6v	74.6v	48.4v	48.3v	48.7v	49.6v	0.0v	75.12v	0.0v	50.6v	0.0v	464.50v
40	Mr J Cook	X	74.11v	74.9v	47.2v	45.1v	50.7v	49.5v	0.0v	75.10v	0.0v	50.5v	0.0v	464.50v
41	Mr RAV Hebblethwaite	A	72.6v	74.8v	50.5v	48.4v	50.4v	49.5v	0.0v	73.11v	0.0v	48.7v	0.0v	464.50v
42	Mr NJ Ball	X	73.5v	75.11v	50.4v	48.5v	49.7v	50.7v	0.0v	75.8v	0.0v	44.3v	0.0v	464.50v
43	Dr JDS Langley	X	73.7v	72.6v	48.4v	46.3v	50.8v	50.5v	0.0v	75.9v	0.0v	50.6v	0.0v	464.48v
44	Mr NRJ Brasier	O	74.7v	72.5v	48.5v	49.6v	49.3v	50.5v	0.0v	74.10v	0.0v	48.7v	0.0v	464.48v
45	Miss CA Evans	X	72.9v	74.12v	49.5v	47.5v	50.8v	47.6v	0.0v	75.13v	0.0v	49.4v	0.0v	463.62v
46	Mr DR Armstrong	X	72.8v	75.12v	48.6v	48.6v	49.6v	49.7v	0.0v	74.10v	0.0v	48.7v	0.0v	463.62v
47	Mr MCJ Button	X	71.6v	75.7v	49.8v	47.4v	50.9v	49.6v	0.0v	75.12v	0.0v	47.6v	0.0v	463.58v
48	Mr RS Sweegers	X	73.7v	75.11v	50.7v	48.5v	50.6v	46.3v	0.0v	75.14v	0.0v	46.3v	0.0v	463.56v
49	Mr JC Underwood	X	71.8v	73.8v	50.8v	49.5v	49.6v	48.6v	0.0v	75.10v	0.0v	48.4v	0.0v	463.55v
50	Mr ML Millar	A	70.5v	74.8v	48.5v	46.2v	50.9v	50.6v	0.0v	75.14v	0.0v	50.5v	0.0v	463.54v
51	Mr RJS Clark	A	72.8v	75.13v	49.5v	45.3v	50.6v	48.5v	0.0v	75.9v	0.0v	49.5v	0.0v	463.54v
52	Mr DA Richardson	X	71.6v	74.10v	48.4v	49.8v	49.6v	50.7v	0.0v	74.10v	0.0v	48.3v	0.0v	463.54v
53	Mr LM Peden (G.M.)	X	73.9v	73.10v	48.5v	48.5v	49.5v	50.6v	0.0v	75.10v	0.0v	47.4v	0.0v	463.54v
54	Mr AJ Haggerty	A	73.7v	74.9v	47.5v	46.5v	50.5v	48.5v	0.0v	75.12v	0.0v	50.5v	0.0v	463.53v
55	Miss SP Ward	X	69.7v	74.9v	49.2v	48.4v	50.8v	49.3v	0.0v	74.11v	0.0v	50.6v	0.0v	463.50v
56	Mr RJS Curtis	A	71.6v	73.9v	50.4v	50.6v	50.6v	49.6v	0.0v	74.10v	0.0v	46.2v	0.0v	463.49v

57	Mr S Pearson	A	74.7v	74.7v	49.5v	47.6v	47.1v	49.6v	0.0v	74.7v	0.0v	49.4v	0.0v	463.43v
58	Dr CD Haley	X	72.7v	74.12v	49.6v	46.4v	50.9v	50.7v	0.0v	74.11v	0.0v	47.3v	0.0v	462.59v
59	Mr PAE Charlton	X	72.8v	74.8v	50.9v	48.5v	49.7v	49.6v	0.0v	75.13v	0.0v	45.3v	0.0v	462.59v
60	Mr FWA Coetzee	X	71.4v	74.8v	45.5v	49.6v	50.9v	49.8v	0.0v	75.12v	0.0v	49.6v	0.0v	462.58v
61	Mr KB Hill	A	73.10v	74.11v	50.5v	47.5v	49.4v	46.3v	0.0v	75.14v	0.0v	48.4v	0.0v	462.56v
62	Mr T Laing-Baker	T	74.8v	73.11v	49.7v	49.5v	47.4v	50.7v	0.0v	74.10v	0.0v	46.4v	0.0v	462.56v
63	WO R Rousseau	T	71.8v	75.10v	50.6v	47.4v	49.8v	50.6v	0.0v	75.12v	0.0v	45.2v	0.0v	462.56v
64	Dr AM Jory	A	72.9v	73.9v	46.5v	48.5v	49.6v	50.5v	0.0v	75.9v	0.0v	49.7v	0.0v	462.55v
65	Miss EJ Cannings	X	73.9v	72.5v	49.4v	47.5v	50.8v	49.5v	0.0v	74.11v	0.0v	48.6v	0.0v	462.53v
66	Mr PA Maher	A	70.6v	74.8v	50.7v	48.5v	50.7v	50.6v	0.0v	75.12v	0.0v	45.2v	0.0v	462.53v
67	Mr D de Vere	X	74.7v	74.9v	48.7v	49.4v	47.4v	46.2v	0.0v	75.10v	0.0v	49.9v	0.0v	462.52v
68	Mr LT Wicker	O	73.8v	74.9v	50.6v	47.6v	50.8v	49.7v	0.0v	74.7v	0.0v	45.1v	0.0v	462.52v
69	Miss H P McCullough	X	72.9v	74.8v	48.6v	45.3v	50.4v	49.6v	0.0v	75.9v	0.0v	49.6v	0.0v	462.51v
70	Miss JH Messer	X	71.7v	75.11v	49.5v	47.5v	49.7v	48.3v	0.0v	75.10v	0.0v	48.3v	0.0v	462.51v
71	Mr SJ Carson	X	71.9v	73.9v	50.5v	50.4v	48.5v	49.6v	0.0v	74.9v	0.0v	47.4v	0.0v	462.51v
72	Mr CN Tremlett	X	73.6v	71.5v	48.1v	48.5v	49.5v	49.6v	0.0v	75.14v	0.0v	49.7v	0.0v	462.49v
73	Mr HA Day	X	73.10v	74.6v	50.5v	46.3v	50.6v	48.5v	0.0v	75.10v	0.0v	46.4v	0.0v	462.49v
74	Mr P Glen	O	69.4v	74.10v	49.3v	47.6v	49.7v	50.4v	0.0v	75.8v	0.0v	49.5v	0.0v	462.47v
75	Mr JA Lindsay III	X	74.8v	75.9v	50.7v	46.3v	50.7v	49.5v	0.0v	72.6v	0.0v	46.2v	0.0v	462.47v
76	Mr NC Mace	X	72.10v	73.9v	50.7v	47.5v	49.8v	49.3v	0.0v	73.11v	0.0v	48.8v	0.0v	461.61v
77	Mr GE Grosskreutz	X	72.8v	73.8v	47.4v	49.4v	49.7v	47.6v	0.0v	75.13v	0.0v	49.7v	0.0v	461.57v
78	Mr PJ Chapman-Sheath	A	72.9v	74.10v	48.6v	47.3v	48.5v	49.6v	0.0v	74.13v	0.0v	49.5v	0.0v	461.57v
79	Mr MSE Firman	A	71.7v	73.9v	50.7v	47.6v	49.4v	49.6v	0.0v	74.13v	0.0v	48.4v	0.0v	461.56v
80	Mr C Fitzpatrick	X	72.6v	73.7v	49.6v	47.3v	49.9v	49.6v	0.0v	74.13v	0.0v	48.5v	0.0v	461.55v
81	Mr EC Dickson	A	72.5v	74.10v	49.4v	47.5v	50.8v	48.7v	0.0v	73.11v	0.0v	48.3v	0.0v	461.53v
82	Mr KO Pugh	A	71.9v	73.7v	49.6v	48.6v	50.7v	49.7v	0.0v	73.9v	0.0v	48.2v	0.0v	461.53v
83	Mr JA Watson	X	70.7v	75.9v	50.6v	47.3v	50.5v	48.7v	0.0v	74.12v	0.0v	47.4v	0.0v	461.53v
84	Mr ANR Walker	X	74.9v	75.9v	50.7v	47.5v	47.6v	49.5v	0.0v	74.10v	0.0v	45.2v	0.0v	461.53v
85	Mr ITG Shaw	X	72.7v	73.6v	48.4v	47.4v	49.6v	48.7v	0.0v	75.11v	0.0v	49.7v	0.0v	461.52v
86	Dr AI Ashworth	O	72.8v	71.6v	49.7v	49.6v	50.8v	48.5v	0.0v	75.7v	0.0v	47.5v	0.0v	461.52v
87	Mr PA Goubert	O	70.6v	73.9v	49.3v	47.5v	49.5v	50.7v	0.0v	73.9v	0.0v	50.7v	0.0v	461.51v
88	Mr T Horrocks	O	69.4v	73.8v	50.9v	47.4v	50.7v	49.4v	0.0v	74.8v	0.0v	49.7v	0.0v	461.51v
89	Mr M Cooper	O	72.7v	74.10v	49.7v	48.4v	49.6v	50.6v	0.0v	71.7v	0.0v	48.4v	0.0v	461.51v
90	Mr JEM Bellringer	X	72.5v	72.9v	50.5v	47.4v	50.7v	48.3v	0.0v	75.12v	0.0v	47.6v	0.0v	461.51v
91	Mr CA Brook	X	74.9v	71.7v	49.4v	50.8v	49.7v	47.3v	0.0v	74.9v	0.0v	47.4v	0.0v	461.51v
92	Mr ARW Smith	O	71.7v	74.7v	50.7v	47.5v	48.7v	49.6v	0.0v	74.8v	0.0v	48.3v	0.0v	461.50v
93	Mr GC Childs	A	74.8v	74.10v	50.6v	45.3v	49.6v	48.5v	0.0v	74.9v	0.0v	47.3v	0.0v	461.50v
94	Mr MI Buchanan	X	73.6v	71.6v	48.4v	48.5v	50.6v	50.6v	0.0v	75.13v	0.0v	46.4v	0.0v	461.50v
95	Mr C Mallett	X	71.7v	73.10v	48.5v	46.1v	50.7v	49.5v	0.0v	75.6v	0.0v	49.4v	0.0v	461.45v
96	Mr M Persaud	A	72.11v	72.4v	49.5v	49.6v	49.5v	49.3v	0.0v	73.6v	0.0v	48.5v	0.0v	461.45v
97	Mr BJ Wood	O	73.4v	72.5v	50.9v	49.4v	49.7v	48.3v	0.0v	74.7v	0.0v	46.6v	0.0v	461.45v
98	Mr JPL Sweet	X	72.2v	73.8v	50.7v	47.1v	49.8v	48.6v	0.0v	75.8v	0.0v	47.4v	0.0v	461.44v
99	Mr JGM Webster	A	72.7v	73.7v	48.3v	49.6v	49.4v	49.5v	0.0v	74.7v	0.0v	47.4v	0.0v	461.43v
100	Mr JA Curd	X	72.5v	71.5v	50.5v	48.2v	50.8v	48.3v	0.0v	74.8v	0.0v	48.5v	0.0v	461.41v
101	Mr RBC Baker	X	74.4v	73.11v	50.6v	48.0v	49.4v	50.6v	0.0v	73.4v	0.0v	44.2v	0.0v	461.37v
102	Mr SA Thomas	X	71.9v	74.10v	48.3v	44.2v	50.10v	49.7v	0.0v	75.14v	0.0v	49.4v	0.0v	460.59v
103	Maj DR Thompson	X	72.8v	72.9v	48.4v	48.6v	49.8v	48.4v	0.0v	74.11v	0.0v	49.6v	0.0v	460.56v
104	Mr T Smith	X	70.5v	72.9v	50.9v	49.5v	50.7v	47.4v	0.0v	73.10v	0.0v	49.6v	0.0v	460.55v
105	Dr J Mehta	A	71.4v	74.11v	49.6v	48.7v	49.7v	49.8v	0.0v	75.10v	0.0v	45.2v	0.0v	460.55v
106	Major AR McLeod	X	74.9v	72.7v	48.8v	47.5v	49.5v	48.5v	0.0v	75.11v	0.0v	47.4v	0.0v	460.54v
107	Miss LAE Crowson	X	72.8v	73.6v	50.9v	46.5v	49.7v	50.6v	0.0v	73.10v	0.0v	47.3v	0.0v	460.54v
108	Mr AM Bell	X	73.6v	72.8v	48.7v	48.5v	50.9v	50.7v	0.0v	74.8v	0.0v	45.4v	0.0v	460.54v
109	Mr JP Tapster	X	70.5v	73.10v	50.8v	46.3v	50.9v	49.5v	0.0v	75.10v	0.0v	47.3v	0.0v	460.53v
110	Mr NJ Verduyn	A	72.6v	69.5v	50.7v	49.7v	49.7v	50.6v	0.0v	73.9v	0.0v	48.5v	0.0v	460.52v
111	Mr AD Le Cheminant	X	72.8v	72.5v	48.3v	48.5v	47.5v	48.6v	0.0v	75.12v	0.0v	50.7v	0.0v	460.51v
112	Mr RW Shaw	X	72.9v	73.7v	50.7v	42.3v	50.7v	49.5v	0.0v	74.8v	0.0v	50.5v	0.0v	460.51v
113	Mr DR Le Quesne	X	74.8v	74.8v	47.4v	46.6v	49.5v	49.3v	0.0v	73.10v	0.0v	48.7v	0.0v	460.51v
114	Mrs K Le Quesne	A	69.7v	73.9v	49.6v	49.6v	48.4v	49.5v	0.0v	74.9v	0.0v	49.4v	0.0v	460.50v
115	Dr AJ Pilgrim	X	73.6v	72.7v	47.5v	47.5v	48.7v	50.7v	0.0v	75.8v	0.0v	48.5v	0.0v	460.50v
116	Miss EG Joseph	A	71.8v	71.7v	50.5v	48.5v	50.9v	47.5v	0.0v	75.8v	0.0v	48.3v	0.0v	460.50v
117	Mr RJ Lygoe	X	70.4v	71.5v	49.8v	48.5v	50.6v	49.3v	0.0v	74.11v	0.0v	49.7v	0.0v	460.49v
118	Mr GK Alexander	X	69.5v	75.10v	48.5v	48.4v	48.3v	48.5v	0.0v	74.9v	0.0v	50.6v	0.0v	460.47v
119	Mr PM Jory	X	72.7v	75.11v	49.5v	46.3v	50.6v	47.3v	0.0v	74.8v	0.0v	47.4v	0.0v	460.47v
120	Mr ITR Jobling	O	73.10v	71.8v	49.4v	49.4v	50.7v	47.4v	0.0v	75.7v	0.0v	46.3v	0.0v	460.47v
121	Mr R Birtwistle	X	71.4v	72.10v	49.5v	48.3v	49.5v	47.4v	0.0v	75.9v	0.0v	49.6v	0.0v	460.46v
122	Mr G Trembath	O	73.7v	74.9v	48.5v	48.6v	50.6v	44.0v	0.0v	75.7v	0.0v	48.6v	0.0v	460.46v
123	Mr MR Rewston	O	69.5v	73.9v	49.5v	47.7v	50.4v	49.5v	0.0v	75.6v	0.0v	48.5v	0.0v	460.46v
124	Mr JN McLaren	X	73.3v	73.10v	50.7v	47.5v	49.4v	50.6v	0.0v	73.10v	0.0v	45.1v	0.0v	460.46v
125	Mr PR Bain	A	72.5v	74.8v	50.6v	46.1v	50.8v	47.5v	0.0v	74.9v	0.0v	47.2v	0.0v	460.44v
126	Mr THD Dodds	O	70.6v	74.6v	47.5v	47.4v	50.5v	50.5v	0.0v	75.6v	0.0v	47.5v	0.0v	460.42v
127	Mr WMS Hall	O	70.6v	75.9v	49.3v	47.5v	50.4v	50.8v	0.0v	73.5v	0.0v	46.2v	0.0v	460.42v
128	Mr JM Ford	A	69.5v	75.4v	50.8v	46.4v	50.3v	49.5v	0.0v	75.8v	0.0v	46.3v	0.0v	460.40v

129	CSgt M Witherley	T	71.7v	72.9v	50.7v	49.6v	50.4v	49.7v	0.0v	73.7v	0.0v	45.6v	0.0v	459.53v
130	Sgt. RH Kitson	O	71.8v	73.6v	49.4v	45.3v	50.8v	49.7v	0.0v	75.11v	0.0v	47.5v	0.0v	459.52v
131	Dr PR Wheeler	X	71.7v	71.6v	49.5v	45.3v	50.8v	48.5v	0.0v	75.8v	0.0v	50.7v	0.0v	459.49v
132	Mr JR Tuck	X	70.5v	72.7v	49.5v	48.6v	50.5v	49.4v	0.0v	74.13v	0.0v	47.4v	0.0v	459.49v
133	Mr AP Barnes	X	73.7v	73.12v	48.4v	48.5v	47.3v	49.4v	0.0v	74.11v	0.0v	47.3v	0.0v	459.49v
134	Dr JS Rennie	A	70.7v	73.10v	48.4v	44.3v	50.7v	49.5v	0.0v	75.6v	0.0v	50.6v	0.0v	459.48v
135	Mr PS Gray	A	71.7v	72.6v	50.6v	50.4v	49.4v	50.8v	0.0v	73.9v	0.0v	44.4v	0.0v	459.48v
136	Mr D Rose	X	74.9v	75.10v	48.4v	48.6v	49.2v	49.7v	0.0v	73.9v	0.0v	43.1v	0.0v	459.48v
137	Mr DA Taylor	A	70.7v	73.9v	49.6v	47.5v	49.6v	49.3v	0.0v	74.8v	0.0v	48.4v	0.0v	459.47v
138	Mr JH Howard	X	71.4v	74.8v	50.7v	48.7v	48.5v	48.3v	0.0v	74.8v	0.0v	46.4v	0.0v	459.47v
139	Dr AF Aspin	A	71.4v	73.7v	48.2v	48.4v	49.8v	50.6v	0.0v	74.11v	0.0v	46.4v	0.0v	459.46v
140	Miss TJ Fitzsimons	A	72.10v	73.7v	48.3v	46.2v	48.6v	49.3v	0.0v	74.8v	0.0v	49.6v	0.0v	459.45v
141	Mr ATB Tompson	X	73.5v	72.9v	49.6v	45.3v	50.4v	49.5v	0.0v	73.10v	0.0v	48.3v	0.0v	459.45v
142	Dr MW Wrigley	A	70.6v	74.6v	50.6v	46.4v	50.5v	48.6v	0.0v	71.4v	0.0v	50.7v	0.0v	459.44v
143	Mr SM Negus	X	72.8v	73.5v	49.7v	47.3v	50.6v	48.4v	0.0v	74.7v	0.0v	46.3v	0.0v	459.43v
144	Mr JRW Postle	A	72.5v	72.8v	46.4v	49.5v	48.6v	49.5v	0.0v	75.4v	0.0v	47.4v	0.0v	459.40v
145	Mr RSF Shouler	X	72.11v	74.11v	48.5v	48.6v	50.8v	48.7v	0.0v	74.11v	0.0v	44.2v	0.0v	458.61v
146	Mr M Liversage	A	67.2v	74.11v	48.5v	48.7v	49.6v	48.6v	0.0v	75.11v	0.0v	49.8v	0.0v	458.56v
147	Mr RM Roberts	X	73.8v	71.9v	48.7v	46.5v	48.8v	49.5v	0.0v	74.9v	0.0v	49.5v	0.0v	458.56v
148	Ms KK Kent	X	73.9v	75.8v	49.5v	47.5v	44.4v	49.5v	0.0v	74.13v	0.0v	47.6v	0.0v	458.55v
149	WO M Patrick	T	72.7v	74.8v	49.7v	48.5v	50.7v	49.5v	0.0v	74.12v	0.0v	42.3v	0.0v	458.54v
150	Lt RN Stebbings	A	69.5v	72.8v	50.8v	48.5v	50.5v	49.7v	0.0v	75.11v	0.0v	45.5v	0.0v	458.53v
151	Mr RW Hallows	A	72.6v	72.9v	48.4v	45.4v	49.6v	50.6v	0.0v	74.12v	0.0v	48.5v	0.0v	458.52v
152	Dr C I Johnston	X	71.7v	73.4v	49.8v	42.2v	50.7v	49.7v	0.0v	75.12v	0.0v	49.4v	0.0v	458.51v
153	Mr JK Kelleher	O	71.7v	72.7v	50.6v	45.3v	49.6v	50.7v	0.0v	75.12v	0.0v	46.3v	0.0v	458.51v
154	Mrs Donna E Negus	X	71.7v	73.10v	48.4v	46.4v	49.7v	47.4v	0.0v	75.8v	0.0v	49.6v	0.0v	458.50v
155	Mr PD Griggs	A	70.7v	73.6v	48.6v	47.4v	49.5v	50.6v	0.0v	73.9v	0.0v	48.6v	0.0v	458.49v
156	Mr J Brooking	O	70.8v	74.4v	46.5v	47.4v	50.10v	48.5v	0.0v	75.9v	0.0v	48.4v	0.0v	458.49v
157	Mr JPW Waite	T	73.6v	73.10v	50.7v	46.2v	50.8v	48.5v	0.0v	73.8v	0.0v	45.3v	0.0v	458.49v
158	Mr AJ Luckman	X	70.4v	74.12v	48.6v	46.3v	49.4v	48.4v	0.0v	73.9v	0.0v	50.5v	0.0v	458.47v
159	Mrs MM Norman	A	71.4v	73.12v	48.3v	48.4v	48.6v	46.7v	0.0v	75.7v	0.0v	49.3v	0.0v	458.46v
160	Mr JPS Bloomfield	X	73.8v	72.9v	48.6v	48.5v	50.5v	48.5v	0.0v	71.5v	0.0v	48.3v	0.0v	458.46v
161	Mr S J Pascoe	A	69.6v	74.11v	50.7v	47.1v	49.5v	49.6v	0.0v	75.7v	0.0v	45.2v	0.0v	458.45v
162	Mr OEJ Spencer	O	71.5v	74.6v	46.4v	48.5v	48.4v	48.3v	0.0v	75.13v	0.0v	48.4v	0.0v	458.44v
163	Mr RM Hatcher	A	70.4v	72.7v	50.6v	50.6v	50.5v	48.6v	0.0v	73.6v	0.0v	45.4v	0.0v	458.44v
164	Mr JF Lawrie	A	72.8v	74.7v	49.5v	48.1v	48.5v	48.6v	0.0v	73.9v	0.0v	46.2v	0.0v	458.43v
165	Mr AG Mitchell	X	69.2v	71.7v	49.6v	49.4v	50.7v	48.6v	0.0v	72.5v	0.0v	50.4v	0.0v	458.41v
166	Mr MG Reid	A	72.7v	74.9v	48.4v	46.2v	49.4v	49.3v	0.0v	74.7v	0.0v	46.5v	0.0v	458.41v
167	Mr DN Lindsay	A	72.3v	70.6v	48.3v	46.3v	50.6v	48.5v	0.0v	75.8v	0.0v	49.4v	0.0v	458.38v
168	Mr A Thomsen	A	70.4v	72.4v	50.4v	48.4v	48.6v	48.5v	0.0v	74.6v	0.0v	48.3v	0.0v	458.36v
169	F/Sgt K Milner	T	70.5v	73.6v	48.6v	49.0v	50.6v	50.6v	0.0v	73.5v	0.0v	45.1v	0.0v	458.35v
170	Mr JMA Thompson	X	73.9v	75.10v	49.7v	41.5v	50.8v	48.4v	0.0v	74.9v	0.0v	47.3v	0.0v	457.55v
171	Mr NP Moxon	A	71.4v	73.8v	49.6v	49.6v	46.4v	47.8v	0.0v	73.11v	0.0v	49.7v	0.0v	457.54v
172	Mr TJD Raincock	X	73.9v	73.12v	48.4v	44.3v	47.5v	50.6v	0.0v	75.11v	0.0v	47.4v	0.0v	457.54v
173	Mr TA Ringer	X	73.7v	72.9v	49.5v	48.5v	50.9v	49.4v	0.0v	74.13v	0.0v	42.1v	0.0v	457.53v
174	Cdt CM Jones	A	70.4v	71.8v	50.7v	48.5v	49.9v	47.4v	0.0v	75.10v	0.0v	47.5v	0.0v	457.52v
175	Mr SJ Bissonnette	X	69.3v	72.7v	49.4v	47.5v	50.10v	48.5v	0.0v	74.12v	0.0v	48.5v	0.0v	457.51v
176	Mr SD Shouler	X	69.5v	74.12v	49.5v	47.3v	50.6v	48.3v	0.0v	75.14v	0.0v	45.3v	0.0v	457.51v
177	Mr CES Dickenson	A	70.5v	73.8v	49.6v	45.3v	50.6v	48.5v	0.0v	74.11v	0.0v	48.6v	0.0v	457.50v
178	Mr TJ Bullock	X	72.8v	73.10v	49.5v	48.4v	49.5v	48.5v	0.0v	72.9v	0.0v	46.4v	0.0v	457.50v
179	Mr RA Dix	A	68.5v	73.8v	49.4v	46.4v	50.7v	49.5v	0.0v	73.8v	0.0v	49.8v	0.0v	457.49v
180	Mr PB Cutts	O	72.7v	74.12v	49.3v	42.2v	49.8v	49.3v	0.0v	73.9v	0.0v	49.4v	0.0v	457.48v
181	Mr MR Fugeman	A	71.7v	72.9v	49.5v	46.1v	48.3v	49.7v	0.0v	73.9v	0.0v	49.6v	0.0v	457.47v
182	Mr DFP Richards	A	70.3v	72.9v	46.4v	48.3v	49.8v	48.5v	0.0v	75.10v	0.0v	49.5v	0.0v	457.47v
183	Mr HAD Howard	A	69.5v	72.8v	50.6v	48.5v	50.4v	47.5v	0.0v	74.10v	0.0v	47.4v	0.0v	457.47v
184	Mr BA Horwood	X	72.3v	72.11v	47.4v	50.4v	50.7v	48.5v	0.0v	69.5v	0.0v	49.6v	0.0v	457.45v
185	Mr AC Morley	A	71.8v	70.4v	50.5v	46.2v	49.6v	50.7v	0.0v	73.10v	0.0v	48.3v	0.0v	457.45v
186	Mr TP Clarke	X	73.6v	72.7v	48.5v	47.4v	50.7v	47.2v	0.0v	73.9v	0.0v	47.4v	0.0v	457.44v
187	Mrs RA Wiltshire	X	72.4v	72.6v	46.6v	48.7v	49.3v	48.4v	0.0v	74.9v	0.0v	48.4v	0.0v	457.43v
188	Mr HWR Gilbert	O	71.3v	74.7v	48.3v	47.4v	46.4v	50.8v	0.0v	75.9v	0.0v	46.4v	0.0v	457.42v
189	Mr JTM Magill	O	70.5v	71.7v	49.5v	49.3v	49.4v	50.4v	0.0v	74.11v	0.0v	45.3v	0.0v	457.42v
190	LCP-L Watson	X	65.3v	74.8v	49.5v	47.3v	50.6v	49.4v	0.0v	75.8v	0.0v	48.4v	0.0v	457.41v
191	Mr RK Jackson	O	74.7v	73.6v	49.6v	47.3v	49.7v	46.4v	0.0v	73.6v	0.0v	46.2v	0.0v	457.41v
192	Mr NJ Atkins	X	74.7v	74.8v	50.5v	49.5v	48.4v	46.4v	0.0v	73.7v	0.0v	43.1v	0.0v	457.41v
193	Mr WJ Rowland	A	71.3v	73.6v	48.5v	46.3v	50.9v	49.3v	0.0v	74.8v	0.0v	46.3v	0.0v	457.40v
194	Mr SP O'Brien	O	73.4v	74.7v	48.4v	46.2v	49.5v	48.6v	0.0v	73.7v	0.0v	46.2v	0.0v	457.37v
195	Mr BD Mehrtens	A	73.9v	71.6v	48.8v	47.6v	50.9v	49.7v	0.0v	73.10v	0.0v	45.5v	0.0v	456.60v
196	Mr M J Ensor	X	69.6v	73.9v	49.7v	44.3v	50.8v	49.2v	0.0v	75.13v	0.0v	47.6v	0.0v	456.54v
197	Mr RW Sandlant	X	73.7v	73.9v	45.4v	46.6v	49.6v	49.4v	0.0v	72.9v	0.0v	49.6v	0.0v	456.51v
198	Mr SW Maris	O	69.5v	72.8v	49.7v	49.4v	48.7v	48.7v	0.0v	74.10v	0.0v	47.3v	0.0v	456.51v
199	Mr CD Heales	A	71.5v	73.10v	50.8v	46.5v	48.5v	48.4v	0.0v	74.10v	0.0v	46.4v	0.0v	456.51v
200	Mrs CJ Clifford Evans	A	66.3v	70.5v	48.4v	50.8v	50.4v	50.7v	0.0v	75.13v	0.0v	47.6v	0.0v	456.50v

201	Mr GV Feast	O	69.8v	71.6v	48.5v	49.6v	50.6v	49.5v	0.0v	74.11v	0.0v	46.2v	0.0v	456.49v
202	Capt D Morris	A	70.6v	72.5v	48.6v	48.5v	49.5v	49.8v	0.0v	73.8v	0.0v	47.5v	0.0v	456.48v
203	Mr CA Skellett	A	71.7v	69.3v	47.5v	49.6v	50.6v	49.7v	0.0v	74.9v	0.0v	47.3v	0.0v	456.46v
204	Mr SE Young	X	72.5v	73.5v	50.6v	48.4v	49.8v	49.5v	0.0v	74.11v	0.0v	41.2v	0.0v	456.46v
205	Mr DGM Coleman	A	71.5v	74.8v	48.7v	47.4v	48.7v	47.4v	0.0v	74.6v	0.0v	47.4v	0.0v	456.45v
206	Mr TL Bedwell	O	70.2v	73.8v	49.6v	48.8v	47.4v	49.5v	0.0v	71.6v	0.0v	49.5v	0.0v	456.44v
207	Mr AG Harrison	O	71.11v	73.8v	50.4v	48.1v	50.5v	45.5v	0.0v	72.7v	0.0v	47.3v	0.0v	456.44v
208	Mr M Stewart	O	70.8v	70.5v	48.6v	46.3v	50.6v	50.6v	0.0v	75.8v	0.0v	47.2v	0.0v	456.44v
209	Mr TSM Gordon	O	74.4v	73.6v	48.5v	47.5v	47.5v	48.6v	0.0v	72.8v	0.0v	47.4v	0.0v	456.43v
210	Mr KJA Painter	T	71.7v	74.7v	50.6v	46.3v	47.7v	47.4v	0.0v	74.5v	0.0v	47.4v	0.0v	456.43v
211	Mr SR Robinson	T	73.3v	72.6v	50.8v	44.2v	49.6v	50.6v	0.0v	73.7v	0.0v	45.5v	0.0v	456.43v
212	Dr GP Nelson	A	72.7v	71.6v	50.6v	46.3v	50.5v	50.6v	0.0v	73.6v	0.0v	44.3v	0.0v	456.42v
213	Miss SIM Anderson	X	72.8v	73.8v	46.3v	46.3v	49.3v	48.2v	0.0v	74.10v	0.0v	48.4v	0.0v	456.41v
214	Mr RAH Vary	X	71.7v	69.6v	48.3v	47.5v	50.4v	49.4v	0.0v	75.8v	0.0v	47.4v	0.0v	456.41v
215	Mr PJ Dudzinski	A	70.7v	73.4v	49.6v	46.5v	49.5v	49.4v	0.0v	74.6v	0.0v	46.4v	0.0v	456.41v
216	Mr AD Partridge	A	74.6v	69.4v	49.7v	47.5v	49.4v	47.3v	0.0v	74.6v	0.0v	47.5v	0.0v	456.40v
217	Miss AJ Clarke	O	72.4v	75.9v	50.4v	45.2v	47.4v	48.4v	0.0v	75.9v	0.0v	44.4v	0.0v	456.40v
218	Mr R Kloosterman	A	69.5v	73.6v	49.5v	49.6v	49.5v	49.2v	0.0v	70.6v	0.0v	48.4v	0.0v	456.39v
219	Mr ML Cotillard	A	67.2v	74.8v	49.4v	47.5v	49.5v	48.6v	0.0v	74.5v	0.0v	48.4v	0.0v	456.39v
220	Mrs LK Mace	X	67.5v	74.11v	49.6v	46.4v	49.7v	47.6v	0.0v	74.11v	0.0v	49.5v	0.0v	455.55v
221	Mr SJ East	X	69.7v	72.8v	49.1v	49.8v	50.8v	49.9v	0.0v	75.12v	0.0v	42.1v	0.0v	455.54v
222	Mr MRM Millar	X	69.6v	73.9v	47.4v	47.3v	50.8v	48.5v	0.0v	72.11v	0.0v	49.7v	0.0v	455.53v
223	Mr MA Kirkillio-Stacewicz	A	68.6v	74.9v	47.3v	44.3v	50.9v	48.7v	0.0v	74.7v	0.0v	50.6v	0.0v	455.50v
224	Mr FCD Flanagan	O	74.8v	70.6v	49.5v	49.5v	49.9v	46.2v	0.0v	75.10v	0.0v	43.3v	0.0v	455.48v
225	Mr WJD Broad	X	73.7v	72.9v	48.6v	47.2v	50.4v	47.5v	0.0v	75.13v	0.0v	43.1v	0.0v	455.47v
226	Mr PG Oxnam	O	68.4v	72.6v	48.6v	50.8v	50.9v	46.1v	0.0v	74.6v	0.0v	47.4v	0.0v	455.44v
227	Mr ORW Russell	X	67.5v	72.9v	50.4v	47.4v	48.4v	49.4v	0.0v	75.10v	0.0v	47.4v	0.0v	455.44v
228	MWO Y Jin	T	72.6v	73.8v	48.4v	46.5v	50.6v	47.3v	0.0v	73.9v	0.0v	46.2v	0.0v	455.43v
229	Capt AG McLean	X	66.2v	74.10v	50.4v	47.5v	49.5v	48.4v	0.0v	73.9v	0.0v	48.3v	0.0v	455.42v
230	Mr CM Brooks	O	68.5v	73.5v	49.6v	48.6v	47.4v	50.6v	0.0v	73.7v	0.0v	47.3v	0.0v	455.42v
231	Mrs RP Paquette	O	72.4v	71.6v	46.4v	47.4v	50.9v	48.7v	0.0v	74.6v	0.0v	47.2v	0.0v	455.42v
232	Mr D Clark	A	72.6v	69.4v	49.3v	47.4v	49.6v	47.2v	0.0v	74.12v	0.0v	48.4v	0.0v	455.41v
233	Mr RPF Fagan	O	73.6v	73.9v	45.2v	47.5v	50.4v	50.6v	0.0v	73.6v	0.0v	44.2v	0.0v	455.40v
234	Mr A Griffin	O	73.4v	75.9v	49.6v	45.2v	49.4v	49.6v	0.0v	74.8v	0.0v	41.0v	0.0v	455.39v
235	LCpl WC Cowen	T	71.5v	73.6v	49.4v	45.6v	48.3v	48.5v	0.0v	73.6v	0.0v	48.3v	0.0v	455.38v
236	Mr DAF Parkinson	O	68.2v	73.8v	49.5v	47.3v	47.4v	48.4v	0.0v	75.7v	0.0v	48.4v	0.0v	455.37v
237	Mr DG Young	X	71.7v	73.6v	49.5v	50.7v	50.8v	50.8v	0.0v	70.10v	0.0v	41.1v	0.0v	454.52v
238	Mr FTG Amy	A	68.4v	72.9v	48.7v	46.3v	49.5v	47.4v	0.0v	75.11v	0.0v	49.8v	0.0v	454.51v
239	Mr CS Lamont	O	68.8v	73.10v	49.6v	47.2v	50.8v	46.3v	0.0v	74.10v	0.0v	47.3v	0.0v	454.50v
240	Mr RA Benest	X	70.5v	75.8v	49.6v	44.3v	48.6v	49.8v	0.0v	74.10v	0.0v	45.4v	0.0v	454.50v
241	Mr C Mitchell	X	70.4v	74.10v	48.7v	40.0v	48.4v	49.5v	0.0v	75.13v	0.0v	50.6v	0.0v	454.49v
242	Mr J Pugsley MRCVS	X	72.6v	67.9v	48.4v	47.3v	50.6v	47.5v	0.0v	74.12v	0.0v	49.4v	0.0v	454.49v
243	Mr MJJ Charlton	O	74.6v	72.7v	47.7v	47.5v	48.7v	47.3v	0.0v	71.8v	0.0v	48.6v	0.0v	454.49v
244	Mr AC Haley	X	72.11v	72.9v	47.4v	46.2v	47.4v	49.4v	0.0v	74.11v	0.0v	47.4v	0.0v	454.49v
245	Mr TM Green	A	68.4v	74.8v	49.6v	45.3v	49.6v	47.6v	0.0v	74.9v	0.0v	48.6v	0.0v	454.48v
246	Mr S Glen	X	69.6v	73.8v	49.5v	44.2v	48.5v	50.6v	0.0v	72.8v	0.0v	49.7v	0.0v	454.47v
247	Mr AM Bullen	A	73.6v	75.9v	49.5v	45.4v	50.7v	45.4v	0.0v	72.9v	0.0v	45.3v	0.0v	454.47v
248	S Ouellet	T	70.8v	70.8v	47.4v	50.4v	49.5v	49.6v	0.0v	72.7v	0.0v	47.3v	0.0v	454.45v
249	Mr RE Ellis	A	72.10v	71.6v	48.3v	45.3v	50.6v	49.7v	0.0v	75.5v	0.0v	44.5v	0.0v	454.45v
250	Mr JM Taylor	X	71.9v	72.6v	49.6v	48.2v	49.6v	46.2v	0.0v	75.10v	0.0v	44.3v	0.0v	454.44v
251	WO J Czuba	T	67.5v	70.8v	49.3v	46.2v	50.8v	49.5v	0.0v	75.6v	0.0v	48.6v	0.0v	454.43v
252	Mr SJ Comins	O	71.7v	72.7v	46.4v	44.4v	49.4v	50.3v	0.0v	74.9v	0.0v	48.5v	0.0v	454.43v
253	Mr HJM Awin	A	70.2v	73.8v	49.5v	46.5v	49.7v	47.4v	0.0v	75.10v	0.0v	45.2v	0.0v	454.43v
254	Cdt BG Chamberlain	T	74.4v	71.6v	44.3v	47.5v	50.8v	45.2v	0.0v	74.9v	0.0v	49.5v	0.0v	454.42v
255	Mr BMA Stevens	A	72.7v	71.2v	47.4v	50.7v	47.5v	49.5v	0.0v	72.6v	0.0v	46.5v	0.0v	454.41v
256	Miss LG Taylor	O	69.2v	73.3v	49.4v	46.3v	46.5v	48.6v	0.0v	75.12v	0.0v	48.5v	0.0v	454.40v
257	Mr MR Ebbetts	O	70.4v	70.5v	47.6v	49.5v	49.6v	47.2v	0.0v	75.8v	0.0v	47.4v	0.0v	454.40v
258	Mr DS Murray	X	74.4v	73.8v	47.5v	46.4v	46.3v	47.4v	0.0v	75.6v	0.0v	46.5v	0.0v	454.39v
259	Miss S Cheslyn-Curtis	O	73.7v	72.7v	48.3v	48.5v	47.2v	49.4v	0.0v	71.8v	0.0v	46.3v	0.0v	454.39v
260	Mr SL Cleveland	O	69.7v	72.8v	47.4v	47.3v	50.4v	48.4v	0.0v	73.6v	0.0v	48.2v	0.0v	454.38v
261	Mr AB Tucker	O	71.6v	72.5v	49.4v	49.5v	48.6v	49.4v	0.0v	73.7v	0.0v	43.1v	0.0v	454.38v
262	Mr ID Macdonald	O	69.8v	73.5v	48.4v	47.2v	48.2v	49.4v	0.0v	72.8v	0.0v	48.4v	0.0v	454.37v
263	Mr P A Hatfield	A	72.9v	74.5v	47.4v	47.3v	47.5v	45.1v	0.0v	75.7v	0.0v	47.3v	0.0v	454.37v
264	Mr ADJ Stewart	O	72.5v	74.7v	48.5v	43.0v	47.4v	48.3v	0.0v	74.10v	0.0v	48.2v	0.0v	454.36v
265	Prof. AR Horrocks	A	70.8v	70.5v	49.5v	48.5v	50.8v	47.5v	0.0v	74.12v	0.0v	45.2v	0.0v	453.50v
266	Mr JR Stirland	A	71.7v	71.7v	47.5v	48.5v	48.4v	48.4v	0.0v	70.8v	0.0v	50.9v	0.0v	453.49v
267	Mr ST Taylor	O	63.5v	70.7v	50.7v	49.4v	50.5v	50.6v	0.0v	74.11v	0.0v	47.4v	0.0v	453.49v
268	Miss JE Ouston	X	68.7v	74.10v	48.4v	47.4v	49.8v	49.5v	0.0v	73.7v	0.0v	45.4v	0.0v	453.49v
269	Mr MR Frost	O	69.3v	73.9v	47.5v	46.2v	47.6v	49.8v	0.0v	73.9v	0.0v	49.6v	0.0v	453.48v
270	Mr JA Anderson	A	70.5v	73.9v	49.6v	46.4v	49.7v	48.5v	0.0v	72.8v	0.0v	46.4v	0.0v	453.48v
271	Mr JA Borland	A	71.5v	72.9v	48.4v	43.1v	50.7v	49.6v	0.0v	71.9v	0.0v	49.5v	0.0v	453.46v
272	Mr TLW Kidner	A	69.7v	74.8v	50.6v	46.4v	50.7v	45.5v	0.0v	72.6v	0.0v	47.3v	0.0v	453.46v

273	Mr CMB Bowring	O	71.10v	70.5v	49.5v	48.2v	50.7v	48.5v	0.0v	73.11v	0.0v	44.1v	0.0v	453.46v
274	Mr AMS Sadler	O	71.5v	73.9v	49.4v	44.3v	49.5v	49.7v	0.0v	72.7v	0.0v	46.5v	0.0v	453.45v
275	Mr TW Tatchell	A	69.4v	74.7v	46.3v	44.4v	49.7v	50.8v	0.0v	75.12v	0.0v	46.0v	0.0v	453.45v
276	Mr DE Nuthall	X	71.4v	71.5v	49.8v	47.2v	50.6v	47.7v	0.0v	74.10v	0.0v	44.3v	0.0v	453.45v
277	WO A Kurd	T	68.3v	74.9v	48.5v	46.3v	50.3v	46.5v	0.0v	74.11v	0.0v	47.3v	0.0v	453.42v
278	Mr I Brechin	A	68.1v	73.6v	48.6v	46.4v	48.5v	48.7v	0.0v	73.7v	0.0v	49.4v	0.0v	453.40v
279	Mr SJB Sander	O	73.8v	74.5v	47.5v	48.4v	47.5v	44.3v	0.0v	72.5v	0.0v	48.5v	0.0v	453.40v
280	Mr MF Martel	A	70.7v	72.5v	48.4v	47.2v	48.3v	47.5v	0.0v	72.11v	0.0v	49.1v	0.0v	453.38v
281	Mr DJ Gass	X	67.2v	75.12v	50.3v	45.3v	49.4v	47.4v	0.0v	73.6v	0.0v	47.4v	0.0v	453.38v
282	Cdt M Rainer-Kirkwood	O	72.7v	74.9v	46.1v	47.3v	47.4v	49.4v	0.0v	73.7v	0.0v	45.3v	0.0v	453.38v
283	Miss LE Kennedy	O	70.5v	72.10v	47.3v	49.2v	48.5v	49.6v	0.0v	73.5v	0.0v	45.2v	0.0v	453.38v
284	Mr WR Steward	O	72.3v	74.7v	50.6v	44.2v	49.5v	48.3v	0.0v	70.6v	0.0v	46.3v	0.0v	453.35v
285	Mr ADE Grounds	O	67.3v	74.7v	47.2v	50.6v	49.4v	46.2v	0.0v	70.3v	0.0v	50.4v	0.0v	453.31v
286	Mr RG Evans	O	69.6v	71.7v	46.2v	47.5v	49.8v	48.6v	0.0v	74.10v	0.0v	48.6v	0.0v	452.50v
287	Mr CRM Asquith	O	70.6v	72.8v	49.6v	42.5v	49.3v	50.5v	0.0v	72.11v	0.0v	48.5v	0.0v	452.49v
288	Wg. Cdr. CR Smith	X	70.8v	71.8v	48.5v	45.3v	50.5v	50.6v	0.0v	73.8v	0.0v	45.2v	0.0v	452.45v
289	Mr H Sanders	X	68.2v	70.5v	47.5v	49.8v	50.9v	48.5v	0.0v	71.5v	0.0v	49.5v	0.0v	452.44v
290	Miss HCM Bennett	O	70.5v	70.7v	47.5v	48.5v	49.6v	48.4v	0.0v	73.8v	0.0v	47.4v	0.0v	452.44v
291	WO T Vila	T	72.7v	70.7v	47.2v	46.4v	48.5v	50.6v	0.0v	74.8v	0.0v	45.4v	0.0v	452.43v
292	Dr IT Matsumoto	O	72.7v	73.8v	43.3v	47.4v	47.3v	49.5v	0.0v	72.5v	0.0v	49.7v	0.0v	452.42v
293	Mr MJM Black	X	68.6v	72.5v	47.5v	44.4v	50.7v	49.6v	0.0v	75.8v	0.0v	47.1v	0.0v	452.42v
294	Mr T Steele	A	65.3v	69.5v	47.3v	49.5v	50.6v	47.5v	0.0v	75.8v	0.0v	50.6v	0.0v	452.41v
295	Mr PJ Chance	X	68.4v	68.2v	50.6v	47.2v	49.8v	46.2v	0.0v	74.11v	0.0v	50.6v	0.0v	452.41v
296	Mr A Mabon	O	70.6v	71.8v	49.4v	48.5v	47.2v	50.6v	0.0v	69.5v	0.0v	48.5v	0.0v	452.41v
297	Miss C H Sayers	O	72.6v	71.7v	50.5v	43.1v	48.5v	48.5v	0.0v	74.9v	0.0v	46.3v	0.0v	452.41v
298	Mr RG Scott	A	71.5v	72.8v	46.3v	47.4v	48.4v	49.6v	0.0v	75.9v	0.0v	44.1v	0.0v	452.40v
299	Mr RG Faulkner	O	69.3v	69.8v	48.3v	48.4v	49.5v	49.3v	0.0v	73.8v	0.0v	47.4v	0.0v	452.38v
300	Ms CH Hearn	O	69.6v	73.6v	50.6v	48.6v	48.3v	45.3v	0.0v	73.4v	0.0v	46.3v	0.0v	452.37v
301	Wg. Cdr. CJ Hockley OBE	X	72.7v	74.6v	49.1v	43.0v	47.4v	47.5v	0.0v	73.6v	0.0v	47.4v	0.0v	452.33v
302	Mr RH Gardiner	A	66.3v	71.10v	49.6v	50.6v	49.7v	47.4v	0.0v	72.9v	0.0v	47.6v	0.0v	451.51v
303	Mr AJ Leech	O	72.8v	71.7v	45.7v	45.2v	49.5v	48.5v	0.0v	72.10v	0.0v	49.5v	0.0v	451.49v
304	Mr C Pirouet	T	73.9v	70.7v	49.7v	45.3v	49.5v	47.6v	0.0v	71.7v	0.0v	47.5v	0.0v	451.49v
305	Cdt BR Fraser-Burn	O	71.6v	73.7v	47.5v	47.4v	50.9v	48.7v	0.0v	74.9v	0.0v	41.2v	0.0v	451.49v
306	Mr TP Hammond	A	67.4v	70.7v	48.5v	46.3v	49.5v	47.5v	0.0v	75.12v	0.0v	49.7v	0.0v	451.48v
307	Mr MB Barker	T	70.7v	73.9v	45.4v	47.4v	50.7v	45.2v	0.0v	73.9v	0.0v	48.5v	0.0v	451.47v
308	Mr DF Williams	O	71.6v	75.9v	45.3v	46.3v	48.6v	47.6v	0.0v	75.10v	0.0v	44.3v	0.0v	451.46v
309	Miss AR Southall	A	70.5v	74.7v	47.5v	45.3v	49.8v	49.7v	0.0v	73.9v	0.0v	44.2v	0.0v	451.46v
310	Mr PG Gilleece	O	72.8v	74.8v	49.6v	45.3v	46.2v	50.9v	0.0v	74.8v	0.0v	41.2v	0.0v	451.46v
311	Mr RF Barrington	O	65.3v	74.9v	48.4v	46.5v	49.5v	50.9v	0.0v	71.6v	0.0v	48.4v	0.0v	451.45v
312	Miss E Marsh	T	72.9v	72.5v	46.4v	49.5v	47.6v	48.5v	0.0v	74.8v	0.0v	43.3v	0.0v	451.45v
313	LCpl SD James	T	67.5v	71.5v	50.4v	48.6v	49.4v	49.6v	0.0v	71.10v	0.0v	46.3v	0.0v	451.43v
314	Mr AS Errey	O	70.3v	72.7v	45.1v	47.5v	49.8v	49.6v	0.0v	73.9v	0.0v	46.3v	0.0v	451.42v
315	Mr T Keen	A	67.3v	74.10v	46.3v	49.6v	49.5v	47.3v	0.0v	74.10v	0.0v	45.2v	0.0v	451.42v
316	Mr BN Craig	A	69.7v	71.7v	50.4v	50.6v	50.7v	47.3v	0.0v	70.6v	0.0v	44.2v	0.0v	451.42v
317	Mr N Boyle	A	70.4v	72.8v	50.7v	44.4v	50.7v	47.3v	0.0v	74.7v	0.0v	44.2v	0.0v	451.42v
318	Mr MJW Willing	O	71.4v	69.6v	50.6v	48.7v	50.5v	49.6v	0.0v	71.6v	0.0v	43.1v	0.0v	451.41v
319	Mr RI Coventry	O	63.4v	74.7v	49.5v	49.4v	49.5v	49.5v	0.0v	73.8v	0.0v	45.2v	0.0v	451.40v
320	Dr MJ Schwarz	A	71.5v	75.10v	47.5v	48.5v	46.3v	47.4v	0.0v	72.6v	0.0v	45.2v	0.0v	451.40v
321	Miss CEM Mawson	A	71.9v	69.4v	48.5v	47.3v	50.6v	49.6v	0.0v	72.5v	0.0v	45.2v	0.0v	451.40v
322	Miss S Ponter	O	72.6v	70.5v	49.7v	44.2v	50.7v	48.4v	0.0v	73.6v	0.0v	45.2v	0.0v	451.39v
323	Mr AI Brown	A	71.5v	72.6v	49.6v	47.4v	47.6v	45.2v	0.0v	72.5v	0.0v	48.4v	0.0v	451.38v
324	Mr IW Robertson	X	72.3v	70.5v	46.3v	47.4v	50.6v	47.2v	0.0v	72.9v	0.0v	47.6v	0.0v	451.38v
325	Mr OP Henry	A	71.6v	73.10v	47.5v	49.2v	47.5v	47.4v	0.0v	72.5v	0.0v	45.1v	0.0v	451.38v
326	Mr TM Mason	T	70.6v	70.6v	50.6v	49.3v	49.5v	47.5v	0.0v	73.6v	0.0v	43.1v	0.0v	451.38v
327	Cdt Sgt DW Leitch	O	73.9v	73.6v	46.3v	48.5v	50.6v	45.3v	0.0v	72.4v	0.0v	44.1v	0.0v	451.37v
328	Mr MS Cavie	A	70.3v	72.5v	46.3v	42.1v	50.6v	48.4v	0.0v	74.11v	0.0v	49.3v	0.0v	451.36v
329	Mr NW Penn	O	71.5v	74.7v	46.3v	45.3v	49.2v	48.3v	0.0v	70.7v	0.0v	48.4v	0.0v	451.34v
330	Mr EWW Feast	O	73.6v	71.6v	47.2v	44.2v	47.5v	49.4v	0.0v	73.5v	0.0v	47.3v	0.0v	451.33v
331	Mr IRM Brown	A	71.3v	70.4v	50.6v	49.6v	48.2v	49.3v	0.0v	70.4v	0.0v	44.3v	0.0v	451.31v
332	Mr PJ Johnson	A	69.7v	71.4v	50.6v	47.4v	49.6v	49.7v	0.0v	72.10v	0.0v	43.5v	0.0v	450.49v
333	Mr SNS Penrose	X	70.9v	75.10v	46.2v	46.4v	48.4v	46.4v	0.0v	74.6v	0.0v	45.5v	0.0v	450.44v
334	Mr JR Dunbar	O	74.9v	72.3v	48.5v	43.7v	48.4v	48.6v	0.0v	74.7v	0.0v	43.3v	0.0v	450.44v
335	WO J Brodeur	T	71.7v	71.7v	49.7v	46.2v	49.3v	47.2v	0.0v	75.12v	0.0v	42.4v	0.0v	450.44v
336	Mr D Lowe	O	67.3v	73.7v	50.7v	47.4v	47.6v	50.4v	0.0v	69.7v	0.0v	47.5v	0.0v	450.43v
337	Mr MG Whicher	A	73.6v	75.9v	49.6v	46.4v	49.7v	44.2v	0.0v	73.6v	0.0v	41.3v	0.0v	450.43v
338	Mr GAE Larcombe	O	68.6v	73.9v	49.4v	48.5v	48.5v	47.4v	0.0v	73.7v	0.0v	44.2v	0.0v	450.42v
339	Miss LR Mckerrell	A	71.6v	73.10v	50.4v	44.3v	49.7v	47.1v	0.0v	73.8v	0.0v	43.3v	0.0v	450.42v
340	Mr CPP Brewin	T	70.5v	73.5v	49.4v	49.4v	45.4v	47.6v	0.0v	75.10v	0.0v	42.4v	0.0v	450.42v
341	Mr GW Robinson	O	69.6v	71.6v	44.3v	47.4v	49.6v	50.5v	0.0v	72.7v	0.0v	48.4v	0.0v	450.41v
342	Mr NNT Kerins	O	69.4v	70.8v	49.6v	47.4v	48.6v	48.3v	0.0v	74.8v	0.0v	45.2v	0.0v	450.41v
343	Mr LMD Cheek	O	69.5v	71.8v	49.5v	45.2v	50.9v	49.6v	0.0v	74.4v	0.0v	43.2v	0.0v	450.41v
344	Mr PJG Barber	T	71.7v	72.7v	47.5v	48.4v	50.5v	49.4v	0.0v	74.7v	0.0v	39.2v	0.0v	450.41v

345	Mr OJ Rolfe	X	70.5v	71.6v	48.4v	48.4v	50.7v	46.2v	0.0v	72.8v	0.0v	45.4v	0.0v	450.40v
346	Mr V Robertshaw	O	73.6v	72.8v	48.3v	48.4v	47.4v	45.3v	0.0v	70.5v	0.0v	47.6v	0.0v	450.39v
347	Mr RCQ Martin	A	68.4v	71.8v	50.5v	46.4v	50.4v	48.5v	0.0v	72.6v	0.0v	45.3v	0.0v	450.39v
348	Mr SH Cox	O	71.5v	72.6v	48.4v	46.5v	46.4v	49.6v	0.0v	73.7v	0.0v	45.2v	0.0v	450.39v
349	Mr BV Cambray	A	72.5v	71.7v	45.2v	45.3v	48.4v	49.6v	0.0v	73.8v	0.0v	47.3v	0.0v	450.38v
350	Eur Ing CA Painting	A	70.4v	70.8v	48.3v	49.8v	50.7v	45.1v	0.0v	71.5v	0.0v	47.2v	0.0v	450.38v
351	Mr SL Larter-Whitcher	O	73.6v	71.5v	48.6v	47.3v	50.5v	48.5v	0.0v	71.5v	0.0v	42.2v	0.0v	450.37v
352	Dr N Hart	A	72.7v	72.2v	47.4v	44.1v	49.6v	47.6v	0.0v	71.7v	0.0v	48.2v	0.0v	450.35v
353	Miss GE Coburn	A	70.5v	73.9v	46.1v	46.2v	49.4v	50.7v	0.0v	71.5v	0.0v	45.2v	0.0v	450.35v
354	Mr GL Clarke	O	74.7v	72.3v	47.2v	48.6v	47.3v	47.6v	0.0v	71.7v	0.0v	44.1v	0.0v	450.35v
355	Mr NJ Burnip	O	66.2v	73.10v	50.1v	47.3v	44.3v	48.3v	0.0v	73.6v	0.0v	49.3v	0.0v	450.31v
356	Mr SAJ Dowley	O	73.9v	73.8v	48.5v	45.2v	50.5v	48.5v	0.0v	74.10v	0.0v	38.1v	0.0v	449.45v
357	Mr DS Goodwin	O	68.5v	72.8v	48.6v	49.6v	49.5v	45.5v	0.0v	75.6v	0.0v	43.3v	0.0v	449.44v
358	Mr NS Gibbins	X	72.8v	75.13v	49.4v	45.2v	49.4v	44.3v	0.0v	74.9v	0.0v	41.0v	0.0v	449.43v
359	Cdt J Lei	O	70.6v	73.8v	48.5v	47.4v	48.4v	50.7v	0.0v	74.9v	0.0v	39.0v	0.0v	449.43v
360	Mr B Heatley	O	64.4v	73.6v	48.6v	49.7v	48.5v	45.4v	0.0v	75.7v	0.0v	47.3v	0.0v	449.42v
361	Ms BM Moore	O	68.3v	72.7v	48.7v	46.4v	47.6v	49.7v	0.0v	73.6v	0.0v	46.2v	0.0v	449.42v
362	Mr MF Boucher	O	69.4v	72.7v	49.5v	45.4v	47.5v	50.5v	0.0v	74.10v	0.0v	43.2v	0.0v	449.42v
363	Mr KR Trowbridge	O	72.7v	73.7v	46.5v	50.8v	46.4v	46.1v	0.0v	67.4v	0.0v	49.4v	0.0v	449.40v
364	Mr JWE Lothian	A	69.5v	73.9v	47.3v	45.4v	49.3v	49.4v	0.0v	75.9v	0.0v	42.2v	0.0v	449.39v
365	Mr PGW Purdy	O	70.4v	73.10v	43.3v	45.2v	50.5v	48.4v	0.0v	73.7v	0.0v	47.2v	0.0v	449.37v
366	Mr RT MacLeod	O	67.1v	73.7v	48.6v	45.5v	49.4v	49.4v	0.0v	74.7v	0.0v	44.3v	0.0v	449.37v
367	Major RHG Riley	X	70.9v	71.7v	49.3v	43.1v	47.3v	48.3v	0.0v	73.6v	0.0v	48.4v	0.0v	449.36v
368	Miss RL Laird	A	67.2v	69.4v	47.1v	45.5v	50.4v	50.5v	0.0v	74.11v	0.0v	47.3v	0.0v	449.35v
369	Cdt Cpl TJ Johnston	O	70.3v	72.7v	49.3v	43.1v	49.3v	46.4v	0.0v	75.8v	0.0v	45.2v	0.0v	449.31v
370	Mr MHH John	O	70.5v	72.7v	45.2v	47.2v	49.3v	49.4v	0.0v	71.4v	0.0v	46.3v	0.0v	449.30v
371	Dr JR Deane	X	68.5v	71.7v	49.4v	43.5v	48.6v	50.8v	0.0v	73.10v	0.0v	46.5v	0.0v	448.50v
372	Mr AN Tongue	O	70.6v	72.8v	48.6v	48.6v	46.3v	46.4v	0.0v	74.9v	0.0v	44.4v	0.0v	448.46v
373	WO F Clark	T	68.4v	70.7v	48.6v	46.6v	48.4v	50.7v	0.0v	73.6v	0.0v	45.4v	0.0v	448.44v
374	WO T Swanson	T	68.5v	73.9v	49.6v	40.3v	49.4v	48.4v	0.0v	75.9v	0.0v	46.3v	0.0v	448.43v
375	WO A Walton	T	72.8v	73.9v	48.3v	42.1v	49.4v	48.5v	0.0v	71.9v	0.0v	45.4v	0.0v	448.43v
376	Mr RK Sheead	O	71.6v	71.5v	49.4v	47.5v	46.4v	46.4v	0.0v	73.10v	0.0v	45.4v	0.0v	448.42v
377	Mr SC Treacy	O	68.4v	73.7v	46.5v	49.4v	49.8v	48.5v	0.0v	74.7v	0.0v	41.1v	0.0v	448.41v
378	Mr DH Allen	O	69.4v	70.3v	48.6v	48.6v	47.4v	48.3v	0.0v	72.8v	0.0v	46.6v	0.0v	448.40v
379	Mr DS Stephenson	T	71.5v	71.7v	49.8v	47.3v	50.6v	46.2v	0.0v	72.6v	0.0v	42.2v	0.0v	448.39v
380	Mr DCW Lloyd	O	74.8v	72.7v	44.3v	48.4v	46.5v	48.2v	0.0v	72.9v	0.0v	44.0v	0.0v	448.38v
381	Mr P Merry	O	73.7v	73.7v	46.1v	47.4v	44.3v	46.5v	0.0v	72.6v	0.0v	47.4v	0.0v	448.37v
382	Mr S Sharma	O	72.6v	71.10v	49.4v	45.3v	45.2v	47.4v	0.0v	72.5v	0.0v	47.3v	0.0v	448.37v
383	Mr HRM Bailie	O	72.5v	70.5v	47.5v	43.5v	49.5v	48.3v	0.0v	75.6v	0.0v	44.3v	0.0v	448.37v
384	Mr DJ Curtis	X	69.6v	75.7v	49.5v	43.1v	49.6v	48.3v	0.0v	72.6v	0.0v	43.3v	0.0v	448.37v
385	Mr TM Stevenson	O	74.6v	73.6v	47.2v	48.5v	50.4v	47.5v	0.0v	74.6v	0.0v	35.3v	0.0v	448.37v
386	Mr RP Rosling	A	69.5v	71.5v	48.6v	48.2v	46.3v	47.2v	0.0v	73.9v	0.0v	46.3v	0.0v	448.35v
387	Mr MJ Bumford	O	72.8v	71.5v	47.3v	48.3v	47.2v	44.4v	0.0v	73.6v	0.0v	46.3v	0.0v	448.34v
388	Mr S Brewer-Marchant	O	73.3v	71.5v	48.6v	43.2v	49.6v	47.4v	0.0v	71.6v	0.0v	46.2v	0.0v	448.34v
389	Miss KA Berman	A	69.4v	74.8v	49.3v	46.2v	44.5v	49.5v	0.0v	72.5v	0.0v	45.2v	0.0v	448.34v
390	Mr J A Garnett	O	71.6v	73.4v	47.3v	47.2v	47.4v	46.1v	0.0v	73.8v	0.0v	44.3v	0.0v	448.31v
391	Mr AJCB de Launay	O	71.3v	72.4v	47.3v	45.4v	48.5v	46.1v	0.0v	73.5v	0.0v	46.3v	0.0v	448.28v
392	Mr WHC Alexander	O	67.3v	73.10v	46.7v	48.4v	44.4v	50.5v	0.0v	74.10v	0.0v	45.6v	0.0v	447.49v
393	Mr CP Goad	O	70.5v	73.11v	48.7v	48.3v	46.3v	49.4v	0.0v	73.10v	0.0v	40.3v	0.0v	447.46v
394	Mr GW Clarke	X	67.4v	74.9v	47.5v	44.4v	50.6v	49.5v	0.0v	71.7v	0.0v	45.2v	0.0v	447.42v
395	Mr CJ Sherratt	O	61.2v	70.6v	47.5v	48.4v	50.5v	50.6v	0.0v	73.9v	0.0v	48.4v	0.0v	447.41v
396	Mr MJ Wood	A	66.2v	72.3v	49.7v	47.5v	47.3v	49.9v	0.0v	72.7v	0.0v	45.3v	0.0v	447.39v
397	Cdt JJC Cracknell	O	69.4v	72.11v	50.6v	48.4v	45.3v	49.3v	0.0v	71.7v	0.0v	43.0v	0.0v	447.38v
398	Sqn Ldr JM Fitzpatrick	O	70.3v	71.7v	48.4v	46.4v	46.4v	47.3v	0.0v	71.8v	0.0v	48.4v	0.0v	447.37v
399	Mr TG Greenhalgh	O	70.5v	71.6v	48.4v	46.3v	48.3v	49.5v	0.0v	74.10v	0.0v	41.1v	0.0v	447.37v
400	Mr SH Dickson	O	70.5v	73.8v	50.4v	46.4v	45.2v	44.2v	0.0v	70.5v	0.0v	49.6v	0.0v	447.36v
401	Mr DA Smith	O	70.7v	71.7v	49.3v	47.4v	47.5v	48.6v	0.0v	70.3v	0.0v	45.1v	0.0v	447.36v
402	Mrs JC Scott Langley	A	71.6v	72.6v	47.4v	47.7v	48.6v	46.1v	0.0v	72.4v	0.0v	44.2v	0.0v	447.36v
403	Mr M Mann	O	66.3v	70.4v	47.2v	47.6v	49.6v	47.4v	0.0v	73.7v	0.0v	48.3v	0.0v	447.35v
404	WO2 GH Bentley	O	64.0v	72.8v	49.4v	49.6v	48.3v	47.2v	0.0v	72.7v	0.0v	46.3v	0.0v	447.33v
405	Judge AP Powell	O	68.3v	71.5v	49.6v	46.1v	46.2v	49.4v	0.0v	74.10v	0.0v	44.2v	0.0v	447.33v
406	Mr WJ Johnson	T	75.7v	68.6v	48.5v	44.3v	48.2v	48.3v	0.0v	73.4v	0.0v	43.3v	0.0v	447.33v
407	Mr M D Joyce	A	66.3v	72.7v	47.3v	46.4v	48.6v	47.2v	0.0v	74.4v	0.0v	47.3v	0.0v	447.32v
408	Csm J Tordoff	T	71.4v	71.8v	48.2v	49.3v	46.4v	46.3v	0.0v	73.5v	0.0v	43.2v	0.0v	447.31v
409	Mr ID Markwell	O	70.4v	69.3v	49.3v	46.3v	48.4v	49.4v	0.0v	71.6v	0.0v	45.2v	0.0v	447.29v
410	Cdt Sgt YW Thorne	O	68.5v	71.6v	49.7v	46.4v	48.5v	49.6v	0.0v	71.8v	0.0v	44.2v	0.0v	446.43v
411	Mr PJS Bysshe	O	69.4v	70.6v	49.6v	45.2v	49.7v	47.5v	0.0v	72.9v	0.0v	45.3v	0.0v	446.42v
412	Mr JD Webber	O	68.5v	72.8v	45.2v	45.2v	49.6v	49.5v	0.0v	72.7v	0.0v	46.3v	0.0v	446.38v
413	Mr SE Frost	O	70.4v	71.5v	49.5v	44.1v	47.2v	45.5v	0.0v	73.9v	0.0v	47.6v	0.0v	446.37v
414	Mr SJA Fielding-Isaacs	O	71.7v	72.8v	48.5v	49.2v	47.5v	45.2v	0.0v	73.8v	0.0v	41.0v	0.0v	446.37v
415	Mrs TE East	X	68.2v	73.7v	45.3v	47.6v	47.5v	48.3v	0.0v	71.6v	0.0v	47.4v	0.0v	446.36v
416	Mr JRJ Hinde	O	72.4v	73.5v	48.6v	43.2v	48.6v	44.2v	0.0v	74.8v	0.0v	44.3v	0.0v	446.36v

417	Mr AP Smith	O	67.5v	72.6v	48.2v	43.3v	48.5v	49.3v	0.0v	74.8v	0.0v	45.3v	0.0v	446.35v
418	Mr GED Hart	O	69.3v	73.8v	50.4v	48.5v	47.5v	43.0v	0.0v	69.5v	0.0v	47.3v	0.0v	446.33v
419	Mr MT Dodd	O	66.3v	71.4v	47.4v	48.4v	49.4v	48.5v	0.0v	72.5v	0.0v	45.4v	0.0v	446.33v
420	Mr MP Watkins	O	70.6v	72.8v	47.4v	47.3v	48.5v	47.1v	0.0v	72.4v	0.0v	43.2v	0.0v	446.33v
421	Mr PR Thompson	A	74.8v	72.6v	44.1v	47.3v	46.1v	46.2v	0.0v	71.6v	0.0v	46.3v	0.0v	446.30v
422	Mr B Creane	O	65.7v	68.7v	48.4v	49.8v	50.7v	46.4v	0.0v	73.5v	0.0v	46.2v	0.0v	445.44v
423	Mr BA Young	O	74.8v	70.9v	49.5v	43.1v	47.3v	49.9v	0.0v	71.7v	0.0v	42.1v	0.0v	445.43v
424	Mr P De Voil	A	66.5v	72.7v	48.4v	44.2v	47.4v	47.4v	0.0v	74.11v	0.0v	47.4v	0.0v	445.41v
425	Mr ML Lee	O	69.5v	73.10v	46.4v	46.3v	49.6v	47.4v	0.0v	73.7v	0.0v	42.2v	0.0v	445.41v
426	Mr JE White	O	71.5v	67.4v	47.5v	43.3v	49.5v	46.3v	0.0v	73.8v	0.0v	49.7v	0.0v	445.40v
427	Mr SH Wingrove	X	70.3v	70.6v	50.5v	44.2v	49.6v	46.4v	0.0v	72.10v	0.0v	44.4v	0.0v	445.40v
428	Dr DA Firth	T	68.2v	71.8v	49.4v	44.5v	49.5v	47.4v	0.0v	73.10v	0.0v	44.2v	0.0v	445.40v
429	Mr MB Bree	T	70.4v	69.3v	49.8v	47.4v	47.3v	50.7v	0.0v	71.9v	0.0v	42.2v	0.0v	445.40v
430	Mr TJ Bryan	O	63.3v	70.6v	46.3v	44.1v	50.7v	50.6v	0.0v	75.9v	0.0v	47.4v	0.0v	445.39v
431	Miss M Sanders	T	69.5v	69.6v	46.3v	48.4v	48.4v	45.4v	0.0v	74.7v	0.0v	46.5v	0.0v	445.38v
432	Mrs T Newbold	O	73.7v	68.4v	48.4v	43.4v	48.5v	49.5v	0.0v	70.5v	0.0v	46.3v	0.0v	445.37v
433	Mr JR Lindsay	O	67.3v	72.6v	47.4v	43.2v	49.7v	50.6v	0.0v	73.6v	0.0v	44.3v	0.0v	445.37v
434	Mr B Taylor	O	68.7v	69.3v	47.5v	48.5v	48.5v	48.3v	0.0v	71.7v	0.0v	46.0v	0.0v	445.35v
435	Mr EG Lawrence	T	70.5v	67.5v	49.3v	45.3v	50.7v	47.3v	0.0v	73.7v	0.0v	44.2v	0.0v	445.35v
436	Miss ATJ Voorthuyzen	O	68.5v	72.8v	47.3v	46.5v	49.4v	50.2v	0.0v	70.6v	0.0v	43.2v	0.0v	445.35v
437	Cdt Sgt CE Phillips	O	69.4v	71.2v	48.4v	42.2v	50.6v	49.5v	0.0v	74.9v	0.0v	42.3v	0.0v	445.35v
438	Mr J Bullock	A	71.3v	66.3v	49.7v	48.3v	42.3v	50.8v	0.0v	73.6v	0.0v	46.1v	0.0v	445.34v
439	Mr KM Willingale	O	70.4v	73.5v	45.4v	48.6v	47.3v	47.4v	0.0v	71.4v	0.0v	44.4v	0.0v	445.34v
440	Mr DN Webber	O	68.7v	73.9v	48.5v	43.0v	46.3v	46.1v	0.0v	74.5v	0.0v	47.3v	0.0v	445.33v
441	Miss EL Hoolahan	O	67.4v	70.5v	46.2v	48.4v	47.6v	48.3v	0.0v	71.6v	0.0v	48.2v	0.0v	445.32v
442	Mr R Hedley	O	68.6v	70.2v	49.6v	46.3v	49.5v	45.3v	0.0v	73.5v	0.0v	45.2v	0.0v	445.32v
443	Mr PS Holmes	X	66.3v	70.8v	48.4v	46.4v	48.7v	46.4v	0.0v	71.8v	0.0v	49.6v	0.0v	444.44v
444	Mr J Purdy	O	72.8v	71.6v	49.7v	46.3v	49.7v	45.3v	0.0v	71.6v	0.0v	41.3v	0.0v	444.43v
445	Cdt TA Orpen-Smellie	T	71.5v	70.5v	45.4v	45.6v	49.4v	50.8v	0.0v	73.9v	0.0v	41.1v	0.0v	444.42v
446	Mr RA Welford	O	69.4v	69.5v	45.3v	45.4v	48.5v	47.3v	0.0v	73.10v	0.0v	48.7v	0.0v	444.41v
447	Mr HJG Green	O	68.6v	71.7v	45.2v	47.3v	47.6v	48.6v	0.0v	74.9v	0.0v	44.2v	0.0v	444.41v
448	Mr E Stuart-Bamford	O	68.6v	68.4v	50.5v	44.4v	48.6v	46.5v	0.0v	72.6v	0.0v	48.4v	0.0v	444.40v
449	Mr A Chown	O	69.5v	70.6v	48.7v	47.5v	50.4v	46.4v	0.0v	71.5v	0.0v	43.3v	0.0v	444.39v
450	Cdt TS Shalom	T	70.7v	69.5v	48.3v	47.4v	49.7v	48.5v	0.0v	70.4v	0.0v	43.2v	0.0v	444.37v
451	Mr OJLW Woolcott	O	70.5v	70.6v	46.3v	45.3v	48.4v	46.3v	0.0v	74.8v	0.0v	45.4v	0.0v	444.36v
452	Mr TEM Mills	T	70.4v	71.5v	48.5v	48.4v	47.6v	47.6v	0.0v	72.5v	0.0v	41.1v	0.0v	444.36v
453	Mr RF Burden	O	69.2v	69.3v	48.2v	42.2v	48.6v	47.3v	0.0v	71.11v	0.0v	50.6v	0.0v	444.35v
454	Cdt D Shakhman	T	68.2v	73.6v	48.5v	45.1v	47.3v	46.2v	0.0v	74.12v	0.0v	43.3v	0.0v	444.34v
455	Cpl PL Winter	T	67.3v	72.5v	46.3v	47.3v	47.4v	47.3v	0.0v	71.6v	0.0v	47.4v	0.0v	444.31v
456	Mr D Hanson	O	70.4v	69.1v	50.6v	46.2v	48.3v	46.5v	0.0v	69.5v	0.0v	46.5v	0.0v	444.31v
457	Mr WC Compton	T	72.7v	69.3v	46.5v	44.1v	47.1v	47.3v	0.0v	72.4v	0.0v	47.2v	0.0v	444.26v
458	Mr DC Chisholm	X	73.8v	72.7v	45.4v	48.6v	50.5v	47.3v	0.0v	75.12v	0.0v	33.3v	0.0v	443.48v
459	Mr MD Jenvey	A	71.9v	67.3v	49.5v	46.3v	47.6v	47.4v	0.0v	71.8v	0.0v	45.4v	0.0v	443.42v
460	Mr NC Granger	O	67.5v	71.9v	45.4v	45.3v	50.6v	48.5v	0.0v	71.7v	0.0v	46.2v	0.0v	443.41v
461	Mr MD Wright	O	69.3v	66.5v	45.5v	47.3v	49.6v	47.5v	0.0v	72.7v	0.0v	48.4v	0.0v	443.38v
462	Mr RM Allan	O	68.2v	67.5v	50.7v	46.3v	46.6v	47.3v	0.0v	72.6v	0.0v	47.6v	0.0v	443.38v
463	Mr N M Duncan	O	70.6v	67.5v	49.6v	47.3v	48.3v	46.4v	0.0v	73.8v	0.0v	43.3v	0.0v	443.38v
464	Miss A J C Carnell	T	69.1v	73.7v	46.1v	43.4v	50.9v	43.1v	0.0v	73.10v	0.0v	46.4v	0.0v	443.37v
465	Mr CA Stewart	O	68.3v	71.7v	45.3v	47.4v	49.6v	48.5v	0.0v	70.5v	0.0v	45.3v	0.0v	443.36v
466	SAC JS Thompstone	O	67.3v	73.4v	47.4v	44.4v	48.5v	49.6v	0.0v	72.8v	0.0v	43.2v	0.0v	443.36v
467	Mr JF Jackman	O	66.2v	71.6v	47.3v	46.3v	48.5v	48.6v	0.0v	71.4v	0.0v	46.4v	0.0v	443.33v
468	Miss A Strain	O	69.7v	68.4v	50.5v	46.2v	48.2v	48.5v	0.0v	72.7v	0.0v	44.1v	0.0v	443.33v
469	WO P Asselin	T	70.3v	72.5v	45.3v	45.1v	47.4v	47.5v	0.0v	74.9v	0.0v	43.3v	0.0v	443.33v
470	Mr PJ Holden	O	71.5v	71.6v	43.1v	45.5v	49.1v	46.3v	0.0v	71.7v	0.0v	47.4v	0.0v	443.32v
471	Mr HM Mccaughey	T	66.2v	72.9v	46.4v	45.3v	49.4v	47.5v	0.0v	74.5v	0.0v	44.0v	0.0v	443.32v
472	Miss HR Mackintosh	O	69.4v	73.8v	41.3v	45.5v	49.5v	45.3v	0.0v	73.8v	0.0v	47.3v	0.0v	442.39v
473	Mr F Roberts	O	69.4v	71.7v	45.4v	45.3v	45.4v	47.4v	0.0v	74.8v	0.0v	46.4v	0.0v	442.38v
474	Mr AK Fitch	O	69.6v	73.8v	49.3v	46.2v	50.6v	48.4v	0.0v	72.7v	0.0v	35.2v	0.0v	442.38v
475	Lt JW Jenkins	O	69.6v	68.3v	46.3v	47.2v	49.6v	48.4v	0.0v	71.9v	0.0v	44.4v	0.0v	442.37v
476	Cdt JEK Pepera-Hibbert	T	70.1v	70.4v	48.6v	45.4v	48.5v	48.4v	0.0v	71.9v	0.0v	42.4v	0.0v	442.37v
477	Sgt C Smith	T	70.6v	71.3v	49.6v	46.2v	47.7v	44.3v	0.0v	72.7v	0.0v	43.2v	0.0v	442.36v
478	Sgt K Peters	T	67.4v	73.4v	50.9v	41.2v	49.5v	49.6v	0.0v	70.5v	0.0v	43.1v	0.0v	442.36v
479	Mr RCG Knight	O	68.4v	69.3v	46.4v	46.3v	50.6v	49.6v	0.0v	73.9v	0.0v	41.1v	0.0v	442.36v
480	Mr R Winney	X	69.3v	72.7v	45.2v	43.3v	48.5v	47.4v	0.0v	71.7v	0.0v	47.4v	0.0v	442.35v
481	Mr MJ Creber	O	65.2v	72.7v	48.5v	45.5v	49.4v	46.4v	0.0v	72.5v	0.0v	45.3v	0.0v	442.35v
482	Mr MJ Whatton	O	67.5v	71.7v	49.4v	48.2v	49.3v	42.4v	0.0v	72.6v	0.0v	44.3v	0.0v	442.34v
483	Mr TOA Atkinson	T	66.2v	70.5v	46.2v	47.4v	47.5v	49.4v	0.0v	74.7v	0.0v	43.3v	0.0v	442.32v
484	Mr AC Brooker	A	64.5v	69.7v	47.3v	45.2v	50.6v	49.5v	0.0v	75.8v	0.0v	42.1v	0.0v	441.37v
485	Mr RA Mullin	O	68.5v	70.6v	49.3v	48.4v	47.3v	47.3v	0.0v	74.10v	0.0v	38.2v	0.0v	441.36v
486	Sqn Ldr CM Fopp	O	70.5v	71.8v	49.3v	45.3v	49.3v	46.2v	0.0v	72.10v	0.0v	39.1v	0.0v	441.35v
487	Mr SCW Dixon	O	68.4v	69.5v	47.3v	48.3v	48.4v	47.7v	0.0v	72.5v	0.0v	42.3v	0.0v	441.34v
488	Miss HV Southall	O	69.3v	72.6v	45.4v	44.3v	48.4v	48.4v	0.0v	66.3v	0.0v	49.6v	0.0v	441.33v

489	Mr RA Jobson	O	70.7v	69.6v	45.4v	43.2v	48.4v	49.4v	0.0v	71.5v	0.0v	46.1v	0.0v	441.33v
490	Mr AJ Jones	T	66.2v	69.4v	45.1v	47.5v	47.3v	49.8v	0.0v	74.9v	0.0v	44.1v	0.0v	441.33v
491	Mr HG Goddard	T	73.8v	71.6v	45.2v	41.1v	46.3v	48.3v	0.0v	74.6v	0.0v	43.2v	0.0v	441.31v
492	Mr RJ Quay	O	68.4v	71.5v	49.2v	43.0v	50.6v	47.6v	0.0v	71.6v	0.0v	42.2v	0.0v	441.31v
493	Mr SJ Dawes	O	68.6v	68.3v	46.1v	48.3v	47.6v	46.4v	0.0v	72.3v	0.0v	46.4v	0.0v	441.30v
494	Mr JS Stewart	T	69.4v	69.6v	48.4v	43.1v	46.4v	47.0v	0.0v	75.9v	0.0v	44.1v	0.0v	441.29v
495	Mr P Barber	O	69.6v	67.5v	46.4v	48.5v	45.5v	48.4v	0.0v	70.4v	0.0v	47.5v	0.0v	440.38v
496	Bdr B Charlton	T	70.4v	71.7v	47.6v	45.5v	47.7v	47.2v	0.0v	71.5v	0.0v	42.1v	0.0v	440.37v
497	Cdt CTR Gicquel	T	67.7v	73.8v	47.3v	45.4v	45.3v	49.4v	0.0v	72.7v	0.0v	42.0v	0.0v	440.36v
498	Mr ND Stangroom	A	68.3v	69.8v	44.4v	45.2v	46.6v	48.4v	0.0v	73.6v	0.0v	47.2v	0.0v	440.35v
499	Cdt HPC Bramwell	T	68.5v	71.8v	46.3v	45.3v	46.4v	48.4v	0.0v	70.5v	0.0v	46.2v	0.0v	440.34v
500	Cdt EGH Atkins	T	68.4v	70.5v	47.2v	45.0v	45.2v	46.6v	0.0v	71.9v	0.0v	48.3v	0.0v	440.31v
501	WO C Moase	T	69.5v	71.4v	49.4v	47.3v	44.6v	47.2v	0.0v	68.3v	0.0v	45.4v	0.0v	440.31v
502	Mr DJ Stewart	O	67.2v	72.8v	46.3v	47.2v	48.4v	46.3v	0.0v	70.7v	0.0v	44.1v	0.0v	440.30v
503	Lt. Col. CST Lehmann	O	65.3v	71.9v	46.5v	45.3v	50.6v	46.4v	0.0v	71.7v	0.0v	45.0v	0.0v	439.37v
504	Sgt BD Jones	T	69.6v	69.6v	47.3v	45.1v	47.4v	47.4v	0.0v	74.9v	0.0v	41.2v	0.0v	439.35v
505	Mr RL Sampson	O	70.3v	71.9v	48.5v	45.3v	48.4v	49.4v	0.0v	69.5v	0.0v	39.2v	0.0v	439.35v
506	Mr J Barlow	T	66.5v	72.4v	49.4v	44.3v	49.6v	45.2v	0.0v	70.6v	0.0v	44.4v	0.0v	439.34v
507	Mr J Golling	X	70.7v	71.8v	46.4v	46.4v	48.3v	45.1v	0.0v	68.4v	0.0v	45.2v	0.0v	439.33v
508	Mr G Meijer	O	68.0v	73.9v	44.2v	48.5v	49.5v	46.4v	0.0v	72.7v	0.0v	39.1v	0.0v	439.33v
509	Mr MD Gomez	O	69.3v	71.8v	46.2v	47.4v	43.0v	48.5v	0.0v	69.7v	0.0v	46.3v	0.0v	439.32v
510	Sgt E Clarke	T	65.4v	68.5v	45.1v	48.4v	48.4v	49.4v	0.0v	73.6v	0.0v	43.2v	0.0v	439.30v
511	Dr CW Freeman	O	65.2v	73.5v	49.3v	47.4v	46.3v	47.4v	0.0v	67.7v	0.0v	45.1v	0.0v	439.29v
512	Miss HW Walker	O	67.4v	70.4v	48.2v	43.0v	50.2v	47.4v	0.0v	72.5v	0.0v	42.3v	0.0v	439.24v
513	Mr MP Perez	O	70.6v	67.3v	47.5v	39.2v	50.6v	48.4v	0.0v	74.11v	0.0v	43.4v	0.0v	438.41v
514	Mr PL Redstone	A	71.8v	66.6v	45.3v	45.5v	49.4v	48.6v	0.0v	72.7v	0.0v	42.2v	0.0v	438.41v
515	Mr RJ Cade	O	68.7v	71.3v	48.4v	45.4v	45.3v	45.4v	0.0v	72.6v	0.0v	44.3v	0.0v	438.34v
516	Mr GRP Shapland	O	70.5v	66.6v	48.4v	45.3v	46.4v	43.2v	0.0v	72.4v	0.0v	48.5v	0.0v	438.33v
517	Mr G Hart	O	71.3v	70.5v	47.4v	45.2v	48.6v	43.1v	0.0v	71.9v	0.0v	43.2v	0.0v	438.32v
518	Mr HL Lee	O	68.2v	72.9v	45.4v	41.2v	45.1v	49.5v	0.0v	72.5v	0.0v	46.3v	0.0v	438.31v
519	Mr WJ Jury-Simpson	T	67.5v	72.5v	42.3v	45.2v	45.2v	47.2v	0.0v	73.8v	0.0v	47.3v	0.0v	438.30v
520	Sgt P Green	T	65.1v	70.5v	48.3v	42.2v	49.4v	49.5v	0.0v	70.5v	0.0v	45.4v	0.0v	438.29v
521	Mr MJL Traynor	O	69.4v	69.4v	47.4v	46.4v	49.5v	48.2v	0.0v	67.3v	0.0v	43.2v	0.0v	438.28v
522	Mr P Sirett	O	67.1v	71.6v	48.3v	44.3v	48.5v	43.1v	0.0v	70.4v	0.0v	47.4v	0.0v	438.27v
523	Mr SA Armstrong	T	70.6v	71.3v	47.3v	43.0v	49.3v	49.4v	0.0v	67.2v	0.0v	42.1v	0.0v	438.22v
524	Mr CJ Macdonald	O	72.6v	69.7v	47.4v	45.6v	47.6v	48.5v	0.0v	74.11v	0.0v	35.1v	0.0v	437.46v
525	Lt K Wathier	T	71.6v	72.10v	48.4v	47.6v	48.6v	42.2v	0.0v	71.6v	0.0v	38.3v	0.0v	437.43v
526	Miss PG Macdonald	A	73.7v	65.5v	48.5v	45.3v	46.6v	47.3v	0.0v	71.7v	0.0v	42.1v	0.0v	437.37v
527	Mr AF Donald	A	71.5v	68.6v	47.4v	47.5v	48.6v	42.3v	0.0v	73.7v	0.0v	41.1v	0.0v	437.37v
528	Mr PCW Rose	O	61.2v	71.6v	48.3v	47.6v	47.4v	48.4v	0.0v	70.7v	0.0v	45.2v	0.0v	437.34v
529	Mr HN Watson	O	68.2v	72.7v	47.2v	44.3v	50.7v	47.3v	0.0v	75.9v	0.0v	34.0v	0.0v	437.33v
530	Mr IF Luckman	O	66.4v	72.9v	46.4v	42.2v	46.2v	48.2v	0.0v	74.7v	0.0v	43.2v	0.0v	437.32v
531	Mr JS Chapman	O	70.5v	71.6v	48.6v	40.1v	47.3v	47.2v	0.0v	69.3v	0.0v	45.5v	0.0v	437.31v
532	Dr N P Tucker	O	66.3v	71.7v	47.5v	44.2v	48.3v	44.2v	0.0v	71.7v	0.0v	46.1v	0.0v	437.30v
533	Mr BH Hayes	O	72.6v	64.1v	50.4v	45.1v	48.5v	44.2v	0.0v	74.10v	0.0v	40.0v	0.0v	437.29v
534	Mr TE Emck	O	68.3v	73.8v	47.2v	45.3v	47.2v	47.3v	0.0v	66.6v	0.0v	44.1v	0.0v	437.28v
535	Mr JD Badman	O	72.6v	70.6v	49.4v	45.2v	47.2v	46.3v	0.0v	68.4v	0.0v	40.1v	0.0v	437.28v
536	Mr MR Clewer	T	65.7v	74.5v	49.3v	45.1v	48.2v	46.3v	0.0v	70.5v	0.0v	40.0v	0.0v	437.26v
537	Mr ES Maclean	A	71.7v	67.4v	46.5v	44.3v	47.5v	42.3v	0.0v	73.6v	0.0v	46.3v	0.0v	436.36v
538	Mr P F M Ryan	O	69.8v	64.3v	48.3v	47.1v	47.4v	48.4v	0.0v	68.8v	0.0v	45.4v	0.0v	436.35v
539	Mr HGM Mooiman	O	67.5v	73.9v	47.3v	47.4v	45.2v	45.1v	0.0v	71.8v	0.0v	41.1v	0.0v	436.33v
540	Mr PD Doerrerr	X	66.2v	69.5v	49.4v	39.1v	47.4v	47.5v	0.0v	72.7v	0.0v	47.4v	0.0v	436.32v
541	Mr CMT Truman	O	69.4v	68.3v	48.6v	49.7v	50.6v	39.0v	0.0v	72.4v	0.0v	41.2v	0.0v	436.32v
542	Mr EJT Thomas	O	71.4v	70.7v	48.5v	47.4v	44.3v	47.3v	0.0v	70.5v	0.0v	39.1v	0.0v	436.32v
543	Mr NB Belousov	T	65.4v	71.4v	48.3v	46.3v	47.4v	49.3v	0.0v	70.8v	0.0v	40.0v	0.0v	436.29v
544	Mr BG Greasley	T	65.1v	69.2v	47.2v	44.3v	47.3v	47.3v	0.0v	72.11v	0.0v	45.3v	0.0v	436.28v
545	Wg. Cdr. MJ Gregory	A	66.3v	70.4v	42.3v	46.2v	48.3v	48.3v	0.0v	72.7v	0.0v	44.2v	0.0v	436.27v
546	Mrs SG Sirett	O	67.6v	69.5v	41.0v	48.2v	48.3v	47.4v	0.0v	72.3v	0.0v	44.0v	0.0v	436.23v
547	Mr A Lloyd	T	69.3v	65.3v	45.0v	47.2v	48.4v	49.5v	0.0v	68.2v	0.0v	45.3v	0.0v	436.22v
548	Mr NR Wells	O	62.2v	71.6v	44.1v	47.5v	50.6v	47.5v	0.0v	72.8v	0.0v	42.1v	0.0v	435.34v
549	Mr DF Nesbitt	O	67.7v	66.4v	46.5v	46.3v	46.4v	46.4v	0.0v	74.6v	0.0v	44.0v	0.0v	435.33v
550	Mr RW Carson	O	68.4v	68.5v	48.5v	40.2v	47.3v	47.4v	0.0v	70.2v	0.0v	47.6v	0.0v	435.31v
551	LS KA Fleck	T	68.4v	70.4v	47.4v	41.3v	50.5v	46.3v	0.0v	71.6v	0.0v	42.2v	0.0v	435.31v
552	Mr GH Porter	O	66.3v	70.6v	49.4v	40.2v	44.2v	47.3v	0.0v	71.6v	0.0v	48.4v	0.0v	435.30v
553	Mr KG Firth	O	62.2v	71.3v	45.1v	44.2v	49.6v	45.2v	0.0v	71.8v	0.0v	48.5v	0.0v	435.29v
554	Mr JS Ritchie	O	68.2v	72.5v	44.3v	45.4v	46.3v	47.6v	0.0v	69.2v	0.0v	44.3v	0.0v	435.28v
555	Mr JD Dowley	T	66.3v	69.5v	49.5v	44.3v	46.2v	47.4v	0.0v	71.6v	0.0v	43.0v	0.0v	435.28v
556	LCpl OS Hood	T	69.5v	65.0v	46.1v	46.2v	48.4v	46.4v	0.0v	69.5v	0.0v	46.4v	0.0v	435.25v
557	Mr T S McDowell	O	69.3v	71.4v	46.4v	42.0v	49.6v	46.4v	0.0v	68.3v	0.0v	44.1v	0.0v	435.25v
558	Mr RR Ramage	O	70.4v	69.2v	48.5v	35.2v	50.7v	49.7v	0.0v	68.5v	0.0v	45.2v	0.0v	434.34v
559	Mr MH Horrell	O	69.5v	68.4v	48.5v	45.2v	48.5v	47.5v	0.0v	71.4v	0.0v	38.3v	0.0v	434.33v
560	Mr TJ Brooking	O	65.4v	69.6v	44.3v	48.3v	50.7v	43.2v	0.0v	68.4v	0.0v	47.2v	0.0v	434.31v



561	Mr DTA Cobb	O	64.2v	70.5v	47.6v	44.2v	48.5v	46.3v	0.0v	71.4v	0.0v	44.3v	0.0v	434.30v
562	Cdt WB Ross	T	69.3v	71.7v	48.3v	46.0v	44.6v	46.4v	0.0v	66.2v	0.0v	44.4v	0.0v	434.29v
563	Miss T Myagkova	O	67.2v	70.3v	45.1v	46.4v	45.5v	46.5v	0.0v	72.7v	0.0v	43.2v	0.0v	434.29v
564	Cdt PC De Souza	O	67.1v	70.6v	46.1v	46.1v	48.6v	43.0v	0.0v	71.8v	0.0v	43.1v	0.0v	434.24v
565	Mr IR Thomson	O	65.4v	71.4v	43.3v	43.1v	47.6v	46.4v	0.0v	72.8v	0.0v	46.3v	0.0v	433.33v
566	Miss ZN Northam	O	71.6v	74.10v	46.3v	41.2v	48.4v	42.0v	0.0v	72.5v	0.0v	39.1v	0.0v	433.31v
567	Mr JR Mckellar	O	63.2v	67.7v	46.2v	44.4v	46.3v	46.3v	0.0v	73.6v	0.0v	48.3v	0.0v	433.30v
568	Mr CC Mallett Jnr	A	65.5v	73.8v	46.3v	47.3v	47.5v	47.2v	0.0v	66.2v	0.0v	42.2v	0.0v	433.30v
569	Mr PJ Carr	O	69.4v	73.9v	48.4v	46.2v	48.2v	42.1v	0.0v	66.3v	0.0v	41.2v	0.0v	433.27v
570	Cdr MF Jordan	O	69.5v	70.5v	44.1v	47.6v	48.3v	46.3v	0.0v	68.4v	0.0v	41.0v	0.0v	433.27v
571	Col N Stebbings	O	68.1v	67.4v	43.1v	46.4v	47.3v	48.3v	0.0v	71.4v	0.0v	43.1v	0.0v	433.21v
572	Mr JRC Stanford-Beale	T	71.6v	71.5v	41.1v	48.6v	48.4v	42.3v	0.0v	68.4v	0.0v	43.3v	0.0v	432.32v
573	Mr GS Stewart	T	67.2v	69.4v	43.3v	46.6v	46.2v	43.4v	0.0v	73.8v	0.0v	45.2v	0.0v	432.31v
574	Mr C Waldron	O	69.1v	68.5v	47.3v	45.2v	48.4v	45.3v	0.0v	62.3v	0.0v	48.6v	0.0v	432.27v
575	Mr CSJ Marlow	O	70.4v	66.5v	45.2v	46.3v	45.1v	45.4v	0.0v	71.8v	0.0v	44.0v	0.0v	432.27v
576	Sgt JEH Hawke	T	69.4v	67.3v	46.2v	42.2v	44.2v	46.3v	0.0v	72.5v	0.0v	46.5v	0.0v	432.26v
577	Mr DT Taylor	O	69.6v	69.8v	50.4v	37.1v	43.1v	49.4v	0.0v	73.9v	0.0v	41.3v	0.0v	431.36v
578	Mrs JE Dickson	O	63.3v	72.5v	44.3v	47.3v	43.3v	49.8v	0.0v	69.4v	0.0v	44.3v	0.0v	431.32v
579	OCdt G Lapointe	T	64.3v	70.7v	47.5v	44.4v	49.6v	47.4v	0.0v	67.1v	0.0v	43.2v	0.0v	431.32v
580	Mr TW Harrison	O	67.2v	68.7v	46.5v	47.3v	47.2v	45.3v	0.0v	67.6v	0.0v	44.0v	0.0v	431.28v
581	Cdt C Eaton	T	67.3v	68.5v	44.3v	45.5v	44.4v	46.2v	0.0v	72.4v	0.0v	45.1v	0.0v	431.27v
582	Mr R Jackson	O	66.5v	71.4v	46.4v	46.2v	46.5v	46.5v	0.0v	68.3v	0.0v	42.0v	0.0v	431.27v
583	Cdt FS CM Nunan	T	71.3v	69.6v	45.3v	42.2v	43.2v	46.3v	0.0v	70.5v	0.0v	45.1v	0.0v	431.25v
584	Cpl HC Harris	T	70.5v	70.1v	47.4v	43.1v	46.3v	41.1v	0.0v	69.5v	0.0v	45.2v	0.0v	431.22v
585	Mr MT Lehmann	O	65.4v	67.4v	49.7v	45.3v	48.5v	47.3v	0.0v	65.3v	0.0v	44.3v	0.0v	430.32v
586	Mrs RKE Penrose	O	66.1v	69.7v	44.2v	41.3v	48.6v	47.3v	0.0v	71.7v	0.0v	44.3v	0.0v	430.32v
587	Mr D Lister	T	69.3v	71.6v	44.2v	42.1v	47.5v	41.3v	0.0v	69.4v	0.0v	47.3v	0.0v	430.27v
588	Cdt GL Oakland	T	66.2v	70.8v	46.0v	46.2v	44.5v	46.4v	0.0v	68.4v	0.0v	44.1v	0.0v	430.26v
589	Mr C Irwin	T	71.5v	74.4v	48.4v	40.2v	40.1v	45.3v	0.0v	69.5v	0.0v	43.2v	0.0v	430.26v
590	Mr MW Brown	O	66.3v	70.5v	44.1v	45.3v	48.2v	45.2v	0.0v	67.6v	0.0v	45.3v	0.0v	430.25v
591	Mr GK Goodwin	O	68.5v	69.6v	46.4v	45.3v	41.1v	47.2v	0.0v	70.6v	0.0v	43.4v	0.0v	429.31v
592	Mr MS Shaw	T	65.2v	69.4v	48.3v	45.4v	45.4v	50.6v	0.0v	70.6v	0.0v	37.1v	0.0v	429.30v
593	Cdt CHY Chan	T	68.4v	71.7v	48.3v	48.4v	43.1v	45.5v	0.0v	70.3v	0.0v	36.2v	0.0v	429.29v
594	Mr RM Culverwell	O	61.2v	72.8v	45.1v	46.6v	45.2v	43.2v	0.0v	73.5v	0.0v	44.1v	0.0v	429.27v
595	Mr SN Norval	T	70.6v	72.3v	47.2v	46.2v	42.1v	48.3v	0.0v	67.5v	0.0v	37.4v	0.0v	429.26v
596	Mr EM Brice	O	70.2v	69.5v	47.2v	38.2v	47.3v	45.5v	0.0v	65.2v	0.0v	48.2v	0.0v	429.23v
597	Mr ML Lungu	T	65.2v	68.4v	46.3v	36.1v	49.9v	49.4v	0.0v	74.12v	0.0v	41.1v	0.0v	428.36v
598	Cdt HAA Godwin-Austen	T	65.3v	71.3v	47.5v	45.3v	48.5v	43.3v	0.0v	66.7v	0.0v	43.2v	0.0v	428.31v
599	Sgt CS Neuhauser	T	62.2v	72.6v	47.3v	44.3v	49.4v	43.3v	0.0v	71.5v	0.0v	40.3v	0.0v	428.29v
600	Mr WR Hinton	O	64.1v	70.4v	42.1v	44.1v	45.4v	48.3v	0.0v	68.4v	0.0v	47.1v	0.0v	428.19v
601	Miss AM Matthews	T	68.4v	75.9v	40.1v	46.2v	46.6v	40.2v	0.0v	69.6v	0.0v	43.3v	0.0v	427.33v
602	WO J Vallee	T	71.6v	68.4v	45.4v	41.2v	47.6v	46.3v	0.0v	67.5v	0.0v	42.2v	0.0v	427.32v
603	Mr A Le Cheminant	T	66.3v	69.6v	44.4v	43.3v	47.4v	48.6v	0.0v	70.2v	0.0v	40.1v	0.0v	427.29v
604	Mr SA Hunting	O	61.2v	70.3v	47.5v	45.3v	49.6v	48.4v	0.0v	71.4v	0.0v	36.2v	0.0v	427.29v
605	Mr AC Grant	O	69.3v	69.5v	45.3v	45.5v	42.1v	44.2v	0.0v	69.5v	0.0v	44.2v	0.0v	427.26v
606	Cdt B Southworth	T	70.5v	71.2v	46.4v	43.2v	47.3v	42.1v	0.0v	72.8v	0.0v	36.0v	0.0v	427.25v
607	Mr MS Sheehy	T	69.7v	68.7v	47.4v	43.2v	47.4v	46.4v	0.0v	71.6v	0.0v	35.2v	0.0v	426.36v
608	Mr TM Jaggard	T	70.3v	66.6v	47.4v	40.3v	46.3v	45.3v	0.0v	65.3v	0.0v	47.2v	0.0v	426.27v
609	Mr JL Poulin	O	65.3v	66.2v	44.1v	43.2v	48.5v	47.3v	0.0v	68.4v	0.0v	45.4v	0.0v	426.24v
610	Mr EA Sewell	T	66.2v	66.2v	48.3v	49.6v	41.1v	45.1v	0.0v	69.5v	0.0v	42.3v	0.0v	426.23v
611	Cdt AE Vlas	T	67.4v	65.3v	48.4v	42.1v	48.5v	49.5v	0.0v	69.4v	0.0v	37.1v	0.0v	425.27v
612	Mr AD De Vivenot	T	65.2v	70.7v	49.0v	46.2v	48.5v	45.3v	0.0v	65.2v	0.0v	37.1v	0.0v	425.22v
613	WO A Ressi	T	69.6v	65.0v	49.6v	45.1v	46.3v	42.1v	0.0v	66.4v	0.0v	42.0v	0.0v	424.21v
614	Mr JM Samson	O	61.1v	66.1v	46.4v	41.0v	48.5v	47.3v	0.0v	72.8v	0.0v	42.0v	0.0v	423.22v
615	Mr RBF Fitzsimmons	O	66.3v	63.2v	45.2v	45.3v	48.3v	44.5v	0.0v	73.8v	0.0v	38.0v	0.0v	422.26v
616	Mr TM Minter	T	64.3v	68.3v	46.3v	44.1v	48.4v	45.3v	0.0v	65.3v	0.0v	42.1v	0.0v	422.21v
617	Mr RJ Clegg	T	65.3v	69.4v	48.5v	45.3v	48.6v	41.1v	0.0v	67.3v	0.0v	38.1v	0.0v	421.26v
618	Mr RL Lindsay	T	71.7v	66.3v	48.4v	39.1v	45.2v	44.1v	0.0v	69.3v	0.0v	39.1v	0.0v	421.22v
619	Cdt EJ Dell	T	64.2v	70.7v	39.1v	43.2v	46.2v	46.3v	0.0v	70.8v	0.0v	42.3v	0.0v	420.28v
620	Mr JM Baldwin	T	63.2v	65.2v	40.2v	43.3v	50.4v	45.2v	0.0v	71.6v	0.0v	43.2v	0.0v	420.23v
621	Mr CD Dart	O	68.2v	66.2v	46.4v	47.4v	39.1v	47.2v	0.0v	72.7v	0.0v	35.1v	0.0v	420.23v
622	Cdt MJS Keeler	T	63.1v	70.5v	41.3v	46.3v	40.1v	47.5v	0.0v	70.5v	0.0v	42.2v	0.0v	419.25v
623	Miss SJ Dick	O	68.4v	64.3v	46.3v	46.3v	43.2v	44.5v	0.0v	64.1v	0.0v	44.2v	0.0v	419.23v
624	Cdt C Flanagan	T	69.4v	64.3v	45.3v	38.3v	45.4v	43.3v	0.0v	72.4v	0.0v	42.3v	0.0v	418.27v
625	CDT TP Shaw	T	69.3v	64.2v	41.1v	43.3v	45.3v	42.2v	0.0v	70.7v	0.0v	44.3v	0.0v	418.24v
626	Cdt Sgt SMB Maitland Bondeonneau	T	64.3v	65.3v	43.2v	45.2v	47.3v	45.2v	0.0v	63.2v	0.0v	46.5v	0.0v	418.22v
627	Mr AM Mcconnell	T	66.4v	65.2v	39.0v	45.2v	48.5v	44.1v	0.0v	70.6v	0.0v	41.2v	0.0v	418.22v
628	Mr MG Grimsdell	O	66.4v	70.7v	41.1v	46.2v	45.1v	41.0v	0.0v	73.10v	0.0v	35.1v	0.0v	417.26v
629	Mr JL Lim	T	67.4v	63.2v	44.4v	43.3v	47.2v	45.2v	0.0v	73.7v	0.0v	35.1v	0.0v	417.25v
630	Cdt CI Alder	T	62.4v	67.2v	45.4v	45.2v	46.3v	46.2v	0.0v	64.3v	0.0v	42.2v	0.0v	417.22v
631	Miss ED Dixon	T	67.1v	72.6v	48.6v	40.1v	42.2v	44.2v	0.0v	68.2v	0.0v	36.1v	0.0v	417.21v
632	Mr MJ Jones	T	63.2v	63.3v	44.4v	41.4v	47.5v	48.4v	0.0v	64.3v	0.0v	46.2v	0.0v	416.27v

633	Mr GB Tompson	O	66.3v	65.4v	44.2v	34.3v	43.1v	50.6v	0.0v	69.4v	0.0v	45.4v	0.0v	416.27v
634	Mr ELM Macaulay	T	69.3v	64.6v	38.0v	44.4v	48.4v	43.2v	0.0v	69.6v	0.0v	41.1v	0.0v	416.26v
635	Miss VB Bieger	T	67.4v	69.6v	43.1v	37.1v	46.4v	48.6v	0.0v	68.4v	0.0v	38.0v	0.0v	416.26v
636	Mr JA Ashby	T	59.1v	70.4v	46.1v	42.2v	44.2v	45.6v	0.0v	65.4v	0.0v	45.4v	0.0v	416.24v
637	Miss J Powell	T	69.3v	71.5v	44.3v	43.2v	46.4v	45.3v	0.0v	59.1v	0.0v	39.2v	0.0v	416.23v
638	Mr AJO Collins	T	64.4v	71.4v	42.1v	45.2v	45.3v	41.0v	0.0v	67.6v	0.0v	41.1v	0.0v	416.21v
639	Miss MP Patton	T	66.4v	65.2v	40.1v	46.2v	47.4v	46.4v	0.0v	65.4v	0.0v	41.0v	0.0v	416.21v
640	Mr T Galliers	O	66.4v	67.3v	44.2v	44.2v	46.3v	44.2v	0.0v	63.3v	0.0v	42.1v	0.0v	416.20v
641	Mr PHC Costello	T	64.6v	68.4v	47.5v	43.2v	47.5v	39.2v	0.0v	72.10v	0.0v	35.0v	0.0v	415.34v
642	Mr KJ Aldridge	O	65.4v	67.4v	43.1v	49.3v	41.2v	38.2v	0.0v	71.7v	0.0v	41.1v	0.0v	415.24v
643	Mr LA Greenaway	T	68.3v	64.2v	43.3v	38.0v	46.4v	47.2v	0.0v	67.4v	0.0v	42.3v	0.0v	415.21v
644	Miss ML Wilkins	T	64.5v	65.3v	39.0v	41.3v	47.3v	48.5v	0.0v	71.8v	0.0v	39.1v	0.0v	414.28v
645	Mr CB Stone	O	67.3v	68.3v	41.1v	44.4v	46.3v	42.1v	0.0v	61.2v	0.0v	45.1v	0.0v	414.18v
646	Mr JM de Bruyn	O	67.3v	64.1v	41.2v	44.2v	46.2v	43.0v	0.0v	67.5v	0.0v	41.1v	0.0v	413.16v
647	Mr PHC Costello	T	65.4v	67.4v	43.2v	45.4v	49.3v	41.3v	0.0v	74.6v	0.0v	27.1v	0.0v	411.27v
648	Mr AR Rigby	T	70.5v	70.7v	46.3v	43.3v	40.2v	42.3v	0.0v	58.2v	0.0v	42.1v	0.0v	411.26v
649	Mr ML Larcombe	T	60.1v	72.6v	43.2v	37.2v	48.2v	49.5v	0.0v	72.4v	0.0v	30.1v	0.0v	411.23v
650	Mr DC Cavanagh	T	70.4v	70.7v	46.2v	40.1v	44.3v	43.1v	0.0v	69.4v	0.0v	29.1v	0.0v	411.23v
651	Mr A Robertson	O	64.1v	65.3v	41.1v	42.2v	39.1v	41.3v	0.0v	73.7v	0.0v	46.4v	0.0v	411.22v
652	Cdt LCpl SW Franklin	T	51.1v	71.3v	43.0v	41.1v	47.2v	47.4v	0.0v	69.7v	0.0v	46.2v	0.0v	411.20v
653	Mr P Cameron Taylor	O	72.8v	71.5v	48.3v	0.0v	46.5v	50.8v	0.0v	75.11v	0.0v	42.2v	0.0v	408.42v
654	Lt. Cdr. PERD Hunt	O	68.2v	61.2v	45.1v	42.2v	43.2v	42.0v	0.0v	67.6v	0.0v	40.1v	0.0v	408.16v
655	Cdt WP Cubitt	T	68.4v	67.3v	44.2v	46.3v	44.3v	38.0v	0.0v	63.3v	0.0v	37.3v	0.0v	407.21v
656	Mr ML Kirkillo-Stacewicz	T	65.3v	64.3v	45.4v	36.0v	45.3v	43.2v	0.0v	66.2v	0.0v	43.3v	0.0v	407.20v
657	WWB Woods Ballard	T	67.3v	71.3v	48.4v	44.2v	41.2v	44.2v	0.0v	66.4v	0.0v	25.0v	0.0v	406.20v
658	LH A Melling	T	63.2v	70.3v	42.2v	43.0v	42.1v	43.2v	0.0v	62.1v	0.0v	41.0v	0.0v	406.11v
659	Mr LA Alder	T	62.0v	64.1v	42.7v	41.3v	47.5v	43.2v	0.0v	63.3v	0.0v	43.2v	0.0v	405.23v
660	Mr AW Lothian	X	72.8v	71.5v	47.3v	48.6v	0.0v	49.5v	0.0v	71.10v	0.0v	46.3v	0.0v	404.40v
661	Sgt J Duncan	T	66.2v	68.5v	48.3v	24.0v	45.2v	48.4v	0.0v	63.2v	0.0v	42.1v	0.0v	404.19v
662	Mr AT Thomas	T	66.4v	65.0v	41.1v	43.4v	43.3v	41.0v	0.0v	65.2v	0.0v	39.3v	0.0v	403.17v
663	Mr GW Berman	A	65.0v	70.6v	50.8v	47.3v	0.0v	49.5v	0.0v	74.12v	0.0v	47.4v	0.0v	402.38v
664	Cdt Cpl K Drelaud	T	66.2v	64.4v	44.2v	41.2v	41.3v	37.1v	0.0v	66.5v	0.0v	43.3v	0.0v	402.22v
665	Mr AG Grainger	T	64.3v	67.3v	44.2v	47.2v	45.4v	40.3v	0.0v	68.3v	0.0v	27.1v	0.0v	402.21v
666	Mr SJ Bates	T	61.1v	65.5v	37.0v	45.3v	42.2v	42.3v	0.0v	60.3v	0.0v	49.6v	0.0v	401.23v
667	Sgt W Jowett	T	66.4v	70.5v	40.1v	45.4v	45.2v	43.3v	0.0v	54.1v	0.0v	38.3v	0.0v	401.23v
668	C/Sgt M Loughhead	T	71.5v	64.1v	43.3v	41.0v	42.1v	41.1v	0.0v	66.0v	0.0v	33.0v	0.0v	401.11v
669	Mr TN Nicholls	T	61.1v	62.3v	47.1v	42.1v	44.0v	39.1v	0.0v	65.1v	0.0v	41.2v	0.0v	401.10v
670	Mr LR Reid	T	66.4v	64.4v	46.1v	41.3v	42.3v	41.2v	0.0v	65.1v	0.0v	35.1v	0.0v	400.19v
671	Sgt OAG McCulloch	T	68.3v	67.2v	39.1v	36.0v	39.2v	43.2v	0.0v	64.6v	0.0v	42.2v	0.0v	398.18v
672	LT RN RW Coatsworth	O	54.2v	66.4v	40.3v	41.4v	45.2v	40.1v	0.0v	69.3v	0.0v	42.1v	0.0v	397.20v
673	Dr BH Lister	O	63.3v	65.2v	40.1v	38.1v	43.3v	42.1v	0.0v	68.4v	0.0v	38.1v	0.0v	397.16v
674	Mr JR Robinson	T	59.0v	64.1v	43.1v	38.0v	43.1v	45.4v	0.0v	63.3v	0.0v	42.2v	0.0v	397.12v
675	LCpl H Shaw	T	60.1v	64.4v	41.1v	40.0v	44.2v	43.1v	0.0v	61.1v	0.0v	43.2v	0.0v	396.12v
676	Mr KMS Wong	T	62.1v	62.0v	45.2v	42.1v	46.2v	41.1v	0.0v	56.2v	0.0v	42.3v	0.0v	396.12v
677	Mr JG Bennett	A	67.8v	68.5v	45.1v	46.4v	48.5v	46.2v	0.0v	71.9v	0.0v	4.0v	0.0v	395.34v
678	WO V Ho	T	69.4v	69.3v	50.6v	46.3v	47.5v	0.3v	0.0v	73.5v	0.0v	41.1v	0.0v	395.30v
679	Miss AF Fernandes	T	68.4v	73.7v	43.3v	41.2v	46.4v	46.4v	0.0v	67.4v	0.0v	9.0v	0.0v	393.28v
680	Mr CH Herter	O	69.3v	72.8v	48.4v	43.0v	49.5v	0.0v	0.0v	71.10v	0.0v	40.0v	0.0v	392.30v
681	Mr KS Dods	T	65.1v	56.3v	41.1v	40.1v	39.1v	42.1v	0.0v	67.6v	0.0v	42.1v	0.0v	392.15v
682	Mr TF Fermor	T	65.2v	65.4v	44.1v	35.2v	46.3v	38.1v	0.0v	64.1v	0.0v	34.1v	0.0v	391.15v
683	Mr N Healy	O	0.0v	75.9v	50.8v	45.1v	50.6v	50.5v	0.0v	74.8v	0.0v	46.2v	0.0v	390.39v
684	Cdt LJ Smith	T	59.1v	62.4v	41.2v	45.2v	43.3v	42.4v	0.0v	59.3v	0.0v	39.1v	0.0v	390.20v
685	Cdt M Welch	T	64.3v	68.4v	39.1v	36.1v	45.2v	38.1v	0.0v	65.3v	0.0v	35.1v	0.0v	390.16v
686	Mr JS Scambler	T	66.4v	59.2v	48.6v	43.4v	45.1v	35.0v	0.0v	65.8v	0.0v	28.0v	0.0v	389.25v
687	Mr MM Magill	T	66.5v	65.3v	46.3v	45.2v	44.2v	29.1v	0.0v	73.6v	0.0v	20.0v	0.0v	388.22v
688	Cdt Cpl OAC Clark	T	67.5v	69.5v	42.1v	37.1v	45.4v	40.1v	0.0v	55.1v	0.0v	33.2v	0.0v	388.20v
689	Mr OMC Conway	T	63.3v	61.2v	43.1v	41.1v	36.1v	43.3v	0.0v	55.0v	0.0v	46.1v	0.0v	388.12v
690	Mr SP Hill	O	72.5v	65.4v	43.2v	45.1v	0.0v	47.1v	0.0v	69.3v	0.0v	46.2v	0.0v	387.18v
691	Ms TD De La Cour	T	60.0v	68.5v	42.2v	35.1v	42.1v	40.3v	0.0v	59.2v	0.0v	41.0v	0.0v	387.14v
692	Cdt ME Kenyon	T	68.6v	64.5v	42.1v	36.2v	49.3v	44.4v	0.0v	67.4v	0.0v	15.0v	0.0v	385.25v
693	Cdt R Hu	T	64.2v	69.4v	44.3v	26.0v	40.1v	44.3v	0.0v	71.3v	0.0v	27.1v	0.0v	385.17v
694	Cdt JA Edwards	T	73.7v	69.5v	0.0v	40.1v	41.1v	45.4v	0.0v	68.5v	0.0v	48.7v	0.0v	384.30v
695	Mr OH Howard-Vyse	T	62.1v	72.5v	43.1v	41.2v	47.2v	48.2v	0.0v	69.3v	0.0v	0.0v	0.0v	382.16v
696	Mr APW Daw	X	0.0v	68.6v	50.4v	47.6v	48.7v	49.6v	0.0v	75.7v	0.0v	44.3v	0.0v	381.39v
697	Mr H Asquith-Beard	T	62.4v	66.3v	46.3v	42.1v	41.1v	43.0v	0.0v	60.2v	0.0v	21.0v	0.0v	381.14v
698	Miss SEA Ellis	O	62.2v	66.3v	40.1v	42.1v	39.1v	40.3v	0.0v	54.1v	0.0v	38.1v	0.0v	381.13v
699	Mr DW Wescott	T	55.1v	67.5v	42.2v	30.0v	45.1v	42.1v	0.0v	67.3v	0.0v	33.0v	0.0v	381.13v
700	LCpl OJA Money-Kyrle	T	64.3v	62.6v	38.1v	42.2v	37.0v	40.3v	0.0v	57.1v	0.0v	40.1v	0.0v	380.17v
701	Cdt JL Lumley	T	58.0v	62.1v	43.3v	44.2v	36.1v	37.1v	0.0v	60.1v	0.0v	39.0v	0.0v	379.9v
702	Mr AS Smith	T	59.1v	59.1v	40.0v	45.1v	43.2v	38.1v	0.0v	62.1v	0.0v	33.0v	0.0v	379.7v
703	Mr GH Hunter	T	53.0v	66.4v	36.2v	38.0v	41.2v	40.1v	0.0v	67.7v	0.0v	37.1v	0.0v	378.17v
704	Mr DQM Harvey	O	71.3v	70.7v	47.5v	47.3v	48.6v	48.6v	0.0v	0.0v	0.0v	46.3v	0.0v	377.33v

